

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	355 回
欠測回数	0 回	欠測回数	17 回
欠測率	0.0 %	欠測率	4.6 %

観測所名: 福井港本港地区 | 機種: 波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	* 1.80	7.8	* 1.41	7.7	* 1.12	7.3	* 0.71	6.5	NNW	340	
	02	1.54	7.8	1.32	7.6	1.03	7.6	0.67	6.4	NNW	335	
	04	1.68	6.3	1.32	7.5	1.02	7.3	0.63	6.4	N	8	
	06	1.65	7.8	1.18	7.4	0.92	7.3	0.59	6.4	NNW	327	
	08	1.42	6.8	1.02	7.2	0.79	7.3	0.48	5.8	NNW	348	
	10	1.35	7.3	0.99	7.3	0.75	7.0	0.46	6.0	N	4	
	12	1.52	7.1	1.09	7.3	0.85	7.1	0.53	5.7	N	352	
	14	1.07	7.0	0.84	7.0	0.65	6.9	0.39	5.3	N	356	
	16	1.37	6.9	0.86	7.0	0.65	6.8	0.41	5.4	NNW	348	
	18	0.93	6.6	0.70	6.6	0.55	6.8	0.34	5.3	NNW	348	
	20	0.91	6.3	0.63	6.4	0.49	6.2	0.31	4.7	NNW	340	
	22	0.84	6.4	0.60	5.7	0.48	5.2	0.31	4.0	N	352	
	最大 平均	1.80	7.8	1.41	7.7	1.12	7.3	0.71	6.5			
		1.34	7.0	1.00	7.1	0.78	6.9	0.49	5.7			
	02	00	0.80	6.5	0.59	5.6	0.46	5.3	0.30	4.0	NNW	335
		02	0.80	7.2	0.56	5.0	0.47	5.0	0.30	3.9	N	352
		04	0.69	4.5	0.51	5.5	0.40	5.3	0.27	4.0	N	352
		06	0.69	5.2	0.52	4.7	0.40	4.6	0.25	3.8		
		08	0.54	4.9	0.40	5.3	0.32	5.1	0.21	4.0	NNW	344
		10	0.55	7.3	0.39	5.5	0.32	5.3	0.20	4.1	NNW	327
		12	0.62	6.4	0.41	5.8	0.32	5.7	0.21	4.4	NW	323
		14	0.51	4.8	0.38	5.0	0.31	4.9	0.20	3.8	NNE	12
16		1.03	4.6	0.73	4.6	0.59	4.7	0.37	4.1	W	267	
18		1.37	4.7	0.91	4.8	0.72	4.7	0.47	4.2	NNE	24	
20		* 1.73	4.3	* 1.20	5.0	* 0.95	5.0	* 0.60	4.3	N	0	
22		1.51	5.0	* 1.20	5.0	0.94	5.0	0.60	4.2	NNW	348	
最大 平均		1.73	4.3	1.20	5.0	0.95	5.0	0.60	4.3			
		0.90	5.5	0.65	5.2	0.52	5.1	0.33	4.1			
03		00	1.40	4.6	1.15	5.2	0.92	5.1	0.60	4.4	NNW	331
		02	1.46	5.7	1.15	5.5	0.94	5.4	0.61	4.7	NW	323
		04	1.53	5.4	1.24	5.8	0.99	5.8	0.63	4.9	NNW	344
		06	1.65	5.9	1.23	5.9	0.96	6.0	0.60	5.2	NW	319
		08	1.61	5.7	1.18	5.7	0.99	5.8	0.65	5.3	NNW	331
		10	1.57	5.9	1.20	5.6	0.96	5.6	0.62	4.9	NNW	340
		12	1.46	5.7	1.14	5.5	0.94	5.6	0.62	5.1	NNW	327
		14	1.82	5.1	* 1.46	5.4	1.12	5.6	* 0.73	4.8	NNW	327
	16	* 1.89	6.0	1.38	6.0	* 1.12	5.9	0.70	4.9	NNW	340	
	18	1.65	5.7	1.31	6.3	1.08	6.0	0.69	4.8	NNW	344	
	20	1.69	5.4	1.30	6.4	1.02	6.2	0.64	5.1	NNW	340	
	22	1.67	5.9	1.28	6.2	1.01	6.3	0.63	5.3	NNW	340	
	最大 平均	1.89	6.0	1.46	5.4	1.12	5.9	0.73	4.8			
		1.62	5.6	1.25	5.8	1.00	5.8	0.64	5.0			
	04	00	1.43	7.4	1.16	6.2	0.90	6.1	0.57	5.2	NNW	340
		02	* 1.78	6.3	1.09	6.3	0.87	6.2	0.55	5.1	NNW	348
		04	1.55	5.5	1.25	5.9	* 1.00	6.0	* 0.64	5.0	NNW	344
		06	1.40	6.5	1.10	5.6	0.89	5.6	0.56	4.5	NNW	344
		08	1.41	5.4	1.06	5.2	0.87	5.4	0.58	4.8	NNW	348
		10	1.26	5.4	0.93	5.4	0.76	5.6	0.47	4.7	N	8
		12	0.97	5.8	0.78	5.9	0.63	5.5	0.40	4.4	NNW	340
		14	1.25	5.9	0.85	5.7	0.69	5.3	0.45	4.2	NNE	12
16		1.20	6.7	0.90	5.5	0.71	5.0	0.45	4.1	NNW	335	
18		1.31	5.7	1.04	5.7	0.84	5.6	0.54	4.6	NNW	331	
20		1.53	6.1	* 1.27	5.7	1.00	5.5	0.63	4.6	NNW	327	
22		1.50	5.9	1.17	6.4	0.95	5.9	0.59	5.0	NNW	331	
最大 平均		1.78	6.3	1.27	5.7	1.00	6.0	0.64	5.0			

	平均	1.38	6.1	1.05	5.8	0.84	5.6	0.54	4.7		
05	00	1.46	6.6	1.25	6.4	1.02	6.4	* 0.65	5.5	NNW	340
	02	* 1.90	6.6	* 1.34	6.6	* 1.05	6.3	0.64	5.2	NW	311
	04	1.78	6.1	1.22	5.9	0.98	6.1	0.62	5.3	NNW	331
	06	1.44	6.6	1.05	6.1	0.82	6.2	0.52	5.4	NNW	327
	08	1.32	5.2	0.91	6.1	0.74	6.2	0.48	5.5	NNW	335
	10	1.07	6.9	0.87	6.2	0.71	6.1	0.44	5.2	NNW	340
	12	1.27	6.3	0.91	6.1	0.74	6.3	0.49	5.5	NW	319
	14	1.20	6.9	0.90	6.4	0.73	6.3	0.46	5.3	NNW	340
	16	1.18	6.7	0.95	6.7	0.77	6.7	0.48	5.4	NW	323
	18	1.13	7.5	0.87	6.9	0.71	6.7	0.43	5.2	NNW	335
	20	1.05	6.6	0.89	6.5	0.74	6.6	0.49	5.7	NNW	335
	22	1.15	6.5	0.79	6.3	0.62	6.2	0.38	5.1	NNW	331
	最大	1.90	6.6	1.34	6.6	1.05	6.3	0.65	5.5		
	平均	1.33	6.5	1.00	6.4	0.80	6.3	0.51	5.4		
06	00	1.27	6.7	0.84	6.1	0.68	6.2	0.42	4.6	NNW	331
	02	1.05	6.6	0.75	6.3	0.56	6.1	0.33	4.4	NNW	335
	04	1.00	6.1	0.69	5.5	0.56	5.6	0.36	4.3	N	4
	06	1.08	4.2	0.74	4.9	0.59	4.9	0.37	3.9	N	8
	08	1.04	5.4	0.77	4.5	0.63	4.4	0.40	3.8	WNW	293
	10	0.69	7.8	0.54	5.3	0.45	4.9	0.31	4.1	N	352
	12	0.94	4.2	0.63	5.3	0.51	5.0	0.34	4.2	NW	311
	14	1.14	4.9	0.89	5.4	0.71	5.5	0.45	4.7	W	274
	16	1.24	5.9	0.81	5.1	0.64	4.8	0.41	3.9	WNW	295
	18	2.09	3.9	1.71	4.7	1.41	4.7	0.91	4.2	NNW	347
	20	5.08	6.1	3.76	6.9	2.95	6.8	1.92	6.0	W	270
	22	* 5.89	6.9	* 3.96	7.0	* 3.12	7.1	* 1.97	5.9	W	274
	最大	5.89	6.9	3.96	7.0	3.12	7.1	1.97	5.9		
	平均	1.88	5.7	1.34	5.6	1.07	5.5	0.68	4.5		
07	00	6.47	8.2	5.01	8.0	3.91	7.7	2.38	6.2	W	274
	02	7.42	9.9	6.34	8.7	5.33	9.1	3.53	8.0	WNW	295
	04	7.60	9.6	6.36	9.0	5.23	9.1	3.36	7.6		
	06	7.23	7.6	6.05	9.7	4.97	9.2	3.22	7.6		
	08	8.18	9.5	5.64	8.7	4.53	9.1	2.92	7.7	W	274
	10	8.29	10.3	6.61	9.3	5.24	9.3	3.33	7.8		
	12	9.77	9.5	7.46	9.5	6.04	9.5	3.86	8.1	W	278
	14	8.49	10.8	7.67	10.3	6.47	10.4	4.19	8.5	WNW	299
	16	10.79	11.3	8.80	11.5	7.14	11.5	4.46	9.3	WNW	299
	18	* 12.22	12.4	* 10.40	12.4	* 8.09	12.6	* 5.24	10.1	NW	319
	20	9.21	12.2	8.15	11.6	6.66	11.9	4.18	9.4	NW	311
	22	9.60	13.3	8.23	12.3	6.43	11.6	4.04	9.4	NNW	327
	最大	12.22	12.4	10.40	12.4	8.09	12.6	5.24	10.1		
	平均	8.77	10.4	7.23	10.1	5.84	10.1	3.73	8.3		
08	00	* 9.40	12.0	* 7.01	11.6	* 5.48	11.9	* 3.43	9.2	NW	323
	02	9.26	9.8	6.69	11.6	5.19	10.9	2.99	8.0	NNW	331
	04	6.76	13.5	5.65	11.6	4.65	11.3	3.01	8.8		
	06	7.36	7.6	5.99	11.9	4.86	11.0	2.98	8.7	NNW	327
	08	6.12	12.4	4.87	10.9	4.08	11.0	2.75	8.9	NNW	327
	10	6.01	10.9	4.52	11.3	3.78	11.5	2.42	9.0	NNW	331
	12	6.12	10.3	4.48	10.9	3.52	11.0	2.15	8.0	NNW	331
	14	5.28	9.6	4.34	10.4	3.59	10.0	2.27	7.6	NNW	335
	16	5.92	11.6	4.49	11.0	3.68	11.4	2.32	8.3	NNW	340
	18	6.16	11.6	4.55	10.6	3.66	9.6	2.28	7.8	NNW	340
	20	4.93	8.2	3.79	9.6	3.12	9.1	1.94	7.0	NNW	340
	22	4.83	8.3	3.84	8.9	3.10	9.2	1.92	7.3	NNW	335
	最大	9.40	12.0	7.01	11.6	5.48	11.9	3.43	9.2		
	平均	6.51	10.5	5.02	10.9	4.06	10.7	2.54	8.2		
09	00	3.58	7.7	3.21	9.9	2.73	9.5	* 1.74	7.5	NW	319
	02	3.98	8.9	3.13	8.8	2.58	9.1	1.68	7.4	NNW	340
	04	4.22	8.2	* 3.45	9.4	* 2.76	9.3	1.69	7.2	NNW	331
	06	3.70	10.5	3.08	9.7	2.46	8.7	1.59	6.9		
	08	3.37	8.7	3.00	9.3	2.48	9.2	1.58	7.1		
	10	* 4.68	9.5	2.92	8.5	2.30	8.9	1.51	7.4	N	352
	12	3.39	8.2	2.93	9.3	2.38	9.7	1.51	7.9	N	352
	14	3.46	8.1	2.89	9.7	2.35	9.9	1.46	7.8	N	352
	16	3.52	9.8	2.79	9.5	2.27	9.7	1.43	7.9		
	18	3.49	9.0	2.42	9.1	1.92	9.0	1.18	7.3	NNW	344
	20	2.98	8.1	2.02	8.3	1.66	8.7	1.07	7.2	NNW	344
	22	2.75	8.3	1.94	9.2	1.59	8.9	0.99	7.0	NNW	327

		最大	4.68	9.5	3.45	9.4	2.76	9.3	1.74	7.5		
		平均	3.59	8.8	2.82	9.2	2.29	9.2	1.45	7.4		
10	00	2.38	8.3	1.91	8.7	1.48	8.5	0.88	6.3			
	02	2.22	7.9	1.87	8.7	1.56	8.7	1.01	7.3	NNW	335	
	04	2.73	9.7	2.15	8.8	1.67	8.6	1.05	6.5	N	0	
	06	2.80	7.1	2.03	7.3	1.61	7.5	1.03	6.1	NNW	335	
	08	2.71	7.1	2.12	7.5	1.70	7.6	1.11	6.1	NNW	335	
	10	2.64	7.5	2.08	7.3	1.69	7.2	1.09	5.9	NNW	348	
	12	2.90	5.9	2.07	6.3	1.72	6.4	1.11	5.5	N	0	
	14	2.85	5.7	2.13	6.9	1.69	6.7	1.08	5.5	NNW	327	
	16	2.64	5.6	2.00	6.5	1.60	6.7	1.00	5.3	WNW	295	
	18	2.15	6.2	1.66	6.8	1.37	6.7	0.88	5.3			
	20	3.05	5.8	2.12	5.8	1.63	5.9	1.03	4.9	WNW	299	
	22	* 3.10	6.6	* 2.21	5.7	* 1.76	5.9	* 1.15	5.1	WNW	303	
		最大	3.10	6.6	2.21	5.7	1.76	5.9	1.15	5.1		
		平均	2.68	7.0	2.03	7.2	1.62	7.2	1.04	5.8		
11	00	* 3.73	6.2	* 2.82	6.5	2.25	6.5	1.41	5.4			
	02	3.13	7.2	2.76	7.1	* 2.29	7.1	* 1.45	5.9	WNW	290	
	04	2.75	7.2	2.27	6.9	1.87	6.9	1.21	6.0	WNW	303	
	06	2.88	6.6	2.14	7.2	1.69	7.3	1.05	6.0	NW	311	
	08	2.47	7.1	2.01	7.2	1.61	7.0	0.99	6.2	WNW	295	
	10	2.40	8.0	1.92	7.3	1.52	7.1	1.00	6.2	NNW	348	
	12	2.63	6.3	1.97	7.4	1.59	7.5	1.00	6.0	NNW	331	
	14	2.13	7.5	1.70	7.3	1.33	7.1	0.83	5.8	NNW	335	
	16	2.39	7.0	1.69	7.3	1.36	7.1	0.84	5.8	NNW	327	
	18	2.38	6.8	1.83	7.3	1.50	7.3	0.94	6.2	NNW	335	
	20	2.64	7.0	1.72	7.4	1.34	7.3	0.84	5.9	NNW	331	
	22	2.62	8.1	1.76	7.8	1.35	7.4	0.86	6.3	NNW	344	
		最大	3.73	6.2	2.82	6.5	2.29	7.1	1.45	5.9		
		平均	2.68	7.1	2.05	7.2	1.64	7.1	1.04	6.0		
12	00	1.77	7.3	1.28	7.5	1.05	7.6	0.68	6.4	NNW	344	
	02	1.80	6.9	1.31	7.6	1.05	7.2	0.66	6.3	NNW	344	
	04	1.64	8.1	1.26	7.4	0.99	7.4	0.64	6.4			
	06	1.56	7.7	1.22	7.1	0.96	7.2	0.60	6.1	NNW	327	
	08	1.57	7.3	1.19	6.4	0.89	6.3	0.54	4.5	NNW	327	
	10	1.85	3.7	1.24	5.5	1.01	5.1	0.66	4.2	NNW	348	
	12	1.72	4.4	1.26	6.1	1.01	6.2	0.66	5.2	NNW	340	
	14	2.09	4.8	1.65	5.2	1.31	5.3	0.85	4.6	W	266	
	16	2.47	5.5	1.93	5.1	1.55	5.2	1.00	4.5	W	262	
	18	3.19	6.0	2.23	5.8	1.79	5.7	1.17	4.9	W	262	
	20	3.06	6.3	2.31	5.9	1.86	5.7	1.19	4.9	W	270	
	22	* 4.04	5.3	* 2.46	6.0	* 2.01	5.9	* 1.25	5.1	W	262	
		最大	4.04	5.3	2.46	6.0	2.01	5.9	1.25	5.1		
		平均	2.23	6.1	1.61	6.3	1.29	6.2	0.83	5.3		
13	00	3.63	5.7	2.77	6.1	2.27	6.3	1.43	5.4	WSW	237	
	02	4.23	6.1	2.98	6.4	2.40	6.5	1.59	5.7	W	262	
	04	4.09	6.9	3.52	6.8	2.84	6.8	1.84	6.1	WSW	258	
	06	* 4.63	7.5	* 3.53	7.7	* 2.92	7.8	* 1.92	6.5	NW	315	
	08	4.09	7.1	2.84	7.4	2.26	7.6	1.46	6.1	NW	315	
	10	4.39	8.2	3.03	7.7	2.35	7.6	1.45	6.0	WNW	295	
	12	3.17	7.0	2.45	7.3	1.98	7.3	1.28	6.1	WNW	295	
	14	3.16	7.0	2.59	7.7	2.06	7.4	1.28	6.3	WNW	290	
	16	3.00	6.9	2.20	7.3	1.79	7.2	1.13	6.2	WNW	286	
	18	3.01	6.8	2.11	7.3	1.74	7.4	1.06	6.1	NW	307	
	20	2.31	7.9	1.95	7.1	1.58	7.1	1.01	6.1	NNW	327	
	22	2.72	7.9	2.13	7.8	1.71	7.8	1.10	6.7	NNW	335	
		最大	4.63	7.5	3.53	7.7	2.92	7.8	1.92	6.5		
		平均	3.54	7.1	2.68	7.2	2.16	7.2	1.38	6.1		
14	00	* 3.40	7.0	* 2.42	7.8	* 1.80	8.0	1.12	6.7	NNW	340	
	02	2.49	8.2	1.91	7.6	1.49	7.7	0.96	6.4	NNW	340	
	04	2.39	6.6	1.89	7.7	1.50	7.2	0.96	6.2	NNW	340	
	06	2.36	8.0	1.90	7.2	1.52	7.2	0.95	6.2	NNW	340	
	08	3.30	5.8	2.21	6.9	1.78	7.0	* 1.14	6.0	WNW	299	
	10	2.60	8.3	2.01	7.1	1.55	6.9	0.99	5.8	NNW	327	
	12	2.45	6.0	1.79	6.6	1.46	6.7	0.91	5.5	NNW	348	
	14	2.06	7.0	1.61	6.5	1.29	6.6	0.81	5.6	NNW	344	

	16	1.98	6.9	1.56	6.7	1.28	6.8	0.84	5.5	NNW	348	
	18	1.75	7.1	1.43	6.7	1.17	6.8	0.75	5.6	NNW	344	
	20	1.74	7.4	1.36	7.3	1.10	7.0	0.69	5.6	NNW	331	
	22	1.79	7.6	1.23	6.3	0.98	6.4	0.62	5.5	NNW	335	
	最大	3.40	7.0	2.42	7.8	1.80	8.0	1.14	6.0			
	平均	2.36	7.2	1.78	7.0	1.41	7.0	0.90	5.9			
15	00	1.48	5.6	1.11	6.5	0.89	6.5	0.56	5.3	NNW	331	
	02	1.43	6.3	1.05	6.5	0.84	6.6	0.52	5.5	NNW	340	
	04	1.32	6.8	0.98	6.6	0.79	6.6	0.52	5.9	NNW	344	
	06	1.20	6.7	0.97	6.5	0.78	6.7	0.50	5.8	NNW	331	
	08	1.13	6.9	0.91	6.8	0.73	6.6	0.46	5.6	NNW	348	
	10	1.14	6.4	0.91	6.9	0.75	6.9	0.44	5.7	NNW	348	
	12	1.27	6.6	1.07	7.2	0.85	6.9	0.52	5.5	N	356	
	14	1.07	6.9	0.90	6.5	0.73	6.1	0.46	4.5	N	356	
	16	* 1.76	6.3	* 1.22	6.8	* 0.92	6.6	0.55	4.8	N	0	
	18	1.32	6.6	1.08	6.3	0.85	6.4	0.51	5.0	N	352	
	20	1.35	6.2	1.09	6.8	0.89	6.7	0.57	5.5	NNW	344	
	22	1.26	5.6	1.06	6.9	0.89	6.9	* 0.60	6.1	NNW	335	
	最大	1.76	6.3	1.22	6.8	0.92	6.6	0.60	6.1			
	平均	1.31	6.4	1.03	6.7	0.83	6.6	0.52	5.4			
	16	00	* 1.31	6.7	* 1.03	6.6	* 0.82	6.8	* 0.51	5.7	N	4
		02	1.18	6.3	0.84	6.6	0.66	6.5	0.41	5.2	N	0
		04	0.93	6.5	0.77	6.4	0.64	6.6	0.41	5.5	NNW	344
		06	0.88	6.5	0.71	6.1	0.56	6.1	0.36	5.0	N	352
08		0.77	5.8	0.60	6.0	0.51	6.1	0.32	4.7	N	0	
10		0.81	7.3	0.59	5.8	0.48	5.6	0.30	4.4	NNE	12	
12		0.82	3.8	0.60	5.4	0.48	5.3	0.32	4.3	N	352	
14		0.97	2.9	0.63	4.5	0.51	4.3	0.34	3.5	NNE	20	
16		0.84	4.7	0.61	5.0	0.48	4.8	0.31	3.8	W	273	
18		0.94	6.0	0.58	5.8	0.46	5.6	0.30	4.5			
20		0.83	6.2	0.60	5.8	0.50	5.7	0.31	4.5	NW	319	
22		0.96	5.7	0.73	5.3	0.58	4.8	0.38	4.0	WNW	283	
最大		1.31	6.7	1.03	6.6	0.82	6.8	0.51	5.7			
平均		0.94	5.7	0.69	5.8	0.56	5.7	0.36	4.6			
17		00	0.87	4.8	0.72	4.8	0.58	4.7	0.37	3.9	SW	231
		02	0.82	4.4	0.64	5.1	0.51	5.0	0.32	4.0	NNW	331
		04	0.78	4.6	0.59	5.0	0.48	5.0	0.31	4.1	NNW	335
		06	1.25	4.7	0.89	5.0	0.74	4.9	0.48	4.4	N	356
	08	* 1.36	4.6	* 1.01	4.9	* 0.82	4.8	* 0.52	4.4	W	261	
	10	1.22	4.7	0.83	4.8	0.66	4.8	0.41	4.3	WNW	289	
	12	1.06	4.9	0.74	4.7	0.59	4.7	0.38	4.3	NNE	26	
	14	0.80	4.9	0.60	4.7	0.49	4.7	0.31	4.1	WNW	299	
	16	0.91	4.8	0.60	4.6	0.47	4.5	0.31	3.8	WNW	286	
	18	0.81	5.1	0.57	4.7	0.45	4.7	0.29	3.9	NNW	335	
	20	0.58	4.4	0.49	4.9	0.40	5.0	0.26	4.2	NNW	340	
	22	0.72	5.1	0.52	5.2	0.43	5.1	0.29	4.5	NNW	348	
	最大	1.36	4.6	1.01	4.9	0.82	4.8	0.52	4.4			
	平均	0.93	4.8	0.68	4.9	0.55	4.8	0.35	4.2			
	18	00	0.64	4.9	0.50	5.2	0.40	5.5	0.26	4.8	NNW	344
		02	0.56	5.7	0.44	5.4	0.37	5.4	0.24	4.6	N	352
		04	0.52	5.1	0.42	5.6	0.32	5.7	0.21	4.5	NNW	348
		06	0.47	5.3	0.35	5.5	0.29	5.5	0.19	4.5	NNW	344
08		0.75	3.7	0.55	3.8	0.42	3.7	0.28	3.4	WSW	247	
10		0.83	3.6	0.57	3.9	0.45	4.0	0.29	3.5	NW	304	
12		1.33	4.0	1.01	4.2	0.82	4.1	0.53	3.9	NW	322	
14		1.95	4.8	1.32	5.0	1.04	5.0	0.67	4.4	WNW	303	
16		1.86	5.5	1.55	5.6	1.27	5.5	0.81	4.7	NW	319	
18		4.05	6.0	2.72	6.1	2.16	5.9	1.38	5.1	NW	323	
20		* 5.35	6.2	* 3.45	6.6	* 2.69	6.6	* 1.66	5.4	NW	319	
22		3.95	7.5	3.03	7.1	2.47	7.1	1.63	6.0	NW	311	
最大		5.35	6.2	3.45	6.6	2.69	6.6	1.66	5.4			
平均		1.86	5.2	1.33	5.3	1.06	5.3	0.68	4.6			
19		00	* 4.19	7.5	* 2.94	7.0	* 2.35	6.9	* 1.50	5.7	WNW	299
		02	3.58	7.5	2.71	7.1	2.17	7.0	1.33	5.6	WNW	295
		04	3.48	7.3	2.86	7.1	2.28	7.2	1.44	6.1	NW	315
		06	2.95	7.3	2.42	7.3	1.95	7.1	1.30	6.2	NW	311
	08	2.48	7.4	2.15	7.6	1.78	7.2	1.09	5.7	NW	323	
	10	2.76	7.1	2.33	7.2	1.92	7.3	1.25	6.4	NW	323	

	12	2.93	7.3	2.24	7.6	1.79	7.8	1.16	6.7	NW	323
	14	2.37	7.2	2.10	7.6	1.71	7.6	1.10	6.7	NW	323
	16	2.09	6.7	1.81	7.4	1.42	7.4	0.89	6.0	NNW	327
	18	2.46	8.2	1.71	7.4	1.38	7.5	0.90	6.5	NNW	327
	20	2.51	7.0	1.71	7.3	1.30	7.3	0.84	6.5	NNW	335
	22	1.56	7.2	1.39	6.9	1.16	7.1	0.75	6.4	NNW	327
	最大	4.19	7.5	2.94	7.0	2.35	6.9	1.50	5.7		
	平均	2.78	7.3	2.20	7.3	1.77	7.3	1.13	6.2		
20	00	* 1.52	6.2	1.15	7.2	0.93	7.1	0.59	6.0	NNW	335
	02	1.39	7.0	* 1.18	7.0	* 0.98	7.1	* 0.63	6.5	NNW	331
	04	1.24	6.6	1.06	7.0	0.86	6.9	0.54	5.9	NNW	335
	06	1.38	7.2	1.10	6.9	0.89	7.2	0.55	5.9	NNW	344
	08	1.17	7.1	0.84	7.0	0.70	7.2	0.46	5.9	NNW	344
	10	1.08	6.2	0.93	7.2	0.76	7.0	0.51	6.3	NNW	331
	12	1.23	6.8	0.92	6.8	0.72	6.7	0.45	5.6	NNW	344
	14	0.99	5.9	0.77	6.6	0.62	6.4	0.38	5.2	NNW	327
	16	0.97	5.4	0.80	6.1	0.65	6.2	0.42	5.2	NNW	348
	18	1.08	6.8	0.74	6.8	0.60	6.3	0.37	4.9	NNW	348
	20	1.25	6.4	0.87	6.7	0.66	6.6	0.42	5.4	N	352
	22	0.95	6.6	0.73	6.4	0.60	6.1	0.39	5.2	N	356
	最大	1.52	6.2	1.18	7.0	0.98	7.1	0.63	6.5		
	平均	1.19	6.5	0.92	6.8	0.75	6.7	0.48	5.7		
21	00	0.91	6.2	0.72	6.4	0.58	6.2	* 0.37	5.1	N	352
	02	* 0.92	7.0	* 0.75	6.3	* 0.60	6.2	0.37	5.0	N	0
	04	0.81	6.0	0.67	6.2	0.55	6.1	0.36	5.2	N	356
	06	0.84	5.1	0.60	5.5	0.48	5.5	0.30	4.6	N	0
	08	0.82	5.7	0.62	5.9	0.49	5.7	0.31	4.8	N	0
	10	0.74	5.7	0.58	5.9	0.47	6.0	0.30	5.1	NNW	348
	12	0.89	5.7	0.56	5.7	0.45	5.8	0.28	4.8	N	4
	14	0.73	5.7	0.52	5.7	0.43	5.5	0.28	4.6	N	4
	16	0.70	5.1	0.56	5.6	0.46	5.6	0.30	4.6	NNW	335
	18	0.83	6.0	0.61	5.7	0.49	5.5	0.31	4.3	NNW	348
	20	0.85	4.6	0.61	5.2	0.50	5.3	0.33	4.4	NNW	348
	22	0.78	4.9	0.60	5.2	0.48	5.4	0.31	4.5	NNW	335
	最大	0.92	7.0	0.75	6.3	0.60	6.2	0.37	5.1		
	平均	0.82	5.6	0.62	5.8	0.50	5.7	0.32	4.8		
22	00	0.83	5.4	0.53	5.6	0.42	5.6	0.27	4.6	NNW	335
	02	0.65	5.7	0.51	5.8	0.39	5.7	0.24	4.7	N	4
	04	0.68	5.5	0.49	5.7	0.39	5.8	0.24	4.8	N	356
	06	0.63	6.0	0.51	5.7	0.41	5.6	0.26	4.8	WNW	299
	08	0.77	5.5	0.60	5.5	0.48	5.6	0.31	4.9	NNW	327
	10	1.10	4.8	0.84	5.0	0.66	5.1	0.43	4.7	NNW	335
	12	1.25	5.1	0.79	4.9	0.63	4.9	0.41	4.3	NNW	335
	14	* 1.97	4.5	* 1.65	4.8	* 1.33	4.8	* 0.85	4.5	WNW	296
	16	1.87	4.3	1.32	4.7	1.05	4.7	0.68	4.2	NNE	16
	18	1.71	5.1	1.37	4.9	1.13	4.9	0.73	4.2	NNW	335
	20	1.89	4.1	1.54	5.0	1.28	5.1	0.84	4.6	NNW	327
	22	1.96	5.3	1.46	5.2	1.15	5.3	0.74	4.5	N	0
	最大	1.97	4.5	1.65	4.8	1.33	4.8	0.85	4.5		
	平均	1.28	5.1	0.97	5.2	0.78	5.3	0.50	4.6		
23	00	2.38	5.5	1.65	5.7	1.31	5.7	0.82	4.7	NNW	340
	02	2.17	5.4	1.66	5.8	1.33	5.8	0.85	4.9	NNW	340
	04	* 3.05	5.8	1.72	6.3	1.36	6.2	0.84	4.9	NNW	331
	06	2.18	5.7	1.62	6.2	1.35	6.3	0.88	5.4	NNW	335
	08	2.25	6.3	1.63	6.3	1.34	6.6	0.87	5.6	NNW	335
	10	2.17	6.5	1.82	6.8	1.40	7.0	0.88	5.8	NNW	331
	12	1.95	6.7	1.63	6.7	1.30	6.9	0.80	5.5	NNW	335
	14	2.01	6.7	1.56	7.4	1.25	7.1	0.79	5.9	NNW	335
	16	2.23	6.5	1.68	7.4	1.31	7.2	0.82	5.7	NNW	340
	18	2.17	7.8	1.62	7.6	1.31	7.5	0.85	6.3	NNW	340
	20	2.26	7.6	* 1.85	7.9	* 1.48	7.8	* 0.94	6.6	NNW	335
	22	2.05	7.7	1.52	7.0	1.19	7.2	0.77	6.4	NNW	340
	最大	3.05	5.8	1.85	7.9	1.48	7.8	0.94	6.6		
	平均	2.24	6.5	1.66	6.8	1.33	6.8	0.84	5.6		
24	00	2.06	6.7	1.48	7.5	1.16	7.4	0.74	6.3	NNW	348
	02	1.90	7.1	1.44	7.4	1.16	7.2	0.69	6.1	NNW	335

	04	2.18	7.0	1.40	6.9	1.00	6.9	0.60	6.0	NNW	340
	06	1.56	5.8	1.13	6.8	0.90	6.9	0.54	5.7	NNW	340
	08	1.44	7.0	1.05	6.9	0.82	6.9	0.51	5.9	NNW	340
	10	1.14	6.9	0.91	7.1	0.77	7.2	0.48	5.9	NNW	344
	12	1.25	6.8	0.98	6.8	0.82	6.9	0.49	5.8		
	14	1.15	6.3	0.97	6.7	0.78	6.7	0.49	5.6	N	4
	16	1.80	6.6	1.37	6.7	1.04	6.5	0.63	5.5	NNW	340
	18	* 2.50	5.1	* 1.75	5.5	* 1.44	5.8	* 0.94	4.8	NNW	331
	20	2.33	6.6	1.65	6.7	1.35	6.7	0.85	5.3	NNW	344
	22	1.90	6.7	1.62	6.8	1.29	6.8	0.80	5.3	NNW	348
	最大	2.50	5.1	1.75	5.5	1.44	5.8	0.94	4.8		
	平均	1.77	6.6	1.31	6.8	1.04	6.8	0.65	5.7		
25	00	2.09	6.5	1.44	6.6	1.17	6.5	0.74	5.1	N	356
	02	2.12	6.1	1.46	6.0	1.15	6.0	0.72	4.7	N	0
	04	2.17	5.8	1.62	6.0	* 1.34	6.1	* 0.87	4.9	NNW	335
	06	1.98	6.5	1.58	6.0	1.30	6.0	0.81	4.8	N	0
	08	2.14	5.6	* 1.63	5.9	1.31	6.1	0.85	5.1	NNW	340
	10	* 2.18	5.8	1.50	6.1	1.15	5.8	0.72	4.6	NNW	327
	12	2.15	6.3	1.58	6.3	1.24	6.1	0.79	5.0	NNW	327
	14	1.64	5.7	1.42	6.4	1.13	6.4	0.73	5.2	NNW	340
	16	2.11	6.6	1.42	6.4	1.08	6.4	0.68	5.1	N	352
	18	1.90	6.4	1.31	6.5	1.02	6.2	0.66	4.9	NNW	335
	20	1.81	6.9	1.47	6.7	1.14	6.8	0.69	5.3	NNW	344
	22	1.69	6.6	1.30	7.1	1.02	7.0	0.65	5.6	NNW	344
	最大	2.18	5.8	1.63	5.9	1.34	6.1	0.87	4.9		
	平均	2.00	6.2	1.48	6.3	1.17	6.3	0.74	5.0		
26	00	1.72	6.9	1.35	7.1	1.10	7.3	0.69	5.9	NNW	335
	02	1.57	7.5	1.17	7.0	0.95	6.9	0.62	6.0	N	352
	04	1.66	7.1	1.30	7.3	1.04	7.2	0.68	6.2	NNW	335
	06	1.82	6.7	1.25	6.9	0.96	7.1	0.60	6.0	NNW	348
	08	1.24	6.9	0.96	6.9	0.77	6.8	0.51	6.0	NNW	344
	10	1.14	6.4	0.84	7.0	0.69	6.9	0.43	5.5	N	356
	12	1.10	6.5	0.88	6.5	0.68	6.2	0.44	4.6	N	0
	14	0.88	6.8	0.73	5.6	0.58	5.5	0.37	4.2	N	8
	16	1.09	6.4	0.75	5.0	0.58	5.0	0.36	4.0	NNW	348
	18	0.99	4.3	0.76	4.6	0.61	4.5	0.39	3.7	W	259
	20	2.40	4.4	1.66	4.6	1.31	4.6	0.85	4.1	W	280
	22	* 3.27	5.9	* 2.52	5.9	* 1.98	6.0	* 1.25	5.0	WSW	258
	最大	3.27	5.9	2.52	5.9	1.98	6.0	1.25	5.0		
	平均	1.57	6.3	1.18	6.2	0.94	6.2	0.60	5.1		
27	00	3.01	6.6	2.32	6.6	1.82	6.4	1.12	5.2	WNW	282
	02	3.19	6.3	2.55	6.0	2.03	5.9	1.32	5.1	W	270
	04	* 5.40	6.6	* 3.34	6.3	* 2.53	6.6	1.54	5.3	W	262
	06	5.13	7.2	3.14	6.8	2.50	6.6	* 1.57	5.6		
	08	4.13	6.1	3.00	6.5	2.33	6.7	1.42	5.5		
	10	3.57	6.3	2.90	6.5	2.35	6.3	1.47	5.4	WSW	258
	12	3.63	7.3	2.61	6.9	2.15	6.9	1.43	5.9	W	262
	14	3.23	6.4	2.42	6.6	1.98	6.9	1.27	5.8	NW	315
	16	2.58	7.0	2.09	7.0	1.70	6.9	1.06	5.7	W	274
	18	2.74	7.7	2.14	7.3	1.70	7.2	1.08	6.0		
	20	2.54	7.0	2.05	7.1	1.65	7.1	1.08	6.2	NNW	348
	22	2.65	7.8	1.81	7.0	1.47	7.1	0.95	6.0	N	0
	最大	5.40	6.6	3.34	6.3	2.53	6.6	1.57	5.6		
	平均	3.48	6.9	2.53	6.7	2.02	6.7	1.28	5.6		
28	00	2.28	7.8	1.68	7.2	1.38	7.2	0.89	6.0	N	356
	02	3.33	7.9	2.09	7.8	1.68	7.7	1.10	6.5	NNW	344
	04	3.09	6.9	1.94	7.8	1.56	7.1	0.99	5.4	NNW	335
	06	2.58	8.9	1.93	8.9	1.55	8.5	0.97	5.9	N	352
	08	3.25	10.3	* 2.44	9.2	* 1.89	8.9	* 1.14	6.7	NNW	340
	10	* 3.62	8.7	2.24	8.6	1.73	8.0	1.08	6.1	NNW	348
	12	2.23	6.3	1.87	7.6	1.50	7.2	0.91	5.1	NNW	344
	14	2.27	7.3	1.74	8.2	1.37	8.1	0.83	5.9	N	352
	16	2.82	7.2	1.74	7.8	1.43	7.5	0.89	5.6	N	356
	18	1.96	7.6	1.58	7.3	1.25	7.1	0.78	5.7	N	0
	20	2.72	7.2	1.72	7.2	1.38	6.7	0.88	5.4	NNW	348
	22	2.16	5.5	1.59	6.4	1.28	6.3	0.86	5.6	N	352
	最大	3.62	8.7	2.44	9.2	1.89	8.9	1.14	6.7		

	平均	2.69	7.6	1.88	7.8	1.50	7.5	0.94	5.8		
29	00	1.93	6.8	1.50	6.8	1.26	6.9	0.78	5.8	N	352
	02	2.02	6.2	1.64	6.7	1.30	6.4	0.83	5.4	W	278
	04	2.40	5.8	1.79	6.6	* 1.44	6.7	* 0.92	5.8	W	270
	06	* 2.94	6.3	* 1.82	6.4	1.42	6.3	0.91	5.5	W	262
	08	2.35	6.5	1.80	6.2	1.44	6.2	0.92	5.4	W	266
	10	1.97	6.4	1.42	6.4	1.16	6.5	0.78	5.8	NNW	348
	12	1.82	5.3	1.40	6.1	1.13	6.4	0.72	5.6	NNW	344
	14	1.42	5.8	1.18	6.4	0.98	6.2	0.63	5.4	N	356
	16	1.70	6.3	1.26	6.3	0.98	6.3	0.63	5.2	N	4
	18	1.69	6.3	1.38	6.2	1.11	6.4	0.70	5.5	N	352
	20	1.74	6.9	1.43	6.3	1.14	6.3	0.70	5.1	N	352
	22	1.87	5.4	1.32	6.0	1.05	6.0	0.68	5.0	N	356
	最大	2.94	6.3	1.82	6.4	1.44	6.7	0.92	5.8		
	平均	1.99	6.2	1.50	6.4	1.20	6.4	0.77	5.5		
30	00	1.40	5.9	1.08	5.5	0.86	5.5	0.53	4.8	NNW	348
	02	* 1.65	6.1	* 1.09	5.9	* 0.87	5.9	* 0.55	5.0	NNW	335
	04	1.35	5.3	1.01	5.7	0.80	5.9	0.49	5.1	N	356
	06	1.30	5.4	0.82	5.5	0.64	5.6	0.43	5.0	NNW	348
	08	0.93	5.7	0.69	5.7	0.56	5.7	0.38	5.0	NNE	12
	10	0.83	6.4	0.63	5.6	0.49	5.8	0.31	4.8	NNW	344
	12	0.81	5.1	0.59	5.5	0.47	5.6	0.30	4.7	N	352
	14	1.06	3.8	0.73	4.1	0.58	3.9	0.39	3.5	SW	223
	16	0.89	2.8	0.59	4.1	0.48	3.8	0.30	3.3	NNW	330
	18	0.58	3.6	0.42	4.9	0.34	4.5	0.22	3.7	NNE	16
	20	0.57	4.1	0.39	5.3	0.31	4.7	0.19	3.5	SW	235
	22	0.60	3.0	0.42	3.9	0.35	3.9	0.23	3.2	NNE	26
	最大	1.65	6.1	1.09	5.9	0.87	5.9	0.55	5.0		
	平均	1.00	4.8	0.71	5.1	0.56	5.1	0.36	4.3		
31	00	0.90	3.9	0.66	4.4	0.52	4.5	0.34	3.7	W	269
	02	2.70	6.9	1.88	6.5	1.45	6.6	0.95	5.6	W	278
	04	4.16	7.7	3.11	7.3	2.51	7.2	1.55	6.2	WNW	299
	06	4.39	7.2	3.09	6.9	2.52	6.8	1.62	5.9	WNW	295
	08	4.40	7.2	3.30	6.7	2.67	6.9	1.72	5.9	W	270
	10	5.31	7.9	3.72	8.2	3.01	8.1	1.87	6.6	WNW	282
	12	4.40	7.3	3.48	7.4	2.82	7.5	1.82	6.3	WNW	295
	14	4.07	7.9	3.78	8.0	3.12	7.9	1.92	6.3	WNW	282
	16	3.76	9.6	3.36	8.0	2.69	7.7	1.71	6.1	WNW	303
	18	5.08	6.3	4.03	7.9	3.16	8.0	2.00	6.5	WNW	299
	20	* 5.57	9.1	* 4.62	8.2	* 3.66	8.2	* 2.31	6.8	WNW	303
	22	5.51	8.2	4.39	8.2	3.49	7.9	2.16	6.4	W	274
	最大	5.57	9.1	4.62	8.2	3.66	8.2	2.31	6.8		
	平均	4.19	7.4	3.29	7.3	2.64	7.3	1.66	6.0		
	月最大	12.22	12.4	10.40	12.4	8.09	12.6	5.24	10.1		
	起時	0718		0718		0718		0718			
	平均	2.35	6.6	1.79	6.7	1.44	6.7	0.91	5.5		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	336 回	測得回数	325 回
欠測回数	0 回	欠測回数	11 回
欠測率	0.0 %	欠測率	3.3 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	4.81	8.1	4.23	8.5	3.44	8.3	2.16	6.8	NW	319
	02	5.69	8.1	3.86	8.5	3.16	8.5	2.02	6.6	NNW	331
	04	4.28	8.6	3.74	8.7	3.07	8.5	1.96	6.7	NW	311
	06	5.66	7.8	4.30	8.9	3.38	8.8	2.15	6.9	NW	315
	08	5.07	9.2	4.20	8.9	3.42	9.0	2.09	7.0	WNW	299
	10	5.13	8.2	4.26	8.3	3.45	8.1	2.15	6.7	WNW	290
	12	* 6.65	8.9	* 4.65	8.2	* 3.74	8.4	* 2.38	6.9	WNW	290
	14	4.82	8.8	4.16	8.1	3.47	8.0	2.20	6.5	WNW	286
	16	5.14	7.6	4.04	7.9	3.17	7.9	2.00	6.3	WNW	303
	18	5.19	6.3	3.72	7.7	2.98	7.5	1.80	6.0	WNW	295
	20	4.02	8.4	3.20	8.4	2.37	7.8	1.46	6.1	WNW	286
	22	4.10	8.3	3.28	7.2	2.55	7.3	1.62	5.7	WNW	295
	最大	6.65	8.9	4.65	8.2	3.74	8.4	2.38	6.9		
	平均	5.05	8.2	3.97	8.3	3.18	8.2	2.00	6.5		
02	00	5.08	7.4	3.70	7.6	2.87	7.6	1.78	6.2	NW	315
	02	* 5.33	8.4	* 3.95	7.7	* 3.20	8.1	* 2.06	6.6	WNW	290
	04	4.63	7.0	3.67	8.1	3.10	8.1	1.94	6.6	NW	315
	06	5.10	8.0	3.93	8.2	3.01	8.2	1.86	6.6	NW	319
	08	4.40	7.1	3.43	8.0	2.76	8.3	1.79	6.7	NW	315
	10	4.20	8.7	3.36	7.7	2.68	8.0	1.69	6.3	NNW	327
	12	4.31	7.6	2.89	8.0	2.32	8.3	1.48	6.8	NW	323
	14	3.64	9.2	2.95	8.1	2.39	8.1	1.49	6.5	NNW	331
	16	3.56	7.8	2.80	8.2	2.21	7.8	1.39	6.2	NW	323
	18	3.10	5.9	2.45	7.2	1.98	7.4	1.29	5.7	NNW	331
	20	4.05	9.1	2.91	8.0	2.22	7.8	1.40	6.1	NNW	327
	22	3.61	8.2	2.88	8.7	2.36	8.5	1.54	7.0	NNW	344
	最大	5.33	8.4	3.95	7.7	3.20	8.1	2.06	6.6		
	平均	4.25	7.9	3.24	8.0	2.59	8.0	1.64	6.4		
03	00	3.80	8.9	2.99	8.9	2.41	8.8	1.53	6.9	NNW	340
	02	4.27	10.3	* 3.37	9.5	* 2.71	9.2	1.62	7.1	NNW	327
	04	4.34	9.1	2.96	9.0	2.23	8.9	1.37	7.0	NNW	327
	06	3.93	8.6	2.66	8.8	2.08	8.7	1.26	7.1	NNW	327
	08	3.57	8.8	2.65	8.6	2.11	8.9	1.27	6.8	NNW	348
	10	2.88	8.8	2.36	8.5	1.93	8.7	1.22	7.0	NNW	331
	12	2.88	8.9	2.03	8.2	1.55	7.3	0.95	5.3	NNW	340
	14	2.59	6.5	1.86	6.8	1.46	6.9	0.93	5.4	NNW	335
	16	2.20	6.9	1.80	6.5	1.46	6.1	0.92	5.0	WSW	258
	18	2.61	8.3	2.08	7.8	1.73	7.2	1.09	5.9	WNW	290
	20	* 4.57	9.3	3.26	8.7	2.64	8.6	* 1.65	6.9	WNW	282
	22	4.39	7.4	3.26	8.2	2.53	8.4	1.58	6.4	WNW	290
	最大	4.57	9.3	3.37	9.5	2.71	9.2	1.65	6.9		
	平均	3.50	8.5	2.61	8.3	2.07	8.1	1.28	6.4		
04	00	5.82	8.2	4.26	8.2	3.40	8.6	2.15	6.9	WNW	282
	02	* 7.60	8.5	4.92	8.9	4.10	8.5	2.58	6.9	W	270
	04	7.17	8.8	* 5.73	10.2	* 4.74	10.0	* 3.24	8.7	WNW	299
	06	6.70	10.7	5.25	9.9	4.15	9.7	2.56	7.5		
	08	5.61	9.1	4.61	9.7	3.78	9.8	2.42	7.6	WNW	286
	10	6.55	9.2	4.79	9.8	3.81	9.8	2.38	7.9	NW	307
	12	5.34	10.6	4.07	9.8	3.21	9.4	1.97	7.7	NW	311
	14	5.24	10.1	4.35	9.9	3.45	10.4	2.14	8.6	WNW	299
	16	5.37	9.9	4.29	10.3	3.34	10.5	2.09	8.6	NNW	327
	18	5.38	9.8	4.38	10.4	3.69	10.4	2.38	9.0	NW	319
	20	4.69	9.4	3.95	9.9	3.21	10.3	2.00	8.6	NNW	335
	22	4.53	9.6	3.56	9.7	2.71	9.5	1.72	8.3	NNW	335
	最大	7.60	8.5	5.73	10.2	4.74	10.0	3.24	8.7		

		平均	5.83	9.5	4.51	9.7	3.63	9.7	2.30	8.0		
05	00		* 3.71	10.4	* 3.21	9.3	* 2.47	9.2	* 1.55	8.0	NW	323
	02		3.01	8.9	2.35	9.0	1.86	8.9	1.21	7.3	NW	319
	04		2.75	8.3	2.06	9.0	1.63	8.8	1.05	7.4	NW	323
	06		2.48	8.0	1.83	8.4	1.40	8.6	0.87	7.0	NNW	331
	08		2.48	7.3	1.73	8.1	1.34	8.1	0.87	7.3	NW	319
	10		1.82	7.8	1.25	8.3	1.00	7.9	0.58	5.6		
	12		1.53	7.4	1.17	6.7	0.93	6.2	0.58	4.6	N	8
	14		1.45	7.7	1.19	5.3	0.98	5.4	0.65	4.5	NNW	344
	16		1.41	4.7	0.98	6.1	0.78	5.5	0.52	4.4	N	356
	18		0.87	7.4	0.70	6.6	0.58	6.3	0.38	4.7	N	352
	20		0.90	8.1	0.64	6.1	0.50	5.9	0.32	4.5	NW	323
	22		0.87	8.8	0.58	6.6	0.46	5.8	0.29	4.4	N	0
	最大		3.71	10.4	3.21	9.3	2.47	9.2	1.55	8.0		
	平均		1.94	7.9	1.47	7.5	1.16	7.2	0.74	5.8		
06	00		1.10	6.7	0.81	6.4	0.62	6.1	0.39	4.7	WNW	303
	02		1.57	6.6	1.17	6.7	0.96	6.5	0.60	5.4	NW	307
	04		1.82	6.7	1.44	6.7	1.17	6.5	0.74	5.2	W	274
	06		1.89	6.8	1.51	7.0	1.25	7.0	0.81	5.8	WNW	299
	08		2.29	7.4	* 1.79	7.0	1.43	7.3	0.91	6.1	NW	311
	10		* 2.86	6.2	1.77	6.8	* 1.44	6.5	* 0.93	5.5	WNW	282
	12		2.19	6.6	1.58	6.0	1.28	5.9	0.85	5.1	WNW	282
	14		2.27	6.5	1.68	6.0	1.37	6.0	0.86	4.9	W	274
	16		2.55	5.7	1.64	5.9	1.33	5.8	0.85	4.7	W	270
	18		1.80	4.6	1.40	5.4	1.14	5.4	0.72	4.4	NW	311
	20		1.74	4.5	1.47	5.6	1.16	5.5	0.74	4.7	W	278
	22		1.92	6.1	1.39	5.8	1.08	5.6	0.69	4.8	WNW	290
	最大		2.86	6.2	1.79	7.0	1.44	6.5	0.93	5.5		
	平均		2.00	6.2	1.47	6.3	1.19	6.2	0.76	5.1		
07	00		1.64	5.9	1.22	5.7	0.97	6.0	0.64	5.1	NW	315
	02		1.68	5.6	1.21	6.0	1.00	6.1	0.64	5.0	NNW	327
	04		1.49	5.2	1.10	5.6	0.87	5.7	0.56	4.7	NW	315
	06		1.54	6.3	1.14	5.7	0.90	5.8	0.56	4.9	WNW	282
	08		1.39	6.0	1.12	5.6	0.90	5.7	0.58	5.2	NNW	344
	10		1.49	5.4	1.18	5.4	0.93	5.4	0.60	4.8	NW	319
	12		1.58	5.0	1.29	5.3	1.02	5.4	0.65	4.6	N	8
	14		1.53	5.5	1.18	5.3	0.97	5.3	0.61	4.5	NNW	331
	16		* 1.73	5.5	1.22	5.9	0.99	6.0	0.65	5.0	NNW	344
	18		1.59	5.3	* 1.35	6.2	* 1.06	6.2	* 0.68	5.3	NNW	344
	20		1.62	5.8	1.19	6.5	0.97	6.5	0.63	5.5	NNW	335
	22		1.72	5.6	1.17	6.3	0.91	6.3	0.57	5.2	NW	311
	最大		1.73	5.5	1.35	6.2	1.06	6.2	0.68	5.3		
	平均		1.58	5.6	1.20	5.8	0.96	5.9	0.61	5.0		
08	00		1.16	5.8	0.91	5.9	0.73	6.0	0.47	5.1	NW	319
	02		1.00	5.3	0.83	6.0	0.66	6.0	0.42	5.1	NNW	327
	04		0.95	5.5	0.73	6.1	0.59	5.9	0.38	5.0	NW	311
	06		0.89	6.2	0.71	6.1	0.56	6.1	0.35	5.0	NNW	335
	08		1.18	6.3	0.89	6.5	0.69	6.6	0.43	5.8	NNW	348
	10		1.19	6.8	* 0.95	6.8	* 0.78	6.7	* 0.50	6.2	N	352
	12		* 1.26	6.3	0.93	6.6	0.76	6.7	0.49	6.0	N	8
	14		1.22	6.5	0.88	6.8	0.70	6.9	0.44	5.7	N	356
	16		1.19	7.8	0.89	6.9	0.70	6.9	0.43	5.6	NNW	348
	18		0.94	6.0	0.77	6.9	0.61	6.8	0.38	5.4	N	352
	20		1.07	7.2	0.84	7.3	0.66	7.1	0.40	6.2	N	4
	22		0.99	6.8	0.72	7.0	0.56	7.1	0.35	6.3	N	4
	最大		1.26	6.3	0.95	6.8	0.78	6.7	0.50	6.2		
	平均		1.09	6.4	0.84	6.6	0.67	6.6	0.42	5.6		
09	00		0.75	7.5	0.58	7.1	0.46	6.9	0.28	5.5	N	8
	02		0.64	7.0	0.53	7.2	0.43	7.0	0.27	5.8	NNW	344
	04		0.60	6.1	0.46	6.7	0.38	6.6	0.25	5.4	NNW	348
	06		0.65	6.4	0.51	6.8	0.39	6.6	0.23	5.1	NNE	20
	08		0.75	6.4	0.56	6.9	0.45	6.8	0.28	5.5	N	352
	10		0.67	6.5	0.55	6.8	0.45	6.8	0.28	5.4	N	4
	12		* 0.83	6.5	0.54	6.6	0.43	6.7	0.25	5.3	N	352
	14		0.74	6.6	0.52	6.5	0.43	6.6	0.27	5.3	NNW	348
	16		0.66	6.1	0.46	6.4	0.37	6.2	0.24	5.2	NNW	348
	18		0.72	5.1	0.52	5.9	0.41	6.0	0.25	5.0	N	0
	20		0.74	5.5	0.60	5.8	0.46	5.7	0.28	5.0	N	356
	22		0.82	5.0	* 0.63	5.3	* 0.50	5.4	* 0.32	4.9	NNW	344

		最大										
		平均										
		0.83	6.5	0.63	5.3	0.50	5.4	0.32	4.9			
		0.71	6.2	0.54	6.5	0.43	6.4	0.27	5.3			
10	00	0.73	5.2	0.56	5.4	0.44	5.3	0.29	4.5	NNW	327	
	02	1.11	5.3	0.77	4.3	0.61	3.9	0.40	3.4	SW	236	
	04	1.38	3.8	1.08	4.2	0.87	4.2	0.55	3.6	W	270	
	06	2.50	4.9	1.87	5.1	1.51	5.1	1.00	4.5	WNW	286	
	08	3.25	5.7	2.62	6.1	2.08	6.3	1.29	5.2	WNW	290	
	10	3.15	6.7	2.50	7.0	1.97	6.8	1.24	5.5	WNW	282	
	12	2.71	6.6	2.18	7.3	1.75	7.1	1.13	5.8	WNW	290	
	14	2.30	7.3	1.92	6.5	1.49	6.6	0.93	5.3	WNW	290	
	16	2.14	6.9	1.73	6.2	1.32	6.1	0.79	5.1	WNW	282	
	18	1.76	6.5	1.36	6.1	1.06	5.9	0.66	4.8	WNW	295	
	20	1.87	4.7	1.49	4.8	1.21	4.8	0.78	4.0	WSW	248	
	22	* 3.38	5.6	* 2.82	5.9	* 2.33	5.9	* 1.45	4.9	W	270	
	最大	3.38	5.6	2.82	5.9	2.33	5.9	1.45	4.9			
	平均	2.19	5.8	1.74	5.7	1.39	5.7	0.88	4.7			
11	00	3.76	6.0	* 2.80	6.4	* 2.23	6.5	1.31	5.1	W	270	
	02	2.95	8.3	2.16	6.4	1.77	6.3	1.19	5.5	W	270	
	04	2.33	6.8	1.99	6.6	1.64	6.7	1.02	5.3	W	270	
	06	2.55	6.4	1.86	6.5	1.50	6.7	0.95	5.3	W	274	
	08	2.74	5.3	2.15	6.2	1.79	6.5	1.12	5.0	W	274	
	10	3.28	6.9	2.06	6.4	1.69	6.4	1.08	5.2	W	266	
	12	2.49	6.1	2.21	6.4	1.80	6.3	1.20	5.7	W	270	
	14	3.38	6.0	2.40	6.5	1.98	6.6	1.25	5.5	WNW	299	
	16	3.14	6.8	2.35	6.7	1.93	6.9	1.23	5.8	NNW	331	
	18	3.06	7.8	2.40	7.2	1.95	7.3	1.29	6.4			
	20	3.49	7.4	2.73	7.8	2.21	7.8	* 1.47	7.0	NNW	327	
	22	* 3.89	7.7	2.62	8.1	2.04	8.0	1.26	6.9	WNW	295	
	最大	3.89	7.7	2.80	6.4	2.23	6.5	1.47	7.0			
	平均	3.09	6.8	2.31	6.8	1.88	6.8	1.20	5.7			
12	00	* 2.79	6.7	* 2.25	7.7	* 1.83	8.0	* 1.17	7.0	NNW	327	
	02	2.40	7.9	2.00	8.2	1.61	7.9	1.03	6.9	NW	323	
	04	2.01	7.4	1.63	7.8	1.35	7.6	0.86	6.4	NW	311	
	06	2.29	6.9	1.88	7.2	1.49	7.4	0.93	6.1	NNW	327	
	08	1.96	7.5	1.70	7.5	1.33	7.6	0.83	6.0	NNW	331	
	10	2.20	6.3	1.69	7.2	1.37	7.3	0.85	6.0	NNW	331	
	12	2.07	6.0	1.65	7.5	1.32	7.3	0.82	6.0	NNW	335	
	14	2.18	5.7	1.52	6.6	1.23	6.6	0.80	5.6	NNW	331	
	16	2.40	6.5	1.62	6.8	1.28	6.7	0.81	5.8	NNW	331	
	18	2.10	6.3	1.41	6.9	1.12	6.9	0.71	5.8	NNW	331	
	20	1.38	6.9	1.13	6.4	0.91	6.7	0.60	5.7	N	352	
	22	1.24	6.1	0.97	6.2	0.78	6.0	0.49	5.0	NNW	348	
	最大	2.79	6.7	2.25	7.7	1.83	8.0	1.17	7.0			
	平均	2.09	6.7	1.62	7.2	1.30	7.2	0.83	6.0			
13	00	1.30	6.2	0.98	6.1	0.81	6.1	0.51	5.4	N	356	
	02	* 1.90	5.6	* 1.42	6.0	* 1.12	6.3	* 0.74	5.7	N	356	
	04	1.76	6.6	1.37	6.2	1.06	6.2	0.66	5.4	NNW	335	
	06	1.87	6.5	1.27	6.6	1.01	6.4	0.63	5.5	NW	319	
	08	1.38	5.3	1.10	6.6	0.89	6.3	0.56	5.7	NNW	331	
	10	1.26	6.5	0.92	6.5	0.73	6.5	0.47	5.6	N	4	
	12	0.95	6.3	0.85	6.0	0.68	6.2	0.44	5.5	N	0	
	14	1.36	6.4	0.99	6.3	0.77	6.1	0.49	5.5	NNW	348	
	16	1.05	5.7	0.87	6.0	0.72	6.1	0.46	5.4	NW	319	
	18	1.08	6.5	0.84	6.5	0.67	6.4	0.42	5.2	N	8	
	20	0.89	6.6	0.72	6.3	0.59	6.4	0.38	5.4	N	356	
	22	0.73	5.7	0.56	6.1	0.43	6.1	0.26	4.8	N	8	
	最大	1.90	5.6	1.42	6.0	1.12	6.3	0.74	5.7			
	平均	1.29	6.2	0.99	6.3	0.79	6.3	0.50	5.4			
14	00	0.80	6.4	0.55	6.2	0.42	5.9	0.26	4.4	N	0	
	02	0.69	4.9	0.57	5.0	0.45	4.9	0.29	3.8	N	356	
	04	1.17	3.6	0.71	4.4	0.58	4.0	0.38	3.4	WNW	298	
	06	1.46	5.0	1.01	4.2	0.80	4.2	0.52	3.6			
	08	1.36	4.7	0.96	4.5	0.77	4.4	0.48	3.9	WSW	244	
	10	1.46	4.8	1.10	4.6	0.88	4.6	0.56	3.9	WSW	238	
	12	1.62	3.9	1.13	4.4	0.91	4.4	0.58	3.8	WSW	244	
	14	1.46	5.3	1.08	4.8	0.83	4.7	0.52	3.9			

	16	3.10	5.9	2.22	5.3	1.66	5.2	1.06	4.6	SW	233
	18	4.26	5.6	2.74	6.1	2.12	6.1	1.34	5.2	W	270
	20	4.33	7.0	3.39	7.3	2.64	7.1	1.63	5.7	W	274
	22	* 4.82	6.8	* 3.85	8.1	* 3.09	7.3	* 1.96	6.0	W	274
	最大	4.82	6.8	3.85	8.1	3.09	7.3	1.96	6.0		
	平均	2.21	5.3	1.61	5.4	1.26	5.2	0.80	4.4		
15	00	5.01	7.5	3.82	7.8	3.05	7.7	1.87	6.1	WNW	290
	02	5.58	9.9	4.25	8.3	3.49	8.1	2.28	6.8	WNW	299
	04	6.46	9.0	5.13	9.8	4.21	9.6	2.68	7.4	WNW	299
	06	9.77	11.5	7.26	10.7	5.68	10.8	3.70	8.5	NW	307
	08	8.49	8.0	7.54	10.2	6.38	10.3	* 4.29	9.0	NW	307
	10	9.37	10.3	7.69	10.7	6.28	10.7	4.05	8.8		
	12	8.73	12.2	7.59	10.2	6.23	10.2	3.95	8.3	NW	311
	14	9.59	9.7	* 8.19	10.7	* 6.52	10.7	3.93	8.4	WNW	299
	16	9.15	9.4	6.71	10.0	5.36	9.8	3.51	7.9	WNW	303
	18	*10.98	10.9	7.78	11.1	6.06	10.8	3.82	8.3	NW	323
	20	10.67	12.5	7.51	11.5	5.89	10.7	3.67	8.2	NW	311
	22	10.97	11.6	7.84	11.0	5.94	11.0	3.67	8.7	NW	311
	最大	10.98	10.9	8.19	10.7	6.52	10.7	4.29	9.0		
	平均	8.73	10.2	6.78	10.2	5.42	10.0	3.45	8.0		
	16	00	* 8.93	11.1	* 7.62	11.2	* 5.89	11.1	* 3.64	8.8	NW
02		8.30	10.6	6.32	11.2	5.08	11.1	3.23	8.6	NW	315
04		7.01	9.8	5.59	10.7	4.39	10.4	2.70	8.0	NW	307
06		6.82	10.1	4.84	10.9	3.84	10.2	2.32	7.8	NNW	327
08		5.29	10.9	4.65	10.6	3.78	10.1	2.47	8.2	NW	319
10		5.37	9.7	4.20	10.0	3.36	9.9	2.11	7.8	NW	319
12		4.29	9.0	3.63	8.6	2.78	8.9	1.78	7.1	NNW	335
14		4.15	9.5	3.37	9.6	2.67	9.2	1.70	7.5	NNW	331
16		3.50	11.8	2.98	9.7	2.35	9.2	1.42	7.3	NNW	331
18		5.67	10.0	3.26	10.3	2.62	10.1	1.59	7.5	NNW	344
20		4.37	8.7	3.47	10.3	2.66	10.3	1.69	8.6	NNW	348
22		4.13	10.7	3.10	9.7	2.38	9.8	1.48	8.2	NNW	344
最大		8.93	11.1	7.62	11.2	5.89	11.1	3.64	8.8		
平均		5.65	10.2	4.42	10.2	3.48	10.0	2.18	8.0		
17		00	* 3.03	9.7	* 2.48	9.5	* 1.96	9.1	* 1.17	7.2	NNW
	02	2.65	9.2	2.19	9.3	1.80	9.2	1.15	7.3	NNW	340
	04	2.54	8.0	2.13	9.4	1.75	9.4	1.14	7.8	NNW	331
	06	2.66	9.0	2.25	8.8	1.77	9.4	1.09	8.0	N	356
	08	2.07	10.2	1.83	9.3	1.56	9.6	1.05	8.2	NNW	344
	10	2.13	9.6	1.66	9.2	1.39	9.3	0.92	7.6	N	356
	12	2.33	9.9	1.72	9.5	1.36	9.4	0.83	7.1	NNW	340
	14	2.56	9.8	1.78	9.3	1.37	9.3	0.82	7.2	N	356
	16	2.11	10.3	1.67	9.4	1.37	9.3	0.85	7.6	NNW	340
	18	1.63	7.8	1.45	8.5	1.21	8.9	0.76	7.4	NNW	348
	20	1.40	8.4	1.18	8.4	0.96	8.7	0.60	7.0	N	356
	22	1.42	8.4	1.09	8.3	0.87	8.3	0.53	6.4	NNW	348
	最大	3.03	9.7	2.48	9.5	1.96	9.1	1.17	7.2		
	平均	2.21	9.2	1.79	9.1	1.45	9.2	0.91	7.4		
	18	00	1.04	7.9	0.87	7.9	0.70	7.8	0.44	6.5	N
02		0.93	7.9	0.83	8.3	0.69	8.1	0.43	6.5	NNW	344
04		0.95	9.0	0.75	7.6	0.59	7.4	0.37	5.6	N	8
06		1.21	6.1	0.89	5.3	0.72	5.5	0.46	4.4	N	352
08		1.47	5.4	1.18	5.4	0.94	6.0	0.62	5.3	N	356
10		1.39	5.1	1.07	5.1	0.88	5.2	0.58	4.4	N	8
12		1.88	5.5	1.31	5.7	1.07	5.7	0.71	4.7	N	0
14		2.22	6.1	* 1.61	5.9	1.25	6.1	0.79	4.9	N	356
16		1.64	6.7	1.32	5.6	1.06	5.6	0.67	4.8	N	4
18		2.15	5.3	1.54	5.1	* 1.26	5.2	* 0.82	4.4	NNW	348
20		* 2.29	5.2	1.56	5.4	1.25	5.6	0.80	4.7	N	352
22		1.90	6.0	1.41	5.8	1.09	5.8	0.66	4.9	NNW	348
最大		2.29	5.2	1.61	5.9	1.26	5.2	0.82	4.4		
平均		1.59	6.4	1.20	6.1	0.96	6.2	0.61	5.1		
19		00	1.44	5.0	1.16	5.3	0.93	5.3	0.60	4.5	NNW
	02	* 2.11	5.1	* 1.32	5.1	0.96	4.9	0.60	4.3	N	356
	04	1.72	4.3	1.23	4.9	0.97	4.8	0.62	4.1	N	355
	06	1.48	4.8	1.14	4.4	0.90	4.5	0.58	4.1	WSW	243
	08	1.53	5.4	1.14	4.7	0.89	4.8	0.57	4.1	NNW	327
	10	1.23	7.1	1.00	5.8	0.81	5.8	0.54	4.7	NW	323

	12	1.67	6.2	1.29	6.1	* 1.02	6.3	* 0.64	5.0	NW	319	
	14	1.30	6.9	1.10	6.4	0.91	6.3	0.59	5.2	NNW	340	
	16	1.42	5.4	1.15	6.8	0.95	6.9	0.62	5.6	NW	315	
	18	1.09	5.4	0.93	6.2	0.75	6.0	0.47	4.9	NW	311	
	20	1.07	6.9	0.92	6.3	0.73	6.4	0.47	5.2	NNW	331	
	22	1.09	6.3	0.87	6.4	0.71	6.3	0.45	5.2	NNE	16	
	最大 平均	2.11	5.1	1.32	5.1	1.02	6.3	0.64	5.0			
		1.43	5.7	1.10	5.7	0.88	5.7	0.56	4.7			
	20	00	* 1.14	5.9	* 0.91	5.8	* 0.73	6.2	* 0.46	5.2	N	352
		02	0.91	6.9	0.73	6.2	0.60	5.8	0.38	4.8	NNW	348
04		0.82	6.2	0.69	5.8	0.58	5.8	0.38	5.2			
06		0.84	5.6	0.65	5.4	0.53	5.6	0.33	4.7	N	356	
08		0.89	5.1	0.60	5.5	0.49	5.7	0.32	5.0	N	356	
10		0.78	5.6	0.55	5.5	0.44	5.8	0.28	5.0	NNW	348	
		12	0.69	5.0	0.57	5.6	0.45	5.7	0.30	4.8	N	356
		14	0.57	5.6	0.50	5.6	0.40	5.6	0.26	4.7	NNW	348
		16	0.56	5.1	0.45	5.5	0.36	5.4	0.24	4.4	NNW	348
		18	0.59	4.5	0.43	5.4	0.34	5.0	0.21	3.7	NW	319
	20	0.57	5.4	0.39	5.6	0.32	5.4	0.21	4.1	NNE	16	
	22	0.54	5.2	0.38	5.7	0.30	5.4	0.18	4.0	NNW	344	
最大 平均	1.14	5.9	0.91	5.8	0.73	6.2	0.46	5.2				
	0.74	5.5	0.57	5.6	0.46	5.6	0.30	4.6				
21	00	0.46	6.1	0.37	5.7	0.30	5.7	0.19	4.5	N	356	
	02	* 0.56	5.8	* 0.42	5.7	* 0.33	5.8	* 0.20	4.8	N	352	
	04	0.43	5.4	0.34	5.8	0.27	5.7	0.17	4.3	NNW	340	
	06	0.47	6.1	0.35	5.7	0.27	5.7	0.17	4.4	N	8	
	08	0.40	5.2	0.33	5.7	0.27	5.7	0.17	4.6	NNE	16	
	10	0.47	5.5	0.32	5.8	0.26	5.8	0.17	4.9	N	356	
		12	0.40	5.1	0.27	5.3	0.22	5.2	0.14	4.2	NNW	335
		14	0.32	5.5	0.23	5.4	0.19	5.2	0.12	3.9	NNE	12
		16	0.31	4.9	0.24	5.0	0.20	4.7	0.13	3.3	N	6
		18	0.32	3.7	0.22	4.6	0.18	4.5	0.11	3.2	WSW	238
20		0.29	4.3	0.23	5.0	0.18	4.6	0.12	3.4	N	11	
22		0.54	4.4	0.36	4.1	0.29	4.2	0.18	3.5	W	265	
最大 平均	0.56	5.8	0.42	5.7	0.33	5.8	0.20	4.8				
	0.41	5.2	0.31	5.3	0.25	5.2	0.16	4.1				
22	00	* 0.73	3.9	* 0.57	4.3	* 0.46	4.3	* 0.30	4.0	WNW	282	
	02	0.63	4.2	0.52	4.6	0.42	4.5	0.27	4.1	NNE	31	
	04	0.63	5.0	0.48	4.8	0.38	4.9	0.25	4.3	NNW	344	
	06	0.53	5.5	0.40	5.3	0.33	5.0	0.21	4.1	NW	319	
	08	0.51	5.3	0.39	5.5	0.31	5.5	0.19	4.3	NNW	335	
	10	0.47	5.6	0.35	5.5	0.27	5.3	0.17	4.3	W	270	
		12	0.36	5.9	0.30	4.8	0.24	4.7	0.16	3.7	NNW	339
		14	0.64	3.5	0.47	3.3	0.38	3.3	0.25	3.0	WNW	303
		16	0.59	3.6	0.40	3.6	0.32	3.6	0.21	3.1	WNW	299
		18	0.59	3.8	0.39	3.5	0.30	3.8	0.19	3.2	WNW	301
20		0.45	4.0	0.27	4.1	0.22	3.8	0.15	2.9	WSW	249	
22		0.62	2.1	0.41	2.8	0.31	2.8	0.19	2.6	NNE	17	
最大 平均	0.73	3.9	0.57	4.3	0.46	4.3	0.30	4.0				
	0.56	4.4	0.41	4.3	0.33	4.3	0.21	3.6				
23	00	0.45	3.0	0.27	3.8	0.21	3.6	0.14	2.9	NW	308	
	02	0.40	3.6	0.31	3.6	0.24	3.8	0.16	3.1	WNW	299	
	04	0.37	3.2	0.28	4.0	0.23	4.0	0.15	3.2	SW	229	
	06	0.32	4.3	0.23	4.0	0.18	3.8	0.12	3.0	NNE	19	
	08	1.11	3.6	0.75	4.0	0.58	3.9	0.36	3.4	W	273	
	10	1.14	4.5	1.01	4.5	0.84	4.5	0.54	4.0	WNW	295	
		12	0.68	3.2	0.54	4.1	0.44	4.1	0.28	3.5	NNE	25
		14	0.41	8.5	0.34	4.3	0.28	4.6	0.19	3.7		
		16	2.30	4.1	1.71	4.3	1.34	4.3	0.84	4.1	NNE	31
		18	3.05	6.3	2.16	5.6	1.72	5.6	1.09	4.8	NNW	340
20		3.66	6.6	2.76	6.3	2.21	6.5	1.40	5.4	NW	319	
22		* 4.05	6.5	* 3.09	6.9	* 2.45	6.8	* 1.54	5.7	NNW	331	
最大 平均	4.05	6.5	3.09	6.9	2.45	6.8	1.54	5.7				
	1.50	4.8	1.12	4.6	0.89	4.6	0.57	3.9				
24	00	* 4.74	6.9	3.13	6.9	2.55	7.0	1.59	5.9	NNW	327	
	02	4.27	7.5	* 3.45	7.5	* 2.72	7.7	* 1.72	6.2	NW	323	

	04	4.27	6.4	2.89	7.7	2.38	7.7	1.46	6.0	NW	315
	06	3.89	9.0	2.79	7.5	2.32	7.7	1.49	6.5	NNW	335
	08	3.91	8.0	3.10	8.1	2.45	7.8	1.50	6.1	NNW	344
	10	3.71	6.8	2.69	7.2	2.16	7.2	1.39	5.8	NNW	331
	12	3.58	6.9	2.63	7.3	2.06	7.3	1.27	6.0	NNW	331
	14	2.98	6.4	2.30	6.9	1.83	6.8	1.20	5.7	NNW	340
	16	3.09	6.4	2.21	6.6	1.79	6.4	1.15	5.3	NNW	340
	18	2.48	6.6	1.90	6.1	1.53	6.0	0.99	5.1	NNW	331
	20	2.10	5.8	1.78	6.1	1.38	6.3	0.89	5.3	NNW	331
	22	1.90	6.7	1.58	7.0	1.21	7.0	0.76	5.4	N	352
	最大	4.74	6.9	3.45	7.5	2.72	7.7	1.72	6.2		
	平均	3.41	7.0	2.54	7.1	2.03	7.1	1.28	5.8		
25	00	1.99	7.3	1.64	7.3	1.37	7.2	0.86	5.7	NNW	331
	02	2.08	7.2	1.69	7.7	1.34	7.7	0.84	5.8	NNW	340
	04	2.06	6.7	1.58	6.8	1.27	7.0	0.80	5.6	NNW	344
	06	1.72	8.6	1.42	6.7	1.17	6.9	0.76	5.6	NNW	344
	08	1.92	5.2	1.38	6.2	1.14	6.2	0.74	5.1	N	8
	10	2.29	5.5	1.63	6.0	1.27	6.0	0.83	5.3	N	8
	12	2.12	6.4	1.50	5.9	1.18	6.2	0.77	5.2	N	4
	14	* 2.61	5.6	1.55	5.9	1.25	5.9	0.79	5.1	N	8
	16	1.97	6.0	1.60	6.2	1.29	6.2	0.82	5.2	N	4
	18	2.13	5.8	1.65	5.9	1.29	6.2	0.84	5.5	N	356
	20	1.85	5.9	1.58	6.1	1.28	6.3	0.82	5.4	N	8
	22	2.07	6.0	* 1.73	6.3	* 1.39	6.4	* 0.87	5.5	N	356
	最大	2.61	5.6	1.73	6.3	1.39	6.4	0.87	5.5		
	平均	2.07	6.4	1.58	6.4	1.27	6.5	0.81	5.4		
26	00	* 2.32	6.3	* 1.68	6.1	1.27	6.3	0.80	5.6	N	8
	02	1.98	5.6	1.64	6.1	* 1.35	6.3	* 0.86	5.4	N	0
	04	1.94	6.0	1.43	6.1	1.16	6.2	0.76	5.6	NNE	12
	06	1.64	5.8	1.35	6.1	1.06	6.1	0.66	5.3		
	08	1.56	5.8	1.15	5.8	0.93	5.8	0.60	5.3	N	0
	10	1.38	6.3	1.06	6.0	0.87	5.9	0.55	5.1	N	4
	12	1.41	5.6	1.08	5.8	0.85	6.0	0.53	5.0	N	4
	14	1.24	5.6	0.90	5.9	0.74	5.9	0.46	4.7	N	352
	16	1.08	5.1	0.89	5.7	0.72	5.8	0.46	4.7	N	356
	18	1.16	5.7	0.79	5.7	0.64	5.6	0.41	4.6	NNW	348
	20	0.92	5.5	0.75	5.1	0.60	5.2	0.39	4.5	N	352
	22	1.05	5.3	0.76	5.3	0.60	5.5	0.40	4.8	NNW	348
	最大	2.32	6.3	1.68	6.1	1.35	6.3	0.86	5.4		
	平均	1.47	5.7	1.12	5.8	0.90	5.9	0.57	5.1		
27	00	* 0.99	5.7	* 0.70	5.1	* 0.54	5.1	* 0.34	4.6	N	356
	02	0.82	4.5	0.65	5.3	0.52	5.3	0.33	4.6	NNW	340
	04	0.90	4.9	0.61	5.2	0.48	5.2	0.30	4.3	NNW	348
	06	0.75	5.5	0.59	5.3	0.47	5.2	0.30	4.3		
	08	0.68	5.5	0.49	5.5	0.39	5.3	0.26	4.3	NNW	348
	10	0.67	5.1	0.45	4.8	0.36	4.8	0.23	3.8	WSW	254
	12	0.63	3.7	0.52	3.9	0.42	4.0	0.27	3.4	WSW	239
	14	0.67	4.4	0.50	3.5	0.41	3.8	0.26	3.2	SW	223
	16	0.48	3.8	0.40	4.5	0.33	4.2	0.21	3.4	NNW	333
	18	0.48	4.9	0.39	4.3	0.32	4.4	0.21	3.6	W	269
	20	0.52	3.7	0.35	4.4	0.29	4.3	0.19	3.4	WNW	295
	22	0.86	3.4	0.65	3.3	0.51	3.3	0.33	3.3	NNW	331
	最大	0.99	5.7	0.70	5.1	0.54	5.1	0.34	4.6		
	平均	0.70	4.6	0.53	4.6	0.42	4.6	0.27	3.9		
28	00	1.18	3.4	0.79	3.5	0.60	3.6	0.36	3.2	N	7
	02	1.74	4.2	1.34	3.9	1.03	3.9	0.66	3.7		
	04	3.40	5.8	2.68	5.8	2.20	5.9	1.43	5.2	NW	307
	06	3.67	7.0	2.91	7.0	2.33	7.0	1.46	5.8	WNW	303
	08	4.05	8.4	3.12	8.1	2.66	7.9	1.68	6.3	NW	311
	10	* 5.54	8.9	3.59	8.7	2.80	7.9	1.69	6.1	NW	315
	12	4.50	7.5	* 3.61	8.0	* 3.02	7.8	* 1.90	6.5	NNW	327
	14	4.24	7.8	3.40	7.8	2.73	8.0	1.70	6.4	NNW	327
	16	3.89	8.0	2.94	8.0	2.30	7.6	1.43	6.0	NNW	340
	18	3.81	7.0	3.08	7.9	2.44	7.8	1.56	6.4	NNW	344
	20	3.13	7.1	2.56	7.6	2.05	7.5	1.25	5.8	NNW	331
	22	2.87	7.4	2.21	7.2	1.75	7.1	1.09	5.6	NNW	344
	最大	5.54	8.9	3.61	8.0	3.02	7.8	1.90	6.5		

	平均	3.50	6.9	2.69	7.0	2.16	6.8	1.35	5.6	
月最大		10.98	10.9	8.19	10.7	6.52	10.7	4.29	9.0	
起時		1518		1514		1514		1508		
平均		2.53	6.8	1.94	6.8	1.55	6.8	0.98	5.6	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	362 回
欠測回数	0 回	欠測回数	10 回
欠測率	0.0 %	欠測率	2.7 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	2.40	7.6	* 1.98	6.7	* 1.60	6.9	* 1.03	5.7	NNW	340
	02	2.18	7.3	1.80	7.1	1.44	7.0	0.91	5.8	NNW	344
	04	* 2.57	6.2	1.68	6.6	1.36	6.6	0.86	5.4	NNW	340
	06	2.30	5.9	1.57	6.6	1.31	6.6	0.85	5.6	NNW	335
	08	1.75	6.3	1.51	6.4	1.23	6.5	0.76	5.3	NNW	344
	10	1.55	6.7	1.21	6.6	0.97	6.4	0.62	5.1	NNW	340
	12	1.60	6.2	1.19	7.0	0.97	6.9	0.62	5.3	NNW	340
	14	1.41	6.5	1.12	6.8	0.91	6.5	0.59	5.4	NNW	344
	16	1.34	6.7	1.12	6.8	0.88	6.7	0.56	5.2	NNW	340
	18	1.51	7.0	1.03	6.8	0.80	6.5	0.50	5.0	NNW	344
	20	1.19	6.2	0.95	6.2	0.76	6.3	0.49	4.9	NNW	335
	22	1.14	5.4	0.95	6.3	0.78	6.2	0.50	5.0	NNW	348
	最大	2.57	6.2	1.98	6.7	1.60	6.9	1.03	5.7		
	平均	1.75	6.5	1.34	6.7	1.08	6.6	0.69	5.3		
02	00	* 1.22	7.0	* 0.94	6.5	* 0.75	6.2	* 0.48	4.9	N	352
	02	0.98	6.0	0.83	6.4	0.69	6.3	0.47	5.6	NNW	344
	04	0.89	5.1	0.71	6.1	0.57	6.1	0.39	5.3	NNW	335
	06	0.78	7.4	0.65	6.1	0.56	6.1	0.35	5.0	NNW	335
	08	0.87	5.4	0.63	5.7	0.51	5.8	0.32	4.7	NNW	340
	10	0.91	6.1	0.65	6.1	0.52	5.6	0.34	4.7	N	352
	12	0.76	4.4	0.59	5.3	0.50	5.6	0.32	4.8	N	0
	14	0.85	6.1	0.59	5.8	0.48	5.8	0.31	4.6	NNW	340
	16	0.69	4.8	0.53	5.9	0.43	5.7	0.28	4.5	N	0
	18	0.70	5.0	0.51	5.9	0.42	5.8	0.26	4.4	NNW	344
	20	0.77	5.0	0.55	5.2	0.44	5.3	0.28	4.3	NNW	344
	22	0.68	4.9	0.52	6.0	0.43	5.8	0.27	4.8	NNW	340
	最大	1.22	7.0	0.94	6.5	0.75	6.2	0.48	4.9		
	平均	0.84	5.6	0.64	5.9	0.53	5.8	0.34	4.8		
03	00	0.53	5.6	0.41	5.6	0.33	5.6	0.21	4.4	N	356
	02	* 0.60	4.0	* 0.41	6.0	0.33	5.7	0.21	4.5	N	8
	04	0.57	5.2	0.40	5.5	* 0.33	5.8	* 0.22	4.8	NNW	344
	06	0.47	5.6	0.39	5.7	0.32	5.6	0.21	4.4	NNW	344
	08	0.45	5.2	0.35	5.8	0.29	5.5	0.18	4.2	NNW	348
	10	0.49	6.0	0.34	5.5	0.27	5.5	0.18	4.3		
	12	0.41	6.3	0.30	5.6	0.24	5.4	0.16	4.2	N	4
	14	0.46	4.7	0.30	5.4	0.24	5.1	0.15	3.8	N	0
	16	0.41	6.0	0.30	5.7	0.25	5.4	0.15	3.9	NNE	29
	18	0.34	5.5	0.26	4.8	0.21	4.5	0.14	3.5	N	8
	20	0.36	5.5	0.28	5.6	0.23	5.2	0.15	3.8		
	22	0.32	4.4	0.25	5.3	0.20	5.0	0.13	3.8	NNW	344
	最大	0.60	4.0	0.41	6.0	0.33	5.8	0.22	4.8		
	平均	0.45	5.3	0.33	5.5	0.27	5.4	0.17	4.1		
04	00	0.27	5.9	0.22	5.4	0.18	5.3	0.12	4.0	NNE	16
	02	0.31	5.5	0.22	5.1	0.18	5.1	0.12	3.9	W	266
	04	0.28	5.4	0.21	5.3	0.17	5.1	0.11	3.8	NNE	12
	06	0.32	4.8	0.22	5.0	0.18	4.9	0.12	3.9	WNW	290
	08	0.28	4.9	0.21	5.0	0.17	4.7	0.12	3.8	WSW	257
	10	0.23	6.3	0.19	5.2	0.16	5.0	0.10	3.9	NW	315
	12	0.26	5.4	0.19	4.7	0.15	4.6	0.10	3.5	N	7
	14	0.27	4.0	0.21	4.5	0.17	4.2	0.11	3.3	N	359
	16	0.31	4.5	0.23	4.4	0.19	4.1	0.12	3.1	WNW	288
	18	0.35	4.7	0.22	4.4	0.17	4.0	0.11	3.0	NW	322
	20	0.31	2.9	0.23	4.3	0.18	4.1	0.12	3.0	W	277
	22	* 0.41	4.6	* 0.29	3.7	* 0.23	3.6	* 0.15	3.0	NW	312
	最大	0.41	4.6	0.29	3.7	0.23	3.6	0.15	3.0		

	平均	0.30	4.9	0.22	4.8	0.18	4.6	0.12	3.5		
05	00	0.66	3.7	0.53	3.2	0.42	3.3	0.27	3.1	WNW	301
	02	1.31	2.9	0.81	3.0	0.63	3.2	0.40	2.9	NNE	21
	04	1.31	3.5	0.78	3.5	0.63	3.6	0.41	3.2	NW	305
	06	1.02	4.3	0.74	3.7	0.60	3.7	0.38	3.2	NNE	14
	08	1.53	4.5	1.07	3.1	0.83	3.2	0.52	3.0	WSW	255
	10	1.32	4.1	0.99	3.9	0.81	3.9	0.54	3.5	W	268
	12	1.55	3.9	1.03	3.7	0.82	3.7	0.53	3.4	WSW	242
	14	1.24	3.6	0.68	4.1	0.54	3.9	0.35	3.4	N	354
	16	1.63	3.4	1.23	7.8	0.96	6.0	0.62	4.5	WNW	295
	18	* 8.24	8.9	5.90	10.4	4.73	10.0	2.90	8.1	W	278
	20	7.96	10.0	* 6.45	9.6	* 5.31	10.1	* 3.47	8.8	W	270
	22	7.90	9.4	5.56	10.0	4.36	9.4	2.69	7.5	W	270
	最大	8.24	8.9	6.45	9.6	5.31	10.1	3.47	8.8		
	平均	2.97	5.2	2.15	5.5	1.72	5.3	1.09	4.6		
06	00	6.89	8.4	5.16	9.2	3.91	9.2	2.48	7.4	W	270
	02	6.22	7.4	4.79	8.7	3.84	8.5	2.36	6.8	W	266
	04	4.92	8.0	3.50	8.3	2.86	8.2	1.83	6.5	W	270
	06	5.31	6.8	3.42	7.5	2.72	7.4	1.64	6.0	W	262
	08	4.48	7.9	3.86	8.0	3.18	7.9	2.06	6.7	NW	311
	10	6.49	9.4	4.67	9.2	3.68	8.8	2.34	7.0	NW	307
	12	6.88	10.7	6.03	9.4	* 4.86	9.7	* 3.00	7.9	NW	311
	14	* 8.50	10.1	* 6.17	10.1	4.70	9.3	2.90	7.5	NW	311
	16	6.53	9.3	5.47	9.7	4.53	9.5	2.90	7.8	NNW	331
	18	7.87	9.5	5.94	9.7	4.40	9.3	2.69	7.4	NW	307
	20	7.78	9.4	5.58	9.9	4.43	9.8	2.76	7.7	WNW	290
	22	6.46	9.1	5.10	9.5	4.06	9.7	2.42	7.3		
	最大	8.50	10.1	6.17	10.1	4.86	9.7	3.00	7.9		
	平均	6.53	8.8	4.97	9.1	3.93	8.9	2.45	7.2		
07	00	* 6.39	7.5	* 5.33	9.2	* 4.21	9.4	* 2.73	7.8	NW	323
	02	5.68	8.4	4.80	10.0	3.99	9.5	2.49	7.6		
	04	5.60	11.2	4.63	10.5	3.73	9.7	2.33	7.7	NW	311
	06	5.93	9.7	4.71	9.6	3.74	9.5	2.31	7.5	NW	311
	08	4.94	10.7	4.16	8.9	3.33	8.7	2.12	7.1	NW	315
	10	5.25	10.3	4.18	9.5	3.22	8.9	2.02	7.0	NW	315
	12	4.95	6.2	3.65	8.4	2.84	8.2	1.76	6.6	NW	319
	14	5.09	9.0	3.79	8.9	3.01	8.5	1.86	6.7	NNW	327
	16	3.76	9.0	3.40	8.1	2.81	8.2	1.80	6.6	NNW	331
	18	4.61	6.2	3.65	8.3	2.86	8.3	1.82	6.6	NNW	340
	20	4.64	8.0	3.75	7.8	2.93	7.7	1.84	6.2	NW	323
	22	5.56	9.0	4.35	7.8	3.41	7.8	2.19	6.3	WNW	282
	最大	6.39	7.5	5.33	9.2	4.21	9.4	2.73	7.8		
	平均	5.20	8.8	4.20	8.9	3.34	8.7	2.11	7.0		
08	00	4.40	7.1	* 3.80	8.3	* 3.20	7.9	* 2.04	6.4	NW	319
	02	4.74	7.2	3.59	7.7	2.90	7.9	1.93	6.6	NNW	331
	04	* 5.59	8.0	3.69	8.3	2.76	7.9	1.72	6.5	NW	319
	06	4.97	6.9	3.56	8.0	2.93	8.3	1.88	6.8	NW	315
	08	4.55	7.9	3.49	8.3	2.85	8.2	1.81	7.0	NW	311
	10	3.99	7.0	3.36	7.7	2.77	7.9	1.77	6.6	NW	319
	12	3.99	7.2	3.10	7.6	2.58	7.6	1.65	6.5	NNW	327
	14	3.89	7.8	2.85	7.5	2.25	7.7	1.46	6.4	WNW	299
	16	4.49	7.4	2.92	7.5	2.34	7.8	1.47	6.4	WNW	299
	18	3.85	6.9	2.89	7.8	2.36	7.6	1.54	6.2	WNW	295
	20	4.28	7.8	2.94	7.9	2.23	7.9	1.32	6.0	WNW	299
	22	2.85	8.2	2.52	7.6	2.11	7.6	1.32	6.5	WNW	303
	最大	5.59	8.0	3.80	8.3	3.20	7.9	2.04	6.4		
	平均	4.30	7.5	3.23	7.9	2.61	7.9	1.66	6.5		
09	00	2.85	6.0	2.36	7.6	1.92	7.7	1.24	6.6	WNW	299
	02	2.92	8.2	* 2.38	7.4	* 1.97	7.4	* 1.28	6.6	WNW	299
	04	* 3.10	7.2	2.31	7.2	1.77	7.2	1.11	6.2	NW	311
	06	2.14	7.1	1.74	6.8	1.46	7.3	0.92	5.9	NW	311
	08	2.32	6.7	1.95	7.0	1.59	7.1	0.99	6.0	WNW	299
	10	2.59	6.9	1.73	6.9	1.39	6.8	0.87	5.8	WNW	290
	12	2.18	6.7	1.53	7.0	1.20	6.7	0.76	5.7	WNW	303
	14	1.73	7.0	1.36	7.0	1.09	6.7	0.70	5.9	WNW	295
	16	1.53	7.2	1.20	6.8	0.96	6.6	0.62	5.5	WNW	282
	18	1.75	6.3	1.16	6.6	0.94	6.5	0.61	5.5	NW	323
	20	1.53	6.9	1.13	6.9	0.88	6.7	0.55	5.6	NW	307
	22	1.31	6.5	0.89	6.5	0.71	6.2	0.45	5.1	NW	315

	最大	3.10	7.2	2.38	7.4	1.97	7.4	1.28	6.6				
	平均	2.16	6.9	1.65	7.0	1.32	6.9	0.84	5.9				
10	00	1.15	6.3	0.89	6.2	0.71	6.2	0.45	5.2	WNW	303		
	02	1.38	6.5	1.00	6.0	0.80	6.1	0.50	5.0	WNW	303		
	04	* 1.75	5.9	1.18	5.9	0.91	6.1	0.59	5.2	NW	315		
	06	1.71	4.9	* 1.30	5.8	* 1.01	6.1	* 0.65	5.3	WNW	282		
	08	1.35	5.4	1.11	5.9	0.89	6.0	0.57	5.3	W	270		
	10	1.25	5.4	0.95	6.3	0.77	6.3	0.49	5.2	NW	307		
	12	1.32	6.0	0.97	5.5	0.76	5.4	0.48	4.4	WNW	290		
	14	0.95	5.6	0.74	5.8	0.60	5.8	0.40	4.7	NW	319		
	16	0.89	4.6	0.70	5.2	0.57	5.1	0.38	4.1	NNW	335		
	18	1.02	5.3	0.73	4.0	0.60	4.0	0.39	3.7	W	263		
	20	0.78	4.5	0.57	4.3	0.46	4.4	0.31	3.7	WNW	295		
	22	1.36	4.6	0.94	4.2	0.73	4.3	0.46	3.9	NNW	337		
	最大	1.75	5.9	1.30	5.8	1.01	6.1	0.65	5.3				
	平均	1.24	5.4	0.92	5.4	0.73	5.5	0.47	4.6				
11	00	1.26	5.6	0.78	4.0	0.61	4.0	0.40	3.6	N	7		
	02	1.18	4.6	0.80	4.3	0.65	4.3	0.43	3.7	W	261		
	04	2.11	5.3	1.47	4.5	1.15	4.6	0.73	3.9	W	281		
	06	3.59	5.9	2.81	5.8	2.23	5.9	1.41	5.1	WNW	286		
	08	5.39	7.6	3.96	7.5	3.00	7.7	1.82	6.1	NW	307		
	10	5.23	8.7	4.32	8.1	3.49	8.1	2.19	6.5	NW	311		
	12	6.48	7.9	5.23	9.4	4.25	9.5	2.74	7.9	WNW	299		
	14	5.84	9.5	4.86	9.3	3.89	9.1	2.38	7.1	WNW	303		
	16	6.80	9.1	5.32	8.8	4.23	9.3	2.66	7.9	WNW	303		
	18	8.20	9.2	* 6.34	9.4	4.99	9.8	2.96	7.7	NW	311		
	20	7.54	10.4	6.08	9.3	5.08	9.5	* 3.22	7.8	NW	311		
	22	* 9.39	9.6	6.33	10.5	* 5.23	9.9	3.21	7.9	WNW	299		
	最大	9.39	9.6	6.34	9.4	5.23	9.9	3.22	7.8				
	平均	5.25	7.8	4.03	7.6	3.23	7.6	2.01	6.3				
12	00	8.43	7.8	6.92	10.0	5.59	10.4	3.58	8.5	NW	319		
	02	8.21	8.9	6.52	9.6	5.25	10.1	3.37	8.2	NW	319		
	04	* 10.30	12.2	* 7.78	11.5	* 6.04	10.7	* 3.72	8.6	WNW	303		
	06	7.99	9.3	6.88	10.9	5.51	10.8	3.52	8.6	NW	311		
	08	7.61	9.1	5.97	10.3	4.70	9.6	2.88	7.7	WNW	303		
	10	8.16	11.3	6.90	10.5	5.44	10.3	3.31	8.2	NW	315		
	12	9.31	9.7	5.93	9.3	4.66	9.0	2.87	7.0	NW	311		
	14	7.37	9.2	6.06	10.3	4.92	10.0	3.28	8.1	NW	307		
	16	8.74	9.8	6.43	10.1	4.92	10.2	3.02	7.7	WNW	286		
	18	7.16	10.1	6.17	10.4	4.77	10.0	2.78	7.7	WNW	295		
	20	8.34	9.9	5.69	9.7	4.71	9.8	2.97	7.8	WNW	290		
	22	5.85	9.7	4.86	9.3	4.09	9.6	2.64	7.6	NNW	335		
	最大	10.30	12.2	7.78	11.5	6.04	10.7	3.72	8.6				
	平均	8.12	9.8	6.34	10.2	5.05	10.0	3.16	8.0				
13	00	* 6.11	9.1	* 5.00	9.0	* 4.00	9.1	* 2.48	7.4	WNW	299		
	02	5.79	7.3	4.64	8.5	3.56	8.8	2.27	7.1	WNW	295		
	04	4.48	8.9	4.03	9.0	3.38	9.4	2.20	7.7	NW	311		
	06	5.74	8.6	4.06	8.7	3.25	8.8	2.00	7.0	NW	315		
	08	5.14	8.7	3.89	8.6	3.21	8.8	2.01	7.1	NW	323		
	10	4.73	7.9	3.23	8.7	2.59	8.4	1.65	6.6	WNW	295		
	12	3.65	8.5	2.84	8.3	2.34	8.2	1.44	6.4	NW	319		
	14	3.30	7.8	2.73	7.7	2.32	8.1	1.51	6.8	NW	319		
	16	4.51	8.5	2.77	8.1	2.23	8.4	1.42	6.8	NNW	331		
	18	3.71	9.6	2.93	8.7	2.26	8.6	1.46	6.8	NW	323		
	20	3.65	8.0	2.86	8.6	2.26	8.4	1.48	7.2	NW	323		
	22	3.94	8.5	2.99	8.7	2.50	8.8	1.64	7.4	NW	323		
	最大	6.11	9.1	5.00	9.0	4.00	9.1	2.48	7.4				
	平均	4.56	8.5	3.50	8.6	2.83	8.7	1.80	7.0				
14	00	3.79	9.4	3.12	9.0	2.55	9.4	1.59	7.2	NW	323		
	02	3.81	8.9	3.08	9.4	2.44	9.0	1.58	7.8	NNW	331		
	04	* 4.19	10.5	* 3.35	9.9	* 2.65	9.5	* 1.73	7.9	NW	323		
	06	3.60	9.8	2.89	9.7	2.28	9.3	1.39	7.4	NNW	327		
	08	4.11	8.4	2.87	9.9	2.35	10.0	1.50	7.7	NNW	331		
	10	2.87	8.3	2.53	9.5	2.03	9.2	1.24	7.5	NNW	335		
	12	3.16	10.7	2.67	9.9	2.13	9.1	1.35	7.6	NNW	344		
	14	2.88	8.9	2.45	8.3	1.96	8.9	1.20	6.8	NNW	344		

	16	2.85	9.5	2.40	9.0	1.95	8.6	1.26	7.1	NNW	327
	18	2.73	9.9	2.21	9.2	1.75	9.1	1.11	6.9	NNW	340
	20	3.03	8.0	2.02	7.7	1.58	8.0	1.00	6.3	NNW	331
	22	2.52	9.1	1.81	9.2	1.41	8.4	0.88	6.2	NNW	344
	最大	4.19	10.5	3.35	9.9	2.65	9.5	1.73	7.9		
	平均	3.30	9.3	2.62	9.2	2.09	9.0	1.32	7.2		
	15	00	2.38	8.5	1.70	8.4	1.34	0.83	6.2	NNW	348
		02	* 2.45	7.4	* 1.85	7.9	* 1.46	* 0.92	6.5	N	352
		04	2.16	8.2	1.67	8.1	1.33	0.84	6.5	N	352
		06	2.33	9.4	1.42	8.3	1.14	0.77	6.4	NNW	344
		08	2.01	8.1	1.56	8.4	1.26	0.80	6.8	NNW	344
		10	1.63	7.6	1.36	8.3	1.12	0.73	6.5	NNW	344
		12	1.87	6.4	1.50	7.5	1.17	0.74	6.5	NNW	344
		14	1.87	8.2	1.36	7.7	1.11	0.72	6.7	NNW	344
		16	1.85	8.0	1.29	7.6	1.00	0.64	6.1	NNW	340
		18	1.48	5.8	1.22	7.3	0.97	0.62	6.2	N	356
		20	1.51	8.7	1.19	8.2	0.94	0.60	6.2	NNW	327
		22	1.67	7.4	1.20	7.8	0.97	0.61	6.1	NNW	344
	最大	2.45	7.4	1.85	7.9	1.46	8.2	0.92	6.5		
	平均	1.93	7.8	1.44	8.0	1.15	7.9	0.74	6.4		
	16	00	1.34	6.5	0.95	7.0	0.78	0.53	5.6	N	352
		02	1.22	6.5	1.01	6.6	0.84	0.56	5.2	N	352
		04	1.40	8.1	1.17	6.5	0.94	0.61	5.2	NNW	348
		06	1.74	4.9	1.19	5.6	0.97	0.62	4.3	NNW	348
		08	2.08	4.3	1.32	5.5	1.01	0.64	4.7	N	356
		10	1.80	4.6	1.45	5.5	1.13	0.74	4.7	N	352
		12	2.32	5.6	1.77	5.5	1.43	0.90	4.7	N	352
		14	2.55	5.2	1.94	5.8	1.56	* 1.04	5.0	NNW	348
		16	* 2.91	5.2	1.95	5.5	* 1.59	1.03	5.0	N	352
		18	2.63	5.8	* 1.97	5.9	1.57	1.02	4.9	N	352
		20	2.44	5.5	1.73	6.2	1.31	0.82	4.6	N	352
		22	2.11	5.9	1.63	6.3	1.25	0.78	4.7	NNW	348
	最大	2.91	5.2	1.97	5.9	1.59	5.7	1.04	5.0		
	平均	2.05	5.7	1.51	6.0	1.20	5.9	0.77	4.9		
	17	00	* 2.41	6.6	1.41	5.7	1.09	0.72	5.1	N	356
		02	1.72	7.2	1.43	6.1	1.12	0.70	5.3	NNW	331
		04	2.16	5.1	1.38	5.8	1.09	0.69	5.1	NNW	348
		06	1.99	4.6	1.66	5.3	1.36	0.87	4.6	N	0
		08	2.02	5.2	1.56	5.4	1.23	0.80	4.6	NNW	344
		10	1.77	5.3	1.26	5.5	1.04	0.68	4.7	N	356
		12	1.74	5.9	1.26	5.6	1.02	0.66	4.5	NNW	344
		14	1.48	5.5	1.22	5.3	0.98	0.61	4.3	NNW	348
		16	1.79	4.9	1.32	5.1	1.07	0.68	4.3	NNW	335
		18	1.87	5.2	1.49	5.2	1.18	0.77	4.5	N	356
		20	2.12	5.0	1.66	5.2	1.31	0.81	4.4	NNW	331
		22	2.32	6.2	* 1.87	5.6	* 1.50	* 0.95	5.0	NW	323
	最大	2.41	6.6	1.87	5.6	1.50	5.8	0.95	5.0		
	平均	1.95	5.6	1.46	5.5	1.17	5.5	0.75	4.7		
	18	00	2.44	5.1	* 1.66	5.8	* 1.35	* 0.87	5.1	NW	323
		02	* 2.67	5.0	1.45	5.5	1.16	0.75	5.1	NNW	335
		04	1.76	4.7	1.28	5.7	1.04	0.68	5.1	NNW	340
		06	1.45	5.1	1.11	5.8	0.91	0.59	5.0	N	4
		08	1.35	4.6	0.97	5.8	0.79	0.53	5.1	N	0
		10	1.42	5.7	1.02	5.4	0.80	0.51	4.8	N	4
		12	1.24	5.6	1.05	6.2	0.85	0.53	5.0	N	352
		14	1.50	7.5	1.20	6.2	0.95	0.60	5.3	N	8
		16	1.93	6.2	1.27	6.3	0.99	0.62	4.8	N	356
		18	1.68	5.8	1.20	5.9	0.97	0.63	4.9	N	356
		20	1.30	6.3	1.12	5.5	0.92	0.60	4.4	N	356
		22	1.56	4.4	1.16	5.6	0.92	0.58	4.3	N	352
	最大	2.67	5.0	1.66	5.8	1.35	6.0	0.87	5.1		
	平均	1.69	5.5	1.21	5.8	0.97	5.8	0.62	4.9		
	19	00	1.31	5.4	0.94	5.6	0.76	0.48	4.3	N	356
		02	1.17	5.9	0.92	6.1	0.76	0.50	5.0	N	352
		04	1.41	5.8	0.88	5.9	0.69	0.44	4.8	N	356
		06	2.44	4.5	1.30	5.1	1.04	0.67	4.6	N	356
		08	1.57	4.7	1.27	5.6	1.01	0.64	4.8	N	356
		10	2.09	5.4	1.32	5.9	1.05	0.67	4.8	N	0

	12	1.59	4.9	1.27	6.1	1.01	5.9	0.63	4.8	N	8
	14	1.83	5.9	1.50	7.1	1.20	6.7	0.77	5.3	NNW	344
	16	2.08	7.7	1.60	7.1	1.27	6.9	0.82	5.6	NNW	344
	18	1.97	7.8	1.51	6.7	1.23	6.9	0.73	5.1	NNW	331
	20	2.19	6.2	1.69	6.9	1.33	6.8	* 0.84	5.5	NNW	340
	22	* 2.55	7.0	* 1.72	7.3	* 1.33	7.0	0.80	5.3	NNW	340
	最大 平均	2.55	7.0	1.72	7.3	1.33	7.0	0.84	5.5		
		1.85	5.9	1.33	6.3	1.06	6.2	0.67	5.0		
20	00	2.26	6.9	1.77	6.9	1.45	6.7	0.94	5.4	NNW	331
	02	2.02	7.3	1.70	6.8	1.40	6.9	0.89	5.3	NNW	340
	04	2.20	6.3	1.70	6.5	1.39	6.7	0.88	5.5	NNW	335
	06	2.18	5.8	1.61	6.8	1.26	6.6	0.79	5.2	NNW	340
	08	2.35	6.9	1.82	6.2	1.50	6.3	0.98	5.7	NNW	344
	10	* 2.62	5.3	* 2.09	6.7	* 1.66	6.7	* 1.06	5.6	N	352
	12	2.31	7.5	1.79	7.0	1.43	6.8	0.88	5.2	NNW	335
	14	2.24	7.8	1.61	7.2	1.28	6.8	0.79	5.4	NNW	335
	16	2.25	6.4	1.58	7.2	1.21	7.2	0.74	5.4	NNW	340
	18	1.81	7.7	1.47	7.1	1.17	7.1	0.73	5.7	N	8
	20	1.77	7.2	1.32	7.4	1.07	7.0	0.69	6.0	NNW	348
	22	1.35	7.8	1.14	7.1	0.94	6.9	0.61	5.6	N	4
	最大 平均	2.62	5.3	2.09	6.7	1.66	6.7	1.06	5.6		
		2.11	6.9	1.63	6.9	1.31	6.8	0.83	5.5		
21	00	1.34	7.8	1.15	7.1	0.93	7.0	0.60	5.8	NNW	348
	02	* 1.82	7.6	* 1.21	7.3	* 0.93	7.2	0.58	5.8	N	356
	04	1.60	7.2	1.09	6.9	0.90	6.9	* 0.60	6.1	N	356
	06	1.54	7.1	1.16	7.1	0.93	7.0	0.58	5.9	N	356
	08	1.48	6.5	1.06	6.7	0.85	6.8	0.54	5.9	NNW	348
	10	1.44	5.7	1.01	6.9	0.80	6.8	0.51	6.0	N	356
	12	1.17	6.2	0.86	6.5	0.72	6.7	0.49	5.8		
	14	0.98	6.5	0.80	6.6	0.64	6.4	0.40	5.0	N	352
	16	0.81	6.3	0.69	6.5	0.57	6.3	0.36	4.7	N	356
	18	0.94	6.6	0.65	6.5	0.50	6.3	0.30	4.5	N	8
	20	0.91	5.6	0.55	6.4	0.43	6.1	0.28	5.0	NNW	348
	22	0.80	6.0	0.55	6.6	0.42	6.5	0.25	4.9	N	0
	最大 平均	1.82	7.6	1.21	7.3	0.93	7.2	0.60	6.1		
		1.24	6.6	0.90	6.8	0.72	6.7	0.46	5.5		
22	00	0.47	5.1	0.42	6.2	0.35	6.2	0.22	4.9	NNW	348
	02	0.49	6.3	0.41	6.5	0.34	6.2	0.21	4.7	N	356
	04	0.69	5.5	0.48	5.8	0.38	5.8	0.25	4.4	N	352
	06	0.68	6.2	0.49	5.6	0.41	5.4	0.26	4.4	NNW	331
	08	0.73	4.9	0.59	5.2	0.48	5.3	0.31	4.5	W	270
	10	1.02	4.4	0.76	4.2	0.61	4.3	0.39	3.6	SW	235
	12	1.07	3.4	0.83	3.8	0.67	3.7	0.44	3.5	W	263
	14	1.42	4.4	1.13	4.2	0.87	4.2	0.55	3.5		
	16	2.59	6.0	1.73	5.4	1.33	5.4	0.85	4.7	WNW	286
	18	* 2.96	5.8	2.01	6.3	1.62	6.3	1.03	5.3	NW	323
	20	2.66	6.3	* 2.07	6.5	* 1.66	6.5	* 1.07	5.5	NW	307
	22	2.37	5.8	2.04	6.4	1.61	6.6	1.01	5.7	NW	307
	最大 平均	2.96	5.8	2.07	6.5	1.66	6.5	1.07	5.5		
		1.43	5.3	1.08	5.5	0.86	5.5	0.55	4.6		
23	00	* 2.34	6.5	* 1.76	6.4	* 1.43	6.4	* 0.90	5.6	WNW	286
	02	1.93	5.8	1.49	6.1	1.21	6.2	0.75	5.2	WNW	303
	04	1.74	5.7	1.37	5.9	1.09	5.9	0.70	5.3	WNW	286
	06	1.44	6.1	1.14	5.8	0.90	5.7	0.57	5.1	WNW	282
	08	1.26	5.3	0.99	5.6	0.80	5.6	0.50	4.9	W	266
	10	1.12	5.5	0.90	5.3	0.72	5.3	0.45	4.6	W	262
	12	1.00	4.8	0.82	5.2	0.64	5.3	0.41	4.7	W	274
	14	0.98	4.7	0.73	5.2	0.60	5.1	0.38	4.3	W	278
	16	0.85	5.3	0.61	5.1	0.48	5.0	0.30	4.1	NNW	335
	18	0.64	5.1	0.45	5.1	0.37	5.1	0.24	4.1	NW	323
	20	0.69	5.4	0.47	5.1	0.37	5.1	0.24	4.3	NW	307
	22	0.65	4.8	0.43	5.1	0.33	5.0	0.20	4.3	WNW	295
	最大 平均	2.34	6.5	1.76	6.4	1.43	6.4	0.90	5.6		
		1.22	5.4	0.93	5.5	0.75	5.5	0.47	4.7		
24	00	0.42	5.1	0.34	5.0	0.27	5.1	0.17	4.2	WSW	250
	02	0.47	5.1	0.33	5.2	0.25	5.0	0.16	4.1		

	04	0.65	5.0	0.45	5.2	0.37	5.2	0.24	4.3	W	270
	06	0.72	4.4	0.52	5.0	0.42	5.0	0.26	4.0	WSW	254
	08	0.79	3.3	0.55	4.5	0.45	4.3	0.29	3.4	W	281
	10	0.69	4.9	0.50	3.8	0.39	3.8	0.26	3.3	WNW	290
	12	0.55	3.4	0.42	3.7	0.34	3.7	0.22	3.1	WNW	296
	14	1.00	3.2	0.78	3.6	0.63	3.7	0.41	3.4	NNE	27
	16	1.02	3.4	0.77	3.8	0.62	3.8	0.40	3.4	N	2
	18	* 1.18	3.5	* 0.94	3.8	* 0.73	4.0	* 0.46	3.5	WNW	299
	20	0.90	3.5	0.68	4.0	0.55	3.9	0.35	3.4	W	264
	22	0.91	3.4	0.74	3.9	0.59	3.8	0.38	3.4	NNE	33
	最大	1.18	3.5	0.94	3.8	0.73	4.0	0.46	3.5		
	平均	0.78	4.0	0.59	4.3	0.47	4.3	0.30	3.6		
25	00	0.65	4.8	0.53	4.3	0.43	4.1	0.28	3.4	NNE	29
	02	0.74	4.7	0.50	4.8	0.42	4.7	0.26	3.8	N	6
	04	0.99	5.7	0.70	5.9	0.56	5.9	0.35	4.7	W	262
	06	1.27	6.5	1.01	7.5	0.79	7.5	0.48	6.1	W	278
	08	1.08	7.2	0.88	6.7	0.72	6.5	0.46	5.5	W	274
	10	1.28	6.0	0.98	6.0	0.78	6.1	0.49	4.7	W	262
	12	1.24	6.2	0.96	5.3	0.78	5.5	0.51	4.7	W	266
	14	1.20	5.6	0.97	5.5	0.83	5.5	* 0.55	4.6	W	262
	16	1.32	4.2	1.00	5.2	0.79	5.3	0.51	4.6	WSW	245
	18	1.28	4.4	0.99	5.0	0.78	5.1	0.52	4.5	WSW	258
	20	1.34	4.6	1.10	5.0	0.87	5.0	0.55	4.4	NW	311
	22	* 1.39	4.6	* 1.11	5.1	* 0.87	5.2	0.54	4.5	WNW	303
	最大	1.39	4.6	1.11	5.1	0.87	5.2	0.55	4.6		
	平均	1.15	5.4	0.89	5.5	0.72	5.5	0.46	4.6		
26	00	1.55	5.7	1.18	5.6	0.94	5.4	0.62	5.0	W	278
	02	1.39	6.0	1.05	5.5	0.82	5.5	0.51	4.9	WNW	290
	04	1.11	5.8	0.85	5.6	0.66	5.5	0.41	4.7	WNW	290
	06	1.08	5.7	0.78	5.5	0.61	5.5	0.39	4.9	WNW	290
	08	0.96	3.9	0.73	5.0	0.59	4.7	0.38	3.7	WNW	297
	10	1.28	4.4	0.94	4.7	0.75	4.8	0.48	3.9	N	356
	12	1.49	6.0	1.16	5.1	0.90	5.1	0.57	4.3	WSW	258
	14	1.54	5.4	1.26	5.3	0.99	5.6	0.62	4.6	W	266
	16	* 2.11	5.9	* 1.43	5.7	* 1.10	5.7	* 0.69	5.2	W	270
	18	1.50	6.1	1.08	5.7	0.87	5.7	0.56	4.8	W	274
	20	1.38	5.4	1.09	5.7	0.87	5.7	0.56	5.2	WSW	254
	22	1.31	5.2	1.05	5.7	0.84	5.7	0.55	5.3	W	262
	最大	2.11	5.9	1.43	5.7	1.10	5.7	0.69	5.2		
	平均	1.39	5.5	1.05	5.4	0.83	5.4	0.53	4.7		
27	00	1.23	7.1	0.99	6.5	0.79	6.2	0.49	5.4	NNW	335
	02	* 1.45	5.9	* 1.05	6.1	* 0.83	6.2	* 0.53	5.4	NNW	331
	04	1.18	6.6	0.90	6.3	0.70	6.0	0.45	4.8	NNW	344
	06	1.23	6.3	0.89	5.8	0.71	5.7	0.45	4.4	W	270
	08	0.89	6.3	0.75	5.3	0.62	5.2	0.40	4.2	NW	319
	10	0.89	4.4	0.70	5.3	0.58	5.2	0.37	4.2	WSW	254
	12	0.80	3.4	0.64	4.8	0.52	4.8	0.34	3.8	NW	304
	14	0.77	5.4	0.62	5.4	0.51	5.2	0.33	4.1	W	262
	16	0.89	5.4	0.73	5.5	0.57	5.2	0.37	4.4	WNW	290
	18	1.03	5.9	0.77	5.7	0.64	5.7	0.42	4.7	WNW	282
	20	0.99	5.2	0.84	5.6	0.68	5.9	0.43	4.9	WNW	282
	22	1.09	5.4	0.87	5.5	0.68	5.6	0.42	4.7	WNW	282
	最大	1.45	5.9	1.05	6.1	0.83	6.2	0.53	5.4		
	平均	1.04	5.6	0.81	5.7	0.65	5.6	0.42	4.6		
28	00	1.07	6.1	0.87	5.9	0.72	5.9	0.47	5.1	WNW	299
	02	1.38	5.6	1.07	5.9	0.86	6.0	* 0.56	5.1	WNW	282
	04	* 1.62	5.4	1.06	5.8	0.82	6.0	0.51	4.7	WNW	303
	06	1.39	5.1	1.08	5.8	0.86	5.8	0.53	5.1	WNW	282
	08	1.39	4.8	1.00	5.5	0.80	5.6	0.51	4.8	WNW	290
	10	1.35	5.9	1.00	5.6	0.78	5.4	0.49	4.6	W	278
	12	1.39	5.3	* 1.11	5.8	* 0.87	5.7	0.53	4.9	WNW	295
	14	1.39	4.9	1.05	5.9	0.86	6.0	0.55	4.9	WNW	286
	16	1.24	5.5	0.98	5.7	0.80	5.8	0.50	4.8	W	270
	18	1.17	6.3	0.91	5.8	0.74	5.8	0.48	4.8	WSW	258
	20	0.89	5.0	0.69	5.8	0.57	6.0	0.37	5.0	W	270
	22	0.97	5.6	0.76	5.6	0.59	5.6	0.36	4.5	W	278
	最大	1.62	5.4	1.11	5.8	0.87	5.7	0.56	5.1		

	平均	1.27	5.5	0.97	5.8	0.77	5.8	0.49	4.9		
29	00	1.38	5.3	0.95	5.2	0.77	4.5	0.51	3.9	WNW	300
	02	1.34	3.7	1.00	4.4	0.80	4.3	0.53	3.8	NNE	28
	04	1.39	3.4	1.09	4.1	0.89	4.1	0.58	3.7	WNW	294
	06	1.65	4.2	1.06	4.3	0.85	4.2	0.56	3.8	N	358
	08	1.36	4.2	0.97	4.3	0.77	4.2	0.49	3.7	WSW	253
	10	2.17	5.5	1.64	5.6	1.29	5.5	0.83	4.5	W	262
	12	* 3.70	7.4	* 2.49	7.6	* 1.92	7.5	* 1.17	6.1	WNW	299
	14	2.66	6.3	2.19	7.2	1.77	7.1	1.13	5.7	WNW	286
	16	2.87	7.2	2.19	6.9	1.68	6.8	1.03	5.7	WSW	250
	18	2.40	7.9	1.98	7.4	1.59	7.5	1.01	6.3	WSW	254
	20	2.07	7.4	1.56	6.9	1.25	7.0	0.83	6.0	WSW	254
	22	1.60	7.0	1.30	7.1	1.07	7.1	0.69	5.8	W	278
	最大	3.70	7.4	2.49	7.6	1.92	7.5	1.17	6.1		
	平均	2.05	5.8	1.54	5.9	1.22	5.8	0.78	4.9		
30	00	1.65	6.1	1.28	7.0	1.05	6.8	0.68	5.8	W	266
	02	1.64	6.5	1.33	5.6	1.07	5.7	0.69	4.5	WNW	286
	04	1.76	3.7	1.35	4.7	1.09	4.8	0.71	4.2		
	06	1.65	5.6	1.26	4.9	1.00	4.8	0.63	3.9	N	5
	08	* 3.75	5.9	* 2.58	6.2	* 2.07	6.4	* 1.34	5.6	N	352
	10	2.40	6.3	1.85	6.2	1.51	6.2	0.94	5.2	N	356
	12	2.23	6.5	1.50	5.3	1.18	5.3	0.77	4.6	N	356
	14	2.04	4.8	1.29	5.4	1.01	5.3	0.64	4.3	N	356
	16	1.46	5.7	1.07	5.5	0.88	5.6	0.57	4.6	N	356
	18	1.41	5.2	0.99	5.3	0.78	5.3	0.49	4.3	N	8
	20	1.20	5.0	0.85	5.2	0.70	5.1	0.46	4.3	N	8
	22	1.21	5.0	0.87	5.1	0.68	5.0	0.44	4.3	N	8
	最大	3.75	5.9	2.58	6.2	2.07	6.4	1.34	5.6		
	平均	1.87	5.5	1.35	5.5	1.09	5.5	0.70	4.6		
31	00	1.04	5.3	0.80	5.3	0.65	5.2	0.41	4.5	N	4
	02	1.09	5.6	0.83	5.7	0.65	5.7	0.42	4.8	N	356
	04	1.20	5.0	0.76	5.4	0.60	5.4	0.38	4.7	N	356
	06	0.78	4.7	0.64	5.5	0.53	5.5	0.33	4.7	N	8
	08	0.78	5.4	0.57	5.7	0.46	5.8	0.30	5.1	N	356
	10	0.68	5.9	0.53	5.8	0.43	5.8	0.28	5.1	N	0
	12	0.65	5.7	0.50	5.4	0.40	5.6	0.26	5.1	NNW	348
	14	0.95	4.7	0.81	3.6	0.63	3.6	0.41	3.2	N	3
	16	0.97	3.4	0.76	4.0	0.60	3.8	0.40	3.3		
	18	1.40	3.6	1.07	3.3	0.87	3.6	0.57	3.4		
	20	* 1.84	4.4	* 1.40	4.5	* 1.09	4.6	* 0.69	4.1	NNW	334
	22	1.13	4.8	0.78	4.0	0.64	3.9	0.42	3.7	W	260
	最大	1.84	4.4	1.40	4.5	1.09	4.6	0.69	4.1		
	平均	1.04	4.9	0.79	4.9	0.63	4.9	0.41	4.3		
	月最大	10.30	12.2	7.78	11.5	6.04	10.7	3.72	8.6		
	起時	1204		1204		1204		1204			
	平均	2.36	6.4	1.79	6.5	1.43	6.4	0.91	5.3		

* は日最大波高を示す

様式 3-1-1 波高月表

2007年 4月

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	350 回	測得回数	341 回
欠測回数	10 回	欠測回数	19 回
欠測率	2.8 %	欠測率	5.3 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.95	5.2	0.62	4.4	0.51	4.1	0.33	3.6	NNE	29
	02	1.05	5.8	0.74	5.7	0.60	5.3	0.38	4.3	WSW	258
	04	1.40	6.0	1.02	5.6	0.82	5.6	0.53	4.8	WSW	250
	06	1.31	5.3	0.98	5.4	0.78	5.4	0.49	4.6	WSW	258
	08	1.14	5.8	0.91	5.6	0.74	5.7	0.47	4.8	W	262
	10	1.51	6.0	1.11	6.2	0.90	6.2	0.57	5.5	WSW	254
	12	1.37	5.2	0.95	5.3	0.75	5.6	0.48	4.9	W	262
	14	1.70	6.1	1.25	6.1	1.00	5.9	0.63	5.3	NNW	331
	16	* 1.90	5.8	1.24	6.0	1.01	5.8	0.68	5.1	NNW	327
	18	1.85	5.6	1.34	5.9	1.05	5.9	0.64	4.9	NNW	327
	20	1.81	6.1	* 1.45	5.9	* 1.16	5.9	* 0.74	5.3	NW	323
	22	1.49	5.9	1.17	5.4	0.94	5.6	0.61	4.8	NW	323
	最大	1.90	5.8	1.45	5.9	1.16	5.9	0.74	5.3		
	平均	1.46	5.7	1.07	5.6	0.86	5.6	0.55	4.8		
02	00	1.58	5.0	1.10	5.6	0.87	5.5	0.55	4.8		
	02	1.61	6.3	1.11	6.2	0.87	6.1	0.56	5.1	NW	319
	04	1.65	6.5	* 1.27	6.4	* 1.02	6.4	0.65	5.3	WNW	303
	06	1.56	7.0	1.23	6.9	1.00	6.9	* 0.65	5.9	NW	323
	08	* 1.77	7.1	1.24	6.6	0.96	6.8	0.59	5.7	NW	315
	10	1.54	6.8	1.25	6.8	0.95	6.6	0.62	5.7	NW	323
	12	1.37	5.9	1.13	6.3	0.90	6.5	0.55	5.5	NNW	327
	14	1.24	6.2	0.96	6.0	0.74	6.0	0.46	5.2	NNW	331
	16	1.23	5.9	0.96	5.9	0.76	5.9	0.47	5.0	NNW	327
	18	1.05	5.4	0.80	5.8	0.64	5.8	0.41	4.9	NNW	331
	20	0.99	5.3	0.74	5.6	0.59	5.4	0.37	4.4	NNW	340
	22	1.15	4.3	0.80	4.4	0.63	4.4	0.40	3.6	NW	317
	最大	1.77	7.1	1.27	6.4	1.02	6.4	0.65	5.9		
	平均	1.40	6.0	1.05	6.0	0.83	6.0	0.52	5.1		
03	00	1.08	4.7	0.83	4.5	0.68	4.6	0.45	4.2	SW	231
	02	1.19	4.4	0.80	4.6	0.64	4.8	0.44	4.3	NNW	346
	04	1.15	4.5	0.87	4.6	0.72	4.8	0.44	3.9	NNE	29
	06	2.04	4.8	1.26	4.8	1.01	4.8	0.65	4.1	N	359
	08	1.79	4.5	1.30	5.1	1.07	5.1	0.71	4.5	NNW	327
	10	1.65	4.8	1.26	4.8	1.01	5.1	0.65	4.3	NNW	327
	12	1.98	3.8	1.53	5.2	1.25	5.3	0.83	4.5	NW	323
	14	* 2.63	5.7	* 1.70	5.5	* 1.32	5.8	* 0.83	4.8	WNW	303
	16	1.97	5.8	1.53	5.9	1.24	6.0	0.74	4.9	NW	307
	18	1.81	6.0	1.43	5.8	1.11	5.8	0.68	5.0	NW	323
	20	1.31	6.1	1.09	5.6	0.89	5.7	0.56	4.8	NNW	335
	22	1.47	6.2	1.04	5.4	0.80	5.4	0.50	4.8	NNW	327
	最大	2.63	5.7	1.70	5.5	1.32	5.8	0.83	4.8		
	平均	1.67	5.1	1.22	5.2	0.98	5.3	0.62	4.5		
04	00	1.32	5.6	1.00	5.4	0.79	5.6	0.50	4.9	NNW	335
	02	1.06	5.8	0.86	5.6	0.68	5.4	0.44	4.6	NNW	348
	04	1.43	5.5	1.04	5.3	0.85	5.4	0.56	4.5	NNW	327
	06	1.13	4.7	0.88	5.3	0.72	5.2	0.46	4.3	NNW	331
	08	0.91	5.8	0.75	5.2	0.62	5.2	0.40	4.4	NW	319
	10	1.08	5.4	0.86	5.3	0.68	5.1	0.44	4.5	NNW	331
	12	2.92	5.0	2.08	5.2	1.72	5.2	1.10	4.7	W	270
	14	2.29	5.3	1.70	5.3	1.33	5.3	0.85	4.5	W	274
	16	* 3.24	6.1	2.31	5.7	1.87	5.9	1.16	4.9	W	270
	18	2.98	6.8	* 2.40	6.6	* 2.03	6.7	* 1.36	5.4	W	266
	20	2.77	8.2	2.26	7.0	1.83	6.7	1.17	5.5	W	270
	22	2.62	6.2	2.06	6.5	1.64	6.5	1.08	6.0	W	266
	最大	3.24	6.1	2.40	6.6	2.03	6.7	1.36	5.4		

	平均	1.98	5.9	1.52	5.7	1.23	5.7	0.79	4.9		
05	00	2.53	7.2	1.76	7.2	1.40	7.1	0.90	6.0	W	262
	02	* 2.64	6.5	1.87	6.7	1.49	7.1	0.91	5.9	WNW	286
	04	2.51	7.9	* 2.04	7.1	* 1.66	7.3	* 1.07	6.6	W	278
	06	2.19	6.5	1.67	7.3	1.38	7.3	0.90	6.1	NW	307
	08	1.79	6.5	1.52	7.1	1.22	7.0	0.75	5.8	W	274
	10	2.27	6.2	1.46	6.6	1.16	6.6	0.73	5.7	W	278
	12	1.71	6.7	1.22	6.6	0.99	6.6	0.64	5.5	WNW	290
	14	1.44	7.3	1.17	6.3	0.92	6.4	0.59	5.5	NW	307
	16	1.57	6.8	1.13	5.9	0.87	5.8	0.55	4.8	NW	315
	18	1.19	5.7	1.01	5.9	0.83	5.8	0.54	4.5	WNW	282
20	1.34	5.9	1.04	5.5	0.80	5.7	0.51	4.7	W	274	
22	1.14	5.2	0.86	5.7	0.73	5.8	0.47	4.8	NNW	344	
最大	2.64	6.5	2.04	7.1	1.66	7.3	1.07	6.6			
	1.86	6.5	1.40	6.5	1.12	6.5	0.71	5.5			
06	00	* 1.29	5.7	* 0.88	5.8	* 0.70	5.7	* 0.45	5.1	NNW	331
	02	0.98	5.3	0.82	5.6	0.68	5.7	0.44	5.0	N	8
	04	1.26	5.6	0.85	5.6	0.65	5.8	0.39	4.9	NNW	344
	06	0.93	5.7	0.68	5.3	0.56	5.4	0.36	4.8	NNW	335
	08	0.68	5.0	0.59	5.3	0.46	5.4	0.30	4.7	NNE	16
	10	0.65	4.9	0.50	5.3	0.39	5.2	0.25	4.5	N	0
	12	0.70	4.9	0.49	5.1	0.40	5.0	0.26	3.9	NNW	331
	14	0.54	5.6	0.43	4.9	0.35	4.6	0.22	3.4	W	269
	16	0.43	4.4	0.35	5.0	0.28	4.6	0.18	3.6	NNW	340
	18	0.36	5.5	0.30	5.3	0.24	5.1	0.16	3.9	N	356
20	0.36	4.9	0.29	5.4	0.24	5.2	0.15	3.9	N	352	
22	0.34	5.1	0.26	5.3	0.21	5.2	0.13	4.2	NNW	348	
最大	1.29	5.7	0.88	5.8	0.70	5.7	0.45	5.1			
	0.71	5.2	0.54	5.3	0.43	5.2	0.27	4.3			
07	00	0.29	5.4	0.24	5.3	0.19	5.3	0.13	4.3	N	352
	02	0.38	5.8	0.24	5.1	0.19	5.1	0.13	4.0	NNE	20
	04	0.28	5.0	0.21	5.2	0.17	5.0	0.11	3.7	N	4
	06	0.45	5.6	0.27	4.8	0.23	4.6	0.15	4.0	SW	236
	08	* 0.47	3.8	0.31	4.3	* 0.25	4.1	0.16	3.2	SW	221
	10	0.42	4.0	* 0.31	4.7	0.24	4.6	* 0.16	3.6	NNW	346
	12	0.32	4.7	0.23	4.8	0.19	4.6	0.13	3.5	N	5
	14	0.45	4.2	0.28	4.6	0.22	4.5	0.14	3.4	NW	319
	16	0.38	5.8	0.29	4.9	0.23	4.6	0.15	3.4	WNW	284
	18	0.35	4.3	0.27	4.6	0.22	4.4	0.14	3.5	NNE	30
20	0.33	5.8	0.25	5.1	0.21	5.1	0.13	3.9	NW	307	
22	0.32	5.0	0.22	5.0	0.17	5.0	0.11	3.7	W	262	
最大	0.47	3.8	0.31	4.7	0.25	4.1	0.16	3.6			
	0.37	5.0	0.26	4.9	0.21	4.7	0.14	3.7			
08	00	0.32	5.0	0.23	4.9	0.18	4.7	0.12	3.8	SW	224
	02	0.30	4.8	0.21	4.8	0.17	4.7	0.11	3.7	W	278
	04	0.37	4.4	0.22	4.7	0.18	4.5	0.12	3.4	WSW	251
	06	0.37	4.3	0.27	4.1	0.22	3.8	0.15	3.0	SW	234
	08	0.80	3.5	0.50	3.6	0.38	3.5	0.24	3.1	NNW	348
	10	0.92	4.1	0.68	3.8	0.54	3.9	0.35	3.4	NW	304
	12	* 1.11	4.4	* 0.87	4.4	* 0.68	4.5	* 0.44	3.9	SW	231
	14	0.91	4.1	0.76	4.3	0.60	4.4	0.39	4.0	WSW	245
	16	0.85	5.1	0.67	4.7	0.54	4.7	0.34	4.0	NNW	339
	18	0.95	5.0	0.64	4.9	0.49	5.0	0.32	4.3	W	262
20	0.81	5.0	0.59	4.6	0.45	4.6	0.29	3.9	NW	315	
22	0.75	4.6	0.47	4.7	0.38	4.8	0.24	4.2	NNE	31	
最大	1.11	4.4	0.87	4.4	0.68	4.5	0.44	3.9			
	0.71	4.5	0.51	4.5	0.40	4.4	0.26	3.7			
09	00	0.66	4.6	0.49	4.7	0.39	4.7	0.25	4.3	NNE	22
	02	0.56	4.4	0.44	4.6	0.36	4.7	0.23	4.1		
	04	0.58	4.4	0.43	4.4	0.33	4.3	0.21	3.9	WNW	286
	06	0.68	4.3	0.48	4.1	0.38	4.2	0.24	3.8	N	8
	08	0.49	3.5	0.39	3.9	0.32	3.9	0.21	3.6		
	10	0.99	3.4	* 0.65	3.8	0.50	3.8	0.32	3.4	SW	222
	12	0.84	3.6	0.57	3.9	0.45	3.9	0.28	3.5	WNW	285
	14	0.79	4.2	0.62	4.1	0.49	4.1	0.32	3.6	WNW	301
	16	0.78	3.8	0.59	4.1	0.47	4.2	0.30	3.6	NNW	341
	18	0.95	4.5	0.60	4.1	0.49	4.1	0.32	3.6	W	281
20	* 1.05	4.2	0.64	4.4	* 0.50	4.4	* 0.32	3.8	NNW	331	
22	0.69	4.2	0.55	4.3	0.44	4.4	0.29	3.8	NW	314	

		最大	1.05	4.2	0.65	3.8	0.50	4.4	0.32	3.8		
		平均	0.76	4.1	0.54	4.2	0.43	4.2	0.27	3.8		
10	00	* 0.74	4.5	* 0.50	4.3	* 0.39	4.3	0.24	3.8	NNW	348	
	02	0.63	4.4	0.44	4.4	0.36	4.5	* 0.24	4.0	NNW	344	
	04	0.51	4.8	0.39	4.4	0.31	4.3	0.21	3.8	N	352	
	06	0.44	4.0	0.34	4.2	0.28	4.2	0.17	3.5	N	350	
	08	0.44	3.9	0.31	4.3	0.25	4.3	0.16	3.4	WSW	247	
	10	0.46	4.3	0.35	3.9	0.29	3.9	0.19	3.1	NNE	28	
	12	0.51	3.3	0.39	3.7	0.32	3.7	0.22	3.2			
	14	0.50	3.7	0.33	4.1	0.27	4.0	0.18	3.4	WSW	249	
	16	0.44	3.7	0.30	4.1	0.24	4.1	0.16	3.6	WSW	244	
	18	0.34	3.5	0.27	3.9	0.22	3.6	0.14	3.0	SW	235	
	20	0.26	3.9	0.20	4.7	0.16	4.6	0.11	3.5	NNE	21	
	22	0.33	3.5	0.26	4.9	0.21	4.7	0.13	3.7	W	259	
		最大	0.74	4.5	0.50	4.3	0.39	4.3	0.24	4.0		
		平均	0.47	4.0	0.34	4.2	0.28	4.2	0.18	3.5		
	11	00	0.78	4.7	0.61	5.2	0.50	5.2	0.32	4.4	NW	315
02		1.10	4.8	0.75	5.0	0.61	5.1	0.39	4.2	WNW	303	
04		* 1.21	5.1	* 0.92	4.9	* 0.72	5.1	* 0.45	4.7	WNW	286	
06		1.12	4.5	0.75	5.0	0.60	4.9	0.38	4.3	W	270	
08		0.88	5.3	0.64	4.8	0.53	4.9	0.34	4.1	WNW	299	
10		0.88	4.2	0.59	5.3	0.47	5.4	0.30	4.3	NNE	16	
12		0.91	7.2	0.68	5.5	0.53	5.2	0.34	4.3	N	8	
14		0.90	6.2	0.70	5.8	0.56	5.5	0.35	4.4	N	356	
16		0.89	6.8	0.71	5.8	0.57	5.6	0.38	4.8	N	356	
18		0.89	5.6	0.60	5.7	0.48	5.2	0.31	4.3	N	0	
20		0.80	5.8	0.56	5.7	0.46	5.5	0.30	4.3	N	0	
22		0.66	5.2	0.54	6.1	0.44	6.1	0.28	4.7	N	356	
		最大	1.21	5.1	0.92	4.9	0.72	5.1	0.45	4.7		
		平均	0.92	5.5	0.67	5.4	0.54	5.3	0.35	4.4		
12		00	0.51	6.2	0.45	5.9	0.38	5.5	0.24	4.3	N	0
	02	0.60	6.7	0.49	6.4	0.40	6.4	0.26	4.9	N	4	
	04	0.69	4.9	* 0.52	6.6	* 0.43	6.5	* 0.28	5.5	N	356	
	06	0.58	6.7	0.48	6.6	0.40	6.3	0.25	5.0	N	352	
	08	* 0.75	5.9	0.47	6.0	0.36	5.8	0.23	4.9	N	356	
	10	0.54	5.9	0.44	6.1	0.35	5.9	0.23	5.0	N	356	
	12	0.51	5.6	0.40	5.7	0.33	5.4	0.21	4.6	N	0	
	14	0.44	5.6	0.35	5.6	0.28	5.3	0.18	4.2	NNE	20	
	16	0.35	3.5	0.30	5.4	0.25	5.4	0.16	4.1	N	356	
	18	0.47	5.8	0.34	5.9	0.27	5.4	0.17	3.8	N	8	
	20	0.45	6.0	0.35	6.2	0.28	6.1	0.18	4.2	N	356	
	22	0.41	6.1	0.32	6.3	0.26	5.9	0.16	4.1	N	8	
		最大	0.75	5.9	0.52	6.6	0.43	6.5	0.28	5.5		
		平均	0.53	5.7	0.41	6.1	0.33	5.8	0.21	4.6		
	13	00	0.31	6.6	0.26	6.3	0.23	6.3	0.14	4.7	N	0
02		0.36	6.0	0.27	6.5	0.22	6.1	0.14	4.3	NNE	33	
04		0.52	2.4	0.39	4.0	0.33	3.9	0.21	3.3	NW	325	
06		0.59	3.1	0.40	3.7	0.31	3.7	0.20	3.1	W	276	
08		0.64	2.7	0.48	3.4	0.38	3.5	0.25	3.1	WSW	250	
10		0.86	3.1	0.57	3.4	0.46	3.4	0.31	3.2	W	274	
12		0.93	3.0	0.65	3.4	0.51	3.4	0.33	3.1	WNW	295	
14		1.20	3.7	* 0.92	3.8	* 0.74	3.8	* 0.48	3.4	WNW	299	
16		1.20	3.6	0.87	4.0	0.70	4.2	0.45	3.7	WNW	289	
18		1.06	3.5	0.71	4.1	0.56	4.0	0.37	3.6	NW	318	
20		0.94	3.2	0.69	3.7	0.56	3.9	0.35	3.3	SW	221	
22		* 1.23	3.1	0.92	3.3	0.74	3.3	0.46	3.0	WSW	257	
		最大	1.23	3.1	0.92	3.8	0.74	3.8	0.48	3.4		
		平均	0.82	3.7	0.59	4.1	0.48	4.1	0.31	3.5		
14		00	0.93	4.3	0.67	4.2	0.54	4.4	0.34	3.7	WNW	282
	02	1.39	6.9	1.06	5.0	0.87	5.0	0.55	4.1	WSW	245	
	04	1.94	4.5	1.41	5.3	1.10	5.4	0.72	4.4	WNW	290	
	06	2.43	5.5	1.96	5.9	1.61	5.9	1.02	5.1	W	278	
	08	2.78	6.3	2.27	6.4	1.85	6.1	1.17	5.2	WNW	282	
	10	3.60	7.0	3.19	7.5	2.61	7.4	1.61	6.0	WNW	286	
	12	4.57	8.0	3.64	7.3	3.04	7.7	1.96	6.5	W	274	
	14	* 5.57	8.2	4.30	8.6	3.38	8.8	2.19	7.2	WNW	299	

	16	5.32	10.1	* 4.79	9.6	* 3.89	9.4	* 2.29	7.2	WNW	290	
	18	5.00	9.0	4.05	9.6	3.33	9.3	2.13	7.4	WNW	303	
	20	5.41	9.0	4.07	9.4	3.18	9.1	1.94	7.2	WNW	299	
	22	4.30	8.1	3.07	8.7	2.51	8.5	1.53	6.9	NW	311	
	最大	5.57	8.2	4.79	9.6	3.89	9.4	2.29	7.2			
	平均	3.60	7.2	2.87	7.3	2.33	7.3	1.45	5.9			
	15	00	2.88	9.6	2.58	8.9	2.11	8.9	1.35	6.9	NW	311
	02	* 3.95	9.3	* 2.85	9.1	* 2.21	9.0	* 1.41	7.6	NNW	348	
	04	3.67	8.4	2.61	8.4	2.14	8.4	1.30	6.8	NW	323	
	06	3.14	8.5	2.50	8.0	1.98	8.4	1.24	6.7			
	08	2.63	8.0	2.16	8.8	1.78	8.7	1.14	7.2	NNW	335	
	10	2.67	7.4	1.94	8.3	1.53	8.3	0.97	6.6	NNW	344	
	12	2.95	7.1	2.11	8.7	1.68	9.2	1.06	7.4	N	352	
	14	2.47	9.1	1.88	9.3	1.49	8.9	0.93	6.8	NNW	344	
	16	2.17	9.5	1.68	8.6	1.35	8.7	0.86	7.0	NNW	348	
	18	2.13	9.1	1.79	8.9	1.40	8.8	0.86	7.1	NNW	348	
	20	1.83	9.2	1.59	8.7	1.32	8.6	0.80	6.7	N	356	
	22	2.02	9.3	1.53	8.4	1.24	8.1	0.76	6.3	NNW	348	
	最大	3.95	9.3	2.85	9.1	2.21	9.0	1.41	7.6			
	平均	2.71	8.7	2.10	8.7	1.69	8.7	1.06	6.9			
	16	00	2.03	7.4	* 1.42	7.9	* 1.16	7.9	* 0.76	6.5	N	352
	02	1.46	9.6	1.27	7.9	1.05	7.5	0.68	5.9	N	4	
	04	1.44	6.1	1.11	7.3	0.89	7.1	0.57	5.6	NNW	348	
	06	1.71	7.0	1.11	7.7	0.86	7.3	0.52	5.7	NNW	344	
	08	1.40	8.4	0.99	6.6	0.80	6.5	0.53	5.6	NNW	348	
	10	1.13	5.4	0.89	7.1	0.69	6.7	0.43	5.4	N	0	
	12	1.09	6.9	0.91	7.2	0.73	6.9	0.45	5.3	N	0	
	14	1.21	6.3	0.84	6.3	0.70	6.3	0.46	5.2	N	352	
	16	1.21	6.7	0.95	6.4	0.78	6.5	0.50	5.5	N	0	
	18	1.05	6.7	0.88	5.9	0.74	5.9	0.48	4.7	N	8	
	20	* 2.06	5.3	1.13	5.4	0.91	5.5	0.57	4.4	N	0	
	22	1.57	6.2	1.28	5.7	1.05	5.6	0.67	4.9	N	352	
	最大	2.06	5.3	1.42	7.9	1.16	7.9	0.76	6.5			
	平均	1.45	6.8	1.07	6.8	0.86	6.6	0.55	5.4			
	17	00	1.60	5.7	1.37	5.5	1.14	5.5	0.77	4.7	N	4
	02	1.92	4.8	1.52	5.3	1.21	5.3	0.77	4.6	N	4	
	04	1.58	4.7	1.32	5.5	1.07	5.4	0.69	4.7	N	0	
	06	2.16	6.3	1.76	5.4	1.37	5.6	0.87	4.6	NNW	348	
	08	2.28	5.8	* 1.76	5.6	1.41	5.5	0.87	4.6	NNW	344	
	10	2.05	4.6	1.60	5.5	1.26	5.5	0.79	4.6	NNW	348	
	12	2.04	5.0	1.55	5.6	1.23	5.5	0.78	4.5	N	352	
	14	2.05	6.9	1.70	6.1	1.35	6.0	0.85	4.9	N	8	
	16	* 2.36	5.6	1.75	5.8	* 1.41	6.1	* 0.92	4.9	N	352	
	18	2.28	5.5	1.61	6.3	1.30	6.5	0.82	5.5	N	352	
	20	1.81	5.7	1.38	6.4	1.14	6.1	0.73	5.2	NNW	348	
	22	1.32	5.9	1.08	5.9	0.88	5.9	0.57	4.9	N	356	
	最大	2.36	5.6	1.76	5.6	1.41	6.1	0.92	4.9			
	平均	1.95	5.5	1.53	5.7	1.23	5.7	0.79	4.8			
	18	00	* 1.82	5.6	* 1.16	6.0	* 0.91	6.1	* 0.56	4.8	N	352
	02	1.32	4.9	1.01	5.9	0.81	6.0	0.53	5.2	N	4	
	04	1.81	5.9	1.04	5.8	0.82	5.8	0.51	4.9	N	4	
	06	1.27	5.7	1.02	6.2	0.82	6.1	0.52	5.0	N	0	
	08	1.06	5.7	0.87	5.9	0.71	5.9	0.46	5.0	N	4	
	10	0.91	5.7	0.75	5.8	0.62	5.9	0.40	4.9	N	352	
	12	0.99	5.5	0.72	5.8	0.58	5.9	0.38	4.9	N	356	
	14	0.89	5.9	0.67	5.7	0.54	5.7	0.34	4.8	N	356	
	16	0.90	5.3	0.61	5.8	0.48	5.7	0.30	4.4	NNW	348	
	18	0.81	5.8	0.60	5.6	0.49	5.6	0.32	4.5	N	4	
	20	0.66	5.1	0.51	5.3	0.41	5.3	0.27	4.3	N	8	
	22	0.63	4.9	0.50	5.4	0.40	5.1	0.26	4.4	N	4	
	最大	1.82	5.6	1.16	6.0	0.91	6.1	0.56	4.8			
	平均	1.09	5.5	0.79	5.8	0.63	5.8	0.40	4.8			
	19	00	0.69	5.0	0.53	4.8	0.42	4.6	0.27	4.0	NNE	26
	02	0.83	4.3	0.54	4.5	0.44	4.8	0.29	4.3	NNE	13	
	04	0.85	4.9	0.59	4.9	0.49	4.8	0.33	4.3	WNW	303	
	06	1.01	4.1	* 0.76	4.0	* 0.61	4.1	* 0.39	3.6	NNE	29	
	08	0.80	5.3	0.66	4.5	0.53	4.5	0.34	3.9	SW	234	
	10	* 1.11	4.6	0.64	4.3	0.50	4.5	0.32	4.0	N	359	

	12	0.82	5.0	0.58	4.4	0.46	4.5	0.30	3.9	W	275
	14	0.87	4.5	0.67	4.6	0.53	4.6	0.32	3.7	NNE	16
	16	0.85	5.1	0.58	4.6	0.47	4.3	0.29	3.6	W	276
	18	0.69	5.3	0.54	4.4	0.45	4.4	0.30	3.9	NNE	25
	20	0.62	4.5	0.50	4.4	0.40	4.4	0.27	3.8		
	22	0.50	4.7	0.41	4.3	0.34	4.5	0.23	3.9	NNW	348
	最大	1.11	4.6	0.76	4.0	0.61	4.1	0.39	3.6		
	平均	0.80	4.8	0.58	4.5	0.47	4.5	0.30	3.9		
20	00	0.44	3.7	0.38	5.0	0.31	4.8	0.20	3.9	W	268
	02	欠测									
	04	0.42	5.8	0.31	4.9	0.25	5.0	0.16	4.0	NNW	340
	06	0.26	5.0	0.23	5.4	0.19	4.8	0.13	3.6	N	357
	08	0.45	2.8	0.33	3.3	0.27	3.5	0.18	3.0	W	266
	10	0.47	4.3	0.35	4.1	0.28	4.0	0.18	3.2		
	12	0.68	3.6	0.50	3.5	0.41	3.5	0.26	3.2	NNE	16
	14	0.79	3.8	0.49	3.5	0.38	3.7	0.25	3.2	SW	220
	16	0.68	2.7	0.49	3.8	0.39	3.8	0.25	3.3	W	263
	18	0.60	3.4	0.42	5.5	0.34	5.4	0.21	4.0	WNW	303
	20	1.07	6.3	0.66	5.9	0.50	5.4	0.31	4.0	WNW	282
	22	* 1.25	6.5	* 0.89	4.5	* 0.72	4.4	* 0.47	3.6	W	280
	最大	1.25	6.5	0.89	4.5	0.72	4.4	0.47	3.6		
	平均	0.65	4.4	0.46	4.5	0.37	4.4	0.24	3.5		
21	00	1.15	7.3	0.94	6.0	0.76	5.2	0.49	4.2	W	278
	02	0.91	5.1	0.74	5.0	0.63	4.9	0.41	4.0	W	274
	04	1.04	6.6	0.79	5.4	0.64	5.2	0.40	4.1	W	270
	06	1.14	5.9	0.80	6.3	0.65	5.5	0.41	4.1	W	270
	08	1.57	8.4	1.14	7.7	0.89	7.6	0.52	5.3	WNW	290
	10	1.31	8.2	1.09	7.3	0.89	7.1	0.57	5.6	W	278
	12	1.48	6.6	1.17	6.6	0.93	7.1	0.58	5.5	W	274
	14	1.55	6.7	* 1.17	6.9	* 0.96	7.1	* 0.59	5.9	WNW	295
	16	* 1.80	6.5	1.08	7.1	0.85	7.2	0.54	6.0	WNW	299
	18	1.26	7.1	0.99	6.7	0.82	6.7	0.51	5.6	W	262
	20	1.26	6.7	0.92	6.3	0.76	6.6	0.49	5.3	WNW	282
	22	1.35	6.3	0.92	6.4	0.73	6.3	0.45	5.0	WNW	290
	最大	1.80	6.5	1.17	6.9	0.96	7.1	0.59	5.9		
	平均	1.32	6.8	0.98	6.5	0.79	6.4	0.50	5.1		
22	00	1.21	6.3	0.93	6.4	0.72	6.0	0.44	4.5	W	266
	02	1.26	5.8	0.81	5.9	0.62	5.9	0.39	4.3	WNW	290
	04	1.07	6.3	0.74	6.0	0.58	5.3	0.36	4.0	W	270
	06	1.10	6.2	0.76	5.2	0.61	5.2	0.39	4.0	W	278
	08	1.05	4.6	0.75	5.3	0.59	5.0	0.37	3.7	W	270
	10	1.03	4.3	0.79	4.8	0.63	4.8	0.42	3.9	W	280
	12	1.03	5.4	0.81	4.8	0.66	4.5	0.43	3.7	NNW	341
	14	1.01	3.5	0.81	4.3	0.65	4.6	0.43	3.8	NNW	332
	16	1.31	7.1	1.06	6.8	0.84	6.3	0.52	4.7	NW	311
	18	* 1.92	7.2	* 1.50	7.1	* 1.18	6.9	0.71	5.6	WNW	303
	20	1.86	7.2	1.50	7.0	1.17	6.7	* 0.73	5.6	WNW	303
	22	1.36	6.0	1.15	6.3	0.91	6.4	0.58	5.2	WNW	295
	最大	1.92	7.2	1.50	7.1	1.18	6.9	0.73	5.6		
	平均	1.27	5.8	0.97	5.8	0.76	5.6	0.48	4.4		
23	00	1.46	6.4	1.20	6.3	1.01	6.2	0.66	5.3	WNW	282
	02	1.47	6.1	1.13	5.8	0.92	5.9	0.60	4.9	W	278
	04	1.41	5.7	0.95	5.6	0.76	5.7	0.51	4.7	WNW	282
	06	1.74	4.3	1.12	5.0	0.88	4.9	0.57	4.1	W	278
	08	1.61	4.5	1.20	4.9	0.96	5.0	0.63	4.3	WNW	299
	10	1.76	4.8	1.39	5.4	1.14	5.3	0.73	4.5	NW	307
	12	* 3.03	5.7	1.58	5.6	1.24	5.4	0.77	4.4	WNW	290
	14	2.21	4.2	1.78	5.6	1.39	5.6	0.84	4.7	NNW	331
	16	2.55	5.6	* 1.92	5.8	* 1.49	5.6	* 0.96	5.1	NNW	331
	18	2.28	5.8	1.60	5.6	1.24	5.5	0.76	4.7	NNW	348
	20	1.64	5.3	1.40	5.8	1.15	5.7	0.74	4.9	N	4
	22	1.48	4.9	1.25	5.8	1.01	5.8	0.65	5.0	N	4
	最大	3.03	5.7	1.92	5.8	1.49	5.6	0.96	5.1		
	平均	1.89	5.3	1.38	5.6	1.10	5.6	0.70	4.7		
24	00	* 1.49	5.7	* 1.09	5.5	* 0.86	5.4	* 0.54	4.7	N	0
	02	1.14	5.9	0.97	5.7	0.78	5.6	0.52	4.8	N	8

	04	1.42	5.1	0.94	5.3	0.73	5.5	0.47	4.8	N	0
	06	0.90	6.5	0.73	5.5	0.60	5.3	0.38	4.6	N	356
	08	0.98	5.1	0.77	5.7	0.63	5.8	0.39	4.9	N	356
	10	0.96	5.8	0.66	5.7	0.54	5.5	0.34	4.3	N	4
	12	0.92	5.1	0.62	5.1	0.48	5.3	0.31	4.4	NNE	12
	14	0.72	5.5	0.56	5.2	0.44	5.4	0.28	4.4	N	8
	16	0.87	4.8	0.47	5.4	0.37	5.4	0.23	4.2	N	4
	18	0.61	4.7	0.45	5.7	0.36	5.7	0.23	4.3	N	352
	20	0.80	5.5	0.50	5.8	0.38	5.6	0.24	4.4	NNW	348
	22	0.53	5.5	0.44	5.3	0.35	5.2	0.22	4.2	N	356
	最大	1.49	5.7	1.09	5.5	0.86	5.4	0.54	4.7		
	平均	0.95	5.4	0.68	5.5	0.54	5.5	0.35	4.5		
25	00	0.62	4.7	0.46	4.1	0.36	4.0	0.23	3.3	WNW	297
	02	0.47	5.2	0.33	5.7	0.26	5.3	0.16	3.9	N	0
	04	0.40	5.6	0.33	4.7	0.27	4.5	0.17	3.4	SW	230
	06	0.44	2.1	0.30	4.2	0.24	3.9	0.16	3.0	WSW	238
	08	0.35	3.2	0.26	4.5	0.20	4.2	0.13	3.2	WNW	296
	10	0.70	2.9	0.46	2.9	0.35	3.1	0.23	2.9	NW	316
	12	0.61	3.3	0.49	3.2	0.40	3.2	0.26	3.0	NNE	30
	14	0.79	3.9	0.62	3.6	0.50	3.6	0.32	3.3	W	261
	16	1.21	3.9	0.69	3.9	0.53	3.9	0.34	3.5	SW	234
	18	1.52	3.9	1.04	4.1	0.81	4.0	0.50	3.6	W	260
	20	1.43	4.0	1.09	4.5	* 0.87	4.5	0.56	4.0	W	281
	22	* 1.62	4.8	* 1.09	4.8	0.86	4.8	* 0.56	4.4	W	278
	最大	1.62	4.8	1.09	4.8	0.87	4.5	0.56	4.4		
	平均	0.85	4.0	0.60	4.2	0.47	4.1	0.30	3.5		
26	00	1.56	5.4	1.30	5.4	1.05	5.5	0.66	4.7	WSW	250
	02	1.91	5.0	1.35	5.6	1.05	5.6	0.66	4.9	W	262
	04	1.46	5.7	1.17	5.4	0.97	5.4	0.65	4.8	WSW	245
	06	1.78	5.1	1.14	5.5	0.87	5.5	0.55	4.7	W	262
	08	1.44	5.2	1.11	5.7	0.91	5.6	0.59	4.7	W	270
	10	1.97	4.9	1.31	5.7	1.05	5.6	0.67	4.5	W	270
	12	2.44	6.5	1.78	6.4	1.44	6.3	0.93	5.3	W	270
	14	2.13	6.0	* 1.85	6.8	* 1.53	6.6	* 0.99	5.6	WNW	286
	16	2.25	6.2	1.55	6.2	1.25	6.1	0.80	5.0	NW	319
	18	* 2.48	5.1	1.56	6.1	1.21	5.9	0.76	4.7	NW	319
	20	欠测									
	22	欠测									
	最大	2.48	5.1	1.85	6.8	1.53	6.6	0.99	5.6		
	平均	1.94	5.5	1.41	5.9	1.13	5.8	0.73	4.9		
27	00	欠测									
	02	欠测									
	04	欠测									
	06	欠测									
	08	欠测									
	10	欠测									
	12	欠测									
	14	* 1.53	7.1	* 1.17	7.2	* 0.96	7.4	* 0.59	6.0	NNW	335
	16	1.23	5.9	1.00	7.0	0.80	7.2	0.49	5.8	NNW	327
	18	1.24	7.3	0.97	6.7	0.78	7.0	0.51	6.3	NNW	335
	20	0.94	6.7	0.80	6.9	0.63	6.8	0.39	5.8	NNW	344
	22	0.90	6.4	0.69	6.5	0.56	6.6	0.35	5.7	NNW	344
	最大	1.53	7.1	1.17	7.2	0.96	7.4	0.59	6.0		
	平均	1.17	6.7	0.93	6.9	0.75	7.0	0.47	5.9		
28	00	0.85	5.9	0.71	5.7	0.55	5.6	0.35	4.2	NNW	344
	02	1.31	3.2	0.95	3.8	0.76	3.9	0.49	3.6	WSW	253
	04	1.07	3.8	0.78	4.2	0.63	4.4	0.40	3.6	SW	231
	06	1.45	4.0	0.96	3.8	0.76	3.9	0.49	3.6	N	8
	08	1.40	3.1	0.96	4.0	0.74	4.0	0.47	3.5	W	271
	10	1.41	4.0	1.01	3.9	0.81	4.0	0.53	3.6	SW	230
	12	2.36	4.9	1.71	5.3	1.36	5.2	0.88	4.5	W	270
	14	* 3.29	6.6	* 2.48	6.9	* 1.96	6.7	* 1.25	5.7	WSW	254
	16	1.92	6.4	1.58	6.8	1.26	6.5	0.80	5.3	WSW	254
	18	1.49	5.9	1.12	6.2	0.93	6.2	0.60	5.1	WSW	258
	20	1.17	5.8	1.00	6.2	0.82	6.3	0.53	5.1	W	266
	22	1.01	6.7	0.74	6.5	0.61	6.3	0.39	5.0	W	266
	最大	3.29	6.6	2.48	6.9	1.96	6.7	1.25	5.7		

	平均	1.56	5.0	1.17	5.3	0.93	5.3	0.60	4.4		
29	00	0.94	5.4	0.68	6.3	0.55	6.2	0.35	5.0	W	274
	02	0.91	5.7	0.74	6.2	0.59	6.0	0.38	5.0	W	274
	04	0.90	5.0	0.67	5.3	0.52	5.5	0.33	4.7	W	278
	06	0.61	4.5	0.48	5.7	0.38	5.6	0.25	4.4	W	266
	08	0.73	4.4	0.44	5.4	0.35	5.3	0.23	4.3		
	10	0.52	4.8	0.41	5.5	0.33	5.1	0.22	4.1	W	266
	12	0.45	4.2	0.36	4.9	0.29	4.6	0.19	3.5	NNE	29
	14	0.52	3.2	0.37	4.7	0.30	4.3	0.19	3.2	NNW	339
	16	0.60	4.5	0.40	4.7	0.32	4.8	0.21	3.9	NW	312
	18	0.93	5.2	0.65	5.2	0.52	5.3	0.33	4.8	W	274
	20	1.14	5.5	* 0.93	5.4	0.73	5.3	0.46	4.8	W	278
	22	* 1.20	5.7	0.92	5.4	* 0.74	5.3	* 0.48	4.7	W	270
	最大	1.20	5.7	0.93	5.4	0.74	5.3	0.48	4.7		
	平均	0.79	4.8	0.59	5.4	0.47	5.3	0.30	4.4		
30	00	0.96	5.2	* 0.78	5.4	* 0.63	5.5	0.39	4.5	W	266
	02	* 1.05	4.8	0.73	5.3	0.60	5.3	* 0.39	4.9	WNW	282
	04	0.75	4.6	0.58	5.2	0.46	5.1	0.29	4.3	W	266
	06	0.59	4.5	0.50	5.0	0.41	5.0	0.26	4.2	WNW	282
	08	0.58	3.6	0.45	4.9	0.37	4.9	0.24	4.1	WNW	299
	10	0.69	4.7	0.46	4.9	0.37	4.8	0.24	4.0	W	269
	12	0.61	4.3	0.42	4.7	0.34	4.6	0.22	3.7	SW	234
	14	0.51	5.2	0.40	4.9	0.33	4.7	0.22	3.7		
	16	0.66	5.5	0.53	5.7	0.43	5.6	0.28	4.5	NNW	327
	18	0.63	4.6	0.48	5.4	0.38	5.2	0.25	4.2	NW	323
	20	0.77	5.2	0.54	5.1	0.43	5.1	0.26	4.2	WNW	303
	22	0.73	4.9	0.53	5.3	0.41	5.1	0.26	4.3	WNW	303
	最大	1.05	4.8	0.78	5.4	0.63	5.5	0.39	4.9		
	平均	0.71	4.8	0.53	5.2	0.43	5.1	0.28	4.2		
月最大		5.57	8.2	4.79	9.6	3.89	9.4	2.29	7.2		
起時		1414		1416		1416		1416			
平均		1.28	5.4	0.96	5.5	0.77	5.5	0.49	4.6		

* は日最大波高を示す

波浪整理表（1）

2007年 5月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	355 回
欠測回数	0 回	欠測回数	17 回
欠測率	0.0 %	欠測率	4.6 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.72	5.4	0.51	5.1	0.40	5.0	0.26	3.9	NW	307
	02	0.68	5.1	0.53	5.3	0.42	5.3	0.26	4.2	WNW	295
	04	0.68	4.7	0.51	5.3	0.41	5.4	0.27	4.3	NW	315
	06	0.75	5.3	0.57	5.7	0.45	5.5	0.29	4.6	WNW	290
	08	0.75	3.4	0.62	5.4	0.49	5.2	0.32	4.1	NNW	340
	10	1.02	2.8	0.74	4.6	0.58	4.2	0.38	3.3	NNW	345
	12	0.91	2.3	0.63	3.2	0.49	3.3	0.32	2.9	NNW	328
	14	0.77	5.1	0.61	3.9	0.50	3.8	0.33	3.2	N	354
	16	* 1.17	5.4	* 0.86	4.6	* 0.67	4.5	* 0.43	3.6	SW	231
	18	1.11	3.2	0.82	3.4	0.64	3.5	0.42	3.1	WNW	295
	20	0.88	2.3	0.60	3.9	0.49	3.8	0.32	3.1	WSW	258
	22	0.69	4.5	0.52	4.3	0.41	4.4	0.27	3.6	WNW	298
	最大	1.17	5.4	0.86	4.6	0.67	4.5	0.43	3.6		
	平均	0.84	4.1	0.63	4.6	0.50	4.5	0.32	3.7		
02	00	0.77	5.2	0.57	3.7	0.45	3.7	0.29	3.2	NNW	339
	02	0.53	3.6	0.42	4.5	0.35	4.3	0.23	3.4	SW	224
	04	0.52	3.4	0.38	4.8	0.31	4.5	0.20	3.6	WSW	242
	06	0.50	5.9	0.41	4.9	0.34	5.0	0.22	3.8	WNW	282
	08	1.27	5.9	0.96	5.8	0.77	5.3	0.50	4.1	WNW	282
	10	2.10	7.4	* 1.70	6.1	* 1.44	6.1	* 0.93	5.0	W	262
	12	1.77	4.6	1.51	5.7	1.27	5.6	0.80	4.6	W	270
	14	* 2.33	5.3	1.60	5.3	1.29	5.5	0.83	4.8	W	262
	16	1.66	5.3	1.31	5.4	1.07	5.4	0.69	4.7	WSW	254
	18	1.62	5.7	1.25	5.5	1.00	5.5	0.64	4.8	WNW	282
	20	2.02	5.9	1.47	6.0	1.12	6.2	0.68	5.1	NW	307
	22	2.15	6.1	1.58	6.1	1.24	6.3	0.78	5.5	WNW	286
	最大	2.33	5.3	1.70	6.1	1.44	6.1	0.93	5.0		
	平均	1.44	5.4	1.10	5.3	0.89	5.3	0.57	4.4		
03	00	2.17	6.1	* 1.64	6.3	* 1.22	6.5	* 0.77	5.6	NW	311
	02	1.74	5.9	1.20	6.2	0.94	6.0	0.60	5.3	NNW	331
	04	1.38	6.4	1.12	6.0	0.89	6.0	0.57	5.4	WNW	290
	06	1.24	6.1	0.96	5.9	0.78	5.9	0.48	5.1	NNW	344
	08	1.01	5.9	0.84	5.8	0.70	5.8	0.47	5.4	NNW	331
	10	1.06	5.3	0.89	5.7	0.72	5.8	0.46	5.0	NW	323
	12	1.01	5.5	0.78	5.5	0.62	5.2	0.38	4.0	NW	319
	14	1.13	5.0	0.76	5.1	0.59	5.0	0.38	4.1	W	266
	16	0.83	5.1	0.68	5.3	0.54	5.2	0.35	4.3	WNW	299
	18	1.39	5.2	1.03	5.5	0.80	5.5	0.49	4.8	W	266
	20	* 2.30	5.9	1.47	6.5	1.15	6.4	0.74	5.6	W	266
	22	1.67	6.1	1.27	6.0	1.01	6.3	0.62	5.0	W	266
	最大	2.30	5.9	1.64	6.3	1.22	6.5	0.77	5.6		
	平均	1.41	5.7	1.05	5.8	0.83	5.8	0.53	5.0		
04	00	1.35	5.7	1.03	6.0	0.82	6.1	0.52	5.0	W	270
	02	1.23	5.9	0.94	5.6	0.75	5.8	0.48	5.0	W	270
	04	1.11	5.2	0.89	5.7	0.72	5.7	0.46	5.1	W	266
	06	1.25	5.4	0.98	5.9	0.77	5.8	0.48	4.9	W	270
	08	0.99	5.2	0.85	5.8	0.71	5.8	0.45	4.5	W	270
	10	1.19	6.3	0.87	6.2	0.69	6.1	0.43	4.9	W	278
	12	1.11	5.1	0.87	6.2	0.69	6.1	0.45	5.1	W	270
	14	1.07	5.5	0.80	5.6	0.65	5.9	0.41	5.0	W	270
	16	1.33	5.3	1.00	6.1	0.75	6.0	0.46	4.9	W	274
	18	* 1.49	4.8	* 1.12	5.8	* 0.89	5.3	* 0.57	4.2	WNW	286
	20	1.35	6.2	1.00	6.3	0.80	6.2	0.51	5.0	W	266
	22	1.37	6.9	1.07	6.1	0.84	6.2	0.54	5.2	W	262
	最大	1.49	4.8	1.12	5.8	0.89	5.3	0.57	4.2		

	平均	1.24	5.6	0.95	5.9	0.76	5.9	0.48	4.9		
05	00	1.43	6.9	1.12	6.3	0.88	6.1	0.54	5.1	W	270
	02	1.48	6.2	1.11	6.4	* 0.92	6.4	0.58	5.1	W	270
	04	1.22	6.5	0.98	5.9	0.79	6.0	0.51	5.1	W	274
	06	1.32	6.5	0.95	6.3	0.76	6.1	0.49	4.9	W	270
	08	1.20	5.7	0.97	6.1	0.78	6.1	0.49	5.1	W	274
	10	1.36	6.4	1.03	6.4	0.80	6.5	0.51	5.3	W	278
	12	1.31	6.9	0.87	6.4	0.69	6.4	0.44	5.1	W	274
	14	1.32	6.1	0.90	6.0	0.72	6.1	0.46	5.3	W	266
	16	1.23	6.2	0.94	5.5	0.74	5.9	0.47	5.0	W	274
	18	1.30	5.4	* 1.13	6.0	0.92	5.8	* 0.60	5.4	W	270
	20	* 1.66	5.2	1.03	5.8	0.79	5.8	0.49	4.9	WNW	295
	22	1.20	5.5	0.94	5.8	0.76	5.8	0.49	5.0	W	270
	最大	1.66	5.2	1.13	6.0	0.92	6.4	0.60	5.4		
	平均	1.34	6.1	1.00	6.1	0.80	6.1	0.51	5.1		
06	00	* 1.05	6.0	* 0.84	5.6	* 0.67	5.8	* 0.42	5.1	W	278
	02	0.85	6.5	0.68	6.1	0.58	6.0	0.38	5.0	WNW	290
	04	0.75	6.2	0.60	6.3	0.48	6.0	0.31	5.0	NW	323
	06	0.67	5.2	0.53	5.9	0.42	5.9	0.28	4.9	NW	323
	08	0.60	6.5	0.48	5.9	0.39	6.0	0.24	4.5	NW	311
	10	0.52	6.6	0.41	6.0	0.33	6.0	0.21	4.7	WNW	290
	12	0.43	5.5	0.37	6.1	0.31	6.0	0.21	5.2	NNW	331
	14	0.57	6.6	0.40	6.3	0.32	5.9	0.20	4.9	NNW	331
	16	0.63	2.9	0.52	4.9	0.42	4.9	0.28	3.7	NNW	340
	18	0.59	3.5	0.46	5.6	0.37	5.0	0.24	3.8	NNE	12
	20	0.55	5.6	0.42	5.9	0.33	5.3	0.21	4.0	NNW	348
	22	0.78	3.1	0.51	3.8	0.40	4.1	0.25	3.3	WSW	248
	最大	1.05	6.0	0.84	5.6	0.67	5.8	0.42	5.1		
	平均	0.67	5.4	0.52	5.7	0.42	5.6	0.27	4.5		
07	00	0.73	4.2	0.54	4.0	0.44	4.1	0.29	3.5	WSW	251
	02	* 0.94	5.0	* 0.74	4.3	* 0.56	4.5	* 0.35	3.8	W	276
	04	0.71	6.7	0.56	5.5	0.46	5.3	0.31	4.2	N	352
	06	0.72	4.0	0.57	5.5	0.48	5.0	0.30	3.9	N	0
	08	0.63	3.6	0.51	4.9	0.41	4.8	0.25	3.6	N	358
	10	0.67	5.5	0.53	4.3	0.42	4.5	0.28	3.6	NNW	328
	12	0.59	4.6	0.48	4.6	0.38	4.4	0.24	3.6	NNW	341
	14	0.59	4.6	0.43	5.2	0.35	5.2	0.23	4.1	N	0
	16	0.52	5.4	0.41	5.4	0.34	5.4	0.22	4.2		
	18	0.52	4.8	0.38	4.5	0.30	4.6	0.19	3.8	SW	231
	20	0.50	5.1	0.34	5.0	0.28	4.9	0.18	3.9	N	0
	22	0.48	4.4	0.34	4.8	0.27	4.7	0.17	3.8	NNW	339
	最大	0.94	5.0	0.74	4.3	0.56	4.5	0.35	3.8		
	平均	0.63	4.8	0.49	4.8	0.39	4.8	0.25	3.8		
08	00	0.44	5.1	0.34	5.0	0.28	4.9	0.18	4.2	NNW	340
	02	0.42	5.1	0.32	5.6	0.25	5.3	0.16	4.1	N	4
	04	0.48	5.6	0.34	5.1	0.26	5.2	0.17	4.1	N	0
	06	0.48	4.6	0.36	5.1	0.30	5.2	0.19	4.4	N	8
	08	0.38	5.1	0.30	5.5	0.24	5.4	0.15	3.9	N	352
	10	0.50	4.9	0.33	4.7	0.26	4.5	0.16	3.4	NW	315
	12	0.55	3.9	0.39	4.0	0.32	3.9	0.21	3.3	SW	232
	14	0.46	4.7	0.35	3.7	0.29	3.6	0.20	3.1	NW	321
	16	0.55	3.1	0.41	3.8	0.32	3.6	0.21	3.0	W	281
	18	0.70	5.5	0.49	5.5	0.39	5.0	0.24	3.8	WNW	290
	20	1.31	5.9	1.02	5.7	0.82	6.1	0.55	5.4	WNW	282
	22	* 1.68	6.2	* 1.28	6.5	* 0.99	6.4	* 0.64	5.3	W	274
	最大	1.68	6.2	1.28	6.5	0.99	6.4	0.64	5.3		
	平均	0.66	5.0	0.49	5.0	0.39	4.9	0.26	4.0		
09	00	1.68	5.8	1.25	6.5	* 1.03	6.5	* 0.67	5.7	W	266
	02	1.46	5.9	1.10	6.3	0.87	6.2	0.55	5.3	W	274
	04	1.22	6.1	0.91	6.1	0.73	6.0	0.46	5.0	W	270
	06	1.20	5.7	0.89	6.4	0.73	6.1	0.46	5.2	W	270
	08	1.05	5.7	0.79	6.0	0.61	5.9	0.39	5.0	N	4
	10	0.99	5.1	0.68	5.9	0.56	5.7	0.36	4.7	WNW	282
	12	0.81	4.9	0.62	5.9	0.51	6.0	0.32	4.4	NW	323
	14	0.80	6.0	0.62	6.3	0.51	6.1	0.32	4.6	N	356
	16	1.11	6.3	0.72	6.5	0.55	6.3	0.34	4.7	N	356
	18	1.19	5.4	0.99	5.9	0.79	6.1	0.51	5.2	WNW	282
	20	1.55	6.6	* 1.27	6.2	0.99	6.2	0.63	5.4	W	278
	22	* 2.06	5.6	1.17	6.0	0.91	6.1	0.58	5.2	W	274

			2013年10月10日										风向	风速
			00	02	04	06	08	10	12	14	16	18		
10	最大	2.06	5.6	1.27	6.2	1.03	6.5	0.67	5.7					
	平均	1.26	5.8	0.92	6.2	0.73	6.1	0.47	5.0					
	00	1.28	5.6	1.01	6.2	0.80	6.0	0.50	5.1	W	270			
	02	1.24	5.7	0.87	5.7	0.69	6.0	0.45	5.2	W	262			
	04	1.38	4.9	0.95	5.5	0.78	5.5	0.50	4.7	WSW	258			
	06	0.88	5.6	0.73	5.6	0.59	5.6	0.37	4.8	WSW	254			
	08	0.71	5.4	0.59	5.7	0.48	5.6	0.31	4.8	W	266			
	10	0.71	5.0	0.58	5.0	0.47	4.9	0.30	3.8	W	262			
	12	0.91	4.6	0.62	4.7	0.50	4.8	0.33	3.9	W	276			
	14	0.81	4.8	0.58	4.6	0.47	4.7	0.32	4.0	NNW	340			
	16	4.24	6.3	3.09	5.8	2.40	5.9	1.51	5.4	NNW	344			
	18	* 5.36	8.3	* 4.27	7.8	* 3.37	7.7	* 2.11	6.6	N	356			
	20	4.28	7.1	3.40	7.2	2.81	7.0	1.78	6.1	N	4			
	22	3.68	7.7	2.97	6.9	2.24	6.7	1.36	5.5	N	0			
	最大	5.36	8.3	4.27	7.8	3.37	7.7	2.11	6.6					
平均	2.12	5.9	1.64	5.9	1.30	5.9	0.82	5.0						
11	00	* 3.91	7.2	* 2.99	7.0	* 2.35	6.7	* 1.45	5.5	N	356			
	02	3.34	6.5	2.65	6.7	2.16	6.8	1.38	5.5	N	4			
	04	3.44	6.5	2.51	6.5	1.98	6.5	1.25	5.3	NNW	348			
	06	2.95	6.4	2.40	6.5	1.95	6.4	1.28	5.4	NNW	340			
	08	3.28	6.6	2.34	6.6	1.91	6.7	1.26	5.8	NW	323			
	10	2.90	6.8	2.23	6.5	1.77	6.7	1.11	5.5	N	352			
	12	2.83	5.9	2.04	6.3	1.66	6.4	1.05	5.4	NNW	340			
	14	2.39	6.4	1.93	7.0	1.58	6.7	1.02	5.6	NNW	348			
	16	2.37	7.3	1.79	6.9	1.47	6.8	0.91	5.4	NNW	348			
	18	2.11	7.2	1.63	7.1	1.34	7.0	0.86	5.9	N	352			
	20	2.04	6.2	1.64	7.2	1.30	7.0	0.80	5.6	N	352			
	22	2.44	7.5	1.76	7.5	1.38	7.4	0.85	6.0	NNW	348			
	最大	3.91	7.2	2.99	7.0	2.35	6.7	1.45	5.5					
	平均	2.83	6.7	2.16	6.8	1.74	6.8	1.10	5.6					
	12	00	* 1.86	7.9	* 1.49	7.5	* 1.23	7.6	* 0.79	6.1	N	356		
02		1.61	8.0	1.36	7.4	1.14	7.1	0.72	5.8	NNW	348			
04		1.58	7.6	1.15	7.1	0.99	7.2	0.61	5.6	N	0			
06		1.42	8.4	1.16	7.5	0.95	7.5	0.61	6.0	N	0			
08		1.57	7.8	1.27	7.3	1.07	7.6	0.70	6.9	N	352			
10		1.58	6.2	1.09	7.3	0.92	7.5	0.59	6.3	N	352			
12		1.61	7.8	1.17	7.6	0.97	7.7	0.64	6.3					
14		1.36	7.4	1.11	7.2	0.91	7.4	0.57	6.0	N	356			
16		1.39	8.2	1.07	7.5	0.89	7.5	0.56	6.3	NNW	344			
18		1.52	7.9	1.10	7.9	0.88	7.8	0.59	7.1	N	352			
20		1.20	8.2	0.92	7.4	0.73	7.5	0.45	6.3	NNW	348			
22		1.29	8.6	0.94	7.9	0.73	7.4	0.46	6.5	N	356			
最大		1.86	7.9	1.49	7.5	1.23	7.6	0.79	6.1					
平均		1.50	7.8	1.15	7.5	0.95	7.5	0.61	6.3					
13		00	1.16	7.3	0.97	7.5	0.77	7.6	0.49	7.0	NNW	348		
	02	1.24	6.4	0.94	6.3	0.73	5.7	0.45	4.1	NNW	344			
	04	1.20	7.5	0.84	5.5	0.65	5.4	0.41	4.0	N	356			
	06	1.12	7.9	0.95	4.6	0.77	4.3	0.51	3.7	NNE	22			
	08	2.60	4.0	1.85	5.1	1.55	5.1	1.02	4.6	WNW	299			
	10	3.41	6.1	2.25	6.3	1.85	6.1	1.19	5.0	W	270			
	12	3.53	6.9	3.04	7.5	* 2.49	7.4	* 1.61	6.2	W	266			
	14	* 4.11	7.9	* 3.12	7.5	2.42	7.3	1.48	6.0	W	266			
	16	3.74	5.7	3.05	7.6	2.39	7.4	1.47	6.1	W	270			
	18	3.19	6.3	2.49	7.5	1.96	7.2	1.23	6.2	WSW	258			
	20	3.00	6.6	2.08	7.0	1.70	6.9	1.09	6.2	WSW	258			
	22	2.35	6.9	1.93	6.6	1.55	6.8	0.96	5.8	W	266			
	最大	4.11	7.9	3.12	7.5	2.49	7.4	1.61	6.2					
	平均	2.55	6.6	1.96	6.6	1.57	6.4	0.99	5.4					
	14	00	* 2.22	6.8	* 1.72	6.8	* 1.36	6.6	* 0.87	5.7	WSW	254		
02		2.15	6.6	1.52	6.6	1.18	6.8	0.74	5.8	WNW	299			
04		1.64	6.7	1.30	6.8	1.05	6.9	0.67	5.7	WNW	282			
06		1.87	6.6	1.42	6.7	1.15	6.7	0.71	6.0	W	270			
08		1.66	6.0	1.24	6.8	0.97	6.7	0.60	5.7	W	266			
10		1.15	7.5	0.98	6.7	0.78	6.7	0.50	5.7	WNW	295			
12		1.11	7.0	0.85	6.5	0.69	6.4	0.43	4.9	WNW	282			
14		1.24	7.0	0.87	6.9	0.68	6.5	0.42	5.4	NW	319			

	16	0.91	6.5	0.74	6.3	0.60	6.5	0.37	5.5	WNW	295	
	18	1.28	5.9	0.90	6.5	0.72	6.5	0.45	5.5	WNW	295	
	20	1.42	6.5	1.16	6.7	0.91	6.7	0.57	6.1	WNW	299	
	22	1.71	7.4	1.35	6.9	1.04	6.9	0.65	6.2	WNW	303	
	最大	2.22	6.8	1.72	6.8	1.36	6.6	0.87	5.7			
	平均	1.53	6.7	1.17	6.7	0.93	6.7	0.58	5.7			
15	00	1.54	6.5	1.19	6.7	0.94	6.6	0.60	5.9	WNW	299	
	02	1.57	6.1	1.15	6.4	0.90	6.3	0.58	5.7	WNW	290	
	04	1.58	5.6	1.17	6.1	0.91	6.0	0.56	5.2	W	266	
	06	1.46	5.2	1.14	5.7	0.92	5.7	0.59	4.7	W	274	
	08	1.40	5.9	1.13	5.6	0.91	5.6	0.57	4.6	WNW	282	
	10	1.95	6.0	1.74	6.0	* 1.50	6.0	* 0.99	5.2	W	266	
	12	* 2.70	6.0	* 1.82	6.0	1.44	5.9	0.90	4.8	W	262	
	14	2.18	5.9	1.52	5.6	1.25	5.5	0.82	4.7	W	266	
	16	2.12	6.1	1.47	5.4	1.13	5.3	0.70	4.3	WSW	245	
	18	1.60	5.5	1.34	5.6	1.09	5.6	0.72	4.9	WSW	250	
	20	1.56	5.2	1.15	5.3	0.90	5.5	0.57	4.6	WSW	258	
	22	1.39	4.8	1.11	5.4	0.86	5.5	0.56	4.9	WSW	258	
	最大	2.70	6.0	1.82	6.0	1.50	6.0	0.99	5.2			
	平均	1.75	5.7	1.33	5.8	1.06	5.8	0.68	5.0			
	16	00	* 1.39	5.9	* 1.05	5.5	* 0.84	5.7	* 0.54	4.9	WNW	295
		02	1.05	5.5	0.85	5.8	0.71	5.8	0.46	5.0	W	274
		04	1.03	5.7	0.80	5.4	0.68	5.4	0.43	4.9	W	274
		06	0.91	5.2	0.72	5.1	0.57	5.2	0.37	4.8	W	278
08		0.88	4.7	0.65	5.2	0.53	5.2	0.34	4.7	WNW	290	
10		0.79	5.0	0.53	5.0	0.42	4.9	0.27	4.2	NNW	331	
12		0.64	5.1	0.52	5.0	0.41	5.0	0.25	4.2	WNW	282	
14		0.79	2.7	0.56	3.6	0.44	3.7	0.29	3.3	WSW	237	
16		0.59	3.2	0.45	3.6	0.36	3.7	0.23	3.3	NNE	16	
18		0.49	3.4	0.32	3.8	0.26	3.8	0.17	3.2	WSW	257	
20		0.44	2.2	0.31	4.2	0.26	4.1	0.16	3.1	NW	307	
22		0.34	2.8	0.25	3.8	0.20	3.9	0.14	3.1	NNW	329	
最大		1.39	5.9	1.05	5.5	0.84	5.7	0.54	4.9			
平均		0.78	4.3	0.58	4.7	0.47	4.7	0.30	4.1			
17		00	0.67	2.6	0.42	3.3	0.33	3.4	0.22	2.9	SW	229
		02	0.72	2.5	0.50	3.0	0.40	3.1	0.26	2.8	WSW	241
		04	1.37	3.3	0.86	3.8	0.70	3.8	0.45	3.3	W	277
		06	1.21	5.0	0.96	3.8	0.77	4.0	0.50	3.4	SW	234
	08	1.01	3.1	0.77	4.1	0.62	4.1	0.40	3.2			
	10	1.23	4.7	0.76	3.9	0.60	3.9	0.38	3.3	NNE	15	
	12	1.36	4.4	1.03	3.8	0.80	3.8	0.52	3.6			
	14	0.96	3.5	0.68	3.5	0.55	3.5	0.36	3.2	N	2	
	16	4.48	5.0	2.78	5.8	2.21	5.7	1.38	5.0	W	262	
	18	5.34	8.6	3.66	7.7	2.81	7.7	1.82	6.4	W	278	
	20	4.89	8.1	4.02	7.6	* 3.22	7.9	* 2.15	6.9	W	262	
	22	* 6.94	8.5	* 4.08	8.6	3.10	8.5	1.98	7.0	W	266	
	最大	6.94	8.5	4.08	8.6	3.22	7.9	2.15	6.9			
	平均	2.52	4.9	1.71	4.9	1.34	5.0	0.87	4.3			
	18	00	* 3.66	7.1	* 2.92	7.7	* 2.39	7.8	1.48	6.3	WSW	258
		02	3.18	7.6	2.34	7.9	1.93	7.6	1.22	6.3	W	274
		04	3.59	8.0	2.90	8.1	2.34	8.2	* 1.49	7.2	WNW	299
		06	3.54	8.2	2.57	8.9	2.03	8.6	1.25	7.0		
08		2.79	8.6	2.24	8.3	1.84	8.3	1.19	6.9	WNW	299	
10		2.61	8.3	1.94	7.9	1.59	8.1	1.03	6.9	WNW	295	
12		1.99	7.3	1.50	7.2	1.24	6.8	0.81	5.1	WNW	299	
14		1.52	6.4	1.32	7.4	1.09	7.4	0.70	5.9	WNW	295	
16		1.83	7.9	1.35	7.4	1.06	7.4	0.64	5.8	WNW	286	
18		1.84	7.2	1.33	7.5	1.08	7.3	0.65	6.3	WNW	295	
20		2.35	7.1	1.45	6.8	1.15	7.0	0.74	6.0	NW	307	
22		1.70	6.9	1.39	6.8	1.10	6.9	0.68	5.8	WNW	290	
最大		3.66	7.1	2.92	7.7	2.39	7.8	1.49	7.2			
平均		2.55	7.6	1.94	7.7	1.57	7.6	0.99	6.3			
19		00	2.23	5.7	1.55	6.5	1.23	6.7	0.80	6.0	W	266
		02	2.31	6.6	1.55	6.9	1.19	6.9	0.74	6.1	W	262
		04	1.62	6.5	1.22	6.9	0.98	6.9	0.60	6.0	WSW	258
		06	1.35	6.6	1.11	7.7	0.92	7.7	0.60	6.2	NNW	344
	08	1.27	7.4	1.11	7.5	0.94	7.5	0.60	6.4			
	10	2.02	8.0	1.39	7.8	1.05	7.6	0.67	5.7			

	12	2.02	8.8	1.56	7.5	1.22	6.3	0.79	4.6	NNW NNW N	348 344 356			
	14	1.88	8.7	1.65	6.6	1.41	6.4	0.94	5.2					
	16	2.36	6.0	1.89	7.0	1.52	6.8	0.98	5.4					
	18	2.75	5.3	2.01	7.5	1.61	7.2	1.00	5.4					
	20	* 2.99	6.6	* 2.11	7.6	* 1.70	6.9	* 1.08	5.5					
	22	2.18	6.9	1.75	6.9	1.39	6.6	0.91	5.2					
	最大	2.99	6.6	2.11	7.6	1.70	6.9	1.08	5.5					
	平均	2.08	6.9	1.58	7.2	1.26	7.0	0.81	5.6					
	20	00	2.60	6.4	1.91	6.5	1.49	6.5	0.91			5.0	NW	323
		02	2.87	8.3	2.24	7.5	1.74	7.0	1.09			5.5	N	352
	04	* 3.13	5.9	2.32	7.3	1.85	7.3	1.23	6.2	NNW	335			
	06	2.66	7.3	* 2.37	7.9	* 1.91	7.9	* 1.25	6.3	N	356			
	08	2.80	6.3	2.15	7.3	1.82	7.0	1.16	5.6	N	356			
	10	2.35	7.8	2.11	7.9	1.72	7.8	1.09	6.1	NNW	348			
	12	2.76	6.8	2.22	8.0	1.76	7.4	1.09	5.8	NNW	348			
	14	2.66	8.5	2.17	7.9	1.73	7.3	1.10	5.7	N	356			
	16	2.79	8.6	2.09	8.3	1.59	7.6	1.00	5.8	N	356			
	18	2.41	7.8	1.79	7.4	1.45	7.3	0.92	5.6	N	4			
	20	2.11	8.1	1.67	7.3	1.36	7.5	0.85	6.0	N	0			
	22	1.81	6.1	1.53	8.3	1.26	7.8	0.79	6.2	N	356			
	最大	3.13	5.9	2.37	7.9	1.91	7.9	1.25	6.3					
	平均	2.58	7.3	2.05	7.6	1.64	7.4	1.04	5.8					
	21	00	* 1.91	6.6	* 1.49	8.0	* 1.20	7.9	* 0.78	6.5	N	356		
		02	1.74	8.9	1.41	7.6	1.12	7.9	0.68	6.1	N	8		
	04	1.63	9.4	1.30	7.7	1.08	8.3	0.71	6.9	N	0			
	06	1.56	8.4	1.20	8.8	0.98	8.1	0.61	6.4	N	0			
	08	1.48	8.0	1.20	7.8	1.02	7.9	0.67	6.7	N	352			
	10	1.55	8.6	1.26	7.8	1.04	7.7	0.68	6.5	N	4			
	12	1.51	8.8	1.20	7.7	0.94	7.6	0.58	6.1	N	0			
	14	1.38	7.2	1.05	7.3	0.80	7.7	0.49	6.0	N	0			
	16	0.97	8.2	0.73	7.7	0.62	7.4	0.39	5.9	N	8			
	18	0.75	6.8	0.59	7.0	0.47	6.8	0.30	5.5	N	352			
	20	0.68	6.7	0.52	6.8	0.44	7.0	0.29	5.8	N	0			
	22	0.58	6.5	0.46	6.9	0.37	6.8	0.23	5.3	N	0			
	最大	1.91	6.6	1.49	8.0	1.20	7.9	0.78	6.5					
	平均	1.31	7.8	1.03	7.6	0.84	7.6	0.53	6.1					
	22	00	0.49	6.3	* 0.41	6.7	* 0.32	7.0	* 0.21	5.6	N	8		
		02	0.50	6.6	0.38	6.6	0.30	6.5	0.20	5.4	N	4		
	04	0.53	6.6	0.36	6.4	0.29	6.2	0.18	4.5	NNE	29			
	06	* 0.58	6.4	0.36	5.7	0.28	5.7	0.18	4.3	N	4			
08	0.36	6.4	0.30	5.7	0.24	5.8	0.15	4.3	N	4				
10	0.35	6.5	0.28	6.0	0.23	5.8	0.14	4.2	NW	319				
	12	0.36	6.9	0.28	5.9	0.23	5.1	0.14	3.6	NNE	16			
	14	0.40	6.1	0.30	6.1	0.24	5.7	0.15	4.1	NNE	25			
	16	0.40	3.8	0.27	5.5	0.22	5.1	0.14	3.5	NNW	331			
	18	0.34	5.1	0.27	5.8	0.21	5.3	0.14	3.9	NNE	20			
	20	0.32	5.8	0.24	6.0	0.20	5.9	0.13	4.4	NW	307			
	22	0.30	5.3	0.23	5.9	0.20	5.7	0.13	4.5	WNW	290			
	最大	0.58	6.4	0.41	6.7	0.32	7.0	0.21	5.6					
	平均	0.41	6.0	0.31	6.0	0.25	5.8	0.16	4.4					
	23	00	0.30	5.1	0.23	5.4	0.18	5.4	0.12	4.4	W	278		
		02	0.29	4.3	0.22	5.1	0.17	5.2	0.12	4.3	NW N WNW NW WSW NNW W NNE WNW	315 6 286 305 249 328 260 27 282		
04	0.30	4.9	0.23	5.2	0.19	5.0	0.12	4.0						
06	0.33	4.9	0.22	4.7	0.18	4.6	0.12	3.5						
08	0.29	4.4	0.21	4.7	0.17	4.5	0.11	3.4						
10	0.29	6.4	0.21	5.1	0.16	4.6	0.10	3.3						
12	0.31	3.5	0.20	4.6	0.17	4.3	0.11	3.3						
14	0.25	4.9	0.20	4.8	0.16	4.4	0.10	3.3						
16	0.25	5.1	0.19	4.9	0.15	4.5	0.10	3.4						
18	0.27	3.1	0.21	4.2	0.17	3.9	0.11	3.2						
20	* 0.35	2.6	* 0.26	4.0	* 0.21	4.1	* 0.14	3.4						
	22	0.22	5.4	0.19	4.8	0.16	4.5	0.10	3.4					
	最大	0.35	2.6	0.26	4.0	0.21	4.1	0.14	3.4					
平均	0.29	4.6	0.21	4.8	0.17	4.6	0.11	3.6						
24	00	0.24	4.4	0.19	4.7	0.15	4.5	0.10	3.6	NW	305			
	02	0.24	4.8	0.18	5.0	0.15	4.8	0.10	3.9	SW	228			

	04	0.30	4.1	0.22	5.2	0.18	4.8	0.11	3.7	WSW	241
	06	0.28	4.9	0.22	5.1	0.18	4.8	0.12	3.7	NNE	27
	08	0.33	4.5	0.26	5.0	0.21	4.9	0.13	3.8	WNW	303
	10	0.34	4.8	0.29	4.8	0.24	4.8	0.16	4.1	N	9
	12	0.42	4.4	* 0.32	4.8	0.25	4.7	0.16	4.1	WSW	254
	14	0.39	4.7	0.32	4.7	* 0.27	4.7	* 0.18	4.2	SW	222
	16	0.39	5.1	0.29	4.6	0.23	4.7	0.15	3.7	NNE	28
	18	0.40	3.9	0.25	4.8	0.20	4.7	0.13	3.6	W	279
	20	* 0.46	2.2	0.31	4.4	0.25	4.1	0.16	3.1	W	266
	22	0.36	4.9	0.23	4.8	0.18	4.4	0.12	3.2	NW	316
25	最大	0.46	2.2	0.32	4.8	0.27	4.7	0.18	4.2		
	平均	0.35	4.4	0.26	4.8	0.21	4.7	0.14	3.7		
	00	0.31	4.7	0.23	4.9	0.19	4.4	0.12	3.3		
	02	0.35	4.6	0.23	4.4	0.19	4.2	0.12	3.2	NNE	13
	04	0.41	5.8	0.26	3.9	0.21	4.0	0.14	3.2	W	280
	06	0.34	4.1	0.26	4.3	0.21	3.6	0.14	2.9	SW	236
	08	0.60	2.3	0.36	2.6	0.28	2.6	0.18	2.6	NW	309
	10	0.20	6.1	0.16	4.4	0.13	4.0	0.09	3.0	NNW	331
	12	0.63	3.3	0.51	3.1	0.40	3.2	0.26	2.9	WSW	241
	14	0.60	3.5	0.38	3.2	0.32	3.3	0.21	2.9	W	261
26	16	0.50	2.5	0.32	3.1	0.25	3.1	0.16	2.7	NNE	16
	18	0.63	3.0	0.44	2.9	0.34	2.8	0.22	2.6	N	349
	20	0.77	3.6	0.60	3.4	0.49	3.5	0.32	3.2	WSW	242
	22	* 1.14	4.2	* 0.91	4.4	* 0.74	4.5	* 0.47	3.9	SW	230
	最大	1.14	4.2	0.91	4.4	0.74	4.5	0.47	3.9		
	平均	0.54	4.0	0.39	3.7	0.31	3.6	0.20	3.0		
	00	1.47	5.9	1.24	5.4	1.02	5.4	0.67	5.0	W	274
	02	1.68	5.6	1.09	5.8	0.89	5.9	0.57	5.0	W	262
	04	1.62	6.4	1.31	6.3	1.06	6.3	0.67	5.4	W	278
	06	1.47	5.3	1.09	5.8	0.88	5.8	0.57	5.3		
27	08	0.98	5.4	0.79	5.7	0.63	5.7	0.42	4.8	WNW	286
	10	1.06	5.2	0.81	5.4	0.65	5.3	0.41	4.1	WNW	295
	12	0.96	4.8	0.77	5.0	0.62	4.8	0.41	3.9	NNE	14
	14	1.95	4.9	1.18	4.7	0.94	4.6	0.61	4.0	N	2
	16	* 2.10	4.9	* 1.47	5.2	* 1.16	5.3	* 0.71	4.4	W	274
	18	1.55	4.5	1.21	5.3	1.00	5.3	0.64	4.5	W	266
	20	1.42	6.1	1.16	6.2	0.97	6.2	0.66	5.2	W	262
	22	1.65	6.9	1.34	6.6	1.04	6.7	0.66	5.5	W	266
	最大	2.10	4.9	1.47	5.2	1.16	5.3	0.71	4.4		
	平均	1.49	5.5	1.12	5.6	0.91	5.6	0.58	4.8		
28	00	1.48	6.2	1.22	7.2	1.01	7.4	0.64	5.7	NNW	344
	02	1.34	7.2	1.03	7.4	0.83	7.3	0.54	5.8	W	270
	04	1.36	7.1	1.10	7.2	0.87	7.3	0.54	5.4	NNW	348
	06	1.75	9.1	1.19	7.0	0.98	7.1	0.62	5.5	NNW	335
	08	1.63	6.8	1.27	6.9	0.99	7.2	0.62	5.8	N	352
	10	1.61	5.8	1.28	6.7	1.01	7.0	0.66	5.6	W	266
	12	1.64	6.2	1.25	7.4	1.03	7.1	0.67	5.8	W	278
	14	1.58	7.4	1.31	7.5	1.08	7.1	0.70	5.4	N	352
	16	1.94	8.5	1.47	6.9	1.19	6.3	0.81	5.4	N	4
	18	1.98	6.6	1.50	7.4	1.21	6.9	0.77	5.4	N	352
29	20	2.29	9.1	1.62	8.2	1.24	7.2	0.77	5.6	N	0
	22	* 2.55	9.9	* 1.79	8.4	* 1.39	7.7	* 0.89	6.0	N	0
	最大	2.55	9.9	1.79	8.4	1.39	7.7	0.89	6.0		
	平均	1.76	7.5	1.34	7.4	1.07	7.1	0.69	5.6		
30	00	2.34	6.6	2.05	8.3	1.67	8.7	1.06	6.7	NNW	344
	02	* 3.55	9.3	* 2.40	9.2	1.90	9.8	1.15	6.9	N	352
	04	2.84	12.2	2.30	8.9	1.80	8.8	1.12	6.7	NNW	348
	06	2.95	10.4	2.40	8.8	* 1.91	8.7	* 1.21	7.1	NNW	348
	08	2.60	7.7	2.01	8.0	1.60	8.4	1.01	6.8	NNW	344
	10	2.36	9.0	1.93	8.5	1.63	8.4	1.05	6.6	NNW	340
	12	2.50	10.4	1.91	8.3	1.65	8.2	1.06	6.7	NNW	344
	14	2.86	8.4	1.94	8.1	1.51	8.1	0.97	6.2	N	356
	16	2.21	7.3	1.73	8.3	1.36	7.8	0.83	6.0	NNW	348
	18	1.71	6.5	1.44	8.0	1.19	7.6	0.78	6.1	N	4
31	20	2.34	6.5	1.58	8.1	1.26	7.7	0.77	6.3	N	356
	22	2.02	8.4	1.55	8.3	1.24	8.0	0.80	6.8	N	0
	最大	3.55	9.3	2.40	9.2	1.91	8.7	1.21	7.1		

	平均	2.52	8.6	1.94	8.4	1.56	8.4	0.98	6.6		
29	00	* 1.72	6.8	* 1.44	7.9	* 1.13	7.5	* 0.68	6.1	N	8
	02	1.58	6.6	1.27	7.0	0.99	7.4	0.61	6.0	N	0
	04	1.40	7.8	1.06	6.6	0.84	6.5	0.55	5.1	N	0
	06	1.32	7.4	1.11	7.2	0.87	6.7	0.53	5.1	N	0
	08	1.23	6.7	0.91	6.8	0.72	6.7	0.46	4.9	N	4
	10	1.02	5.5	0.84	6.5	0.68	6.5	0.43	5.0	N	0
	12	1.18	6.9	0.82	6.3	0.68	5.9	0.43	4.4	N	4
	14	0.94	7.7	0.81	6.3	0.66	5.9	0.42	4.5	N	8
	16	0.98	6.5	0.73	5.5	0.59	5.4	0.40	4.4	N	356
	18	1.15	5.8	0.69	6.4	0.53	5.4	0.33	4.0	N	4
	20	0.75	7.8	0.49	6.4	0.39	5.8	0.24	3.9	N	352
	22	0.63	5.2	0.48	6.6	0.38	6.0	0.24	4.1	N	0
	最大	1.72	6.8	1.44	7.9	1.13	7.5	0.68	6.1		
	平均	1.16	6.7	0.89	6.6	0.71	6.3	0.44	4.8		
30	00	* 0.69	6.6	0.43	6.4	0.33	5.9	0.20	4.0	NNE	12
	02	0.67	5.5	0.40	5.9	0.32	5.4	0.20	3.8	NNE	12
	04	0.54	6.9	0.44	6.3	0.35	5.8	0.23	4.2	N	4
	06	0.60	5.8	* 0.47	5.0	* 0.36	4.8	* 0.24	3.7	W	273
	08	0.55	3.1	0.41	4.5	0.33	4.4	0.22	3.3	WSW	256
	10	0.48	2.7	0.40	4.1	0.33	4.0	0.21	3.2	NW	304
	12	0.57	4.5	0.39	4.0	0.32	3.9	0.21	3.3	SW	233
	14	0.47	3.3	0.36	3.6	0.29	3.6	0.19	3.2	SW	224
	16	0.45	4.0	0.28	4.6	0.22	4.3	0.15	3.4	NNE	24
	18	0.43	4.0	0.29	5.1	0.23	4.7	0.16	3.7	NNE	18
	20	0.33	4.7	0.25	5.6	0.20	5.2	0.13	3.8		
	22	0.31	5.7	0.24	5.2	0.19	5.0	0.12	3.6	N	352
	最大	0.69	6.6	0.47	5.0	0.36	4.8	0.24	3.7		
	平均	0.51	4.7	0.36	5.0	0.29	4.8	0.19	3.6		
31	00	0.29	5.0	0.22	4.9	0.18	4.6	0.12	3.6	NNE	24
	02	0.26	5.8	0.20	5.3	0.17	5.2	0.11	4.0	N	352
	04	0.27	4.8	0.20	5.1	0.17	4.9	0.11	3.5		
	06	1.31	3.8	1.00	3.7	0.82	3.8	0.54	3.5		
	08	1.69	5.0	* 1.41	4.5	* 1.15	4.7	0.72	3.9	NNW	328
	10	1.81	3.7	1.40	4.6	1.14	4.7	* 0.75	4.2	WNW	301
	12	1.94	4.5	1.22	4.7	1.01	4.9	0.68	4.4	W	274
	14	1.90	5.1	1.27	4.8	0.99	4.9	0.60	3.9	NNW	327
	16	1.64	4.8	1.33	5.2	1.04	5.1	0.66	4.4	WNW	303
	18	* 2.15	5.0	1.40	5.0	1.10	5.0	0.70	4.2	NW	315
	20	1.58	5.5	1.21	5.1	0.97	5.3	0.63	4.7	NNW	327
	22	1.58	5.3	1.20	5.1	0.96	5.2	0.60	4.6	NNW	331
	最大	2.15	5.0	1.41	4.5	1.15	4.7	0.75	4.2		
	平均	1.37	4.9	1.01	4.8	0.81	4.9	0.52	4.1		
	月最大	6.94	8.5	4.27	7.8	3.37	7.7	2.15	6.9		
	起時	1722		1018		1018		1720			
	平均	1.42	5.9	1.07	6.0	0.86	5.9	0.55	4.8		

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	358 回	測得回数	330 回
欠測回数	2 回	欠測回数	30 回
欠測率	0.6 %	欠測率	8.3 %

機種：波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	1.79	5.0	1.31	5.4	* 1.05	5.3	0.64	4.7	NNW	331	
	02	* 2.01	5.7	* 1.36	5.6	1.02	5.5	0.64	4.8	NNW	335	
	04	1.85	5.6	1.27	5.3	1.03	5.4	* 0.66	4.8	NNW	327	
	06	1.80	5.2	1.13	5.4	0.90	5.4	0.58	4.6	N	356	
	08	1.28	5.6	1.01	5.1	0.80	5.3	0.52	4.5	N	0	
	10	1.23	5.2	0.96	5.7	0.77	5.4	0.49	4.6	N	8	
	12	1.34	5.2	0.90	5.5	0.73	5.6	0.47	4.7	N	4	
	14	1.15	5.5	0.81	5.4	0.62	5.5	0.40	4.8	N	8	
	16	1.03	5.9	0.78	5.4	0.62	5.5	0.38	4.6	NNE	16	
	18	1.08	5.1	0.75	5.8	0.61	5.6	0.38	4.5	NNE	12	
	20	0.95	5.2	0.69	6.0	0.54	5.7	0.34	4.7	N	8	
	22	0.74	5.3	0.63	5.5	0.51	5.5	0.33	4.7	N	4	
	最大 平均	2.01	5.7	1.36	5.6	1.05	5.3	0.66	4.8			
		1.35	5.4	0.97	5.5	0.77	5.5	0.49	4.7			
	02	00	0.76	5.4	* 0.60	5.7	* 0.49	5.4	* 0.31	4.8	NNE	12
		02	* 0.87	5.2	0.60	5.5	0.47	5.6	0.30	4.6	N	8
04		0.61	4.3	0.51	5.6	0.41	5.5	0.26	4.6	N	4	
06		0.67	5.4	0.48	5.3	0.37	5.3	0.24	4.5	N	8	
08		0.59	4.7	0.44	4.9	0.37	5.0	0.25	4.3	N	8	
10		0.57	5.2	0.40	5.2	0.31	5.1	0.20	4.3	NNE	16	
12		0.48	4.3	0.36	4.6	0.29	4.6	0.19	3.7	WSW	251	
14		0.49	5.7	0.33	4.5	0.26	4.4	0.17	3.5	NNW	345	
16		0.39	4.9	0.29	4.7	0.23	4.3	0.15	3.2	WNW	293	
18		0.31	4.9	0.26	4.7	0.21	4.5	0.13	3.4	WSW	254	
20		0.39	4.1	0.28	4.9	0.22	4.5	0.15	3.5	WNW	303	
22		0.40	5.8	0.30	4.4	0.23	4.5	0.16	3.7	NNE	14	
最大 平均		0.87	5.2	0.60	5.7	0.49	5.4	0.31	4.8			
		0.54	5.0	0.40	5.0	0.32	4.9	0.21	4.0			
03		00	0.36	4.2	0.26	4.5	0.20	4.4	0.13	3.6	W	268
		02	0.38	5.2	0.28	4.4	0.23	4.2	0.15	3.3	WNW	302
	04	0.43	5.9	0.34	4.6	0.27	4.4	0.17	3.6	N	7	
	06	* 0.54	4.7	* 0.36	4.0	* 0.29	4.2	* 0.19	3.5	WSW	249	
	08	0.41	3.6	0.31	3.9	0.25	4.0	0.16	3.3	NNE	24	
	10	0.38	3.2	0.28	4.0	0.22	4.0	0.14	3.5	WNW	291	
	12	0.35	4.2	0.26	3.7	0.21	3.8	0.13	3.0	NW	310	
	14	0.36	4.4	0.25	3.7	0.19	3.8	0.12	3.1			
	16	0.33	3.2	0.22	3.9	0.17	3.8	0.11	3.0	NW	304	
	18	0.28	3.2	0.20	3.9	0.16	3.9	0.11	3.0	NNE	23	
	20	0.32	2.9	0.24	3.2	0.20	3.3	0.14	2.8	N	8	
	22	0.34	3.7	0.23	3.6	0.19	3.7	0.12	3.2	NNE	33	
	最大 平均	0.54	4.7	0.36	4.0	0.29	4.2	0.19	3.5			
		0.37	4.0	0.27	4.0	0.22	4.0	0.14	3.2			
	04	00	0.32	3.1	0.25	3.4	0.20	3.6	0.13	3.3	WNW	282
		02	0.41	4.1	0.32	3.7	* 0.26	3.8	0.17	3.1	NNW	332
04		0.44	3.7	* 0.32	3.8	0.26	3.7	* 0.18	3.2	NW	317	
06		* 0.50	3.7	0.29	3.7	0.23	3.6	0.15	3.2	NNE	15	
08		0.38	3.5	0.27	3.6	0.22	3.6	0.15	3.2	NW	306	
10		0.37	3.6	0.27	3.5	0.21	3.5	0.14	2.9	NNE	33	
12		0.30	3.3	0.20	4.1	0.16	3.8	0.10	3.0	N	352	
14		0.26	3.7	0.17	4.1	0.14	4.0	0.09	3.1	N	7	
16		0.27	4.1	0.17	4.5	0.14	3.9	0.09	3.0	NNW	333	
18		0.27	3.5	0.18	4.5	0.15	4.2	0.10	3.2	NNE	21	
20		0.27	2.7	0.21	4.2	0.17	4.1	0.11	3.3	NNW	342	
22		0.26	3.5	0.20	4.3	0.16	4.4	0.11	3.5	NNE	27	
最大 平均		0.50	3.7	0.32	3.8	0.26	3.8	0.18	3.2			

		平均	0.34	3.5	0.24	4.0	0.19	3.9	0.13	3.2		
05	00		0.28	5.1	0.19	4.9	0.15	4.7	0.10	3.6	NW	309
	02		0.32	6.0	0.25	3.8	0.20	3.6	0.13	3.0	SW	234
	04		0.35	3.8	0.25	3.7	0.20	3.8	0.13	3.1	NW	307
	06		0.32	4.4	0.26	3.7	0.21	3.6	0.14	2.9	WSW	240
	08		0.33	3.6	0.25	3.4	0.20	3.5	0.14	3.0	NNE	15
	10		0.39	3.5	0.32	3.2	0.26	3.3	* 0.18	2.9	NNE	25
	12		* 0.50	3.1	* 0.35	3.2	* 0.27	3.1	0.18	2.8	WNW	296
	14		0.40	2.8	0.28	3.1	0.22	3.3	0.15	2.9	N	7
	16		0.26	3.5	0.18	4.2	0.15	4.0	0.10	3.1	NNW	336
	18		0.25	5.4	0.17	4.5	0.14	4.3	0.09	3.3	NNE	19
	20		0.26	4.7	0.19	4.8	0.15	4.3	0.10	3.1	NNE	14
	22		0.25	4.3	0.19	3.3	0.16	3.3	0.10	2.8	WSW	243
	最大		0.50	3.1	0.35	3.2	0.27	3.1	0.18	2.9		
	平均		0.33	4.2	0.24	3.8	0.19	3.7	0.13	3.0		
06	00		0.27	6.3	0.18	4.5	0.15	4.2	0.10	3.2	NW	322
	02		0.41	6.1	0.30	6.1	0.24	5.8	0.15	4.1	WNW	295
	04		1.25	6.0	0.99	5.9	0.78	5.9	0.49	5.2	WNW	295
	06		1.72	5.4	1.07	5.3	0.85	5.6	0.54	5.0	W	278
	08		1.23	5.3	0.99	5.2	0.80	5.3	0.51	4.6	W	266
	10		1.42	4.9	0.87	5.2	0.66	5.0	0.43	4.5		
	12		1.14	4.6	0.75	5.2	0.59	5.0	0.38	4.1	W	266
	14		0.98	5.3	0.74	5.6	0.59	5.3	0.37	4.4	W	270
	16		0.99	7.2	0.80	6.3	0.63	6.2	0.39	5.0		
	18		1.49	6.1	0.96	5.8	0.77	5.9	0.51	5.1	WNW	299
	20		1.77	4.9	* 1.49	5.5	* 1.17	5.6	* 0.70	4.8	W	266
	22		* 2.17	5.5	1.27	5.5	1.01	5.6	0.65	4.8	W	266
	最大		2.17	5.5	1.49	5.5	1.17	5.6	0.70	4.8		
	平均		1.24	5.6	0.87	5.5	0.69	5.5	0.44	4.6		
07	00		* 1.47	5.5	* 1.04	5.3	* 0.83	5.4	* 0.52	4.5	W	270
	02		1.35	4.4	0.97	5.2	0.77	5.2	0.49	4.5	W	266
	04		1.15	5.3	0.92	5.4	0.71	5.3	0.44	4.4	W	266
	06		0.99	4.8	0.75	5.2	0.62	5.1	0.41	4.3	NNW	340
	08		1.16	5.0	0.80	5.3	0.62	5.2	0.39	4.2	WSW	258
	10		0.93	5.6	0.74	5.6	0.59	5.5	0.38	4.6	WNW	303
	12		0.82	5.3	0.63	5.6	0.52	5.5	0.33	4.6	W	278
	14		0.84	5.1	0.63	5.4	0.50	5.4	0.32	4.3		
	16		0.66	5.1	0.48	5.2	0.39	4.9	0.24	3.6	WNW	282
	18		0.59	5.0	0.44	5.0	0.35	5.0	0.23	3.9	W	262
	20		0.59	5.4	0.44	4.9	0.36	4.9	0.23	4.1	WSW	241
	22		0.46	4.1	0.36	5.1	0.29	4.9	0.19	3.9	NW	307
	最大		1.47	5.5	1.04	5.3	0.83	5.4	0.52	4.5		
	平均		0.92	5.1	0.68	5.3	0.55	5.2	0.35	4.2		
08	00		0.48	4.1	0.36	4.8	0.30	4.7	0.19	3.6	WNW	292
	02		0.58	5.4	0.41	5.3	0.32	5.1	0.21	4.2	WNW	295
	04		0.65	6.3	0.47	5.7	0.36	5.6	0.23	4.1	W	262
	06		0.67	4.2	0.52	4.8	0.42	4.5	0.27	3.7	NNE	12
	08		0.68	3.4	0.48	3.8	0.39	3.8	0.26	3.4		
	10		* 0.88	3.2	0.57	4.2	0.45	4.1	0.29	3.5		
	12		0.65	3.8	0.48	3.9	0.40	3.9	0.26	3.4	W	280
	14		0.49	3.6	0.38	3.7	0.30	3.8	0.19	3.1	N	8
	16		0.85	2.9	0.53	3.2	0.42	3.4	0.27	3.1	NNW	342
	18		0.82	3.6	* 0.63	3.4	* 0.50	3.4	* 0.32	3.2	NNW	314
	20		0.79	3.3	0.52	3.7	0.41	3.7	0.26	3.4	N	352
	22		0.72	3.7	0.57	4.1	0.45	4.3	0.29	3.9	NNW	338
	最大		0.88	3.2	0.63	3.4	0.50	3.4	0.32	3.2		
	平均		0.69	4.0	0.49	4.2	0.39	4.2	0.25	3.6		
09	00		1.35	5.9	1.02	5.7	0.82	5.7	0.51	5.0	WNW	303
	02		* 1.47	5.2	* 1.07	5.4	* 0.87	5.4	* 0.56	4.9	WNW	299
	04		0.99	4.4	0.75	5.0	0.61	5.1	0.40	4.5	WNW	290
	06		0.85	5.3	0.66	4.7	0.51	4.7	0.32	4.0	NNE	17
	08		0.69	4.1	0.49	4.5	0.39	4.6	0.24	3.9	NNW	348
	10		0.66	4.0	0.36	5.1	0.29	4.7	0.19	3.9	WSW	243
	12		0.77	3.8	0.59	4.2	0.47	4.0	0.30	3.4		
	14		0.75	5.2	0.56	4.7	0.45	4.7	0.29	3.9		
	16		0.77	4.8	0.57	5.2	0.45	5.2	0.28	4.1	NW	307
	18		0.79	4.9	0.63	4.9	0.50	4.8	0.32	3.9	N	10
	20		0.83	5.0	0.68	4.8	0.56	4.8	0.37	4.1	SW	235
	22		0.92	4.4	0.79	4.6	0.65	4.8	0.43	4.2	N	358

		最大	1.47	5.2	1.07	5.4	0.87	5.4	0.56	4.9		
		平均	0.90	4.8	0.68	4.9	0.55	4.9	0.35	4.2		
10	00	* 1.17	4.3	* 0.80	5.0	* 0.63	4.9	* 0.40	4.2	NW	319	
	02	0.96	4.8	0.74	5.0	0.58	5.1	0.37	4.3	WNW	295	
	04	0.88	5.0	0.68	5.3	0.57	5.2	0.37	4.6	NNW	340	
	06	0.89	5.2	0.65	5.2	0.52	5.2	0.34	4.5	W	274	
	08	0.80	5.1	0.59	5.2	0.47	5.0	0.30	4.2	NNW	348	
	10	0.82	4.4	0.61	4.7	0.49	4.7	0.32	4.0	NNE	25	
	12	0.79	4.4	0.54	4.7	0.44	4.7	0.29	4.1	N	350	
	14	0.53	4.8	0.43	4.9	0.34	4.9	0.22	3.9	WNW	295	
	16	0.61	4.9	0.45	5.2	0.37	5.1	0.23	3.9	NW	315	
	18	0.53	4.7	0.42	5.0	0.34	5.0	0.22	4.1	WNW	295	
	20	0.69	4.7	0.48	5.1	0.38	4.9	0.25	4.2	WNW	286	
	22	0.48	5.0	0.39	4.9	0.32	4.9	0.21	4.2	W	262	
	最大	1.17	4.3	0.80	5.0	0.63	4.9	0.40	4.2			
	平均	0.76	4.8	0.57	5.0	0.45	5.0	0.29	4.2			
11	00	0.48	4.6	0.39	4.9	0.32	4.9	0.20	4.2			
	02	0.53	5.2	0.38	4.9	0.29	4.9	0.19	4.1	WNW	299	
	04	0.51	5.1	0.39	4.7	0.31	4.9	0.20	4.1	NNW	327	
	06	0.50	4.3	0.41	4.6	0.34	4.6	0.21	3.8	N	3	
	08	0.55	4.2	0.40	4.6	0.33	4.4	0.21	3.8	NNW	346	
	10	0.47	4.7	0.38	4.6	0.31	4.5	0.20	3.8	N	10	
	12	0.53	5.7	* 0.44	4.4	* 0.35	4.4	* 0.23	3.8	N	354	
	14	* 0.56	4.4	0.41	4.4	0.33	4.3	0.21	3.6	NW	307	
	16	0.51	3.5	0.39	4.3	0.32	4.2	0.21	3.5	NNE	33	
	18	0.49	4.1	0.37	4.4	0.31	4.4	0.21	3.8	N	353	
	20	0.48	4.3	0.35	4.3	0.28	4.2	0.18	3.5	NNW	348	
	22	0.48	4.0	0.36	4.0	0.28	4.0	0.18	3.4	N	4	
	最大	0.56	4.4	0.44	4.4	0.35	4.4	0.23	3.8			
	平均	0.51	4.5	0.39	4.5	0.31	4.5	0.20	3.8			
12	00	0.43	3.8	* 0.33	4.0	* 0.27	3.7	* 0.18	3.2	W	271	
	02	0.42	3.4	0.29	4.0	0.23	4.0	0.16	3.5	NW	318	
	04	0.32	4.4	0.26	4.1	0.21	4.0	0.14	3.4	NNE	16	
	06	0.34	3.1	0.26	3.8	0.21	4.0	0.14	3.5	N	3	
	08	0.26	3.8	0.20	3.9	0.16	3.9	0.10	3.2	NNE	18	
	10	0.25	4.4	0.19	4.2	0.15	4.2	0.10	3.3	NNE	12	
	12	0.21	4.4	0.16	4.2	0.13	4.1	0.09	3.0	N	2	
	14	* 0.47	2.3	0.31	3.0	0.25	3.0	0.16	2.7	N	6	
	16	0.34	3.8	0.21	3.6	0.16	3.7	0.11	2.8			
	18	0.21	4.2	0.17	3.6	0.14	3.5	0.09	2.7	NNE	18	
	20	0.17	5.0	0.14	4.4	0.12	4.0	0.08	3.1	N	2	
	22	0.18	3.9	0.14	4.7	0.12	4.2	0.08	3.0	N	350	
	最大	0.47	2.3	0.33	4.0	0.27	3.7	0.18	3.2			
	平均	0.30	3.9	0.22	4.0	0.18	3.9	0.12	3.1			
13	00	0.16	4.3	0.12	4.4	0.10	3.9	0.07	2.8	NNE	16	
	02	0.24	3.1	0.15	3.7	0.12	3.6	0.08	2.8	N	10	
	04	0.25	6.7	0.15	4.2	0.12	3.8	0.08	2.8	NNW	348	
	06	0.29	3.5	0.17	4.3	0.14	4.0	0.09	3.1	N	8	
	08	0.26	3.1	0.20	2.9	0.16	3.1	0.11	2.7	N	353	
	10	0.29	2.8	0.19	3.4	0.16	3.5	0.11	2.9	N	351	
	12	* 0.40	2.8	0.26	2.9	0.20	3.3	0.13	2.9	NNW	343	
	14	0.38	2.7	0.25	3.1	0.19	3.0	0.13	2.7	N	9	
	16	0.23	1.8	0.18	3.9	0.14	3.5	0.09	2.7	N	3	
	18	0.24	7.4	0.18	4.1	0.14	3.7	0.10	2.8	N	359	
	20	0.34	6.7	* 0.26	6.5	* 0.21	5.7	* 0.13	3.7	NNE	16	
	22	0.21	7.0	0.16	5.1	0.13	4.4	0.09	3.1	NNE	28	
	最大	0.40	2.8	0.26	6.5	0.21	5.7	0.13	3.7			
	平均	0.27	4.3	0.19	4.0	0.15	3.8	0.10	2.9			
14	00	0.23	5.0	0.19	4.3	0.15	3.9	0.10	3.0	NNE	24	
	02	0.27	4.7	0.17	5.1	0.14	4.7	0.09	3.3	SW	224	
	04	0.29	3.8	0.19	5.0	0.16	4.7	0.10	3.6	WSW	253	
	06	0.26	4.2	0.20	4.9	0.16	4.3	0.11	3.5			
	08	0.25	4.0	0.20	4.8	0.16	4.5	0.11	3.5	WNW	301	
	10	0.27	3.8	0.20	5.0	0.16	4.5	0.10	3.3	N	7	
	12	0.32	6.0	0.23	4.2	0.18	4.1	0.12	3.1	N	7	
	14	* 0.59	2.9	0.39	3.0	0.30	3.1	0.20	2.8			

	16		0.54	2.6	0.35	3.0	0.27	3.2	0.18	2.9	WSW	237	
	18		0.50	3.6	0.33	3.6	0.27	3.6	0.17	3.2	WSW	258	
	20		0.53	3.8	* 0.39	3.8	* 0.32	3.8	* 0.21	3.5	N	357	
	22		0.45	3.2	0.33	3.8	0.26	3.8	0.17	3.3			
	最大		0.59	2.9	0.39	3.8	0.32	3.8	0.21	3.5			
	平均		0.38	4.0	0.26	4.2	0.21	4.0	0.14	3.3			
15	00		0.57	4.1	0.42	4.0	0.33	4.1	0.20	3.6	W	281	
	02		0.77	3.7	0.59	4.2	0.48	4.3	0.31	3.8	WSW	255	
	04		1.06	4.6	0.76	4.8	0.61	5.0	0.38	4.1	N	0	
	06		1.74	3.9	1.18	4.7	0.95	4.7	0.63	4.2	N	7	
	08		1.90	4.8	1.43	5.0	1.16	5.0	0.74	4.4	NNW	348	
	10		1.98	4.9	1.52	5.1	1.19	5.0	0.75	4.4	N	352	
	12		* 2.40	4.8	* 1.70	5.2	* 1.39	5.3	* 0.91	4.7	N	356	
	14		2.30	4.7	1.50	5.3	1.22	5.2	0.78	4.4	N	352	
	16		1.83	4.4	1.40	5.0	1.13	5.1	0.74	4.3	N	356	
	18		1.74	5.8	1.37	5.1	1.09	5.0	0.70	4.1	N	356	
	20		2.08	5.2	1.46	5.1	1.17	5.0	0.76	4.4			
	22		1.84	4.2	1.46	5.2	1.16	5.2	0.74	4.4	N	4	
	最大		2.40	4.8	1.70	5.2	1.39	5.3	0.91	4.7			
	平均		1.68	4.6	1.23	4.9	0.99	4.9	0.64	4.2			
	16	00		1.83	4.9	1.31	5.0	1.08	5.0	0.69	4.5	N	352
		02		1.65	4.9	1.21	5.0	0.93	4.9	0.60	4.3	N	356
		04		1.70	4.7	1.16	4.6	0.93	4.6	0.60	4.0	NW	310
		06		1.78	4.2	1.15	4.6	0.93	4.6	0.60	4.1		
		08		1.32	4.9	1.02	4.7	0.82	4.6	0.53	4.2	N	3
		10		1.76	4.1	1.18	4.5	0.94	4.6	0.60	4.2	N	354
12			1.86	4.2	1.36	4.5	1.07	4.6	0.69	4.2	N	5	
14			1.89	5.3	* 1.51	4.7	* 1.20	4.7	* 0.76	4.2	NNW	346	
16			1.67	4.6	1.30	4.8	1.03	4.8	0.67	4.2	NNE	26	
18			* 2.03	4.3	1.45	4.9	1.13	5.0	0.74	4.4	N	0	
20			1.75	5.3	1.36	5.2	1.10	5.2	0.69	4.5			
22			1.52	5.1	1.13	5.1	0.90	5.1	0.56	4.4	N	352	
最大			2.03	4.3	1.51	4.7	1.20	4.7	0.76	4.2			
平均			1.73	4.7	1.26	4.8	1.01	4.8	0.64	4.3			
17		00		* 1.70	4.7	* 1.16	5.0	* 0.90	5.1	* 0.57	4.6	N	0
		02		1.25	4.8	1.01	4.9	0.81	4.9	0.52	4.3	NNE	12
		04		1.42	5.3	1.05	4.9	0.85	5.0	0.53	4.5	N	0
		06		1.10	5.3	0.85	4.9	0.68	5.0	0.43	4.6		
		08		1.02	5.6	0.75	5.2	0.61	5.2	0.40	4.8	NNE	12
		10		1.08	6.0	0.78	5.5	0.64	5.5	0.41	4.8	N	8
	12		1.28	4.9	0.79	5.2	0.62	5.2	0.41	4.5	N	4	
	14		0.98	5.9	0.71	5.4	0.57	5.2	0.37	4.3	N	0	
	16		0.89	4.6	0.61	4.9	0.50	4.9	0.32	4.0	N	352	
	18		0.89	4.6	0.66	4.8	0.52	4.8	0.33	4.0	N	357	
	20		0.87	5.2	0.64	4.9	0.52	4.7	0.34	3.9	N	358	
	22		0.87	4.7	0.59	5.5	0.46	5.2	0.30	4.5	N	0	
	最大		1.70	4.7	1.16	5.0	0.90	5.1	0.57	4.6			
	平均		1.11	5.1	0.80	5.1	0.64	5.1	0.41	4.4			
	18	00		0.70	5.3	0.53	4.8	0.43	4.9	0.27	4.3	N	356
		02		* 0.90	4.4	* 0.58	4.7	* 0.45	4.8	* 0.29	4.4	NNW	336
		04		0.67	5.4	0.50	5.0	0.40	5.0	0.26	4.3	N	0
		06		0.60	5.4	0.48	5.0	0.38	5.0	0.25	4.2	N	356
		08		0.46	5.0	0.38	4.8	0.31	4.9	0.21	4.1	NNE	20
		10		0.42	5.5	0.35	5.1	0.28	5.0	0.19	3.8	N	0
12			0.46	4.5	0.35	4.8	0.28	4.7	0.18	3.8	N	6	
14			0.43	4.1	0.34	4.5	0.28	4.6	0.18	3.7	N	3	
16			0.49	4.3	0.33	4.1	0.27	4.2	0.18	3.4	NW	316	
18			0.45	4.6	0.33	4.1	0.27	4.2	0.18	3.3	N	358	
20			0.49	4.7	0.31	3.8	0.25	3.8	0.16	3.3	NNE	23	
22			0.52	3.9	0.37	3.7	0.29	3.7	0.19	3.0			
最大			0.90	4.4	0.58	4.7	0.45	4.8	0.29	4.4			
平均			0.55	4.8	0.40	4.5	0.32	4.6	0.21	3.8			
19		00		* 0.38	4.2	* 0.31	3.6	* 0.25	3.5	* 0.16	3.2		
		02		0.34	3.8	0.24	3.8	0.19	3.9	0.13	3.2	NNE	15
		04		0.32	3.5	0.25	3.7	0.20	3.6	0.13	3.0	NNW	341
		06		0.35	3.5	0.26	3.4	0.21	3.5	0.14	3.1	N	8
		08		0.29	3.9	0.23	4.0	0.18	3.9	0.12	3.2	N	355
		10		欠测									

	12	欠測										
	14	0.29	3.5	0.20	3.6	0.16	3.7	0.11	3.0			
	16	0.22	3.6	0.17	4.0	0.14	3.9	0.09	3.0	N	9	
	18	0.21	3.7	0.16	4.2	0.14	3.9	0.10	3.0	N	349	
	20	0.26	5.4	0.20	4.4	0.16	4.3	0.11	3.3	NNE	31	
	22	0.29	3.4	0.22	3.4	0.18	3.4	0.12	3.1	NNE	18	
	最大	0.38	4.2	0.31	3.6	0.25	3.5	0.16	3.2			
	平均	0.30	3.9	0.22	3.8	0.18	3.8	0.12	3.1			
20	00	0.30	2.9	0.23	3.2	0.18	3.3	0.12	3.0	WNW	293	
	02	0.31	3.1	0.23	3.3	0.18	3.4	0.12	3.0	NNW	344	
	04	0.41	3.1	0.28	3.5	0.22	3.5	0.15	3.0	NNE	28	
	06	0.35	3.2	0.29	3.8	0.23	3.7	0.14	3.2	N	353	
	08	0.47	3.0	0.35	3.1	0.27	3.2	0.18	2.9	N	0	
	10	0.65	2.8	0.46	3.1	0.36	3.1	0.23	2.9	N	5	
	12	0.55	3.5	0.41	3.9	0.33	3.8	0.22	3.1	WSW	245	
	14	0.51	6.9	0.41	6.5	0.33	5.9	0.21	4.2	N	4	
	16	0.65	7.1	0.53	6.6	0.43	6.5	0.26	4.6	N	0	
	18	* 0.86	6.4	0.59	6.6	0.47	6.7	0.28	5.2	N	0	
	20	0.84	6.6	* 0.65	6.6	* 0.53	6.8	* 0.35	6.1	N	0	
	22	0.69	6.5	0.58	6.4	0.47	6.4	0.31	5.8	N	356	
	最大	0.86	6.4	0.65	6.6	0.53	6.8	0.35	6.1			
	平均	0.55	4.6	0.42	4.7	0.33	4.7	0.21	3.9			
21	00	* 0.98	6.7	0.61	6.9	* 0.50	6.8	* 0.31	5.8	N	0	
	02	0.77	6.3	* 0.63	6.5	0.50	5.8	0.30	4.0	N	356	
	04	0.72	6.5	0.53	6.0	0.42	5.4	0.26	4.0	N	4	
	06	0.80	2.8	0.53	4.9	0.43	4.8	0.28	3.8	NNE	22	
	08	0.67	3.3	0.52	4.0	0.42	4.1	0.27	3.4	SW	231	
	10	0.59	3.7	0.44	4.4	0.36	4.3	0.24	3.4	NNE	31	
	12	0.50	6.4	0.39	5.4	0.31	5.0	0.21	3.8	N	4	
	14	0.51	5.6	0.38	4.9	0.30	4.6	0.20	3.7	WSW	241	
	16	0.43	3.8	0.32	4.5	0.25	4.4	0.16	3.5	N	2	
	18	0.49	4.1	0.33	4.2	0.26	4.0	0.18	3.2	N	6	
	20	0.36	5.5	0.28	4.8	0.22	4.3	0.14	3.2	N	1	
	22	0.22	5.8	0.18	5.6	0.15	4.8	0.10	3.4	NNE	15	
	最大	0.98	6.7	0.63	6.5	0.50	6.8	0.31	5.8			
	平均	0.59	5.0	0.43	5.2	0.34	4.9	0.22	3.8			
22	00	0.24	5.4	0.20	5.5	0.16	5.0	0.11	3.6			
	02	0.40	4.0	0.32	4.1	0.26	4.0	0.17	3.4	NNW	342	
	04	0.57	4.0	0.44	4.9	0.37	5.0	0.24	4.2	WNW	299	
	06	0.64	4.7	0.54	4.8	0.44	4.8	0.27	4.0	NNW	347	
	08	0.66	3.8	0.50	4.7	0.41	4.5	0.26	3.9	N	351	
	10	0.53	4.5	0.40	4.4	0.33	4.6	0.21	3.8	N	4	
	12	0.53	4.3	0.38	4.1	0.31	4.1	0.20	3.5	N	1	
	14	0.70	3.3	0.48	3.2	0.39	3.3	0.25	3.0	N	349	
	16	0.65	4.2	0.47	4.0	0.38	3.9	0.23	3.3	NNW	331	
	18	* 1.34	4.4	* 1.03	4.4	* 0.82	4.5	* 0.53	4.0	N	9	
	20	1.25	4.5	0.80	4.6	0.63	4.9	0.41	4.3	N	356	
	22	0.96	2.7	0.74	4.1	0.60	4.2	0.40	3.8	W	261	
	最大	1.34	4.4	1.03	4.4	0.82	4.5	0.53	4.0			
	平均	0.71	4.2	0.53	4.4	0.43	4.4	0.27	3.7			
23	00	0.67	4.5	0.52	4.0	0.41	4.0	0.27	3.5	N	358	
	02	1.02	4.0	0.66	4.3	0.52	4.6	0.33	3.9	WSW	238	
	04	* 1.06	6.8	* 0.77	5.9	* 0.60	5.6	* 0.38	4.5	WSW	254	
	06	0.95	5.5	0.70	5.5	0.56	5.7	0.36	4.6	WSW	254	
	08	0.61	5.3	0.52	5.0	0.41	4.8	0.26	3.9	N	2	
	10	0.75	5.6	0.51	4.3	0.41	4.4	0.26	3.5	N	8	
	12	0.54	4.5	0.44	4.0	0.34	4.3	0.22	3.6	N	349	
	14	0.58	5.4	0.36	3.9	0.29	3.9	0.19	3.3	NNE	17	
	16	0.57	3.6	0.37	4.5	0.29	4.5	0.18	3.5	N	3	
	18	0.38	3.4	0.30	4.3	0.24	4.0	0.16	3.4	NNW	336	
	20	0.38	5.3	0.28	4.6	0.23	4.4	0.15	3.4	N	353	
	22	0.36	4.1	0.28	4.1	0.23	4.3	0.15	3.5	NNE	31	
	最大	1.06	6.8	0.77	5.9	0.60	5.6	0.38	4.5			
	平均	0.66	4.8	0.48	4.5	0.38	4.5	0.24	3.7			
24	00	0.41	3.6	0.30	4.0	0.24	4.0	0.16	3.4	NNW	332	
	02	0.28	3.9	0.22	4.5	0.18	4.3	0.13	3.5	NNE	27	

	04	0.30	5.0	0.25	4.2	0.20	4.0	0.13	3.5	NNE	19
	06	0.34	3.9	0.23	3.6	0.18	3.8	0.12	3.3	N	3
	08	0.28	3.2	0.19	3.9	0.15	4.0	0.10	3.3	N	357
	10	0.26	4.6	0.20	3.9	0.16	4.0	0.11	3.3	NW	319
	12	0.25	4.1	0.18	4.4	0.15	4.1	0.10	3.3	N	350
	14	0.36	2.5	0.28	2.9	0.22	3.1	0.14	2.8	N	356
	16	0.16	3.7	0.13	4.6	0.11	4.0	0.07	2.9	NNW	344
	18	0.31	2.8	0.18	3.9	0.14	3.4	0.10	2.7	N	349
	20	* 0.81	3.1	* 0.63	3.7	* 0.50	3.8	* 0.33	3.4	W	261
	22	0.68	3.3	0.54	3.6	0.42	3.6	0.27	3.2		
	最大	0.81	3.1	0.63	3.7	0.50	3.8	0.33	3.4		
	平均	0.37	3.6	0.28	3.9	0.22	3.8	0.15	3.2		
	25	00	0.56	2.9	0.42	3.4	0.34	0.23	3.1	WSW	249
		02	0.37	3.5	0.25	3.7	0.20	0.13	2.8	WSW	239
		04	0.41	4.3	0.29	3.9	0.23	0.15	3.1	W	278
		06	0.32	4.0	0.25	4.0	0.21	0.14	3.1	WSW	254
		08	0.29	4.8	0.22	4.0	0.18	0.12	3.2	SW	233
		10	1.15	4.6	0.85	5.4	0.67	0.42	4.2	WNW	286
		12	1.99	5.5	1.53	5.4	1.25	0.78	4.7	W	270
		14	2.20	6.1	* 1.63	6.0	* 1.32	* 0.83	4.9	WSW	254
		16	1.87	6.0	1.46	5.7	1.20	0.77	4.9	W	262
		18	* 2.28	5.3	1.59	5.6	1.24	0.79	5.0	WSW	258
		20	1.70	4.6	1.36	5.3	1.09	0.71	4.9	W	262
		22	1.21	4.3	0.98	5.1	0.78	0.51	4.2	W	262
	最大	2.28	5.3	1.63	6.0	1.32	5.9	0.83	4.9		
	平均	1.20	4.7	0.90	4.8	0.73	4.8	0.47	4.0		
	26	00	* 1.28	5.0	* 0.92	5.1	* 0.73	* 0.48	4.4	W	270
		02	1.06	4.8	0.82	4.8	0.62	0.37	4.3	W	262
		04	0.81	4.5	0.69	4.7	0.56	0.38	4.2	SW	236
		06	0.91	4.1	0.67	4.5	0.53	0.34	4.1	SW	231
		08	0.78	4.4	0.61	4.8	0.50	0.32	4.1	N	355
		10	0.76	4.5	0.62	4.5	0.50	0.32	4.0	NNW	341
		12	0.67	4.5	0.53	4.6	0.44	0.28	3.9	SW	231
		14	0.73	3.6	0.57	4.5	0.46	0.30	3.7	NNE	24
		16	0.59	4.2	0.43	4.7	0.33	0.21	4.0	N	7
		18	0.46	4.5	0.38	4.8	0.30	0.19	4.0	NNW	338
		20	0.52	4.9	0.39	4.7	0.32	0.21	3.8	N	352
		22	0.47	4.3	0.36	4.9	0.31	0.20	4.0	N	4
	最大	1.28	5.0	0.92	5.1	0.73	5.1	0.48	4.4		
	平均	0.75	4.4	0.58	4.7	0.47	4.7	0.30	4.0		
	27	00	0.50	4.6	0.35	5.2	0.28	0.18	4.2	N	0
		02	0.54	4.9	0.34	4.9	0.27	0.18	4.3	NNW	344
		04	0.46	5.3	0.36	4.9	0.29	0.19	4.3	NNW	344
		06	0.51	4.4	0.39	4.9	0.32	0.21	4.0	N	359
		08	* 0.67	4.6	* 0.48	4.9	* 0.38	* 0.24	4.2	NW	323
		10	0.57	4.5	0.43	4.8	0.36	0.23	4.1		
		12	0.60	5.1	0.39	5.0	0.31	0.20	4.1	N	4
		14	0.50	4.9	0.38	5.1	0.30	0.19	4.1	N	8
		16	0.45	5.2	0.31	4.9	0.26	0.17	4.2	N	352
		18	0.38	4.6	0.29	5.1	0.23	0.15	4.2	N	352
		20	0.42	5.0	0.30	5.3	0.24	0.15	4.1	NNW	335
		22	0.34	5.0	0.26	5.0	0.21	0.14	4.4	N	8
	最大	0.67	4.6	0.48	4.9	0.38	5.0	0.24	4.2		
	平均	0.50	4.8	0.36	5.0	0.29	5.0	0.19	4.2		
	28	00	0.34	5.0	0.25	5.0	0.20	0.13	4.2	NNW	331
		02	0.31	5.3	0.23	5.2	0.19	0.12	4.1	NNW	340
		04	0.37	4.1	* 0.26	4.8	0.20	* 0.14	3.9	NNE	17
		06	0.39	4.6	0.25	5.1	* 0.21	0.13	4.1	NNW	327
		08	0.27	4.3	0.21	4.5	0.18	0.12	3.7	SW	236
		10	0.26	5.9	0.20	4.8	0.17	0.11	3.7	NNE	15
		12	* 0.40	4.9	0.24	4.2	0.19	0.13	3.2	NNW	346
		14	0.26	5.2	0.20	4.9	0.16	0.10	3.4	N	350
		16	0.26	4.8	0.20	4.8	0.16	0.10	3.4	N	356
		18	0.22	4.2	0.17	4.5	0.14	0.09	3.4		
		20	0.34	3.5	0.19	4.5	0.16	0.11	3.1	NW	312
		22	0.21	5.2	0.15	5.4	0.12	0.08	3.5	N	4
	最大	0.40	4.9	0.26	4.8	0.21	5.0	0.14	3.9		

	平均	0.30	4.8	0.21	4.8	0.17	4.6	0.11	3.6		
29	00	0.22	6.1	0.15	4.3	0.12	3.9	0.09	2.9	NW	306
	02	0.67	3.3	0.44	3.2	0.34	3.2	0.22	3.1	SW	220
	04	0.75	2.7	0.46	3.0	0.35	3.1	0.22	2.8		
	06	0.61	3.0	0.50	3.1	0.40	3.1	0.26	3.0	NNE	12
	08	0.63	3.0	0.40	3.3	0.31	3.3	0.20	2.9	W	270
	10	0.54	3.1	0.41	3.4	0.32	3.3	0.21	3.0	N	359
	12	0.67	3.1	0.48	3.9	0.40	3.9	0.26	3.3		
	14	1.20	6.8	0.97	6.4	0.80	6.0	0.52	4.8		
	16	2.23	6.0	2.04	6.0	1.66	6.0	1.06	5.3		
	18	* 2.98	6.6	* 2.23	6.6	* 1.84	6.4	* 1.14	5.5	WSW	245
	20	2.59	6.5	1.90	6.4	1.51	6.4	0.95	5.5	WSW	250
	22	2.11	6.2	1.56	6.5	1.23	6.4	0.78	5.2	W	270
	最大	2.98	6.6	2.23	6.6	1.84	6.4	1.14	5.5		
	平均	1.27	4.7	0.96	4.7	0.77	4.6	0.49	3.9		
30	00	* 1.96	5.9	* 1.30	6.1	* 1.03	5.8	0.63	4.8	W	262
	02	1.43	6.4	1.18	6.0	0.99	6.1	* 0.63	5.2	W	266
	04	1.56	4.9	1.06	5.4	0.89	5.6	0.58	4.9	WSW	254
	06	1.59	4.4	1.10	5.7	0.90	5.6	0.59	5.0	W	262
	08	1.33	5.9	1.00	5.8	0.81	5.6	0.51	4.6	W	266
	10	1.13	6.0	0.96	5.4	0.79	5.4	0.50	4.7	W	266
	12	1.27	4.6	0.96	5.3	0.77	5.4	0.50	4.8	W	270
	14	1.14	5.6	0.87	6.3	0.69	5.9	0.45	4.7	NNW	348
	16	1.22	7.8	0.98	6.5	0.80	6.6	0.50	5.2	N	352
	18	1.25	7.2	1.02	6.5	0.82	6.5	0.53	5.4	N	352
	20	1.30	8.0	0.99	7.2	0.82	6.8	0.53	5.5	N	352
	22	1.27	7.0	1.01	6.7	0.85	6.8	0.54	5.5	N	4
	最大	1.96	5.9	1.30	6.1	1.03	5.8	0.63	5.2		
	平均	1.37	6.1	1.04	6.1	0.85	6.0	0.54	5.0		
月最大		2.98	6.6	2.23	6.6	1.84	6.4	1.14	5.5		
起時		2918		2918		2918		2918			
平均		0.75	4.6	0.55	4.7	0.44	4.6	0.29	3.8		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	347 回
欠測回数	3 回	欠測回数	25 回
欠測率	0.8 %	欠測率	6.7 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.31	5.3	1.08	6.8	0.85	6.7	0.53	5.1	N	356
	02	* 1.99	7.9	* 1.28	7.5	* 1.02	7.1	* 0.65	6.1	N	352
	04	1.52	7.2	1.19	7.5	0.95	7.5	0.60	5.9	N	0
	06	1.55	7.5	1.16	6.8	0.94	7.0	0.59	5.5	N	0
	08	1.60	6.7	1.22	7.0	0.96	7.1	0.61	6.0	N	4
	10	1.43	5.6	1.15	6.7	0.93	6.9	0.58	5.7	NNE	12
	12	1.35	5.8	0.95	6.2	0.77	6.5	0.48	5.1	N	356
	14	1.15	5.5	0.94	6.6	0.76	6.4	0.49	5.3	N	4
	16	1.21	7.0	0.98	7.0	0.78	6.7	0.50	5.3		
	18	1.28	7.4	0.95	7.5	0.77	7.2	0.48	5.4	N	0
	20	1.12	5.6	0.83	7.4	0.68	6.8	0.44	5.2	N	0
	22	1.16	6.7	0.82	6.7	0.66	6.7	0.41	5.1	N	0
	最大	1.99	7.9	1.28	7.5	1.02	7.1	0.65	6.1		
	平均	1.39	6.5	1.05	7.0	0.84	6.9	0.53	5.5		
02	00	1.09	8.9	0.88	7.6	0.70	7.5	0.44	5.9		
	02	* 1.39	7.3	* 1.05	7.4	* 0.81	7.4	* 0.51	5.8	N	0
	04	1.20	6.5	0.88	6.9	0.74	6.9	0.48	6.0	N	8
	06	1.25	7.1	0.84	7.1	0.67	6.9	0.43	5.7	N	0
	08	1.14	7.0	0.85	6.6	0.71	6.6	0.46	5.7	N	356
	10	1.08	5.9	0.80	6.9	0.64	6.5	0.41	5.1	N	0
	12	1.05	7.1	0.83	6.3	0.66	6.1	0.42	4.9	N	356
	14	0.96	7.9	0.77	7.1	0.61	6.6	0.37	4.8	N	0
	16	1.05	7.1	0.77	7.5	0.61	7.1	0.38	5.4	N	352
	18	0.90	7.2	0.72	7.1	0.58	7.0	0.38	5.6	N	0
	20	1.02	6.9	0.76	7.1	0.60	7.0	0.38	5.4	N	0
	22	1.08	6.2	0.76	6.6	0.60	6.4	0.37	5.2	N	0
	最大	1.39	7.3	1.05	7.4	0.81	7.4	0.51	5.8		
	平均	1.10	7.1	0.83	7.0	0.66	6.8	0.42	5.5		
03	00	* 1.12	6.9	* 0.77	6.5	* 0.61	6.5	* 0.39	5.4	N	0
	02	0.90	5.7	0.69	6.0	0.54	6.2	0.35	5.3	N	8
	04	0.79	5.9	0.59	5.7	0.47	5.6	0.30	4.6	NNE	16
	06	0.85	4.8	0.58	5.5	0.46	5.3	0.30	4.5	N	0
	08	0.73	5.2	0.54	5.3	0.43	5.3	0.27	4.2	N	4
	10	0.61	5.4	0.48	5.5	0.39	5.5	0.25	4.6	NNE	20
	12	0.53	5.6	0.41	5.4	0.33	5.2	0.21	4.1	NNW	340
	14	0.47	5.1	0.38	5.9	0.30	5.5	0.20	4.2	N	0
	16	0.53	7.4	0.42	5.6	0.33	5.4	0.21	4.3	N	0
	18	0.60	5.2	0.45	4.8	0.36	5.0	0.23	4.4	N	4
	20	0.61	6.2	0.42	4.9	0.33	4.5	0.21	3.6	N	1
	22	0.55	3.7	0.43	4.7	0.36	4.6	0.24	4.0	WSW	245
	最大	1.12	6.9	0.77	6.5	0.61	6.5	0.39	5.4		
	平均	0.69	5.6	0.51	5.5	0.41	5.4	0.26	4.4		
04	00	0.56	3.5	0.43	4.2	0.36	4.3	0.23	3.8		
	02	0.61	3.4	0.43	4.0	0.34	4.0	0.22	3.7		
	04	0.57	4.1	0.42	4.2	0.32	4.3	0.21	3.7	NNE	15
	06	0.53	3.8	0.38	4.2	0.30	4.1	0.19	3.6	N	352
	08	0.52	3.5	0.32	4.1	0.26	4.2	0.16	3.5	N	4
	10	0.38	4.2	0.29	4.5	0.23	4.3	0.15	3.5	N	2
	12	0.36	3.9	0.26	4.7	0.21	4.8	0.14	3.6	N	3
	14	0.34	4.0	0.25	4.7	0.19	4.6	0.13	3.4	N	6
	16	0.32	2.7	0.25	4.5	0.20	4.4	0.13	3.5	N	7
	18	0.42	3.1	0.33	3.7	0.27	3.9	0.18	3.3	N	5
	20	0.96	4.1	0.70	4.2	0.56	4.1	0.36	3.7		
	22	* 1.34	4.6	* 1.07	5.0	* 0.89	4.9	* 0.56	4.1	N	8
	最大	1.34	4.6	1.07	5.0	0.89	4.9	0.56	4.1		

	平均	0.58	3.7	0.43	4.3	0.34	4.3	0.22	3.6		
05	00	1.05	4.9	0.69	4.7	0.54	4.7	0.34	4.0	WSW	252
	02	1.02	4.3	0.61	4.0	0.49	4.1	0.32	3.6	W	269
	04	0.92	3.6	0.72	4.2	0.58	4.1	0.38	3.7	N	354
	06	* 1.43	4.8	1.02	4.8	0.80	4.8	0.52	4.1	NNE	21
	08	1.20	4.8	0.99	5.0	0.81	5.1	0.52	4.5	N	8
	10	* 1.43	4.8	* 1.11	5.1	* 0.85	5.1	* 0.54	4.4	NNE	12
	12	1.18	4.8	0.97	4.9	0.78	5.1	0.51	4.3	NNE	20
	14	1.17	5.0	0.75	4.7	0.59	4.9	0.38	4.2	N	8
	16	0.93	4.7	0.68	5.0	0.54	5.2	0.35	4.5	N	8
	18	1.13	5.0	0.62	5.2	0.49	5.2	0.31	4.3	NNE	20
	20	0.92	6.1	0.63	5.4	0.50	5.3	0.32	4.5	NNE	33
	22	0.76	5.4	0.63	5.1	0.52	5.2	0.33	4.5	NNE	16
	最大	1.43	4.8	1.11	5.1	0.85	5.1	0.54	4.4		
	平均	1.10	4.9	0.79	4.8	0.62	4.9	0.40	4.2		
06	00	* 1.27	5.4	* 0.75	5.6	* 0.59	5.5	* 0.38	4.7	NNE	12
	02	0.76	5.3	0.60	5.8	0.48	5.7	0.31	4.9	N	4
	04	0.75	6.3	0.52	6.4	0.42	6.0	0.27	4.9	NNE	20
	06	0.69	5.2	0.45	6.2	0.35	6.1	0.22	4.6	NNE	16
	08	0.57	7.4	0.46	7.1	0.37	7.1	0.23	5.1	NNE	16
	10	0.48	6.5	0.35	6.5	0.29	6.2	0.18	4.5	NNE	12
	12	0.69	5.0	0.47	5.8	0.38	5.7	0.25	4.6	N	0
	14	0.70	6.1	0.54	6.7	0.44	6.0	0.27	4.8	NNE	16
	16	0.61	4.9	0.49	6.0	0.40	5.8	0.26	4.7	NNE	16
	18	0.63	6.9	0.53	6.1	0.42	6.0	0.26	4.8	NNE	20
	20	0.67	5.8	0.48	5.2	0.36	5.4	0.22	4.3	NNE	12
	22	0.42	6.7	0.35	4.9	0.28	5.0	0.18	4.1	WSW	237
	最大	1.27	5.4	0.75	5.6	0.59	5.5	0.38	4.7		
	平均	0.69	6.0	0.50	6.0	0.40	5.9	0.25	4.7		
07	00	0.51	4.5	0.34	5.2	0.27	5.0	0.18	4.2	N	4
	02	0.39	6.3	0.31	5.3	0.24	5.1	0.16	4.0	W	278
	04	0.42	5.9	0.30	5.4	0.24	5.1	0.15	4.0		
	06	0.41	4.9	0.27	4.8	0.22	4.7	0.14	3.7	NNW	348
	08	0.35	4.6	0.28	5.2	0.23	5.1	0.15	3.7	WSW	245
	10	0.60	4.9	0.48	3.7	0.39	3.9	0.26	3.4	N	355
	12	0.85	4.1	0.64	4.1	0.51	4.1	0.33	3.6	N	351
	14	* 0.90	4.3	* 0.72	4.3	* 0.58	4.4	* 0.38	3.8	NNE	14
	16	0.77	4.7	0.56	4.2	0.46	4.4	0.30	3.8	N	5
	18	0.81	3.8	0.51	3.9	0.40	4.0	0.25	3.5	NNW	335
	20	0.71	4.2	0.58	4.3	0.46	4.3	0.29	3.7	WNW	282
	22	0.88	4.1	0.67	4.4	0.53	4.4	0.33	3.9	NNE	12
	最大	0.90	4.3	0.72	4.3	0.58	4.4	0.38	3.8		
	平均	0.63	4.7	0.47	4.6	0.38	4.5	0.24	3.8		
08	00	* 1.07	4.3	* 0.64	4.4	* 0.48	4.6	* 0.31	4.1		
	02	0.71	4.3	0.57	4.3	0.46	4.2	0.29	3.7	WSW	246
	04	0.73	4.5	0.56	4.5	0.44	4.4	0.29	4.1		
	06	0.96	4.0	0.64	4.1	0.48	4.3	0.31	3.9	NNE	21
	08	0.75	4.2	0.55	4.5	0.45	4.4	0.29	4.0	SW	220
	10	0.65	5.2	0.53	4.6	0.43	4.6	0.28	4.0	WSW	240
	12	0.68	4.8	0.48	4.9	0.40	4.6	0.26	4.0		
	14	0.71	4.3	0.51	4.7	0.40	4.8	0.26	3.9		
	16	0.59	4.1	0.44	4.6	0.35	4.6	0.23	3.7	N	0
	18	0.70	5.4	0.47	5.3	0.38	5.1	0.24	4.0	N	4
	20	0.56	4.2	0.42	4.7	0.34	4.6	0.22	3.7	NNE	16
	22	0.65	5.5	0.49	4.9	0.39	4.9	0.26	4.2		
	最大	1.07	4.3	0.64	4.4	0.48	4.6	0.31	4.1		
	平均	0.73	4.6	0.53	4.6	0.42	4.6	0.27	3.9		
09	00	0.66	5.5	0.49	5.4	0.39	5.4	0.25	4.4	NNE	12
	02	0.79	5.8	* 0.57	5.4	* 0.45	5.6	* 0.29	4.8		
	04	0.79	5.3	0.55	5.3	0.44	5.4	0.29	4.5	N	356
	06	* 0.82	4.8	0.54	5.1	0.42	5.2	0.28	4.4	N	8
	08	0.62	4.8	0.47	4.8	0.38	4.9	0.25	4.1	N	8
	10	0.52	4.9	0.39	5.2	0.33	5.2	0.22	4.4	N	0
	12	0.47	3.4	0.34	4.9	0.28	4.9	0.19	3.9	NNE	16
	14	0.44	5.8	0.34	5.3	0.26	5.1	0.16	3.7	N	4
	16	0.58	4.9	0.37	5.3	0.29	5.0	0.19	3.8	NNE	25
	18	0.59	5.4	0.37	4.2	0.31	4.4	0.20	3.5	NW	319
	20	0.51	4.3	0.39	4.5	0.31	4.5	0.20	3.6	WSW	247
	22	0.55	4.9	0.38	4.3	0.31	4.4	0.20	3.7	WNW	292

			2023年10月10日											
			00	02	04	06	08	10	12	14	16	18		
10	最大	0.82	4.8	0.57	5.4	0.45	5.6	0.29	4.8					
	平均	0.61	5.0	0.43	5.0	0.35	5.0	0.23	4.1					
	00	0.42	5.4	0.34	4.6	0.28	4.4	0.18	3.6	WNW	288			
	02	0.51	3.3	0.35	4.4	0.28	4.3	0.18	3.4	SW	225			
	04	0.46	4.2	0.34	4.7	0.27	4.3	0.18	3.4	SW	225			
	06	0.47	4.7	0.31	4.7	0.25	4.5	0.16	3.5	N	357			
	08	0.40	5.3	0.25	5.0	0.20	4.9	0.13	3.5	N	356			
	10	0.45	5.3	0.33	5.3	0.25	4.8	0.16	3.3	NNW	327			
	12	0.39	6.6	0.27	5.2	0.22	4.9	0.15	3.4	NNE	20			
	14	0.41	6.2	0.32	4.5	0.25	4.2	0.16	3.1	WNW	283			
	16	0.59	6.5	0.35	5.6	0.27	5.0	0.17	3.6	N	4			
	18	0.67	3.2	0.53	3.0	0.42	3.2	0.28	2.9	W	281			
	20	* 0.97	2.6	* 0.70	3.3	* 0.56	3.4	* 0.36	2.9	W	259			
	22	0.75	3.2	0.51	3.6	0.42	3.6	0.27	2.9	N	359			
11	最大	0.97	2.6	0.70	3.3	0.56	3.4	0.36	2.9					
	平均	0.54	4.7	0.38	4.5	0.31	4.3	0.20	3.3					
	00	0.86	3.5	0.61	3.6	0.48	3.5	0.32	3.1	NNW	336			
	02	0.65	5.3	0.47	4.1	0.38	4.1	0.25	3.2	NNE	29			
	04	0.61	7.5	0.48	6.1	0.39	5.6	0.24	3.8	N	352			
	06	0.89	6.7	0.77	7.3	0.61	7.1	0.35	4.9	WSW	254			
	08	1.56	6.9	1.17	6.8	0.92	6.8	0.59	5.8	W	278			
	10	1.58	6.1	1.17	6.4	0.94	6.7	0.61	5.9	W	274			
	12	1.48	7.1	1.20	7.1	0.93	6.7	0.60	5.9	WNW	299			
	14	1.99	7.1	1.61	6.9	1.28	6.9	0.82	6.3	NW	311			
	16	2.53	7.1	* 1.95	7.2	* 1.51	7.2	* 0.94	6.4	WNW	290			
	18	* 2.82	6.6	1.80	6.8	1.44	6.7	0.90	6.1	WNW	290			
	20	2.10	6.9	1.52	6.5	1.20	6.6	0.79	5.7	WNW	299			
	22	2.19	6.1	1.56	6.3	1.24	6.3	0.78	5.4	WNW	290			
12	最大	2.82	6.6	1.95	7.2	1.51	7.2	0.94	6.4					
	平均	1.61	6.4	1.19	6.3	0.94	6.2	0.60	5.2					
	00	* 2.07	6.3	1.44	6.1	* 1.19	6.1	* 0.77	5.6	WNW	286			
	02	1.61	6.1	1.19	6.4	0.97	6.0	0.63	5.0	NNW	331			
	04	1.47	5.8	1.19	6.2	0.95	6.1	0.59	5.0	NW	323			
	06	1.51	7.6	1.15	6.8	0.91	6.5	0.59	5.8	NNW	335			
	08	1.57	6.5	1.13	6.7	0.91	6.8	0.58	5.7	NNW	344			
	10	1.83	6.6	1.39	7.0	1.10	6.8	0.72	6.2	NNW	335			
	12	1.84	7.0	1.34	6.5	1.05	6.8	0.69	6.0	N	352			
	14	1.79	7.1	1.33	6.9	1.04	7.1	0.68	6.3					
	16	2.03	7.3	* 1.45	7.2	1.17	7.3	0.75	6.1	NNW	331			
	18	2.05	7.5	1.37	7.2	1.07	7.0	0.68	5.8	NNW	340			
	20	1.54	8.1	1.41	7.2	1.17	7.1	0.74	5.9	NNW	335			
	22	1.61	7.1	1.31	7.0	1.02	6.8	0.63	5.5	NNW	340			
13	最大	2.07	6.3	1.45	7.2	1.19	6.1	0.77	5.6					
	平均	1.74	6.9	1.31	6.8	1.05	6.7	0.67	5.7					
	00	1.73	7.7	1.31	6.8	1.03	6.7	0.65	5.4	NNW	335			
	02	1.70	6.3	1.24	7.1	0.99	7.0	0.65	5.5	NNW	344			
	04	1.58	7.3	1.33	7.3	1.07	7.1	0.69	5.7	NNW	344			
	06	1.64	6.3	* 1.34	6.9	* 1.09	6.9	* 0.69	5.8	N	352			
	08	1.65	7.7	1.25	6.4	1.00	6.5	0.64	5.2	NNW	348			
	10	1.57	6.8	1.11	6.9	0.90	6.5	0.56	5.3	N	352			
	12	1.44	7.7	1.18	7.0	0.95	6.8	0.63	5.6	N	352			
	14	1.34	8.2	1.09	6.7	0.90	6.4	0.57	5.4	N	352			
	16	* 1.82	7.2	1.31	7.3	1.05	7.3	0.67	6.1	NNW	348			
	18	1.60	8.3	1.29	7.0	1.03	7.1	0.66	5.8	NNW	348			
	20	1.61	6.9	1.25	6.8	1.03	6.8	0.67	5.8	NNW	344			
	22	1.61	5.1	1.08	6.6	0.89	6.5	0.57	5.3	N	356			
14	最大	1.82	7.2	1.34	6.9	1.09	6.9	0.69	5.8					
	平均	1.61	7.1	1.23	6.9	0.99	6.8	0.64	5.6					
	00	1.40	6.0	* 1.21	6.9	* 0.96	6.8	0.59	5.2	N	352			
	02	1.46	6.9	1.19	6.7	0.95	6.6	* 0.60	5.4	N	356			
	04	1.46	7.0	1.10	6.6	0.88	6.7	0.56	5.5	N	352			
	06	* 1.62	6.8	1.04	7.2	0.87	6.9	0.58	5.9	N	0			
	08	1.61	6.7	0.96	6.4	0.76	6.7	0.49	5.8	N	356			
	10	1.38	5.8	0.84	6.6	0.64	6.5	0.41	5.7	N	352			
	12	1.13	6.5	0.80	6.8	0.61	6.5	0.37	5.3	N	352			
	14	0.83	6.4	0.65	6.1	0.53	5.9	0.33	5.0	N	352			

	12	* 0.69	3.4	* 0.52	3.5	* 0.43	3.4	* 0.28	3.0	NW	324
	14	0.63	5.5	0.39	4.3	0.31	4.1	0.20	3.2	NNW	343
	16	0.46	3.2	0.33	3.9	0.27	3.8	0.18	3.0	SW	223
	18	0.37	4.6	0.29	4.3	0.24	3.9	0.15	3.0	N	355
	20	0.42	4.2	0.34	4.2	0.27	3.9	0.18	3.1	W	265
	22	0.56	3.0	0.38	3.8	0.31	3.8	0.20	3.2		
	最大										
	平均	0.69	3.4	0.52	3.5	0.43	3.4	0.28	3.0		
		0.50	4.6	0.37	4.6	0.30	4.5	0.19	3.7		
20	00	0.59	3.3	0.42	3.5	0.35	3.5	0.23	3.1	N	6
	02	0.79	3.3	0.58	3.5	0.47	3.7	0.31	3.3	N	6
	04	1.03	3.2	0.75	3.8	0.61	3.9	0.39	3.6		
	06	* 1.11	3.9	* 0.85	4.0	* 0.67	4.1	* 0.42	3.8	W	264
	08	0.92	3.6	0.70	3.8	0.57	3.8	0.36	3.6	WSW	246
	10	0.85	3.9	0.66	3.7	0.53	3.8	0.34	3.6		
	12										
	14	0.70	3.6	0.58	3.6	0.46	3.7	0.30	3.5	SW	224
	16	0.60	4.1	0.49	3.8	0.41	3.8	0.27	3.5	SW	228
	18	0.71	3.5	0.44	3.6	0.35	3.6	0.23	3.3	NW	308
	20	0.44	3.8	0.36	4.0	0.29	4.0	0.20	3.5	SW	230
	22	0.61	4.4	0.44	3.8	0.36	4.0	0.23	3.4	SW	233
	最大										
	平均	1.11	3.9	0.85	4.0	0.67	4.1	0.42	3.8		
		0.75	3.8	0.57	3.8	0.46	3.9	0.30	3.5		
21	00	0.80	5.7	0.60	5.6	0.47	5.3	0.29	4.1	NW	307
	02	0.86	6.1	0.68	5.1	0.53	5.0	0.33	4.0	NW	311
	04	0.71	3.9	0.57	4.5	0.47	4.4	0.31	3.9	W	266
	06	0.76	5.4	0.49	4.2	0.39	4.3	0.25	3.6	SW	236
	08	0.53	6.4	0.40	5.1	0.33	4.8	0.22	3.8	NNE	13
	10	0.65	5.6	0.50	5.5	0.39	5.0	0.25	3.8	NW	315
	12										
	14	0.69	5.7	0.52	5.7	0.41	5.7	0.25	4.6	NW	315
	16	0.87	5.9	0.69	5.4	0.55	5.4	0.35	4.3	W	274
	18	0.90	4.6	* 0.72	4.9	* 0.58	5.1	* 0.37	4.3	NNW	331
	20	0.77	4.1	0.65	4.8	0.53	5.1	0.35	4.4	NW	307
	22	0.74	5.3	0.61	5.1	0.51	5.1	0.33	4.5	NNW	340
	最大										
	平均	0.92	4.6	0.72	4.9	0.58	5.1	0.37	4.3		
		0.77	5.3	0.59	5.1	0.47	5.0	0.30	4.1		
22	00	0.83	5.1	* 0.64	5.2	* 0.54	5.0	* 0.34	4.3	NW	323
	02	* 0.85	4.3	0.57	4.6	0.46	4.7	0.30	4.2	WSW	253
	04	0.74	4.7	0.56	4.7	0.44	4.7	0.29	4.1	NNE	19
	06	0.72	4.3	0.52	4.7	0.42	4.7	0.26	3.8	WSW	255
	08	0.60	4.8	0.42	4.7	0.33	4.4	0.21	3.7	N	1
	10	0.49	5.0	0.37	4.7	0.28	4.8	0.18	4.0	N	6
	12										
	14	0.36	4.6	0.29	5.0	0.23	5.0	0.14	3.9	WNW	282
	16	0.39	4.3	0.31	4.6	0.25	4.7	0.15	3.8	N	6
	18	0.36	4.3	0.28	4.4	0.23	4.4	0.15	3.6	N	357
	20	0.40	4.0	0.27	4.6	0.22	4.5	0.15	3.6	N	2
	22	0.44	3.8	0.28	4.4	0.23	4.2	0.15	3.4	NNE	20
	最大										
	平均	0.85	4.3	0.64	5.2	0.54	5.0	0.34	4.3		
		0.54	4.4	0.40	4.7	0.32	4.6	0.20	3.8		
23	00	0.39	2.8	0.29	4.1	0.24	3.9	0.16	3.4	NNW	333
	02	0.43	3.9	0.30	4.1	0.24	4.1	0.16	3.4	NW	307
	04	* 0.51	3.7	* 0.35	4.0	* 0.28	4.1	* 0.19	3.7	NNE	14
	06	0.36	3.3	0.25	4.1	0.20	4.1	0.13	3.3	NNE	12
	08	0.39	4.9	0.25	3.9	0.19	3.8	0.12	3.1	N	5
	10	0.35	3.0	0.27	3.7	0.21	3.9	0.14	3.1	N	4
	12										
	14	0.49	3.3	0.34	3.5	0.26	3.7	0.17	3.2	NNE	14
	16	0.36	3.8	0.27	4.0	0.21	3.8	0.13	3.1	N	9
	18	0.32	4.2	0.23	3.8	0.18	3.8	0.12	3.1	NNW	331
	20	0.42	3.3	0.28	3.3	0.22	3.5	0.14	2.9	N	351
	22	0.35	2.8	0.26	3.4	0.22	3.5	0.14	3.0	N	11
	最大										
	平均	0.51	3.7	0.35	4.0	0.28	4.1	0.19	3.7		
		0.40	3.5	0.28	3.8	0.22	3.8	0.14	3.2		
24	00	0.37	3.3	0.24	3.3	0.20	3.5	0.14	3.1	N	8
	02	0.33	3.2	0.27	3.5	0.21	3.4	0.14	3.0	N	354

	04		* 0.41	3.2	0.24	3.4	0.19	3.5	0.13	3.0	N	0	
	06		0.40	3.9	* 0.29	3.7	* 0.23	3.7	* 0.14	3.2	N	8	
	08		0.28	2.6	0.20	3.7	0.16	3.7	0.11	3.1	NNE	25	
	10		0.22	3.4	0.16	5.2	0.13	4.7	0.09	3.4	NNE	26	
	12		0.21	3.7	0.16	4.7	0.14	4.2	0.09	3.0	N	6	
	14		0.24	3.5	0.18	4.6	0.14	4.2	0.10	3.1	N	6	
	16		0.29	4.5	0.21	4.3	0.16	4.1	0.11	3.1	NNW	344	
	18		0.24	4.1	0.19	4.3	0.16	4.1	0.10	3.1	N	0	
	20		0.28	3.5	0.20	4.5	0.15	4.3	0.10	3.3			
	22		0.28	3.7	0.21	3.9	0.17	4.0	0.11	3.3	N	6	
	最大		0.41	3.2	0.29	3.7	0.23	3.7	0.14	3.2			
	平均		0.30	3.6	0.21	4.1	0.17	4.0	0.11	3.1			
25	00		0.30	4.1	0.23	4.3	0.19	4.1	0.12	3.4	SW	231	
	02		0.27	3.4	0.21	4.2	0.17	4.2	0.11	3.5	NNE	22	
	04		0.25	3.5	0.20	4.8	0.16	4.8	0.11	3.6	N	353	
	06		0.30	3.5	0.23	3.6	0.19	3.7	0.13	3.1	N	7	
	08		* 0.38	3.4	* 0.25	3.7	* 0.20	3.7	* 0.14	3.1	NNW	338	
	10		0.29	3.7	0.20	4.0	0.16	4.0	0.11	3.2	NNE	13	
	12		0.25	3.9	0.18	3.7	0.15	3.7	0.10	2.9	NNE	12	
	14		0.22	5.2	0.18	3.5	0.14	3.4	0.10	2.7	N	0	
	16		0.20	4.1	0.15	4.1	0.13	4.0	0.09	3.0	NNW	337	
	18		0.16	4.1	0.12	4.1	0.10	3.8	0.07	2.9	N	3	
	20		0.18	6.2	0.14	5.2	0.12	4.7	0.08	3.3	N	2	
	22		0.26	6.2	0.20	6.0	0.16	5.3	0.10	3.8	NNW	344	
	最大		0.38	3.4	0.25	3.7	0.20	3.7	0.14	3.1			
	平均		0.26	4.3	0.19	4.3	0.16	4.1	0.11	3.2			
	26	00		0.19	4.9	0.14	5.0	0.11	4.2	0.08	2.9		
		02		0.19	10.0	0.14	5.1	0.11	4.0	0.08	2.9	SW	225
		04		0.41	4.0	0.31	3.8	0.25	3.7	0.16	3.0	NNE	20
		06		0.49	3.8	0.39	3.6	0.31	3.7	0.20	3.2	N	4
		08		* 0.79	4.3	0.50	4.6	0.40	4.6	* 0.27	3.9	WNW	296
		10		0.52	4.5	0.42	4.1	0.34	4.2	0.23	3.7	N	8
12			0.57	4.5	0.45	4.3	0.35	4.3	0.23	3.6	N	6	
14			0.53	4.3	0.40	4.4	0.32	4.2	0.20	3.4	NNE	22	
16			0.53	3.9	0.40	4.1	0.32	4.1	0.21	3.5	NNE	12	
18			0.61	4.0	0.45	4.3	0.36	4.3	0.22	3.6	NNW	342	
	20		0.70	3.6	* 0.51	4.3	* 0.41	4.4	0.26	3.8	N	4	
	22		0.60	4.1	0.42	4.1	0.32	4.2	0.21	3.6	N	7	
	最大		0.79	4.3	0.51	4.3	0.41	4.4	0.27	3.9			
	平均		0.51	4.7	0.38	4.3	0.30	4.2	0.20	3.4			
	27	00		* 0.57	3.7	* 0.40	3.8	* 0.32	3.9	* 0.21	3.5	W	280
		02		0.44	3.7	0.33	4.0	0.26	3.9	0.17	3.2		
		04		0.43	3.6	0.32	4.0	0.26	4.0	0.17	3.3	WSW	241
		06		0.33	3.6	0.28	3.7	0.22	3.8	0.15	3.3	SW	224
		08		0.34	4.0	0.26	3.8	0.21	3.7	0.15	3.2	SW	223
		10		0.35	5.4	0.25	3.8	0.20	3.8	0.13	3.3	NNW	335
12			0.31	3.2	0.24	4.0	0.19	3.8	0.13	3.2	W	276	
14			0.29	3.7	0.22	3.8	0.18	3.8	0.12	3.0	WNW	301	
16			0.29	6.5	0.22	4.2	0.18	3.9	0.12	3.3	N	7	
18			0.27	3.8	0.19	4.3	0.16	3.9	0.11	3.1	WSW	241	
	20		0.26	4.0	0.19	4.2	0.15	4.1	0.10	3.2	SW	222	
	22		0.21	3.6	0.16	4.1	0.13	4.0	0.09	3.1	NNE	27	
	最大		0.57	3.7	0.40	3.8	0.32	3.9	0.21	3.5			
	平均		0.34	4.1	0.26	4.0	0.21	3.9	0.14	3.2			
	28	00		0.21	5.3	0.16	4.5	0.13	4.3	0.09	3.3	SW	225
		02		0.17	3.6	0.14	4.6	0.11	4.3	0.08	3.2	NNE	14
		04		0.19	4.6	0.15	5.0	0.12	4.7	0.08	3.4	NNE	28
		06		0.16	4.8	0.13	4.3	0.11	4.2	0.07	3.1	WNW	291
		08		0.22	3.4	0.16	4.0	0.12	4.1	0.08	3.1	WNW	296
		10		0.28	7.3	0.19	3.5	0.16	3.4	0.11	2.6	N	4
12			0.20	5.2	0.18	3.7	0.15	3.4	0.10	2.6	NNW	344	
14			1.02	4.5	0.76	4.6	0.61	4.5	0.41	4.0	N	1	
16			* 1.21	5.8	* 0.89	4.8	* 0.72	4.7	* 0.45	4.2	NNE	22	
18			1.17	4.3	0.80	4.8	0.65	4.9	0.43	4.4	W	270	
20	欠测												
22	欠测												
	最大		1.21	5.8	0.89	4.8	0.72	4.7	0.45	4.2			

	平均	0.48	4.9	0.36	4.4	0.29	4.3	0.19	3.4		
29	00	欠測									
	02	0.64	5.0	0.48	4.7	0.40	4.6	0.26	3.9	N	357
	04	0.83	4.2	0.55	4.7	0.45	4.5	0.29	3.9	W	269
	06	0.73	4.8	0.55	4.6	0.44	4.7	0.28	3.9	N	5
	08	0.86	5.0	0.61	5.1	0.50	5.1	0.31	4.1	NW	315
	10	0.78	5.2	0.54	5.5	0.44	5.2	0.29	4.4	WNW	286
	12	0.74	5.4	0.60	5.3	0.49	5.3	0.32	4.1	NW	311
	14	* 1.66	4.8	* 1.14	4.8	0.88	4.8	0.56	4.2	NNE	27
	16	1.52	5.2	1.08	5.5	* 0.89	5.4	0.57	4.7	NNW	331
	18	1.45	6.2	1.07	5.4	0.84	5.4	0.54	4.6	NNW	340
	20	1.34	5.7	1.07	6.0	0.84	6.0	0.55	5.0	NNW	344
	22	1.49	6.9	1.12	6.4	0.88	6.3	* 0.58	5.2	NNW	340
	最大	1.66	4.8	1.14	4.8	0.89	5.4	0.58	5.2		
	平均	1.09	5.3	0.80	5.3	0.64	5.2	0.41	4.4		
30	00	1.67	7.6	1.24	6.7	0.94	6.4	0.59	5.1	N	356
	02	1.78	8.4	1.34	7.3	1.06	7.1	0.67	5.5	N	352
	04	1.62	7.7	1.32	8.3	1.11	7.6	0.71	6.0	N	352
	06	* 1.79	9.2	* 1.42	7.5	* 1.14	7.2	* 0.72	5.6	N	0
	08	1.77	6.0	1.29	7.5	1.01	6.9	0.64	5.1	N	352
	10	1.43	5.9	1.05	6.7	0.86	6.5	0.55	5.1	N	356
	12	1.45	7.0	1.12	6.5	0.90	6.6	0.57	5.0	N	352
	14	1.30	6.1	1.05	6.0	0.82	5.8	0.52	4.4	NNW	348
	16	1.27	5.3	1.00	6.2	0.79	5.7	0.50	4.6	N	0
	18	1.32	6.9	0.95	6.8	0.78	6.4	0.50	4.9	N	0
	20	1.19	5.5	0.87	6.4	0.69	6.5	0.45	5.0	N	4
	22	1.18	7.2	0.86	6.6	0.68	6.2	0.43	4.9	N	8
	最大	1.79	9.2	1.42	7.5	1.14	7.2	0.72	5.6		
	平均	1.48	6.9	1.13	6.9	0.90	6.6	0.57	5.1		
31	00	* 1.23	5.9	0.89	6.0	0.68	6.0	0.41	4.8	N	8
	02	1.13	6.9	* 0.96	6.3	* 0.77	6.0	* 0.48	5.1	N	0
	04	1.02	6.1	0.80	5.9	0.65	6.0	0.42	4.8	N	4
	06	0.81	5.5	0.69	5.9	0.56	5.9	0.35	4.8	N	4
	08	0.87	5.1	0.66	5.7	0.53	5.8	0.33	4.4	N	4
	10	0.85	5.6	0.62	5.6	0.50	5.7	0.32	4.7	N	4
	12	0.86	5.8	0.57	5.8	0.44	5.7	0.28	4.8	N	8
	14	0.66	6.0	0.51	6.0	0.40	6.0	0.25	4.7	N	0
	16	0.60	5.7	0.45	5.8	0.37	5.7	0.23	4.6	N	8
	18	0.55	4.8	0.40	5.8	0.33	5.6	0.21	4.6	N	0
	20	0.42	6.3	0.35	5.4	0.28	5.6	0.17	4.3	NNE	16
	22	0.46	5.7	0.32	5.6	0.26	5.5	0.17	4.6	N	8
	最大	1.23	5.9	0.96	6.3	0.77	6.0	0.48	5.1		
	平均	0.79	5.8	0.60	5.8	0.48	5.8	0.30	4.7		
	月最大	2.82	6.6	1.95	7.2	1.51	7.2	0.94	6.4		
	起時	1118		1116		1116		1116			
	平均	0.89	5.2	0.66	5.2	0.53	5.2	0.34	4.3		

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	331 回
欠測回数	0 回	欠測回数	41 回
欠測率	0.0 %	欠測率	11.0 %

機種：波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	0.37	5.3	0.29	5.6	0.23	5.5	0.15	4.3	N	8	
	02	0.36	6.8	0.28	5.5	0.22	5.6	0.13	3.9	N	8	
	04	0.40	5.9	0.30	4.9	0.24	4.6	0.16	3.4	NNE	27	
	06	0.44	6.3	0.35	3.6	0.28	3.7	0.18	3.0	NW	312	
	08	0.38	3.1	0.29	4.0	0.24	3.9	0.16	3.2	WSW	252	
	10	0.48	3.8	0.35	3.3	0.28	3.4	0.18	3.0	NNE	14	
	12	0.61	3.3	0.48	3.4	0.38	3.5	0.24	3.1	NNW	327	
	14	* 0.70	3.1	* 0.52	3.4	* 0.40	3.6	* 0.26	3.1	WNW	288	
	16	0.64	3.6	0.50	3.6	0.39	3.6	0.25	3.3	W	270	
	18	0.53	4.3	0.35	3.7	0.28	3.7	0.19	3.3	N	350	
	20	0.34	3.3	0.27	4.2	0.23	4.0	0.15	3.2	N	1	
	22	0.34	3.9	0.26	3.7	0.21	3.8	0.14	3.0	NNW	346	
	最大 平均	0.70	3.1	0.52	3.4	0.40	3.6	0.26	3.1			
		0.47	4.4	0.35	4.1	0.28	4.1	0.18	3.3			
	02	00	0.39	4.2	0.30	3.6	0.24	3.5	0.16	3.1	W	275
		02	0.51	2.7	0.34	3.2	0.26	3.4	0.17	3.1	WNW	297
04		0.42	3.4	0.34	3.4	0.27	3.6	0.18	3.2	NNE	31	
06		0.58	3.3	0.41	3.5	0.32	3.7	0.21	3.3	WNW	299	
08		0.55	3.5	0.38	3.5	0.30	3.8	0.20	3.3	WNW	296	
10		0.39	5.8	0.29	5.3	0.23	4.8	0.15	3.6	W	268	
12		0.38	2.8	0.24	4.9	0.19	4.5	0.13	3.2	N	8	
14		0.47	4.2	0.36	4.1	0.29	4.1	0.19	3.7	WNW	291	
16		0.50	4.2	0.37	4.1	0.30	4.0	0.19	3.4	NW	322	
18		* 0.58	3.7	0.40	3.9	0.32	4.0	0.20	3.5	W	276	
20		0.56	4.4	0.40	4.1	0.32	4.1	0.21	3.6	W	272	
22		0.56	3.7	* 0.41	3.9	* 0.34	3.9	* 0.22	3.4			
最大 平均		0.58	3.7	0.41	3.9	0.34	3.9	0.22	3.4			
		0.49	3.8	0.35	4.0	0.28	4.0	0.18	3.4			
03		00	0.48	4.6	0.37	4.0	0.29	4.0	0.19	3.4	WSW	242
		02	0.59	5.0	0.50	4.2	0.40	4.3	0.26	3.9	SW	227
	04	0.71	4.0	0.51	4.2	0.42	4.2	0.27	3.6			
	06	0.65	3.5	0.51	3.9	0.42	3.9	0.27	3.3	NNE	30	
	08	0.65	4.0	0.48	4.3	0.40	4.2	0.26	3.7	W	271	
	10	0.74	3.9	0.52	4.2	0.42	4.3	0.27	3.5	N	0	
	12	0.91	4.8	0.64	4.1	0.51	4.0	0.33	3.5	W	259	
	14	1.31	4.8	0.81	4.2	0.65	4.3	0.41	3.5	N	356	
	16	1.28	3.6	1.05	4.6	0.82	4.6	0.53	4.0	WSW	246	
	18	1.22	3.3	1.00	4.4	0.84	4.5	0.57	4.1	SW	233	
	20	1.57	4.9	1.18	4.4	0.93	4.6	0.57	4.1	NW	312	
	22	* 1.87	4.6	* 1.39	5.1	* 1.14	5.2	* 0.70	4.4	W	274	
	最大 平均	1.87	4.6	1.39	5.1	1.14	5.2	0.70	4.4			
		1.00	4.3	0.75	4.3	0.60	4.3	0.39	3.8			
	04	00	* 1.96	6.0	* 1.66	7.0	* 1.38	6.5	* 0.90	5.3	WNW	282
		02	1.75	4.9	1.46	6.1	1.19	6.2	0.75	5.1	WNW	286
04		1.85	6.1	1.35	6.4	1.12	6.3	0.71	5.2	WNW	282	
06		1.92	7.0	1.41	6.4	1.11	6.4	0.72	5.3	WNW	286	
08		1.72	6.6	1.32	6.3	1.02	6.4	0.65	5.2	W	266	
10		1.61	5.8	1.10	6.0	0.90	6.3	0.59	5.4	W	278	
12		1.42	5.5	1.00	5.8	0.81	5.9	0.52	5.1	WNW	290	
14		1.17	6.0	0.84	6.2	0.70	5.9	0.47	5.0	NW	323	
16		1.27	5.1	0.87	5.8	0.70	5.8	0.45	4.8	NW	315	
18		1.18	5.8	0.90	5.9	0.73	5.9	0.47	4.9	NW	319	
20		1.12	5.2	0.86	5.5	0.67	5.3	0.42	4.4	NW	323	
22		1.10	4.7	0.83	5.3	0.67	5.1	0.43	4.0	NW	319	
最大 平均		1.96	6.0	1.66	7.0	1.38	6.5	0.90	5.3			

		平均	1.51	5.7	1.13	6.1	0.92	6.0	0.59	5.0		
05	00		* 1.09	4.4	* 0.77	4.9	* 0.64	4.8	* 0.41	4.1	NNW	338
	02		0.87	4.9	0.57	5.2	0.48	5.2	0.31	4.2	NW	319
	04		0.74	6.0	0.55	5.2	0.45	5.3	0.29	4.3	NW	323
	06		0.77	5.9	0.55	6.0	0.45	5.7	0.30	4.5	NNW	331
	08		0.80	6.0	0.63	5.6	0.50	5.6	0.31	4.3	NW	323
	10		0.87	5.7	0.61	6.2	0.48	6.0	0.30	4.7	NNW	340
	12		0.86	5.2	0.61	5.9	0.46	5.6	0.29	4.3	NNW	344
	14		0.72	4.8	0.54	5.4	0.44	5.7	0.28	4.4	NNW	340
	16		0.78	5.6	0.52	5.3	0.41	5.3	0.26	4.4	WNW	303
	18		0.80	6.0	0.60	5.4	0.49	5.3	0.31	4.5	NW	307
	20		0.83	5.9	0.59	5.7	0.48	5.5	0.31	4.6	NW	315
	22		0.72	5.9	0.55	5.7	0.44	5.7	0.27	4.8		
	最大		1.09	4.4	0.77	4.9	0.64	4.8	0.41	4.1		
	平均		0.82	5.5	0.59	5.5	0.48	5.5	0.30	4.4		
06	00		0.76	6.0	* 0.59	5.8	* 0.47	5.7	* 0.30	5.0	W	274
	02		0.68	6.2	0.55	5.6	0.45	5.7	* 0.30	5.0	NW	307
	04		* 0.86	5.7	0.56	6.0	0.44	5.6	0.28	4.7	NNW	327
	06		0.60	5.3	0.46	5.7	0.38	5.5	0.25	4.9	N	4
	08		0.64	4.7	0.44	5.2	0.35	5.2	0.22	4.3	NW	311
	10		0.58	4.4	0.40	5.3	0.32	5.3	0.20	4.2	WNW	282
	12		0.47	4.7	0.38	5.3	0.30	5.1	0.19	4.0	NNW	340
	14		0.53	5.2	0.42	4.9	0.34	4.8	0.22	3.8	N	8
	16		0.57	4.0	0.41	5.1	0.32	5.1	0.20	4.0	NW	307
	18		0.54	4.7	0.40	4.9	0.32	4.9	0.21	3.9		
	20		0.51	4.7	0.38	5.0	0.30	5.1	0.20	4.1	NW	315
	22		0.40	5.4	0.33	5.1	0.25	5.1	0.17	4.2		
	最大		0.86	5.7	0.59	5.8	0.47	5.7	0.30	5.0		
	平均		0.60	5.1	0.44	5.3	0.35	5.3	0.23	4.3		
07	00		0.33	5.1	0.27	5.1	0.23	5.0	0.15	4.0		
	02		0.35	4.5	0.28	5.1	0.22	5.1	0.15	4.2	N	8
	04		0.29	4.1	0.24	4.7	0.19	4.6	0.13	3.5	NNE	22
	06		0.31	4.4	0.23	4.9	0.18	4.4	0.12	3.3	N	352
	08		0.35	6.3	0.24	4.5	0.20	4.2	0.13	3.2	N	5
	10		0.47	2.9	0.31	3.6	0.25	3.5	0.16	2.8	NNE	13
	12		0.47	2.9	0.38	3.2	0.30	3.4	0.19	3.1	NNE	13
	14		* 0.64	4.0	* 0.42	3.7	* 0.33	3.8	* 0.22	3.4	SW	236
	16		0.53	3.9	0.41	3.9	0.31	4.0	0.19	3.4	NNE	18
	18		0.44	3.1	0.31	3.7	0.25	3.7	0.17	3.1		
	20		0.38	4.0	0.24	4.0	0.20	4.0	0.13	3.4	WNW	295
	22		0.31	4.5	0.21	4.6	0.17	4.6	0.12	3.8	SW	236
	最大		0.64	4.0	0.42	3.7	0.33	3.8	0.22	3.4		
	平均		0.41	4.1	0.30	4.3	0.24	4.2	0.16	3.4		
08	00		0.25	4.8	0.19	4.3	0.16	3.8	0.10	2.9	SW	228
	02		0.27	4.9	0.19	3.8	0.16	3.6	0.11	2.9	SW	227
	04		0.49	2.5	0.37	3.2	* 0.30	3.3	* 0.19	3.0	N	2
	06		0.44	3.1	0.28	3.1	0.23	3.1	0.15	2.8	WSW	242
	08		0.42	2.6	0.26	3.3	0.20	3.3	0.13	2.8	NNE	14
	10		0.48	2.7	0.29	3.1	0.22	3.2	0.14	2.8	NNE	22
	12		* 0.58	2.6	* 0.39	2.7	0.29	2.9	0.19	2.8	N	351
	14		0.53	2.5	0.36	2.8	0.28	2.9	0.18	2.8	N	352
	16		0.36	4.4	0.28	2.9	0.22	3.0	0.14	2.6	SW	229
	18		0.27	5.3	0.18	3.6	0.14	3.4	0.10	2.7	N	8
	20		0.18	7.0	0.16	4.9	0.13	4.1	0.09	3.0	N	5
	22		0.38	3.3	0.23	3.5	0.19	3.5	0.12	3.0	WSW	237
	最大		0.58	2.6	0.39	2.7	0.30	3.3	0.19	3.0		
	平均		0.39	3.8	0.27	3.4	0.21	3.3	0.14	2.8		
09	00		0.33	3.8	0.24	3.1	0.19	3.3	0.13	2.9		
	02		0.42	2.6	0.26	2.9	0.20	3.0	0.13	2.6	WSW	258
	04		* 0.68	2.7	* 0.44	3.0	* 0.34	3.0	* 0.22	2.9	NNE	13
	06		0.65	2.8	0.42	3.1	0.33	3.3	0.21	3.0	NNE	21
	08		0.45	3.4	0.33	3.4	0.26	3.4	0.17	2.9	N	5
	10		0.60	3.0	0.37	3.1	0.28	3.3	0.18	3.0	N	353
	12		0.60	2.6	0.38	2.9	0.30	3.2	0.19	2.8	NNE	22
	14		0.30	3.8	0.23	4.9	0.18	4.3	0.12	3.1		
	16		0.33	5.3	0.23	4.5	0.19	4.8	0.13	3.6	WSW	250
	18		0.34	3.9	0.26	4.2	0.22	4.2	0.14	3.4	WSW	243
	20		0.30	5.3	0.21	5.6	0.17	5.1	0.11	3.9	NW	319
	22		0.35	5.5	0.23	5.8	0.19	5.4	0.12	4.1	WNW	303

		最大	0.68	2.7	0.44	3.0	0.34	3.0	0.22	2.9		
		平均	0.45	3.7	0.30	3.9	0.24	3.9	0.15	3.2		
10	00		0.29	4.5	0.24	5.7	0.20	5.6	0.13	4.3	NNW	335
	02		0.34	5.3	0.22	5.5	0.18	5.2	0.11	3.7	WNW	299
	04		0.39	4.8	0.30	5.2	0.24	5.3	0.15	4.1	NW	319
	06		0.36	6.7	0.29	5.0	0.24	4.8	0.16	3.6	W	276
	08		0.47	5.8	0.33	4.4	0.27	4.2	0.17	3.3	W	267
	10		0.46	5.8	* 0.37	4.2	* 0.30	4.0	* 0.20	3.3	N	357
	12		0.41	5.6	0.32	5.0	0.26	4.9	0.17	3.7	WNW	282
	14	* 0.47	6.7	0.31	5.4	5.4	0.24	5.2	0.15	4.0	NW	319
	16	0.43	6.0	0.29	5.1	5.1	0.23	5.1	0.15	4.0	NNW	340
	18	0.31	5.4	0.25	5.7	5.7	0.21	5.5	0.13	4.3	NW	311
	20	0.30	4.3	0.23	5.4	5.4	0.19	5.4	0.12	4.1	NNW	344
	22	0.29	6.5	0.25	5.5	5.5	0.20	5.3	0.14	4.4	N	352
	最大		0.47	6.7	0.37	4.2	0.30	4.0	0.20	3.3		
	平均		0.38	5.6	0.28	5.2	0.23	5.0	0.15	3.9		
11	00		0.30	6.2	0.22	5.1	0.18	5.0	0.12	4.0	WNW	299
	02		0.37	4.4	0.26	4.8	0.21	4.6	0.14	3.7	N	5
	04		0.34	6.3	0.25	5.2	0.20	5.0	0.13	3.8	WNW	299
	06		0.38	4.9	0.27	5.0	0.22	4.9	* 0.15	3.7	NW	323
	08		0.42	4.4	* 0.30	4.9	* 0.23	4.4	0.15	3.4	SW	226
	10		0.34	3.7	0.26	5.2	0.22	5.0	0.14	3.6	WNW	303
	12		0.36	5.6	0.26	5.3	0.21	5.3	0.13	3.7	NW	315
	14	* 0.43	10.8	0.26	5.4	5.4	0.21	5.1	0.14	3.6	N	352
	16	0.36	5.7	0.25	5.8	5.8	0.20	5.0	0.13	3.6	NNW	340
	18	0.30	4.9	0.23	5.6	5.6	0.19	5.4	0.12	3.8	WNW	290
	20	0.35	6.0	0.23	6.3	6.3	0.18	5.4	0.11	3.5		
	22	0.38	3.1	0.25	5.3	5.3	0.19	5.3	0.12	3.7	NNW	340
	最大		0.43	10.8	0.30	4.9	0.23	4.4	0.15	3.7		
	平均		0.36	5.5	0.25	5.3	0.20	5.0	0.13	3.7		
12	00		0.41	7.2	0.24	6.1	0.19	5.7	0.12	4.1	NNW	335
	02		0.34	6.7	0.25	5.9	0.20	5.5	0.12	3.8	N	0
	04		0.36	5.9	0.25	5.8	0.20	5.5	0.13	3.9	NNW	335
	06		0.36	3.6	0.27	5.2	0.22	4.6	0.14	3.4		
	08		0.26	6.1	0.20	5.5	0.17	5.0	0.11	3.4	NNW	344
	10		0.30	6.0	0.23	5.2	0.18	4.6	0.12	3.3	N	4
	12		0.28	5.7	0.21	5.6	0.16	4.7	0.10	3.1	W	275
	14	* 0.49	3.1	* 0.32	3.2	3.2	* 0.26	3.3	* 0.17	2.8	WSW	252
	16	0.44	5.6	0.31	3.6	3.6	0.25	3.4	0.16	2.9	NNE	22
	18	0.38	4.7	0.25	4.2	4.2	0.20	3.9	0.13	3.0	WSW	248
	20	0.26	5.4	0.20	5.4	5.4	0.16	4.9	0.11	3.4		
	22	0.25	4.5	0.17	5.0	5.0	0.14	4.7	0.09	3.3	SW	222
	最大		0.49	3.1	0.32	3.2	0.26	3.3	0.17	2.8		
	平均		0.34	5.4	0.24	5.1	0.19	4.7	0.13	3.4		
13	00		0.20	4.7	0.17	5.3	0.14	4.6	0.09	3.2	WSW	239
	02		0.26	6.0	0.21	5.7	0.17	4.5	0.11	3.3	NW	316
	04		0.27	6.6	0.21	5.9	0.17	5.2	0.11	3.6		
	06		0.28	7.8	0.23	6.5	0.19	5.7	0.12	4.1		
	08		0.29	9.2	0.19	6.9	0.15	5.6	0.10	3.8		
	10		0.33	6.2	0.20	6.2	0.16	5.1	0.10	3.3	NNW	348
	12		0.25	3.7	0.20	5.1	0.16	4.3	0.11	3.1		
	14		0.29	8.2	0.20	5.1	0.16	4.2	0.10	3.0	NNE	29
	16		0.29	3.2	0.21	5.4	0.17	4.6	0.11	3.3	SW	223
	18	* 0.53	8.3	0.26	5.0	5.0	0.21	4.2	0.13	3.1	WNW	286
	20	0.39	3.8	* 0.28	5.6	5.6	* 0.22	4.8	* 0.14	3.5	WSW	251
	22	0.34	7.6	0.23	5.4	5.4	0.18	4.7	0.12	3.4	SW	228
	最大		0.53	8.3	0.28	5.6	0.22	4.8	0.14	3.5		
	平均		0.31	6.3	0.22	5.7	0.17	4.8	0.11	3.4		
14	00	* 0.40	6.6	0.25	4.6	4.6	0.20	4.3	0.13	3.3	NNE	28
	02	0.34	5.9	0.25	4.9	4.9	0.20	4.7	0.13	3.6	WSW	255
	04	0.31	10.0	0.26	6.3	6.3	0.21	5.7	0.14	4.1	WNW	303
	06	0.34	5.9	* 0.27	7.1	7.1	* 0.22	6.4	* 0.14	4.4	W	274
	08	0.35	7.8	0.23	7.4	7.4	0.17	6.2	0.11	4.1	WNW	303
	10	0.31	7.2	0.20	7.2	7.2	0.16	5.7	0.10	3.6		
	12		0.34	4.8	0.26	5.5	0.20	4.7	0.13	3.3	NNE	30
	14		0.31	2.6	0.23	3.7	0.18	3.7	0.13	2.9	W	268

	12	0.60	5.2	0.43	5.4	0.35	5.3	0.23	4.0	N	4	
	14	0.53	4.5	0.40	5.7	0.32	5.0	0.20	3.8	N	356	
	16	0.53	6.2	0.42	5.7	0.35	5.5	0.23	4.4	N	352	
	18	0.52	6.8	0.42	5.5	0.34	5.4	0.22	4.5	N	356	
	20	0.58	5.9	0.40	5.5	0.32	5.5	0.20	4.4	N	0	
	22	0.47	5.7	0.36	5.6	0.29	5.8	0.19	4.4	N	4	
	最大	0.88	6.8	0.69	6.3	0.56	6.3	0.36	5.5			
	平均	0.65	5.9	0.49	5.8	0.40	5.7	0.26	4.6			
	20	00	0.51	5.4	0.34	5.6	0.26	5.2	0.16	3.7	N	8
	02	0.40	4.9	0.29	5.4	0.24	5.3	0.15	3.8			
	04	0.38	4.6	0.28	5.3	0.23	5.2	0.15	3.8	NNE	12	
06	0.37	5.7	0.29	4.8	0.24	4.7	0.15	3.6	NNE	13		
08	0.36	3.0	0.27	4.4	0.22	4.2	0.15	3.3				
10	0.41	4.6	0.32	4.2	0.25	4.0	0.16	3.1	NW	315		
12	0.47	3.7	0.40	4.0	0.31	3.9	0.20	3.1	NW	311		
14	* 0.61	4.5	* 0.45	4.3	* 0.36	4.3	0.23	3.5	NW	307		
16	0.53	3.8	0.43	4.3	0.35	4.3	* 0.23	3.6	SW	223		
18	0.48	4.8	0.38	4.4	0.31	4.4	0.20	3.6	SW	222		
20	0.48	3.9	0.36	4.4	0.29	4.3	0.19	3.5				
22	0.51	4.4	0.39	4.2	0.32	4.3	0.21	3.9	NNE	28		
最大	0.61	4.5	0.45	4.3	0.36	4.3	0.23	3.6				
平均	0.46	4.4	0.35	4.6	0.28	4.5	0.18	3.5				
	21	00	0.57	4.4	0.43	4.3	0.35	4.3	0.22	3.8	WNW	303
	02	0.82	4.2	0.60	4.8	0.47	4.7	0.29	4.0	W	272	
	04	1.05	4.7	0.75	4.9	0.60	5.0	0.38	4.3	W	262	
	06	0.98	5.3	0.80	5.2	0.65	5.0	0.41	4.3			
	08	0.85	3.5	0.70	4.5	0.56	4.6	0.35	3.8			
	10	0.91	3.9	0.67	4.1	0.54	4.3	0.35	3.7			
	12	0.93	3.8	0.68	4.3	0.55	4.4	0.36	3.7	SW	226	
	14	0.76	4.4	0.61	4.7	0.48	4.5	0.31	3.7	NNE	30	
	16	0.87	4.8	0.70	4.9	0.57	4.9	0.36	4.2	WNW	286	
	18	1.68	5.3	1.01	5.4	0.78	5.4	0.50	4.9	WNW	286	
	20	1.81	4.9	1.17	5.3	0.94	5.4	0.60	4.8	W	278	
22	* 1.81	5.5	* 1.41	5.2	* 1.15	5.4	* 0.72	4.7	W	266		
最大	1.81	5.5	1.41	5.2	1.15	5.4	0.72	4.7				
平均	1.09	4.6	0.79	4.8	0.64	4.8	0.40	4.2				
	22	00	1.92	5.6	1.41	6.1	1.15	6.0	0.74	5.2	W	270
	02	1.81	5.9	1.36	5.9	1.06	5.9	0.68	5.2	WSW	258	
	04	1.40	5.7	1.13	5.8	0.92	5.9	0.58	4.8	W	266	
	06	1.16	5.1	0.92	5.7	0.74	5.7	0.48	4.7			
	08	1.34	6.1	1.00	6.0	0.82	5.8	0.54	4.8	WNW	282	
	10	1.81	5.9	1.45	6.0	1.16	6.0	0.74	5.0	WNW	299	
	12	2.23	5.7	1.64	5.9	1.30	5.9	0.80	4.7	WNW	282	
	14	2.06	5.9	1.58	6.0	1.20	5.9	0.73	4.7	W	278	
	16	* 2.27	6.4	* 1.71	5.8	* 1.34	5.8	0.85	4.9	W	266	
	18	2.27	5.2	1.59	5.5	1.30	5.7	* 0.86	4.9	WSW	258	
	20	1.91	4.5	1.45	5.6	1.14	5.5	0.74	4.7			
22	1.69	4.6	1.24	5.3	1.01	5.1	0.66	4.4	NNW	327		
最大	2.27	6.4	1.71	5.8	1.34	5.8	0.86	4.9				
平均	1.82	5.6	1.37	5.8	1.10	5.8	0.70	4.8				
	23	00	1.27	5.2	1.04	5.6	0.82	5.4	0.50	4.2		
	02	1.10	5.3	0.77	5.8	0.64	5.5	0.42	4.7	WNW	299	
	04	1.03	5.8	0.81	5.7	0.65	5.5	0.42	4.9	NW	315	
	06	1.08	5.6	0.80	5.7	0.64	5.7	0.40	5.0	WNW	303	
	08	1.20	6.2	0.92	5.6	0.71	5.6	0.44	4.5	WNW	286	
	10	1.40	5.7	1.11	6.0	0.87	5.9	0.56	5.2	N	4	
	12	* 1.55	5.7	1.14	6.0	0.89	6.0	0.56	5.1	NW	323	
	14	1.36	6.2	* 1.17	5.8	* 0.95	6.0	* 0.62	5.4	N	0	
	16	1.26	5.9	0.93	5.6	0.76	5.6	0.48	4.6	NNW	344	
	18	0.92	5.8	0.69	5.6	0.55	5.3	0.35	4.3	NNW	344	
	20	1.03	4.6	0.68	5.2	0.54	5.4	0.35	4.3	NW	319	
22	0.97	5.5	0.65	5.1	0.51	5.4	0.32	4.3	N	356		
最大	1.55	5.7	1.17	5.8	0.95	6.0	0.62	5.4				
平均	1.18	5.6	0.89	5.6	0.71	5.6	0.45	4.7				
	24	00	0.77	5.9	* 0.65	5.4	* 0.53	5.4	* 0.35	4.8	N	4
	02	* 0.90	5.9	0.64	5.5	0.51	5.7	0.31	4.5	NNW	348	

	04		0.88	5.0	0.63	5.5	0.50	5.4	0.31	4.6	NNW	340
	06		0.85	5.0	0.58	5.2	0.44	5.1	0.29	4.5	NNE	12
	08		0.89	5.0	0.64	4.9	0.52	5.0	0.33	4.4	NNE	12
	10		0.69	4.7	0.53	4.7	0.42	4.7	0.26	4.1	NW	308
	12		0.52	5.0	0.43	4.9	0.34	4.7	0.22	3.9	WNW	298
	14		0.54	4.2	0.37	4.8	0.31	4.6	0.20	3.7	NNE	29
	16		0.57	4.8	0.38	4.7	0.30	4.6	0.19	3.5	N	351
	18		0.42	4.6	0.29	4.8	0.23	4.8	0.15	3.6	NNE	16
	20		0.33	5.3	0.25	4.9	0.21	4.9	0.13	3.5	SW	225
	22		0.37	3.8	0.28	4.6	0.22	4.6	0.14	3.6	SW	229
	最大		0.90	5.9	0.65	5.4	0.53	5.4	0.35	4.8		
	平均		0.64	4.9	0.47	5.0	0.38	5.0	0.24	4.1		
25	00		0.38	4.3	0.31	4.5	0.25	4.5	0.16	3.8	N	1
	02		0.48	5.0	0.33	4.8	0.27	5.0	0.18	4.1	NNE	33
	04		0.51	4.3	0.32	5.4	0.27	5.3	0.17	4.2	N	0
	06		0.54	5.6	0.36	5.5	0.28	5.5	0.18	4.1	N	352
	08		0.40	9.5	0.34	7.7	0.28	6.4	0.18	4.5	NW	319
	10		0.50	10.1	0.33	6.8	0.26	5.6	0.17	3.8	NNE	25
	12		* 0.65	10.6	* 0.43	8.7	* 0.34	6.6	* 0.22	4.3		
	14		0.51	9.2	0.40	8.5	0.30	6.5	0.18	4.1	N	0
	16		0.63	9.5	0.40	9.0	0.29	7.3	0.17	4.2	N	356
	18		0.43	7.5	0.33	8.6	0.26	7.3	0.16	4.4	N	356
	20		0.46	8.2	0.36	8.6	0.28	8.2	0.17	4.9	N	352
	22		0.40	8.7	0.33	8.6	0.26	8.1	0.16	4.9	NNE	20
	最大		0.65	10.6	0.43	8.7	0.34	6.6	0.22	4.3		
	平均		0.49	7.7	0.35	7.2	0.28	6.4	0.18	4.3		
26	00		0.38	8.1	0.30	8.2	0.23	7.5	0.14	4.8	NNE	33
	02		0.28	9.1	0.24	8.1	0.19	7.2	0.12	4.5	NNW	344
	04		0.32	7.1	0.21	6.3	0.17	5.5	0.11	3.5	NNW	348
	06		0.31	7.4	0.23	6.8	0.18	5.5	0.12	3.6	NNE	20
	08		0.26	7.3	0.20	6.3	0.16	5.5	0.10	3.5	NNE	25
	10		0.40	6.3	0.24	6.2	0.19	5.7	0.12	3.7	N	8
	12		0.32	7.8	0.25	5.4	0.21	4.7	0.13	3.3	SW	225
	14		0.39	4.6	0.31	5.4	0.25	5.1	0.16	3.6		
	16		0.40	4.7	0.31	4.8	0.24	4.9	0.15	3.5	NW	315
	18		0.35	6.8	0.28	4.9	0.22	4.7	0.14	3.5		
	20		0.37	5.2	0.30	4.9	0.25	4.9	0.16	3.7	NW	323
	22		* 0.47	4.7	* 0.36	4.9	* 0.29	4.8	* 0.19	3.9	NW	316
	最大		0.47	4.7	0.36	4.9	0.29	4.8	0.19	3.9		
	平均		0.35	6.6	0.27	6.0	0.22	5.5	0.14	3.8		
27	00		0.48	4.5	0.34	4.7	0.27	4.6	0.17	3.8	WSW	237
	02		0.41	4.5	0.33	4.7	0.26	4.7	0.17	3.8	NNE	27
	04		0.53	5.1	0.40	4.8	0.32	4.7	0.19	3.8	NNE	23
	06		0.56	4.9	0.43	4.8	0.34	4.7	0.21	3.8	NNW	344
	08		* 0.62	4.1	* 0.44	4.7	* 0.35	4.6	* 0.23	3.8		
	10		0.57	4.5	0.38	4.6	0.31	4.4	0.20	3.7	WSW	241
	12		0.51	4.6	0.34	4.0	0.26	4.1	0.17	3.1	W	274
	14		0.43	3.8	0.32	3.8	0.26	3.9	0.17	3.1	W	263
	16		0.44	3.7	0.33	3.8	0.27	3.8	0.18	3.3	N	351
	18		0.41	3.9	0.31	4.1	0.25	4.0	0.16	3.2	NW	310
	20		0.44	4.7	0.33	4.5	0.26	4.3	0.17	3.4	W	263
	22		0.45	4.0	0.34	4.3	0.26	4.3	0.17	3.5		
	最大		0.62	4.1	0.44	4.7	0.35	4.6	0.23	3.8		
	平均		0.49	4.4	0.36	4.4	0.28	4.3	0.18	3.5		
28	00		0.40	4.1	0.30	4.5	0.23	4.2	0.15	3.2		
	02		0.67	3.3	0.47	3.3	0.38	3.4	0.25	3.0	NNE	28
	04		0.78	3.2	0.59	3.6	0.47	3.6	0.30	3.2	WNW	289
	06		0.73	4.1	0.57	4.0	0.46	4.0	0.30	3.5	NW	316
	08		0.70	3.4	0.55	3.7	0.45	3.9	0.29	3.3		
	10		1.32	3.7	0.81	4.1	0.64	4.0	0.41	3.7	W	274
	12		1.12	4.2	0.75	4.4	0.61	4.4	0.39	3.6		
	14		* 1.46	4.9	* 1.02	5.5	* 0.83	5.4	* 0.53	4.6	W	270
	16		1.14	5.3	0.94	4.9	0.75	4.7	0.49	4.0	W	259
	18		1.32	4.4	0.88	4.7	0.72	4.5	0.46	3.8	WSW	251
	20		1.18	4.2	0.84	4.3	0.68	4.3	0.43	3.7	W	264
	22		0.80	4.6	0.63	4.4	0.51	4.4	0.32	3.9	WNW	284
	最大		1.46	4.9	1.02	5.5	0.83	5.4	0.53	4.6		

	平均	0.97	4.1	0.70	4.3	0.56	4.2	0.36	3.6		
29	00	0.66	5.0	0.53	4.5	0.42	4.6	0.26	3.8	WSW	253
	02	0.71	4.8	0.50	4.6	0.41	4.6	0.27	3.9		
	04	0.57	4.8	0.46	4.6	0.36	4.5	0.23	3.9	SW	224
	06	0.67	4.4	0.44	4.4	0.35	4.4	0.22	3.7	N	11
	08	0.69	4.6	0.53	4.6	0.42	4.5	0.26	3.9	NNW	343
	10	0.83	4.3	* 0.58	4.5	* 0.46	4.5	0.29	4.1	NW	323
	12	0.76	4.4	0.56	4.4	0.46	4.4	* 0.30	3.8	WNW	286
	14	0.69	4.0	0.48	4.4	0.39	4.3	0.25	3.6	NW	310
	16	* 0.84	4.0	0.52	4.2	0.41	4.3	0.26	3.7	NW	313
	18	0.60	4.6	0.44	4.2	0.36	4.2	0.23	3.6	W	266
	20	0.49	4.7	0.39	4.6	0.32	4.6	0.21	3.8		
	22	0.46	3.9	0.36	4.1	0.28	4.1	0.18	3.4	NW	326
	最大	0.84	4.0	0.58	4.5	0.46	4.5	0.30	3.8		
	平均	0.66	4.5	0.48	4.4	0.39	4.4	0.25	3.8		
30	00	0.61	5.0	0.46	3.5	0.37	3.5	0.24	2.9	NW	317
	02	* 1.33	5.3	* 1.03	5.1	* 0.83	5.0	* 0.55	4.3	N	356
	04	1.08	4.1	0.78	4.9	0.61	5.0	0.39	4.2	N	8
	06	0.99	4.6	0.81	4.6	0.65	4.6	0.41	4.1	NNE	16
	08	0.50	4.7	0.42	4.8	0.34	4.8	0.22	3.8	WNW	292
	10	0.60	5.4	0.39	4.6	0.31	4.6	0.20	3.6	WNW	296
	12	0.51	4.6	0.35	4.7	0.28	4.6	0.18	3.5	W	281
	14	0.45	4.2	0.32	4.6	0.27	4.7	0.17	3.7	SW	235
	16	0.39	5.1	0.30	4.5	0.23	4.4	0.15	3.3	W	272
	18	0.41	4.4	0.29	4.6	0.23	4.4	0.14	3.3	N	351
	20	0.46	4.5	0.30	5.1	0.25	5.0	0.16	3.8	N	352
	22	0.39	4.1	0.28	4.1	0.23	4.2	0.15	3.2	WSW	249
	最大	1.33	5.3	1.03	5.1	0.83	5.0	0.55	4.3		
	平均	0.64	4.7	0.48	4.6	0.38	4.6	0.25	3.6		
31	00	0.38	4.3	0.26	4.5	0.21	4.3	0.13	3.2	WNW	299
	02	0.33	3.9	0.24	4.5	0.19	4.3	0.12	3.1	N	4
	04	0.45	4.8	0.33	5.1	0.26	4.7	0.17	3.3	WNW	284
	06	1.20	3.5	0.81	3.7	0.63	3.8	0.40	3.3	NNE	19
	08	1.13	3.7	0.90	4.0	0.72	4.1	0.46	3.7	WSW	238
	10	* 3.31	6.3	* 2.71	6.6	* 2.15	6.8	* 1.38	5.8	NNW	335
	12	2.60	7.7	2.00	6.8	1.63	6.9	1.00	5.3	N	352
	14	2.09	5.5	1.53	5.9	1.15	5.8	0.73	4.7	N	352
	16	1.83	4.7	1.25	5.1	0.94	5.2	0.59	4.2	N	352
	18	1.61	5.6	1.06	4.7	0.83	4.9	0.54	4.1	NNW	348
	20	1.42	4.5	1.13	4.8	0.90	4.8	0.57	4.0	NNE	24
	22	1.53	5.5	1.02	5.3	0.79	5.3	0.49	4.4	NNW	340
	最大	3.31	6.3	2.71	6.6	2.15	6.8	1.38	5.8		
	平均	1.49	5.0	1.10	5.1	0.87	5.1	0.55	4.1		
	月最大	3.31	6.3	2.71	6.6	2.15	6.8	1.38	5.8		
	起時	3110		3110		3110		3110			
	平均	0.68	5.2	0.50	5.2	0.40	5.0	0.26	3.9		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	358 回	測得回数	343 回
欠測回数	2 回	欠測回数	17 回
欠測率	0.6 %	欠測率	4.7 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.20	5.2	0.91	5.2	0.74	5.3	0.48	4.4	N	0
	02	1.05	5.2	0.79	5.1	0.66	5.0	0.43	4.2	NNW	348
	04	1.30	4.4	0.96	4.9	0.71	4.8	0.45	4.2	NW	307
	06	1.43	4.6	1.13	4.8	0.91	5.0	0.59	4.6	N	356
	08	* 1.65	4.9	* 1.18	5.4	0.91	5.4	0.57	4.5	N	352
	10	1.41	6.0	1.17	5.2	* 0.92	5.2	* 0.60	4.5	NNE	12
	12	1.48	5.1	1.10	4.9	0.87	4.8	0.56	4.1	NW	312
	14	1.10	5.0	0.83	4.8	0.68	4.9	0.44	4.0	N	352
	16	1.09	4.7	0.89	4.8	0.73	5.0	0.46	4.2	N	0
	18	1.35	4.6	0.88	4.9	0.71	4.8	0.45	4.1	NNE	12
	20	1.14	5.3	0.83	5.0	0.67	5.0	0.43	4.3	N	356
	22	1.03	4.9	0.77	4.8	0.62	5.0	0.38	4.2	N	356
	最大	1.65	4.9	1.18	5.4	0.92	5.2	0.60	4.5		
	平均	1.27	5.0	0.95	5.0	0.76	5.0	0.49	4.3		
02	00	0.93	4.4	* 0.66	4.9	* 0.53	4.9	* 0.34	4.3	N	356
	02	1.01	4.9	0.64	4.9	0.52	5.0	0.32	4.2	NNE	12
	04	0.88	5.1	0.61	5.0	0.48	5.1	0.31	4.4		
	06	0.72	5.4	0.63	4.9	0.51	4.9	0.32	4.2	N	352
	08	0.87	4.8	0.64	5.2	0.52	5.2	0.32	4.1	N	4
	10	* 1.02	4.1	0.64	4.7	0.50	4.5	0.32	3.6		
	12	0.76	4.1	0.61	4.5	0.49	4.3	0.32	3.7	WSW	243
	14	0.89	4.2	0.57	4.3	0.45	4.4	0.28	3.7	NNW	344
	16	0.76	3.6	0.57	4.1	0.46	4.2	0.29	3.5	WNW	292
	18	0.63	3.9	0.52	3.7	0.42	3.9	0.27	3.2	WSW	245
	20	0.74	4.4	0.58	3.7	0.48	3.8	0.32	3.3	NNE	25
	22	0.71	4.3	0.59	3.9	0.48	3.9	0.30	3.4		
	最大	1.02	4.1	0.66	4.9	0.53	4.9	0.34	4.3		
	平均	0.83	4.4	0.61	4.5	0.49	4.5	0.31	3.8		
03	00	0.79	4.7	0.53	3.9	0.41	4.0	0.27	3.4	W	281
	02	1.03	4.0	0.62	5.1	0.48	4.9	0.30	3.7	W	270
	04	0.89	6.2	0.72	5.2	0.58	5.2	0.37	4.0		
	06	0.88	4.6	0.66	5.2	0.52	4.9	0.33	3.8	WNW	290
	08	0.84	5.8	0.63	5.5	0.52	5.3	0.34	4.3		
	10	* 1.08	4.9	* 0.76	4.9	* 0.63	5.0	* 0.41	4.3	W	278
	12	0.95	6.0	0.71	5.1	0.58	4.9	0.37	4.0	W	274
	14	0.84	5.3	0.60	5.0	0.48	5.1	0.30	4.1	W	278
	16	0.80	4.0	0.55	5.0	0.43	5.0	0.26	4.0	W	262
	18	0.72	5.3	0.52	5.5	0.42	5.3	0.27	4.3	NW	315
	20	0.70	4.7	0.53	5.1	0.42	5.2	0.27	4.3	WNW	282
	22	0.68	7.2	0.53	5.6	0.43	5.5	0.27	4.4	NW	315
	最大	1.08	4.9	0.76	4.9	0.63	5.0	0.41	4.3		
	平均	0.85	5.2	0.61	5.1	0.49	5.0	0.31	4.1		
04	00	0.72	5.1	0.57	5.2	0.46	5.3	0.29	4.3	NW	315
	02	0.72	5.2	0.58	5.4	0.48	5.5	0.29	4.3	N	352
	04	0.77	4.2	0.60	5.1	0.49	5.1	0.32	4.3	NNW	335
	06	0.78	5.8	0.66	4.8	0.53	5.0	0.34	4.3	NNW	340
	08	0.82	5.5	0.64	5.0	0.51	5.0	0.33	4.2	NNW	348
	10	1.03	4.8	0.79	4.8	0.63	4.8	0.39	4.0	NW	311
	12	1.00	4.6	0.76	5.3	0.62	5.3	0.40	4.2	NNW	340
	14	1.06	5.7	0.87	5.4	0.72	5.1	0.46	4.1	N	352
	16	1.04	4.2	0.85	5.3	0.69	5.0	0.44	4.2	NNE	12
	18	* 1.46	4.7	0.98	5.2	0.75	5.2	0.46	4.3	NNW	348
	20	1.31	5.2	1.03	5.4	0.84	5.4	0.52	4.4	N	352
	22	1.40	5.7	* 1.19	5.5	* 0.96	5.6	* 0.60	4.9	N	0
	最大	1.46	4.7	1.19	5.5	0.96	5.6	0.60	4.9		

	平均	1.01	5.1	0.79	5.2	0.64	5.2	0.40	4.3		
05	00	1.56	5.5	1.15	6.0	0.88	6.1	0.57	5.2	N	352
	02	1.41	6.6	1.06	6.0	0.87	6.3	0.57	5.6	N	352
	04	1.42	5.3	1.05	6.2	0.83	6.4	0.53	5.2	N	0
	06	1.33	6.3	1.04	6.1	0.84	6.2	0.54	5.3	N	0
	08	1.34	6.8	1.05	6.0	0.84	6.1	0.53	5.0	N	0
	10	1.52	6.9	1.25	5.7	0.97	5.7	0.61	4.6	N	0
	12	1.55	5.0	1.29	5.2	1.03	5.5	0.67	4.7	N	356
	14	1.79	4.7	1.28	5.7	1.01	5.7	0.63	4.6	N	352
	16	2.10	5.8	1.56	5.9	1.26	5.8	0.78	4.9	N	352
	18	2.16	6.5	1.58	6.3	1.30	6.1	0.81	5.1	NNW	348
	20	2.35	6.1	* 1.77	6.3	* 1.41	6.4	* 0.87	5.2	NNW	348
	22	* 2.59	6.5	1.73	6.2	1.36	6.5	0.84	5.5	N	352
	最大	2.59	6.5	1.77	6.3	1.41	6.4	0.87	5.2		
	平均	1.76	6.0	1.32	6.0	1.05	6.1	0.66	5.1		
06	00	2.08	6.8	1.65	6.7	1.32	6.9	0.86	6.0	N	356
	02	2.60	6.4	* 1.98	7.1	* 1.51	7.3	0.95	6.4	N	356
	04	* 2.80	6.6	1.83	7.5	1.48	7.5	* 0.97	6.8	N	356
	06	2.09	6.6	1.75	7.4	1.42	7.6	0.92	6.5	N	356
	08	2.21	8.0	1.65	7.2	1.31	7.3	0.80	6.0	N	356
	10	2.15	7.7	1.53	7.7	1.13	7.4	0.70	6.0	N	0
	12	2.05	6.9	1.56	7.3	1.24	7.6	0.77	5.8	N	4
	14	2.19	7.7	1.38	7.6	1.13	7.5	0.70	5.8	N	352
	16	1.60	8.3	1.26	7.1	1.02	7.1	0.64	5.5	N	356
	18	1.55	8.0	1.26	7.0	1.02	7.0	0.62	5.4	N	8
	20	1.42	7.2	1.09	6.5	0.88	6.5	0.56	5.4	N	0
	22	1.29	7.4	0.97	6.5	0.77	6.2	0.49	5.0	N	0
	最大	2.80	6.6	1.98	7.1	1.51	7.3	0.97	6.8		
	平均	2.00	7.3	1.49	7.1	1.19	7.2	0.75	5.9		
07	00	1.30	6.4	0.93	6.5	0.76	6.1	0.48	4.8	N	0
	02	1.30	6.1	1.05	6.0	0.85	6.0	0.56	4.8	N	4
	04	1.67	6.0	1.28	6.4	1.01	6.0	0.66	4.8	N	0
	06	1.52	7.6	1.32	6.3	1.09	6.3	0.71	5.0	N	352
	08	2.09	6.0	1.73	5.9	1.41	5.9	0.90	4.8	N	0
	10	3.36	5.2	2.26	5.4	1.79	5.5	1.15	4.8	W	270
	12	3.15	5.0	2.59	5.9	2.06	5.8	1.28	5.0	W	266
	14	* 4.68	5.9	* 2.86	5.9	* 2.20	6.1	* 1.40	5.3	W	274
	16	2.87	5.7	2.15	5.9	1.72	6.0	1.07	4.9	W	278
	18	2.55	6.3	2.09	6.0	1.69	6.2	1.08	5.2	W	278
	20	2.33	5.4	1.84	6.3	1.47	6.2	0.94	5.1	N	0
	22	2.81	5.7	1.75	6.3	1.37	6.4	0.87	5.3	W	274
	最大	4.68	5.9	2.86	5.9	2.20	6.1	1.40	5.3		
	平均	2.47	5.9	1.82	6.1	1.45	6.0	0.93	5.0		
08	00	2.16	7.7	1.76	6.6	1.36	6.6	0.84	5.2	N	356
	02	2.54	6.1	1.84	7.3	1.44	6.4	0.87	5.1	N	0
	04	2.46	8.4	1.85	7.1	1.50	7.2	0.95	5.7	N	4
	06	2.28	10.3	1.80	7.5	1.48	7.4	0.98	6.0	N	4
	08	1.92	6.6	1.66	7.2	1.38	7.4	0.89	5.9	N	0
	10	2.14	7.5	1.82	8.2	1.50	8.2	0.97	6.3	NNW	348
	12	2.11	8.1	1.84	8.5	1.49	8.3	0.92	6.7	N	352
	14	2.39	8.4	1.84	9.1	1.45	8.7	0.90	6.6	NNW	344
	16	2.90	10.6	1.98	9.6	1.58	9.2	0.98	7.0	NNW	344
	18	2.75	8.9	2.00	9.1	1.64	9.2	1.02	7.2	NNW	340
	20	* 3.52	8.3	* 2.16	8.7	* 1.72	8.9	* 1.11	7.6	N	352
	22	2.20	8.8	1.75	8.7	1.43	8.4	0.89	6.5	NNW	348
	最大	3.52	8.3	2.16	8.7	1.72	8.9	1.11	7.6		
	平均	2.45	8.3	1.86	8.1	1.50	8.0	0.94	6.3		
09	00	2.58	8.2	* 2.03	9.3	* 1.68	9.4	* 1.09	7.6	NNW	348
	02	1.93	9.2	1.67	9.2	1.38	9.1	0.86	7.1	NNW	348
	04	* 2.91	9.3	1.97	9.7	1.50	9.6	0.95	7.8	NNW	348
	06	2.18	10.4	1.62	9.1	1.26	9.0	0.77	7.1	N	356
	08	2.05	8.6	1.63	9.2	1.28	9.2	0.78	7.3	N	352
	10	1.99	10.2	1.71	8.1	1.36	7.7	0.86	5.8	NNW	344
	12	2.13	7.3	1.66	8.0	1.35	7.8	0.89	6.1	N	352
	14	1.88	8.5	1.39	8.6	1.10	7.8	0.68	5.8	NNW	348
	16	1.62	8.9	1.25	8.4	1.04	8.0	0.66	6.1	N	356
	18	1.67	7.7	1.24	8.2	0.97	8.3	0.60	6.2	N	352
	20	1.41	7.7	1.17	7.8	0.96	7.9	0.61	6.2	N	0
	22	1.35	7.7	1.12	7.7	0.91	8.1	0.58	6.3	N	356

		最大 平均	2.91 1.98	9.3 8.6	2.03 1.54	9.3 8.6	1.68 1.23	9.4 8.5	1.09 0.78	7.6 6.6		
10	00		1.65	8.1	1.23	8.7	0.96	8.3	0.60	6.0	NNW	340
	02		1.77	8.1	1.11	8.6	0.90	8.4	0.57	6.7	NNW	348
	04		1.57	8.2	1.16	8.1	0.93	7.5	0.59	5.1	NNW	348
	06	* 1.83	4.7	* 1.50	7.6	* 1.19	6.8	* 0.75	5.1	N	N	356
	08	1.49	7.8	1.17	7.8	0.94	7.8	0.59	5.8	N	N	356
	10	1.42	8.6	1.14	7.8	0.88	8.2	0.53	6.3	N	N	352
	12	1.28	7.6	1.03	8.1	0.86	8.3	0.55	6.9	N	N	356
	14	1.33	7.0	0.98	7.8	0.79	8.1	0.48	6.5	N	N	4
	16	1.04	6.9	0.93	8.3	0.76	8.3	0.47	6.4	NNW	NNW	344
	18	1.16	8.3	0.95	8.0	0.76	8.0	0.48	6.5	NNW	NNW	348
	20	1.04	7.5	0.90	7.6	0.76	7.5	0.49	6.2	NNW	NNW	348
	22	1.18	7.1	0.88	7.1	0.73	7.1	0.45	5.8	NNW	NNW	348
	最大 平均	1.83 1.40	4.7 7.5	1.50 1.08	7.6 8.0	1.19 0.87	6.8 7.9	0.75 0.55	5.1 6.1			
11	00	* 1.25	7.5	* 0.97	7.1	* 0.79	7.3	* 0.47	6.0	NNE	N	12
	02	1.17	7.0	0.89	7.1	0.70	7.1	0.44	5.8	N	N	0
	04	1.01	6.5	0.81	6.9	0.63	6.9	0.39	5.7	N	N	4
	06	0.96	6.2	0.74	6.4	0.56	6.6	0.34	5.3	N	N	356
	08	0.80	6.7	0.61	6.5	0.49	6.6	0.30	5.3	N	N	8
	10	0.61	6.9	0.50	6.5	0.42	6.3	0.26	5.1	NNW	NNW	348
	12	0.74	6.5	0.57	6.5	0.45	6.8	0.28	5.1	N	N	4
	14	0.66	7.3	0.54	6.6	0.41	6.6	0.26	5.2	N	N	356
	16	0.60	5.8	0.47	6.2	0.39	6.0	0.25	4.5	N	N	356
	18	0.69	6.0	0.47	5.8	0.37	5.4	0.24	3.8	NNE	NNE	12
	20	0.63	6.2	0.46	5.3	0.37	5.0	0.24	3.7	N	N	8
	22	0.76	5.5	0.48	4.9	0.39	4.9	0.26	3.9	NNW	NNW	348
	最大 平均	1.25 0.82	7.5 6.5	0.97 0.63	7.1 6.3	0.79 0.50	7.3 6.3	0.47 0.31	6.0 5.0			
12	00	0.56	5.9	0.44	5.5	0.36	5.4	0.23	4.1	N	N	356
	02	0.52	6.5	0.43	6.1	0.35	5.8	0.22	4.3	NNW	NNW	331
	04	0.65	6.2	0.48	7.1	0.38	6.6	0.25	4.9	NNW	NNW	340
	06	0.64	7.6	0.54	6.6	0.44	6.5	0.28	5.0	N	N	0
	08	0.84	7.6	0.63	6.8	0.51	6.4	0.32	4.6	N	N	356
	10	0.86	5.1	0.64	6.2	0.52	5.9	0.33	4.4	N	N	352
	12	0.83	5.8	0.60	6.5	0.47	6.4	0.30	4.9	N	N	0
	14	0.86	7.4	* 0.66	7.2	* 0.54	6.8	* 0.33	5.0	NNW	NNW	344
	16	0.81	6.0	0.59	6.7	0.45	6.5	0.28	4.5	N	N	356
	18	0.85	7.4	0.62	7.0	0.51	6.6	0.33	4.9	NNW	NNW	344
	20	* 0.90	6.7	0.61	6.9	0.49	6.8	0.32	5.1	NNW	NNW	348
	22	0.75	6.8	0.61	6.5	0.48	6.8	0.31	5.3	NNW	NNW	344
	最大 平均	0.90 0.76	6.7 6.6	0.66 0.57	7.2 6.6	0.54 0.46	6.8 6.4	0.33 0.29	5.0 4.8			
13	00	0.66	7.4	0.56	7.0	0.45	6.7	0.28	5.2	N	N	0
	02	0.86	6.6	0.60	6.8	0.49	6.7	0.31	5.4			
	04	0.82	7.1	0.63	6.4	0.50	6.1	0.32	5.0	N	N	0
	06	* 1.07	6.3	0.72	7.0	0.57	6.7	0.35	5.0	N	N	4
	08	0.91	7.5	* 0.75	7.4	* 0.60	7.2	* 0.37	5.6	NNW	NNW	348
	10	0.84	7.1	0.67	6.9	0.53	6.8	0.32	5.4	N	N	356
	12	0.84	6.1	0.62	5.9	0.50	6.0	0.31	4.4	N	N	352
	14	0.73	6.3	0.57	5.8	0.45	5.3	0.29	3.9	N	N	4
	16	0.78	6.6	0.60	4.8	0.47	4.6	0.30	3.7	SW	SW	229
	18	0.73	4.7	0.56	4.7	0.47	4.7	0.31	3.8	NNW	NNW	339
	20	0.75	4.8	0.63	4.8	0.53	4.8	0.35	4.1	N	N	1
	22	0.98	4.3	0.64	4.6	0.51	4.7	0.32	4.0	NNE	NNE	28
	最大 平均	1.07 0.83	6.3 6.2	0.75 0.63	7.4 6.0	0.60 0.51	7.2 5.9	0.37 0.32	5.6 4.6			
14	00	* 0.78	5.4	* 0.60	5.3	* 0.47	5.1	0.29	4.2	NNW	NNW	348
	02	0.70	4.9	0.55	5.1	0.45	5.0	* 0.29	4.3	NNE	NNE	16
	04	0.74	5.3	0.54	4.6	0.43	4.8	0.28	4.2	NNW	NNW	341
	06	0.73	5.1	0.55	4.6	0.45	4.5	0.29	4.0	WSW	WSW	251
	08	0.74	4.3	0.47	4.7	0.37	4.8	0.23	3.9	SW	SW	223
	10	0.58	4.1	0.43	4.5	0.35	4.4	0.22	3.8	SW	SW	222
	12	0.56	3.5	0.41	4.2	0.33	4.2	0.20	3.5	N	N	6
	14	0.47	4.1	0.35	4.4	0.28	4.6	0.18	3.7	N	N	0

	16	0.54	4.0	0.37	4.0	0.29	4.0	0.19	3.4	NNE	29
	18	0.53	4.0	0.34	3.9	0.28	4.0	0.18	3.4	NW	324
	20	0.45	3.8	0.35	4.5	0.28	4.4	0.19	3.7		
	22	0.42	3.6	0.29	4.0	0.24	3.9	0.16	3.0	WNW	298
	最大	0.78	5.4	0.60	5.3	0.47	5.1	0.29	4.3		
	平均	0.60	4.3	0.44	4.5	0.35	4.5	0.23	3.8		
15	00	0.43	3.7	0.31	4.1	0.25	4.0	0.16	3.3	NNE	31
	02	0.41	4.2	0.34	4.0	0.29	4.0	0.19	3.3	SW	230
	04	0.59	4.1	0.43	4.4	0.34	4.2	0.21	3.4	WNW	303
	06	0.54	4.0	0.42	4.5	0.33	4.3	0.21	3.5	WSW	238
	08	0.61	4.7	0.42	4.3	0.34	4.2	0.22	3.4	NNE	15
	10	0.52	4.4	0.41	4.3	0.34	4.3	0.22	3.5	SW	235
	12	* 0.68	4.2	* 0.51	4.3	* 0.41	4.1	* 0.26	3.5	N	351
	14	0.64	4.0	0.41	3.9	0.33	3.8	0.22	3.2	WSW	240
	16	0.39	4.4	0.30	4.1	0.24	3.9	0.16	3.0	WNW	286
	18	0.38	3.8	0.27	4.2	0.22	4.1	0.14	3.0	NNW	338
	20	0.47	3.0	0.31	4.3	0.25	4.1	0.16	3.0	SW	223
	22	0.37	4.3	0.30	4.6	0.24	4.3	0.15	3.2	WSW	246
	最大	0.68	4.2	0.51	4.3	0.41	4.1	0.26	3.5		
	平均	0.50	4.1	0.37	4.3	0.30	4.1	0.19	3.3		
16	00	0.49	3.9	0.33	3.8	0.26	3.9	0.17	3.0	NNW	337
	02	0.45	3.9	0.34	3.9	0.27	3.9	0.17	3.0	WNW	286
	04	0.47	4.5	0.36	4.2	0.30	4.0	0.19	3.3	NNE	27
	06	0.50	3.8	* 0.38	4.0	0.29	3.9	0.19	3.1	NNW	345
	08	0.41	5.3	0.28	3.7	0.23	3.7	0.15	3.0	NNE	24
	10	0.38	3.8	0.27	3.9	0.23	3.9	0.15	2.9	NNW	336
	12	0.44	3.5	0.29	3.8	0.23	3.9	0.15	2.9	NNE	14
	14	0.40	3.1	0.26	4.1	0.21	4.1	0.14	3.1	N	353
	16	0.36	3.1	0.25	4.7	0.21	4.5	0.13	3.2	WNW	291
	18	0.34	3.9	0.26	5.2	0.21	4.6	0.14	3.5	W	270
	20	0.47	5.9	0.34	5.5	0.27	4.7	0.18	3.4	NNW	346
	22	* 0.50	7.4	0.36	5.1	* 0.30	4.9	* 0.19	3.8	W	278
	最大	0.50	7.4	0.38	4.0	0.30	4.9	0.19	3.8		
	平均	0.43	4.3	0.31	4.3	0.25	4.2	0.16	3.2		
17	00	0.52	7.0	0.39	6.0	0.30	5.1	0.19	3.8	NW	323
	02	0.48	3.7	0.38	5.7	0.32	5.2	0.21	3.7	NNW	331
	04	0.68	5.0	0.47	5.0	0.38	4.7	0.24	3.6	NW	318
	06	0.75	4.3	0.52	4.5	0.42	4.3	0.27	3.6		
	08	0.61	3.6	0.53	3.9	0.44	3.9	0.28	3.4	NW	320
	10	0.75	2.5	0.53	3.7	0.42	3.8	0.27	3.1	NNW	333
	12	0.62	3.6	0.44	4.7	0.36	4.4	0.24	3.4	WSW	257
	14	0.69	11.2	0.46	4.8	0.37	4.2	0.25	3.4		
	16	0.90	4.1	0.71	3.9	0.58	4.0	0.38	3.5	NW	321
	18	1.38	3.9	1.06	4.5	0.84	4.5	0.54	3.9	W	279
	20	2.75	5.5	2.01	5.4	1.58	5.3	0.97	4.4	W	270
	22	* 3.13	6.1	* 2.60	6.2	* 2.13	6.4	* 1.34	5.3	NW	307
	最大	3.13	6.1	2.60	6.2	2.13	6.4	1.34	5.3		
	平均	1.11	5.0	0.84	4.9	0.68	4.7	0.43	3.8		
18	00	* 4.84	7.3	* 3.07	7.0	* 2.34	6.9	* 1.51	6.1	WNW	286
	02	3.30	6.1	2.43	7.1	1.90	7.1	1.18	5.7	W	270
	04	2.79	7.6	2.23	7.1	1.74	6.9	1.13	5.9	W	278
	06	2.43	8.2	1.80	6.8	1.43	6.7	0.89	5.4	NW	319
	08	2.24	7.4	1.56	7.0	1.25	6.7	0.80	5.2	WNW	282
	10	2.29	8.3	1.59	7.7	1.21	7.0	0.73	5.4	N	0
	12	2.07	6.7	1.53	7.4	1.17	7.3	0.75	5.9	N	4
	14	1.76	9.7	1.30	7.2	1.03	6.8	0.67	5.7	N	0
	16	1.65	7.7	1.17	6.8	0.92	6.8	0.58	5.4	N	356
	18	1.93	8.0	1.39	7.4	1.11	7.2	0.67	5.6	NNW	348
	20	2.16	8.0	1.40	7.4	1.11	7.5	0.72	6.0	NNW	348
	22	1.62	6.8	1.27	7.2	1.03	7.4	0.67	6.0	N	352
	最大	4.84	7.3	3.07	7.0	2.34	6.9	1.51	6.1		
	平均	2.42	7.7	1.73	7.2	1.35	7.0	0.86	5.7		
19	00	1.58	6.8	* 1.17	7.2	* 0.95	7.1	* 0.59	5.8	N	352
	02	* 1.66	7.5	1.15	7.2	0.91	7.4	0.58	6.2	N	356
	04	1.30	5.7	0.99	7.3	0.79	7.3	0.48	5.7	N	4
	06	1.61	6.8	0.99	6.9	0.77	6.9	0.49	5.7	N	0
	08	1.16	8.2	0.88	7.4	0.71	7.5	0.46	6.0	N	0
	10	0.95	7.3	0.78	7.0	0.64	7.1	0.40	5.9	N	0

	12	1.10	6.9	0.77	6.6	0.61	6.4	0.38	4.7	N	4	
	14	1.16	4.0	0.92	5.3	0.72	5.0	0.48	4.1	N	356	
	16	0.93	7.2	0.66	5.3	0.54	5.2	0.36	4.1	N	356	
	18	0.84	7.6	0.61	6.6	0.49	6.0	0.30	4.2	N	356	
	20	0.65	7.5	0.49	6.4	0.40	6.2	0.25	4.4	NNW	340	
	22	0.63	5.7	0.47	6.4	0.39	6.2	0.24	4.5	NNW	340	
	最大	1.66	7.5	1.17	7.2	0.95	7.1	0.59	5.8			
	平均	1.13	6.8	0.82	6.6	0.66	6.5	0.42	5.1			
	20	00	* 0.63	6.4	* 0.47	5.8	* 0.38	5.8	* 0.24	4.3	NNW	348
		02	0.54	4.8	0.44	5.7	0.36	5.2	0.23	4.0	N	0
04		0.57	4.1	0.45	5.0	0.36	4.8	0.23	3.8	NNE	28	
06		0.49	5.8	0.37	5.1	0.29	4.8	0.18	3.5	NNE	13	
08		0.49	5.0	0.33	5.9	0.26	5.3	0.17	3.8			
10		0.39	5.1	0.30	5.7	0.25	5.2	0.16	3.8	NNE	25	
12		0.45	6.1	0.33	5.5	0.26	4.8	0.17	3.6	NNE	23	
14		0.43	4.5	0.33	4.9	0.27	4.4	0.17	3.2	NW	311	
16		0.40	6.0	0.30	5.4	0.24	4.8	0.16	3.4	WSW	245	
18		0.40	6.9	0.28	4.7	0.23	4.1	0.14	3.0	NW	315	
20	0.30	7.1	0.25	5.8	0.20	4.9	0.12	3.4	WNW	295		
22	0.30	7.2	0.23	4.9	0.18	4.1	0.12	3.0	WSW	255		
最大	0.63	6.4	0.47	5.8	0.38	5.8	0.24	4.3				
平均	0.45	5.8	0.34	5.4	0.27	4.9	0.17	3.6				
21	00	0.34	5.4	0.23	5.0	0.18	4.4	0.12	3.0	NW	314	
	02	0.40	4.1	0.29	4.6	0.23	4.1	0.15	3.2	NW	316	
	04	0.45	3.3	0.37	4.2	0.31	4.2	0.20	3.4	WSW	255	
	06	0.56	3.8	0.37	4.3	0.30	4.2	0.19	3.3	N	7	
	08	0.50	6.3	0.32	4.9	0.26	4.4	0.17	3.4	W	261	
	10	0.39	3.4	0.28	4.1	0.23	4.1	0.15	3.1	WSW	240	
	12	* 0.60	3.6	* 0.46	3.5	* 0.36	3.5	* 0.23	3.0	NW	321	
	14	0.60	3.4	0.43	3.6	0.33	3.5	0.21	3.1	NW	316	
	16	0.57	3.2	0.35	3.9	0.28	3.9	0.17	2.9	WNW	285	
	18	0.54	3.6	0.35	4.0	0.28	3.8	0.18	3.1	NW	326	
20	0.37	3.6	0.25	5.2	0.20	4.3	0.13	3.0	NNW	332		
22	0.32	5.1	0.25	4.7	0.21	4.5	0.13	3.3	NNE	21		
最大	0.60	3.6	0.46	3.5	0.36	3.5	0.23	3.0				
平均	0.47	4.1	0.33	4.3	0.26	4.1	0.17	3.2				
22	00	0.38	4.4	0.26	4.4	0.21	4.0	0.14	3.1	NNE	27	
	02	0.34	6.1	0.25	5.6	0.20	4.9	0.13	3.3			
	04	0.44	6.0	0.33	5.6	0.26	5.4	0.17	3.8	WSW	245	
	06	0.34	5.0	0.28	5.7	0.23	5.2	0.15	3.6	NW	311	
	08	0.41	6.3	0.32	5.2	0.26	5.2	0.17	3.7	NW	323	
	10	0.49	6.4	0.37	5.7	0.30	5.2	0.19	3.9	NW	307	
	12	0.51	5.7	0.34	5.4	0.27	5.3	0.17	4.0			
	14	0.43	5.0	0.33	5.4	0.27	5.1	0.17	3.5	NW	323	
	16	0.86	3.0	0.70	3.4	0.55	3.5	0.37	3.2	WNW	283	
	18	1.61	4.5	1.21	4.7	0.98	4.8	0.63	4.3	WSW	258	
20	1.81	6.7	* 1.49	5.9	* 1.23	6.1	* 0.79	5.3	N	352		
22	* 1.88	5.3	1.39	6.3	1.16	6.3	0.73	5.3	NNW	340		
最大	1.88	5.3	1.49	5.9	1.23	6.1	0.79	5.3				
平均	0.79	5.4	0.61	5.3	0.49	5.1	0.32	3.9				
23	00	2.07	6.9	1.69	6.5	1.36	6.3	0.87	5.2	NNW	348	
	02	* 2.37	6.1	1.70	6.6	1.30	6.2	0.82	5.1	NNW	340	
	04	2.32	6.0	1.65	6.0	1.31	6.0	0.84	5.1	NNW	348	
	06	2.18	6.3	1.64	6.4	1.31	6.2	0.87	5.3	NNW	344	
	08	2.06	6.0	1.49	6.4	1.22	6.1	0.79	5.3	NNW	348	
	10	2.12	5.9	1.51	5.8	1.22	5.7	0.80	5.1	N	352	
	12	1.89	5.4	1.55	5.7	1.28	5.8	0.81	4.9	N	352	
	14	1.99	5.8	1.52	5.9	1.22	5.5	0.79	4.7			
	16	2.12	6.1	1.58	5.6	1.29	5.6	0.81	4.6	N	8	
	18	2.11	6.8	* 1.73	5.9	* 1.38	5.9	* 0.90	4.9	N	0	
20	1.94	5.6	1.51	6.0	1.24	5.9	0.79	5.0	NNW	340		
22	1.83	5.9	1.45	6.0	1.17	5.9	0.74	5.1	N	356		
最大	2.37	6.1	1.73	5.9	1.38	5.9	0.90	4.9				
平均	2.08	6.1	1.59	6.1	1.28	5.9	0.82	5.0				
24	00	* 1.67	5.8	* 1.32	5.6	1.04	5.9	0.64	4.9	N	4	
	02	1.58	6.4	1.28	5.9	* 1.04	6.0	* 0.66	5.2	N	0	

	04		1.32	5.3	1.12	6.0	0.90	6.0	0.58	5.1	N	4
	06		1.07	6.4	0.89	5.9	0.73	5.6	0.46	4.8	N	8
	08		0.98	6.2	0.79	5.7	0.67	5.8	0.43	4.9	N	0
	10		1.24	4.9	0.85	5.9	0.68	5.9	0.43	4.8	N	356
	12		1.44	5.9	0.98	5.8	0.75	5.9	0.47	5.0	NNE	12
	14		1.18	5.8	0.96	6.0	0.75	6.2	0.47	5.3	N	8
	16		0.92	6.3	0.76	6.0	0.62	6.2	0.40	5.1	N	4
	18		1.01	5.8	0.73	5.8	0.57	5.9	0.36	5.0	NNE	12
	20		0.96	6.3	0.69	6.1	0.56	5.9	0.35	4.9	N	4
	22		1.15	6.7	0.84	5.5	0.68	5.2	0.44	4.1	N	4
	最大		1.67	5.8	1.32	5.6	1.04	6.0	0.66	5.2		
	平均		1.21	6.0	0.93	5.9	0.75	5.9	0.47	4.9		
25	00		0.82	4.8	0.70	5.5	0.56	5.0	0.36	3.9	N	8
	02		1.06	6.4	0.63	5.8	0.51	5.7	0.32	4.3	N	4
	04		0.70	6.2	0.56	5.9	0.46	5.7	0.30	4.4	N	0
	06		0.88	6.2	0.61	5.9	0.48	5.9	0.32	4.9	N	4
	08		0.84	5.1	0.58	5.9	0.46	5.7	0.30	4.7	N	8
	10		1.04	4.3	0.79	4.4	0.64	4.4	0.41	3.7	NW	322
	12		1.43	4.4	1.04	4.4	0.84	4.3	0.53	3.8	SW	226
	14	*	1.62	5.1	1.17	4.6	0.91	4.8	0.57	4.1	WNW	298
	16		1.52	4.8	1.06	4.7	0.84	4.6	0.55	4.0	NNE	14
	18		1.33	4.0	1.01	4.7	0.83	4.7	0.53	4.1	NNE	12
	20		1.51	4.5	1.17	4.7	* 0.96	4.8	* 0.62	4.1	NNE	15
	22		1.61	5.4	* 1.20	5.0	0.95	4.9	0.60	4.2	N	4
	最大		1.62	5.1	1.20	5.0	0.96	4.8	0.62	4.1		
	平均		1.20	5.1	0.88	5.1	0.70	5.0	0.45	4.2		
26	00		1.34	5.4	1.13	5.3	0.94	5.1	0.61	4.6	N	356
	02		1.38	4.6	1.13	5.6	0.91	5.6	0.58	4.7	NNW	340
	04		1.35	5.0	1.11	6.0	0.94	6.3	0.61	5.3	NNW	344
	06		1.67	5.6	1.19	7.4	0.96	7.3	0.59	5.7	NNW	335
	08		1.90	6.4	1.17	7.1	0.89	7.0	0.54	5.5	NNW	344
	10	欠测										
	12		1.70	8.2	1.28	7.6	0.99	7.3	0.62	5.5		
	14	*	1.94	7.1	* 1.31	7.7	* 1.07	7.4	* 0.68	6.2	NNW	344
	16		1.70	5.3	1.24	7.6	1.00	7.5	0.62	5.6	N	356
	18		1.42	8.3	1.22	7.4	0.95	7.2	0.59	5.5	N	0
	20		1.51	7.5	1.14	6.9	0.96	6.9	0.64	6.0	NW	323
	22		1.42	8.2	1.28	7.3	1.03	7.3	0.65	6.0	NNW	344
	最大		1.94	7.1	1.31	7.7	1.07	7.4	0.68	6.2		
	平均		1.58	6.5	1.20	6.9	0.97	6.8	0.61	5.5		
27	00		1.29	7.3	1.12	8.0	0.94	7.8	0.57	6.0	N	0
	02		1.26	8.7	1.11	8.0	0.93	8.0	* 0.58	6.4	N	352
	04		1.37	7.0	1.03	7.5	0.83	7.5	0.49	5.7	N	356
	06	*	1.67	7.6	* 1.18	7.9	* 0.97	7.7	0.58	5.9	N	0
	08		1.18	8.6	0.93	7.7	0.76	7.0	0.47	5.3		
	10	欠测										
	12		1.10	9.0	0.87	7.1	0.68	7.0	0.41	4.7	N	352
	14		1.10	8.0	0.82	7.5	0.63	6.5	0.39	4.2	N	4
	16		1.02	6.3	0.71	7.2	0.55	6.2	0.34	4.0	NNE	12
	18		0.85	8.3	0.64	7.4	0.49	6.2	0.30	4.1	N	356
	20		0.80	7.2	0.57	7.1	0.44	5.7	0.27	3.7	N	0
	22		0.70	7.8	0.52	6.5	0.40	5.2	0.25	3.4	N	352
	最大		1.67	7.6	1.18	7.9	0.97	7.7	0.58	6.4		
	平均		1.12	7.8	0.86	7.4	0.69	6.8	0.42	4.9		
28	00		0.66	6.9	0.46	5.6	0.37	4.5	0.24	3.1	NW	319
	02		0.68	4.9	0.49	5.0	0.41	4.2	0.26	3.1	WNW	283
	04		0.85	4.9	0.60	4.1	0.47	3.7	0.31	3.1	WNW	300
	06		0.66	3.2	0.57	3.9	0.46	4.0	0.30	3.2	SW	230
	08		0.95	4.8	0.71	4.0	0.57	4.1	0.36	3.3	WSW	247
	10		1.21	4.2	0.82	4.6	0.65	4.6	0.41	3.6	WSW	248
	12		1.01	5.4	0.88	5.3	0.74	5.3	0.48	4.1	NW	307
	14		2.67	6.3	1.79	6.4	1.40	6.0	0.86	4.7	WNW	295
	16	*	3.35	6.4	2.05	5.8	1.61	5.8	1.01	4.6	WNW	299
	18		2.88	6.4	2.10	6.3	1.63	6.2	0.98	4.9	WNW	290
	20		2.88	7.1	* 2.10	6.7	* 1.65	6.6	* 1.04	5.6	NNW	340
	22		1.86	6.2	1.51	6.5	1.22	6.6	0.75	5.6	NNW	327
	最大		3.35	6.4	2.10	6.7	1.65	6.6	1.04	5.6		

	平均	1.64	5.6	1.17	5.4	0.93	5.1	0.58	4.1		
29	00	2.22	6.9	1.39	6.8	1.10	6.7	0.67	5.3	W	266
	02	1.62	5.9	1.23	6.1	0.97	5.9	0.60	4.7	W	262
	04	1.72	5.0	1.39	5.3	1.10	5.5	0.71	4.4	NNE	12
	06	1.42	4.4	1.25	5.1	1.02	5.1	0.66	4.3	N	352
	08	1.84	5.4	1.29	5.5	1.01	5.4	0.64	4.4	N	4
	10	* 2.69	6.8	* 1.88	6.1	* 1.49	6.0	* 0.91	4.9	NNW	331
	12	2.28	7.3	1.66	6.9	1.34	6.6	0.85	5.0	NNW	331
	14	2.08	6.7	1.40	6.6	1.14	6.3	0.70	4.6	NNW	340
	16	1.92	7.0	1.42	6.7	1.12	6.6	0.72	5.0	NNW	331
	18	1.87	6.0	1.40	6.3	1.13	5.8	0.70	4.7	NNW	331
	20	1.52	6.5	1.23	6.5	0.98	6.4	0.64	5.1	NNW	340
	22	1.73	7.2	1.21	6.2	0.95	6.0	0.62	5.1	NNW	340
	最大	2.69	6.8	1.88	6.1	1.49	6.0	0.91	4.9		
	平均	1.91	6.3	1.40	6.2	1.11	6.0	0.70	4.8		
30	00	* 1.51	5.5	* 1.11	5.8	* 0.88	5.8	* 0.56	4.7	NNW	331
	02	1.40	5.2	1.02	5.5	0.79	5.4	0.49	4.5	N	0
	04	1.28	6.1	0.89	5.7	0.71	5.5	0.44	4.5	NNW	335
	06	1.20	6.4	0.89	6.0	0.71	5.8	0.45	4.8	NNW	327
	08	1.23	6.9	0.92	6.1	0.73	6.1	0.46	4.9	N	0
	10	1.10	5.8	0.88	5.8	0.68	6.0	0.43	4.8	N	352
	12	1.25	4.9	0.88	5.0	0.73	5.1	0.47	4.2	N	4
	14	1.16	5.5	0.89	5.3	0.71	5.4	0.45	4.4	N	352
	16	1.05	5.5	0.80	5.4	0.64	5.6	0.41	4.5	NNW	348
	18	1.10	5.8	0.70	7.0	0.58	5.7	0.37	4.4	NNW	331
	20	0.89	5.9	0.69	6.9	0.55	6.8	0.35	4.9	NNW	344
	22	1.04	10.2	0.85	9.4	0.71	9.4	0.45	6.4	NNW	344
	最大	1.51	5.5	1.11	5.8	0.88	5.8	0.56	4.7		
	平均	1.18	6.1	0.88	6.2	0.70	6.1	0.44	4.8		
月最大		4.84	7.3	3.07	7.0	2.34	6.9	1.51	6.1		
起時		1800		1800		1800		1800			
平均		1.27	6.0	0.95	5.9	0.76	5.8	0.48	4.6		

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	353 回
欠測回数	3 回	欠測回数	19 回
欠測率	0.8 %	欠測率	5.1 %

機種：波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	1.37	6.3	0.77	9.0	0.61	7.4	0.38	5.3	N	356	
	02	1.30	6.3	* 1.07	6.3	* 0.85	6.6	* 0.54	5.4	NNW	344	
	04	1.05	7.0	0.87	7.4	0.70	6.7	0.46	5.3	NNW	348	
	06	1.22	6.0	0.90	7.5	0.71	6.9	0.46	5.1	NNW	344	
	08	* 1.50	8.7	0.94	8.7	0.74	7.4	0.47	5.5	NNW	348	
	10	1.06	8.5	0.84	7.6	0.67	6.9	0.41	4.8	NNW	348	
	12	1.04	7.8	0.90	6.3	0.73	6.2	0.47	4.8	NNW	340	
	14	1.20	5.1	0.82	6.1	0.64	5.8	0.40	4.4	N	0	
	16	0.95	5.2	0.69	6.0	0.55	5.8	0.34	4.2	NNW	348	
	18	1.00	6.1	0.72	5.6	0.57	5.3	0.36	3.9	N	0	
	20	1.18	5.2	0.75	4.9	0.58	4.7	0.37	3.9	W	274	
	22	0.90	5.7	0.65	5.3	0.53	4.8	0.34	3.9	W	269	
	最大 平均	1.50	8.7	1.07	6.3	0.85	6.6	0.54	5.4			
		1.15	6.5	0.83	6.7	0.66	6.2	0.42	4.7			
	02	00	1.00	5.4	0.66	5.0	0.52	4.7	0.34	4.0	NNW	346
		02	0.71	4.4	0.60	4.5	0.49	4.5	0.31	3.8	NW	324
		04	0.75	5.3	0.57	4.4	0.46	4.4	0.30	3.7	NW	315
		06	0.85	5.0	0.58	4.6	0.45	4.5	0.29	3.7	NW	307
08		0.84	3.5	0.55	4.1	0.44	4.2	0.29	3.6	WSW	243	
10		0.91	4.5	0.69	4.2	0.55	4.2	0.35	3.6	WSW	243	
12		1.00	3.9	0.67	3.7	0.55	3.9	0.35	3.2	WSW	238	
14		1.01	3.5	0.71	3.6	0.56	3.7	0.35	3.1	N	2	
16		1.09	4.6	0.94	3.8	0.77	3.9	0.50	3.4	NNW	335	
18		1.07	4.3	0.81	4.3	0.66	4.1	0.41	3.3	NNW	338	
20		1.28	5.2	* 0.99	4.7	* 0.80	4.6	* 0.52	3.9	NNE	16	
22		* 1.42	4.0	0.95	4.9	0.79	4.9	0.50	4.2	N	4	
最大 平均		1.42	4.0	0.99	4.7	0.80	4.6	0.52	3.9			
		0.99	4.5	0.73	4.3	0.59	4.3	0.38	3.6			
03		00	1.31	5.5	* 1.03	5.0	* 0.84	5.0	* 0.53	4.4	N	0
		02	1.15	4.2	0.95	4.9	0.76	4.9	0.47	4.2	N	0
		04	* 1.52	4.9	0.96	4.9	0.77	4.9	0.50	4.3	N	0
		06	1.50	5.2	0.98	5.2	0.77	5.1	0.50	4.6	N	4
	08	1.18	4.6	0.87	5.0	0.69	4.9	0.43	4.3			
	10	0.96	4.5	0.72	4.8	0.57	4.9	0.35	4.0	N	356	
	12	0.88	4.7	0.71	4.5	0.59	4.5	0.38	3.9	NW	309	
	14	0.84	4.4	0.54	4.2	0.44	4.4	0.28	3.5			
	16	0.66	4.6	0.47	4.1	0.37	4.1	0.23	3.2	N	353	
	18	0.61	3.6	0.43	3.8	0.35	3.8	0.22	3.1	NNW	330	
	20	0.91	3.7	0.54	3.8	0.43	3.8	0.27	3.2	NNE	14	
	22	0.69	3.9	0.45	3.9	0.35	3.9	0.22	3.3	SW	223	
	最大 平均	1.52	4.9	1.03	5.0	0.84	5.0	0.53	4.4			
		1.02	4.5	0.72	4.5	0.58	4.5	0.37	3.8			
	04	00	0.48	3.2	0.36	4.0	0.28	4.1	0.18	3.2	NW	308
		02	0.45	5.0	0.32	4.3	0.25	4.1	0.16	3.2		
		04	0.52	4.6	0.35	4.2	0.27	4.1	0.17	3.1	NW	308
		06	0.39	3.8	0.30	4.3	0.24	4.2	0.15	3.1	WNW	296
08		0.41	4.2	0.27	3.9	0.22	3.8	0.14	2.9	NNE	16	
10		0.34	4.9	0.28	4.1	0.22	3.9	0.14	3.0			
12		0.37	3.3	0.28	3.9	0.23	3.7	0.15	2.8			
14		* 0.85	2.9	* 0.45	3.2	* 0.34	3.0	* 0.22	2.6	NNW	335	
16		0.50	2.9	0.30	3.4	0.24	3.1	0.16	2.5	NW	322	
18		0.43	4.0	0.25	3.5	0.20	3.5	0.13	2.7	NW	309	
20		0.34	5.3	0.26	4.9	0.22	4.4	0.14	3.2	NNE	29	
22		0.47	2.3	0.30	3.1	0.24	3.0	0.16	2.4	WNW	291	
最大 平均		0.85	2.9	0.45	3.2	0.34	3.0	0.22	2.6			

	平均	0.46	3.9	0.31	3.9	0.25	3.7	0.16	2.9		
05	00	0.38	3.5	0.28	3.4	0.23	3.1	0.15	2.5	NNE	25
	02	1.04	7.0	0.69	5.9	0.54	5.5	0.33	4.1	N	352
	04	2.18	5.1	1.32	4.9	1.06	4.9	0.67	4.0	N	352
	06	* 2.30	5.2	* 1.75	5.7	* 1.42	5.6	* 0.88	4.6	N	356
	08	2.14	5.3	1.65	5.7	1.30	5.6	0.83	4.8	N	352
	10	1.69	5.7	1.38	5.4	1.10	5.3	0.70	4.6	N	356
	12	1.22	4.6	0.97	5.0	0.77	4.8	0.49	3.8	N	353
	14	1.01	3.8	0.81	4.6	0.67	4.5	0.43	3.7	N	4
	16	1.32	4.6	0.82	4.6	0.65	4.6	0.41	3.7	N	5
	18	1.75	4.9	1.38	5.2	1.13	5.2	0.73	4.3		
	20	1.71	4.8	1.35	5.2	1.05	5.2	0.65	4.3	N	0
	22	1.66	4.8	1.20	5.2	0.97	5.1	0.64	4.4	N	352
	最大	2.30	5.2	1.75	5.7	1.42	5.6	0.88	4.6		
	平均	1.53	4.9	1.13	5.1	0.91	5.0	0.58	4.1		
06	00	* 1.41	4.6	* 1.10	4.7	* 0.85	4.7	* 0.54	3.9	N	8
	02	1.19	5.3	0.89	5.1	0.74	5.1	0.50	4.5	N	356
	04	1.30	5.5	0.94	4.9	0.76	5.0	0.50	4.6	NNW	348
	06	1.05	4.8	0.88	4.7	0.71	4.9	0.45	4.3	N	356
	08	1.16	4.7	0.83	4.6	0.65	4.6	0.40	3.9	WSW	251
	10	1.06	4.5	0.77	4.5	0.62	4.6	0.40	4.0	NNW	345
	12	0.98	3.8	0.76	4.2	0.61	4.3	0.38	3.5	NW	319
	14	1.19	3.7	0.82	4.1	0.62	4.0	0.39	3.4	N	5
	16	0.78	3.9	0.65	4.0	0.52	3.9	0.33	3.3	NNW	345
	18	0.91	3.9	0.66	3.6	0.52	3.7	0.33	3.1	N	0
	20	0.72	3.7	0.48	3.9	0.39	3.8	0.25	3.3	WNW	284
	22	0.77	4.2	0.50	3.9	0.39	4.0	0.25	3.3	NNE	20
	最大	1.41	4.6	1.10	4.7	0.85	4.7	0.54	3.9		
	平均	1.04	4.4	0.77	4.4	0.62	4.4	0.39	3.8		
07	00	0.63	3.2	0.47	3.9	0.37	4.0	0.23	3.3		
	02	0.45	4.3	0.33	4.1	0.27	4.2	0.17	3.2	WNW	290
	04	0.46	4.4	0.34	3.6	0.28	3.7	0.18	2.9	W	270
	06	0.59	4.7	0.41	3.6	0.32	3.4	0.20	2.6	NNE	21
	08	0.40	4.7	0.32	3.7	0.27	3.5	0.18	2.8	NNE	30
	10	0.50	4.2	0.37	3.5	0.30	3.5	0.20	2.7	W	270
	12	0.64	3.5	0.45	3.5	0.36	3.5	0.23	2.9	N	353
	14	0.49	2.4	0.40	3.6	0.33	3.4	0.22	2.8	NW	309
	16	0.52	3.2	0.37	3.6	0.30	3.5	0.20	2.7	NNW	332
	18	0.62	1.6	0.46	3.0	0.37	3.1	0.24	2.6	WNW	297
	20	* 0.75	2.1	* 0.50	3.1	* 0.38	3.1	* 0.25	2.6	WNW	290
	22	0.67	4.8	0.45	3.6	0.36	3.3	0.24	2.7		
	最大	0.75	2.1	0.50	3.1	0.38	3.1	0.25	2.6		
	平均	0.56	3.6	0.41	3.6	0.33	3.5	0.21	2.8		
08	00	0.62	3.9	0.51	3.7	0.41	3.6	0.26	2.8	SW	231
	02	0.61	4.1	0.48	4.0	0.40	3.8	0.27	3.2	NW	320
	04	1.04	3.7	0.73	3.9	0.58	3.9	0.36	3.1	NNE	12
	06	0.71	4.1	0.49	4.1	0.40	3.9	0.26	3.1	N	351
	08	0.92	3.8	0.68	3.7	0.55	3.8	0.36	3.3	SW	233
	10	1.05	3.2	0.72	3.7	0.56	3.8	0.35	3.2	WNW	299
	12	1.10	3.6	0.78	3.7	0.63	3.7	0.41	3.2	NNE	16
	14	2.17	4.4	1.54	4.7	1.21	4.7	0.76	4.0	NNE	12
	16	2.27	5.5	1.58	5.4	1.28	5.5	0.79	4.5	NNW	335
	18	2.39	6.1	1.95	5.8	1.59	5.8	1.03	4.9	NNW	335
	20	* 2.75	7.9	2.10	8.0	1.63	7.7	1.04	6.1	NNW	331
	22	2.67	8.4	* 2.13	8.3	* 1.72	8.2	* 1.06	6.5	NNW	331
	最大	2.75	7.9	2.13	8.3	1.72	8.2	1.06	6.5		
	平均	1.53	4.9	1.14	4.9	0.91	4.9	0.58	4.0		
09	00	2.30	11.2	* 1.95	9.0	* 1.51	8.6	0.92	6.6	NNW	340
	02	2.28	6.5	1.76	7.8	1.43	8.2	* 0.93	6.8	NNW	327
	04	2.22	7.2	1.63	7.7	1.34	7.6	0.82	5.9	NW	319
	06	* 2.37	8.0	1.86	8.1	1.46	7.8	0.90	6.1	NNW	331
	08	2.12	7.2	1.68	7.2	1.36	7.2	0.88	5.8	NNW	327
	10	2.02	7.9	1.53	7.5	1.23	7.5	0.77	5.6	NW	323
	12	2.12	8.3	1.70	7.8	1.29	7.8	0.79	5.7	NW	323
	14	2.26	7.9	1.48	7.9	1.16	7.6	0.72	5.7	NW	323
	16	1.99	7.1	1.39	7.7	1.08	7.5	0.66	5.2	NNW	340
	18	2.03	7.5	1.50	7.4	1.19	7.4	0.72	5.5	NNW	340
	20	1.96	6.4	1.60	7.4	1.31	7.4	0.82	5.6	NNW	340
	22	1.69	7.2	1.38	7.0	1.13	6.7	0.69	5.0	NNW	335

	最大	2.37	8.0	1.95	9.0	1.51	8.6	0.93	6.8			
	平均	2.11	7.7	1.62	7.7	1.29	7.6	0.80	5.8			
10	00	1.71	7.3	1.35	6.4	1.07	6.6	0.65	4.9	NNW	344	
	02	1.52	6.8	1.20	6.7	0.97	6.7	0.64	5.2	NNW	344	
	04	* 2.15	7.5	* 1.61	7.2	* 1.31	7.5	* 0.80	5.8	NNW	335	
	06	1.71	7.6	1.46	7.3	1.20	7.0	0.75	5.6	NNW	335	
	08	1.80	8.3	1.51	7.3	1.24	7.4	0.78	5.8	NNW	327	
	10	1.71	5.6	1.40	6.4	1.11	6.5	0.69	5.0	NNW	327	
	12	1.78	7.8	1.36	6.5	1.06	6.0	0.66	4.5	N	352	
	14	1.68	6.7	1.28	5.9	1.05	5.8	0.66	4.5	NW	311	
	16	1.70	7.0	1.35	6.0	1.10	6.0	0.68	4.7	NNW	335	
	18	1.56	5.4	1.18	6.0	0.96	5.6	0.60	4.4	NNW	340	
	20	1.50	3.5	1.19	5.6	0.94	5.2	0.61	4.3			
	22	1.60	5.6	1.25	5.7	0.98	5.7	0.60	4.6	N	4	
	最大	2.15	7.5	1.61	7.2	1.31	7.5	0.80	5.8			
	平均	1.70	6.6	1.35	6.4	1.08	6.3	0.68	4.9			
11	00	* 1.57	5.9	* 1.14	5.9	* 0.91	5.8	* 0.58	4.7	NNW	331	
	02	1.24	5.5	1.03	5.9	0.81	5.9	0.53	4.8	NNW	348	
	04	1.22	5.4	1.05	7.1	0.83	7.1	0.51	5.3	NNW	348	
	06	1.19	7.8	1.06	8.8	0.83	7.7	0.51	5.7	NNW	348	
	08	1.36	9.3	0.98	8.4	0.78	7.7	0.46	5.4	N	352	
	10	1.32	9.2	1.00	8.2	0.81	8.1	0.52	6.0	N	8	
	12	1.16	8.5	0.94	7.9	0.75	7.6	0.47	5.7	N	352	
	14	1.07	9.9	0.88	8.2	0.69	7.4	0.42	5.3	NNW	348	
	16	0.97	9.0	0.80	8.0	0.64	6.9	0.39	4.7	N	352	
	18	1.07	10.1	0.79	8.2	0.62	7.4	0.38	5.0	N	356	
	20	0.99	8.3	0.78	7.7	0.63	6.8	0.38	4.6	N	352	
	22	0.98	7.5	0.74	8.1	0.57	7.2	0.35	5.0	N	0	
	最大	1.57	5.9	1.14	5.9	0.91	5.8	0.58	4.7			
	平均	1.18	8.0	0.93	7.7	0.74	7.1	0.46	5.2			
12	00	1.00	6.2	0.70	7.3	0.54	6.8	0.33	4.6	N	356	
	02	0.78	6.9	0.62	7.4	0.50	7.2	0.31	4.9	N	356	
	04	0.71	8.3	0.59	7.8	0.49	7.1	0.30	5.0	N	356	
	06	0.79	7.6	0.65	7.0	0.52	7.0	0.31	5.2	N	8	
	08	0.76	7.8	0.58	7.6	0.47	7.1	0.28	4.8	NNW	348	
	10	0.99	4.5	0.72	5.5	0.58	5.2	0.37	4.0	N	8	
	12	1.18	4.1	0.89	4.4	0.70	4.6	0.45	3.5	N	355	
	14	1.49	4.5	1.16	4.7	0.96	4.5	0.61	3.8			
	16	* 1.59	4.9	* 1.25	4.9	* 0.99	4.9	* 0.62	4.2	NNW	331	
	18	1.39	4.5	1.08	5.0	0.86	4.8	0.55	4.0	NNE	31	
	20	1.43	4.6	1.03	5.2	0.85	5.0	0.54	4.1	N	352	
	22	1.29	5.3	1.05	5.2	0.88	5.3	0.57	4.4	N	356	
	最大	1.59	4.9	1.25	4.9	0.99	4.9	0.62	4.2			
	平均	1.12	5.8	0.86	6.0	0.70	5.8	0.44	4.4			
13	00	1.94	6.5	1.29	6.0	0.99	5.8	0.62	4.5	N	4	
	02	1.45	4.8	1.21	5.1	0.92	5.1	0.56	4.1	N	356	
	04	2.39	4.3	* 1.71	5.1	* 1.36	5.1	0.86	4.5	NNW	327	
	06	* 2.40	4.5	1.67	5.3	1.34	5.3	* 0.87	4.6	N	0	
	08	2.10	4.9	1.41	5.5	1.16	5.5	0.73	4.5	NNW	348	
	10	2.01	5.7	1.63	6.3	1.29	6.0	0.79	4.8	NNW	348	
	12	2.06	5.7	1.63	6.0	1.29	5.8	0.83	4.9	NNW	335	
	14	2.18	5.2	1.64	5.6	1.32	6.0	0.84	5.0	NNW	344	
	16	1.97	6.8	1.59	6.4	1.29	6.1	0.84	5.1	N	352	
	18	2.25	5.8	1.69	6.2	1.35	6.1	0.85	4.9	NNW	335	
	20	1.79	5.3	1.39	6.2	1.12	6.0	0.70	4.6	NNE	16	
	22	1.81	5.8	1.39	6.0	1.12	6.0	0.74	5.2	NNW	340	
	最大	2.40	4.5	1.71	5.1	1.36	5.1	0.87	4.6			
	平均	2.03	5.4	1.52	5.8	1.21	5.7	0.77	4.7			
14	00	* 1.75	5.5	1.30	5.9	1.02	5.8	0.66	4.8	N	352	
	02	1.59	5.4	1.14	6.0	0.94	5.8	0.60	4.6	N	352	
	04	1.50	4.6	1.11	5.6	0.88	5.7	0.56	4.7	NNE	20	
	06	1.53	5.9	* 1.37	6.6	* 1.10	6.5	* 0.69	5.1	NNW	331	
	08	1.44	5.8	1.23	7.0	1.00	6.8	0.63	5.3	N	0	
	10	1.33	6.2	1.14	6.5	0.90	6.4	0.57	5.3	N	352	
	12	1.24	5.8	0.98	5.8	0.80	6.2	0.51	4.9	NNW	348	
	14	1.42	6.7	0.98	5.9	0.77	6.0	0.48	4.8	N	352	

	16	1.09	5.5	0.85	6.0	0.68	5.9	0.43	4.5	N	356	
	18	0.94	5.4	0.70	6.1	0.59	6.1	0.38	4.7	N	352	
	20	0.93	5.7	0.69	6.2	0.57	6.2	0.36	4.9	NNW	340	
	22	0.74	5.6	0.60	6.1	0.49	6.0	0.31	4.6	N	8	
	最大	1.75	5.5	1.37	6.6	1.10	6.5	0.69	5.1			
	平均	1.29	5.7	1.01	6.1	0.81	6.1	0.52	4.9			
	15	00	0.89	5.4	0.62	5.0	0.51	5.1	0.32	4.1	NNE	12
	02	1.74	4.4	1.15	4.7	0.91	4.7	0.58	4.0	W	265	
	04	1.80	4.5	1.29	5.1	1.03	5.2	0.64	4.5	WNW	290	
	06	1.19	4.8	0.94	5.3	0.77	5.3	0.49	4.6	WNW	286	
	08	1.17	4.4	0.87	5.0	0.70	5.1	0.45	4.3	NNW	335	
	10	1.24	4.1	0.94	4.6	0.74	4.8	0.47	4.1	N	7	
	12	1.53	4.1	1.05	4.5	0.81	4.5	0.51	3.7	NNW	342	
	14	* 2.17	2.3	* 1.59	5.3	* 1.25	5.4	0.77	4.5	NNW	331	
	16	1.65	6.3	1.37	5.3	1.13	5.4	0.71	4.3	NNW	340	
	18	1.86	5.7	1.35	5.4	1.09	5.5	0.71	4.4	NNW	331	
	20	2.00	5.4	1.35	5.4	1.07	5.4	0.67	4.5	NNW	340	
	22	2.14	5.4	1.52	5.6	1.21	5.8	* 0.77	5.0	N	352	
	最大	2.17	2.3	1.59	5.3	1.25	5.4	0.77	5.0			
	平均	1.62	4.7	1.17	5.1	0.94	5.2	0.59	4.3			
	16	00	2.10	5.9	1.73	6.2	1.35	6.4	0.85	5.5	NNW	344
	02	1.55	5.6	1.35	6.2	1.10	6.1	0.70	5.1	N	352	
	04	1.73	4.2	1.32	5.8	1.09	5.9	0.72	5.1	N	352	
	06	1.54	5.9	1.24	5.5	1.00	5.5	0.62	4.8	N	356	
	08	1.24	5.7	0.94	5.5	0.76	5.4	0.48	4.4	NNW	348	
	10	1.28	5.3	0.93	5.5	0.76	5.4	0.49	4.6	NNW	348	
	12	1.01	4.9	0.82	5.2	0.69	5.5	0.45	4.6	NNW	344	
	14	1.73	5.9	1.21	5.8	0.96	5.8	0.59	4.5	N	352	
	16	1.89	5.7	1.41	6.1	1.11	6.0	0.66	4.6	N	352	
	18	1.93	6.1	1.52	6.1	1.15	5.9	0.69	4.6	N	352	
	20	* 3.09	6.9	* 2.37	6.0	* 1.82	6.0	* 1.17	5.1	NNW	348	
	22	1.93	6.6	1.62	5.5	1.31	5.7	0.82	4.7	N	352	
	最大	3.09	6.9	2.37	6.0	1.82	6.0	1.17	5.1			
	平均	1.75	5.7	1.37	5.8	1.09	5.8	0.69	4.8			
	17	00	1.86	6.6	1.46	5.8	1.17	5.7	0.74	4.9	NNW	348
	02	1.81	5.6	1.45	6.1	1.15	5.9	0.75	5.1	N	0	
	04	2.23	5.2	1.47	5.8	1.16	5.5	0.73	4.6	N	352	
	06	1.93	5.7	1.52	5.5	1.23	5.9	0.78	5.0	NNW	348	
	08	2.28	5.4	1.76	5.4	1.39	5.6	0.86	4.8			
	10	2.03	5.6	1.70	5.6	1.35	5.6	0.87	4.6	N	356	
	12	2.37	5.6	1.75	5.6	1.36	5.7	0.85	4.5	N	352	
	14	* 2.53	5.7	1.85	5.5	1.46	5.5	0.91	4.6	N	0	
	16	2.48	6.1	1.90	5.8	* 1.52	5.8	0.98	4.8	NNW	348	
	18	2.46	5.9	* 1.91	5.9	* 1.52	5.8	* 0.98	4.9	N	352	
	20	2.47	5.7	1.82	6.0	1.44	5.9	0.92	4.9	N	352	
	22	2.07	5.7	1.58	5.9	1.24	5.9	0.79	5.0	N	352	
	最大	2.53	5.7	1.91	5.9	1.52	5.8	0.98	4.9			
	平均	2.21	5.7	1.68	5.7	1.33	5.7	0.85	4.8			
	18	00	2.27	6.7	1.74	6.1	1.35	6.0	0.83	5.1	N	8
	02	* 2.33	5.4	* 1.85	6.1	* 1.51	6.2	* 0.96	5.4	N	4	
	04	2.01	6.1	1.61	6.1	1.37	6.2	0.91	5.4			
	06	1.96	6.0	1.57	6.0	1.27	6.1	0.80	5.1	N	356	
	08	1.50	5.9	1.26	5.9	0.99	5.9	0.64	5.2	N	0	
	10	1.79	6.0	1.25	6.2	0.96	6.0	0.61	5.1	NNW	348	
	12	1.55	5.6	1.19	5.9	0.93	5.8	0.60	5.1	N	352	
	14	2.06	6.4	1.28	6.1	0.98	6.2	0.62	5.3	N	352	
	16	1.29	5.5	1.03	5.8	0.85	5.9	0.56	5.0	N	356	
	18	1.49	4.7	1.05	5.9	0.84	6.0	0.52	4.6	N	0	
	20	1.27	6.1	1.00	5.8	0.78	5.7	0.49	4.7	N	356	
	22	1.34	4.9	1.02	5.4	0.79	5.6	0.50	4.9	N	0	
	最大	2.33	5.4	1.85	6.1	1.51	6.2	0.96	5.4			
	平均	1.74	5.8	1.32	5.9	1.05	6.0	0.67	5.1			
	19	00	* 1.30	6.1	* 0.94	5.6	* 0.75	5.7	* 0.47	4.9	N	352
	02	1.07	6.0	0.74	5.6	0.61	5.6	0.38	4.5	N	356	
	04	0.96	5.8	0.75	5.7	0.59	5.6	0.38	4.8	N	0	
	06	0.98	5.8	0.75	5.7	0.58	5.6	0.36	4.6	NNW	344	
	08	0.73	6.0	0.60	5.9	0.48	5.6	0.30	4.2	N	352	
	10	0.60	5.4	0.52	5.7	0.42	5.7	0.26	4.3	N	352	

	12	0.59	5.3	0.43	5.7	0.34	5.2	0.22	3.6	N	356
	14	0.64	6.4	0.51	3.9	0.41	3.6	0.26	2.8	N	8
	16	0.91	2.7	0.69	2.6	0.54	2.7	0.35	2.7	NNW	339
	18	0.61	2.6	0.49	2.9	0.40	3.0	0.26	2.7	NW	319
	20	0.71	3.0	0.54	3.5	0.44	3.4	0.29	2.9	NNE	22
	22	0.79	4.4	0.63	3.4	0.48	3.5	0.30	2.9		
	最大	1.30	6.1	0.94	5.6	0.75	5.7	0.47	4.9		
	平均	0.82	5.0	0.63	4.7	0.50	4.6	0.32	3.7		
20	00	0.82	3.7	0.61	3.6	0.49	3.9	0.32	3.3	WSW	239
	02	1.91	5.9	1.41	5.7	1.14	5.3	0.74	4.2	WNW	290
	04	3.51	7.6	2.88	7.4	2.35	7.2	1.47	5.7	WNW	282
	06	3.94	7.1	3.10	7.5	2.60	7.7	1.69	6.3	WNW	290
	08	3.96	9.2	3.27	8.3	2.46	7.7	1.47	5.9	WNW	299
	10	4.45	6.0	3.33	7.5	2.65	7.6	1.61	5.8	W	266
	12	5.03	6.9	3.50	7.8	2.90	7.9	1.80	6.1	WNW	303
	14	6.49	9.8	4.93	9.5	3.94	9.2	2.46	7.1	NW	315
	16	5.81	8.4	4.89	8.1	3.98	8.4	* 2.53	7.0	W	278
	18	5.92	9.0	4.60	8.4	3.76	8.5	2.45	7.2	W	278
	20	5.65	8.7	4.71	9.1	3.86	8.9	2.31	6.8	NW	307
	22	* 7.25	9.3	* 5.21	9.2	* 3.98	9.0	2.42	7.1	NW	311
	最大	7.25	9.3	5.21	9.2	3.98	9.0	2.53	7.0		
	平均	4.56	7.6	3.54	7.7	2.84	7.6	1.77	6.0		
21	00	* 5.17	11.0	* 4.19	9.4	* 3.31	8.8	* 2.05	7.0	NW	307
	02	5.07	9.4	4.13	9.4	3.13	9.2	1.94	7.2	WNW	299
	04	4.28	8.8	3.60	9.5	2.85	9.2	1.75	7.2	WNW	299
	06	4.82	10.3	3.63	9.9	2.87	9.7	1.72	7.4	WNW	286
	08	4.67	9.0	3.35	9.2	2.77	9.2	1.71	7.6	WNW	303
	10	4.53	8.5	3.69	8.9	2.85	8.9	1.76	7.4	WNW	290
	12	4.78	8.8	3.44	8.6	2.69	8.7	1.63	6.8	NW	311
	14	3.94	7.5	2.75	8.3	2.23	8.3	1.41	6.6	NW	311
	16	3.37	7.6	2.83	8.2	2.35	8.1	1.54	6.8	WNW	286
	18	3.93	8.9	3.13	8.3	2.37	8.3	1.51	7.0	NW	319
	20	2.69	9.1	2.31	8.1	1.92	8.0	1.26	6.8	WNW	299
	22	3.06	8.9	2.28	8.5	1.88	8.2	1.10	6.5	NW	307
	最大	5.17	11.0	4.19	9.4	3.31	8.8	2.05	7.0		
	平均	4.19	9.0	3.28	8.9	2.60	8.7	1.62	7.0		
22	00	* 2.81	7.7	* 2.18	8.4	* 1.72	8.8	* 1.06	7.0	NW	315
	02	2.53	8.1	1.98	8.1	1.54	8.1	0.95	6.5	WNW	295
	04	2.25	8.4	1.80	8.3	1.46	8.2	0.94	6.9	NW	315
	06	2.11	8.3	1.76	8.3	1.40	8.4	0.87	6.8	NW	315
	08	欠测									
	10	欠测									
	12	欠测									
	14	2.15	7.2	1.62	7.2	1.31	7.0	0.83	5.3	NW	307
	16	2.22	6.2	1.77	6.7	1.40	6.8	0.91	5.7	WNW	290
	18	2.64	8.1	1.89	7.3	1.50	7.4	0.93	6.2	NW	319
	20	2.14	7.9	1.71	7.5	1.39	7.6	0.88	6.4	NW	307
	22	2.10	7.5	1.41	6.7	1.10	6.8	0.67	5.2	WNW	303
	最大	2.81	7.7	2.18	8.4	1.72	8.8	1.06	7.0		
	平均	2.33	7.7	1.79	7.6	1.42	7.7	0.89	6.2		
23	00	1.83	7.8	1.38	7.2	1.10	7.0	0.64	5.1	WNW	303
	02	1.71	6.3	1.40	7.5	1.08	7.3	0.67	5.2	NW	319
	04	2.13	6.9	1.57	7.4	1.28	7.2	0.80	5.5	NW	315
	06	2.03	7.7	1.53	7.0	1.21	6.9	0.72	5.2	NW	319
	08	2.21	6.6	1.72	6.6	1.36	6.6	0.86	5.5	NW	315
	10	* 2.73	7.1	* 2.10	6.8	* 1.67	6.8	* 1.03	6.0		
	12	2.49	6.5	1.85	6.5	1.49	6.6	0.92	5.4	NW	307
	14	1.88	5.8	1.48	6.2	1.22	6.1	0.77	4.7	NW	315
	16	1.94	6.0	1.53	6.1	1.20	6.0	0.74	4.6		
	18	1.76	5.6	1.42	5.8	1.14	5.7	0.73	4.5	WNW	282
	20	2.07	6.6	1.64	6.4	1.35	6.3	0.87	5.3	NNW	327
	22	2.40	5.9	1.56	6.3	1.22	6.3	0.79	5.3	NNW	344
	最大	2.73	7.1	2.10	6.8	1.67	6.8	1.03	6.0		
	平均	2.10	6.6	1.60	6.7	1.28	6.6	0.80	5.2		
24	00	* 2.29	6.6	* 1.53	6.4	* 1.16	6.4	* 0.73	5.2	NNW	331
	02	1.79	5.2	1.29	5.9	1.04	6.2	0.68	5.4	N	8

	04	1.64	6.2	1.11	6.2	0.90	6.3	0.58	5.3	NNW	344
	06	1.31	6.3	1.03	6.2	0.85	6.3	0.54	5.1	NNW	331
	08	1.73	6.6	1.26	7.1	0.99	6.9	0.60	5.6	NNW	335
	10	1.47	6.0	1.07	6.6	0.84	6.6	0.53	5.3	NW	323
	12	1.13	5.9	0.98	6.4	0.80	6.5	0.51	5.4	NW	319
	14	1.28	7.3	0.96	6.8	0.78	6.9	0.48	5.3	NNW	340
	16	1.17	6.6	0.92	6.5	0.69	6.5	0.42	4.8	N	352
	18	1.14	6.3	0.85	6.2	0.68	6.3	0.43	4.9	NNW	340
	20	0.96	6.0	0.83	5.9	0.68	5.9	0.43	5.0	N	0
	22	0.97	6.1	0.73	5.9	0.58	5.9	0.38	4.9	NNW	344
	最大	2.29	6.6	1.53	6.4	1.16	6.4	0.73	5.2		
	平均	1.41	6.3	1.05	6.3	0.83	6.4	0.53	5.2		
25	00	* 1.10	5.2	* 0.67	5.9	* 0.53	5.8	* 0.35	4.9	N	4
	02	0.79	5.9	0.59	5.8	0.47	5.7	0.29	4.7	N	352
	04	0.65	5.5	0.50	5.6	0.40	5.6	0.25	4.2	NNW	340
	06	0.59	5.9	0.43	5.3	0.34	5.5	0.21	3.9	NNW	344
	08	0.67	5.8	0.41	5.5	0.32	4.9	0.20	3.4	NNW	331
	10	0.48	5.6	0.37	5.0	0.30	4.3	0.19	3.0	NNE	19
	12	0.45	5.1	0.36	4.6	0.30	4.5	0.19	3.3		
	14	0.51	3.1	0.38	4.2	0.31	4.3	0.21	3.2	N	353
	16	0.61	3.9	0.44	3.5	0.36	3.5	0.23	2.8	WNW	283
	18	0.41	4.9	0.33	4.6	0.26	4.2	0.17	3.1	W	267
	20	0.38	5.6	0.30	4.8	0.24	4.7	0.16	3.3	NNE	28
	22	0.39	4.6	0.27	4.8	0.22	4.5	0.15	3.3	SW	225
	最大	1.10	5.2	0.67	5.9	0.53	5.8	0.35	4.9		
	平均	0.59	5.1	0.42	5.0	0.34	4.8	0.22	3.6		
26	00	0.37	6.0	0.29	5.4	0.23	4.9	0.15	3.5	NNE	12
	02	0.36	6.7	0.27	5.8	0.22	5.2	0.14	3.6	NNE	33
	04	0.42	4.9	0.29	5.3	0.23	4.8	0.15	3.4	W	261
	06	0.37	9.2	0.28	5.7	0.23	4.9	0.15	3.4	N	0
	08	0.36	7.4	0.25	5.6	0.20	4.9	0.13	3.5	NNE	20
	10	0.41	6.4	0.32	4.5	0.25	4.4	0.17	3.4	N	359
	12	0.46	3.3	0.36	3.2	0.30	3.2	0.20	2.8	NNE	17
	14	* 0.67	3.3	* 0.49	3.2	* 0.39	3.2	* 0.26	2.8	WNW	285
	16	0.43	3.3	0.33	4.1	0.26	3.7	0.17	3.0	WNW	296
	18	0.48	3.3	0.30	4.0	0.23	3.7	0.15	2.9	WSW	258
	20	0.34	6.5	0.27	4.5	0.22	4.3	0.15	3.2	NNE	19
	22	0.46	2.8	0.37	3.4	0.30	3.4	0.20	2.9	NW	314
	最大	0.67	3.3	0.49	3.2	0.39	3.2	0.26	2.8		
	平均	0.43	5.3	0.32	4.6	0.26	4.2	0.17	3.2		
27	00	0.48	2.6	0.33	3.5	0.27	3.2	0.18	2.7	NNE	30
	02	0.41	5.5	0.33	4.6	0.26	4.2	0.17	3.2	NW	304
	04	0.63	3.8	0.52	4.0	0.42	4.1	0.27	3.2	N	4
	06	1.02	4.0	0.73	4.4	0.59	4.7	0.39	3.9	WSW	251
	08	1.62	9.0	1.30	8.2	1.02	7.8	0.62	5.7	NW	319
	10	2.55	8.4	1.86	7.5	1.51	7.2	0.92	5.9	NNW	327
	12	3.57	7.3	2.87	6.9	2.26	6.9	1.41	5.8	NNW	344
	14	4.65	8.1	* 3.52	7.5	2.75	7.3	1.73	6.2	N	0
	16	4.01	8.3	3.44	7.5	2.76	7.5	1.72	5.8	N	0
	18	* 5.16	7.6	3.50	7.7	* 2.82	7.5	* 1.78	6.2	N	0
	20	3.74	8.0	3.19	7.7	2.51	7.6	1.58	5.9	N	8
	22	3.26	7.1	2.78	7.2	2.26	7.5	1.40	5.9	N	4
	最大	5.16	7.6	3.52	7.5	2.82	7.5	1.78	6.2		
	平均	2.59	6.6	2.03	6.4	1.62	6.3	1.01	5.0		
28	00	* 3.57	6.9	* 2.44	6.9	* 1.90	7.0	* 1.19	5.3	N	356
	02	3.08	7.9	2.18	7.2	1.75	7.1	1.11	5.6	N	0
	04	2.85	7.3	2.00	7.3	1.61	7.2	1.01	5.8	N	0
	06	2.32	6.5	1.86	7.0	1.49	6.8	0.94	5.5	N	4
	08	2.34	6.6	1.69	7.3	1.33	7.0	0.81	5.3	NNW	348
	10	2.23	6.3	1.46	7.3	1.15	6.6	0.71	5.0	N	0
	12	2.09	7.5	1.34	6.9	1.09	6.6	0.67	5.4	N	0
	14	1.42	6.9	1.18	7.2	0.97	7.0	0.60	5.3	N	352
	16	1.43	5.6	1.06	6.3	0.84	6.2	0.52	5.0	NNW	344
	18	1.17	6.2	0.92	6.3	0.73	6.3	0.45	4.9	N	8
	20	1.27	6.1	0.92	6.4	0.72	6.4	0.45	5.1	N	352
	22	1.63	5.8	0.90	6.4	0.68	6.1	0.42	4.4	N	352
	最大	3.57	6.9	2.44	6.9	1.90	7.0	1.19	5.3		

	平均	2.12	6.6	1.50	6.9	1.19	6.7	0.74	5.2		
29	00	1.17	5.5	0.92	6.1	0.74	5.5	0.46	4.1	N	356
	02	1.07	5.2	0.83	5.1	0.68	4.9	0.44	3.9	N	4
	04	1.07	4.5	0.83	4.4	0.67	4.4	0.43	3.6	NNW	346
	06	0.92	3.3	0.71	3.9	0.58	3.9	0.37	3.2	W	267
	08	0.86	3.9	0.73	3.8	0.58	3.9	0.38	3.3	NW	311
	10	1.18	4.7	0.90	3.9	0.73	4.1	0.47	3.5	SW	233
	12	1.67	4.5	0.96	4.1	0.75	4.1	0.49	3.6	WNW	286
	14	1.25	4.0	0.90	4.3	0.71	4.2	0.45	3.5	NNE	15
	16	1.79	4.5	1.33	5.0	1.03	5.0	0.64	4.0	WNW	282
	18	2.58	6.8	2.23	6.8	1.82	6.7	1.15	5.3	W	278
	20	* 3.35	7.0	* 2.66	7.2	* 2.10	7.2	* 1.29	5.7	WNW	295
	22	2.70	7.2	2.45	7.3	2.00	7.4	1.28	6.0	NW	307
	最大	3.35	7.0	2.66	7.2	2.10	7.2	1.29	5.7		
	平均	1.63	5.1	1.29	5.2	1.03	5.1	0.65	4.1		
30	00	3.01	6.6	2.51	7.7	2.04	7.6	1.29	6.6	NNW	327
	02	3.42	7.9	2.67	8.5	2.07	8.4	1.31	6.4	NW	319
	04	* 4.51	8.8	* 3.61	9.9	* 2.93	10.0	* 1.80	8.0	NW	323
	06	3.32	8.5	2.71	8.4	2.09	8.4	1.29	6.8	NW	323
	08	3.08	8.6	2.47	8.1	2.03	8.1	1.34	7.0	NW	319
	10	3.52	8.7	2.75	7.9	2.08	8.4	1.28	7.0	NNW	331
	12	3.03	6.9	2.26	8.1	1.82	8.2	1.13	6.5	NNW	340
	14	2.89	7.9	2.13	8.2	1.69	8.4	1.03	6.5	NNW	348
	16	2.90	9.1	2.16	9.3	1.82	8.6	1.15	6.9	NNW	348
	18	2.73	9.0	2.08	8.8	1.70	8.9	1.08	6.8	N	352
	20	2.33	8.7	1.82	8.5	1.51	8.3	0.95	6.2	N	352
	22	2.38	7.4	1.78	8.5	1.43	8.4	0.87	6.6	NNW	348
	最大	4.51	8.8	3.61	9.9	2.93	10.0	1.80	8.0		
	平均	3.09	8.2	2.41	8.5	1.93	8.5	1.21	6.8		
31	00	* 2.66	8.0	* 1.90	8.6	* 1.56	8.3	* 0.99	7.0	N	352
	02	2.05	7.6	1.64	8.0	1.28	8.2	0.81	6.6	N	356
	04	2.10	8.3	1.59	7.6	1.25	7.8	0.75	6.2	N	352
	06	1.73	6.3	1.28	7.3	1.02	7.3	0.64	5.8	N	352
	08	1.88	6.9	1.40	7.0	1.13	7.0	0.70	5.6	N	352
	10	1.58	5.2	1.18	6.4	0.92	6.4	0.58	5.0	N	0
	12	1.39	5.8	1.06	6.4	0.83	6.1	0.52	4.8	N	356
	14	1.23	4.8	0.89	5.6	0.71	5.8	0.45	4.5	N	0
	16	1.26	8.0	0.83	6.6	0.64	6.4	0.39	4.7	N	352
	18	0.87	7.0	0.70	6.2	0.55	6.4	0.36	5.0	N	0
	20	0.82	5.5	0.62	6.3	0.49	6.2	0.31	4.6	N	0
	22	0.75	6.9	0.59	6.5	0.47	6.4	0.30	5.0	N	356
	最大	2.66	8.0	1.90	8.6	1.56	8.3	0.99	7.0		
	平均	1.53	6.7	1.14	6.9	0.90	6.9	0.57	5.4		
	月最大	7.25	9.3	5.21	9.2	3.98	9.0	2.53	7.0		
	起時	2022		2022		2022		2016			
	平均	1.69	5.9	1.28	5.9	1.02	5.9	0.64	4.7		

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	335 回
欠測回数	0 回	欠測回数	25 回
欠測率	0.0 %	欠測率	6.9 %

機種：波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度
01	00	0.78	6.5	0.57	6.2	0.47	5.7	0.29	3.9	N	356
	02	0.90	3.3	0.65	4.5	0.53	4.2	0.35	3.4	WSW	239
	04	0.97	3.0	0.73	4.0	0.60	4.1	0.38	3.4	W	269
	06	0.83	4.1	0.67	4.2	0.55	4.1	0.35	3.4	NNE	22
	08	0.90	3.4	0.70	3.6	0.58	3.8	0.38	3.3	SW	232
	10	1.18	3.2	0.74	3.9	0.58	3.9	0.38	3.6	W	262
	12	1.57	4.0	1.16	4.0	0.92	4.0	0.60	3.6	NNE	18
	14	1.67	4.9	1.22	4.7	0.96	4.7	0.60	4.0	SW	235
	16	1.77	4.7	1.18	4.8	0.94	4.9	0.59	4.0	W	270
	18	1.67	5.0	1.30	5.5	1.03	5.5	0.65	4.4	W	274
	20	1.77	5.5	1.39	5.5	1.13	5.3	0.73	4.4	W	278
	22	* 2.15	4.9	* 1.64	5.6	* 1.33	5.4	* 0.87	4.6	W	270
	最大 平均	2.15	4.9	1.64	5.6	1.33	5.4	0.87	4.6		
		1.35	4.4	1.00	4.7	0.80	4.6	0.51	3.8		
	02	00	2.89	6.0	2.06	6.0	1.64	5.8	1.03	4.7	NW
02		3.50	6.5	2.53	6.1	1.99	6.2	1.22	5.0	NW	315
04		3.82	7.1	2.87	7.5	2.23	7.1	1.34	5.6	WNW	303
06		* 4.08	7.7	* 3.05	8.0	* 2.46	7.9	* 1.52	6.2		
08		3.32	6.7	2.73	7.8	2.16	7.5	1.33	6.0	WNW	295
10		3.18	7.9	2.30	7.8	1.91	7.8	1.21	6.2	WNW	299
12		2.77	8.7	2.24	7.8	1.81	7.7	1.13	6.3	WNW	303
14		2.46	8.0	1.97	8.0	1.60	7.8	0.98	5.9	WNW	290
16		2.93	8.0	2.24	7.9	1.77	8.0	1.13	6.5	NW	307
18		2.89	8.0	2.36	7.9	1.87	7.7	1.14	6.4	NW	307
20		3.56	7.5	2.22	7.4	1.74	7.5	1.05	5.8	NW	307
22		2.55	6.6	1.93	7.1	1.58	7.0	0.97	5.7	WNW	295
最大 平均		4.08	7.7	3.05	8.0	2.46	7.9	1.52	6.2		
		3.16	7.4	2.38	7.4	1.90	7.3	1.17	5.9		
03		00	* 2.40	6.2	* 1.91	6.9	* 1.47	6.8	* 0.91	5.3	NW
	02	1.79	6.5	1.49	7.0	1.21	6.9	0.76	5.5	WNW	303
	04	1.64	7.3	1.27	7.2	1.04	6.9	0.66	5.5	NW	315
	06	1.43	6.3	1.10	6.6	0.89	6.6	0.59	5.7	NW	319
	08	1.46	6.6	1.16	6.7	0.90	6.8	0.55	5.5	NW	307
	10	1.76	7.2	1.24	6.8	0.97	6.7	0.62	5.8	NW	307
	12	1.29	6.6	1.10	6.7	0.88	6.4	0.54	5.2	NW	323
	14	1.74	6.2	1.28	6.1	1.05	6.2	0.66	4.9	NW	311
	16	1.85	6.0	1.38	5.9	1.11	5.8	0.71	4.6	NW	319
	18	1.72	5.6	1.43	6.0	1.16	6.2	0.72	4.7	NW	323
	20	1.61	6.5	1.36	6.2	1.08	6.2	0.69	5.0	NNW	327
	22	1.65	6.1	1.26	6.3	1.01	6.1	0.65	5.2	NW	311
	最大 平均	2.40	6.2	1.91	6.9	1.47	6.8	0.91	5.3		
		1.70	6.4	1.33	6.5	1.06	6.5	0.67	5.2		
	04	00	1.42	5.7	0.96	6.1	0.76	6.0	0.47	4.6	NW
02		1.46	6.3	1.05	6.3	0.82	6.3	0.53	5.2	NW	311
04		1.39	6.0	1.04	6.3	0.88	6.3	0.56	5.2	NW	315
06		* 2.37	5.5	1.45	6.7	1.16	6.6	0.69	5.2	NW	323
08		1.94	6.5	1.53	5.7	1.24	5.7	0.79	4.9	NNW	331
10		2.24	5.5	* 1.79	6.1	1.40	5.8	0.84	4.8	WNW	299
12		2.34	6.0	1.74	6.0	* 1.41	6.0	* 0.91	5.0	NNW	327
14		2.29	6.0	1.70	6.1	1.36	6.0	0.85	4.8	NNW	335
16		1.92	4.7	1.43	5.5	1.12	5.7	0.70	4.4	NNW	327
18		1.82	5.4	1.35	5.6	1.09	5.6	0.67	4.4	NW	319
20		1.79	4.8	1.27	5.8	0.99	5.8	0.61	4.6	NW	323
22		1.37	5.9	1.07	5.3	0.87	5.4	0.56	4.7	NW	323
最大 平均		2.37	5.5	1.79	6.1	1.41	6.0	0.91	5.0		

	平均	1.86	5.7	1.37	6.0	1.09	5.9	0.68	4.8		
05	00	* 1.54	5.7	* 1.11	5.6	* 0.87	5.6	* 0.56	4.8	NNE	16
	02	1.24	5.4	0.93	5.4	0.74	5.3	0.46	4.6	NW	319
	04	1.28	5.9	0.94	5.4	0.73	5.4	0.45	4.5	NNW	331
	06	0.94	4.9	0.75	5.2	0.61	5.2	0.39	4.5	NNW	335
	08	0.90	5.1	0.70	5.0	0.58	5.2	0.37	4.4	NNW	327
	10	0.90	5.0	0.65	5.4	0.51	5.4	0.33	4.5	NNW	348
	12	0.83	5.1	0.62	4.9	0.49	5.0	0.31	4.2	WNW	299
	14	0.69	5.8	0.52	5.1	0.42	5.0	0.26	3.9	NNW	331
	16	0.69	4.7	0.49	5.1	0.40	5.1	0.26	4.1	NNW	340
	18	0.59	6.1	0.48	5.0	0.39	5.0	0.25	3.9	NNW	335
	20	0.63	5.3	0.49	4.9	0.39	4.8	0.25	4.0	N	354
	22	0.64	4.6	0.46	5.2	0.37	5.0	0.23	4.0	NNW	348
	最大	1.54	5.7	1.11	5.6	0.87	5.6	0.56	4.8		
	平均	0.91	5.3	0.68	5.2	0.54	5.2	0.34	4.3		
06	00	0.66	4.9	0.44	4.9	0.35	5.0	0.23	4.3	N	356
	02	0.62	4.9	0.44	5.2	0.35	5.1	0.21	4.0	N	356
	04	0.53	5.9	0.41	5.0	0.34	4.9	0.22	4.1	NNW	348
	06	0.52	5.6	0.45	5.2	0.36	5.2	0.23	4.4	N	356
	08	0.57	5.5	0.43	4.8	0.34	4.9	0.22	4.1	N	0
	10	0.59	5.5	0.42	5.4	0.33	5.0	0.21	3.7		
	12	* 2.14	5.4	* 1.52	5.1	* 1.18	5.0	* 0.75	4.3	NNW	348
	14	1.33	4.4	1.01	4.9	0.83	4.8	0.54	4.2		
	16	1.47	5.3	1.04	4.9	0.84	4.9	0.53	4.1	NNW	340
	18	1.87	5.0	1.35	5.0	1.07	4.9	0.67	4.1	NNW	344
	20	1.89	5.1	1.42	5.2	1.14	5.3	0.73	4.3	N	4
	22	1.72	5.1	1.26	4.9	1.01	5.0	0.64	4.3	NNE	16
	最大	2.14	5.4	1.52	5.1	1.18	5.0	0.75	4.3		
	平均	1.16	5.2	0.85	5.0	0.68	5.0	0.43	4.2		
07	00	* 1.53	4.4	1.02	4.6	0.82	4.7	0.52	4.0	WNW	295
	02	1.23	4.6	0.94	4.5	0.75	4.5	0.49	3.9	NNE	25
	04	1.23	5.3	0.90	4.4	0.72	4.4	0.45	3.8	NW	308
	06	1.49	5.1	* 1.13	4.9	* 0.89	5.1	* 0.56	4.3	NW	323
	08	1.15	4.9	0.96	4.9	0.75	5.0	0.47	4.2	NNW	344
	10	1.21	5.2	0.94	4.9	0.75	4.9	0.46	4.1	N	4
	12	1.23	4.4	0.92	5.0	0.76	4.9	0.48	4.1	NNW	344
	14	1.03	5.2	0.84	4.9	0.69	4.8	0.45	3.9	WNW	286
	16	1.19	5.2	0.88	4.8	0.69	4.7	0.44	3.9	W	268
	18	1.13	5.4	0.89	4.9	0.70	4.7	0.43	3.7		
	20	1.23	5.5	0.97	5.3	0.77	5.3	0.48	4.3	NNW	344
	22	1.23	5.4	0.94	5.3	0.76	5.5	0.48	4.6	N	352
	最大	1.53	4.4	1.13	4.9	0.89	5.1	0.56	4.3		
	平均	1.24	5.1	0.94	4.9	0.75	4.9	0.48	4.1		
08	00	1.01	5.1	* 0.84	5.4	* 0.71	5.4	* 0.46	4.6	N	356
	02	* 1.03	5.8	0.83	5.4	0.68	5.6	0.44	4.9	NNW	344
	04	0.94	5.2	0.70	5.5	0.58	5.3	0.37	4.5	NNW	348
	06	0.88	4.8	0.61	5.4	0.48	5.4	0.30	4.2	NNW	344
	08	0.69	5.3	0.52	5.5	0.43	5.4	0.28	4.4	N	8
	10	0.77	4.9	0.49	5.3	0.39	5.1	0.24	4.1	N	4
	12	0.68	5.0	0.47	4.9	0.38	5.0	0.24	3.9	NNW	348
	14	0.59	6.0	0.44	5.3	0.36	5.1	0.23	4.0	NNW	344
	16	0.48	5.3	0.37	5.1	0.30	4.8	0.19	3.5	NNE	16
	18	0.42	5.3	0.33	4.8	0.27	4.7	0.17	3.3	WNW	288
	20	0.55	5.3	0.39	5.1	0.32	4.8	0.20	3.6	WSW	239
	22	0.52	5.6	0.39	4.9	0.30	4.7	0.20	3.6	N	358
	最大	1.03	5.8	0.84	5.4	0.71	5.4	0.46	4.6		
	平均	0.71	5.3	0.53	5.2	0.43	5.1	0.28	4.1		
09	00	0.52	3.7	0.38	4.7	0.31	4.5	0.20	3.5	NW	304
	02	0.62	4.9	0.43	4.9	0.34	4.8	0.22	3.8		
	04	0.53	4.9	0.43	5.0	0.36	4.9	0.23	3.9	NNW	348
	06	0.65	5.2	0.44	5.0	0.34	5.1	0.22	3.9	NNW	327
	08	0.67	5.6	0.49	4.6	0.40	4.7	0.25	3.8	SW	223
	10	0.69	4.0	0.52	4.3	0.41	4.5	0.26	3.8	NNE	21
	12	1.26	3.6	0.83	4.0	0.66	4.0	0.42	3.5	N	1
	14	1.37	4.1	0.98	4.5	0.77	4.4	0.48	3.7	W	260
	16	* 2.31	5.1	1.57	5.5	1.20	5.6	0.74	4.5	N	0
	18	1.86	5.8	1.51	6.1	1.19	5.8	0.74	4.7	N	8
	20	2.25	6.0	* 1.60	6.1	* 1.22	6.1	* 0.77	5.2	NNE	12
	22	1.93	6.1	1.44	6.0	1.18	6.3	0.75	5.4	N	8

		最大	2.31	5.1	1.60	6.1	1.22	6.1	0.77	5.2		
		平均	1.22	4.9	0.89	5.1	0.70	5.1	0.44	4.1		
10	00	* 1.71	6.4	1.14	6.4	0.88	6.0	0.55	4.9	N	0	
	02	1.58	7.1	1.22	6.1	* 0.99	6.0	0.64	5.3	NNE	12	
	04	1.71	6.3	* 1.23	6.1	0.98	6.2	* 0.64	5.4	N	4	
	06	1.52	6.4	1.12	6.0	0.89	6.2	0.55	5.0	N	8	
	08	1.71	5.7	1.20	6.1	0.94	6.1	0.60	5.0	N	0	
	10	1.60	6.3	1.16	6.1	0.92	6.0	0.58	4.7	N	8	
	12	1.55	6.1	1.12	6.0	0.89	5.9	0.55	4.3	N	8	
	14	1.53	6.5	0.94	5.8	0.73	5.7	0.44	4.2	N	8	
	16	1.29	6.1	0.93	6.1	0.72	6.0	0.44	4.6	N	356	
	18	1.00	6.0	0.82	6.2	0.66	6.1	0.41	4.7	N	356	
	20	1.15	5.6	0.83	6.2	0.62	6.1	0.36	4.6	NNE	16	
	22	1.07	5.6	0.75	6.4	0.59	6.1	0.37	5.2	N	0	
	最大	1.71	6.4	1.23	6.1	0.99	6.0	0.64	5.4			
	平均	1.45	6.2	1.04	6.1	0.82	6.0	0.51	4.8			
	11	00	0.85	6.3	0.70	6.0	0.55	6.1	0.33	4.8	N	356
		02	1.05	6.0	0.73	6.2	0.54	5.9	0.31	4.4	N	0
		04	1.85	3.9	1.14	4.0	0.91	4.0	0.59	3.6	WNW	291
		06	1.81	4.9	1.19	4.6	0.96	4.6	0.62	4.0	NNW	331
		08	1.56	5.5	1.25	5.1	0.96	5.0	0.61	4.1	NW	307
		10	2.11	5.0	1.52	5.0	1.22	4.8	0.79	4.0	N	356
		12	2.00	4.6	1.49	5.1	1.18	5.1	0.75	4.3	W	278
		14	2.16	5.7	1.66	5.3	1.37	5.1	0.89	4.4	NW	311
16		2.95	6.8	2.65	6.4	2.21	6.4	1.44	5.5			
18		3.90	6.7	2.94	6.6	2.41	6.8	1.51	5.4	NW	311	
20		* 4.82	7.9	3.54	7.3	2.66	7.2	1.59	5.5	WNW	282	
22		4.74	7.7	* 3.73	7.4	* 2.96	7.4	* 1.83	6.1	WNW	286	
最大		4.82	7.9	3.73	7.4	2.96	7.4	1.83	6.1			
平均		2.48	5.9	1.88	5.8	1.49	5.7	0.94	4.7			
12		00	4.31	9.0	3.45	8.0	2.85	7.9	1.76	6.2	WNW	299
		02	4.81	7.7	3.77	8.3	3.03	8.3	1.83	6.2		
		04	4.38	7.5	3.48	7.7	2.79	7.5	1.69	5.7		
		06	5.42	7.7	3.70	7.8	3.05	7.8	1.91	6.2		
		08	5.60	7.7	4.07	7.6	3.06	7.6	1.90	6.0		
		10	5.07	7.9	3.93	8.0	3.18	8.0	1.96	6.2		
		12	4.60	7.5	3.91	7.6	3.24	7.8	2.12	6.5	NW	323
		14	5.70	8.2	4.28	8.4	3.41	8.2	2.16	6.8	NW	323
	16	6.50	7.6	5.09	8.2	3.99	8.1	2.50	6.9	NNW	331	
	18	7.01	8.5	5.88	8.7	4.73	9.3	3.00	7.6	NNW	335	
	20	* 8.25	9.5	* 6.75	10.3	* 5.37	9.9	* 3.39	8.2	NNW	331	
	22	7.41	10.7	5.98	10.3	4.85	10.1	3.01	8.0	NNW	340	
	最大	8.25	9.5	6.75	10.3	5.37	9.9	3.39	8.2			
	平均	5.76	8.3	4.52	8.4	3.63	8.4	2.27	6.7			
	13	00	5.79	10.1	* 4.60	9.4	3.73	9.1	* 2.43	7.2	NNW	331
		02	5.53	8.8	4.21	9.4	3.56	9.5	2.29	7.5	NNW	344
		04	6.28	9.7	4.58	10.4	* 3.84	10.2	2.37	7.8	NNW	344
		06	* 6.32	8.8	3.99	10.3	3.28	10.2	2.03	7.5	NNW	344
		08	4.62	9.1	3.72	9.9	3.07	9.8	1.89	7.5	N	352
		10	4.33	9.4	3.26	10.0	2.67	9.5	1.69	7.5	N	352
		12	3.82	9.0	3.27	9.0	2.61	9.3	1.65	7.5	NNW	340
		14	3.49	7.5	2.62	8.6	2.08	8.8	1.28	6.6	NNW	344
16		3.06	10.4	2.63	8.5	2.12	8.3	1.31	6.6	NNW	344	
18		3.10	8.1	2.19	8.8	1.75	8.8	1.08	6.6	N	352	
20		2.37	8.1	1.93	8.4	1.50	8.2	0.88	5.9	N	352	
22		2.46	7.4	1.81	8.2	1.43	8.1	0.88	6.3	N	356	
最大		6.32	8.8	4.60	9.4	3.84	10.2	2.43	7.2			
平均		4.26	8.9	3.23	9.2	2.64	9.2	1.65	7.0			
14		00	1.85	9.5	* 1.58	8.2	* 1.29	8.3	* 0.81	6.5	N	352
		02	1.68	9.4	1.39	7.8	1.11	8.2	0.70	6.2	N	352
		04	* 1.94	7.8	1.38	7.6	1.11	7.7	0.68	6.3	N	8
		06	1.41	6.3	1.14	7.6	0.90	7.5	0.56	6.0	N	0
		08	1.36	7.1	1.02	7.3	0.82	7.4	0.53	5.9	N	356
		10	1.29	7.5	0.97	7.1	0.76	7.0	0.45	5.3	N	356
		12	1.09	7.6	0.85	6.8	0.68	6.7	0.43	4.9	N	0
		14	1.33	4.6	0.93	5.9	0.74	5.2	0.46	3.8	N	8

	16	0.98	5.4	0.74	6.3	0.60	5.4	0.39	4.0	NNW	348	
	18	0.79	7.3	0.60	5.7	0.47	5.0	0.31	3.7	WNW W	286	
	20	0.99	4.3	0.77	5.2	0.61	5.1	0.38	3.9		274	
	22	1.49	4.3	1.07	4.8	0.87	4.9	0.55	3.9			
	最大	1.94	7.8	1.58	8.2	1.29	8.3	0.81	6.5			
	平均	1.35	6.8	1.04	6.7	0.83	6.5	0.52	5.0			
	15	00	1.17	5.2	0.92	4.8	0.73	4.6	0.45	3.7	WNW	282
		02	1.23	4.3	0.92	5.0	0.74	4.8	0.47	3.9	WSW	255
		04	1.10	5.4	0.88	5.0	0.70	4.7	0.46	3.8	NNE	22
		06	1.45	5.7	1.05	5.5	0.85	5.5	0.54	4.2	NW	311
		08	1.40	6.2	1.09	6.1	0.87	6.0	0.56	4.6	WNW	299
		10	1.78	6.5	1.24	5.7	1.01	5.6	0.63	4.2	NW	311
		12	2.04	4.7	1.42	5.4	1.16	5.2	0.75	4.3	NW	319
		14	2.55	5.9	2.00	5.7	1.58	5.7	1.03	4.9	NW	323
		16	2.36	6.4	1.88	6.1	1.53	6.1	0.99	5.1		
		18	3.06	6.0	2.18	6.1	1.69	5.6	1.01	4.5	NNW	327
		20	3.38	6.8	2.76	6.8	* 2.25	6.8	* 1.38	5.6	NW	323
		22	* 3.51	8.5	* 2.76	7.8	2.22	7.7	1.37	6.0	NNW	327
	最大	3.51	8.5	2.76	7.8	2.25	6.8	1.38	5.6			
		平均	2.09	6.0	1.59	5.8	1.28	5.7	0.80	4.6		
	16	00	* 2.92	9.2	* 2.56	7.7	* 2.11	7.9	* 1.31	6.7	NNW	340
		02	2.87	8.4	2.29	8.1	1.82	7.8	1.15	6.6	NW	323
		04	2.68	7.4	2.04	7.9	1.61	7.8	0.97	6.1	NNW	335
		06	2.56	7.1	1.80	7.5	1.44	7.5	0.90	5.8	NNW	331
		08	2.71	8.1	1.96	7.9	1.52	7.5	0.93	5.8	NNW	335
		10	2.45	7.9	1.90	8.1	1.55	7.7	0.95	5.9	NNW	331
		12	2.36	8.8	1.92	7.8	1.58	7.7	0.96	5.9	NNW	331
		14	2.81	8.6	2.00	7.8	1.61	7.6	1.01	6.3	NNW	340
		16	2.38	7.6	1.60	7.2	1.30	7.0	0.82	5.3	NNW	344
		18	2.04	6.3	1.49	7.3	1.21	7.3	0.77	5.4	NNW	335
		20	1.97	6.8	1.49	7.1	1.16	7.1	0.71	5.6	NNW	348
		22	1.47	7.4	1.11	6.7	0.89	6.9	0.56	5.5	N	352
	最大	2.92	9.2	2.56	7.7	2.11	7.9	1.31	6.7			
		平均	2.44	7.8	1.85	7.6	1.48	7.5	0.92	5.9		
	17	00	1.51	6.6	1.14	6.8	0.94	6.7	0.58	5.4	NNW	331
		02	1.41	7.1	0.99	6.8	0.76	6.6	0.45	5.1	NNW	344
		04	1.32	6.6	0.94	6.6	0.73	6.5	0.45	5.3	NNW	348
		06	0.93	6.2	0.77	6.3	0.64	6.3	0.41	5.2	N	356
		08	1.03	6.2	0.82	6.8	0.65	6.7	0.40	5.3	N	356
		10	1.02	5.8	0.73	6.4	0.56	6.5	0.35	5.2	N	352
		12	0.86	5.7	0.64	6.3	0.50	6.1	0.30	4.2		
		14	1.22	3.5	0.89	4.1	0.71	4.0	0.45	3.4	NNE	15
		16	1.32	3.6	0.84	3.7	0.66	3.8	0.42	3.2	WNW	302
		18	1.27	4.0	0.94	3.8	0.73	3.9	0.45	3.4	WNW	298
		20	1.45	4.8	1.12	5.2	0.89	5.2	0.57	4.2	W	278
		22	* 3.29	5.3	* 2.48	6.0	* 1.92	5.9	* 1.21	5.0	W	270
	最大	3.29	5.3	2.48	6.0	1.92	5.9	1.21	5.0			
		平均	1.39	5.5	1.03	5.7	0.81	5.7	0.50	4.6		
	18	00	3.45	6.7	2.61	6.4	2.19	6.5	1.39	5.3	W	278
		02	3.75	6.3	3.15	6.9	2.54	6.6	1.60	5.6	W	278
		04	4.53	5.9	3.40	6.7	2.61	6.6	1.60	5.4	W	270
		06	4.49	6.8	3.27	6.9	2.61	6.7	1.68	5.5	WSW	250
		08	4.93	7.2	4.12	7.9	3.20	7.6	2.00	6.1	WNW	286
		10	* 8.31	9.6	* 5.95	9.2	* 4.54	9.1	2.71	6.9	NW	315
		12	6.04	8.3	5.31	8.9	4.42	9.2	* 2.76	7.5	WNW	295
		14	6.02	8.5	4.93	9.0	3.98	9.0	2.55	7.1	WNW	295
		16	5.70	10.9	4.78	9.0	3.62	8.7	2.20	6.6	WNW	295
		18	6.58	10.3	5.57	9.3	4.27	9.3	2.59	7.2	NW	315
		20	6.44	7.9	5.30	9.4	4.37	9.4	2.73	7.7	NNW	327
		22	5.67	9.0	4.72	9.4	3.74	9.1	2.38	7.2	NNW	331
	最大	8.31	9.6	5.95	9.2	4.54	9.1	2.76	7.5			
		平均	5.49	8.1	4.43	8.3	3.51	8.2	2.18	6.5		
	19	00	5.16	9.1	4.52	9.6	3.71	9.8	2.31	7.5	NW	323
		02	6.75	9.0	* 5.29	9.3	* 4.29	9.4	* 2.62	7.6	NW	323
		04	* 6.92	8.3	4.74	9.1	3.86	9.1	2.43	7.2	NNW	327
		06	6.01	9.3	4.55	9.1	3.60	9.4	2.10	7.0	NW	311
		08	5.30	9.8	4.09	8.9	3.22	9.4	1.92	7.3	NNW	327
		10	4.74	8.6	3.62	9.4	3.00	9.2	1.91	7.9	NW	319

	12	3.82	9.1	3.15	9.4	2.60	9.1	1.67	7.5	NW	323	
	14	3.94	10.4	3.21	9.7	2.49	9.0	1.55	7.5	NW	323	
	16	3.78	8.8	2.89	8.5	2.33	9.1	1.50	7.5	NW	323	
	18	3.08	8.5	2.47	8.2	2.10	8.6	1.28	6.9	NNW	340	
	20	3.14	7.7	2.29	8.3	1.86	8.5	1.15	6.8	NNW	331	
	22	2.80	9.8	1.95	8.1	1.50	8.1	0.91	5.8	NNW	335	
	最大	6.92	8.3	5.29	9.3	4.29	9.4	2.62	7.6			
	平均	4.62	9.0	3.56	9.0	2.88	9.1	1.78	7.2			
	20	00	2.43	9.7	1.77	8.3	1.41	7.7	0.84	5.4	NNW	331
		02	1.93	9.1	1.59	8.2	1.29	7.5	0.80	5.2	NNW	327
		04	1.96	6.3	1.41	5.8	1.15	5.7	0.74	4.5	N	356
		06	1.84	5.4	1.55	5.3	1.22	5.2	0.78	4.3	SW	229
		08	2.02	6.0	1.73	5.1	1.44	5.3	0.90	4.5	SW	229
		10	3.22	6.6	2.26	6.8	1.80	6.6	1.14	5.1	W	270
		12	3.96	8.5	3.21	8.2	2.60	7.8	1.64	6.0	W	274
		14	5.29	7.6	* 4.86	9.5	* 3.98	9.3	* 2.58	7.7		
		16	* 5.62	8.3	4.19	9.1	3.60	8.9	2.33	7.0	W	278
		18	4.66	7.7	4.07	8.4	3.24	8.7	2.01	6.6	WNW	282
		20	4.29	6.3	3.22	7.8	2.64	7.6	1.63	6.0	W	278
		22	3.68	8.0	3.11	7.7	2.59	7.8	1.68	6.2		
	最大	5.62	8.3	4.86	9.5	3.98	9.3	2.58	7.7			
	平均	3.41	7.5	2.75	7.5	2.25	7.3	1.42	5.7			
	21	00	6.34	9.0	4.14	9.4	3.28	9.0	2.00	6.6	WNW	295
		02	5.62	9.2	* 4.69	9.2	* 3.90	8.7	* 2.52	7.0	NW	307
		04	* 7.26	8.4	4.67	8.7	3.68	8.5	2.36	6.8	WNW	295
		06	5.76	9.3	4.49	8.6	3.55	8.3	2.17	6.6	WNW	303
		08	4.89	9.2	3.88	8.6	3.10	8.5	1.96	6.6	WNW	290
		10	5.16	8.3	3.84	8.4	2.96	8.6	1.84	6.9	NW	319
		12	5.09	8.5	3.71	8.5	2.88	8.8	1.81	6.7	WNW	303
		14	4.57	8.0	3.52	7.8	2.88	7.4	1.73	5.7	NW	323
		16	4.52	7.9	4.01	7.7	3.23	7.9	2.07	6.5	WNW	299
		18	5.11	7.9	3.84	8.0	3.07	7.9	1.93	6.2	NW	315
		20	5.02	8.0	3.69	8.0	2.83	7.8	1.72	6.2	WNW	282
		22	4.51	8.4	3.45	8.1	2.70	8.1	1.69	6.5		
	最大	7.26	8.4	4.69	9.2	3.90	8.7	2.52	7.0			
	平均	5.32	8.5	3.99	8.4	3.17	8.3	1.98	6.5			
	22	00	4.03	7.2	2.97	8.1	2.28	7.9	1.38	6.0		
		02	4.07	7.2	3.09	8.2	2.52	8.1	1.54	6.3	NNW	340
		04	4.68	6.5	3.27	7.5	2.57	7.6	1.60	6.1	WNW	290
		06	3.50	7.6	2.86	7.7	2.35	7.5	1.49	5.9	N	4
		08	3.48	7.1	2.86	8.0	2.27	7.5	1.48	6.7	N	352
		10	3.99	7.9	2.91	7.9	2.41	7.9	1.45	6.6	N	4
		12	3.22	7.6	2.81	7.7	2.32	7.4	1.44	6.0	N	0
		14	2.93	6.6	2.44	7.3	2.03	7.5	1.31	5.8	NNW	348
		16	3.75	7.6	2.99	7.4	2.32	7.3	1.41	5.6	NNW	340
		18	4.47	8.1	3.33	7.6	2.63	7.5	1.69	6.3	NNW	340
		20	* 5.32	8.9	* 3.72	8.6	* 2.90	7.9	* 1.87	6.7	NNW	344
		22	4.13	8.3	3.31	8.5	2.78	9.0	1.77	7.2	NNW	344
	最大	5.32	8.9	3.72	8.6	2.90	7.9	1.87	6.7			
	平均	3.96	7.6	3.05	7.9	2.45	7.8	1.54	6.3			
	23	00	4.19	9.8	* 3.58	8.8	* 2.87	9.0	* 1.83	7.4	NNW	340
		02	4.08	8.6	3.07	8.3	2.47	8.8	1.60	7.3	NNW	340
		04	3.62	7.7	2.96	8.3	2.41	8.4	1.57	7.0	NNW	331
		06	3.56	9.3	2.96	8.4	2.45	8.3	1.55	6.8	NNW	340
		08	* 4.71	7.1	2.81	8.7	2.20	8.5	1.36	6.8	NNW	348
		10	4.05	8.7	2.71	8.9	2.07	8.6	1.30	7.3	NNW	340
		12	3.44	7.8	2.45	9.2	1.99	8.9	1.28	7.2	NNW	335
		14	2.96	8.6	2.28	8.9	1.87	8.7	1.18	6.8	NNW	348
		16	3.53	8.4	2.31	8.1	1.84	8.6	1.12	6.8	NNW	344
		18	2.66	8.7	2.09	8.7	1.68	8.6	1.03	6.5	NNW	348
		20	3.05	10.3	2.21	8.3	1.77	8.3	1.08	6.7	NNW	344
		22	2.41	9.5	1.80	8.6	1.44	8.3	0.86	6.2	N	352
	最大	4.71	7.1	3.58	8.8	2.87	9.0	1.83	7.4			
	平均	3.52	8.7	2.60	8.6	2.09	8.6	1.31	6.9			
	24	00	* 2.86	9.5	* 1.89	9.9	* 1.52	8.8	* 1.00	7.3	N	356
		02	2.17	8.7	1.69	9.5	1.38	8.6	0.83	6.6	N	352

	04	1.70	6.9	1.40	9.2	1.18	9.1	0.75	6.9	N	356
	06	1.80	9.6	1.39	9.9	1.10	9.8	0.68	7.0	NNW	348
	08	1.56	10.3	1.19	9.4	0.93	8.7	0.55	5.5	N	356
	10	1.40	9.3	0.93	8.2	0.72	7.2	0.45	4.8	N	356
	12	1.12	7.2	0.94	7.8	0.75	6.9	0.46	4.5	N	4
	14	1.32	8.0	1.01	7.7	0.79	6.4	0.52	4.5	N	356
	16	1.77	8.5	1.29	7.1	1.01	6.6	0.63	4.8		
	18	2.25	6.5	1.70	6.6	1.38	6.5	0.91	5.4		
	20	2.17	6.3	1.48	7.0	1.21	6.8	0.76	5.5	W	278
	22	1.75	6.5	1.38	6.8	1.11	6.8	0.70	5.5	WNW	303
	最大	2.86	9.5	1.89	9.9	1.52	8.8	1.00	7.3		
	平均	1.82	8.1	1.36	8.3	1.09	7.7	0.69	5.7		
25	00	* 1.72	7.2	* 1.29	6.7	* 1.03	6.7	* 0.65	5.5	WNW	282
	02	1.45	4.9	1.10	6.7	0.88	6.7	0.58	5.5	W	278
	04	1.51	7.3	1.15	6.6	0.91	6.6	0.58	5.5	WNW	299
	06	1.69	6.3	1.19	6.5	0.92	6.7	0.56	5.3	NW	315
	08	1.38	7.0	1.02	6.5	0.81	6.5	0.51	5.1		
	10	1.33	6.8	0.97	6.2	0.78	6.3	0.48	4.9	NW	311
	12	1.33	6.8	1.00	6.3	0.77	6.0	0.49	4.6	NNW	340
	14	1.26	6.7	0.98	6.0	0.78	5.9	0.49	4.8	WNW	290
	16	1.16	5.8	0.86	6.6	0.67	6.0	0.42	4.6	NNW	327
	18	0.98	6.2	0.72	5.9	0.59	6.1	0.38	4.8	WNW	299
	20	1.00	5.4	0.73	6.1	0.58	6.3	0.37	5.0	N	352
	22	0.82	6.2	0.66	6.2	0.50	5.9	0.31	4.6	NW	315
	最大	1.72	7.2	1.29	6.7	1.03	6.7	0.65	5.5		
	平均	1.30	6.4	0.97	6.4	0.77	6.3	0.49	5.0		
26	00	0.85	6.2	0.55	6.3	0.45	5.7	0.28	3.9	N	0
	02	0.81	6.4	0.61	5.3	0.48	5.1	0.29	3.8	W	270
	04	0.86	6.0	0.61	4.6	0.49	4.6	0.31	3.6	N	357
	06	0.77	4.6	0.62	4.4	0.51	4.2	0.33	3.4	NNE	27
	08	0.86	5.6	0.68	4.5	0.54	4.2	0.34	3.4	W	277
	10	0.79	5.4	0.66	4.2	0.54	4.2	0.35	3.4	WSW	256
	12	1.19	4.2	0.93	5.1	0.75	5.0	0.46	3.9	NW	311
	14	1.76	5.0	1.25	5.6	1.00	5.5	0.63	4.4	NNW	327
	16	2.30	6.3	1.56	5.8	1.27	5.9	0.80	4.9	NW	315
	18	2.44	5.5	1.53	5.7	1.18	5.5	0.73	4.5	NW	319
	20	2.91	5.7	1.80	5.5	1.42	5.4	0.92	4.4	NW	307
	22	* 3.29	5.1	* 2.27	5.7	* 1.84	5.9	* 1.22	5.1	W	274
	最大	3.29	5.1	2.27	5.7	1.84	5.9	1.22	5.1		
	平均	1.57	5.5	1.09	5.2	0.87	5.1	0.56	4.1		
27	00	3.00	6.1	* 2.48	6.6	* 1.92	6.4	* 1.21	5.3	W	262
	02	2.76	7.5	2.19	6.6	1.76	6.8	1.12	5.4	W	266
	04	2.14	6.5	1.78	6.6	1.46	6.8	0.91	5.5	NW	311
	06	2.59	5.8	1.99	6.0	1.67	6.0	1.07	4.8	NW	307
	08	2.54	6.0	1.94	6.3	1.54	6.1	1.00	5.5	WNW	286
	10	2.48	6.0	1.88	6.3	1.45	6.2	0.90	4.9	NNW	331
	12	2.59	6.3	1.90	6.6	1.49	6.4	0.95	5.1	NNW	335
	14	* 3.08	5.9	2.15	6.8	1.72	6.8	1.09	5.6	NNW	327
	16	2.46	7.9	1.87	7.0	1.53	6.9	0.95	5.5		
	18	2.78	6.4	1.84	6.6	1.45	6.5	0.91	5.2	NNW	344
	20	2.13	5.7	1.49	6.6	1.21	6.7	0.73	5.2	WNW	303
	22	1.76	6.6	1.47	6.7	1.21	7.0	0.80	5.9		
	最大	3.08	5.9	2.48	6.6	1.92	6.4	1.21	5.3		
	平均	2.53	6.4	1.92	6.6	1.53	6.6	0.97	5.3		
28	00	2.09	8.5	1.58	6.6	1.27	6.6	0.80	5.2	NNW	331
	02	2.77	6.2	1.92	7.0	1.45	7.2	0.90	5.6	NNW	335
	04	2.31	7.3	1.77	6.8	1.40	6.6	0.86	5.1	NNW	331
	06	1.99	7.8	1.72	6.6	1.36	6.3	0.86	5.0	NNW	340
	08	2.25	7.3	1.60	7.0	1.23	6.9	0.77	5.3	NNW	340
	10	1.69	7.9	1.50	6.7	1.23	6.5	0.77	5.1	NNW	344
	12	2.38	5.9	1.74	6.4	1.37	6.1	0.86	4.7	NNW	344
	14	2.77	5.3	1.81	6.1	1.45	5.9	0.92	4.8	N	4
	16	2.51	5.2	1.99	5.9	1.53	6.0	0.99	5.1	NNW	348
	18	* 3.23	6.5	2.03	6.0	1.65	6.0	1.03	4.9	N	352
	20	3.03	6.1	* 2.07	6.4	* 1.68	6.4	* 1.07	5.3	N	356
	22	2.59	6.0	1.83	5.9	1.46	6.0	0.92	5.0	NNW	344
	最大	3.23	6.5	2.07	6.4	1.68	6.4	1.07	5.3		

	平均	2.47	6.7	1.80	6.5	1.42	6.4	0.90	5.1		
29	00	2.02	6.3	1.73	6.1	1.44	6.1	0.94	5.3	N	352
	02	2.86	6.3	1.97	6.3	1.57	6.1	0.99	5.0	NNW	348
	04	2.47	6.6	1.96	6.2	1.53	5.9	0.95	4.8	N	4
	06	2.59	4.3	1.98	5.8	1.60	6.0	0.98	4.9		
	08	* 3.27	5.9	* 2.13	6.0	1.66	5.8	1.03	4.8	N	352
	10	2.55	5.9	2.07	5.8	1.64	5.9	1.05	5.1	N	356
	12	2.58	5.8	2.07	5.9	* 1.69	6.0	* 1.08	5.0	N	0
	14	2.43	5.9	1.94	6.1	1.54	6.1	0.93	4.8	N	356
	16	2.83	6.2	2.10	5.7	1.63	5.8	1.02	5.0	N	4
	18	2.75	5.5	2.04	6.0	1.56	6.1	0.99	5.1	NNW	348
	20	2.33	5.9	1.71	5.8	1.31	6.0	0.80	4.9	N	356
	22	1.94	6.7	1.49	5.5	1.16	5.6	0.74	4.8		
	最大	3.27	5.9	2.13	6.0	1.69	6.0	1.08	5.0		
	平均	2.55	5.9	1.93	5.9	1.53	6.0	0.96	5.0		
30	00	1.81	5.9	1.47	5.9	1.17	6.0	* 0.76	5.3	N	356
	02	* 2.03	5.2	* 1.57	5.8	* 1.25	5.9	0.76	5.0	NNW	344
	04	1.81	4.9	1.41	5.8	1.13	5.8	0.72	4.9	N	352
	06	1.74	5.6	1.36	5.7	1.08	5.9	0.67	5.0	NNW	348
	08	1.54	5.9	1.26	5.6	1.02	5.8	0.63	5.0	N	4
	10	1.40	6.3	1.10	5.9	0.89	5.7	0.58	5.2	N	8
	12	1.42	5.4	1.05	5.8	0.84	5.7	0.52	4.2	N	356
	14	1.56	5.8	0.96	5.3	0.77	4.9	0.49	3.8	N	4
	16	1.11	4.7	0.90	5.8	0.72	5.5	0.45	4.0	N	4
	18	1.11	6.3	0.80	6.0	0.64	5.7	0.41	4.3	N	8
	20	1.19	5.6	0.85	6.1	0.66	5.7	0.40	4.0	N	4
	22	1.67	5.3	1.22	5.5	0.99	5.5	0.62	4.2	NNW	335
	最大	2.03	5.2	1.57	5.8	1.25	5.9	0.76	5.3		
	平均	1.53	5.6	1.16	5.8	0.93	5.7	0.58	4.6		
月最大		8.31	9.6	6.75	10.3	5.37	9.9	3.39	8.2		
起時		1810		1220		1220		1220			
平均		2.49	6.6	1.89	6.7	1.51	6.6	0.95	5.3		

* は日最大波高を示す

波浪整理表（1）

2007年12月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	335 回
欠測回数	0 回	欠測回数	37 回
欠測率	0.0 %	欠測率	9.9 %

観測所名：|福井港本港地区 | 機種：|波高 海象計 - 36.7 m 波向 海象計 - 36.7 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.85	5.1	1.28	6.4	1.03	6.4	0.66	4.9	NW	319
	02	* 2.53	6.2	* 1.79	6.0	* 1.40	6.1	* 0.87	5.1	NNW	340
	04	2.24	5.4	1.58	6.2	1.28	6.3	0.82	5.3	NNW	348
	06	1.83	5.6	1.46	6.1	1.20	6.2	0.78	5.1	NNW	335
	08	1.53	6.3	1.23	6.0	0.99	6.0	0.63	5.1	NNW	331
	10	1.60	5.5	1.19	5.9	0.93	5.9	0.57	4.8	NNW	335
	12	1.34	5.6	1.06	5.9	0.86	5.7	0.55	4.7	NNW	327
	14	1.50	5.5	1.06	5.8	0.86	5.6	0.55	4.6	NNW	344
	16	1.58	5.1	1.29	5.1	1.04	5.0	0.67	4.1	NNW	327
	18	1.64	5.1	1.30	5.4	1.06	5.4	0.66	4.4	N	356
	20	1.39	5.3	1.16	5.4	0.95	5.5	0.62	4.8	NNW	348
	22	1.45	5.7	1.04	5.6	0.80	5.4	0.50	4.6	NNW	340
	最大	2.53	6.2	1.79	6.0	1.40	6.1	0.87	5.1		
	平均	1.71	5.5	1.29	5.8	1.03	5.8	0.66	4.8		
02	00	1.20	4.6	0.98	5.3	0.78	5.3	0.50	4.3	NNW	327
	02	1.48	4.2	1.13	4.4	0.92	4.5	0.59	3.8	NW	312
	04	2.22	5.4	1.79	5.3	1.45	5.4	0.92	4.7	NW	323
	06	2.23	5.4	1.71	5.7	1.39	5.7	0.88	4.7	NW	323
	08	3.52	6.6	2.41	6.7	1.90	6.7	1.19	5.5	NW	323
	10	2.98	7.4	2.17	7.2	1.71	7.0	1.07	5.2	NW	319
	12	2.45	6.9	2.10	7.1	1.78	6.8	1.16	5.5	NW	311
	14	3.16	7.6	2.47	6.9	1.94	6.9	1.22	5.4	NW	319
	16	* 4.21	5.6	* 2.93	6.7	* 2.37	6.5	* 1.45	5.3		
	18	3.35	6.6	2.73	6.9	2.22	7.0	1.44	5.6	NW	315
	20	3.67	7.3	2.61	7.3	2.14	7.1	1.36	5.8	NW	311
	22	3.54	7.2	2.43	7.2	1.87	7.1	1.17	5.6	NW	315
	最大	4.21	5.6	2.93	6.7	2.37	6.5	1.45	5.3		
	平均	2.83	6.2	2.12	6.4	1.71	6.3	1.08	5.1		
03	00	3.28	7.3	2.35	7.3	1.82	7.1	1.09	5.6	NW	315
	02	2.67	7.6	1.99	6.8	1.55	6.7	0.96	5.5	NW	307
	04	2.63	7.1	1.89	7.2	1.47	7.0	0.88	5.1	NW	311
	06	2.03	6.7	1.71	7.3	1.39	7.0	0.86	5.3	NW	315
	08	2.03	6.6	1.50	6.6	1.18	6.5	0.72	4.8	NW	307
	10	1.79	6.7	1.46	6.1	1.15	6.2	0.73	4.7	NW	311
	12	2.30	7.0	1.81	6.2	1.46	6.1	0.92	4.8	NW	315
	14	2.61	4.8	2.04	5.7	1.66	5.7	1.04	4.6	W	278
	16	3.59	6.8	2.78	6.8	2.14	6.7	1.36	5.7	NNW	327
	18	* 4.43	7.6	2.98	7.6	* 2.36	7.4	* 1.43	5.8	N	356
	20	3.64	8.9	* 3.05	8.3	2.28	7.7	1.39	6.0	NNW	344
	22	4.04	6.9	2.91	6.4	2.24	6.5	1.38	5.2	NNW	348
	最大	4.43	7.6	3.05	8.3	2.36	7.4	1.43	5.8		
	平均	2.92	7.0	2.21	6.9	1.73	6.7	1.06	5.3		
04	00	4.92	6.8	3.59	7.0	2.85	6.7	1.80	5.5	W	262
	02	* 6.87	8.4	* 5.46	8.4	* 4.48	8.3	* 2.84	6.9		
	04	6.18	7.1	5.14	8.9	4.08	8.4	2.50	6.6	WNW	295
	06	6.58	8.2	4.30	7.9	3.37	8.0	2.10	6.3		
	08	4.14	7.9	3.53	7.5	2.92	7.4	1.80	6.0	W	278
	10	4.26	7.1	3.43	7.8	2.70	7.6	1.71	6.2	W	270
	12	4.51	8.4	3.41	7.6	2.73	7.3	1.71	5.9	W	274
	14	3.84	7.9	3.08	7.6	2.44	7.6	1.53	6.0	W	274
	16	3.88	7.5	3.11	7.8	2.59	7.8	1.67	6.6	W	274
	18	3.62	9.0	3.00	8.4	2.49	8.4	1.59	7.0	N	0
	20	4.05	8.4	3.01	7.8	2.31	7.9	1.40	6.2	WNW	299
	22	3.33	8.1	2.61	7.8	2.03	7.6	1.29	6.4	N	356
	最大	6.87	8.4	5.46	8.4	4.48	8.3	2.84	6.9		

	平均	4.68	7.9	3.64	7.9	2.92	7.8	1.83	6.3		
05	00	2.83	7.2	2.04	7.7	1.66	7.4	1.06	6.2	WNW	286
	02	* 4.51	8.3	* 3.12	7.9	2.38	8.2	1.55	7.2	NNW	335
	04	3.39	9.0	2.96	8.1	* 2.42	8.0	* 1.57	7.2		
	06	2.72	7.5	2.38	7.9	2.05	8.0	1.33	6.6	NNW	335
	08	3.13	7.3	2.71	8.0	2.24	8.0	1.40	6.7	NNW	327
	10	3.09	7.7	2.58	7.7	2.09	7.6	1.37	6.4	NNW	348
	12	3.99	7.4	2.86	7.2	2.25	7.1	1.39	5.8	W	278
	14	3.22	7.3	2.46	7.4	2.00	7.3	1.28	5.9	WNW	282
	16	3.51	7.1	2.93	7.6	2.25	7.6	1.38	6.1	NNW	331
	18	3.17	7.9	2.28	7.0	1.86	7.1	1.23	5.9		
	20	3.03	6.6	2.14	7.0	1.76	6.9	1.12	5.7	W	278
	22	2.83	8.3	2.31	7.9	1.88	7.7	1.23	6.4		
	最大	4.51	8.3	3.12	7.9	2.42	8.0	1.57	7.2		
平均	3.29	7.6	2.56	7.6	2.07	7.6	1.33	6.3			
06	00	2.95	6.9	2.18	7.5	1.73	7.4	1.08	6.0	NNW	344
	02	* 3.72	6.7	* 2.69	7.5	* 2.07	7.5	* 1.30	6.5	NNW	327
	04	2.59	7.8	2.14	7.4	1.76	7.3	1.10	5.8	WNW	295
	06	2.82	6.7	2.05	7.2	1.67	7.2	1.07	5.9	W	278
	08	2.96	6.9	2.07	7.3	1.61	7.2	1.00	5.9	NW	315
	10	2.56	7.0	1.98	6.8	1.61	6.8	1.04	5.4	NW	319
	12	2.13	6.2	1.57	6.3	1.24	6.0	0.78	4.9	W	262
	14	2.03	6.1	1.55	6.3	1.26	6.1	0.80	4.9		
	16	2.28	5.9	1.62	6.2	1.33	5.9	0.83	4.8		
	18	2.00	6.1	1.54	6.2	1.27	6.3	0.80	5.1	NNW	327
	20	2.00	6.5	1.41	6.5	1.16	6.4	0.74	5.1	NNW	331
	22	1.77	7.4	1.50	6.2	1.19	5.9	0.75	4.7	NNW	327
	最大	3.72	6.7	2.69	7.5	2.07	7.5	1.30	6.5		
平均	2.48	6.7	1.86	6.8	1.49	6.7	0.94	5.4			
07	00	2.04	5.7	1.64	5.6	1.31	5.5	0.84	4.6	W	274
	02	2.55	6.1	1.78	5.7	1.41	5.8	0.89	4.7	SW	225
	04	3.00	5.1	2.10	6.0	1.62	6.0	0.99	4.8	W	274
	06	3.86	7.0	2.73	6.4	2.13	6.4	1.33	5.2	W	278
	08	4.48	6.3	2.88	6.8	2.32	6.7	1.45	5.5		
	10	3.90	6.2	2.97	7.1	2.38	7.0	1.48	5.7	W	270
	12	3.06	6.8	2.28	6.6	1.82	6.9	1.16	5.7	W	274
	14	2.54	6.6	2.04	7.2	1.60	6.9	0.97	5.4	W	278
	16	2.53	6.0	2.09	6.0	1.68	6.0	1.06	4.8	W	278
	18	3.02	6.2	2.38	6.1	1.95	6.1	1.25	4.9	NW	315
	20	* 6.02	6.6	* 3.77	6.9	2.87	6.8	1.77	5.7	WNW	303
	22	4.88	8.0	3.64	7.5	* 2.93	7.6	* 1.86	6.4	WNW	299
	最大	6.02	6.6	3.77	6.9	2.93	7.6	1.86	6.4		
平均	3.49	6.4	2.53	6.5	2.00	6.5	1.25	5.3			
08	00	3.97	7.0	3.08	7.8	* 2.50	7.7	* 1.52	6.1	W	274
	02	* 4.81	8.1	* 3.32	8.2	2.42	8.0	1.44	6.1	W	278
	04	2.67	7.0	2.37	7.5	1.94	7.3	1.25	6.4	W	270
	06	2.48	8.1	2.09	7.3	1.61	7.1	1.01	5.8	W	278
	08	2.41	6.6	1.88	7.2	1.52	6.9	0.96	5.7	W	270
	10	2.13	6.8	1.54	6.5	1.20	6.4	0.75	5.2	W	270
	12	1.64	5.6	1.38	6.1	1.15	6.1	0.72	5.1	WNW	286
	14	1.89	7.3	1.50	6.2	1.20	6.0	0.75	4.5	W	274
	16	1.76	7.5	1.36	6.2	1.10	5.9	0.69	4.6	W	278
	18	2.91	5.4	2.26	5.5	1.84	5.7	1.21	5.0		
	20	4.10	6.1	2.94	6.4	2.21	6.4	1.37	5.3	W	278
	22	3.62	5.7	2.59	6.3	2.13	6.4	1.33	5.1	WNW	295
	最大	4.81	8.1	3.32	8.2	2.50	7.7	1.52	6.1		
平均	2.87	6.8	2.19	6.8	1.74	6.7	1.08	5.4			
09	00	4.60	6.3	3.58	6.7	2.89	6.8	1.86	5.8	W	274
	02	4.99	6.8	3.62	6.8	* 2.95	7.0	* 1.90	5.8		
	04	3.49	7.0	2.98	7.1	2.45	7.1	1.57	6.0	NW	311
	06	4.41	7.2	3.27	7.2	2.57	7.1	1.69	6.0	WNW	282
	08	* 5.05	7.1	* 3.73	7.3	2.93	7.0	1.84	5.9	NW	323
	10	4.36	8.5	3.57	7.7	2.90	7.6	1.83	6.1	NW	319
	12	3.92	7.2	2.91	7.9	2.46	8.0	1.61	6.4	NNW	327
	14	3.50	7.7	2.88	7.8	2.32	7.7	1.48	6.3	NW	323
	16	3.30	6.7	2.72	7.6	2.16	7.6	1.35	6.1	NNW	335
	18	3.15	6.9	2.42	7.3	1.97	7.3	1.21	5.8	NNW	335
	20	2.71	6.7	2.19	7.1	1.74	7.1	1.12	6.0	NNW	331
	22	2.34	6.6	1.79	6.6	1.43	6.5	0.90	5.5	NW	323

		最大	5.05	7.1	3.73	7.3	2.95	7.0	1.90	5.8		
		平均	3.82	7.1	2.97	7.3	2.40	7.2	1.53	6.0		
10	00		2.36	7.1	1.70	6.7	1.35	6.9	0.84	5.7	NNW	331
	02	* 2.45	7.4	* 1.89	7.4	* 1.53	7.3	* 0.95	6.2	NNW	NNW	335
	04	1.77	6.9	1.45	7.1	1.18	7.1	0.76	6.0	NW		323
	06	1.64	6.9	1.31	7.1	1.05	7.1	0.68	5.9	NNW		331
	08	1.75	7.0	1.37	7.3	1.08	7.2	0.67	5.9	NNW		331
	10	1.66	7.2	1.20	7.1	0.96	6.9	0.59	5.4	NW		323
	12	1.47	7.8	1.19	7.3	0.95	7.1	0.56	5.4	NNW		327
	14	1.42	5.9	1.05	6.7	0.84	6.4	0.52	4.7	NNW		327
	16	1.45	6.8	1.08	6.9	0.87	6.7	0.53	4.8	NNW		340
	18	1.73	6.8	1.18	7.0	0.94	6.9	0.61	5.5	NW		311
	20	1.35	7.3	1.14	6.2	0.92	6.2	0.59	5.2	NNW		331
	22	1.27	6.1	1.05	6.3	0.85	6.3	0.53	5.0	N		356
	最大	2.45	7.4	1.89	7.4	1.53	7.3	0.95	6.2			
	平均	1.69	6.9	1.30	6.9	1.04	6.8	0.65	5.5			
11	00	* 1.49	5.8	* 0.94	6.3	* 0.75	6.4	* 0.49	5.1	NNW		348
	02	1.18	6.8	0.90	6.0	0.73	6.0	0.47	4.7	N		0
	04	0.92	5.3	0.82	5.8	0.70	6.0	0.46	4.9	N		0
	06	1.03	5.9	0.78	5.6	0.63	5.4	0.41	4.5	NNW		327
	08	1.28	4.5	0.92	5.0	0.71	4.9	0.43	3.6	WSW		237
	10	1.12	6.3	0.79	5.2	0.64	5.1	0.40	4.1	NNW		348
	12	1.20	5.3	0.82	4.7	0.66	4.6	0.42	3.7	NW		306
	14	0.98	4.5	0.75	4.4	0.63	4.3	0.42	3.8			
	16	0.77	4.4	0.61	4.5	0.48	4.5	0.32	3.6	NNE		26
	18	0.85	5.2	0.64	4.9	0.52	4.8	0.33	3.8	WSW		245
	20	1.06	4.3	0.60	5.1	0.49	5.0	0.31	3.9	NNW		335
	22	0.78	4.5	0.58	4.8	0.47	4.7	0.31	3.8	SW		231
	最大	1.49	5.8	0.94	6.3	0.75	6.4	0.49	5.1			
	平均	1.06	5.2	0.76	5.2	0.62	5.1	0.40	4.1			
12	00	0.98	5.0	0.69	5.1	0.56	4.8	0.35	3.6	WSW		248
	02	1.06	6.3	0.77	4.6	0.63	4.4	0.42	3.6	WNW		299
	04	1.32	4.4	0.95	4.2	0.77	4.3	0.48	3.6	SW		231
	06	1.41	3.8	1.16	4.5	0.91	4.6	0.58	4.0	WNW		285
	08	1.58	4.8	1.14	5.0	0.95	5.0	0.59	4.1	W		278
	10	* 2.42	4.9	1.45	5.3	1.10	5.3	0.68	4.6			
	12	1.67	5.0	1.31	5.5	1.01	5.5	0.63	4.5	NW		323
	14	1.61	6.2	1.28	5.9	1.05	5.9	0.68	5.2	NNW		344
	16	1.86	6.6	* 1.50	6.2	* 1.16	6.2	* 0.72	5.2	NNW		344
	18	1.60	6.7	1.29	6.1	1.06	5.9	0.67	4.9	N		8
	20	1.46	5.5	1.26	6.0	1.04	5.8	0.65	4.8	N		356
	22	1.67	6.2	1.21	5.9	0.95	5.7	0.61	4.9	N		0
	最大	2.42	4.9	1.50	6.2	1.16	6.2	0.72	5.2			
	平均	1.55	5.5	1.17	5.4	0.93	5.3	0.59	4.4			
13	00	1.70	5.5	1.18	5.7	0.94	5.7	0.59	4.8	N		352
	02	1.19	5.1	1.01	5.6	0.80	5.6	0.48	4.7	NNW		340
	04	1.50	5.5	1.04	5.6	0.80	5.5	0.50	4.9	NNW		348
	06	1.28	4.5	0.92	4.8	0.70	4.5	0.44	3.6	N		7
	08	1.51	4.2	1.06	4.1	0.83	4.2	0.52	3.6	N		2
	10	1.74	4.2	1.35	4.2	1.08	4.2	0.69	3.7			
	12	2.54	4.8	2.00	5.2	1.58	5.0	0.99	4.2	W		274
	14	3.52	6.0	2.65	5.6	2.05	5.5	1.24	4.7	W		278
	16	3.88	6.3	2.81	6.3	2.31	6.2	1.53	5.5	W		262
	18	4.70	4.9	3.45	6.6	2.80	6.6	1.77	5.4	W		266
	20	* 5.51	6.8	3.71	7.2	3.01	7.0	1.83	5.7	NW		315
	22	4.67	8.2	* 3.78	7.6	* 3.05	7.3	* 1.86	5.8	W		270
	最大	5.51	6.8	3.78	7.6	3.05	7.3	1.86	5.8			
	平均	2.81	5.5	2.08	5.7	1.66	5.6	1.04	4.7			
14	00	* 5.91	7.2	4.13	7.5	3.28	7.4	2.00	6.0	WNW		290
	02	5.82	8.2	* 4.80	8.4	* 3.87	8.5	* 2.40	6.9			
	04	4.90	7.7	3.78	7.9	3.13	7.7	1.95	6.0	WNW		286
	06	4.76	7.3	3.71	7.7	2.88	7.3	1.76	5.6	WNW		303
	08	3.99	5.2	2.93	7.5	2.39	7.4	1.48	5.7	W		266
	10	3.26	7.7	2.71	7.6	2.27	8.0	1.42	6.5	WNW		290
	12	3.49	7.2	2.91	7.6	2.30	7.5	1.46	6.4	WNW		282
	14	4.07	8.8	3.21	8.1	2.49	7.8	1.58	6.6	NNW		344

	16		4.44	8.1	3.32	8.3	2.75	8.4	1.75	7.1	NNW	344
	18		3.79	7.5	2.83	8.1	2.24	7.9	1.40	6.7	NNW	335
	20		4.53	8.3	2.83	7.9	2.18	7.8	1.33	6.5	N	8
	22		3.08	8.4	2.48	7.8	1.90	7.6	1.15	6.1	WNW	286
	最大		5.91	7.2	4.80	8.4	3.87	8.5	2.40	6.9		
	平均		4.34	7.6	3.30	7.9	2.64	7.8	1.64	6.3		
15	00		2.68	6.3	2.00	7.5	1.59	7.3	1.03	6.3		
	02		2.70	7.7	2.06	7.3	1.64	7.4	1.06	6.2	NNW	340
	04		2.56	6.2	1.83	7.0	1.51	7.2	0.96	5.8	NNW	348
	06		3.08	8.1	2.41	7.0	1.83	6.9	1.14	5.3	N	356
	08		3.90	6.0	2.95	6.7	2.30	6.7	1.41	5.3		
	10		4.86	6.9	3.54	7.0	2.77	6.7	1.73	5.7	W	270
	12		4.66	7.0	3.45	6.6	2.75	7.0	1.73	5.8	WNW	282
	14		3.15	5.3	2.49	6.5	2.02	6.5	1.28	5.2	WNW	286
	16		3.92	7.1	2.64	6.7	2.15	6.9	1.34	5.4	WNW	290
	18		3.10	6.2	2.53	6.8	2.06	6.7	1.30	5.1		
	20		3.55	7.6	2.88	6.8	2.28	6.5	1.45	5.3		
	22		* 5.80	7.0	* 3.71	6.9	* 3.04	7.0	* 1.92	5.9	W	270
	最大		5.80	7.0	3.71	6.9	3.04	7.0	1.92	5.9		
	平均		3.66	6.8	2.71	6.9	2.16	6.9	1.36	5.6		
16	00		4.84	7.9	3.54	7.9	2.84	7.3	1.84	6.0		
	02		4.97	7.6	4.00	8.0	3.18	8.0	1.96	5.9	WNW	282
	04		* 5.46	8.4	3.79	7.6	2.96	7.6	1.86	5.9	WNW	282
	06		3.92	6.2	3.38	7.5	2.75	7.5	1.75	6.0	WNW	286
	08		4.33	7.0	3.72	7.8	2.94	7.7	1.85	6.3	NNW	335
	10		4.65	8.5	* 4.17	8.2	* 3.45	8.6	* 2.18	7.2	NNW	331
	12		4.92	7.9	3.97	8.4	3.16	8.3	2.03	7.1	NNW	335
	14		3.21	8.4	2.71	8.3	2.28	8.1	1.52	6.7	NNW	327
	16		2.72	7.4	2.44	7.9	1.99	7.6	1.23	6.5	NNW	335
	18		3.33	7.1	2.43	7.9	1.94	8.0	1.24	6.7	NNW	327
	20		2.64	7.4	2.29	8.0	1.81	7.9	1.13	6.7		
	22		2.54	8.2	2.00	8.3	1.58	8.1	1.02	6.9	NW	319
	最大		5.46	8.4	4.17	8.2	3.45	8.6	2.18	7.2		
	平均		3.96	7.7	3.20	8.0	2.57	7.9	1.63	6.5		
17	00		2.41	8.1	1.91	7.7	1.43	7.6	0.90	6.3	NNW	335
	02		2.33	8.1	1.78	7.7	1.40	7.5	0.88	5.9	NW	323
	04		2.47	7.7	1.73	7.3	1.30	6.7	0.81	5.1	NNW	331
	06		2.44	6.9	1.80	7.0	1.39	6.6	0.87	4.9	NW	315
	08		3.05	7.8	2.08	6.1	1.69	5.8	1.06	4.7	NNW	335
	10		3.10	6.6	2.06	6.1	1.62	5.8	1.02	4.7	WNW</	

	12	2.44	6.8	1.96	7.5	1.63	7.6	1.02	6.1	NW	319
	14	2.36	6.6	1.99	7.3	1.55	7.2	0.96	6.1	NNW	331
	16	2.77	6.7	2.06	7.3	1.63	7.4	0.99	6.2	WNW	286
	18	2.17	7.2	1.46	7.4	1.12	7.2	0.67	5.5	NW	319
	20	1.71	7.1	1.30	7.0	1.07	7.1	0.64	5.2	NNW	327
	22	1.46	7.2	1.11	6.9	0.87	6.6	0.52	5.1	NNW	327
	最大 平均	3.91	7.1	3.15	7.9	2.42	8.2	1.60	7.2		
		2.80	7.2	2.12	7.6	1.69	7.5	1.07	6.3		
20	00	1.28	6.2	1.06	6.9	0.80	6.8	0.49	5.4	NNW	331
	02	1.48	6.2	1.02	5.9	0.83	5.6	0.51	4.1		
	04	2.21	4.5	1.70	4.7	1.36	4.7	0.87	4.2	W	269
	06	2.44	4.8	1.97	5.1	1.61	5.1	1.03	4.5	W	270
	08	3.46	4.9	2.58	5.9	2.07	5.9	* 1.32	5.1	WNW	282
	10	* 3.88	7.3	* 2.92	6.3	* 2.22	6.3	1.32	5.0	WNW	286
	12	3.77	6.3	2.67	6.5	2.07	6.4	1.29	5.2	W	278
	14	2.21	6.3	1.86	5.9	1.52	6.1	0.97	5.1	WNW	295
	16	1.85	5.2	1.53	6.1	1.22	6.1	0.78	5.0	W	278
	18	2.09	5.8	1.49	5.9	1.19	6.2	0.78	5.4	W	278
	20	2.01	6.3	1.52	6.1	1.16	6.0	0.73	5.1	WNW	290
	22	2.24	6.6	1.61	5.6	1.26	5.6	0.80	4.6	WNW	282
	最大 平均	3.88	7.3	2.92	6.3	2.22	6.3	1.32	5.1		
		2.41	5.9	1.83	5.9	1.44	5.9	0.91	4.9		
21	00	2.66	5.2	1.65	5.4	1.29	5.3	0.83	4.4	WNW	282
	02	2.82	5.0	2.30	6.0	1.83	6.0	1.16	4.9		
	04	* 4.85	6.2	2.80	6.4	2.22	6.2	1.36	5.0	WNW	286
	06	3.78	6.9	* 2.95	6.9	* 2.35	6.9	* 1.43	5.5	NW	323
	08	2.73	6.0	2.35	7.1	1.97	7.0	1.28	5.9	WNW	282
	10	2.98	7.2	2.08	6.9	1.68	6.8	1.10	5.9	WNW	290
	12	2.94	6.9	1.84	7.0	1.45	6.9	0.93	5.6	NW	307
	14	2.54	6.2	1.86	7.0	1.48	6.7	0.92	5.5	NW	315
	16	2.06	7.6	1.67	6.8	1.30	6.5	0.80	5.0	NW	311
	18	2.04	5.9	1.74	6.7	1.38	6.6	0.86	5.4	NNW	331
	20	2.06	5.6	1.74	6.6	1.37	6.6	0.84	5.3	NNW	327
	22	2.17	6.5	1.70	6.3	1.30	6.4	0.82	5.4	NNW	327
	最大 平均	4.85	6.2	2.95	6.9	2.35	6.9	1.43	5.5		
		2.80	6.3	2.06	6.6	1.64	6.5	1.03	5.3		
22	00	1.76	6.4	* 1.37	6.4	* 1.10	6.5	* 0.71	5.4	NNW	344
	02	* 1.83	6.5	1.31	6.1	1.03	6.3	0.66	5.4	N	352
	04	1.34	6.5	1.10	6.4	0.89	6.3	0.54	5.1	NNW	344
	06	1.15	6.2	0.95	6.4	0.75	6.2	0.47	5.2	N	0
	08	1.11	5.8	0.84	6.4	0.66	6.4	0.40	5.1	NW	323
	10	1.14	6.2	0.86	6.8	0.68	6.6	0.43	5.3	NNW	344
	12	1.18	5.9	0.92	6.7	0.72	6.6	0.46	5.4	NNW	331
	14	0.90	6.6	0.81	6.3	0.65	6.4	0.40	4.9		
	16	0.90	6.7	0.71	6.5	0.60	6.6	0.37	5.1	NNW	344
	18	0.78	7.2	0.64	6.2	0.53	6.3	0.33	4.8	N	8
	20	0.84	7.3	0.66	6.1	0.55	6.0	0.35	5.0	NNW	348
	22	1.02	6.7	0.82	5.9	0.65	5.9	0.40	4.9	NNW	344
	最大 平均	1.83	6.5	1.37	6.4	1.10	6.5	0.71	5.4		
		1.16	6.5	0.92	6.4	0.73	6.3	0.46	5.1		
23	00	1.09	6.3	0.83	6.1	0.68	6.1	0.43	4.9	N	0
	02	1.26	6.6	1.05	6.3	0.81	6.1	0.49	4.8	N	4
	04	1.52	6.7	1.11	6.4	0.90	6.4	0.56	5.3	NNW	348
	06	1.51	6.8	1.17	6.7	0.89	6.6	0.56	5.5	NNW	340
	08	0.88	7.0	0.77	5.8	0.65	5.9	0.41	4.8	N	352
	10	0.89	5.7	0.71	5.9	0.57	5.9	0.36	4.6		
	12	1.16	6.2	0.82	6.4	0.62	6.2	0.39	5.0		
	14	0.92	5.3	0.73	5.9	0.59	5.9	0.37	4.5	N	352
	16	0.85	6.9	0.71	6.0	0.57	5.7	0.36	4.1	N	4
	18	1.73	3.0	1.14	3.7	0.89	3.9	0.57	3.5	N	1
	20	3.18	4.8	2.28	5.4	1.83	5.4	1.14	4.6	WNW	282
	22	* 4.61	6.5	* 2.64	6.5	* 2.13	6.5	* 1.36	5.4	WNW	286
	最大 平均	4.61	6.5	2.64	6.5	2.13	6.5	1.36	5.4		
		1.63	6.0	1.16	5.9	0.93	5.9	0.58	4.8		
24	00	3.60	6.9	2.81	6.5	2.25	6.2	1.45	5.2	WNW	286
	02	4.15	6.7	3.55	7.1	2.91	7.2	1.94	6.1		

	04	5.78	6.5	4.47	8.5	3.68	8.4	2.33	6.8	WNW	295
	06	* 6.79	8.2	* 5.20	8.9	* 4.20	9.1	* 2.60	7.5	NW	323
	08	4.52	9.1	3.89	7.9	3.16	8.1	1.94	6.3	NW	319
	10	5.63	6.3	3.97	7.9	3.07	7.6	1.82	5.9	WNW	303
	12	4.94	7.6	3.33	8.2	2.51	7.8	1.52	6.1	WNW	299
	14	3.78	8.1	2.90	8.0	2.31	7.6	1.46	6.1	NNW	335
	16	2.79	8.3	2.29	7.5	1.83	7.4	1.14	5.6	NNW	331
	18	3.60	7.0	2.84	7.8	2.24	7.6	1.39	6.4	N	352
	20	2.54	7.6	2.05	7.8	1.62	7.7	0.98	6.0	NNW	335
	22	2.81	8.0	2.19	7.5	1.80	7.5	1.12	6.1	NNW	327
	最大	6.79	8.2	5.20	8.9	4.20	9.1	2.60	7.5		
	平均	4.24	7.5	3.29	7.8	2.63	7.7	1.64	6.2		
25	00	* 2.94	7.5	* 2.21	7.2	* 1.75	7.3	* 1.03	5.9	N	4
	02	2.50	6.6	1.81	7.3	1.42	7.1	0.89	5.8	NNW	340
	04	2.11	6.7	1.62	7.3	1.26	6.9	0.81	5.9	N	356
	06	2.21	6.5	1.61	7.1	1.28	7.2	0.79	5.9	N	0
	08	1.80	6.7	1.43	7.0	1.15	7.0	0.72	5.6	NNW	331
	10	2.31	6.4	1.38	7.1	1.07	6.8	0.69	5.6	NNW	335
	12	1.83	5.7	1.25	6.3	0.95	6.0	0.58	4.8	NNW	335
	14	1.54	5.7	1.30	5.7	1.06	5.7	0.68	4.6	NNW	340
	16	1.87	6.9	1.35	5.8	1.07	5.8	0.68	4.4	NNW	348
	18	2.03	5.6	1.35	5.7	1.10	5.3	0.70	4.4	NNW	327
	20	1.83	5.8	1.30	5.6	1.04	5.7	0.67	4.8	NNW	344
	22	2.03	5.5	1.34	5.6	1.06	5.7	0.69	5.1	N	0
	最大	2.94	7.5	2.21	7.2	1.75	7.3	1.03	5.9		
	平均	2.08	6.3	1.50	6.5	1.18	6.4	0.74	5.2		
26	00	1.58	5.2	1.23	5.6	0.99	5.8	0.63	4.9	N	356
	02	1.64	6.1	1.18	5.9	0.98	6.0	0.63	5.2	NNW	348
	04	1.73	5.7	1.35	5.8	1.10	5.9	0.73	5.3		
	06	1.76	5.8	1.36	5.7	1.09	5.7	0.66	4.8	NNW	344
	08	1.60	5.2	1.29	5.5	1.00	5.5	0.62	4.8	N	356
	10	1.79	5.5	1.35	5.5	1.09	5.6	0.72	5.0	NNW	335
	12	2.01	5.9	1.51	5.1	1.19	5.2	0.76	4.6	N	8
	14	2.28	4.8	1.48	5.3	1.19	5.4	0.75	4.4	N	8
	16	* 2.28	5.7	* 1.57	5.7	* 1.28	5.5	* 0.83	4.7	N	4
	18	1.65	6.1	1.38	5.6	1.15	5.6	0.75	4.7	N	356
	20	1.84	5.7	1.43	5.8	1.13	5.7	0.70	4.8	N	8
	22	1.44	5.0	0.98	5.5	0.80	5.5	0.52	4.7	N	8
	最大	2.28	5.7	1.57	5.7	1.28	5.5	0.83	4.7		
	平均	1.80	5.6	1.34	5.6	1.08	5.6	0.69	4.8		
27	00	* 1.16	5.8	* 0.88	5.9	* 0.70	5.6	* 0.43	4.6	N	4
	02	1.06	5.4	0.77	5.5	0.60	5.7	0.37	4.9	N	0
	04	0.98	5.9	0.70	6.0	0.56	5.8	0.36	4.6	NNW	348
	06	0.87	5.6	0.64	6.1	0.52	5.7	0.33	4.5	NNW	348
	08	0.93	6.2	0.68	6.3	0.55	6.2	0.34	4.6	N	352
	10	0.82	5.6	0.60	5.6	0.48	5.4	0.30	4.1	NNW	348
	12	0.72	5.6	0.55	4.9	0.44	4.7	0.29	3.8	SW	234
	14	0.77	7.5	0.59	4.9	0.48	4.6	0.31	3.6	N	9
	16	0.70	3.2	0.55	4.9	0.45	4.3	0.30	3.5	SW	235
	18	0.55	5.9	0.46	4.9	0.39	4.7	0.25	3.7	SW	230
	20	0.62	3.6	0.47	4.8	0.39	4.9	0.25	3.7	NNW	344
	22	0.58	5.7	0.39	5.2	0.30	4.5	0.19	3.3	NW	308
	最大	1.16	5.8	0.88	5.9	0.70	5.6	0.43	4.6		
	平均	0.81	5.5	0.61	5.4	0.49	5.2	0.31	4.1		
28	00	0.59	3.8	0.44	4.5	0.35	4.6	0.22	3.4	WSW	252
	02	0.51	4.2	0.39	4.9	0.32	4.6	0.21	3.6	WSW	258
	04	0.52	5.3	0.38	5.1	0.31	4.9	0.19	3.5	NNW	344
	06	0.55	4.5	0.38	5.7	0.31	5.3	0.19	3.7	N	352
	08	0.50	5.8	0.34	4.8	0.28	4.6	0.18	3.5	W	281
	10	0.75	3.2	* 0.59	3.4	* 0.47	3.6	* 0.31	3.1	W	267
	12	* 0.80	3.8	0.49	3.8	0.40	3.8	0.26	3.1	W	262
	14	0.72	3.9	0.48	3.0	0.38	3.3	0.25	2.8	NNW	343
	16	0.65	4.0	0.42	3.3	0.33	3.5	0.21	2.8	NNW	329
	18	0.55	4.0	0.39	4.4	0.31	4.4	0.20	3.4	WNW	292
	20	0.53	3.4	0.39	4.2	0.31	3.9	0.20	3.0	WSW	245
	22	0.71	5.4	0.45	3.6	0.35	3.5	0.23	2.8	WNW	295
	最大	0.80	3.8	0.59	3.4	0.47	3.6	0.31	3.1		

	平均	0.62	4.3	0.43	4.2	0.34	4.2	0.22	3.2		
29	00	0.78	2.2	0.51	2.9	0.41	3.1	0.26	2.6	WNW	288
	02	1.18	3.9	0.82	3.7	0.64	3.8	0.42	3.3	W	280
	04	1.18	4.1	0.90	3.8	0.73	3.8	0.47	3.4	N	352
	06	1.94	4.2	1.32	3.9	1.05	4.0	0.69	3.6	NNE	19
	08	2.57	6.1	2.02	5.3	1.63	5.2	1.05	4.4	W	266
	10	3.42	6.1	2.65	6.1	2.09	6.0	1.32	5.0	W	274
	12	3.76	6.8	2.79	6.8	2.18	6.9	1.40	5.6	NW	311
	14	4.07	8.0	3.22	7.9	2.59	7.6	1.57	6.0	NW	311
	16	4.05	7.9	3.03	8.3	2.45	7.9	1.52	6.1		
	18	* 4.14	9.4	3.16	8.2	2.51	8.2	1.48	6.3	WNW	299
	20	3.75	8.4	2.82	8.6	2.32	8.3	1.37	6.2	WNW	295
	22	4.04	7.5	* 3.48	7.6	* 2.79	7.4	* 1.74	6.0	W	274
	最大	4.14	9.4	3.48	7.6	2.79	7.4	1.74	6.0		
	平均	2.91	6.2	2.23	6.1	1.78	6.0	1.11	4.9		
30	00	4.73	7.3	3.49	7.8	2.64	7.3	1.63	5.8	NW	311
	02	3.92	7.9	3.09	7.1	2.60	7.4	1.66	5.9	NW	319
	04	4.12	8.3	3.50	8.2	2.84	8.5	1.79	6.3	NNW	327
	06	5.84	7.6	4.43	8.3	3.59	8.1	2.26	6.4	NW	311
	08	7.04	8.9	5.42	8.9	4.09	8.9	2.51	6.9	NW	315
	10	7.29	7.4	5.87	9.4	4.81	9.3	3.00	7.6		
	12	8.27	8.8	6.39	10.1	5.05	9.6	3.16	7.4		
	14	8.37	8.5	6.92	9.1	5.49	9.4	* 3.58	8.0	NW	311
	16	* 9.44	9.2	* 7.11	9.6	* 5.56	9.8	3.41	7.7	WNW	286
	18	8.41	10.3	6.15	9.6	5.11	9.6	3.21	7.6	WNW	286
	20	8.81	9.0	7.09	9.6	5.30	9.9	3.32	8.1	W	270
	22	8.30	9.5	6.38	9.6	4.99	9.7	2.99	7.4	NW	307
	最大	9.44	9.2	7.11	9.6	5.56	9.8	3.58	8.0		
	平均	7.05	8.6	5.49	8.9	4.34	9.0	2.71	7.1		
31	00	8.00	9.8	6.16	8.9	4.86	9.2	3.16	7.8		
	02	6.43	8.9	5.42	9.0	4.30	8.6	2.68	7.0		
	04	6.29	8.4	5.55	8.6	4.35	8.2	2.59	6.4	W	270
	06	7.67	8.5	5.94	8.4	4.75	8.4	3.12	7.4		
	08	8.43	10.3	* 6.75	10.1	* 5.28	9.3	3.24	7.5	WNW	290
	10	8.16	8.4	6.25	9.5	4.84	9.1	2.94	7.1	W	270
	12	7.98	9.6	6.31	9.7	5.08	9.4	* 3.25	7.8	WNW	282
	14	* 8.55	9.6	6.45	10.0	5.09	9.7	3.14	7.7	NW	307
	16	7.30	9.9	5.70	9.5	4.62	9.2	2.87	7.5		
	18	7.01	8.6	5.28	9.7	4.16	8.7	2.56	7.1		
	20	8.43	9.5	5.87	9.2	4.42	9.3	2.55	6.9	W	278
	22	7.15	9.0	5.37	9.6	4.46	9.8	2.92	8.0	NW	307
	最大	8.55	9.6	6.75	10.1	5.28	9.3	3.25	7.8		
	平均	7.62	9.2	5.92	9.4	4.68	9.1	2.92	7.4		
	月最大	9.44	9.2	7.11	9.6	5.56	9.8	3.58	8.0		
	起時	3016		3016		3016		3014			
	平均	2.96	6.6	2.25	6.7	1.79	6.6	1.13	5.4		

* は日最大波高を示す