

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
月最大 起時 平均											

* は日最大波高を示す

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	0 回	測得回数	0 回
欠測回数	336 回	欠測回数	336 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

[illegible]

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測									
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測									
	最大 平均										
30	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測									
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測									
	最大 平均										
31	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測									
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測									
	最大 平均										
	月最大 起時 平均										

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	0 回	測得回数	0 回
欠測回数	360 回	欠測回数	360 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均											
29	00	欠測										
	02	欠測										
	04	欠測										
	06	欠測										
	08	欠測										
	10	欠測										
	12	欠測										
	14	欠測										
	16	欠測										
	18	欠測										
	20	欠測										
	22	欠測										
	最大											
	平均											
30	00	欠測										
	02	欠測										
	04	欠測										
	06	欠測										
	08	欠測										
	10	欠測										
	12	欠測										
	14	欠測										
	16	欠測										
	18	欠測										
	20	欠測										
	22	欠測										
	最大											
	平均											
	月最大											
	起時											
	平均											

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
	月最大 起時 平均										

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	0 回	測得回数	0 回
欠測回数	360 回	欠測回数	360 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均											
29	00	欠測										
	02	欠測										
	04	欠測										
	06	欠測										
	08	欠測										
	10	欠測										
	12	欠測										
	14	欠測										
	16	欠測										
	18	欠測										
	20	欠測										
	22	欠測										
	最大											
	平均											
30	00	欠測										
	02	欠測										
	04	欠測										
	06	欠測										
	08	欠測										
	10	欠測										
	12	欠測										
	14	欠測										
	16	欠測										
	18	欠測										
	20	欠測										
	22	欠測										
	最大											
	平均											
	月最大											
	起時											
	平均											

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
	月最大 起時 平均										

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

観測所名：伏木富山港伏木地区 | 機種：波高 波向

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
月最大 起時 平均											

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	254 回	測得回数	254 回
欠測回数	106 回	欠測回数	106 回
欠測率	29.4 %	欠測率	29.4 %

観測所名：伏木富山港伏木地区 | 機種：波高 海象計 -46m 波向 海象計 -46m

[illegible]

	平均											
05	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大											
	平均											
06	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大											
	平均											
07	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	0.23	5.0	0.17	6.3	0.13	5.7	0.09	3.7	NNE	16	
	16	0.24	7.9	0.18	7.0	0.14	5.6	0.09	3.6	NE	55	
	18	* 0.30	2.6	* 0.21	5.0	* 0.16	5.9	* 0.10	4.1	ENE	57	
	20	0.25	5.6	0.19	6.7	0.14	5.4	0.09	3.4	NE	43	
	22											
	最大											
	平均	0.30	2.6	0.21	5.0	0.16	5.9	0.10	4.1			
		0.26	5.3	0.19	6.3	0.14	5.7	0.09	3.7			
08	00	0.25	5.4	0.18	6.4	0.15	5.5	0.10	3.5	N	359	
	02	* 0.33	5.4	0.19	5.3	0.15	4.7	0.10	3.4	NE	43	
	04	欠测										
	06	欠测										
	08	0.29	8.2	0.21	6.3	0.16	4.9	0.10	3.2	SE	130	
	10	欠测										
	12	0.28	4.7	0.18	5.9	0.14	4.2	0.09	2.8	E	90	
	14	0.32	1.5	* 0.25	4.7	* 0.21	3.8	* 0.14	2.8	N	0	
	16	0.33	2.7	0.24	4.1	0.19	3.6	0.13	2.6	ESE	122	
	18	0.26	6.1	0.16	5.0	0.13	3.7	0.09	2.6	SE	130	
	20	0.25	7.2	0.16	4.6	0.13	3.7	0.09	2.6	ENE	68	
	22	0.19	6.6	0.15	4.9	0.12	4.0	0.08	2.7	N	351	
	最大											
	平均	0.33	5.4	0.25	4.7	0.21	3.8	0.14	2.8			
		0.28	5.3	0.19	5.2	0.15	4.2	0.10	2.9			
09	00	0.23	3.9	0.15	5.2	0.12	4.2	0.08	2.7	NNW	333	
	02	0.21	6.2	0.18	5.3	0.15	4.5	0.10	3.0	E	95	
	04	0.25	4.1	0.18	4.6	0.14	4.3	0.09	2.8	NE	49	
	06	0.26	5.2	0.18	5.3	0.14	4.2	0.09	2.7	ESE	112	
	08	0.25	6.8	0.18	5.0	0.14	4.4	0.09	2.9	N	3	
	10	欠测										
	12	0.26	5.4	0.18	5.5	0.14	4.7	0.09	3.2	E	99	
	14	0.29	6.1	0.21	5.7	0.16	4.9	0.10	3.2	NE	47	
	16	0.27	5.7	0.24	5.6	0.20	5.6	0.12	3.6	E	89	
	18	0.37	5.7	0.25	6.0	0.19	5.2	0.12	3.4	SE	128	
	20	0.50	3.2	0.38	4.1	0.31	4.0	0.20	3.1	N	358	
	22	* 0.51	4.9	* 0.40	4.4	* 0.33	4.4	* 0.21	3.3	ESE	108	

		最大	0.51	4.9	0.40	4.4	0.33	4.4	0.21	3.3			
		平均	0.31	5.2	0.23	5.2	0.18	4.6	0.12	3.1			
10	00	欠测											
	02	* 0.32	4.4	* 0.24	4.6	* 0.19	3.9	* 0.13	2.8	ENE	68		
	04	0.28	4.3	0.20	4.3	0.16	3.9	0.11	2.9	E	84		
	06	0.26	3.8	0.16	4.0	0.14	3.4	0.09	2.5	N	7		
	08	0.19	4.0	0.15	4.3	0.12	4.1	0.08	3.1	N	353		
	10	0.20	3.8	0.16	4.5	0.13	4.0	0.08	3.0	ESE	122		
	12	0.22	7.7	0.16	4.7	0.13	3.8	0.09	2.7	E	99		
	14	0.29	4.5	0.21	3.9	0.17	3.6	0.11	2.7	ENE	61		
	16	* 0.32	4.4	0.21	3.6	0.17	3.2	0.11	2.4	E	98		
	18	欠测											
	20	欠测											
	22	0.31	3.2	0.23	3.6	0.19	3.2	0.12	2.6	ENE	63		
	最大	0.32	4.4	0.24	4.6	0.19	3.9	0.13	2.8				
	平均	0.27	4.5	0.19	4.2	0.16	3.7	0.10	2.7				
	11	00	欠测										
		02	0.23	2.7	0.18	3.4	0.15	3.3	0.10	2.7	NNW	339	
		04	0.23	2.7	0.17	3.3	0.14	3.0	0.10	2.5	ESE	123	
		06	欠测										
08		0.28	2.7	0.16	3.3	0.13	3.2	0.09	2.6	NNW	334		
10		0.32	4.3	0.25	3.5	0.20	3.6	0.13	2.8	NNW	347		
12		* 0.41	3.8	* 0.28	3.9	* 0.22	3.8	* 0.14	2.8	E	79		
14		0.34	4.1	0.25	4.0	0.20	3.9	0.13	2.9	E	94		
16		0.35	4.4	0.26	3.6	0.20	3.6	0.13	2.6	ESE	120		
18		0.20	2.0	0.16	3.7	0.13	3.3	0.09	2.4	N	351		
20		0.19	3.5	0.15	3.8	0.12	3.2	0.08	2.4	NE	39		
22		0.24	3.7	0.14	3.6	0.12	3.1	0.08	2.3	NNW	337		
最大		0.41	3.8	0.28	3.9	0.22	3.8	0.14	2.8				
平均		0.28	3.4	0.20	3.6	0.16	3.4	0.11	2.6				
12		00	0.18	5.5	0.14	3.5	0.12	3.3	0.08	2.4	ESE	122	
		02	欠测										
		04	0.17	3.9	0.13	3.8	0.11	3.4	0.08	2.5	ENE	61	
		06	0.31	2.7	0.20	3.8	0.16	3.4	0.10	2.6	N	7	
	08	0.23	2.8	0.16	4.2	0.13	3.8	0.09	2.6	ENE	59		
	10	0.24	5.2	0.16	4.3	0.13	3.5	0.09	2.5	—			
	12	0.25	2.5	0.18	4.6	0.15	3.7	0.10	2.6	SE	126		
	14	* 0.38	2.6	* 0.24	3.6	* 0.19	3.2	0.12	2.5	E	91		
	16	0.37	1.7	0.22	3.5	0.18	3.4	* 0.12	2.6	E	97		
	18	0.24	5.8	0.18	4.3	0.15	3.9	0.10	2.6	N	357		
	20	0.22	4.7	0.17	4.7	0.13	4.6	0.09	3.2	ESE	104		
	22	0.24	5.1	0.19	5.1	0.15	4.5	0.10	3.1	NNE	25		
	最大	0.38	2.6	0.24	3.6	0.19	3.2	0.12	2.6				
	平均	0.26	3.9	0.18	4.1	0.15	3.7	0.10	2.7				
	13	00	欠测										
		02	0.25	4.7	0.18	5.1	0.15	4.8	0.10	3.5	ESE	120	
		04	0.23	3.3	0.18	4.2	0.15	4.0	0.10	3.1	NNE	25	
		06	0.24	5.5	0.17	4.3	0.14	3.7	0.09	2.5	N	358	
08		0.25	4.6	0.17	4.3	0.14	4.0	0.09	3.1	E	92		
10		0.30	2.8	0.20	4.5	0.15	4.8	0.10	3.5	ESE	114		
12		0.24	5.5	0.16	5.2	0.13	4.5	0.09	3.0	ESE	102		
14		0.23	5.8	0.18	5.1	0.15	4.5	0.10	3.2	ENE	75		
16		0.26	5.2	0.20	5.0	0.15	4.4	0.10	3.1	ESE	121		
18		* 0.33	4.2	0.23	5.3	0.18	4.7	0.12	3.2	SE	125		
20		0.25	5.6	0.21	5.0	0.17	5.0	0.11	3.5	N	7		
22		0.30	5.0	* 0.24	4.7	* 0.19	4.6	* 0.12	3.6	NW	318		
最大		0.33	4.2	0.24	4.7	0.19	4.6	0.12	3.6				
平均		0.26	4.7	0.19	4.8	0.15	4.5	0.10	3.2				
14		00	0.33	5.1	0.25	5.1	0.20	4.5	0.13	3.0	NE	45	
		02	0.35	7.6	0.27	5.6	0.21	5.1	0.13	3.3	ESE	103	
		04	0.35	7.3	0.25	4.9	0.20	4.8	0.13	3.3	NW	318	
		06	欠测										
	08	0.25	6.5	0.19	5.2	0.16	5.0	0.10	3.4	NE	47		
	10	欠测											
	12	0.42	4.2	0.31	3.9	0.23	3.8	0.15	2.8	E	83		
	14	0.68	3.0	0.44	3.0	0.34	3.1	0.22	2.6	ENE	62		

	16	0.93	2.9	0.69	3.1	0.54	3.2	0.34	2.9	SE	131
	18	* 1.27	3.6	* 0.87	3.6	* 0.69	3.6	* 0.46	3.4	NNW	332
	20	0.96	4.0	0.66	4.0	0.52	4.1	0.34	3.6	ENE	75
	22	0.92	4.0	0.61	4.2	0.48	4.2	0.30	3.7	NNW	334
	最大	1.27	3.6	0.87	3.6	0.69	3.6	0.46	3.4		
	平均	0.65	4.8	0.45	4.3	0.36	4.1	0.23	3.2		
15	00	1.87	4.1	1.23	4.2	0.95	4.3	0.59	3.7	ENE	70
	02	2.03	4.4	1.68	4.9	1.38	5.0	0.89	4.4	NNE	33
	04	2.37	5.3	1.89	5.3	1.51	5.2	0.94	4.4	NNE	31
	06	2.48	5.4	1.95	5.5	1.58	5.3	0.99	4.5	N	355
	08	2.78	5.3	1.98	5.8	1.58	5.7	1.01	4.7	ENE	61
	10	2.73	5.4	2.11	5.2	1.70	5.3	1.13	4.7	E	98
	12	3.82	5.6	2.82	5.9	2.33	5.9	1.47	5.1	ENE	74
	14	3.97	6.5	* 3.25	6.2	* 2.56	6.2	* 1.62	5.5	N	356
	16	* 4.64	6.7	3.22	6.6	2.48	6.5	1.60	5.7	N	0
	18	4.07	6.0	2.89	6.0	2.27	6.2	1.41	5.3	N	0
	20	3.00	6.1	2.14	6.1	1.66	5.9	1.05	5.2	ENE	65
	22	2.58	5.3	1.84	6.0	1.49	6.0	1.00	5.1	NNE	12
	最大	4.64	6.7	3.25	6.2	2.56	6.2	1.62	5.5		
	平均	3.03	5.5	2.25	5.6	1.79	5.6	1.14	4.9		
16	00	* 2.10	4.9	* 1.55	5.5	* 1.28	5.7	* 0.85	5.0	N	0
	02	1.92	5.7	1.42	5.7	1.15	5.6	0.73	4.7	NW	321
	04	1.97	4.9	1.42	5.2	1.09	5.4	0.68	4.4	NE	35
	06	1.63	4.2	1.23	5.2	0.96	5.3	0.59	4.3	E	89
	08	1.41	5.6	1.26	5.3	1.02	5.3	0.67	4.7	NE	46
	10	欠測									
	12	1.83	4.4	1.32	4.9	1.04	5.1	0.65	4.4	ENE	77
	14	1.65	5.6	1.26	5.4	0.99	5.1	0.64	4.2	NE	35
	16	1.51	4.2	1.28	4.7	1.03	4.8	0.64	3.9	NNE	16
	18	1.50	5.9	1.15	4.8	0.96	4.9	0.61	4.0	NE	47
	20	1.48	4.3	1.05	4.6	0.84	4.5	0.54	3.8	NNE	20
	22	1.13	5.1	0.84	4.8	0.65	4.6	0.41	3.9	NNE	21
	最大	2.10	4.9	1.55	5.5	1.28	5.7	0.85	5.0		
	平均	1.65	5.0	1.25	5.1	1.00	5.1	0.64	4.3		
17	00	1.16	5.0	0.82	4.7	0.64	4.8	0.41	4.1	NNW	329
	02	1.20	4.2	0.75	4.6	0.60	4.7	0.39	4.0	E	97
	04	0.97	4.4	0.80	4.6	0.66	4.6	0.42	3.8	NW	324
	06	1.38	3.8	0.97	4.3	0.74	4.2	0.48	3.7	NNE	13
	08	2.16	4.4	* 1.52	4.7	* 1.20	4.7	* 0.74	4.0	ENE	61
	10	* 2.20	3.9	1.42	4.5	1.09	4.7	0.67	3.9	NW	320
	12	1.90	5.3	1.39	4.5	1.09	4.7	0.70	4.0	ENE	76
	14	1.80	3.8	1.30	4.4	1.01	4.6	0.63	3.9	ESE	106
	16	1.70	4.1	1.31	4.3	1.06	4.6	0.67	4.0	ESE	123
	18	1.52	4.6	1.06	4.5	0.86	4.6	0.56	4.0	NNE	23
	20	1.17	4.7	0.92	4.4	0.74	4.3	0.47	3.7	NNW	335
	22	1.67	3.5	1.20	4.3	0.97	4.4	0.63	3.9	NNE	18
	最大	2.20	3.9	1.52	4.7	1.20	4.7	0.74	4.0		
	平均	1.57	4.3	1.12	4.5	0.89	4.6	0.56	3.9		
18	00	1.47	4.0	1.18	4.2	0.93	4.4	0.57	3.7	NE	46
	02	1.20	4.0	1.01	4.5	0.80	4.6	0.51	4.0	N	6
	04	1.20	4.6	0.84	4.8	0.65	4.8	0.41	4.0	NNE	15
	06	1.35	4.3	0.99	4.6	0.80	4.5	0.49	3.8	NNW	339
	08	1.58	4.2	1.21	4.4	0.96	4.5	0.61	3.9	N	7
	10	1.67	3.6	1.27	4.6	0.98	4.5	0.64	3.8	NE	44
	12	1.52	4.7	1.10	4.4	0.87	4.4	0.55	3.9	NE	38
	14	1.10	5.1	0.94	4.6	0.76	4.8	0.48	4.0	NE	39
	16	1.18	4.6	0.81	4.9	0.66	5.0	0.43	4.1	NE	51
	18	1.68	5.3	1.21	4.8	0.96	4.7	0.62	4.0	N	2
	20	* 1.88	4.0	* 1.35	4.8	* 1.05	5.1	* 0.66	4.3	ENE	75
	22	1.36	5.2	1.00	4.7	0.80	5.1	0.51	4.3	ENE	57
	最大	1.88	4.0	1.35	4.8	1.05	5.1	0.66	4.3		
	平均	1.43	4.5	1.08	4.6	0.85	4.7	0.54	4.0		
19	00	* 0.95	5.1	* 0.76	4.9	* 0.63	5.1	* 0.41	4.2	NNE	32
	02	欠測									
	04	* 0.95	5.1	0.69	5.0	0.57	5.0	0.37	4.2	N	358
	06	0.87	4.9	0.68	5.1	0.56	5.1	0.35	4.1	N	1
	08	0.94	4.9	0.68	5.1	0.55	5.0	0.34	4.1	NNE	25
	10	0.77	4.7	0.57	5.0	0.46	4.9	0.28	3.9	NNW	343

	12		欠测									
	14		欠测									
	16		0.49	4.2	0.38	4.7	0.30	4.6	0.19	3.6	NNE	16
	18		0.51	4.3	0.40	4.7	0.33	4.8	0.22	4.1	ENE	74
	20		欠测									
	22		0.40	3.8	0.29	4.5	0.23	4.4	0.15	3.4	N	350
	最大		0.95	5.1	0.76	4.9	0.63	5.1	0.41	4.2		
	平均		0.74	4.6	0.56	4.9	0.45	4.9	0.29	4.0		
20	00		欠测									
	02		* 0.38	4.2	* 0.28	4.8	* 0.23	4.6	0.14	3.7	—	
	04		0.37	5.3	0.28	4.6	0.23	4.5	* 0.15	3.5	NNE	32
	06		0.32	5.4	0.24	4.6	0.19	4.5	0.12	3.3	NE	40
	08		0.33	4.5	0.25	4.4	0.20	4.2	0.13	3.3	SE	133
	10		0.36	2.7	0.24	4.0	0.19	3.9	0.12	2.9	—	
	12		0.26	4.6	0.18	4.2	0.14	3.8	0.09	2.8	E	100
	14		0.30	2.6	0.19	4.3	0.15	3.9	0.10	2.6	N	0
	16		欠测									
	18		欠测									
	20		欠测									
	22		欠测									
	最大		0.38	4.2	0.28	4.8	0.23	4.6	0.15	3.5		
	平均		0.33	4.2	0.24	4.4	0.19	4.2	0.12	3.2		
21	00		欠测									
	02		欠测									
	04		2.55	4.5	1.66	4.7	1.34	4.8	0.89	4.3	NNE	18
	06		* 3.17	6.0	* 2.34	5.5	* 1.83	5.4	* 1.13	4.6	ENE	72
	08		2.76	6.4	2.12	6.0	1.71	5.8	1.12	4.8	NNE	29
	10		2.32	5.6	1.95	5.8	1.54	5.9	0.93	4.7	NE	37
	12		欠测									
	14		2.08	4.4	1.65	5.7	1.35	5.5	0.85	4.5	ENE	61
	16		2.17	5.1	1.68	5.6	1.37	5.5	0.86	4.7	NE	56
	18		2.29	5.0	1.53	5.5	1.20	5.4	0.78	4.5	SE	135
	20		1.96	4.3	1.52	5.4	1.19	5.3	0.74	4.4	NNE	32
	22		1.56	7.3	1.26	5.3	1.03	5.1	0.66	4.3	E	85
	最大		3.17	6.0	2.34	5.5	1.83	5.4	1.13	4.6		
	平均		2.32	5.4	1.75	5.5	1.40	5.4	0.88	4.5		
22	00		* 1.69	6.2	* 1.13	5.6	* 0.89	5.5	* 0.54	4.4	NE	52
	02		1.08	5.6	0.86	5.7	0.73	5.7	0.49	4.5	NNE	29
	04		1.46	6.8	0.95	6.0	0.75	6.1	0.49	4.9	NE	37
	06		0.88	4.6	0.73	6.0	0.58	5.7	0.37	4.7	NNE	29
	08		0.91	5.6	0.67	5.7	0.54	5.6	0.34	4.6	NE	37
	10		0.94	6.8	0.72	5.9	0.59	5.8	0.38	4.8	NE	37
	12		0.88	4.1	0.63	5.2	0.52	5.5	0.32	4.1	ENE	68
	14		0.96	4.0	0.79	5.6	0.67	5.4	0.42	4.2	NNE	14
	16		0.95	6.4	0.74	5.9	0.59	5.7	0.38	4.5	NE	37
	18		1.19	5.5	0.85	5.9	0.68	6.1	0.42	4.9	NNE	25
	20		0.90	5.5	0.66	6.8	0.53	6.6	0.34	5.2	NNE	33
	22		0.74	6.3	0.58	6.1	0.48	6.2	0.30	4.9	NNE	25
	最大		1.69	6.2	1.13	5.6	0.89	5.5	0.54	4.4		
	平均		1.05	5.6	0.78	5.9	0.63	5.8	0.40	4.6		
23	00		0.82	6.3	* 0.65	6.7	0.51	6.5	0.31	5.1	NNE	33
	02		0.77	6.4	0.59	6.4	0.48	6.6	0.30	5.0	NNE	25
	04		0.72	5.1	0.61	6.8	* 0.51	6.6	* 0.32	5.2	NNE	33
	06		* 0.93	7.1	0.63	6.6	0.50	6.3	0.31	4.9	NNE	33
	08		欠测									
	10		0.80	5.2	0.55	6.2	0.43	6.2	0.26	4.6	NE	37
	12		0.62	6.8	0.48	6.8	0.39	6.6	0.24	4.7	NE	37
	14		0.60	5.7	0.47	6.8	0.38	6.1	0.23	4.1	NNE	29
	16		0.61	7.1	0.50	6.7	0.39	6.2	0.24	4.0	NE	49
	18		0.51	6.5	0.42	6.4	0.33	5.9	0.21	4.1	NE	49
	20		0.55	6.6	0.42	6.8	0.35	6.4	0.22	4.3	NE	37
	22		0.67	6.8	0.49	6.2	0.38	5.7	0.24	4.2	NNE	33
	最大		0.93	7.1	0.65	6.7	0.51	6.6	0.32	5.2		
	平均		0.69	6.3	0.53	6.6	0.42	6.3	0.26	4.6		
24	00		0.71	5.9	0.48	6.2	0.37	5.9	0.23	4.4	NNE	33
	02		0.72	5.3	0.49	5.9	0.40	5.6	0.25	4.2	NNW	343

25	04	0.61	4.9	0.49	5.8	0.40	5.4	0.26	4.3	NE	41	
	06	0.60	6.7	0.48	5.6	0.39	5.5	0.25	4.4	NNE	24	
	08	0.67	6.1	0.42	6.0	0.34	5.6	0.21	3.9	E	99	
	10	0.45	6.4	0.35	5.3	0.28	4.4	0.18	3.0	E	95	
	12	0.35	6.9	0.29	5.8	0.24	5.7	0.15	3.9	NE	37	
	14	0.39	5.8	0.30	4.8	0.24	4.3	0.16	3.3	NNE	18	
	16	0.57	2.9	0.44	3.3	0.35	3.3	0.23	2.8	NNW	337	
	18	0.37	5.0	0.27	4.0	0.21	3.6	0.14	2.8	NE	47	
	20	0.74	2.5	0.51	2.9	0.39	3.0	0.25	2.7	NW	326	
	22	* 1.17	2.6	* 0.72	2.7	* 0.55	2.8	* 0.35	2.7	NE	55	
	最大	1.17	2.6	0.72	2.7	0.55	2.8	0.35	2.7			
	平均	0.61	5.1	0.44	4.9	0.35	4.6	0.22	3.5			
	26	00	0.65	2.2	0.46	2.6	0.36	2.7	0.23	2.4	E	88
		02	0.38	2.2	0.27	3.0	0.21	3.3	0.13	2.5	N	351
04		0.30	6.6	0.23	7.6	0.18	5.8	0.12	3.6	NNE	25	
06		0.32	9.6	0.24	8.4	0.19	6.4	0.12	4.0	NE	41	
08		0.32	8.2	0.24	8.1	0.19	6.3	0.12	3.9	E	86	
10		0.40	5.8	0.30	7.5	0.24	6.7	0.14	4.2	NE	37	
12		0.47	6.8	0.39	6.6	0.31	6.3	0.19	4.2	NNE	29	
14		0.69	5.0	0.52	7.3	0.39	6.4	0.23	4.0	NNE	20	
16		1.01	9.2	0.59	8.7	0.43	7.5	0.25	4.6	NNE	29	
18		0.43	12.6	0.38	9.8	0.30	8.0	0.18	5.1	NNE	25	
20		0.66	9.2	0.55	9.5	0.44	9.9	0.28	7.5	NNE	20	
22		* 1.13	10.6	* 0.69	10.7	* 0.49	10.3	* 0.29	7.4	NNE	16	
最大		1.13	10.6	0.69	10.7	0.49	10.3	0.29	7.4			
平均		0.56	7.3	0.41	7.5	0.31	6.6	0.19	4.5			
27	00	0.95	11.2	0.72	11.0	0.57	10.6	0.34	8.0	NNE	12	
	02	0.80	10.0	0.56	10.1	0.42	9.7	0.23	5.9	NNE	29	
	04	0.74	10.1	0.58	9.8	0.46	9.2	0.27	6.3	NNE	16	
	06	0.79	8.3	0.55	9.1	0.41	8.8	0.25	5.9	NNE	33	
	08	0.71	8.5	0.54	9.2	0.44	9.1	0.26	5.9	NNE	29	
	10	0.63	9.9	0.49	9.4	0.40	8.8	0.24	5.8	NE	49	
	12	0.70	10.0	0.49	9.4	0.38	8.5	0.22	5.2	NE	41	
	14	0.49	10.6	0.44	8.9	0.36	8.7	0.22	5.5	NNE	33	
	16	0.98	10.3	0.77	9.9	* 0.63	9.8	0.36	6.2	NE	37	
	18	1.17	9.6	0.75	9.1	0.56	7.7	0.32	4.7	NE	41	
	20	欠测										
	22	* 1.18	3.8	* 0.78	4.2	0.61	4.5	* 0.39	3.7	NW	322	
	最大	1.18	3.8	0.78	4.2	0.63	9.8	0.39	3.7			
	平均	0.83	9.3	0.61	9.1	0.48	8.7	0.28	5.7			
28	00	* 0.81	6.2	* 0.61	5.8	* 0.51	5.5	* 0.33	4.3	E	90	
	02	0.66	3.7	0.54	4.6	0.41	4.8	0.26	3.8	ENE	76	
	04	0.56	3.5	0.43	6.5	0.35	5.7	0.22	4.0	NNE	16	
	06	0.49	6.1	0.40	5.6	0.32	5.3	0.20	3.9	ENE	70	
	08	0.50	5.6	0.40	7.0	0.32	6.0	0.20	4.1	NE	37	
	10	0.57	7.9	0.44	7.6	0.36	6.8	0.23	4.8	NE	45	
	12	0.64	7.8	0.43	7.7	0.33	6.8	0.20	4.2	NNE	29	
	14	0.48	7.7	0.40	7.8	0.32	7.1	0.20	4.7	NNE	25	
	16	0.48	7.3	0.37	6.9	0.29	6.4	0.18	4.2	NE	37	
	18	0.51	6.6	0.38	6.4	0.29	5.5	0.18	3.6	ESE	105	
	20	0.42	6.7	0.30	4.8	0.25	4.5	0.16	3.3	N	9	
	22	0.33	6.1	0.27	5.1	0.22	5.1	0.14	3.5	SE	134	
	最大	0.81	6.2	0.61	5.8	0.51	5.5	0.33	4.3			
	平均	0.54	6.3	0.41	6.3	0.33	5.8	0.21	4.0			
29	00	0.35	5.4	0.28	4.9	0.22	4.7	0.14	3.5	NNW	335	
	02	0.38	4.8	0.26	4.5	0.21	4.2	0.14	3.3	NE	47	
	04	0.45	4.9	0.25	4.6	0.19	4.5	0.13	3.1	NE	39	
	06	0.32	4.5	0.25	5.2	0.21	4.6	0.14	3.2	N	10	
	08	0.30	8.4	0.23	6.6	0.18	5.3	0.12	3.6	NE	45	
	10	0.37	6.8	0.22	5.0	0.18	4.4	0.11	3.1	ENE	78	
	12	0.43	2.7	0.29	3.9	0.24	3.9	0.16	3.1	N	8	
	14	0.34	3.0	0.26	4.2	0.21	3.9	0.14	2.8	NNE	24	
	16	0.55	2.8	0.33	3.2	0.26	3.3	0.17	2.6	E	97	
	18	* 0.75	3.1	0.49	3.6	0.41	3.6	0.27	3.1	NNE	31	
	20	0.70	3.6	* 0.54	3.7	* 0.43	3.8	* 0.28	3.4	NE	39	
	22	0.63	3.3	0.49	3.6	0.39	3.7	0.24	3.2	N	2	
	最大	0.75	3.1	0.54	3.7	0.43	3.8	0.28	3.4			

	平均	0.46	4.4	0.32	4.4	0.26	4.2	0.17	3.2		
29	00	0.51	3.9	0.36	3.8	0.29	3.8	0.18	3.1	ENE	59
	02	0.58	3.4	* 0.43	3.9	* 0.35	3.8	* 0.22	3.5	—	
	04	0.54	4.1	0.41	4.2	0.34	4.2	0.21	3.4	ESE	112
	06	0.43	4.1	0.31	4.3	0.24	4.1	0.16	3.4	NE	55
	08	0.34	4.6	0.26	4.3	0.21	4.5	0.14	3.7	NW	315
	10	0.34	4.6	0.26	4.4	0.21	4.5	0.14	3.6	NE	36
	12	0.30	4.3	0.24	4.8	0.19	4.5	0.12	3.3	E	94
	14	0.34	5.3	0.26	4.8	0.22	4.7	0.14	3.5	ESE	102
	16	0.33	4.1	0.29	4.2	0.22	4.5	0.13	3.4	—	
	18	* 0.59	3.8	0.39	4.1	0.30	4.0	0.19	3.3	NW	317
	20	0.44	4.0	0.33	3.7	0.27	3.6	0.17	3.0	ENE	73
	22	0.32	3.1	0.23	3.6	0.19	3.7	0.13	3.0	NNW	330
	最大	0.59	3.8	0.43	3.9	0.35	3.8	0.22	3.5		
	平均	0.42	4.1	0.31	4.2	0.25	4.2	0.16	3.4		
30	00	0.27	3.3	0.18	3.9	0.15	3.9	0.10	2.9	ESE	121
	02	0.20	6.7	0.16	4.6	0.12	4.2	0.08	3.1	NNW	329
	04	0.19	4.9	0.16	4.2	0.13	3.4	0.09	2.5	SE	130
	06	0.23	4.2	0.15	4.5	0.12	3.9	0.08	2.8	E	97
	08	0.21	3.5	0.16	4.2	0.13	3.8	0.09	2.7	ENE	62
	10	0.37	6.0	0.21	3.9	0.16	3.8	0.10	2.8	SE	130
	12	0.27	4.1	0.17	4.0	0.14	3.6	0.09	2.6	N	0
	14	0.22	3.6	0.17	4.3	0.14	3.7	0.10	2.7	ESE	119
	16	0.26	2.9	0.20	3.8	0.16	3.4	0.11	2.6	NE	56
	18	0.50	2.3	0.31	3.3	0.23	3.0	0.14	2.4	ENE	61
	20	0.82	2.9	0.58	3.0	0.46	3.1	0.30	2.8	N	7
	22	* 1.45	3.7	* 1.06	3.7	* 0.87	3.8	* 0.56	3.5	SE	125
	最大	1.45	3.7	1.06	3.7	0.87	3.8	0.56	3.5		
	平均	0.42	4.0	0.29	4.0	0.23	3.6	0.15	2.8		
月最大		4.64	6.7	3.25	6.2	2.56	6.2	1.62	5.5		
起時		1516		1514		1514		1514			
平均		0.83	5.1	0.61	5.2	0.49	4.9	0.31	3.7		

* は日最大波高を示す

波浪整理表（1）

観測所名：|伏木富山港伏木地区 | 機種：|波高 海象計 -46m 波向 海象計 -46m

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	356 回	測得回数	356 回
欠測回数	16 回	欠測回数	16 回
欠測率	4.3 %	欠測率	4.3 %

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.95	4.0	1.34	4.0	1.06	4.1	0.67	3.7	N	7
	02	1.94	4.4	1.38	4.4	1.09	4.3	0.68	3.7	E	92
	04	2.23	4.6	1.42	4.6	1.13	4.6	0.71	4.0	NE	41
	06	2.16	5.0	1.45	4.4	1.16	4.5	0.71	3.8	ESE	104
	08	1.96	5.2	1.55	4.9	1.22	4.7	0.76	4.1	NE	44
	10	* 2.52	4.4	* 1.76	4.8	* 1.34	4.8	* 0.82	4.2	NW	317
	12	1.61	4.1	1.30	4.7	1.07	4.7	0.70	4.2	NW	323
	14	1.80	4.6	1.31	5.1	1.04	5.0	0.66	4.3	NW	317
	16	1.54	4.5	1.09	4.8	0.85	4.8	0.53	4.1	NNE	24
	18	1.23	4.9	0.94	5.0	0.78	5.0	0.50	4.4	NE	52
	20	1.18	4.7	0.82	5.2	0.67	5.2	0.43	4.5	ENE	77
	22	1.11	4.9	0.75	5.0	0.58	5.0	0.36	3.9	N	10
	最大	2.52	4.4	1.76	4.8	1.34	4.8	0.82	4.2		
	平均	1.77	4.6	1.26	4.7	1.00	4.7	0.63	4.1		
02	00	欠測									
	02	* 1.06	4.6	* 0.69	5.1	* 0.55	5.3	* 0.35	4.4	ENE	70
	04	0.80	5.7	0.63	5.1	0.51	5.1	0.33	4.2	E	92
	06	0.80	5.2	0.62	5.8	0.50	5.7	0.32	4.5	NNE	33
	08	0.74	5.9	0.55	6.2	0.43	5.7	0.27	4.4	NE	37
	10	0.46	5.7	0.36	5.9	0.31	5.8	0.20	4.4	NE	41
	12	0.52	6.5	0.42	6.2	0.33	6.2	0.20	4.1	NNE	33
	14	0.45	6.7	0.32	6.3	0.25	5.7	0.15	3.7	NE	41
	16	0.51	5.9	0.35	6.1	0.27	5.5	0.16	3.7	NE	50
	18	0.32	6.3	0.22	5.6	0.17	4.7	0.11	3.1	N	354
	20	0.44	2.3	0.31	2.9	0.24	3.1	0.16	2.6	N	10
	22	0.40	2.0	0.26	3.2	0.21	3.3	0.14	2.6	NE	42
	最大	1.06	4.6	0.69	5.1	0.55	5.3	0.35	4.4		
	平均	0.59	5.2	0.43	5.3	0.34	5.1	0.22	3.8		
03	00	0.30	3.1	0.25	3.5	0.20	3.1	0.14	2.5	NNW	331
	02	0.47	3.8	0.29	3.8	0.23	3.5	0.15	2.6	NNW	344
	04	0.33	4.9	0.25	5.0	0.20	4.2	0.13	2.8	ESE	110
	06	0.57	7.1	0.45	5.2	0.37	5.1	0.23	3.6	E	96
	08	0.58	4.5	0.46	5.6	0.37	5.5	0.23	4.0	E	90
	10	0.78	5.2	0.56	5.8	0.46	5.8	0.29	4.5		
	12	1.14	7.5	0.74	8.4	0.59	7.0	0.38	5.6	NE	41
	14	1.04	9.1	0.86	7.9	0.73	7.7	0.45	5.9	NNE	29
	16	1.43	8.1	1.17	7.9	0.94	7.7	* 0.62	6.9	NE	41
	18	* 1.63	7.6	* 1.29	8.1	* 1.02	7.9	0.62	6.6	NNE	33
	20	1.27	6.5	0.99	7.8	0.84	7.4	0.54	6.2	NE	41
	22	1.13	7.5	0.90	8.1	0.77	7.7	0.48	5.9	NE	45
	最大	1.63	7.6	1.29	8.1	1.02	7.9	0.62	6.9		
	平均	0.89	6.2	0.68	6.4	0.56	6.1	0.36	4.8		
04	00	1.92	12.2	1.40	12.1	1.13	10.9	0.66	6.9	NNE	25
	02	欠測									
	04	1.94	9.5	1.68	11.1	1.37	11.5	0.85	8.6	NNE	29
	06	1.82	10.3	1.51	11.1	1.22	10.9	0.73	7.7	NNE	33
	08	* 2.37	9.3	* 1.81	11.0	1.44	11.1	0.87	8.1	NE	37
	10	2.13	10.5	1.80	10.9	* 1.52	10.6	* 0.94	7.5	NNE	33
	12	1.76	10.3	1.43	10.3	1.19	10.3	0.72	7.1	NNE	29
	14	1.85	9.4	1.49	10.1	1.19	9.7	0.71	6.5	NE	37
	16	1.68	9.1	1.26	9.0	0.96	8.3	0.58	5.1	NE	37
	18	1.74	8.5	1.42	8.7	1.14	8.2	0.69	5.2	NE	37
	20	欠測									
	22	1.84	7.3	1.33	7.5	1.03	6.1	0.65	4.6	NNE	33
	最大	2.37	9.3	1.81	11.0	1.52	10.6	0.94	7.5		

	平均	1.91	9.6	1.51	10.2	1.22	9.8	0.74	6.7		
05	00	* 1.56	8.4	* 1.04	7.6	* 0.80	6.5	* 0.50	4.9	NE	41
	02	0.98	6.6	0.84	7.6	0.67	7.0	0.42	4.9	NNE	33
	04	0.85	5.9	0.66	6.4	0.53	6.6	0.33	4.7	NNE	25
	06	0.83	7.7	0.67	6.3	0.54	6.1	0.34	4.7	NE	37
	08	0.86	6.6	0.63	5.6	0.49	5.8	0.30	4.2	NNE	33
	10	0.91	5.5	0.66	5.9	0.53	5.3	0.34	4.3	E	85
	12	0.81	6.4	0.58	6.5	0.46	6.0	0.30	4.5	NNE	33
	14	0.69	5.4	0.52	6.1	0.42	5.8	0.27	4.2	NNE	33
	16	0.71	6.2	0.54	5.8	0.43	5.6	0.27	4.3	E	100
	18	0.75	5.0	0.55	5.5	0.45	5.6	0.29	4.2	NNE	32
	20	0.58	5.0	0.48	5.8	0.39	5.7	0.24	4.0	NE	41
	22	0.59	5.3	0.44	5.3	0.38	5.2	0.24	4.0	ESE	112
	最大	1.56	8.4	1.04	7.6	0.80	6.5	0.50	4.9		
	平均	0.84	6.2	0.63	6.2	0.51	5.9	0.32	4.4		
06	00	0.67	3.9	* 0.51	4.7	* 0.41	4.8	* 0.27	3.8	NW	323
	02	0.64	3.8	0.48	4.6	0.40	4.7	0.26	3.8	NE	38
	04	0.59	4.9	0.43	4.8	0.35	4.8	0.22	3.8	NW	317
	06	* 0.72	4.7	0.46	4.8	0.36	4.7	0.23	3.8	ENE	72
	08	0.48	5.3	0.37	4.7	0.30	4.6	0.19	3.6	SE	127
	10	0.42	4.7	0.30	4.5	0.24	4.4	0.15	3.4	NW	321
	12	0.53	4.7	0.36	4.4	0.28	4.4	0.18	3.6	NNE	22
	14	0.51	3.8	0.39	4.1	0.32	4.2	0.21	3.4	E	86
	16	0.51	4.3	0.38	4.2	0.31	4.4	0.20	3.6	NNW	335
	18	0.52	4.4	0.39	4.3	0.31	4.4	0.19	3.4	NW	318
	20	0.38	5.1	0.31	4.6	0.25	4.5	0.16	3.5	ESE	123
	22	0.44	4.3	0.28	4.2	0.22	4.3	0.14	3.4	NNE	32
	最大	0.72	4.7	0.51	4.7	0.41	4.8	0.27	3.8		
	平均	0.53	4.5	0.39	4.5	0.31	4.5	0.20	3.6		
07	00	0.30	4.8	0.23	4.3	* 0.19	4.3	* 0.13	3.3	ENE	58
	02	0.35	3.7	* 0.24	4.1	0.19	3.9	0.12	2.9	NW	321
	04	0.30	4.9	0.23	4.2	0.18	3.9	0.12	2.9	ENE	73
	06	0.21	4.9	0.17	4.4	0.13	3.9	0.09	2.9	ESE	117
	08	0.20	5.5	0.16	4.1	0.13	3.6	0.08	2.6	ESE	106
	10	0.24	4.2	0.17	3.6	0.14	3.5	0.09	2.6	ESE	111
	12	0.28	4.1	0.16	3.8	0.13	3.4	0.08	2.5	ESE	106
	14	0.16	4.4	0.13	3.5	0.11	3.2	0.07	2.4	NNW	339
	16	* 0.38	2.9	0.16	3.8	0.13	3.5	0.09	2.6	E	89
	18	0.26	4.6	0.20	4.4	0.16	4.2	0.10	3.1	ENE	63
	20	0.36	4.1	0.22	4.4	0.16	4.3	0.10	3.0	NNW	339
	22	0.22	5.2	0.18	4.1	0.15	3.8	0.10	2.8	E	85
	最大	0.38	2.9	0.24	4.1	0.19	4.3	0.13	3.3		
	平均	0.27	4.4	0.19	4.1	0.15	3.8	0.10	2.8		
08	00	0.30	3.4	0.20	4.1	0.16	3.9	0.10	2.8	NW	318
	02	0.25	4.5	0.18	4.0	0.15	3.9	0.09	3.0	NE	39
	04	0.25	5.0	0.16	4.1	0.13	3.8	0.09	2.7	E	98
	06	0.19	4.6	0.15	3.8	0.12	3.6	0.09	2.6	E	85
	08	0.33	2.2	0.18	3.5	0.14	3.4	0.10	2.6	NNW	330
	10	0.23	2.6	0.16	3.3	0.13	3.2	0.09	2.4	NNE	23
	12	0.25	3.4	0.18	3.7	0.14	3.3	0.10	2.4	E	100
	14	0.23	4.7	0.19	4.0	0.16	3.4	0.11	2.5	ENE	67
	16	0.24	5.4	0.17	3.8	0.13	3.5	0.09	2.5	NW	323
	18	0.22	4.1	0.15	4.7	0.13	3.8	0.08	2.5	N	9
	20	0.27	2.6	0.19	3.9	0.15	3.8	0.10	2.7	NNW	335
	22	* 1.51	3.5	* 0.99	3.6	* 0.76	3.6	* 0.49	3.3	NE	48
	最大	1.51	3.5	0.99	3.6	0.76	3.6	0.49	3.3		
	平均	0.36	3.8	0.24	3.9	0.19	3.6	0.13	2.7		
09	00	* 1.62	4.3	* 1.17	4.3	* 0.92	4.2	* 0.60	3.8	NNW	339
	02	1.49	4.0	1.01	4.1	0.81	4.2	0.51	3.6	E	95
	04	1.57	3.6	0.83	4.6	0.65	4.5	0.42	3.7	NNE	30
	06	0.96	5.4	0.78	4.9	0.64	4.9	0.42	4.0	E	94
	08	1.19	2.8	0.94	4.0	0.72	4.0	0.46	3.5	ESE	123
	10	1.13	3.6	0.75	3.8	0.60	4.0	0.38	3.4	N	8
	12	0.90	5.2	0.64	4.4	0.52	4.4	0.33	3.5	E	91
	14	1.10	5.1	0.75	4.9	0.60	4.6	0.37	3.6	E	87
	16	1.15	3.8	0.81	4.3	0.65	4.4	0.42	3.6	ESE	119
	18	1.46	4.3	0.88	4.5	0.71	4.5	0.46	3.7	NNE	12
	20	1.17	3.9	0.89	4.3	0.72	4.2	0.46	3.7	NE	39
	22	1.32	3.7	0.85	4.1	0.66	4.3	0.43	3.5	NNE	17

		最大	1.62	4.3	1.17	4.3	0.92	4.2	0.60	3.8		
		平均	1.26	4.1	0.86	4.4	0.68	4.4	0.44	3.6		
10	00	* 1.06	4.5	* 0.77	4.3	* 0.63	4.2	* 0.40	3.6	NNW	346	
	02	0.73	4.7	0.55	5.2	0.46	5.1	0.29	4.1	SE	130	
	04	0.69	4.3	0.49	4.8	0.40	4.5	0.26	3.8	NNE	16	
	06	0.73	4.5	0.52	5.1	0.42	5.1	0.26	3.8	N	1	
	08	0.66	8.0	0.51	5.3	0.42	5.0	0.26	4.0	N	2	
	10	0.76	7.3	0.54	5.9	0.43	5.5	0.27	4.1	E	82	
	12	0.67	4.4	0.48	5.8	0.39	5.3	0.25	4.0	NNW	348	
	14	0.60	4.6	0.48	5.5	0.38	5.2	0.23	3.8	ENE	75	
	16	0.54	3.5	0.44	5.1	0.36	4.8	0.23	3.6	ENE	62	
	18	0.58	5.5	0.46	5.3	0.37	4.9	0.23	3.7	NNE	24	
	20	0.64	5.0	0.44	5.5	0.35	5.2	0.22	3.8	NE	52	
	22	0.42	6.1	0.35	5.4	0.29	5.5	0.19	4.1	ESE	116	
		最大	1.06	4.5	0.77	4.3	0.63	4.2	0.40	3.6		
		平均	0.67	5.2	0.50	5.3	0.41	5.0	0.26	3.9		
11	00	* 0.46	5.7	* 0.37	6.1	* 0.29	5.8	* 0.18	4.1	NNE	25	
	02	0.36	5.6	0.29	5.8	0.24	5.3	0.16	4.0	ESE	115	
	04	0.39	6.1	0.30	5.6	0.24	5.9	0.15	4.1	NNE	33	
	06	0.39	6.6	0.29	6.3	0.22	5.5	0.13	3.5	NNE	28	
	08	0.31	6.4	0.24	5.9	0.19	5.1	0.12	3.4	ESE	122	
	10	0.38	6.7	0.23	4.4	0.18	4.1	0.12	2.8	NW	320	
	12	0.31	5.5	0.21	4.7	0.17	3.9	0.12	2.9	N	357	
	14	0.27	5.0	0.19	5.2	0.15	4.6	0.10	3.1	N	10	
	16	0.21	5.2	0.16	4.3	0.13	3.9	0.08	2.9	N	351	
	18	欠测										
	20	0.16	4.7	0.14	4.3	0.12	3.6	0.08	2.6	NNE	16	
	22	0.16	4.2	0.13	3.8	0.10	3.4	0.07	2.5	NNE	13	
		最大	0.46	5.7	0.37	6.1	0.29	5.8	0.18	4.1		
		平均	0.31	5.6	0.23	5.1	0.18	4.6	0.12	3.3		
12	00	0.16	5.9	0.13	3.8	0.10	3.6	0.07	2.9	NNW	330	
	02	0.18	4.1	0.13	4.0	0.11	3.7	0.08	2.7	NE	48	
	04	0.29	2.4	0.17	3.5	0.13	3.6	0.09	2.6	NNW	345	
	06	0.19	7.2	0.16	4.1	0.13	3.6	0.09	2.6	E	93	
	08	0.20	3.8	0.16	4.1	0.13	3.5	0.09	2.6	NE	54	
	10	0.21	6.1	0.16	4.1	0.13	3.8	0.09	2.7	NNW	339	
	12	0.41	2.6	0.28	3.0	0.22	3.0	0.14	2.4	NNE	31	
	14	* 0.96	3.1	* 0.65	3.4	* 0.51	3.5	* 0.32	3.0	E	91	
	16	0.83	2.5	0.56	3.3	0.43	3.4	0.28	3.0	ENE	69	
	18	0.70	2.9	0.55	3.4	0.44	3.5	0.27	3.0	N	351	
	20	0.89	3.1	0.54	3.4	0.42	3.5	0.27	3.0	NE	41	
	22	0.78	3.6	0.55	3.7	0.44	3.7	0.29	3.3	ENE	66	
		最大	0.96	3.1	0.65	3.4	0.51	3.5	0.32	3.0		
		平均	0.48	3.9	0.34	3.7	0.27	3.5	0.17	2.8		
13	00	0.59	4.0	0.41	3.8	0.33	3.8	0.22	3.2	ENE	75	
	02	0.52	3.7	0.40	3.9	0.32	3.9	0.21	3.2	ENE	66	
	04	欠测										
	06	欠测										
	08	* 0.66	4.1	* 0.46	4.0	* 0.38	3.8	* 0.24	3.3	NE	46	
	10	0.61	2.8	0.43	4.0	0.34	4.0	0.23	3.4	NNW	342	
	12	0.46	3.3	0.32	4.2	0.27	4.0	0.17	3.2	E	79	
	14	0.37	4.2	0.27	4.6	0.22	4.4	0.14	3.2	N	359	
	16	0.41	4.3	0.28	4.7	0.22	4.5	0.14	3.1	SE	131	
	18	0.43	5.9	0.32	5.1	0.25	5.0	0.16	3.6	N	10	
	20	0.30	5.0	0.24	5.3	0.19	4.8	0.12	3.4	N	353	
	22	0.29	9.3	0.20	5.0	0.16	4.1	0.10	2.8	NE	54	
		最大	0.66	4.1	0.46	4.0	0.38	3.8	0.24	3.3		
		平均	0.46	4.7	0.33	4.5	0.27	4.2	0.17	3.2		
14	00	0.22	4.0	0.17	4.5	0.13	3.7	0.08	2.6	E	88	
	02	0.22	3.1	0.17	4.8	0.14	3.8	0.10	2.7	N	350	
	04	0.25	3.0	0.17	4.5	0.14	3.9	0.09	2.7	NNW	335	
	06	0.29	5.0	0.20	4.7	0.16	4.4	0.11	3.0	E	90	
	08	0.56	2.5	0.39	3.1	0.29	3.3	0.19	2.7	SE	135	
	10	0.57	3.7	0.40	3.6	0.32	3.6	0.20	2.8	E	82	
	12	1.17	2.9	0.75	3.3	0.59	3.4	0.38	3.2	NNE	27	
	14	* 1.43	3.1	* 1.14	4.1	* 0.91	4.1	* 0.57	3.6	NE	38	

	16	1.18	3.9	0.88	4.2	0.72	4.2	0.45	3.6	NE	56
	18	0.90	4.8	0.59	4.5	0.47	4.6	0.29	3.7	ENE	71
	20	0.66	4.6	0.54	4.0	0.44	4.0	0.28	3.4	NNE	33
	22	0.87	6.0	0.55	4.3	0.43	4.1	0.28	3.5	NNW	333
	最大	1.43	3.1	1.14	4.1	0.91	4.1	0.57	3.6		
	平均	0.69	3.9	0.50	4.1	0.40	3.9	0.25	3.1		
	15	00	0.80	4.0	0.57	4.0	0.48	4.0	0.31	NE	42
		02	0.79	3.6	0.58	4.2	0.45	4.2	0.28	ENE	63
		04	0.83	3.5	0.61	4.2	0.50	4.2	0.32	ESE	106
		06	0.87	6.7	0.68	6.4	0.54	5.9	0.34	NE	41
		08	* 1.07	7.2	* 0.85	7.8	* 0.68	7.6	* 0.43	NE	37
		10	0.81	6.3	0.68	6.9	0.54	6.6	0.34	NE	45
		12	0.78	6.0	0.56	6.5	0.44	6.6	0.27	NE	45
		14	0.80	5.7	0.59	7.0	0.45	6.6	0.28	NE	41
		16	0.92	7.0	0.63	8.3	0.49	7.6	0.30	NE	37
		18	0.85	10.3	0.71	9.3	0.59	9.3	0.35	NNE	33
		20	0.97	8.1	0.73	8.6	0.57	8.7	0.33	NE	37
		22	0.73	9.1	0.52	8.4	0.40	8.2	0.23	NE	37
	最大	1.07	7.2	0.85	7.8	0.68	7.6	0.43	6.0		
		平均	0.85	6.5	0.64	6.8	0.51	6.6	0.32	5.0	
	16	00	0.72	8.6	0.61	8.3	0.48	8.4	0.29	NE	41
		02	欠測								
		04	0.39	6.0	0.28	7.2	0.21	5.6	0.13	NNW	344
		06	0.29	7.2	0.21	6.7	0.17	5.6	0.11	—	
		08	* 1.34	3.4	0.75	3.3	0.59	3.5	0.38	NNW	343
		10	欠測								
		12	1.32	4.5	* 0.80	4.6	* 0.63	4.5	* 0.40	NNW	330
		14	0.93	4.8	0.66	4.9	0.53	4.9	0.34	NNE	12
		16	0.71	5.5	0.53	5.2	0.43	5.4	0.28	ENE	76
		18	0.56	4.5	0.45	5.8	0.35	5.7	0.22	ENE	57
		20	0.46	6.5	0.37	8.1	0.31	7.2	0.19	ENE	57
		22	0.50	8.9	0.40	9.4	0.31	8.8	0.18	NNE	25
	最大	1.34	3.4	0.80	4.6	0.63	4.5	0.40	3.6		
		平均	0.72	6.0	0.51	6.4	0.40	6.0	0.25	4.3	
	17	00	0.48	10.7	0.31	9.3	0.24	7.8	0.14	NE	45
		02	0.41	10.8	0.35	9.6	0.28	8.7	0.16	NE	45
		04	0.48	7.4	0.36	8.5	0.27	6.8	0.17	NE	45
		06	0.62	10.1	0.47	8.2	0.39	7.7	0.24	NE	49
		08	* 0.99	6.8	* 0.64	7.6	* 0.51	6.9	* 0.31	NNE	29
		10	0.68	5.4	0.59	6.1	0.49	6.0	0.31	NNE	29
		12	0.73	6.8	0.58	6.6	0.46	6.5	0.30	NNE	29
		14	0.64	5.7	0.55	7.4	0.44	7.1	0.27	NE	37
		16	0.56	7.5	0.43	7.4	0.34	6.7	0.20	NNE	33
		18	0.58	8.2	0.37	7.1	0.29	6.6	0.17	NE	41
		20	0.46	7.5	0.34	7.7	0.26	7.2	0.15	NE	53
		22	0.44	8.3	0.30	8.1	0.23	6.7	0.14	NE	53
	最大	0.99	6.8	0.64	7.6	0.51	6.9	0.31	4.9		
		平均	0.59	7.9	0.44	7.8	0.35	7.1	0.21	4.6	
	18	00	0.46	8.8	0.30	7.6	0.24	6.9	0.14	NE	41
		02	0.53	8.8	0.42	7.8	0.33	7.4	0.19	NE	41
		04	0.71	7.5	0.53	6.2	0.43	5.3	0.27	E	101
		06	0.86	7.4	0.65	5.7	0.54	5.1	0.34	ESE	107
		08	0.96	7.0	0.73	6.0	0.60	6.4	0.39	NNE	29
		10	1.08	4.9	0.88	5.4	0.72	5.1	0.48	NNE	25
		12	0.95	4.7	0.77	5.6	0.63	5.2	0.41	N	349
		14	0.99	6.4	0.76	5.4	0.62	5.0	0.40	NE	54
		16	1.04	3.8	0.82	5.9	0.68	5.1	0.44	NNE	29
		18	1.18	4.6	0.88	5.5	0.72	5.5	0.45	NNE	18
		20	1.20	4.9	* 0.97	5.8	* 0.78	5.5	* 0.51	E	86
		22	* 1.27	4.8	0.85	5.6	0.68	5.3	0.43	NE	35
	最大	1.27	4.8	0.97	5.8	0.78	5.5	0.51	4.3		
		平均	0.94	6.1	0.71	6.0	0.58	5.7	0.37	4.2	
	19	00	1.01	4.4	0.74	5.3	0.58	5.2	0.37	ESE	118
		02	欠測								
		04	欠測								
		06	1.11	3.9	0.63	4.3	0.51	4.3	0.33	NNW	338
		08	1.09	3.8	0.81	4.2	0.64	4.3	0.41	ENE	70
		10	1.23	3.9	0.86	4.5	0.69	4.5	0.43	E	90

	12	1.43	4.2	1.02	4.3	0.81	4.5	0.50	4.0	E	81
	14	1.48	5.0	* 1.08	4.8	* 0.82	4.9	* 0.52	4.2	NW	325
	16	1.28	4.2	0.90	4.8	0.73	4.9	0.48	4.1	N	349
	18	* 1.52	5.1	0.84	5.1	0.67	5.0	0.42	4.0	E	81
	20	1.15	5.6	0.86	5.4	0.69	5.5	0.45	4.6	NE	46
	22	0.90	4.9	0.70	5.2	0.55	5.3	0.35	4.4	N	7
	最大	1.52	5.1	1.08	4.8	0.82	4.9	0.52	4.2		
	平均	1.22	4.5	0.84	4.8	0.67	4.8	0.43	4.1		
20	00	* 0.74	5.2	* 0.60	5.3	* 0.48	5.2	* 0.31	4.4	NNW	335
	02	0.58	5.0	0.50	5.1	0.41	5.2	0.26	4.3	E	88
	04	0.62	5.0	0.47	5.1	0.37	5.0	0.23	4.0	NE	40
	06	0.45	5.0	0.34	4.9	0.26	5.0	0.16	3.5	ESE	118
	08	0.55	3.5	0.36	4.6	0.27	4.7	0.17	3.6	—	
	10	0.33	4.8	0.25	5.2	0.20	4.7	0.13	3.4	ESE	111
	12	0.32	5.7	0.25	5.3	0.19	5.1	0.12	3.6	SE	134
	14	0.29	6.9	0.24	6.0	0.19	5.0	0.12	3.4	ESE	119
	16	0.29	6.4	0.23	5.8	0.19	4.7	0.12	3.0	NNE	19
	18	0.47	4.6	0.28	4.5	0.22	4.1	0.14	2.9	NE	46
	20	0.55	3.2	0.34	3.1	0.27	3.2	0.17	2.7	ESE	113
	22	0.47	2.5	0.33	3.6	0.26	3.5	0.17	2.9	ESE	115
	最大	0.74	5.2	0.60	5.3	0.48	5.2	0.31	4.4		
	平均	0.47	4.8	0.35	4.9	0.28	4.6	0.18	3.5		
21	00	0.45	3.3	0.32	3.4	0.26	3.5	0.17	3.1	E	87
	02	0.41	2.8	0.31	4.0	0.25	3.8	0.16	3.0	E	98
	04	0.33	3.3	0.27	3.6	0.22	3.5	0.15	2.8	NE	35
	06	0.37	4.4	0.26	3.6	0.20	3.7	0.13	2.8	ESE	105
	08	欠测									
	10	0.38	3.3	0.25	3.6	0.20	3.8	0.13	3.0	NNW	346
	12	0.49	2.9	0.29	3.5	0.24	3.4	0.16	2.9	SE	129
	14	0.59	3.2	0.42	3.2	0.33	3.4	0.21	2.9	NNW	335
	16	0.59	3.0	0.44	3.4	0.37	3.4	0.24	2.8	ENE	66
	18	0.61	3.3	0.50	3.2	0.38	3.4	0.24	2.9	ESE	116
	20	* 0.69	3.8	* 0.52	3.4	* 0.40	3.5	* 0.26	3.0	NNE	25
	22	0.49	4.3	0.41	4.1	0.33	4.2	0.21	3.4	E	83
	最大	0.69	3.8	0.52	3.4	0.40	3.5	0.26	3.0		
	平均	0.49	3.4	0.36	3.5	0.29	3.6	0.19	3.0		
22	00	* 0.52	4.8	0.33	5.3	0.26	4.8	0.17	3.5	NE	48
	02	欠测									
	04	0.41	5.6	* 0.33	5.4	0.26	5.4	0.16	3.8	NNW	344
	06	0.43	5.8	* 0.33	5.4	* 0.27	5.3	* 0.17	4.0	SE	130
	08	0.40	5.3	0.28	5.1	0.22	5.0	0.14	3.9	ENE	75
	10	0.38	5.5	0.28	5.3	0.23	5.0	0.15	3.7	NW	316
	12	0.30	3.8	0.23	4.9	0.18	4.7	0.12	3.5	NNE	14
	14	0.29	4.9	0.22	4.8	0.18	4.3	0.11	2.9	NNW	348
	16	0.27	5.4	0.21	5.2	0.17	4.6	0.11	3.0	NNW	336
	18	欠测									
	20	0.22	8.3	0.16	4.9	0.13	4.1	0.09	2.9	ENE	72
	22	0.24	5.5	0.16	5.1	0.12	4.2	0.08	3.0	ENE	69
	最大	0.52	4.8	0.33	5.4	0.27	5.3	0.17	4.0		
	平均	0.35	5.5	0.25	5.1	0.20	4.7	0.13	3.4		
23	00	0.20	6.7	0.15	4.6	0.12	3.8	0.09	2.6	ENE	63
	02	0.17	4.1	0.15	4.5	0.12	3.9	0.09	2.7	ESE	107
	04	0.25	4.1	0.17	4.6	0.14	3.6	0.09	2.6	NNW	342
	06	0.50	2.1	0.33	2.9	0.24	3.1	0.14	2.5	SE	129
	08	* 1.59	3.6	1.13	3.8	0.88	3.9	0.55	3.5	NNE	14
	10	1.36	4.3	1.12	4.2	0.94	4.3	0.61	3.7	E	79
	12	1.56	3.8	* 1.19	4.7	* 0.97	4.8	* 0.62	4.0	N	6
	14	1.30	4.4	1.03	4.5	0.79	4.5	0.48	3.6	NNE	30
	16	0.99	4.1	0.76	4.4	0.60	4.5	0.38	3.7	E	83
	18	0.72	4.3	0.62	5.2	0.53	5.0	0.35	3.9	ENE	76
	20	0.84	4.3	0.69	5.7	0.56	5.5	0.36	4.1	ENE	66
	22	0.88	4.5	0.66	6.0	0.53	5.1	0.34	3.7	NNE	23
	最大	1.59	3.6	1.19	4.7	0.97	4.8	0.62	4.0		
	平均	0.86	4.2	0.67	4.6	0.54	4.3	0.34	3.4		
24	00	0.77	5.5	0.59	5.8	0.47	5.1	0.29	3.6	NNW	339
	02	0.58	8.2	0.52	6.7	0.42	6.1	0.26	4.3	NNE	29

	04	0.56	7.2	0.45	6.9	0.36	6.3	0.23	4.4	ENE	57
	06	0.51	7.0	0.44	6.8	0.36	6.2	0.23	4.5	NE	37
	08	0.58	5.1	0.45	6.2	0.34	5.9	0.21	4.2	NE	37
	10	0.52	5.2	0.42	6.6	0.34	5.9	0.22	4.6	NNE	25
	12	0.60	6.7	0.45	6.1	0.36	5.6	0.23	4.5	N	354
	14	0.68	8.2	0.51	6.7	0.41	5.9	0.27	4.3	NNE	25
	16	0.97	6.0	0.72	5.3	0.58	4.9	0.37	3.7	ESE	120
	18	1.05	7.6	0.84	4.4	0.69	4.4	0.44	3.5	NNE	27
	20	* 1.22	3.1	* 0.92	5.3	* 0.76	4.9	* 0.48	3.9	NE	34
	22	1.09	4.8	0.89	6.4	0.73	5.6	0.46	4.2	SE	124
	最大	1.22	3.1	0.92	5.3	0.76	4.9	0.48	3.9		
	平均	0.76	6.2	0.60	6.1	0.49	5.6	0.31	4.1		
25	00	1.31	8.1	1.00	7.7	0.81	7.0	0.51	4.9	NNE	33
	02	1.12	8.8	0.80	8.1	0.63	7.3	0.39	5.1	NNE	29
	04	1.31	10.7	0.87	8.8	0.66	8.3	0.40	5.8	NNE	29
	06	1.04	9.2	0.83	9.5	0.66	9.1	0.41	6.4	NNE	25
	08	欠测									
	10	1.37	9.3	1.00	9.5	0.74	8.3	0.45	5.5	NNE	25
	12	1.38	6.6	1.03	7.5	0.83	6.2	0.54	4.5	NNE	20
	14	1.42	7.1	* 1.08	5.9	0.87	5.3	0.56	4.1	NE	46
	16	1.46	8.0	1.06	5.9	0.85	5.8	0.55	4.4	NNE	29
	18	* 1.50	7.7	1.08	5.5	* 0.87	5.6	* 0.56	4.3	N	4
	20	1.38	8.9	0.96	7.0	0.77	6.0	0.48	4.3	NNE	33
	22	1.15	9.2	0.92	8.7	0.73	7.5	0.46	5.4	NNE	25
	最大	1.50	7.7	1.08	5.9	0.87	5.6	0.56	4.3		
	平均	1.31	8.5	0.97	7.6	0.77	6.9	0.48	5.0		
26	00	0.95	9.0	* 0.80	8.6	* 0.64	7.5	* 0.41	5.5	NE	41
	02	0.99	9.8	0.74	8.1	0.59	7.1	0.37	5.3	NNE	33
	04	* 1.00	8.8	0.70	8.2	0.55	7.3	0.35	5.2	NNE	33
	06	0.63	4.2	0.52	6.3	0.44	6.2	0.29	4.7	NNE	20
	08	0.75	10.4	0.56	8.1	0.45	6.6	0.28	4.5	NNE	29
	10	0.67	8.0	0.46	7.1	0.37	6.8	0.23	4.6	NE	45
	12	0.54	8.6	0.42	8.0	0.33	6.5	0.21	4.6	NNE	12
	14	0.50	7.5	0.40	7.4	0.32	6.7	0.19	4.3	NNE	12
	16	0.53	5.2	0.40	6.3	0.32	5.8	0.20	3.8	NE	49
	18	0.53	7.4	0.39	6.2	0.30	5.2	0.19	3.5	NW	315
	20	0.49	7.7	0.38	7.3	0.29	5.9	0.18	4.0	NE	37
	22	0.48	7.7	0.38	7.6	0.29	6.6	0.18	4.4	NNE	29
	最大	1.00	8.8	0.80	8.6	0.64	7.5	0.41	5.5		
	平均	0.67	7.9	0.51	7.4	0.41	6.5	0.26	4.5		
27	00	0.34	5.5	0.28	6.5	0.23	5.8	0.14	3.7	NE	37
	02	0.43	8.9	0.31	6.5	0.24	5.2	0.15	3.6	N	357
	04	0.43	6.3	0.31	6.7	0.23	5.4	0.15	3.5	N	10
	06	0.37	7.9	0.27	5.4	0.22	4.2	0.14	3.0	NNW	337
	08	0.31	6.0	0.23	5.4	0.18	4.6	0.12	3.1	SE	127
	10	0.33	5.0	0.22	5.7	0.17	4.6	0.11	3.0	NNE	24
	12	欠测									
	14	0.99	2.9	0.63	3.0	0.49	3.2	0.31	2.9	N	352
	16	2.66	4.2	2.11	4.9	1.51	4.7	0.89	4.1	ESE	118
	18	2.77	4.9	2.15	5.0	1.77	5.2	1.11	4.4	NE	56
	20	2.80	4.9	* 2.29	5.0	* 1.89	5.1	* 1.20	4.5	NE	56
	22	* 3.02	5.2	2.15	5.6	1.77	5.8	1.10	4.9	NE	37
	最大	3.02	5.2	2.29	5.0	1.89	5.1	1.20	4.5		
	平均	1.31	5.6	1.00	5.4	0.79	4.9	0.49	3.7		
28	00	2.28	6.1	1.91	6.2	1.54	6.4	1.00	5.4	NE	45
	02	2.48	7.0	2.01	7.0	1.58	7.0	0.99	6.1	NE	45
	04	2.31	7.0	1.83	6.8	1.44	6.8	0.88	5.7	NE	41
	06	2.33	8.1	1.62	7.3	1.30	7.2	0.83	6.1	NNE	29
	08	2.45	7.9	1.81	7.3	1.42	7.2	0.91	6.5	NE	41
	10	2.00	6.6	1.73	7.7	1.40	8.0	0.84	6.3	NE	37
	12	* 2.92	7.9	1.91	8.1	1.55	7.9	0.95	6.1	NNE	33
	14	2.12	7.3	1.66	8.2	1.36	8.2	0.81	6.2	NNE	33
	16	2.05	7.7	1.78	8.3	1.44	8.4	0.92	7.7	NE	37
	18	2.79	9.2	2.17	9.3	* 1.73	9.1	* 1.12	8.0	NNE	33
	20	2.86	9.6	* 2.23	9.1	1.65	9.2	0.97	7.8	NNE	29
	22	1.83	8.6	1.50	8.4	1.23	8.5	0.86	8.2	NE	41
	最大	2.92	7.9	2.23	9.1	1.73	9.1	1.12	8.0		

	平均	2.37	7.8	1.85	7.8	1.47	7.8	0.92	6.7		
29	00	* 1.75	8.9	* 1.37	8.6	* 1.10	8.6	* 0.68	7.1	NNE	33
	02	1.63	8.8	1.33	8.8	1.05	8.7	0.64	7.5	NE	37
	04	1.55	7.4	1.15	8.1	0.94	8.3	0.56	6.9	NE	37
	06	1.37	7.4	1.18	8.1	0.97	8.2	0.59	7.1	NNE	33
	08	1.08	7.9	0.86	7.9	0.70	7.9	0.43	6.3	NE	37
	10	1.00	8.0	0.85	7.9	0.66	8.0	0.39	6.3	NNE	29
	12	1.19	7.8	0.84	7.9	0.68	8.3	0.42	6.7	NNE	33
	14	1.12	8.1	0.77	8.1	0.60	7.9	0.34	5.6	NNE	29
	16	0.86	8.4	0.67	8.0	0.51	7.5	0.28	4.4	NNE	33
	18	0.75	8.6	0.60	8.7	0.47	8.0	0.27	5.2	NNE	25
	20	0.67	7.9	0.48	8.3	0.38	8.2	0.23	5.4	NNE	29
	22	0.60	8.8	0.41	8.0	0.31	7.3	0.19	4.4	NNE	29
	最大	1.75	8.9	1.37	8.6	1.10	8.6	0.68	7.1		
	平均	1.13	8.2	0.88	8.2	0.70	8.1	0.42	6.1		
30	00	0.43	9.3	0.32	8.5	0.23	6.6	0.14	4.0	NE	37
	02	0.45	8.5	0.27	8.0	0.21	7.1	0.13	4.0	NE	37
	04	0.34	9.3	0.27	8.0	0.22	6.4	0.13	3.9	ENE	61
	06	0.37	7.3	0.27	7.6	0.21	6.4	0.13	4.0	NNE	33
	08	0.35	6.9	0.26	6.6	0.20	5.5	0.12	3.5	N	6
	10	0.35	7.9	0.25	6.6	0.20	5.5	0.13	3.5	E	96
	12	0.36	9.1	0.29	6.9	0.23	6.4	0.15	4.0	NNE	29
	14	0.45	5.9	0.34	5.7	0.27	5.7	0.17	3.9	ENE	61
	16	* 0.50	4.9	0.35	6.7	0.28	6.2	* 0.18	4.6	NE	37
	18	0.41	4.5	0.32	7.2	0.25	6.4	0.16	4.5	ENE	57
	20	0.43	6.2	0.34	6.7	* 0.28	6.6	0.17	4.3	NE	37
	22	0.46	5.8	* 0.35	7.1	0.27	6.1	0.17	3.9	NE	41
	最大	0.50	4.9	0.35	7.1	0.28	6.6	0.18	4.6		
	平均	0.41	7.1	0.30	7.1	0.24	6.2	0.15	4.0		
31	00	0.37	5.1	0.33	6.4	0.26	5.9	* 0.17	4.3	E	86
	02	0.37	5.9	0.29	6.8	0.24	6.2	0.15	4.1	NE	53
	04	0.45	7.4	* 0.33	6.5	* 0.27	6.1	0.16	4.0	NE	45
	06	* 0.47	5.5	0.30	6.0	0.23	5.4	0.15	3.8	E	91
	08	欠測									
	10	0.38	6.1	0.26	6.4	0.21	5.7	0.13	3.6	NE	45
	12	0.35	8.6	0.25	6.3	0.20	5.3	0.13	3.5	N	353
	14	0.32	7.9	0.27	6.9	0.22	6.1	0.13	4.0	NE	41
	16	0.35	7.8	0.23	6.0	0.19	5.6	0.12	3.7	E	92
	18	0.32	7.1	0.24	6.2	0.19	5.3	0.12	3.7	ESE	122
	20	0.31	7.0	0.24	6.3	0.19	5.6	0.12	3.6	ENE	67
	22	0.36	6.4	0.26	6.1	0.20	5.4	0.13	3.6	E	100
	最大	0.47	5.5	0.33	6.5	0.27	6.1	0.17	4.3		
	平均	0.37	6.8	0.27	6.4	0.22	5.7	0.14	3.8		
	月最大	3.02	5.2	2.29	5.0	1.89	5.1	1.20	4.5		
	起時	2722		2720		2720		2720			
	平均	0.83	5.8	0.62	5.7	0.50	5.4	0.31	4.1		

* は日最大波高を示す

様式 3-1-1 波高月表

1999年11月

波浪整理表（1）

												波高		波向	
												規定回数	360 回	規定回数	360 回
												測得回数	284 回	測得回数	284 回
												欠測回数	76 回	欠測回数	76 回
												欠測率	21.1 %	欠測率	21.1 %
観測所名：伏木富山港伏木地区												機種：波高 海象計 -46m 波向 海象計 -46m			
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度				
01	00	0.33	7.3	0.25	6.0	0.20	5.2	0.13	3.7	NNE	28				
	02	0.34	5.3	0.23	5.8	0.19	5.4	0.13	3.6	N	0				
	04	0.36	6.5	0.25	5.7	0.20	4.9	0.12	3.3	NNE	30				
	06	1.21	3.1	0.81	3.4	0.61	3.4	0.39	3.1	NNE	19				
	08	1.56	4.2	1.02	4.3	0.82	4.3	0.51	3.7	NNE	33				
	10	1.32	3.8	0.80	4.2	0.63	4.4	0.41	3.8	E	97				
	12	1.22	5.1	0.85	4.7	0.63	4.7	0.39	4.2	NNE	28				
	14	1.11	4.5	0.76	5.3	0.58	5.1	0.36	3.8	N	356				
	16	0.56	5.3	0.44	5.2	0.35	5.1	0.22	4.0	NE	42				
	18	1.24	4.1	0.97	3.4	0.75	3.6	0.47	3.2	NE	51				
	20	1.71	4.9	1.19	5.0	0.89	5.0	0.56	4.1	SE	124				
	22	* 1.72	5.7	* 1.22	5.8	* 0.95	5.8	* 0.61	4.8	NNE	33				
	最大	1.72	5.7	1.22	5.8	0.95	5.8	0.61	4.8						
	平均	1.06	5.0	0.73	4.9	0.57	4.7	0.36	3.8						
02	00	1.95	7.7	1.40	7.5	1.12	7.2	0.70	5.8	NNE	33				
	02	1.65	8.4	1.37	8.1	1.10	7.6	0.73	6.2	NNE	33				
	04	1.85	8.6	* 1.52	8.1	* 1.22	7.5	0.75	5.6	NNE	33				
	06	* 1.99	8.1	1.50	7.6	* 1.22	7.5	* 0.78	6.0	NE	37				
	08	1.51	7.5	1.28	8.0	1.04	8.0	0.62	5.9	NE	37				
	10	1.75	7.8	1.23	7.6	0.96	7.6	0.60	6.1	NE	37				
	12	1.26	7.9	1.04	7.9	0.85	7.9	0.54	5.9	NNE	33				
	14	1.64	7.7	1.08	7.6	0.84	7.6	0.52	6.2	NE	41				
	16	1.08	6.8	0.93	7.3	0.76	7.2	0.48	5.6	NE	37				
	18	1.24	6.3	0.92	6.7	0.70	6.8	0.42	4.9	NNE	33				
	20	0.85	8.5	0.71	6.9	0.56	6.2	0.35	4.6	NE	49				
	22	0.97	7.0	0.71	5.9	0.58	5.7	0.37	4.2	NNE	33				
	最大	1.99	8.1	1.52	8.1	1.22	7.5	0.78	6.0						
	平均	1.48	7.7	1.14	7.4	0.91	7.2	0.57	5.6						
03	00	0.67	5.0	0.55	5.3	0.44	5.1	0.27	3.6	ENE	77				
	02	0.71	6.4	0.56	5.8	0.45	5.5	0.28	4.1	N	6				
	04	0.87	5.6	0.54	5.9	0.43	5.6	0.26	4.1	E	83				
	06	0.73	5.0	0.53	5.4	0.44	5.6	0.28	4.1	ENE	60				
	08	0.68	5.5	0.54	5.5	0.44	5.1	0.29	4.0	E	90				
	10	0.78	7.0	* 0.61	4.6	0.47	4.7	0.29	3.8	NE	35				
	12	* 0.92	5.0	0.60	4.4	0.46	4.5	0.30	3.7	NNW	348				
	14	0.78	5.2	0.60	5.2	* 0.47	5.1	* 0.30	4.1	NW	317				
	16	0.72	5.4	0.50	5.3	0.41	5.3	0.27	4.0	NE	55				
	18	0.53	4.3	0.46	5.8	0.37	5.8	0.24	4.4	NE	41				
	20	0.46	4.7	0.38	6.1	0.31	6.1	0.20	4.4	NNE	33				
	22	0.48	5.5	0.34	5.8	0.28	5.9	0.17	4.2	NNE	25				
	最大	0.92	5.0	0.61	4.6	0.47	5.1	0.30	4.1						
	平均	0.69	5.4	0.52	5.4	0.41	5.4	0.26	4.0						
04	00	0.46	8.0	0.35	6.7	0.29	6.1	0.17	4.1	NE	45				
	02	0.50	5.7	0.33	6.5	0.27	6.3	0.16	4.2	NNE	29				
	04	0.50	6.3	0.33	6.2	0.26	6.0	0.17	4.2	NE	45				
	06	0.48	6.0	0.32	6.1	0.26	5.8	0.17	4.1	NE	37				
	08	0.60	5.8	0.39	6.0	0.30	5.5	0.19	3.9	ENE	76				
	10	0.79	5.7	0.62	5.9	0.51	5.8	0.33	5.0	NNE	29				
	12	* 1.80	5.5	* 1.43	5.7	* 1.11	5.9	* 0.71	5.1	NNE	33				
	14	1.29	5.8	1.04	5.3	0.83	5.7	0.52	4.8	NNE	29				
	16	0.98	5.3	0.77	5.7	0.62	5.6	0.39	4.6	SE	127				
	18	0.95	6.3	0.70	5.7	0.56	5.8	0.35	4.8	NNE	25				
	20	0.82	5.5	0.64	5.5	0.51	5.4	0.32	4.5	N	353				
	22	0.68	5.2	0.54	5.2	0.43	5.3	0.27	4.3	NNW	337				
	最大	1.80	5.5	1.43	5.7	1.11	5.9	0.71	5.1						

		最大 平均										
10	00	欠测 欠测 欠测 欠测 欠测										
	02											
	04											
	06											
	08											
	10											
	12	欠测 欠测 欠测 欠测 欠测										
	14											
	16											
	18											
	20											
	22											
	最大 平均											
11	00	欠测 欠测 欠测 欠测 欠测										
	02											
	04											
	06											
	08											
	10											
	12	* 0.52	4.6	* 0.33	5.2	* 0.27	5.3	* 0.18	4.0	E	100	
	14	0.39	5.3	0.29	5.1	0.23	4.8	0.14	3.6	—		
	16	0.34	5.6	0.28	5.1	0.23	5.0	0.14	3.6	N	353	
	18	0.46	2.8	0.28	4.8	0.23	4.4	0.15	3.1	E	82	
	20	0.38	4.8	0.27	4.7	0.22	4.2	0.14	3.1	SE	134	
	22	0.30	5.0	0.25	4.5	0.21	4.4	0.13	3.4	ENE	58	
	最大 平均	0.52 0.40	4.6 4.7	0.33 0.28	5.2 4.9	0.27 0.23	5.3 4.7	0.18 0.15	4.0 3.5			
12	00	0.30	5.7	* 0.21	4.6	* 0.17	4.2	* 0.11	3.4	SE	133	
	02	0.19	5.5	0.16	5.0	0.13	4.2	0.09	2.8	ENE	65	
	04	0.24	6.4	0.16	4.9	0.13	4.1	0.09	2.7	ENE	69	
	06	0.27	6.0	0.17	4.5	0.13	3.7	0.09	2.6	NE	56	
	08	0.23	3.2	0.15	4.5	0.12	3.9	0.08	2.7	NE	37	
	10	* 0.39	3.0	0.19	4.3	0.15	3.9	0.10	2.7	—		
	12	0.24	4.0	0.17	4.0	0.14	3.7	0.09	2.8	NE	37	
	14	0.24	4.2	0.15	4.6	0.12	3.9	0.08	2.8	—		
	16	0.20	3.0	0.14	4.4	0.12	3.6	0.08	2.5	SE	126	
	18	0.20	4.9	0.15	4.5	0.12	3.8	0.08	2.8	NE	46	
	20	0.27	5.3	0.19	3.4	0.16	3.2	0.11	2.4	NE	38	
	22	0.17	6.5	0.14	4.5	0.11	3.7	0.08	2.6	SE	129	
	最大 平均	0.39 0.25	3.0 4.8	0.21 0.17	4.6 4.4	0.17 0.13	4.2 3.8	0.11 0.09	3.4 2.7			
13	00	0.16	8.0	0.14	4.5	0.12	3.6	0.08	2.6	ESE	116	
	02	0.21	5.7	0.15	4.4	0.13	3.9	0.09	2.8	E	80	
	04	0.23	4.5	0.17	4.6	0.14	4.1	0.09	2.9	ENE	63	
	06	0.36	5.6	0.26	5.0	0.21	5.0	0.14	3.5	NW	317	
	08	0.54	4.4	0.38	4.9	0.30	4.7	0.19	3.6	ESE	109	
	10	0.59	5.2	0.44	4.9	0.34	4.8	0.22	3.9	NW	318	
	12	0.65	4.6	0.53	6.3	0.43	6.0	0.28	4.6	NNE	25	
	14	0.60	5.6	0.48	5.5	0.39	5.6	0.25	4.3	NW	319	
	16	0.77	3.1	0.64	3.4	0.51	3.7	0.32	3.2	NW	324	
	18	1.26	3.7	0.87	3.9	0.68	3.9	0.44	3.4	NNE	14	
	20	1.18	3.2	0.93	4.0	0.74	4.0	0.48	3.5	ENE	72	
	22	* 1.31	4.1	* 1.06	3.9	* 0.84	4.1	* 0.54	3.6	SE	134	
	最大 平均	1.31 0.66	4.1 4.8	1.06 0.50	3.9 4.6	0.84 0.40	4.1 4.5	0.54 0.26	3.6 3.5			
14	00	1.72	3.8	1.13	4.2	0.89	4.2	0.57	3.7	ENE	78	
	02	1.31	4.5	0.92	4.4	0.76	4.7	0.49	4.0	ENE	70	
	04	1.10	4.7	0.90	4.3	0.72	4.4	0.48	4.0	N	351	
	06	1.03	5.5	0.85	4.4	0.69	4.4	0.43	3.9	ESE	113	
	08	1.16	4.1	0.87	4.3	0.69	4.4	0.44	3.8	NNW	329	
	10	1.13	3.9	0.79	4.0	0.64	4.2	0.40	3.6	ESE	108	
	12	1.45	3.7	0.95	4.3	0.76	4.3	0.50	3.8	ESE	111	
	14	1.38	4.5	1.03	4.5	0.85	4.4	0.53	3.6	ESE	115	

	16	* 1.94	4.9	* 1.21	4.4	* 0.96	4.8	* 0.62	4.0	N	358	
	18	1.52	5.1	1.08	4.4	0.86	4.6	0.57	4.0	NE	35	
	20	1.48	5.1	1.09	4.9	0.89	4.9	0.56	4.1	N	351	
	22	1.20	4.8	0.88	5.2	0.70	4.9	0.43	4.0	N	3	
	最大	1.94	4.9	1.21	4.4	0.96	4.8	0.62	4.0			
	平均	1.37	4.6	0.98	4.4	0.78	4.5	0.50	3.9			
15	00	* 1.12	4.5	* 0.80	4.9	* 0.62	5.0	* 0.40	4.3	ENE	72	
	02	0.82	5.2	0.64	5.1	0.50	5.2	0.31	4.2	NNW	327	
	04	0.82	5.6	0.64	5.2	0.51	5.1	0.32	4.4	ENE	70	
	06	0.74	4.6	0.59	5.2	0.48	5.0	0.31	4.3	NNE	18	
	08	0.68	4.5	0.53	5.0	0.42	4.8	0.27	4.0	N	357	
	10	0.55	5.5	0.45	5.1	0.37	5.0	0.24	4.0	ENE	75	
	12	0.48	5.6	0.36	5.6	0.30	5.4	0.19	4.1	E	98	
	14	0.48	3.6	0.37	4.7	0.29	4.9	0.19	3.8	NNW	328	
	16	0.41	7.0	0.33	6.3	0.26	5.9	0.16	3.8	NE	37	
	18	0.44	5.7	0.31	5.9	0.24	5.7	0.15	3.9	NNE	33	
	20	0.36	6.2	0.27	6.2	0.22	5.8	0.14	3.9	NNE	29	
	22	0.37	5.7	0.25	6.3	0.19	5.6	0.12	3.8	ENE	57	
	最大	1.12	4.5	0.80	4.9	0.62	5.0	0.40	4.3			
	平均	0.61	5.3	0.46	5.5	0.37	5.3	0.23	4.0			
	16	00	1.28	3.2	0.98	3.4	0.76	3.5	0.48	3.3	E	100
		02	1.87	5.1	1.44	5.3	1.13	5.3	0.69	4.2	NE	52
		04	2.42	5.0	1.62	6.0	1.26	5.9	0.80	4.6	NE	37
		06	2.53	6.7	1.69	6.7	1.35	6.1	0.85	4.9	NE	37
		08	2.14	5.3	1.59	7.6	1.31	7.2	0.86	5.9	NNE	33
		10	2.52	5.7	1.69	6.7	1.33	6.8	0.83	5.5	NE	45
		12	1.86	6.1	1.66	7.1	1.32	6.6	0.83	5.3	NNE	33
		14	* 2.53	8.4	* 1.84	7.3	* 1.50	7.6	* 0.94	5.7	NNE	33
16		2.36	9.3	1.64	7.3	1.27	6.3	0.80	4.9	NE	37	
18		2.27	8.2	1.83	7.8	1.43	7.5	0.88	5.4	NE	37	
20		2.17	7.6	1.63	8.1	1.26	8.0	0.76	6.1	NNE	33	
22		2.34	8.6	1.82	8.7	1.39	8.8	0.87	7.3	NE	41	
最大		2.53	8.4	1.84	7.3	1.50	7.6	0.94	5.7			
平均		2.19	6.6	1.62	6.8	1.28	6.6	0.80	5.3			
17		00	* 1.92	8.8	* 1.47	8.6	* 1.15	8.3	0.69	6.5	NNE	33
		02	1.63	7.1	1.40	8.1	* 1.15	8.3	* 0.71	6.5	NNE	33
		04	1.61	9.5	1.33	8.6	1.06	8.6	0.65	6.9	NE	37
		06	1.68	7.2	1.28	8.3	1.01	8.3	0.62	6.7	NE	37
		08	1.45	8.8	1.12	8.4	0.87	8.6	0.54	7.0	NE	37
		10	1.51	8.0	0.97	7.9	0.75	7.9	0.47	6.6	NE	37
		12	0.96	7.7	0.86	7.5	0.69	7.7	0.44	6.4	NE	37
		14	1.44	7.7	1.02	7.2	0.81	7.4	0.53	6.6	NNE	33
	16	1.35	7.7	1.07	7.4	0.84	7.4	0.52	6.2	NNE	29	
	18	1.15	7.5	0.95	7.0	0.77	7.5	0.49	6.0	NE	37	
	20	0.95	6.5	0.79	6.8	0.64	7.0	0.40	5.5	NNE	33	
	22	1.08	8.0	0.77	7.4	0.63	7.2	0.41	5.7	NE	37	
	最大	1.92	8.8	1.47	8.6	1.15	8.3	0.71	6.5			
	平均	1.39	7.9	1.09	7.8	0.86	7.9	0.54	6.4			
	18	00	* 1.18	8.1	0.74	7.6	0.58	7.3	0.34	5.6	NE	37
		02	0.94	9.3	* 0.84	8.4	* 0.69	8.2	* 0.43	6.6	NE	45
		04	1.04	7.7	0.75	7.5	0.61	7.7	0.39	6.3	NNE	33
		06	0.83	7.2	0.66	8.0	0.51	7.7	0.31	5.6	NNE	33
		08	0.62	6.8	0.44	8.1	0.35	7.8	0.21	4.9	NNE	33
		10	0.39	6.7	0.32	7.0	0.25	5.3	0.15	3.4	ENE	68
		12	0.38	5.9	0.30	6.4	0.22	5.3	0.14	3.3	ENE	66
		14	0.38	6.7	0.27	5.8	0.20	4.5	0.13	3.0	NE	51
16		0.31	7.1	0.23	5.6	0.18	4.6	0.12	3.0	ENE	78	
18		0.32	5.5	0.23	4.5	0.18	4.0	0.12	2.8	E	89	
20		0.32	6.9	0.24	7.1	0.19	6.6	0.12	4.0	NNE	25	
22		0.47	7.8	0.35	7.4	0.27	7.1	0.16	4.5	NE	49	
最大		1.18	8.1	0.84	8.4	0.69	8.2	0.43	6.6			
平均		0.60	7.1	0.45	7.0	0.35	6.3	0.22	4.4			
19		00	0.55	7.6	0.41	6.9	0.31	6.6	0.19	4.4	NE	45
		02	0.59	6.4	* 0.48	6.2	* 0.36	6.1	0.22	4.5	NE	49
		04	0.58	4.4	0.44	5.9	0.35	5.9	0.23	4.5	NNE	29
		06	0.52	5.3	0.43	6.4	0.35	6.2	* 0.23	4.6	NE	45
		08	* 0.69	10.2	0.45	7.5	0.35	6.7	0.21	4.3	NNE	29
		10	0.49	8.2	0.38	6.8	0.30	6.3	0.18	4.2	NE	37

	12	0.46	6.4	0.37	7.2	0.28	6.9	0.17	4.3	NE	41
	14	0.44	7.8	0.32	7.2	0.24	6.4	0.14	3.9	NE	37
	16	0.43	7.0	0.31	7.6	0.24	6.5	0.14	4.1	NE	53
	18	0.43	7.4	0.29	7.0	0.23	6.4	0.14	4.3	ENE	57
	20	0.44	8.2	0.30	7.4	0.23	6.0	0.14	3.9	NE	45
	22	0.32	7.3	0.26	6.5	0.20	5.9	0.12	3.7	NE	53
	最大	0.69	10.2	0.48	6.2	0.36	6.1	0.23	4.6		
	平均	0.50	7.2	0.37	6.9	0.29	6.3	0.18	4.2		
20	00	0.30	6.9	0.25	6.4	0.20	5.3	0.12	3.4	SE	132
	02	0.29	6.8	0.23	6.9	0.19	6.3	0.12	3.8	NE	41
	04	0.36	7.4	0.25	6.9	0.20	6.0	0.12	3.8	NE	37
	06	0.34	7.4	0.27	6.9	0.22	6.3	0.14	4.1	NNE	29
	08	0.49	7.7	0.29	6.2	0.22	5.5	0.14	3.5	NW	325
	10	0.41	7.2	0.30	6.9	0.22	6.0	0.14	3.8	NNE	16
	12	0.34	6.9	0.29	6.5	0.23	6.3	0.15	4.4	NNE	29
	14	0.39	6.1	0.30	5.7	* 0.25	5.8	* 0.16	4.1	NE	37
	16	0.37	8.8	0.30	6.2	0.23	5.7	0.14	4.1	NE	41
	18	* 0.50	5.8	* 0.31	5.9	0.23	5.4	0.15	3.8	ENE	57
	20	0.44	5.1	0.31	5.5	0.24	5.3	0.15	4.0	NE	55
	22	0.34	4.1	0.26	6.1	0.21	5.7	0.13	3.7	NNE	25
	最大	0.50	5.8	0.31	5.9	0.25	5.8	0.16	4.1		
	平均	0.38	6.7	0.28	6.3	0.22	5.8	0.14	3.9		
21	00	* 0.44	6.3	* 0.25	5.7	* 0.20	5.1	* 0.13	3.5	NW	324
	02	0.29	6.6	0.22	6.7	0.17	5.7	0.11	3.7	NE	49
	04	0.31	6.0	0.20	5.5	0.16	4.4	0.10	3.0	ESE	106
	06	0.23	7.0	0.18	6.8	0.14	5.3	0.09	3.3	NW	319
	08	0.30	4.0	0.19	5.2	0.15	4.5	0.10	3.0	NNW	343
	10	0.24	7.0	0.19	5.8	0.15	4.8	0.09	3.1	N	1
	12	0.25	5.7	0.18	5.3	0.14	4.6	0.09	3.0	E	82
	14	0.27	4.8	0.19	5.9	0.15	5.1	0.09	3.2	N	6
	16	0.27	5.0	0.18	4.9	0.15	4.3	0.10	2.9	NNE	33
	18	0.24	6.8	0.18	5.4	0.14	4.3	0.09	2.9	E	101
	20	0.24	6.2	0.18	5.3	0.15	4.5	0.10	3.0	E	81
	22	0.26	5.3	0.19	4.7	0.15	4.4	0.10	3.0	ENE	64
	最大	0.44	6.3	0.25	5.7	0.20	5.1	0.13	3.5		
	平均	0.28	5.9	0.19	5.6	0.15	4.8	0.10	3.1		
22	00	0.21	4.4	0.16	4.8	0.13	3.9	0.09	2.7	NE	51
	02	0.21	5.8	0.16	5.0	0.13	4.2	0.09	3.0	E	82
	04	0.21	4.5	0.17	4.3	0.14	3.7	0.09	2.7	NNW	345
	06	0.26	5.1	0.18	3.9	0.14	3.4	0.09	2.6	N	353
	08	0.25	3.3	0.16	3.8	0.13	3.5	0.09	2.6	ENE	61
	10	0.20	3.8	0.16	4.4	0.13	3.9	0.09	2.7	NE	37
	12	0.20	6.3	0.15	4.6	0.12	3.9	0.08	2.7	ENE	67
	14	0.21	5.8	0.15	4.7	0.12	3.9	0.08	2.8	N	359
	16	* 0.28	5.4	* 0.19	4.7	* 0.15	3.9	* 0.10	2.7	ENE	76
	18	0.22	4.7	0.17	5.1	0.13	4.5	0.08	3.1	ESE	116
	20	0.22	6.5	0.18	5.7	0.14	5.3	0.09	3.5	N	352
	22	0.26	6.5	0.17	5.1	0.14	4.3	0.09	2.8	NE	48
	最大	0.28	5.4	0.19	4.7	0.15	3.9	0.10	2.7		
	平均	0.23	5.2	0.17	4.7	0.13	4.0	0.09	2.8		
23	00	0.21	3.8	0.16	4.7	0.13	4.2	0.09	2.8	SE	130
	02	0.26	4.6	0.17	5.7	0.14	4.6	0.09	3.1	NW	322
	04	0.22	5.5	0.18	5.1	0.14	4.2	0.09	3.0	NE	42
	06	0.25	5.8	0.18	5.2	0.14	4.2	0.10	2.9	NW	321
	08	0.24	3.7	0.17	4.7	0.14	4.0	0.09	2.9	NNW	343
	10	0.25	2.1	0.18	3.9	0.14	3.5	0.09	2.5	—	
	12	0.22	4.1	0.18	4.6	0.15	4.0	0.10	2.9	NW	318
	14	0.21	4.1	0.15	4.6	0.12	4.2	0.08	2.9	NE	36
	16	0.25	4.4	0.18	4.8	0.14	4.0	0.09	2.7	NNW	336
	18	0.34	2.4	0.24	3.5	* 0.20	3.3	* 0.14	2.7	ENE	73
	20	* 0.36	3.7	* 0.24	3.7	0.19	3.5	0.12	2.8	ESE	123
	22	0.25	6.5	0.19	5.0	0.16	4.5	0.10	3.1	SE	133
	最大	0.36	3.7	0.24	3.7	0.20	3.3	0.14	2.7		
	平均	0.26	4.2	0.19	4.6	0.15	4.0	0.10	2.9		
24	00	0.22	4.5	0.18	4.3	0.14	4.0	0.09	3.1	ESE	114
	02	0.23	4.8	0.17	5.3	0.14	4.7	0.09	3.3	NE	42

	04	0.25	2.8	0.18	4.6	0.14	3.9	0.09	2.8	E	80
	06	0.26	4.1	0.20	4.9	0.16	4.4	0.10	3.1	SE	134
	08	0.23	7.0	0.17	5.0	0.14	4.5	0.09	3.1	ENE	78
	10	0.23	3.5	0.15	4.3	0.12	3.7	0.08	2.9	NNW	333
	12	0.21	3.4	0.16	4.6	0.13	4.1	0.08	2.9	N	350
	14	0.23	4.0	0.17	4.5	0.14	3.9	0.09	2.8	ESE	119
	16	0.21	5.4	0.16	4.6	0.13	4.0	0.09	2.8	SE	124
	18	* 0.32	4.3	* 0.23	4.0	* 0.19	4.0	* 0.12	3.1	NE	49
	20	0.28	5.1	0.21	4.0	0.16	3.9	0.11	2.9	NNW	345
	22	0.27	4.9	0.20	4.9	0.16	4.6	0.11	3.3	N	356
	最大	0.32	4.3	0.23	4.0	0.19	4.0	0.12	3.1		
	平均	0.25	4.5	0.18	4.6	0.15	4.1	0.10	3.0		
25	00	0.24	4.4	0.18	4.3	0.15	4.0	0.10	2.9	N	2
	02	0.23	4.3	0.16	4.4	0.13	4.0	0.08	2.8	NNE	26
	04	0.20	4.7	0.15	4.2	0.12	3.5	0.08	2.6	ESE	122
	06	0.20	3.3	0.15	4.0	0.12	3.3	0.08	2.4	NE	55
	08	0.22	3.5	0.14	4.0	0.12	3.5	0.08	2.5	ESE	123
	10	0.20	2.8	0.15	3.6	0.13	3.5	0.09	2.7	ESE	103
	12	0.20	5.2	0.15	4.1	0.12	3.3	0.08	2.5	NNE	21
	14	0.32	3.8	0.20	3.9	0.16	3.4	0.11	2.5	N	9
	16	0.27	3.7	0.19	4.1	0.15	3.4	0.10	2.5	ENE	73
	18	* 0.81	2.5	0.51	2.7	0.38	2.7	0.24	2.6	NE	49
	20	0.71	2.4	* 0.51	2.9	0.40	2.9	0.26	2.7	NNE	26
	22	0.75	2.5	0.48	3.1	* 0.40	3.3	* 0.26	2.8	ENE	63
	最大	0.81	2.5	0.51	2.9	0.40	3.3	0.26	2.8		
	平均	0.36	3.6	0.25	3.8	0.20	3.4	0.13	2.6		
26	00	0.63	4.9	0.46	4.5	0.36	4.5	0.23	3.4	NNW	347
	02	0.57	5.3	0.44	5.4	0.36	5.4	0.23	4.2	ESE	104
	04	0.67	5.5	0.53	6.7	0.41	6.4	0.25	4.6	NNE	25
	06	0.50	5.9	0.43	6.8	0.34	6.7	0.21	4.9	NNE	33
	08	0.53	8.1	0.38	8.6	0.29	6.7	0.18	4.0	NNE	20
	10	0.65	9.5	0.53	6.3	0.41	4.8	0.26	3.6	N	353
	12	0.66	12.9	0.56	12.7	0.42	10.6	0.24	6.3	NNE	20
	14	1.00	13.0	0.82	11.5	0.65	11.2	0.37	7.4	NNE	33
	16	1.01	9.9	0.89	9.4	0.75	9.4	0.45	7.1	NNE	33
	18	1.60	6.4	1.24	7.1	0.99	6.2	0.62	4.6	NE	37
	20	1.77	5.7	* 1.44	7.2	* 1.16	7.2	* 0.73	5.2	NNE	29
	22	* 2.04	7.8	1.37	7.4	1.09	6.9	0.69	5.3	NE	45
	最大	2.04	7.8	1.44	7.2	1.16	7.2	0.73	5.2		
	平均	0.97	7.9	0.76	7.8	0.60	7.2	0.37	5.1		
27	00	1.52	10.0	1.33	9.3	1.08	8.6	0.67	6.2	NNE	33
	02	1.80	9.1	1.32	9.3	1.05	9.3	0.65	6.6	NE	37
	04	* 2.03	8.1	* 1.40	9.8	* 1.10	9.3	* 0.67	6.8	NNE	33
	06	1.50	9.7	1.19	10.3	0.92	9.8	0.56	6.9	NNE	29
	08	1.32	10.7	1.16	9.6	0.97	9.5	0.58	7.5	NNE	29
	10	1.66	9.3	1.34	9.6	1.03	9.6	0.57	7.0	NNE	29
	12	1.30	9.6	1.11	9.3	0.88	9.9	0.51	7.5	NE	37
	14	1.41	9.5	1.06	9.6	0.82	9.3	0.48	5.9	NNE	33
	16	0.96	9.3	0.71	8.7	0.55	6.9	0.34	4.3	NNE	33
	18	0.58	8.8	0.43	9.1	0.32	7.7	0.18	4.6	NNE	29
	20	0.45	11.2	0.36	9.1	0.28	7.2	0.17	4.2	NNE	25
	22	0.51	10.1	0.37	8.0	0.28	6.8	0.17	3.9	NNE	29
	最大	2.03	8.1	1.40	9.8	1.10	9.3	0.67	6.8		
	平均	1.25	9.6	0.98	9.3	0.77	8.7	0.46	6.0		
28	00	0.55	1.6	0.37	5.4	0.29	4.9	0.18	3.4	E	100
	02	0.51	9.4	0.37	8.5	0.28	7.0	0.17	4.0	NE	37
	04	0.51	9.9	0.35	8.1	0.25	6.3	0.15	3.7	NNE	29
	06	0.51	8.7	0.41	8.4	0.31	7.7	0.18	4.5	NNE	25
	08	0.47	9.0	0.37	7.9	0.28	6.8	0.17	4.3	NE	41
	10	0.49	2.3	0.37	6.0	0.29	5.2	0.18	3.4	—	
	12	0.55	5.5	0.42	5.7	0.34	4.9	0.21	3.4	ENE	63
	14	* 0.77	8.0	0.50	5.0	0.39	4.3	0.25	3.3	—	
	16	0.62	8.2	0.42	7.5	0.33	6.8	0.19	4.1	NNE	33
	18	0.56	9.0	0.44	7.2	0.35	6.7	0.21	4.2	NNE	29
	20	0.63	8.0	0.47	8.3	0.36	7.9	0.20	5.0	NNE	33
	22	0.74	8.5	* 0.55	8.0	* 0.44	7.8	* 0.27	5.5	NNE	29
	最大	0.77	8.0	0.55	8.0	0.44	7.8	0.27	5.5		

	平均	0.58	7.3	0.42	7.2	0.33	6.4	0.20	4.1		
29	00	* 1.08	7.7	* 0.77	7.3	* 0.60	7.5	* 0.36	6.0	NNE	25
	02	0.91	7.6	0.76	7.5	0.59	7.5	* 0.36	6.0	NE	37
	04	0.73	6.9	0.61	7.4	0.47	7.2	0.28	4.9	NE	49
	06	0.60	7.0	0.47	7.5	0.37	7.4	0.22	4.9	NE	37
	08	0.83	7.3	0.47	7.6	0.36	7.2	0.23	5.3	NE	49
	10	0.56	8.6	0.48	7.4	0.37	6.9	0.22	4.6	NE	41
	12	0.83	7.5	0.58	7.8	0.45	7.6	0.25	5.4	—	
	14	0.84	7.5	0.59	7.7	0.46	7.6	0.27	5.6	NE	41
	16	0.81	7.1	0.54	7.6	0.42	7.6	0.25	5.6	NE	41
	18	0.75	8.8	0.60	7.4	0.49	7.5	0.30	5.8	NE	45
	20	0.77	7.7	0.63	7.3	0.50	7.3	0.29	5.5	NE	37
	22	0.69	6.1	0.57	7.6	0.45	7.5	0.27	5.7	NE	41
	最大	1.08	7.7	0.77	7.3	0.60	7.5	0.36	6.0		
	平均	0.78	7.5	0.59	7.5	0.46	7.4	0.28	5.4		
30	00	0.60	7.5	0.46	7.3	0.38	7.2	* 0.24	5.5	NE	41
	02	* 0.69	8.0	* 0.52	7.7	* 0.40	7.6	0.24	5.0	NNE	33
	04	0.60	6.3	0.38	7.3	0.29	5.6	0.18	3.6	E	94
	06	0.53	9.0	0.32	7.7	0.24	6.0	0.15	3.5	NNE	25
	08	0.51	8.6	0.30	6.7	0.23	5.4	0.14	3.4	SE	128
	10	0.51	7.7	0.31	5.1	0.24	4.2	0.15	2.9	NE	44
	12	0.37	6.6	0.25	7.0	0.20	5.3	0.12	3.4	NW	320
	14	0.32	2.3	0.23	6.2	0.18	5.2	0.12	3.2	NNW	333
	16	0.29	7.1	0.23	6.0	0.18	4.7	0.11	3.1	N	353
	18	欠測									
	20	0.38	8.1	0.29	7.5	0.21	6.3	0.13	3.8	NE	53
	22	0.50	7.4	0.34	7.5	0.27	7.1	0.17	4.8	NE	41
	最大	0.69	8.0	0.52	7.7	0.40	7.6	0.24	5.5		
	平均	0.48	7.1	0.33	6.9	0.26	5.9	0.16	3.8		
月最大		2.53	8.4	1.84	7.3	1.50	7.6	0.94	5.7		
起時		1614		1614		1614		1614			
平均		0.75	6.1	0.56	6.0	0.44	5.6	0.28	4.1		

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	368 回	測得回数	368 回
欠測回数	4 回	欠測回数	4 回
欠測率	1.1 %	欠測率	1.1 %

観測所名：伏木富山港伏木地区 | 機種：波高 海象計 -46m 波向 海象計 -46m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	0.60	7.3	0.39	7.0	0.29	6.4	0.17	4.2	NE	37	
	02	0.46	7.2	0.39	6.2	0.30	6.3	0.18	4.3	NE	41	
	04	0.62	6.2	0.50	5.7	0.39	5.7	0.25	4.5	NNE	29	
	06	0.82	4.8	0.57	6.3	0.46	5.9	0.28	4.6	NNE	25	
	08	0.69	6.2	0.56	6.5	0.45	6.4	0.27	4.7	NNE	33	
	10	0.77	7.0	0.61	6.5	0.47	6.4	0.30	4.9	NE	37	
	12	0.82	6.8	0.64	6.7	0.52	6.7	0.34	5.6	NE	41	
	14	* 1.03	6.1	* 0.70	6.4	* 0.55	6.1	* 0.35	5.2	NE	37	
	16	0.78	5.6	0.61	5.8	0.48	5.8	0.31	4.7	NNE	33	
	18	0.68	6.5	0.55	5.8	0.44	5.5	0.29	4.4	SE	128	
	20	0.69	5.8	0.45	5.4	0.37	5.4	0.23	4.2	SE	127	
	22	0.59	4.6	0.41	5.5	0.33	5.3	0.21	4.1	ESE	122	
	最大	1.03	6.1	0.70	6.4	0.55	6.1	0.35	5.2			
	平均	0.71	6.2	0.53	6.2	0.42	6.0	0.27	4.6			
	02	00	0.48	8.0	0.38	6.3	0.31	5.9	0.20	4.3	NNE	25
		02	0.49	7.5	0.37	6.5	0.30	6.2	0.18	4.5	NNE	20
		04	0.54	7.2	0.40	7.0	0.30	6.4	0.18	4.2	NE	45
		06	0.52	6.5	0.41	6.8	0.31	6.3	0.19	4.0	NE	37
		08	0.33	6.4	0.26	6.8	0.20	6.0	0.12	3.5	NE	49
		10	0.32	7.7	0.23	6.8	0.18	5.6	0.11	3.5	NNE	12
		12	0.30	8.4	0.23	6.5	0.18	5.3	0.11	3.4	ESE	111
		14	0.29	8.2	0.21	6.0	0.17	5.2	0.11	3.3	ENE	65
16		0.83	2.4	0.60	3.1	0.46	3.3	0.28	2.9	ESE	103	
18		* 2.09	4.0	1.26	4.2	0.98	4.2	0.64	3.8	NNE	31	
20		2.06	5.2	1.32	5.1	1.05	5.1	0.65	4.1	ENE	63	
22		2.01	5.5	* 1.40	5.3	* 1.05	5.3	* 0.67	4.5	NE	41	
最大		2.09	4.0	1.40	5.3	1.05	5.3	0.67	4.5			
平均		0.86	6.4	0.59	5.9	0.46	5.4	0.29	3.8			
03		00	1.68	4.5	1.11	5.2	0.85	5.1	0.53	4.1	N	9
		02	1.45	4.7	1.11	4.8	0.89	4.9	0.55	4.0	ESE	111
		04	* 1.96	4.1	1.23	5.0	0.99	5.0	0.65	4.2	NE	44
		06	1.31	4.8	0.91	5.6	0.73	5.3	0.45	4.2	NE	49
		08	1.02	5.7	0.73	6.1	0.61	5.6	0.37	4.2	E	82
		10	1.32	5.0	0.87	5.3	0.68	5.3	0.42	4.0	NNE	24
		12	1.01	7.0	0.82	6.9	0.66	6.4	0.41	5.0	NNE	25
		14	1.25	7.2	0.88	6.8	0.69	6.7	0.42	4.8	NE	37
	16	1.28	8.2	1.01	8.3	0.80	7.8	0.48	5.8	NE	41	
	18	1.45	8.9	1.09	9.3	0.87	9.1	0.55	6.8	NNE	33	
	20	1.62	8.4	* 1.33	9.5	* 1.07	9.3	0.65	7.4	NE	41	
	22	1.82	8.7	1.32	9.0	1.04	9.1	* 0.66	7.6	NNE	29	
	最大	1.96	4.1	1.33	9.5	1.07	9.3	0.66	7.6			
	平均	1.43	6.4	1.03	6.8	0.82	6.6	0.51	5.2			
	04	00	1.47	9.6	1.05	9.0	0.85	8.7	0.53	6.6	NE	37
		02	1.41	10.5	1.11	9.3	0.87	8.9	0.52	6.9	NE	37
		04	1.20	9.3	1.00	8.8	0.82	9.1	0.51	7.0	NNE	33
		06	* 1.50	9.1	* 1.24	9.6	* 1.00	9.6	* 0.64	8.1	NE	45
		08	1.21	8.9	1.04	9.1	0.83	9.2	0.52	7.6	NNE	33
		10	1.07	8.9	0.84	8.7	0.72	8.8	0.44	6.8	NE	41
		12	1.15	7.8	0.86	8.6	0.68	8.4	0.41	6.8	NE	41
		14	0.71	8.6	0.57	8.1	0.46	8.2	0.28	6.1	NE	45
16		0.79	7.5	0.65	8.7	0.51	8.6	0.31	5.8	NE	41	
18		0.80	8.4	0.65	8.9	0.52	8.9	0.32	7.0	NE	45	
20		0.58	9.1	0.48	8.8	0.39	8.6	0.23	5.6	NE	41	
22		0.53	5.9	0.41	8.2	0.32	7.1	0.20	4.2	NE	49	
最大		1.50	9.1	1.24	9.6	1.00	9.6	0.64	8.1			

	平均	1.04	8.6	0.83	8.8	0.66	8.7	0.41	6.5		
05	00	0.32	8.7	0.27	8.5	0.21	7.5	0.13	4.4	NE	45
	02	0.33	7.8	0.23	7.7	0.18	6.2	0.11	3.7	ENE	61
	04	0.41	7.7	0.30	8.7	0.23	7.9	0.14	4.8	NE	45
	06	0.45	7.9	0.36	7.9	0.28	7.5	0.17	4.7	NE	53
	08	0.60	7.6	0.46	7.6	0.36	7.7	0.22	5.6	NE	37
	10	0.95	6.3	0.69	6.8	0.54	6.7	0.33	5.0	NE	41
	12	1.29	6.0	1.07	5.9	0.87	6.1	0.56	4.7	NNE	33
	14	1.61	5.3	1.31	5.2	1.06	5.2	* 0.69	4.3	ENE	76
	16	* 1.82	3.6	* 1.39	5.9	* 1.11	5.3	0.69	4.1	N	5
	18	1.32	5.6	1.06	5.9	0.87	5.9	0.57	4.9	NE	53
	20	1.11	8.0	0.96	6.0	0.78	5.4	0.47	4.1	N	351
	22	1.31	5.5	0.91	7.0	0.74	6.8	0.47	5.4	NE	53
	最大	1.82	3.6	1.39	5.9	1.11	5.3	0.69	4.3		
	平均	0.96	6.7	0.75	6.9	0.60	6.5	0.38	4.6		
06	00	0.92	7.2	0.71	7.0	0.57	7.0	0.36	5.5	NE	37
	02	0.94	6.8	0.72	7.6	0.57	7.4	0.35	5.6	NE	45
	04	0.97	7.5	0.80	7.6	0.67	7.5	0.42	5.9	NE	41
	06	* 1.14	7.5	* 0.94	7.5	* 0.75	7.5	* 0.46	6.2	NE	41
	08	1.08	7.0	0.73	7.5	0.58	7.3	0.35	5.5	NE	49
	10	0.86	7.4	0.63	7.6	0.47	7.5	0.28	5.3	NE	49
	12	0.72	8.1	0.54	8.1	0.40	7.1	0.24	4.4	—	
	14	0.55	6.8	0.42	5.1	0.33	4.2	0.20	3.0	NNW	339
	16	0.73	2.9	0.44	3.3	0.35	3.7	0.23	3.1	NNW	337
	18	0.36	4.1	0.22	5.0	0.18	4.1	0.12	2.9	NNW	332
	20	0.34	4.7	0.24	4.8	0.19	4.3	0.13	3.0	NW	322
	22	0.43	7.2	0.28	6.1	0.22	4.9	0.14	3.1	NE	53
	最大	1.14	7.5	0.94	7.5	0.75	7.5	0.46	6.2		
	平均	0.75	6.4	0.56	6.4	0.44	6.0	0.27	4.5		
07	00	0.71	9.1	0.53	7.8	0.42	7.1	0.25	4.9	NNE	29
	02	1.79	4.7	1.34	6.3	1.08	6.2	0.70	4.8	NNE	25
	04	2.44	8.0	1.85	7.0	1.50	7.1	0.94	5.3	NE	41
	06	3.02	8.4	2.20	9.3	1.73	8.9	1.11	6.6	NE	41
	08	* 3.29	9.4	* 2.34	9.4	* 1.81	9.6	* 1.15	8.1	NE	37
	10	2.19	8.3	1.59	9.3	1.30	9.7	0.82	7.5	NE	45
	12	2.40	9.1	2.03	9.4	1.62	9.2	0.95	6.8	NE	45
	14	2.17	8.8	1.70	8.9	1.33	9.0	0.80	6.3	NE	45
	16	1.40	8.2	1.11	8.2	0.86	7.8	0.51	5.0	NE	45
	18	1.30	7.8	1.09	8.1	0.85	8.2	0.52	6.1	NE	37
	20	1.24	8.4	1.01	8.2	0.83	8.5	0.52	6.5	NE	37
	22	1.32	9.5	0.97	8.9	0.77	8.3	0.48	6.5	NE	49
	最大	3.29	9.4	2.34	9.4	1.81	9.6	1.15	8.1		
	平均	1.94	8.3	1.48	8.4	1.18	8.3	0.73	6.2		
08	00	1.04	11.3	0.93	9.1	0.77	8.9	0.47	6.6	NE	41
	02	0.90	8.8	0.79	8.8	0.65	8.7	0.40	6.5	NNE	33
	04	1.14	8.3	0.91	9.6	0.69	9.1	0.42	6.9	NNE	29
	06	1.06	9.2	0.78	8.8	0.64	8.8	0.40	7.0	NE	53
	08	0.99	7.6	0.72	8.7	0.56	8.8	0.34	6.5	NNE	33
	10	1.12	11.0	0.83	8.6	0.66	8.5	0.40	6.7	NE	41
	12	1.11	7.1	0.89	7.9	0.69	8.1	0.45	6.8	NNE	33
	14	1.30	6.1	* 1.08	7.3	* 0.85	7.7	* 0.53	6.2	NE	41
	16	* 1.32	8.1	1.05	7.4	0.82	7.1	0.49	5.7	NNE	33
	18	欠测									
	20	1.28	7.5	0.86	8.5	0.68	8.4	0.41	6.3	NE	41
	22	1.21	9.1	0.94	9.1	0.73	8.9	0.46	7.3	NE	37
	最大	1.32	8.1	1.08	7.3	0.85	7.7	0.53	6.2		
	平均	1.13	8.6	0.89	8.5	0.70	8.5	0.43	6.6		
09	00	0.95	8.1	* 0.81	8.8	* 0.68	9.0	* 0.43	7.1	NE	41
	02	* 1.06	8.8	0.79	8.7	0.64	8.8	0.38	7.0	NE	37
	04	0.93	8.7	0.68	8.7	0.52	8.6	0.29	5.7	NNE	33
	06	0.59	9.1	0.40	8.3	0.31	7.0	0.18	4.2	NE	37
	08	0.47	8.7	0.36	6.1	0.28	4.9	0.18	3.3	ESE	113
	10	0.65	2.4	0.41	3.8	0.31	3.4	0.20	2.7	ESE	109
	12	0.35	2.2	0.27	4.5	0.22	4.3	0.14	3.0	ESE	117
	14	0.65	2.5	0.40	2.4	0.30	2.8	0.19	2.5	NNW	327
	16	0.41	7.3	0.27	3.8	0.21	3.4	0.14	2.6	ESE	105
	18	0.38	7.5	0.29	7.4	0.22	5.9	0.14	4.0	NNE	29
	20	0.52	8.8	0.43	9.3	0.34	8.3	0.20	4.8	NE	45
	22	0.49	9.2	0.39	8.3	0.30	7.1	0.19	4.4	NE	37

		最大	1.06	8.8	0.81	8.8	0.68	9.0	0.43	7.1		
		平均	0.62	6.9	0.46	6.7	0.36	6.1	0.22	4.3		
10	00	* 0.55	7.5	* 0.43	8.9	* 0.34	8.0	* 0.20	5.0	NNE	33	
	02	0.54	10.3	0.39	8.9	0.29	7.4	0.17	4.6	NE	49	
	04	0.50	11.7	0.38	9.3	0.30	8.3	0.18	5.0	NE	49	
	06	0.48	9.5	0.35	9.0	0.27	7.3	0.16	4.4	NE	45	
	08	0.44	7.6	0.35	9.3	0.27	7.4	0.16	4.5	NE	49	
	10	0.50	7.6	0.39	8.2	0.31	7.0	0.18	4.3	NE	37	
	12	0.46	10.2	0.35	9.1	0.27	8.1	0.16	4.8	NE	41	
	14	0.53	9.8	0.35	8.1	0.28	6.9	0.17	4.3	NNE	25	
	16	0.51	8.7	0.37	8.5	0.28	7.3	0.17	4.3	NE	53	
	18	0.43	6.3	0.30	7.9	0.23	6.8	0.14	4.2	NE	41	
	20	0.35	9.7	0.25	8.2	0.19	6.4	0.12	3.8	NE	37	
	22	0.32	9.0	0.22	8.0	0.17	5.9	0.11	3.5	NNE	20	
	最大	0.55	7.5	0.43	8.9	0.34	8.0	0.20	5.0			
	平均	0.47	9.0	0.34	8.6	0.27	7.2	0.16	4.4			
	11	00	0.32	7.6	0.20	6.1	0.17	4.4	0.11	3.0	E	98
		02	0.49	2.3	0.30	4.2	0.23	3.6	0.15	2.8	SE	127
		04	0.29	9.2	0.22	5.8	0.17	4.5	0.11	2.9	ESE	106
		06	0.58	7.6	0.42	7.4	0.32	5.6	0.20	3.6	NE	50
		08	0.85	8.1	0.57	8.5	0.46	8.0	0.28	5.4	NNE	33
		10	0.68	8.0	0.53	6.4	0.44	6.2	0.27	4.8	NNE	33
		12	0.70	6.5	0.53	6.7	0.42	6.3	0.26	4.4	NNE	33
		14	0.69	5.6	0.54	5.7	0.44	4.9	0.28	3.5	SE	132
16		0.69	5.8	0.51	6.1	0.41	5.0	0.26	3.5	ESE	104	
18		0.66	7.9	0.52	6.5	0.42	5.8	0.26	4.0	NNE	33	
20		* 0.92	9.3	0.55	8.0	0.44	7.2	0.26	4.7	NE	41	
22		0.87	6.7	* 0.68	7.4	* 0.52	7.2	* 0.32	5.0	NE	37	
最大		0.92	9.3	0.68	7.4	0.52	7.2	0.32	5.0			
平均		0.65	7.1	0.46	6.6	0.37	5.7	0.23	4.0			
12		00	0.94	6.0	0.73	7.0	0.58	6.9	0.36	5.1	NE	37
		02	0.89	4.8	0.77	6.9	0.63	6.5	0.40	5.1	NNE	33
		04	1.13	6.6	0.89	7.4	0.72	6.9	* 0.47	5.7	NNE	29
		06	1.12	7.6	0.89	7.3	0.71	7.0	0.44	5.2	NNE	29
		08	1.23	7.3	0.92	6.9	0.72	6.7	0.45	5.1	NE	41
		10	1.23	6.2	* 0.92	7.7	* 0.73	8.1	0.45	6.1	NE	45
		12	0.95	9.6	0.75	8.4	0.62	8.2	0.37	6.0	NNE	33
		14	1.08	7.4	0.82	8.6	0.64	8.5	0.39	6.6	NNE	29
	16	0.91	10.6	0.80	9.7	0.62	8.7	0.37	6.1	NE	37	
	18	1.00	9.4	0.73	7.9	0.62	8.2	0.40	6.2	NE	41	
	20	1.01	7.0	0.88	8.2	0.70	8.1	0.45	6.4	NE	37	
	22	* 1.28	7.8	0.90	8.1	0.72	8.2	0.45	6.1	NNE	33	
	最大	1.28	7.8	0.92	7.7	0.73	8.1	0.47	5.7			
	平均	1.06	7.5	0.83	7.8	0.67	7.7	0.42	5.8			
	13	00	1.18	7.6	0.90	8.3	0.67	7.9	0.39	5.5	不明	
		02	1.10	8.5	0.80	8.4	0.65	7.8	0.41	6.4	NE	45
		04	0.71	8.5	0.61	8.2	0.51	7.4	0.32	5.4	NE	41
		06	0.65	9.6	0.51	9.2	0.41	8.2	0.24	5.1	NNE	33
		08	0.60	7.6	0.47	9.1	0.38	8.4	0.21	5.3	NE	49
		10	0.71	8.4	0.50	9.0	0.40	8.2	0.23	4.8	NE	45
		12	0.62	8.6	0.43	8.3	0.34	7.9	0.20	4.9	NE	41
		14	0.54	8.4	0.42	8.4	0.33	7.3	0.20	4.7	NE	45
16		0.71	8.5	0.52	7.3	0.42	6.4	0.25	4.1	NE	41	
18		1.05	7.2	0.72	7.3	0.56	6.9	0.35	4.8	NE	45	
20		1.00	5.4	0.80	6.4	0.64	6.5	0.41	4.9	NE	53	
22		* 1.33	7.0	* 0.91	7.5	* 0.73	6.9	* 0.45	4.9	NE	45	
最大		1.33	7.0	0.91	7.5	0.73	6.9	0.45	4.9			
平均		0.85	7.9	0.63	8.1	0.50	7.5	0.31	5.1			
14		00	1.10	5.9	0.82	6.6	0.68	6.5	0.44	5.0	NNE	33
		02	1.13	9.4	0.93	6.7	0.75	6.2	0.47	4.6	NE	41
		04	1.33	8.1	0.96	6.5	0.80	6.2	* 0.51	4.8	NE	45
		06	1.07	6.9	0.89	7.4	0.72	6.6	0.45	4.9	NE	41
		08	1.17	8.1	0.88	6.9	0.72	6.6	0.44	5.0	NE	41
		10	1.18	5.8	0.85	6.9	0.65	6.9	0.40	5.0	NNE	33
		12	1.14	8.5	0.95	7.8	0.77	7.5	0.49	5.7	NE	49
		14	1.29	7.3	* 1.01	6.8	* 0.80	6.3	0.48	4.8	NE	53

	16	1.31	6.8	0.93	6.7	0.75	6.6	0.47	5.0	NE	41	
	18	1.09	7.1	0.85	6.4	0.67	5.8	0.43	4.6	NE	45	
	20	1.06	6.6	0.81	6.2	0.65	5.6	0.42	4.4	NE	49	
	22	* 1.44	6.2	0.82	5.8	0.64	5.4	0.40	4.1	ESE	104	
	最大	1.44	6.2	1.01	6.8	0.80	6.3	0.51	4.8			
	平均	1.19	7.2	0.89	6.7	0.72	6.4	0.45	4.8			
15	00	* 1.16	4.5	* 0.87	6.0	* 0.69	5.5	* 0.43	4.2	ESE	120	
	02	0.91	5.3	0.67	6.6	0.55	6.3	0.35	4.8	NE	49	
	04	0.74	5.2	0.55	7.0	0.45	6.3	0.28	4.6	ENE	57	
	06	0.72	7.3	0.52	7.5	0.41	6.8	0.25	4.5	NNE	33	
	08	0.60	6.7	0.45	7.7	0.36	7.1	0.22	4.9	NE	41	
	10	0.56	7.0	0.47	7.3	0.38	7.2	0.22	4.8	NE	45	
	12	0.48	6.7	0.41	7.1	0.33	7.2	0.20	4.9	NE	45	
	14	0.59	7.2	0.40	7.1	0.31	6.5	0.18	4.0	NE	41	
	16	0.61	6.6	0.43	6.5	0.33	6.4	0.20	4.4	NNE	29	
	18	0.51	6.2	0.41	7.1	0.33	6.4	0.20	4.4	—		
	20	0.57	7.5	0.37	6.8	0.29	6.6	0.17	4.3	NE	45	
	22	0.46	6.5	0.39	7.0	0.31	6.9	0.19	4.8	NE	45	
	最大	1.16	4.5	0.87	6.0	0.69	5.5	0.43	4.2			
	平均	0.66	6.4	0.50	7.0	0.40	6.6	0.24	4.6			
	16	00	0.42	7.2	0.32	6.7	0.26	6.5	0.15	4.3	NE	49
		02	0.52	7.6	0.43	6.9	0.34	6.7	0.20	4.7	NE	37
		04	* 0.64	6.2	* 0.53	6.3	* 0.43	6.4	* 0.26	4.9	NE	41
		06	0.49	6.7	0.42	6.5	0.35	6.2	0.21	4.3	NE	49
08		0.47	7.1	0.36	6.2	0.28	5.9	0.17	3.8	NE	37	
10		0.45	6.6	0.29	6.1	0.22	5.2	0.14	3.4	N	4	
12		0.38	6.6	0.24	5.9	0.19	5.1	0.12	3.4	ENE	62	
14		0.37	5.6	0.28	4.5	0.22	4.2	0.14	3.0	NNW	335	
16		0.37	6.1	0.24	5.6	0.19	4.5	0.12	3.0	ENE	66	
18		0.42	8.5	0.27	4.2	0.21	4.0	0.13	2.8	N	8	
20		0.34	3.2	0.19	4.5	0.15	3.8	0.10	2.6	ESE	104	
22		0.35	1.7	0.23	3.7	0.18	3.5	0.12	2.6	N	357	
最大		0.64	6.2	0.53	6.3	0.43	6.4	0.26	4.9			
平均		0.44	6.1	0.32	5.6	0.25	5.2	0.16	3.6			
17		00	0.22	9.4	0.18	5.1	0.14	4.0	0.10	2.8	NW	326
		02	0.38	3.5	0.23	5.1	0.18	4.0	0.11	2.8	ESE	102
		04	0.29	6.3	0.20	4.5	0.16	3.6	0.10	2.6	NNW	327
		06	0.33	3.6	0.23	6.0	0.19	5.6	0.12	3.6	ESE	102
	08	0.32	7.1	0.24	6.3	0.19	5.7	0.12	3.6	ENE	78	
	10	0.34	5.9	0.25	5.7	0.19	5.0	0.12	3.2	NNW	332	
	12	0.39	5.5	0.27	5.6	0.21	5.2	0.13	3.6	NE	37	
	14	0.44	5.2	0.33	5.6	0.26	5.6	0.15	3.7	E	98	
	16	0.36	7.4	0.25	5.9	0.20	5.2	0.12	3.5	E	90	
	18	0.34	4.4	0.26	5.7	0.20	5.3	0.13	3.4	ESE	121	
	20	0.47	3.4	0.31	5.4	0.24	4.9	0.16	3.3	E	93	
	22	* 0.98	3.0	* 0.65	3.9	* 0.51	3.7	* 0.32	3.1	SE	127	
	最大	0.98	3.0	0.65	3.9	0.51	3.7	0.32	3.1			
	平均	0.41	5.4	0.28	5.4	0.22	4.8	0.14	3.3			
	18	00	1.27	4.8	0.85	4.1	0.70	4.1	0.44	3.5	ENE	61
		02	1.10	4.5	0.82	4.8	0.67	4.8	0.45	4.0	ESE	120
		04	1.08	6.8	0.85	5.3	0.70	5.2	0.46	4.3	NE	43
		06	1.11	5.4	0.84	5.5	0.65	5.3	0.42	4.4	不明	
08		1.52	5.6	1.08	5.1	0.88	5.1	0.55	4.1	ESE	107	
10		* 1.84	3.8	* 1.26	4.8	* 0.98	4.8	0.61	3.8	N	359	
12		1.55	5.0	1.20	5.2	0.96	5.1	* 0.61	4.1	N	2	
14		1.43	4.3	1.13	4.7	0.92	4.9	0.59	3.9	ENE	63	
16		1.26	5.3	0.97	5.0	0.78	5.0	0.51	4.1	N	356	
18		1.35	4.5	0.98	4.8	0.80	4.8	0.52	4.0	NNW	344	
20		1.36	4.8	0.98	4.7	0.79	4.5	0.51	3.8	N	9	
22		1.10	8.8	0.91	5.2	0.74	5.0	0.48	4.1	NNE	29	
最大		1.84	3.8	1.26	4.8	0.98	4.8	0.61	4.1			
平均		1.33	5.3	0.99	4.9	0.80	4.9	0.51	4.0			
19		00	* 0.95	5.3	* 0.71	5.4	* 0.59	5.6	* 0.37	4.3	NW	316
		02	0.85	7.7	0.61	6.6	0.48	6.0	0.32	4.6	NE	49
		04	0.82	7.0	0.66	7.0	0.51	6.5	0.32	5.0	NE	41
		06	0.77	7.1	0.66	7.0	0.53	6.9	0.33	5.5	NE	41
	08	0.84	6.5	0.64	6.8	0.49	6.5	0.30	4.6	NNE	33	
	10	0.69	7.5	0.54	7.0	0.43	6.3	0.26	4.3	NE	45	

	12	0.66	7.1	0.53	7.2	0.43	6.9	0.27	5.1	NNE	33
	14	0.62	7.1	0.48	7.4	0.38	7.1	0.22	4.7	NE	37
	16	0.63	6.9	0.51	7.7	0.41	7.6	0.25	5.1	NNE	33
	18	0.60	7.2	0.46	7.8	0.36	7.1	0.22	4.5	NE	41
	20	0.55	8.5	0.41	8.2	0.33	7.7	0.21	4.9	NE	45
	22	0.46	8.4	0.33	8.0	0.25	6.7	0.15	3.8	ENE	57
	最大	0.95	5.3	0.71	5.4	0.59	5.6	0.37	4.3		
	平均	0.70	7.2	0.55	7.2	0.43	6.7	0.27	4.7		
20	00	0.51	5.7	0.40	7.0	0.31	5.6	0.19	3.6	NNW	337
	02	0.60	7.9	0.35	7.1	0.26	6.1	0.15	3.6	NE	45
	04	0.39	8.7	0.31	8.1	0.24	6.7	0.15	4.1	NE	49
	06	0.49	7.0	0.40	7.5	0.31	6.0	0.19	3.7	NNE	33
	08	0.61	9.5	* 0.47	7.1	* 0.37	6.4	* 0.23	4.1	—	
	10	欠測									
	12	0.50	7.7	0.38	7.8	0.30	7.3	0.18	4.4	NNE	33
	14	* 0.68	8.2	0.42	8.3	0.31	7.5	0.18	4.4	NE	37
	16	欠測									
	18	0.52	1.8	0.42	5.2	0.34	4.4	0.22	3.1	—	
	20	0.45	9.3	0.33	6.1	0.26	5.4	0.17	3.6	E	91
	22	0.51	8.7	0.36	8.5	0.27	6.9	0.16	4.2	—	
	最大	0.68	8.2	0.47	7.1	0.37	6.4	0.23	4.1		
	平均	0.53	7.5	0.38	7.3	0.30	6.2	0.18	3.9		
21	00	0.54	9.8	0.45	8.6	0.35	7.9	0.21	5.1	NNE	33
	02	0.75	8.0	0.52	8.8	0.41	7.7	0.24	4.7	NNE	25
	04	0.64	8.8	0.49	8.9	0.38	7.8	0.23	4.9	NNE	29
	06	0.50	9.0	0.39	8.7	0.29	7.0	0.17	4.1	NNE	33
	08	0.67	12.1	0.54	9.8	0.39	8.2	0.23	4.8	NE	37
	10	欠測									
	12	0.75	10.9	0.62	10.3	0.50	10.0	0.29	6.6	NNE	29
	14	0.77	10.7	0.62	10.1	0.48	9.8	0.27	6.2	NNE	25
	16	0.85	12.0	0.74	10.6	0.62	10.4	0.37	7.6	NNE	33
	18	1.26	10.7	1.01	10.1	0.79	9.6	0.46	7.1	NNE	25
	20	1.42	9.8	1.14	9.9	* 0.91	10.1	* 0.55	7.4	NNE	29
	22	* 1.92	9.4	* 1.21	9.2	0.90	9.1	0.54	7.0	NNE	29
	最大	1.92	9.4	1.21	9.2	0.91	10.1	0.55	7.4		
	平均	0.92	10.1	0.70	9.5	0.55	8.9	0.32	6.0		
22	00	1.70	8.1	* 1.40	9.0	* 1.13	9.7	* 0.75	8.1	NNE	29
	02	* 2.11	8.2	1.31	9.2	1.00	8.9	0.59	7.1	NNE	25
	04	1.69	7.8	1.33	8.6	1.08	8.7	0.70	7.5	NNE	33
	06	2.09	9.4	1.39	8.5	1.02	8.6	0.62	7.1	NNE	33
	08	1.44	8.6	1.09	8.6	0.86	8.6	0.53	6.9	NE	37
	10	1.26	8.7	0.95	8.6	0.76	8.4	0.47	6.7	NE	37
	12	0.82	7.8	0.66	8.0	0.55	7.5	0.33	5.6	NE	37
	14	1.08	7.6	0.85	7.9	0.69	8.1	0.43	6.3	NE	41
	16	1.01	7.9	0.88	7.8	0.72	7.9	0.43	6.2	NNE	29
	18	1.16	7.7	0.91	7.6	0.74	7.5	0.45	6.3	NNE	25
	20	0.89	6.9	0.78	7.2	0.65	7.6	0.42	6.3	NNE	25
	22	0.70	8.3	0.61	8.0	0.46	7.7	0.26	5.2	NE	37
	最大	2.11	8.2	1.40	9.0	1.13	9.7	0.75	8.1		
	平均	1.33	8.1	1.01	8.3	0.81	8.3	0.50	6.6		
23	00	0.66	8.3	0.49	8.1	0.40	8.0	0.24	5.8	NNE	33
	02	0.73	7.1	0.52	8.1	0.40	7.7	0.23	5.3	NNE	29
	04	0.68	7.0	0.55	7.7	0.45	8.0	0.27	5.6	NNE	33
	06	* 0.90	6.4	0.53	7.1	0.44	6.8	0.28	5.3	NNE	33
	08	0.80	7.2	0.61	7.0	* 0.50	6.9	* 0.31	5.2	NE	41
	10	0.79	6.7	* 0.62	6.5	0.50	6.6	* 0.31	5.2	NE	41
	12	0.68	6.4	0.54	6.6	0.44	6.6	0.28	5.3	NE	37
	14	0.61	6.1	0.51	6.7	0.42	6.8	0.27	5.4	NE	41
	16	0.65	7.5	0.52	7.1	0.41	6.8	0.25	5.0	NE	37
	18	0.71	6.2	0.55	7.2	0.44	7.1	0.26	5.2	NE	37
	20	0.73	7.1	0.54	7.1	0.45	7.2	0.28	5.6	NE	41
	22	0.65	7.6	0.56	7.5	0.44	7.2	0.26	5.4	NE	49
	最大	0.90	6.4	0.62	6.5	0.50	6.9	0.31	5.2		
	平均	0.72	7.0	0.55	7.2	0.44	7.1	0.27	5.4		
24	00	* 0.72	6.9	* 0.51	7.0	* 0.40	6.9	* 0.24	5.1	NNE	33
	02	0.66	6.7	0.47	7.1	0.36	7.0	0.22	5.0	NE	37

	04	0.53	6.8	0.36	6.9	0.29	6.7	0.17	4.4	NE	41
	06	0.44	7.0	0.34	7.1	0.27	6.7	0.16	4.5	NE	53
	08	0.41	7.6	0.31	6.9	0.24	6.4	0.15	4.3	NE	45
	10	0.32	7.0	0.25	7.3	0.21	6.5	0.14	4.2	NE	41
	12	0.35	8.4	0.25	7.2	0.19	5.9	0.12	3.8	NNE	29
	14	0.27	6.8	0.22	7.0	0.17	6.0	0.11	3.6	NNE	29
	16	0.26	7.1	0.19	6.2	0.15	4.6	0.10	3.0	N	4
	18	0.31	3.0	0.23	5.7	0.17	5.2	0.11	3.5	NW	324
	20	0.25	7.0	0.19	5.2	0.15	4.4	0.10	3.0	N	10
	22	0.41	2.8	0.27	3.8	0.21	3.4	0.14	2.7	NW	323
	最大	0.72	6.9	0.51	7.0	0.40	6.9	0.24	5.1		
	平均	0.41	6.4	0.30	6.5	0.23	5.8	0.15	3.9		
25	00	0.32	2.7	0.23	3.3	0.19	3.4	0.13	2.6	N	353
	02	0.29	11.5	0.25	4.7	0.19	4.2	0.12	3.0	N	351
	04	0.35	3.9	0.26	4.2	0.21	3.6	0.13	2.8	E	92
	06	0.32	10.4	0.21	6.8	0.17	4.8	0.11	3.1	ESE	118
	08	0.40	3.7	0.26	4.3	0.20	3.9	0.13	2.8	ENE	70
	10	0.44	3.5	0.28	3.7	0.21	3.7	0.14	2.7	SE	127
	12	0.36	8.6	0.24	5.7	0.19	4.2	0.12	2.9	ENE	78
	14	0.32	9.1	0.22	6.5	0.17	4.6	0.11	2.9	ESE	108
	16	0.40	2.1	0.26	4.8	0.20	4.0	0.13	2.8	NW	316
	18	0.32	8.6	0.23	7.3	0.18	5.7	0.11	3.5	NNE	25
	20	* 0.47	9.1	0.35	6.9	0.26	6.0	0.16	3.7	NE	37
	22	0.41	7.1	* 0.36	6.3	* 0.29	6.0	* 0.18	4.1	NE	49
	最大	0.47	9.1	0.36	6.3	0.29	6.0	0.18	4.1		
	平均	0.37	6.7	0.26	5.4	0.21	4.5	0.13	3.1		
26	00	0.83	8.4	0.57	7.5	0.45	7.0	0.28	5.2	NNE	29
	02	1.10	7.0	0.75	8.8	0.60	8.1	0.36	5.7	NNE	33
	04	0.89	10.0	0.74	9.7	0.60	8.8	0.38	6.4	NE	37
	06	1.05	10.5	0.71	8.4	0.56	8.2	0.33	5.6	NNE	33
	08	0.78	6.1	0.69	8.6	0.54	8.6	0.34	6.2	NE	37
	10	1.34	10.4	0.89	10.4	0.68	9.5	0.41	6.4	NNE	33
	12	* 1.85	10.5	1.30	10.7	1.01	10.6	0.58	7.6	NNE	20
	14	1.61	10.9	1.11	10.2	0.82	9.5	0.47	5.9	NNE	33
	16	1.57	9.6	1.27	10.5	1.03	10.3	0.62	7.7	NNE	33
	18	1.28	10.2	1.13	10.5	0.92	10.1	0.56	7.7	NNE	29
	20	1.60	11.3	1.38	9.9	* 1.13	10.3	0.67	7.6	NNE	25
	22	1.77	9.1	* 1.39	10.2	1.12	9.7	* 0.71	8.2	NNE	33
	最大	1.85	10.5	1.39	10.2	1.13	10.3	0.71	8.2		
	平均	1.31	9.5	0.99	9.6	0.79	9.2	0.48	6.7		
27	00	1.52	8.3	1.26	9.7	1.03	9.5	0.63	7.4	NNE	29
	02	1.60	8.6	1.21	9.6	0.96	9.5	0.59	7.2	NNE	33
	04	1.63	9.4	1.18	8.6	0.98	9.0	0.65	7.9	NE	37
	06	1.31	7.7	1.08	8.5	0.88	8.6	0.50	6.6	NNE	29
	08	1.46	8.3	1.10	8.2	0.90	8.2	0.58	7.0	NE	37
	10	1.19	7.1	1.02	8.2	0.80	8.2	0.48	6.3	NNE	29
	12	1.17	8.5	0.92	8.2	0.73	8.2	0.47	6.9	NE	37
	14	1.30	8.4	0.98	8.8	0.81	8.8	0.53	7.5	NNE	33
	16	1.35	8.3	1.00	8.7	0.75	8.7	0.45	6.9	NNE	29
	18	1.86	9.0	1.38	9.3	1.12	9.2	* 0.73	8.4	NNE	33
	20	* 2.01	9.3	* 1.45	8.8	* 1.14	9.1	0.73	8.3	NE	37
	22	1.60	9.0	1.29	8.6	1.00	8.8	0.62	7.5	NE	41
	最大	2.01	9.3	1.45	8.8	1.14	9.1	0.73	8.4		
	平均	1.50	8.5	1.16	8.8	0.93	8.8	0.58	7.3		
28	00	* 1.51	8.2	* 1.18	8.9	* 0.95	9.1	* 0.61	8.0	NE	37
	02	1.19	9.4	0.90	8.5	0.72	8.4	0.42	6.5	NNE	33
	04	1.07	8.6	0.75	8.4	0.60	8.2	0.37	6.6	NE	45
	06	0.85	8.7	0.65	8.7	0.51	8.6	0.30	6.2	NE	37
	08	0.54	7.3	0.47	8.3	0.39	8.1	0.23	5.4	NNE	29
	10	0.55	7.3	0.43	8.0	0.34	7.7	0.21	5.0	NE	37
	12	0.48	8.0	0.35	6.9	0.26	5.9	0.16	3.6	NE	41
	14	0.36	7.4	0.25	6.3	0.19	4.9	0.12	3.2	ESE	113
	16	0.25	8.4	0.16	5.4	0.13	3.9	0.09	2.6	ESE	114
	18	0.20	4.2	0.15	5.0	0.13	4.4	0.09	2.8	NE	53
	20	0.22	8.3	0.16	5.0	0.13	3.7	0.09	2.6	N	351
	22	0.22	8.2	0.16	5.3	0.13	4.2	0.09	2.7	E	87
	最大	1.51	8.2	1.18	8.9	0.95	9.1	0.61	8.0		

	平均	0.62	7.8	0.47	7.1	0.37	6.4	0.23	4.6		
29	00	0.27	2.6	0.18	4.6	0.15	4.1	0.10	2.7	NNW	336
	02	0.29	4.0	0.20	5.1	0.16	4.0	0.10	2.7	ESE	117
	04	0.28	2.8	0.20	5.7	0.16	4.6	0.10	3.0	ENE	70
	06	0.29	9.3	0.21	6.1	0.17	4.6	0.11	3.2	E	90
	08	0.29	8.5	0.20	6.5	0.16	5.3	0.10	3.3	SE	124
	10	0.64	6.4	0.35	6.7	0.27	6.1	0.16	4.3	NE	45
	12	0.63	5.7	0.45	5.7	0.36	5.7	0.23	4.5	NNE	33
	14	0.86	3.4	0.56	4.5	0.45	4.3	0.29	3.4	SE	131
	16	1.01	4.6	0.68	4.1	0.54	4.2	0.34	3.3	NNW	343
	18	1.01	4.3	0.75	4.2	0.59	4.0	0.38	3.5	NNW	343
	20	* 1.13	4.4	* 0.78	4.1	* 0.63	4.2	* 0.41	3.7	NNW	329
	22	0.66	4.1	0.55	4.4	0.43	4.6	0.28	3.7	NNE	27
	最大	1.13	4.4	0.78	4.1	0.63	4.2	0.41	3.7		
	平均	0.61	5.0	0.43	5.1	0.34	4.6	0.22	3.4		
30	00	0.65	5.6	0.45	5.1	0.36	4.8	0.23	3.9	N	359
	02	0.50	4.8	0.41	5.0	0.32	5.2	0.21	4.0	E	94
	04	0.45	5.9	0.35	5.6	0.28	5.3	0.18	3.9	SE	126
	06	0.43	6.0	0.33	6.0	0.27	5.6	0.17	3.8	N	3
	08	0.40	4.5	0.35	6.3	0.28	5.9	0.18	4.2	NNE	33
	10	0.46	6.3	0.32	6.9	0.24	6.1	0.15	3.7	NE	37
	12	0.43	7.1	0.36	6.2	0.29	6.2	0.18	4.1	NE	41
	14	0.40	6.7	0.29	7.1	0.23	6.7	0.14	4.2	NE	37
	16	0.35	7.2	0.29	6.8	0.24	6.3	0.14	3.9	NE	37
	18	0.31	7.8	0.26	7.1	0.20	6.3	0.12	3.7	NE	53
	20	0.42	7.2	0.30	7.0	0.25	6.9	0.15	4.6	ENE	65
	22	* 0.71	5.9	* 0.62	6.2	* 0.50	6.3	* 0.32	5.4	NE	37
	最大	0.71	5.9	0.62	6.2	0.50	6.3	0.32	5.4		
	平均	0.46	6.3	0.36	6.3	0.29	6.0	0.18	4.1		
31	00	* 0.81	6.3	* 0.64	6.0	* 0.49	5.9	* 0.30	4.9	NNE	29
	02	0.72	5.2	0.49	5.7	0.40	5.4	0.24	4.3	N	10
	04	0.56	5.8	0.42	5.5	0.33	5.4	0.21	4.1	E	86
	06	0.53	5.0	0.38	5.4	0.31	5.3	0.20	4.1	SE	125
	08	0.39	4.7	0.34	5.4	0.26	5.3	0.16	3.7	N	356
	10	0.42	4.8	0.29	5.1	0.23	5.0	0.15	3.5	NNW	345
	12	0.33	5.4	0.25	4.9	0.20	4.9	0.13	3.4	E	83
	14	0.30	4.8	0.23	4.7	0.18	4.5	0.12	3.0	E	91
	16	0.34	5.6	0.24	4.9	0.19	4.4	0.12	3.0	SE	134
	18	0.42	2.9	0.30	3.0	0.24	3.1	0.16	2.6	ESE	120
	20	0.23	4.4	0.17	5.0	0.14	4.5	0.09	3.0	E	84
	22	0.30	6.3	0.21	4.8	0.17	4.0	0.11	2.8	NNW	331
	最大	0.81	6.3	0.64	6.0	0.49	5.9	0.30	4.9		
	平均	0.45	5.1	0.33	5.0	0.26	4.8	0.17	3.5		
	月最大	3.29	9.4	2.34	9.4	1.81	9.6	1.15	8.1		
	起時	0708		0708		0708		0708			
	平均	0.85	7.1	0.64	7.0	0.51	6.6	0.32	4.8		

* は日最大波高を示す