

様式 3-1-1 波高月表

2005年 1月

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	353 回	測得回数	335 回
欠測回数	19 回	欠測回数	37 回
欠測率	5.1 %	欠測率	9.9 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	4.46	6.6	3.64	7.7	2.97	7.6	1.81	5.9		
	02	* 8.66	10.7	* 7.27	9.5	* 5.71	9.6	* 3.49	7.6	NNW	335
	04	7.17	9.8	5.47	9.0	4.38	9.0	2.78	7.1	NNW	331
	06	5.21	9.1	4.12	8.3	3.28	8.3	1.99	6.3	NW	323
	08	4.57	7.6	3.67	8.5	2.95	8.7	1.85	6.6	NW	323
	10	4.05	8.3	3.16	8.8	2.54	8.2	1.53	6.0	WNW	299
	12	3.41	8.6	2.89	8.4	2.37	7.7	1.48	5.8	NW	311
	14	3.97	7.7	3.10	8.0	2.45	8.0	1.45	5.8		
	16	3.76	7.6	2.62	8.0	2.16	7.5	1.31	5.5	NNW	331
	18	3.39	7.2	2.59	7.9	2.06	7.4	1.22	5.5	NNW	327
	20	3.86	6.9	2.62	7.4	2.07	7.3	1.29	5.4	NW	319
	22	3.77	6.7	2.45	7.3	1.96	7.4	1.26	5.6	NW	319
	最大	8.66	10.7	7.27	9.5	5.71	9.6	3.49	7.6		
	平均	4.69	8.1	3.63	8.2	2.91	8.1	1.79	6.1		
02	00	2.94	6.7	* 2.35	7.2	* 1.89	7.3	* 1.19	6.0	NW	315
	02	2.54	8.2	2.04	7.5	1.64	7.3	1.03	5.8	NNW	344
	04	2.98	6.5	2.25	7.4	1.76	7.2	1.06	5.4	NW	323
	06	* 3.26	8.4	2.06	7.1	1.59	7.2	0.96	5.4	NNW	348
	08	2.13	7.4	1.91	7.3	1.52	7.5	0.92	5.7	NW	323
	10	2.45	7.1	1.76	7.4	1.36	7.1	0.87	5.9	NNW	327
	12	2.21	8.1	1.71	7.1	1.37	6.9	0.87	5.3	NNW	340
	14	2.22	6.8	1.68	6.6	1.34	6.4	0.85	4.6	N	356
	16	2.61	6.8	1.75	6.4	1.37	6.2	0.88	4.7	NW	323
	18	2.45	6.1	1.70	7.0	1.38	6.1	0.89	4.7	NNW	327
	20	2.87	5.9	1.86	6.7	1.45	6.3	0.91	4.9	WNW	282
	22	2.93	6.0	2.25	6.1	1.79	5.9	1.15	4.8	WSW	254
	最大	3.26	8.4	2.35	7.2	1.89	7.3	1.19	6.0		
	平均	2.63	7.0	1.94	7.0	1.54	6.8	0.97	5.3		
03	00	2.75	5.2	2.01	6.0	1.56	6.0	0.94	4.6	WSW	258
	02	2.95	6.0	2.15	6.4	1.74	6.5	1.09	4.9	W	274
	04	2.72	6.5	2.09	6.7	1.73	6.7	1.11	5.3	WNW	286
	06	2.67	6.8	2.16	6.5	1.71	6.4	1.05	4.9	WNW	282
	08	2.68	7.5	2.13	6.7	1.73	6.4	1.06	5.1	W	274
	10	3.21	8.0	2.61	7.5	2.09	7.4	1.29	5.6	WNW	282
	12	3.88	8.0	2.92	7.9	2.35	7.7	1.48	6.0	W	278
	14	3.96	9.1	3.09	8.5	2.55	8.2	1.60	6.2	W	274
	16	3.91	10.2	3.41	8.6	2.74	8.3	1.70	6.3	WNW	295
	18	5.28	9.7	3.61	8.7	2.83	8.8	1.75	6.7	W	270
	20	4.20	9.3	3.42	9.2	2.77	8.7	1.61	6.1	WNW	295
	22	* 5.46	8.5	* 3.96	9.2	* 3.01	8.9	* 1.80	6.3	WNW	282
	最大	5.46	8.5	3.96	9.2	3.01	8.9	1.80	6.3		
	平均	3.64	7.9	2.80	7.7	2.23	7.5	1.37	5.7		
04	00	5.14	7.7	3.88	8.9	3.00	8.3	1.79	6.2	WNW	299
	02	5.09	6.7	4.05	8.6	3.27	8.6	2.06	6.5	W	266
	04	5.67	9.0	4.68	9.0	3.83	9.1	2.36	6.6		
	06	6.24	7.9	4.39	9.3	3.58	8.4	2.24	6.5	WNW	290
	08	* 8.43	8.2	5.09	8.0	3.95	8.1	2.45	6.4	W	274
	10	6.37	8.1	5.21	8.6	4.05	8.5	2.48	6.8	W	278
	12	5.78	8.7	4.59	9.0	3.78	8.5	2.40	6.6	WNW	290
	14	7.43	10.0	* 5.63	9.0	* 4.24	8.7	2.52	6.8	N	8
	16	6.49	8.7	4.82	9.1	3.90	9.0	2.42	7.0	NNW	340
	18	5.42	10.3	4.50	9.0	3.62	8.4	2.23	6.6	NNE	25
	20	6.05	8.8	4.88	9.0	3.92	8.8	2.47	6.8	NW	307
	22	7.02	8.3	5.06	8.3	4.07	8.7	* 2.58	7.1	WNW	299
	最大	8.43	8.2	5.63	9.0	4.24	8.7	2.58	7.1		

	平均	6.26	8.5	4.73	8.8	3.77	8.6	2.33	6.7		
05	00	* 6.32	9.9	* 5.14	9.5	* 4.10	9.0	* 2.52	6.8	WNW	299
	02	5.68	8.3	4.95	9.1	3.92	9.1	2.40	7.3	NW	311
	04	6.05	8.8	4.43	9.1	3.54	9.1	2.25	7.3	NW	311
	06	4.79	9.3	4.07	9.7	3.17	9.4	1.94	6.9	WNW	303
	08	4.19	9.0	3.37	8.7	2.76	8.9	1.73	6.8	NNW	335
	10	4.62	9.1	3.70	9.0	2.81	9.0	1.71	6.9	NW	319
	12	4.32	9.1	3.47	9.1	2.77	9.4	1.74	7.4	NNW	327
	14	4.93	8.6	3.53	8.3	2.76	8.6	1.73	7.1	NNW	331
	16	4.35	7.1	3.06	8.4	2.51	8.3	1.62	7.1	NNW	335
	18	4.15	8.5	2.89	8.9	2.37	8.8	1.46	6.9	NW	323
	20	2.88	9.6	2.43	8.2	2.04	8.1	1.29	6.5	NNW	331
	22	3.19	8.5	2.24	8.5	1.83	8.9	1.14	7.0	NNW	344
	最大	6.32	9.9	5.14	9.5	4.10	9.0	2.52	6.8		
	平均	4.62	8.8	3.61	8.9	2.88	8.9	1.79	7.0		
06	00	* 2.73	8.4	* 2.05	8.4	* 1.62	8.5	* 1.03	7.0	NNW	335
	02	2.31	8.1	1.86	8.0	1.48	8.3	0.95	6.6	NNW	335
	04	2.21	7.5	1.71	7.7	1.41	7.9	0.94	6.9	NNW	327
	06	2.36	7.7	1.81	8.0	1.50	8.0	0.98	7.3	NNW	331
	08	2.27	7.2	1.65	8.2	1.29	8.2	0.80	6.6	NNW	327
	10	1.84	8.2	1.52	7.6	1.18	7.5	0.73	6.0	NNW	340
	12	1.75	5.9	1.38	6.7	1.08	7.0	0.68	5.5	NW	319
	14	2.29	5.0	1.75	5.3	1.45	5.2	0.92	4.2	W	262
	16	2.08	5.3	1.68	5.6	1.34	5.2	0.86	4.3	W	266
	18	2.05	4.0	1.52	5.0	1.18	5.1	0.74	4.2	WSW	237
	20	1.63	4.0	1.24	5.0	1.00	4.9	0.63	3.9	WSW	237
	22	1.75	5.3	1.28	5.1	1.04	4.9	0.66	4.0	WSW	254
	最大	2.73	8.4	2.05	8.4	1.62	8.5	1.03	7.0		
	平均	2.11	6.4	1.62	6.7	1.30	6.7	0.83	5.5		
07	00	2.00	4.8	1.49	5.0	1.21	4.9	0.77	4.1	W	270
	02	2.12	4.1	1.58	5.1	1.23	5.1	0.78	4.1	WSW	245
	04	2.23	5.3	1.81	5.2	1.44	5.1	0.93	4.2	W	274
	06	3.37	6.5	2.02	5.5	1.59	5.4	1.01	4.5	W	278
	08	3.64	6.3	2.54	6.1	2.05	6.1	1.29	5.0	W	270
	10	3.97	6.3	3.04	6.2	2.43	6.3	1.58	5.3	W	274
	12	6.56	7.2	4.40	7.4	3.48	7.4	2.25	6.0	W	278
	14	7.22	8.1	5.01	8.0	4.14	7.9	2.75	6.8	W	278
	16	7.12	8.6	* 5.54	8.1	* 4.52	8.3	* 2.85	7.1	NW	311
	18	6.24	7.8	4.49	8.3	3.46	8.3	2.16	6.5	W	266
	20	6.66	7.6	4.44	7.6	3.43	7.6	2.11	6.2		
	22	* 7.51	8.7	5.35	8.2	4.17	8.2	2.62	6.8	WNW	286
	最大	7.51	8.7	5.54	8.1	4.52	8.3	2.85	7.1		
	平均	4.89	6.8	3.48	6.7	2.76	6.7	1.76	5.6		
08	00	* 6.62	8.0	* 5.90	8.9	* 4.54	8.9	* 2.78	7.1	WNW	299
	02	6.53	7.4	4.78	8.4	3.81	8.4	2.34	6.5	WNW	282
	04	5.74	8.1	4.09	8.7	3.35	8.5	2.04	6.5	WNW	295
	06	4.59	7.9	3.76	8.3	3.08	8.2	1.89	6.4	W	274
	08	5.82	8.2	4.07	8.6	3.18	8.5	1.94	6.6	W	278
	10	4.45	8.0	3.52	8.4	2.83	8.5	1.72	6.3	WNW	303
	12	4.11	8.8	3.26	8.7	2.68	8.6	1.68	7.0	NW	315
	14	2.92	7.7	2.68	8.2	2.19	8.1	1.36	6.5	NW	323
	16	2.79	7.5	2.32	7.9	1.94	7.9	1.23	6.4	NW	311
	18	2.80	7.8	2.14	7.9	1.76	7.8	1.09	6.4	NW	323
	20	2.49	8.0	2.09	7.9	1.69	7.9	1.08	6.5	NNW	344
	22	2.67	9.8	2.27	8.1	1.84	7.7	1.11	5.4	NNW	327
	最大	6.62	8.0	5.90	8.9	4.54	8.9	2.78	7.1		
	平均	4.29	8.1	3.41	8.3	2.74	8.3	1.69	6.5		
09	00	2.44	8.1	2.04	6.7	1.59	6.7	1.02	5.3	NW	323
	02	5.24	7.3	3.95	6.7	3.15	6.9	1.95	5.6		
	04	6.26	8.1	5.00	7.8	3.96	7.9	2.50	6.7	NNE	29
	06	6.62	9.4	* 5.11	8.5	4.06	8.2	* 2.59	6.9	NW	311
	08	5.68	8.0	4.31	8.4	3.48	8.2	2.13	6.4	WNW	295
	10	5.90	7.6	4.25	7.8	3.36	7.8	2.02	6.1	WNW	290
	12	7.25	9.0	5.04	8.3	* 4.07	8.4	2.56	7.0	W	274
	14	5.58	6.4	4.52	8.4	3.75	9.0	2.39	6.7	NNW	335
	16	6.65	8.9	4.50	8.9	3.66	8.7	2.44	7.2		
	18	5.69	8.5	4.70	8.6	3.72	8.9	2.35	7.1		
	20	* 7.44	9.9	4.86	8.9	3.86	9.1	2.46	7.3	NNW	335
	22	4.93	7.8	3.97	8.6	3.12	8.9	2.04	7.1	NW	307

		最大 平均	7.44 5.81	9.9 8.3	5.11 4.35	8.5 8.1	4.07 3.48	8.4 8.2	2.59 2.20	6.9 6.6		
10	00		5.68	9.1	4.19	9.3	3.30	9.3	2.02	7.3	NNW	327
	02		4.34	9.2	3.59	9.0	2.89	8.8	1.82	7.3	NW	315
	04		5.62	9.4	4.13	9.6	3.27	9.3	1.96	7.2	NW	323
	06		5.25	9.4	4.03	9.8	3.17	9.5	2.06	8.0	NNW	335
	08		4.97	8.0	3.79	8.6	3.01	9.0	1.91	7.4	NNW	327
	10		4.67	10.2	3.49	9.0	2.81	9.1	1.70	6.8	NW	319
	12		3.32	8.7	2.83	8.8	2.33	7.9	1.50	5.8	NW	323
	14		5.05	8.8	4.01	7.5	3.26	7.8	2.08	6.0	NNW	327
	16		5.96	7.8	4.02	7.2	3.16	7.3	2.01	5.9		
	18		7.12	7.6	5.15	7.9	3.99	7.9	2.50	6.2	W	278
	20	* 7.44	7.8	* 5.39	8.2	* 4.28	8.0	* 2.85	6.8			
	22	6.20	7.5	5.16	8.4	4.20	8.4	2.67	6.9		NW	307
	最大 平均		7.44 5.47	7.8 8.6	5.39 4.15	8.2 8.6	4.28 3.31	8.0 8.5	2.85 2.09	6.8 6.8		
11	00		* 7.90	8.4	5.77	8.8	4.45	8.8	2.81	7.0	WNW	286
	02		7.82	9.0	* 6.33	9.4	* 4.79	8.9	* 2.95	7.1	N	8
	04		6.46	9.4	5.20	8.4	4.14	8.4	2.58	6.8	WNW	286
	06		6.62	7.4	5.44	8.8	4.25	8.6	2.55	6.4	WNW	295
	08		6.24	7.6	5.42	9.1	4.34	8.7	2.71	6.9	WNW	299
	10		6.89	9.3	5.23	9.1	4.17	8.8	2.63	7.0	WNW	282
	12		6.69	9.4	5.47	9.9	4.49	9.0	2.87	7.4	WNW	290
	14		6.93	9.8	5.28	9.1	4.22	8.9	2.53	6.7	WNW	299
	16		6.08	7.1	4.99	8.8	4.13	8.9	2.56	6.9		
	18		5.71	7.6	4.97	8.5	4.09	8.9	2.54	6.9	WNW	295
	20		5.40	8.3	4.43	8.6	3.61	8.4	2.25	6.4	N	0
	22		5.72	9.4	4.78	8.5	3.78	8.1	2.41	6.5		
	最大 平均		7.90 6.54	8.4 8.6	6.33 5.28	9.4 8.9	4.79 4.21	8.9 8.7	2.95 2.62	7.1 6.8		
12	00		5.64	8.7	4.90	9.1	4.05	8.8	2.56	7.0	W	270
	02		6.72	8.6	4.78	8.5	3.69	8.4	2.24	6.4	WNW	299
	04		6.47	8.4	4.85	8.3	3.90	8.4	2.44	6.7	NNE	25
	06		5.92	9.7	5.19	8.3	4.25	8.4	2.71	6.9		
	08		6.19	8.4	4.32	8.4	3.59	8.2	2.25	6.5	WNW	286
	10	* 8.97	9.8	5.71	8.8	4.62	8.8	2.95	2.95	7.3	W	278
	12		7.82	10.0	* 6.43	9.3	* 5.35	9.3	* 3.45	7.8	NW	307
	14		7.26	10.5	5.83	10.1	4.75	10.1	2.98	7.7	NNW	335
	16		7.04	10.0	5.97	10.2	4.90	9.9	3.09	7.9	WNW	303
	18		7.26	10.4	5.24	10.1	4.33	9.8	2.72	8.1	WNW	303
	20		5.88	10.2	5.15	10.3	4.19	10.2	2.50	7.9	NW	307
	22		5.21	11.4	4.59	10.2	3.90	9.7	2.35	7.2	NNW	335
	最大 平均		8.97 6.70	9.8 9.7	6.43 5.25	9.3 9.3	5.35 4.29	9.3 9.2	3.45 2.69	7.8 7.3		
13	00		6.50	9.8	4.56	9.8	3.63	9.7	2.24	7.4		
	02	* 6.93	9.2	* 5.09	9.3	* 3.83	9.0	* 2.34	7.3		NW	323
	04	4.95	9.6	4.23	8.9	3.34	8.9	2.06	6.8		NNW	340
	06	6.01	9.8	4.43	9.1	3.70	9.3	2.27	7.3		NNW	331
	08	5.32	9.4	4.62	9.5	3.62	9.1	2.18	7.2		NW	319
	10	5.83	8.8	3.87	9.1	3.08	9.0	1.88	7.2		NNW	335
	12	4.77	9.3	3.60	9.5	2.89	9.0	1.83	7.3		NNW	331
	14	4.30	8.1	3.34	8.9	2.66	8.7	1.61	7.0		NW	319
	16	3.32	6.3	2.87	8.7	2.36	8.5	1.47	6.8		NW	319
	18	4.67	9.0	2.80	8.2	2.24	8.6	1.37	6.7		NW	323
	20	3.49	7.6	2.72	8.6	2.20	8.6	1.41	7.3		NNW	327
	22	3.21	8.9	2.48	8.6	1.98	8.5	1.26	6.8		NW	323
	最大 平均		6.93 4.94	9.2 8.8	5.09 3.72	9.3 9.0	3.83 2.96	9.0 8.9	2.34 1.83	7.3 7.1		
14	00		3.73	8.8	* 2.70	8.6	* 2.12	8.3	* 1.33	6.9	NNW	340
	02	* 3.78	8.1	2.49	8.8	2.03	8.4	1.24	6.6		NW	319
	04	3.07	8.0	2.09	7.9	1.67	7.8	1.04	6.5		NNW	340
	06	3.05	6.9	2.32	7.9	1.85	8.0	1.15	6.5		NNW	335
	08	2.67	8.3	2.14	7.9	1.79	7.7	1.18	6.8		NNW	344
	10	3.09	7.7	2.06	7.7	1.67	7.6	1.06	6.3		NW	319
	12	2.30	8.2	1.87	7.7	1.45	7.7	0.92	5.9			
	14	2.11	6.7	1.73	7.5	1.44	7.3	0.88	5.7		NW	323

	16		2.46	7.1	1.89	7.4	1.52	7.6	0.97	6.2	NNW	335	
	18		2.12	8.5	1.70	7.7	1.39	7.9	0.91	6.5	NW	315	
	20		1.85	8.1	1.60	7.7	1.29	7.7	0.80	6.1	NNW	327	
	22		2.10	9.7	1.55	7.5	1.21	7.3	0.75	5.8	NNW	335	
	最大		3.78	8.1	2.70	8.6	2.12	8.3	1.33	6.9			
	平均		2.69	8.0	2.01	7.9	1.62	7.8	1.02	6.3			
15	00		* 1.96	6.9	* 1.55	7.9	* 1.23	8.0	* 0.76	6.3	NW	323	
	02		1.85	7.2	1.31	7.5	1.05	7.5	0.67	6.1	NNW	327	
	04		1.53	7.5	1.20	7.8	0.93	7.8	0.57	5.9	NNW	348	
	06		1.75	7.2	1.18	7.7	0.97	7.8	0.62	6.3	NNW	331	
	08		1.58	7.9	1.14	8.2	0.85	8.0	0.52	5.9	NNW	327	
	10		1.28	6.6	0.99	8.2	0.81	8.4	0.52	6.8	NNW	327	
	12		1.48	7.6	0.97	8.1	0.75	8.2	0.47	6.3	NNW	335	
	14		1.08	8.3	0.86	8.5	0.69	8.3	0.44	6.4	NNW	331	
	16		1.09	7.5	0.82	7.3	0.66	7.2	0.43	5.8	NW	319	
	18		0.89	8.0	0.71	8.1	0.56	7.9	0.35	5.4	N	352	
	20		0.96	7.0	0.72	7.7	0.57	7.7	0.34	5.3	NNW	327	
	22		1.01	7.9	0.74	7.6	0.57	7.7	0.35	6.3	NW	323	
	最大		1.96	6.9	1.55	7.9	1.23	8.0	0.76	6.3			
	平均		1.37	7.5	1.02	7.9	0.80	7.9	0.50	6.1			
	16	00		0.81	7.8	0.63	7.1	0.50	7.0	0.31	5.5	NW	319
		02		0.96	7.7	0.65	7.5	0.51	7.3	0.32	5.8	NNW	335
		04		1.01	6.8	0.71	7.4	0.57	7.1	0.35	5.2	NW	323
		06		1.14	6.7	0.86	6.9	0.67	6.7	0.41	5.0	NW	323
		08		1.57	7.0	1.07	6.9	0.83	6.5	0.51	4.6	WNW	299
		10		2.08	5.4	1.50	6.1	1.20	5.6	0.76	4.4	WSW	250
		12		3.45	7.2	2.65	7.1	2.03	7.0	1.24	5.8	W	270
		14		4.44	7.8	3.22	6.8	2.60	7.2	1.64	5.7	W	266
16			4.74	6.2	* 3.49	7.3	2.73	7.0	1.66	5.5	W	278	
18			4.21	7.0	3.45	7.8	* 2.80	7.6	* 1.74	6.2	W	262	
20			* 5.02	7.9	3.46	7.4	2.66	7.2	1.67	6.0	WNW	295	
22			3.91	7.7	3.25	7.7	2.51	7.8	1.58	6.1	W	266	
最大			5.02	7.9	3.49	7.3	2.80	7.6	1.74	6.2			
平均			2.78	7.1	2.08	7.2	1.63	7.0	1.02	5.5			
17		00		4.32	7.0	2.97	7.5	2.36	7.3	1.46	5.8	W	266
		02		3.88	8.1	2.56	7.5	2.00	7.5	1.28	5.8	W	266
		04		3.32	9.3	2.66	8.8	2.13	8.2	1.34	6.4	NW	319
		06		3.93	9.4	3.27	9.0	2.67	8.9	1.67	7.1	NNW	331
		08		4.06	8.9	3.21	8.7	2.54	8.4	1.57	6.2	NW	319
		10		* 5.04	9.4	3.59	8.8	2.78	8.5	1.72	6.9	NNW	331
		12		4.56	7.4	* 3.60	8.2	2.93	7.9	* 1.87	6.5	NNW	344
		14		5.01	8.6	3.59	8.1	* 2.94	7.7	1.84	6.1	NNW	327
	16		3.88	8.6	3.39	8.4	2.69	8.2	1.65	6.0	NNW	340	
	18		3.68	7.8	3.04	8.1	2.44	7.4	1.55	5.7	NNW	335	
	20		4.08	8.2	2.84	7.8	2.26	7.4	1.39	5.7	NNW	344	
	22		3.94	7.7	2.91	7.8	2.37	7.8	1.54	6.4	NNW	348	
	最大		5.04	9.4	3.60	8.2	2.94	7.7	1.87	6.5			
	平均		4.14	8.4	3.14	8.2	2.51	7.9	1.57	6.2			
	18	00		* 3.65	7.8	* 2.71	7.7	* 2.11	7.8	* 1.32	6.4	NNW	335
		02		2.71	7.0	2.21	7.6	1.84	7.8	1.15	5.9	NNW	331
		04		2.65	8.1	2.14	7.4	1.77	7.7	1.15	6.6	NNW	335
		06		3.14	7.9	2.36	7.8	1.88	8.1	1.20	6.8	NNW	348
		08		2.39	7.8	1.89	7.5	1.55	7.6	1.01	6.2	NNW	340
		10		2.88	7.4	2.04	7.5	1.66	7.7	1.04	5.9	NNW	335
		12		2.30	7.5	1.87	7.8	1.48	7.9	0.93	6.0	NNW	327
		14		2.69	7.2	1.92	7.7	1.54	7.3	0.96	5.8	N	352
16			1.90	6.4	1.51	7.1	1.20	6.8	0.77	5.5	NNW	327	
18			1.79	6.8	1.54	7.6	1.25	7.4	0.81	5.8	NNW	340	
20			1.90	7.8	1.24	7.6	1.01	7.3	0.63	5.7	NNW	340	
22			1.56	7.8	1.25	7.3	1.04	7.1	0.68	6.0	NW	323	
最大			3.65	7.8	2.71	7.7	2.11	7.8	1.32	6.4			
平均			2.46	7.5	1.89	7.6	1.53	7.5	0.97	6.1			
19		00		1.37	7.7	1.15	7.5	0.95	7.2	0.62	6.1	NNW	327
		02		1.17	7.5	0.97	6.8	0.80	6.6	0.51	4.8	NNW	344
		04		1.45	5.6	1.04	6.5	0.84	6.0	0.53	4.3	N	8
		06		1.42	7.8	1.12	5.8	0.87	5.8	0.53	4.1	NNW	348
		08		2.26	4.9	1.57	4.8	1.26	4.8	0.81	4.1		
		10		2.13	5.5	1.57	5.2	1.26	4.9	0.81	4.1	WNW	295

	12	2.42	4.6	1.76	5.0	1.41	5.1	0.89	4.1	W	270
	14	3.04	6.1	2.11	6.1	1.66	5.9	1.01	4.5	WNW	295
	16	3.76	5.7	2.90	5.9	2.29	6.0	1.52	5.2	W	278
	18	5.09	5.9	4.34	6.9	3.29	6.8	2.06	5.9	W	262
	20	* 6.90	7.0	* 4.55	7.6	* 3.70	7.6	* 2.31	6.3	WNW	282
	22	5.88	7.7	4.50	8.0	3.59	7.6	2.23	5.8	W	270
	最大	6.90	7.0	4.55	7.6	3.70	7.6	2.31	6.3		
	平均	3.07	6.3	2.30	6.3	1.83	6.2	1.15	4.9		
20	00	5.85	8.2	4.65	7.4	3.75	7.7	2.35	6.3	W	266
	02	5.70	8.0	4.85	8.5	3.92	8.1	2.45	6.5	WNW	286
	04	9.02	9.4	6.02	9.5	4.73	9.3	2.94	7.4	NNE	33
	06	8.41	9.8	6.29	10.0	5.00	9.8	3.14	7.7	WNW	282
	08	6.45	10.9	5.58	10.1	4.45	9.4	2.89	7.4	WNW	303
	10	7.44	8.5	5.44	8.6	4.26	8.8	2.64	6.7	WNW	303
	12	7.79	7.9	6.27	10.0	5.11	10.0	* 3.24	8.1	NW	323
	14	7.52	10.1	* 6.59	10.4	5.02	10.6	3.11	8.0	NNW	327
	16	* 9.17	10.6	6.31	11.6	* 5.12	11.1	3.23	8.4	WNW	299
	18	6.62	11.8	5.45	10.3	4.24	9.8	2.66	7.7	NW	311
	20	7.40	9.2	5.44	9.8	4.32	9.5	2.73	7.5	WNW	282
	22	6.75	10.1	5.58	10.2	4.52	10.5	2.84	8.1	NW	315
	最大	9.17	10.6	6.59	10.4	5.12	11.1	3.24	8.1		
	平均	7.34	9.5	5.71	9.7	4.54	9.6	2.85	7.5		
21	00	7.41	9.8	* 5.79	9.7	* 4.67	9.9	2.88	7.8	NW	319
	02	7.04	9.4	5.63	9.8	4.57	9.9	* 2.90	7.6	WNW	303
	04	* 7.62	9.7	5.66	9.4	4.36	9.1	2.64	7.1	NW	307
	06	6.61	9.7	5.29	9.3	4.27	9.1	2.71	7.2	NNW	335
	08	6.32	9.3	4.93	9.7	3.93	9.3	2.46	7.2	NNW	335
	10	6.52	9.4	5.16	9.6	4.00	8.8	2.56	7.1	NW	319
	12	5.51	8.2	4.33	8.5	3.47	8.9	2.20	6.9	NW	311
	14	5.20	7.6	4.05	8.5	3.21	8.2	2.02	6.6	NNW	331
	16	5.15	8.0	3.86	9.0	3.22	8.3	2.05	6.6	NNW	340
	18	4.91	8.1	3.98	8.3	3.02	7.9	1.89	6.2	NNW	327
	20	4.88	9.4	3.64	8.6	2.86	8.7	1.74	6.3	NW	311
	22	4.88	7.9	4.10	9.3	3.26	8.9	1.96	6.5	NW	311
	最大	7.62	9.7	5.79	9.7	4.67	9.9	2.90	7.6		
	平均	6.00	8.9	4.70	9.1	3.74	8.9	2.33	6.9		
22	00	4.57	9.4	3.70	8.7	3.06	8.5	1.92	6.6	NNW	335
	02	5.20	8.9	* 4.08	9.4	* 3.30	8.8	1.96	6.5	WNW	290
	04	* 6.23	8.5	4.05	8.7	3.23	8.8	* 1.99	6.5	NW	319
	06	4.87	9.4	3.64	8.6	2.99	8.5	1.85	6.4	NNW	327
	08	4.89	9.5	3.68	9.1	3.03	8.8	1.91	7.1	NNW	340
	10	4.61	9.1	3.59	8.9	2.98	8.9	1.93	7.3	NNW	327
	12	3.78	8.4	2.87	8.7	2.40	8.9	1.55	7.3	NW	323
	14	3.86	10.0	3.02	9.2	2.42	8.8	1.49	7.2	NNW	331
	16	3.65	8.3	2.81	9.2	2.30	8.9	1.43	7.3	NNW	340
	18	2.48	7.9	2.20	8.2	1.84	8.4	1.15	6.6	NNW	331
	20	3.14	8.2	2.45	8.4	1.97	8.5	1.26	7.1		
	22	2.41	7.4	1.90	7.8	1.53	7.9	0.96	6.3	NW	323
	最大	6.23	8.5	4.08	9.4	3.30	8.8	1.99	6.5		
	平均	4.14	8.8	3.17	8.7	2.59	8.6	1.62	6.9		
23	00	* 2.29	7.6	* 1.84	7.7	* 1.49	7.6	* 0.98	6.3	NNW	327
	02	1.96	8.1	1.78	7.6	1.48	7.5	0.93	6.2	NW	323
	04	2.12	7.3	1.76	7.4	1.38	7.5	0.84	5.9	NNW	335
	06	2.18	6.7	1.44	7.1	1.12	7.0	0.73	5.6	NW	323
	08	1.76	7.8	1.22	7.0	0.95	6.8	0.58	4.7	NNW	327
	10	1.40	6.1	1.15	7.1	0.95	6.5	0.59	4.6	NW	323
	12	1.77	6.7	1.28	7.4	0.99	6.8	0.60	4.8	NNW	327
	14	1.42	6.2	1.14	6.8	0.93	6.8	0.55	4.8	NW	315
	16	1.53	6.9	1.03	7.4	0.81	6.7	0.50	4.8	NNW	344
	18	1.37	7.3	1.00	6.8	0.75	6.3	0.45	4.6	NNW	331
	20	1.13	8.4	0.92	7.2	0.74	6.8	0.46	5.0	NNW	327
	22	1.23	9.2	0.93	7.2	0.72	6.8	0.45	4.9	NW	319
	最大	2.29	7.6	1.84	7.7	1.49	7.6	0.98	6.3		
	平均	1.68	7.4	1.29	7.2	1.03	6.9	0.64	5.2		
24	00	0.87	7.1	0.76	6.5	0.63	6.6	0.41	5.1	NNW	331
	02	1.05	6.8	0.76	7.2	0.60	6.6	0.37	4.8	NNW	335

	04	0.86	6.8	0.65	7.0	0.50	6.8	0.31	5.2	NNW	340
	06	0.81	6.6	0.62	7.5	0.48	7.0	0.29	5.0	NW	311
	08	0.91	7.6	0.57	7.2	0.45	7.3	0.27	5.3	NNW	331
	10	0.75	8.4	0.60	6.8	0.48	6.7	0.30	4.4	NW	315
	12	1.42	3.9	1.20	4.3	0.99	4.2	0.66	3.7	WSW	250
	14	2.09	3.9	1.43	4.1	1.12	4.3	0.71	3.7	SW	225
	16	1.99	4.7	1.53	4.6	1.25	4.6	0.77	3.8	WSW	258
	18	2.25	4.6	1.63	4.7	1.30	4.7	0.83	4.0	WSW	241
	20	* 2.28	4.8	* 1.73	4.6	1.32	4.6	0.83	3.9	SW	229
	22	2.02	5.0	1.66	5.0	* 1.34	4.8	* 0.85	3.9	WSW	250
	最大	2.28	4.8	1.73	4.6	1.34	4.8	0.85	3.9		
	平均	1.44	5.9	1.10	5.8	0.87	5.7	0.55	4.4		
25	00	3.09	5.5	2.07	5.4	1.64	5.6	1.04	4.6	NW	323
	02	2.97	6.3	2.51	6.4	2.08	6.4	1.33	5.3	WNW	299
	04	2.59	7.0	2.24	6.4	1.81	6.5	1.11	5.3	NNW	327
	06	2.87	6.5	2.23	6.8	1.80	6.8	1.14	5.7	NW	311
	08	2.64	5.7	2.19	6.7	1.83	7.1	1.14	5.7	NW	319
	10	3.89	7.4	2.68	7.4	2.08	7.5	1.31	6.3	NW	315
	12	3.32	7.3	2.61	7.6	2.01	7.4	1.22	6.3	NNW	331
	14	2.93	9.0	2.53	8.1	2.04	8.2	1.32	6.7	NNW	331
	16	3.65	9.2	* 2.89	8.8	* 2.34	8.5	* 1.49	7.1	NNW	348
	18	* 3.94	8.9	2.87	8.6	2.31	8.6	1.43	7.0	NW	319
	20	3.13	9.1	2.68	8.6	2.21	8.7	1.34	6.8	NW	323
	22	3.06	8.2	2.49	8.9	1.93	8.3	1.22	6.6	NW	315
	最大	3.94	8.9	2.89	8.8	2.34	8.5	1.49	7.1		
	平均	3.17	7.5	2.50	7.5	2.01	7.5	1.26	6.1		
26	00	2.81	8.2	1.97	7.9	1.60	7.8	0.98	5.8	NNW	340
	02	2.60	8.1	1.99	8.2	1.65	8.3	1.05	6.5	NNW	327
	04	2.12	7.8	1.84	8.1	1.53	8.2	0.98	6.5	NNW	327
	06	2.66	8.5	2.11	8.5	1.65	8.3	1.03	6.5	NW	323
	08	2.70	7.6	2.19	8.0	1.75	7.8	1.06	6.1	NW	323
	10	2.44	7.6	2.06	7.7	1.67	7.2	1.05	5.6		
	12	* 3.25	6.9	2.18	7.2	1.66	6.7	1.06	5.2	NNW	344
	14	2.67	6.9	1.91	6.5	1.55	6.5	0.96	4.8	NW	315
	16	2.86	5.8	2.01	6.2	1.60	6.1	1.02	4.6	NW	319
	18	3.12	6.8	* 2.41	6.2	* 1.85	6.3	* 1.19	5.0	NNW	327
	20	2.66	6.9	2.15	6.3	1.71	6.3	1.05	4.9	NW	319
	22	2.82	6.4	2.14	6.6	1.67	6.2	1.04	4.9	NNW	340
	最大	3.25	6.9	2.41	6.2	1.85	6.3	1.19	5.0		
	平均	2.73	7.3	2.08	7.3	1.66	7.1	1.04	5.5		
27	00	2.35	7.3	1.89	6.7	1.50	6.6	0.91	5.0	NW	311
	02	2.42	6.5	1.89	6.7	1.45	6.8	0.92	5.5	NW	315
	04	2.17	7.0	1.69	6.9	1.35	7.1	0.84	5.6	NNW	340
	06	2.20	6.6	1.87	6.9	1.50	6.9	0.96	6.0	NNW	327
	08	2.36	6.3	1.54	7.4	1.26	7.0	0.80	5.7	NNW	344
	10	1.97	6.4	1.42	7.0	1.11	7.2	0.66	5.1	NW	315
	12	1.73	6.8	1.38	6.8	1.06	6.3	0.64	4.5	NW	323
	14	1.66	4.4	1.35	5.2	1.13	4.7	0.73	3.9	WSW	258
	16	2.04	4.2	1.59	5.0	1.22	5.0	0.79	4.2	WSW	250
	18	1.96	4.7	1.45	5.3	1.15	5.1	0.74	4.1	NNW	327
	20	2.02	6.0	1.52	6.3	1.25	6.1	0.79	4.9	NW	315
	22	* 2.76	6.8	* 2.07	6.4	* 1.70	6.6	* 1.08	5.5	NNW	327
	最大	2.76	6.8	2.07	6.4	1.70	6.6	1.08	5.5		
	平均	2.14	6.1	1.64	6.4	1.31	6.3	0.82	5.0		
28	00	* 2.59	5.4	* 2.10	6.5	* 1.68	6.4	* 1.05	5.2	NW	315
	02	2.28	6.2	1.72	6.2	1.38	6.2	0.88	4.9	NW	323
	04	1.76	6.7	1.51	6.5	1.25	6.4	0.81	5.1	NW	311
	06	1.96	5.9	1.44	6.5	1.15	6.2	0.71	4.7	NW	315
	08	1.80	7.5	1.37	6.6	1.08	6.5	0.66	4.8	WNW	290
	10	2.00	5.8	1.25	6.2	0.97	5.9	0.60	4.6	NW	315
	12	1.43	7.4	1.18	6.4	0.93	6.3	0.57	4.9	NW	315
	14	1.48	6.3	1.17	6.5	0.95	6.6	0.61	5.2	NNW	327
	16	1.41	6.8	1.17	6.7	0.95	6.6	0.60	5.5	NW	323
	18	1.30	6.5	1.07	6.7	0.88	6.6	0.56	5.4	NW	315
	20	1.52	7.1	1.13	6.8	0.90	6.9	0.55	5.9	NNW	348
	22	1.23	6.3	0.83	6.6	0.67	6.6	0.42	5.6	NNW	327
	最大	2.59	5.4	2.10	6.5	1.68	6.4	1.05	5.2		

	平均	1.73	6.5	1.33	6.5	1.07	6.4	0.67	5.2		
29	00	1.31	6.6	0.87	6.7	0.66	6.5	0.41	5.6	WNW	303
	02	0.93	5.9	0.67	6.1	0.55	6.2	0.35	5.7	NW	319
	04	0.68	6.3	0.54	6.4	0.44	6.2	0.28	5.2	NNW	348
	06	0.73	6.1	0.61	5.5	0.49	5.1	0.32	3.9	W	274
	08	1.04	3.6	0.72	4.7	0.56	4.4	0.36	3.7	WSW	237
	10	0.84	3.9	0.69	4.6	0.58	4.4	0.37	3.6	WNW	282
	12	2.08	4.1	1.39	4.1	1.09	4.2	0.68	3.6	WSW	258
	14	2.03	5.3	1.61	4.6	1.27	4.5	0.82	3.8	W	266
	16	2.19	4.4	1.66	4.6	1.32	4.7	0.82	3.9	WSW	241
	18	1.64	5.3	1.24	4.7	1.00	4.7	0.63	3.7	WSW	254
	20	* 2.35	5.5	* 1.75	5.2	* 1.36	4.9	* 0.87	4.1		
	22	欠測									
	最大	2.35	5.5	1.75	5.2	1.36	4.9	0.87	4.1		
	平均	1.44	5.2	1.07	5.2	0.85	5.1	0.54	4.3		
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	6.03	7.3	4.79	7.5	3.72	7.3	2.30	6.0	W	270
	14	5.87	7.2	4.96	7.8	4.07	7.9	2.63	6.7	WNW	282
	16	* 9.08	8.1	6.18	8.7	4.78	8.4	2.81	6.5	WNW	286
	18	7.24	8.3	5.92	9.1	4.64	9.2	2.87	7.2	WNW	299
	20	8.87	9.3	* 6.60	9.1	* 5.32	9.5	* 3.32	7.8	WNW	295
	22	8.64	9.9	6.42	9.9	5.15	9.6	3.14	7.6	NNW	340
	最大	9.08	8.1	6.60	9.1	5.32	9.5	3.32	7.8		
	平均	7.62	8.4	5.81	8.7	4.61	8.7	2.85	7.0		
	月最大	9.17	10.6	7.27	9.5	5.71	9.6	3.49	7.6		
	起時	2016		0102		0102		0102			
	平均	3.90	7.7	2.98	7.8	2.39	7.7	1.49	6.0		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	335 回	測得回数	323 回
欠測回数	1 回	欠測回数	13 回
欠測率	0.3 %	欠測率	3.9 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	9.37	9.7	6.74	10.0	* 5.45	9.6	* 3.50	8.1		
	02	7.19	10.4	6.11	9.9	5.09	10.0	3.26	7.7	NW	311
	04	8.29	9.6	6.11	10.0	4.82	9.4	3.03	7.3	WNW	299
	06	*10.06	9.9	* 6.98	10.6	5.25	10.0	2.98	7.2	WNW	295
	08	6.22	10.4	5.67	9.8	4.75	9.6	3.04	7.7	N	0
	10	6.06	9.4	4.82	9.7	3.91	9.5	2.46	7.4	WNW	295
	12	6.07	8.8	5.11	10.1	4.01	9.4	2.38	7.2	WNW	282
	14	4.87	7.9	4.15	8.8	3.38	9.0	2.16	6.8	NNE	12
	16	5.58	9.8	4.64	9.5	3.80	9.1	2.41	7.0	WNW	282
	18	8.15	8.8	6.21	8.7	4.61	8.9	2.85	7.1	WNW	290
	20	7.68	9.0	6.38	9.5	5.14	9.5	3.47	8.0	N	4
	22	8.37	8.9	6.37	9.6	5.02	9.3	3.12	7.4	WNW	295
	最大	10.06	9.9	6.98	10.6	5.45	9.6	3.50	8.1		
	平均	7.33	9.4	5.77	9.7	4.60	9.4	2.89	7.4		
02	00	7.13	9.3	6.10	9.7	4.92	9.8	3.12	7.7	WNW	290
	02	* 9.27	12.2	* 7.41	10.3	* 5.55	10.1	* 3.34	8.0	WNW	303
	04	8.88	9.7	6.39	10.1	5.05	10.2	3.14	7.6	W	278
	06	7.66	9.0	6.01	9.9	4.85	9.1	2.96	7.3	NNE	20
	08	8.41	9.3	6.20	9.8	4.74	9.7	2.88	7.4	NNE	16
	10	8.30	10.2	5.62	9.2	4.28	9.3	2.56	6.8	WNW	299
	12	6.78	8.9	5.84	9.7	4.75	10.4	3.07	8.3	WNW	303
	14	6.45	10.2	5.14	10.2	4.29	9.8	2.63	7.3	N	4
	16	5.77	8.7	5.08	10.3	4.24	10.0	2.66	7.6		
	18	5.80	8.7	4.44	10.1	3.68	9.7	2.28	7.3	NW	315
	20	5.29	10.2	4.22	9.8	3.31	9.3	2.04	7.0	NNW	331
	22	6.42	9.2	4.87	9.4	3.88	10.0	2.33	8.0	NW	323
	最大	9.27	12.2	7.41	10.3	5.55	10.1	3.34	8.0		
	平均	7.18	9.6	5.61	9.9	4.46	9.8	2.75	7.5		
03	00	5.35	9.3	4.17	9.5	3.24	9.0	2.01	6.8	NNW	348
	02	* 5.85	8.5	3.89	9.0	3.15	8.8	1.95	6.9	NW	319
	04	5.35	8.5	* 4.20	8.5	* 3.29	8.4	* 2.06	6.7	NW	311
	06	5.37	8.3	4.10	8.1	3.27	8.0	1.94	6.4	WNW	303
	08	4.74	9.4	3.70	8.8	3.01	8.2	1.93	6.5	NW	315
	10	4.32	6.6	3.66	8.1	2.86	7.8	1.73	5.8	NNW	331
	12	3.95	8.7	3.44	8.9	2.70	8.5	1.65	6.5	NW	323
	14	4.07	8.9	3.19	8.5	2.53	8.0	1.53	5.8	NW	319
	16	4.99	7.0	3.13	8.0	2.46	8.1	1.53	5.9	NNW	335
	18	4.12	7.2	2.99	8.2	2.35	7.8	1.44	6.0	NNW	331
	20	3.98	7.9	2.77	7.7	2.19	7.2	1.36	5.6	NW	323
	22	3.11	8.1	2.31	7.3	1.87	7.2	1.18	5.8	NNW	331
	最大	5.85	8.5	4.20	8.5	3.29	8.4	2.06	6.7		
	平均	4.60	8.2	3.46	8.4	2.74	8.1	1.69	6.2		
04	00	3.41	6.2	2.64	7.8	2.12	7.9	1.33	6.0	NNW	327
	02	3.04	7.5	2.39	7.8	1.90	7.8	1.16	6.1	NW	323
	04	3.24	7.9	2.38	7.5	1.85	7.6	1.15	5.9	NW	323
	06	3.04	8.4	2.49	8.1	2.09	8.2	* 1.35	6.6	NW	323
	08	3.24	6.0	2.29	7.3	1.85	7.7	1.22	6.2	NNW	344
	10	* 3.41	7.4	* 2.71	7.7	* 2.18	7.8	1.32	6.1	NNW	327
	12	3.34	7.2	2.51	7.4	1.99	7.4	1.29	6.2	NW	323
	14	3.15	7.0	2.50	7.8	2.02	7.7	1.26	6.1	NNW	327
	16	3.03	7.0	2.32	7.7	1.89	7.5	1.24	6.1	NNW	335
	18	2.55	7.0	2.04	7.3	1.60	7.3	0.98	5.6	NNW	327
	20	2.52	6.6	2.01	7.2	1.65	7.4	1.04	6.0	NNW	327
	22	2.56	5.1	2.13	6.7	1.76	6.4	1.09	4.7	NNW	327
	最大	3.41	7.4	2.71	7.7	2.18	7.8	1.35	6.6		

	平均	3.04	6.9	2.37	7.5	1.91	7.6	1.20	6.0		
05	00	4.34	6.3	3.26	6.3	2.54	6.2	1.58	5.0	W	270
	02	4.87	7.6	3.54	6.8	2.76	6.6	1.70	5.2	WNW	286
	04	4.20	7.9	3.41	6.9	2.76	6.8	1.76	5.6	W	278
	06	5.09	8.5	4.12	7.5	3.26	7.6	1.98	6.0	NNW	331
	08	5.72	6.8	3.77	7.9	3.03	8.0	1.85	6.3		
	10	5.41	8.5	3.80	8.2	2.95	8.5	1.77	6.2	NW	315
	12	4.66	7.4	3.48	8.1	2.87	8.4	1.82	6.6	NNW	335
	14	4.80	8.5	3.69	8.7	3.09	8.5	1.91	6.7	NNW	335
	16	5.25	8.4	3.65	8.5	2.95	8.5	1.83	6.2	NNW	331
	18	* 6.07	8.3	* 4.61	8.4	* 3.69	8.3	* 2.36	6.6	NW	311
	20	5.10	6.8	3.96	8.0	3.18	7.9	1.91	6.1	NNW	335
	22	4.96	8.4	4.04	8.4	3.24	7.9	2.09	6.5	WNW	303
	最大	6.07	8.3	4.61	8.4	3.69	8.3	2.36	6.6		
	平均	5.04	7.8	3.78	7.8	3.03	7.8	1.88	6.1		
06	00	5.49	9.2	4.24	8.8	3.33	8.5	1.98	6.5	NW	307
	02	5.26	9.5	* 4.33	9.0	* 3.45	8.9	* 2.18	7.1	NNW	340
	04	* 6.15	9.9	3.81	9.1	2.98	8.8	1.95	7.1	NNW	327
	06	5.44	9.0	4.03	9.2	3.25	9.4	2.07	7.5	NW	319
	08	4.92	9.3	3.86	9.8	3.16	9.5	2.01	7.3	NNW	327
	10	5.04	8.3	3.81	9.0	2.99	9.0	1.80	6.8	NNW	327
	12	4.84	9.8	3.22	9.6	2.51	8.7	1.60	6.7	NNW	331
	14	4.18	7.9	3.16	8.9	2.50	8.5	1.56	6.8	NNW	327
	16	3.80	7.7	3.06	9.0	2.40	8.5	1.48	6.5	NNW	327
	18	3.33	8.0	2.81	8.3	2.21	8.2	1.32	6.0	NW	307
	20	2.95	8.9	2.48	8.0	2.00	8.3	1.27	6.3	NW	319
	22	2.93	8.1	2.47	8.9	1.99	8.4	1.24	6.4	NW	319
	最大	6.15	9.9	4.33	9.0	3.45	8.9	2.18	7.1		
	平均	4.53	8.8	3.44	9.0	2.73	8.7	1.71	6.8		
07	00	2.80	8.9	* 2.32	8.4	* 1.84	8.4	1.12	6.4	NW	323
	02	2.67	9.4	2.27	8.2	1.78	8.4	1.13	6.8	NW	323
	04	* 3.28	7.9	2.25	8.0	1.81	8.4	* 1.14	6.9	NW	319
	06	2.49	8.3	1.93	8.1	1.62	8.0	1.07	6.7	NW	323
	08	2.65	7.0	2.02	8.5	1.59	8.3	1.04	6.9	NNW	327
	10	2.55	7.7	1.86	8.6	1.49	8.0	0.93	6.4	NW	319
	12	2.39	7.7	1.78	8.5	1.43	8.2	0.91	6.5	NNW	331
	14	1.78	5.9	1.47	7.1	1.22	7.7	0.79	6.1	NNW	331
	16	1.94	8.6	1.58	8.2	1.31	7.7	0.79	6.0	NW	323
	18	1.66	8.4	1.47	7.8	1.21	7.8	0.77	6.3	NW	323
	20	1.70	7.2	1.42	7.7	1.15	7.7	0.74	6.7	NNW	335
	22	1.61	8.8	1.34	7.9	1.09	8.0	0.69	6.6	NNW	327
	最大	3.28	7.9	2.32	8.4	1.84	8.4	1.14	6.9		
	平均	2.29	8.0	1.81	8.1	1.46	8.1	0.93	6.5		
08	00	* 2.07	7.7	* 1.38	7.6	* 1.08	7.6	* 0.67	6.1	NNW	348
	02	1.56	8.3	1.14	7.7	0.91	7.5	0.56	5.7	NW	315
	04	1.37	8.1	1.11	7.9	0.89	7.6	0.56	5.8	NNW	335
	06	1.28	8.1	1.04	7.2	0.86	7.6	0.53	5.4	NNW	331
	08	1.44	6.6	0.95	6.9	0.75	6.8	0.46	4.9	NW	323
	10	1.10	5.8	0.85	6.8	0.69	6.5	0.44	5.0	NNW	348
	12	1.07	7.4	0.77	6.6	0.62	6.5	0.39	4.7	NNW	327
	14	1.30	5.6	0.80	6.6	0.62	6.8	0.38	5.0	NW	315
	16	0.88	7.8	0.73	6.9	0.57	6.5	0.35	4.6	NNW	348
	18	0.92	6.5	0.69	7.0	0.53	6.7	0.33	4.9	NNW	327
	20	0.85	6.1	0.66	6.9	0.53	6.8	0.34	5.5		
	22	0.69	7.7	0.56	7.4	0.45	7.3	0.28	5.4	N	352
	最大	2.07	7.7	1.38	7.6	1.08	7.6	0.67	6.1		
	平均	1.21	7.1	0.89	7.1	0.71	7.0	0.44	5.3		
09	00	0.77	8.0	0.58	6.9	0.47	7.0	0.30	5.6	NW	311
	02	0.68	8.1	0.51	7.2	0.41	6.1	0.24	4.0	NNW	331
	04	0.56	8.0	0.47	7.0	0.38	6.3	0.25	4.4	NW	311
	06	0.60	6.5	0.51	6.7	0.41	6.4	0.25	4.5	NW	307
	08	0.62	7.0	0.44	5.6	0.36	4.8	0.22	3.4	WNW	282
	10	0.68	4.4	0.48	5.1	0.39	4.6	0.26	3.4	NNW	335
	12	1.07	3.5	0.71	4.0	0.58	3.9	0.39	3.2		
	14	* 1.79	5.0	1.19	4.4	0.93	4.2	0.60	3.4		
	16	1.48	4.8	1.17	5.1	0.97	4.9	0.63	3.9	NW	311
	18	1.59	6.0	* 1.30	5.5	* 1.06	5.3	* 0.66	4.2	NW	311
	20	1.46	6.1	1.14	5.9	0.90	5.7	0.57	4.5	NW	323
	22	1.40	5.4	1.05	6.0	0.82	5.9	0.51	4.8	NW	315

		最大	1.79	5.0	1.30	5.5	1.06	5.3	0.66	4.2		
		平均	1.06	6.1	0.80	5.8	0.64	5.4	0.41	4.1		
10	00		1.06	5.7	0.85	5.9	0.68	5.9	0.45	5.3	NNW	327
	02		1.31	6.7	0.86	5.7	0.69	5.5	0.45	4.5	NW	323
	04		1.46	4.4	1.17	4.5	0.93	4.2	0.59	3.5	WSW	258
	06		2.92	4.9	2.05	5.0	1.66	4.9	1.09	4.2	WNW	290
	08		3.46	4.8	2.53	5.4	1.98	5.3	1.25	4.6	NNW	335
	10		* 4.73	6.0	3.04	6.5	2.38	6.5	1.50	5.5	NNW	327
	12		4.09	6.3	* 3.12	7.9	* 2.48	7.5	* 1.56	6.2	NNW	327
	14		3.36	7.2	2.42	7.3	1.95	7.4	1.24	6.0	NNW	331
	16		3.20	6.9	2.35	6.9	1.80	7.0	1.13	5.5	NNW	335
	18		2.88	8.1	2.31	7.4	1.86	7.1	1.17	5.5	NNW	327
	20		2.98	5.4	2.36	6.6	1.87	6.8	1.21	5.5	NNW	335
	22		3.78	6.7	2.83	6.9	2.14	6.8	1.33	5.5	NNW	327
		最大	4.73	6.0	3.12	7.9	2.48	7.5	1.56	6.2		
		平均	2.94	6.1	2.16	6.3	1.70	6.2	1.08	5.2		
11	00		3.79	6.8	2.92	7.1	2.40	6.9	1.52	5.5	NNW	331
	02		3.61	7.1	3.07	7.8	2.56	7.5	1.69	6.2	NW	323
	04		* 5.61	9.2	* 3.97	8.3	* 3.20	8.0	* 2.05	6.4	NW	315
	06		4.80	8.4	3.73	8.2	2.79	8.5	1.70	6.4	NW	315
	08		3.64	8.6	2.98	8.1	2.46	7.7	1.59	6.6	NW	319
	10		4.46	8.8	2.69	8.5	2.17	8.0	1.35	6.5	NNW	327
	12		3.12	7.5	2.59	8.8	2.19	8.5	1.40	7.1	NW	319
	14		2.79	7.8	2.40	7.8	1.97	8.0	1.23	6.5	NNW	327
	16		2.82	7.2	2.21	8.0	1.76	7.8	1.14	6.4	NNW	344
	18		3.15	8.1	2.45	8.2	1.88	7.9	1.16	6.3	NNW	327
	20		2.41	7.7	2.13	7.4	1.74	7.7	1.07	6.1	N	4
	22		2.89	7.5	2.15	7.7	1.72	8.0	1.12	6.9	NNW	335
		最大	5.61	9.2	3.97	8.3	3.20	8.0	2.05	6.4		
		平均	3.59	7.9	2.77	8.0	2.24	7.9	1.42	6.4		
12	00		2.40	7.3	2.04	8.0	1.73	8.0	1.15	6.6	NNW	340
	02		2.06	8.4	1.68	7.8	1.38	7.6	0.88	5.7	NNW	335
	04		3.16	6.9	2.54	6.9	2.02	7.0	1.27	5.6	NW	319
	06		3.73	6.5	* 3.07	7.3	* 2.43	7.4	* 1.53	6.3	NW	319
	08		* 3.81	7.7	2.76	7.7	2.25	7.6	1.44	6.5	NNW	340
	10		3.22	8.7	2.58	8.4	2.07	8.0	1.23	6.3	NNW	348
	12		2.93	8.4	2.26	8.3	1.80	7.9	1.15	6.6	NNW	344
	14		3.78	7.8	2.57	8.2	2.04	8.2	1.25	6.7	NNW	327
	16		2.26	7.6	1.77	7.2	1.40	7.2	0.84	5.5	NNW	331
	18		2.36	5.8	1.73	7.4	1.40	7.6	0.88	5.9	NNW	335
	20		1.87	7.4	1.53	7.5	1.22	7.4	0.75	5.8	NNW	348
	22		1.62	8.0	1.39	6.9	1.12	6.9	0.69	5.8	NNW	327
		最大	3.81	7.7	3.07	7.3	2.43	7.4	1.53	6.3		
		平均	2.77	7.5	2.16	7.6	1.74	7.6	1.09	6.1		
13	00		1.53	6.7	1.29	6.9	1.06	7.0	0.67	5.8	NNW	340
	02		1.62	8.1	1.28	7.3	1.00	7.0	0.64	5.9	NNW	327
	04		1.51	7.0	1.24	7.4	1.04	7.4	0.66	6.2	NW	323
	06		1.58	7.4	1.23	7.5	1.01	7.5	0.62	6.2	NNW	331
	08		1.56	6.7	1.19	7.0	0.93	7.3	0.57	5.8	N	352
	10		1.66	7.1	1.20	7.0	0.98	6.4	0.60	4.5	NNW	340
	12		1.57	5.9	1.19	6.3	0.96	5.9	0.61	4.2	NW	323
	14		1.87	6.3	1.37	5.6	1.12	5.6	0.72	4.2	NNW	327
	16		* 5.06	8.2	* 4.26	7.4	* 3.27	7.3	* 2.05	6.0	WNW	299
	18		4.54	7.3	3.29	6.6	2.55	6.6	1.54	5.1	WNW	290
	20		3.53	6.6	2.82	6.1	2.24	6.2	1.40	5.0	WNW	290
	22		3.60	5.1	2.56	6.2	2.06	5.9	1.32	4.8	W	278
		最大	5.06	8.2	4.26	7.4	3.27	7.3	2.05	6.0		
		平均	2.47	6.9	1.91	6.8	1.52	6.7	0.95	5.3		
14	00		2.91	6.3	2.19	5.8	1.79	5.7	1.15	4.7	WNW	286
	02		3.19	6.5	2.35	6.3	1.92	6.3	1.23	5.0	W	270
	04		4.06	6.6	2.94	6.3	2.43	6.3	1.53	5.2	WNW	290
	06		* 4.36	7.4	* 3.27	7.0	* 2.66	7.0	* 1.63	5.6	W	270
	08		4.04	7.2	3.01	7.2	2.35	7.1	1.44	5.9	WNW	290
	10		3.15	7.0	2.40	7.1	1.90	7.1	1.14	5.8	WNW	282
	12		2.73	6.8	2.26	7.2	1.73	7.1	1.10	6.2	NW	315
	14		2.78	7.5	2.14	7.3	1.69	7.4	1.06	6.2	NNW	344

	16	2.29	7.9	1.90	7.6	1.51	7.4	0.99	6.2	NNW	327
	18	2.16	7.2	1.77	7.2	1.41	7.3	0.92	6.4	NNW	335
	20	1.88	7.6	1.42	7.0	1.12	7.1	0.71	5.9	N	8
	22	1.74	6.7	1.36	7.0	1.13	6.8	0.72	6.0	NW	323
	最大	4.36	7.4	3.27	7.0	2.66	7.0	1.63	5.6		
	平均	2.94	7.1	2.25	6.9	1.80	6.9	1.14	5.8		
	15	00	1.61	6.2	1.25	6.5	0.96	6.6	0.60	NW	319
		02	* 1.74	6.7	* 1.30	6.9	* 1.03	6.8	* 0.65	NNW	327
		04	1.35	6.2	1.10	6.6	0.88	7.0	0.56	NNW	335
		06	1.24	6.9	0.95	6.9	0.78	6.9	0.49	WNW	303
		08	1.40	6.5	0.99	6.8	0.80	6.7	0.51	NW	323
		10	1.29	6.7	0.90	6.5	0.69	6.7	0.44	NW	311
		12	1.22	6.5	0.89	6.6	0.70	6.6	0.44	NW	315
		14	1.19	7.2	0.85	6.5	0.66	6.5	0.41	WNW	303
		16	1.17	6.2	0.82	6.1	0.67	6.0	0.41	NNW	327
		18	1.25	5.7	1.10	5.2	0.93	5.1	0.62	NW	311
		20	1.40	6.1	1.11	5.2	0.90	5.2	0.56	NNW	327
		22	1.63	5.7	1.15	5.2	0.93	5.2	0.60	NNW	331
	最大	1.74	6.7	1.30	6.9	1.03	6.8	0.65	6.0		
		平均	1.37	6.4	1.03	6.3	0.83	6.3	0.52	5.2	
	16	00	1.82	6.4	1.28	6.1	1.03	6.0	0.66	NNW	331
		02	1.61	5.2	1.11	5.6	0.86	5.5	0.54	NNW	331
		04	1.25	5.7	0.97	5.1	0.76	5.0	0.48	NNW	327
		06	1.16	4.6	1.00	5.1	0.82	5.1	0.54	N	4
		08	1.31	4.8	1.00	5.1	0.80	5.1	0.50	NNW	335
		10	1.43	7.4	1.06	5.9	0.84	5.8	0.54	N	352
		12	1.45	7.0	1.19	6.8	0.95	6.7	0.61	NNW	344
		14	1.46	6.3	1.19	7.0	0.94	7.0	0.59	NNW	340
		16	* 1.89	6.4	1.28	7.0	1.05	6.8	0.66	NNW	335
		18	1.66	9.0	* 1.42	6.8	* 1.14	6.5	* 0.71	NNW	331
		20	1.74	5.7	1.32	6.6	1.07	5.8	0.68	NNW	335
		22	1.69	6.4	1.24	5.6	0.98	5.4	0.62	NNW	327
	最大	1.89	6.4	1.42	6.8	1.14	6.5	0.71	4.8		
		平均	1.54	6.2	1.17	6.1	0.94	5.9	0.59	4.7	
	17	00	1.49	6.9	1.11	5.9	0.89	5.5	0.57	NNW	331
		02	1.62	5.7	1.20	6.1	0.95	5.8	0.61	NNW	335
		04	1.93	3.9	1.37	5.2	1.09	5.0	0.70	NW	323
		06	2.45	6.5	1.76	5.3	1.41	5.5	0.89	NNW	331
		08	2.73	6.1	1.73	6.2	1.40	6.2	0.90	NNW	335
		10	2.59	6.7	1.71	6.0	1.41	6.0	0.88	NNW	331
		12	2.64	6.2	1.84	6.6	* 1.52	6.4	0.96	NNW	340
		14	2.14	5.7	1.66	6.0	1.37	5.9	0.87	NNW	335
		16	* 3.14	5.1	* 1.94	5.7	1.51	5.7	* 0.97	N	352
		18	1.95	4.7	1.62	5.5	1.35	5.5	0.85	NNW	335
		20	2.18	6.7	1.58	5.6	1.27	5.7	0.82	NW	323
		22	2.10	5.4	1.56	5.7	1.28	5.7	0.83	NNW	335
	最大	3.14	5.1	1.94	5.7	1.52	6.4	0.97	4.4		
		平均	2.25	5.8	1.59	5.8	1.29	5.7	0.82	4.6	
	18	00	1.82	6.0	1.46	6.0	1.19	6.0	0.75	NW	319
		02	1.80	6.1	1.47	5.8	1.17	6.1	* 0.76	NW	323
		04	1.59	6.4	1.25	6.3	1.02	6.0	0.66	NNW	335
		06	1.71	6.6	1.31	5.8	1.05	5.6	0.67	NNW	331
		08	1.56	6.5	1.14	6.0	0.90	5.8	0.57	NW	311
		10	1.77	6.8	1.28	5.9	1.01	5.7	0.63	NW	323
		12	1.91	8.6	1.42	6.3	1.16	5.9	0.74	NW	319
		14	1.94	6.6	* 1.49	7.2	* 1.21	6.3	0.75	NNW	344
		16	1.87	7.5	1.31	6.6	1.08	6.1	0.67	NNW	335
		18	* 1.99	8.1	1.36	6.8	1.10	6.6	0.69	NW	323
		20	1.60	7.3	1.27	6.7	1.02	6.8	0.65	NW	315
		22	1.42	7.4	1.12	7.4	0.93	7.0	0.59	NNW	327
	最大	1.99	8.1	1.49	7.2	1.21	6.3	0.76	5.1		
		平均	1.75	7.0	1.32	6.4	1.07	6.2	0.68	4.8	
	19	00	* 1.78	7.0	1.11	7.2	0.85	7.1	0.53	NNW	335
		02	1.20	6.9	0.98	7.2	0.82	7.2	0.53	NNW	327
		04	1.20	7.1	0.99	7.3	0.79	7.2	0.49	NNW	340
		06	1.19	7.1	0.92	6.7	0.73	6.9	0.45	NW	323
		08	1.22	8.1	0.91	7.0	0.72	6.9	0.46	NNW	327
		10	1.24	7.2	0.97	6.8	0.79	7.1	0.50	NW	323

	12	1.22	6.7	0.89	6.8	0.70	6.8	0.44	5.7	NNW	340
	14	1.56	6.4	0.97	6.7	0.75	7.0	0.46	5.8	NW	319
	16	1.06	6.5	0.82	6.8	0.67	6.7	0.42	5.6	NW	319
	18	0.98	6.3	0.70	6.8	0.58	6.8	0.37	5.6	NW	307
	20	1.09	5.2	0.84	4.9	0.69	4.7	0.44	3.5	N	0
	22	1.77	5.0	* 1.40	5.1	* 1.13	4.9	* 0.72	4.1	WNW	282
	最大	1.78	7.0	1.40	5.1	1.13	4.9	0.72	4.1		
	平均	1.29	6.6	0.96	6.6	0.77	6.6	0.48	5.4		
20	00	2.79	5.8	2.34	5.5	1.88	5.4	1.21	4.5		
	02	3.08	4.2	2.44	5.4	1.96	5.8	1.25	4.7	W	278
	04	3.91	5.4	3.01	5.9	2.35	5.9	1.47	4.8		
	06	4.48	5.9	3.17	6.9	2.60	6.7	1.69	5.5	W	278
	08	4.95	6.6	3.79	7.0	3.11	7.3	2.04	6.2	WNW	303
	10	5.82	8.9	4.56	8.0	3.57	7.9	2.26	6.3		
	12	* 6.38	7.7	4.73	9.4	3.70	8.7	2.22	6.5	WNW	295
	14	5.86	9.5	4.11	10.2	3.34	9.7	2.06	7.2	WNW	299
	16	5.62	8.9	4.53	10.9	3.53	10.3	2.19	7.4	WNW	295
	18	5.30	9.9	* 4.77	10.6	* 3.94	10.2	* 2.46	7.8	NW	311
	20	6.26	10.4	4.74	9.7	3.55	9.2	2.17	6.8	NNW	327
	22	6.07	10.7	4.50	10.0	3.59	9.9	2.17	7.2	NW	315
	最大	6.38	7.7	4.77	10.6	3.94	10.2	2.46	7.8		
	平均	5.04	7.8	3.89	8.3	3.09	8.1	1.93	6.2		
21	00	6.00	10.4	4.36	10.3	3.43	9.3	2.17	7.1	NW	311
	02	* 6.09	9.0	4.43	9.6	3.56	9.5	2.17	6.8	NW	323
	04	4.90	9.3	3.96	9.2	3.20	9.1	2.01	6.9	NNW	331
	06	4.75	8.8	3.83	8.3	3.14	8.5	2.03	6.6	NNW	335
	08	4.81	7.4	3.76	8.2	2.97	8.2	1.84	6.2	NNW	335
	10	4.44	8.5	3.93	7.4	3.21	7.5	2.07	6.0	NW	319
	12	5.64	8.9	4.04	8.5	3.26	8.1	2.08	6.3	NNW	344
	14	4.91	6.7	4.23	7.8	3.34	7.7	2.06	6.1		
	16	5.48	9.0	* 4.71	7.7	* 3.78	8.1	* 2.38	6.6	WNW	303
	18	5.37	8.8	4.21	8.4	3.41	8.2	2.11	6.2	NW	311
	20	5.11	8.0	3.93	8.8	3.19	8.1	2.04	6.3	NW	311
	22	4.24	8.0	3.64	8.5	2.97	7.8	1.81	6.0	WNW	303
	最大	6.09	9.0	4.71	7.7	3.78	8.1	2.38	6.6		
	平均	5.15	8.6	4.09	8.6	3.29	8.3	2.06	6.4		
22	00	4.79	8.3	* 3.77	7.6	2.91	7.7	1.81	5.8	NW	323
	02	4.48	7.3	3.57	7.9	* 2.92	7.9	* 1.86	6.3	WNW	295
	04	* 5.33	7.9	3.72	8.3	2.86	7.7	1.74	5.8	WNW	290
	06	4.10	6.9	3.29	7.4	2.68	7.5	1.72	6.0	WNW	303
	08	4.21	8.2	3.30	8.1	2.59	7.6	1.61	6.1	WNW	295
	10	4.14	7.6	3.13	8.3	2.44	7.8	1.50	5.8	WNW	299
	12	3.41	7.5	2.73	7.3	2.20	7.1	1.37	5.6	WNW	286
	14	4.25	7.4	3.13	7.3	2.45	7.5	1.51	6.0	WNW	303
	16	3.54	8.5	2.71	7.7	2.17	7.8	1.38	6.2	WNW	286
	18	3.10	7.3	2.56	7.4	2.05	7.6	1.31	6.2	WNW	303
	20	2.88	6.4	2.06	7.1	1.61	7.2	1.02	5.8	WNW	290
	22	2.41	7.4	1.84	7.3	1.49	7.1	0.92	5.8	NW	307
	最大	5.33	7.9	3.77	7.6	2.92	7.9	1.86	6.3		
	平均	3.89	7.6	2.98	7.6	2.36	7.5	1.48	6.0		
23	00	2.24	6.8	1.58	7.2	1.27	7.2	0.82	6.1	NW	307
	02	1.83	7.4	1.40	6.9	1.12	6.9	0.71	4.8	WNW	295
	04	2.49	6.9	1.83	5.5	1.45	5.2	0.92	4.3	WNW	282
	06	2.90	5.0	2.47	5.7	2.00	5.6	1.31	4.6	W	262
	08	3.79	5.2	3.07	6.2	2.48	6.0	1.56	4.9		
	10	欠测									
	12	* 9.25	10.9	* 7.21	9.9	* 5.52	10.3	* 3.56	8.0	W	274
	14	9.15	11.3	7.05	11.0	5.39	10.6	3.36	8.1	W	278
	16	6.62	10.1	5.06	10.2	4.06	9.5	2.38	6.6	WNW	282
	18	6.75	8.9	5.27	9.0	4.08	8.9	2.45	6.7	WNW	282
	20	5.41	8.0	4.21	8.7	3.46	8.7	2.27	7.0	WNW	282
	22	5.63	10.0	3.76	9.6	3.03	8.8	1.93	6.4	WNW	290
	最大	9.25	10.9	7.21	9.9	5.52	10.3	3.56	8.0		
	平均	5.10	8.2	3.90	8.2	3.08	8.0	1.93	6.1		
24	00	* 6.47	10.3	* 5.14	9.8	* 4.17	9.4	* 2.64	7.4	WNW	290
	02	5.72	9.1	4.80	8.5	3.78	8.9	2.39	7.4	WNW	290

	04	5.63	8.5	4.44	8.9	3.56	9.0	2.19	7.2	WNW	295
	06	4.19	9.7	3.38	9.1	2.76	8.5	1.77	6.8	NW	323
	08	3.79	8.3	2.94	8.6	2.41	8.6	1.54	7.1	WNW	295
	10	3.07	8.6	2.43	8.2	1.92	8.3	1.23	6.4	WNW	290
	12	2.79	8.0	2.38	8.7	1.84	8.2	1.11	6.3	NW	323
	14	3.11	8.5	2.23	8.3	1.71	8.1	1.01	5.9	NW	311
	16	2.24	8.6	1.97	8.5	1.62	8.3	1.03	6.7	NW	323
	18	2.21	8.5	1.74	8.5	1.40	8.3	0.83	6.2	NNW	335
	20	2.19	8.2	1.67	8.4	1.29	8.1	0.77	5.9	NNW	327
	22	2.17	7.7	1.58	7.7	1.24	7.8	0.77	5.9	NNW	335
25	最大	6.47	10.3	5.14	9.8	4.17	9.4	2.64	7.4		
	平均	3.63	8.7	2.89	8.6	2.31	8.5	1.44	6.6		
	00	1.86	7.4	1.41	7.6	1.15	7.4	0.74	5.6	NW	323
	02	2.29	7.2	1.51	6.7	1.23	6.8	0.77	5.5	NW	323
	04	1.73	5.3	1.41	6.6	1.14	6.7	0.74	5.5	NNW	344
	06	1.38	7.7	1.13	7.0	0.88	6.7	0.51	4.7	NNW	331
	08	1.33	7.2	1.07	7.1	0.84	7.2	0.53	5.9	NNW	340
	10	2.79	4.3	1.98	4.9	1.51	4.9	0.97	4.2	WSW	237
	12	4.81	6.2	3.28	5.9	2.65	6.0	1.72	5.1	NW	315
	14	3.74	5.5	3.12	6.3	2.43	6.1	1.48	4.9	W	266
26	16	3.87	5.1	2.81	5.9	2.27	5.9	1.45	4.8	W	278
	18	4.80	5.8	3.40	6.2	2.68	6.2	1.69	5.1	W	270
	20	4.03	7.0	3.39	6.6	2.82	6.7	1.78	5.4	W	270
	22	* 5.25	7.4	* 3.90	7.2	* 3.01	7.0	* 1.85	5.5	WNW	282
	最大	5.25	7.4	3.90	7.2	3.01	7.0	1.85	5.5		
	平均	3.16	6.3	2.37	6.5	1.88	6.5	1.19	5.2		
	00	5.15	7.6	3.92	7.7	3.26	7.6	2.06	5.9	WNW	282
	02	* 5.85	8.3	* 4.68	8.4	* 3.94	8.5	* 2.52	7.0	NNW	327
	04	5.49	9.2	4.39	8.6	3.41	8.3	2.15	6.8	N	356
	06	5.58	7.7	3.64	7.9	2.87	7.8	1.81	6.3	NW	323
27	08	4.23	7.6	3.18	8.1	2.55	7.9	1.63	6.4	NW	315
	10	3.51	7.9	2.77	7.5	2.20	7.7	1.32	6.0	NW	315
	12	4.11	7.9	2.76	7.7	2.21	8.0	1.43	6.7	NW	319
	14	4.05	8.3	2.76	7.7	2.24	7.9	1.49	7.0	NW	319
	16	3.07	8.4	2.43	7.4	1.95	7.5	1.23	5.9	NNW	327
	18	2.73	7.4	2.00	7.7	1.62	7.3	0.98	5.6	NNW	335
	20	3.67	7.0	2.57	7.8	1.88	7.5	1.09	5.8	NW	323
	22	3.05	7.2	2.70	7.7	2.11	7.4	1.33	6.0	NNW	335
	最大	5.85	8.3	4.68	8.4	3.94	8.5	2.52	7.0		
	平均	4.21	7.9	3.15	7.9	2.52	7.8	1.59	6.3		
28	00	4.06	7.5	* 3.47	7.2	* 2.75	6.9	* 1.68	5.6	NNW	340
	02	* 4.19	6.0	3.09	7.1	2.50	7.7	1.63	6.0	NW	315
	04	3.57	6.9	2.81	7.6	2.29	7.5	1.46	5.6	NNW	331
	06	4.02	7.3	3.16	7.9	2.55	8.1	1.56	6.2	NNW	335
	08	3.57	7.8	2.83	7.2	2.21	7.3	1.41	5.8	NNW	331
	10	3.16	7.7	2.65	7.4	2.15	7.7	1.39	6.4	NW	311
	12	2.84	7.2	2.22	7.6	1.89	7.7	1.20	5.9	NNW	335
	14	3.39	7.4	2.57	8.1	2.01	8.0	1.23	6.2	NNW	327
	16	3.29	6.9	2.37	7.8	1.88	8.2	1.16	6.4	NNW	331
	18	2.26	8.0	1.96	7.8	1.59	7.5	1.02	6.4	NW	323
29	20	2.50	7.7	1.88	8.0	1.51	7.7	0.95	6.2	NNW	335
	22	1.89	6.8	1.59	7.2	1.24	7.0	0.82	5.8	NW	315
	最大	4.19	6.0	3.47	7.2	2.75	6.9	1.68	5.6		
	平均	3.23	7.3	2.55	7.6	2.05	7.6	1.29	6.0		
	00	1.97	7.4	1.46	7.4	1.14	7.3	0.66	5.4	NNW	348
	02	1.55	7.6	1.25	7.3	1.01	7.0	0.61	5.1	NNW	335
	04	1.50	7.4	1.18	6.6	0.93	6.1	0.57	4.5	NW	319
	06	1.56	7.2	1.19	6.2	0.95	6.1	0.60	4.6	NNW	340
	08	1.60	6.0	1.27	6.4	1.01	6.0	0.64	4.1	NNW	327
	10	2.72	5.8	1.67	5.7	1.29	5.5	0.81	4.3	NNW	327
30	12	2.08	5.2	1.60	5.9	1.34	5.8	0.87	4.5	NW	315
	14	* 3.06	4.9	* 2.02	5.7	* 1.64	5.7	* 1.06	4.6	N	4
	16	2.41	5.8	1.87	5.1	1.49	5.2	0.97	4.3	NW	323
	18	2.52	5.8	2.02	5.3	1.58	5.3	0.98	4.4		
	20	2.39	6.3	2.01	5.8	1.62	5.6	1.04	4.9	NW	319
	22	2.53	5.5	1.81	6.8	1.46	6.3	0.91	4.9	NNW	331
	最大	3.06	4.9	2.02	5.7	1.64	5.7	1.06	4.6		
	平均	2.39	5.8	1.87	5.4	1.58	5.4	1.04	4.6		
	00	1.97	7.4	1.46	7.4	1.14	7.3	0.66	5.4	NNW	348
	02	1.55	7.6	1.25	7.3	1.01	7.0	0.61	5.1	NNW	335
	04	1.50	7.4	1.18	6.6	0.93	6.1	0.57	4.5	NW	319
	06	1.56	7.2	1.19	6.2	0.95	6.1	0.60	4.6	NNW	340
	08	1.60	6.0	1.27	6.4	1.01	6.0	0.64	4.1	NNW	327
	10	2.72	5.8	1.67	5.7	1.29	5.5	0.81	4.3	NNW	327
	12	2.08	5.2	1.60	5.9	1.34	5.8	0.87	4.5	NW	315
	14	* 3.06	4.9	* 2.02	5.7	* 1.64	5.7	* 1.06	4.6	N	4
	16	2.41	5.8	1.87	5.1	1.49	5.2	0.97	4.3	NW	323
	18	2.52	5.8	2.02	5.3	1.58	5.3	0.98	4.4		
	20	2.39	6.3	2.01	5.8	1.62	5.6	1.04	4.9	NW	319
	22	2.53	5.5	1.81	6.8	1.46	6.3	0.91	4.9	NNW	331
	最大	3.06	4.9	2.02	5.7	1.64	5.7	1.06	4.6		
	平均	2.39	5.8	1.87	5.4	1.58	5.4	1.04	4.6		

	平均	2.16	6.2	1.61	6.2	1.29	6.0	0.81	4.6	
月最大		10.06	9.9	7.41	10.3	5.55	10.1	3.56	8.0	
起時		0106		0202		0202		2312		
平均		3.38	7.4	2.59	7.5	2.07	7.4	1.30	5.8	

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	361 回
欠測回数	0 回	欠測回数	11 回
欠測率	0.0 %	欠測率	3.0 %

観測所名: 金沢港大野地区 | 機種: 波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向		
										16方位	角度	
01	00	2.43	6.5	1.86	6.8	1.52	6.5	0.93	5.2	NW	323	
	02	* 3.10	7.1	1.94	7.1	1.55	6.9	0.95	5.5	NW	315	
	04	2.85	7.2	2.02	7.4	1.62	7.5	1.00	6.0	NW	315	
	06	2.33	7.5	1.99	7.2	* 1.63	7.1	1.01	5.3	NNW	335	
	08	2.40	6.6	1.95	6.9	1.59	6.5	* 1.06	5.4	NW	323	
	10	3.07	7.7	* 2.04	6.8	1.55	6.6	0.93	4.9	NW	315	
	12	2.88	8.4	1.93	7.3	1.52	6.9	0.99	5.5	NW	323	
	14	2.42	6.9	2.03	7.4	1.61	7.6	1.05	6.2	NNW	331	
	16	2.13	8.2	1.79	7.6	1.46	7.4	0.92	5.9	NW	323	
	18	1.94	6.8	1.43	7.0	1.15	7.0	0.72	5.4	NW	315	
	20	1.93	6.9	1.47	6.9	1.14	6.8	0.71	5.5	NW	319	
	22	1.69	6.8	1.27	6.7	1.04	6.7	0.67	5.6	NNW	327	
	最大	3.10	7.1	2.04	6.8	1.63	7.1	1.06	5.4			
	平均	2.43	7.2	1.81	7.1	1.45	7.0	0.91	5.5			
	02	00	1.48	6.6	1.16	6.6	0.92	6.5	0.56	5.3	NNW	327
		02	1.61	7.1	1.18	6.7	0.95	6.5	0.60	5.6	NW	311
		04	1.64	6.7	1.31	6.8	1.06	6.8	0.66	5.8	NNW	327
		06	1.83	7.2	1.47	7.2	1.15	7.3	0.72	6.0	NNW	331
		08	2.07	7.9	1.39	6.9	1.09	6.9	0.69	5.5	NNW	348
		10	* 2.33	6.5	1.64	7.3	1.32	6.9	0.82	5.4	NW	319
		12	2.04	6.8	1.54	6.4	1.26	6.3	0.78	4.7	NW	323
		14	2.32	4.4	1.69	6.1	1.34	6.1	0.83	4.5	NNW	331
16		2.05	6.3	1.61	6.7	1.27	6.7	0.78	5.1	NW	323	
18		1.60	6.6	1.33	6.6	1.07	6.3	0.67	4.7	NNW	327	
20		2.26	5.2	* 1.80	5.3	* 1.46	5.2	* 0.92	4.1	NNW	327	
22		2.04	6.4	1.66	6.1	1.33	6.0	0.84	4.7	NNW	327	
最大		2.33	6.5	1.80	5.3	1.46	5.2	0.92	4.1			
平均		1.94	6.5	1.48	6.6	1.19	6.5	0.74	5.1			
03		00	1.87	5.4	1.33	6.0	1.07	6.0	0.68	5.2	NNW	331
		02	1.57	6.1	1.16	6.1	0.97	5.9	0.65	5.2	NNW	335
		04	1.60	5.0	1.40	5.4	1.13	5.5	0.72	4.8	NW	323
		06	2.25	6.1	1.74	6.2	1.38	6.0	0.87	5.2	NNW	348
		08	2.26	5.8	1.69	6.2	1.30	6.2	0.80	5.1	NW	323
		10	2.17	6.3	1.59	6.6	1.33	6.6	0.84	5.6	NNW	327
		12	1.86	7.1	1.45	6.6	1.19	6.7	0.78	5.6	NNW	327
		14	2.41	7.4	1.73	7.9	1.35	7.8	0.86	6.0	NNW	327
	16	* 2.51	7.5	* 1.90	8.1	* 1.49	7.9	* 0.94	6.4	NNW	327	
	18	1.95	7.9	1.71	8.0	1.39	8.1	0.84	5.7	N	352	
	20	1.68	8.8	1.44	7.8	1.11	7.4	0.65	5.3	NNW	327	
	22	1.79	7.5	1.32	7.4	1.00	7.2	0.61	5.4	NNW	327	
	最大	2.51	7.5	1.90	8.1	1.49	7.9	0.94	6.4			
	平均	1.99	6.7	1.54	6.9	1.23	6.8	0.77	5.5			
	04	00	1.33	7.2	1.09	6.7	0.90	6.7	0.56	5.0	NNW	331
		02	1.22	7.0	0.98	7.0	0.80	6.9	0.50	5.3	NNW	331
		04	1.12	7.0	0.83	7.0	0.64	6.6	0.40	4.8	NW	323
		06	1.21	6.6	0.84	6.4	0.65	6.2	0.41	4.9	NNW	331
		08	1.40	6.0	0.87	6.1	0.73	6.1	0.46	4.9	NNW	335
		10	1.26	5.9	0.93	6.3	0.73	6.1	0.45	4.6	NNW	348
		12	1.67	8.1	1.31	7.0	1.05	7.1	0.66	5.6	NNW	344
		14	1.66	5.8	1.34	6.8	1.08	6.2	0.67	4.6	NNW	344
16		2.56	5.6	2.02	5.4	1.62	5.3	1.02	4.3	SW	229	
18		3.47	6.0	2.81	6.0	2.28	6.2	1.46	5.0	WSW	258	
20		4.01	5.9	3.26	6.6	2.61	6.7	1.62	5.4	WSW	254	
22		* 4.82	5.7	* 3.49	6.6	* 2.80	6.9	* 1.74	5.5	N	4	
最大		4.82	5.7	3.49	6.6	2.80	6.9	1.74	5.5			

	平均	2.14	6.4	1.65	6.5	1.32	6.4	0.83	5.0		
05	00	* 4.62	7.8	3.03	7.5	2.39	7.3	1.48	5.7	WSW	254
	02	4.06	7.2	2.96	7.3	2.20	7.0	1.30	5.4	W	262
	04	4.08	8.2	* 3.17	7.5	* 2.41	7.4	* 1.54	6.2	NNW	340
	06	3.56	4.9	2.70	6.6	2.12	6.4	1.35	5.3	NNW	344
	08	3.04	7.8	2.32	7.0	1.80	6.6	1.08	4.9	NNW	327
	10	2.61	7.7	1.93	6.5	1.49	6.1	0.92	5.0	NNW	335
	12	2.79	6.6	1.96	6.3	1.51	6.2	0.93	5.0	NNW	327
	14	2.04	5.9	1.55	6.4	1.25	6.2	0.78	4.7	NNW	344
	16	1.76	6.4	1.33	6.4	1.07	6.1	0.69	4.7	NNW	331
	18	1.54	6.3	1.22	6.1	1.03	5.7	0.66	4.3	NNW	344
	20	1.71	5.3	1.36	5.1	1.04	5.2	0.65	4.1	NNW	327
	22	1.57	5.7	1.19	5.2	0.95	5.1	0.63	4.2	NNW	331
	最大	4.62	7.8	3.17	7.5	2.41	7.4	1.54	6.2		
	平均	2.78	6.7	2.06	6.5	1.61	6.3	1.00	5.0		
06	00	1.47	5.6	1.04	5.2	0.84	5.1	0.53	4.0	NNW	331
	02	1.55	5.4	1.06	5.0	0.84	4.8	0.53	4.0	N	356
	04	1.55	5.0	1.01	4.9	0.82	4.8	0.53	4.0	NNW	344
	06	1.37	4.2	1.04	4.8	0.83	4.8	0.52	3.9	N	356
	08	1.36	6.7	* 1.15	5.3	* 0.93	4.9	* 0.59	4.0	NW	323
	10	1.68	4.5	1.12	5.2	0.88	5.0	0.55	4.0	NW	315
	12	* 1.77	4.5	1.01	5.2	0.80	5.0	0.53	4.0	NNW	335
	14	1.34	5.2	0.91	5.3	0.73	5.0	0.48	4.0	NNW	331
	16	1.21	4.7	0.91	4.6	0.74	4.4	0.48	3.6		
	18	1.21	3.6	0.85	4.0	0.70	4.2	0.45	3.5	N	0
	20	1.08	7.1	0.81	5.2	0.65	5.0	0.43	4.1	NNE	33
	22	1.12	5.4	0.85	5.9	0.69	5.8	0.43	4.3	NNW	331
	最大	1.77	4.5	1.15	5.3	0.93	4.9	0.59	4.0		
	平均	1.39	5.2	0.98	5.1	0.79	4.9	0.50	4.0		
07	00	1.11	5.7	0.81	5.8	0.62	5.8	0.39	4.3		
	02	0.98	5.7	0.74	6.0	0.60	6.0	0.37	4.5	NW	319
	04	0.98	6.0	0.72	5.9	0.57	5.7	0.35	4.2	NNW	335
	06	0.83	5.3	0.66	5.8	0.52	5.5	0.33	4.0	NNW	331
	08	1.03	5.3	0.68	5.5	0.54	4.9	0.34	3.5	N	8
	10	1.32	7.4	1.02	6.4	0.80	6.0	0.51	4.4	NNW	348
	12	2.53	4.8	1.94	6.2	1.49	5.8	0.91	4.5	NW	311
	14	3.40	5.9	2.21	6.5	1.74	6.4	1.12	5.1	NW	307
	16	3.42	5.3	2.47	6.6	1.92	6.3	1.21	5.1	W	278
	18	3.48	7.4	2.50	7.3	2.11	7.0	1.33	5.6	WNW	286
	20	* 5.54	8.3	* 3.05	8.2	* 2.31	7.8	* 1.43	6.1	W	278
	22	3.90	9.0	2.78	8.0	2.26	8.0	1.39	6.2	WNW	282
	最大	5.54	8.3	3.05	8.2	2.31	7.8	1.43	6.1		
	平均	2.38	6.3	1.63	6.5	1.29	6.3	0.81	4.8		
08	00	3.68	8.8	2.69	8.6	2.19	8.0	1.38	6.2		
	02	3.88	7.7	2.92	8.4	2.28	8.3	1.35	6.3	WNW	303
	04	* 4.73	8.5	* 3.17	8.0	2.39	7.9	1.49	6.2	WNW	299
	06	3.92	8.4	3.03	8.0	2.44	8.1	1.55	6.5	W	262
	08	3.62	7.0	2.83	7.4	2.27	7.6	1.40	5.8	W	270
	10	3.84	5.5	3.12	7.5	* 2.47	7.6	* 1.60	6.1	WNW	282
	12	3.91	8.7	2.82	7.5	2.32	7.0	1.47	5.6	WNW	286
	14	3.33	6.7	2.55	7.2	2.01	6.9	1.26	5.2	WNW	290
	16	2.87	8.6	2.39	6.6	1.98	6.4	1.30	5.5	W	262
	18	2.78	6.7	2.15	6.9	1.72	6.5	1.09	5.0	W	266
	20	2.30	8.3	1.84	6.6	1.47	7.0	0.92	5.2	W	266
	22	2.14	5.5	1.78	7.1	1.47	6.9	0.92	5.3	W	270
	最大	4.73	8.5	3.17	8.0	2.47	7.6	1.60	6.1		
	平均	3.42	7.5	2.61	7.5	2.08	7.4	1.31	5.7		
09	00	2.64	7.4	2.08	6.9	1.65	7.0	1.06	5.1	W	274
	02	2.95	6.6	2.29	7.3	1.83	7.1	1.14	5.4	W	274
	04	2.86	5.3	2.23	6.6	1.80	6.2	1.14	4.9	WNW	295
	06	2.88	6.0	2.22	6.3	1.77	6.2	1.09	4.9	NW	319
	08	2.72	6.5	2.24	6.1	1.79	6.4	1.08	5.0	NNW	327
	10	3.92	6.8	2.27	7.0	1.78	6.8	1.09	5.4	NW	323
	12	2.84	7.7	2.28	7.5	1.84	7.4	1.14	6.1	NNE	12
	14	* 3.94	8.4	2.72	8.5	2.03	8.5	1.25	6.7	NW	319
	16	3.22	9.7	* 2.79	9.2	* 2.29	9.1	* 1.42	7.5	WNW	299
	18	3.41	9.3	2.60	9.0	2.05	9.1	1.20	6.9	NW	319
	20	2.92	9.0	2.45	8.6	1.90	8.9	1.18	7.3	NNW	331
	22	2.94	8.1	2.32	9.0	1.82	8.7	1.13	7.2	NNW	327

		最大	3.94	8.4	2.79	9.2	2.29	9.1	1.42	7.5		
		平均	3.10	7.6	2.37	7.7	1.88	7.6	1.16	6.0		
10	00	* 2.23	8.2	* 1.92	8.3	* 1.59	8.6	* 0.98	7.1	NNW	331	
	02	1.92	8.4	1.69	8.2	1.37	8.2	0.82	6.6	NNW	331	
	04	2.01	7.6	1.60	8.2	1.37	8.2	0.95	7.4	NNW	327	
	06	1.90	8.4	1.55	8.3	1.25	8.0	0.79	6.8	NW	323	
	08	1.57	7.5	1.24	7.9	0.99	7.8	0.61	6.1	NW	315	
	10	1.17	7.0	1.01	7.3	0.79	7.4	0.50	6.0	NW	319	
	12	0.93	7.3	0.79	7.3	0.66	7.2	0.41	6.0	NNW	327	
	14	1.19	7.1	0.77	6.2	0.60	5.1	0.39	3.6	NNW	335	
	16	0.99	3.8	0.79	5.0	0.64	4.9	0.41	3.6	NW	319	
	18	0.96	3.1	0.76	4.5	0.62	4.1	0.41	3.3	N	352	
	20	0.96	3.9	0.66	4.1	0.53	4.0	0.35	3.3	NNW	344	
	22	0.89	4.4	0.71	3.9	0.58	3.9	0.38	3.3	SW	217	
	最大	2.23	8.2	1.92	8.3	1.59	8.6	0.98	7.1			
	平均	1.39	6.4	1.12	6.6	0.92	6.5	0.58	5.3			
	11	00	0.82	2.8	0.64	3.6	0.53	3.7	0.34	3.1	SW	233
		02	0.69	4.3	0.53	4.2	0.43	4.1	0.28	3.4	W	266
		04	0.77	3.6	0.52	4.4	0.40	4.1	0.26	3.3	SW	221
		06	0.73	4.3	0.46	4.8	0.38	4.6	0.25	3.7	WSW	254
		08	0.80	5.3	0.53	5.4	0.42	5.2	0.26	3.9	NW	307
		10	0.80	5.3	0.63	5.7	0.50	5.7	0.32	4.5	WNW	290
		12	0.85	5.8	0.67	6.0	0.54	5.8	0.34	4.7	WNW	286
		14	0.95	4.9	0.71	6.3	0.56	6.1	0.35	4.6	WNW	303
16		1.03	5.5	0.70	6.7	0.57	6.8	0.37	5.3	WNW	295	
18		1.43	3.8	1.06	5.8	0.83	5.0	0.54	3.7	NW	307	
20		* 2.10	5.0	1.52	5.1	1.22	5.2	0.79	4.2	NNW	335	
22		1.94	7.6	* 1.64	5.9	* 1.29	5.7	* 0.83	4.7	NW	315	
最大		2.10	5.0	1.64	5.9	1.29	5.7	0.83	4.7			
平均		1.08	4.9	0.80	5.3	0.64	5.2	0.41	4.1			
12		00	2.91	5.6	1.90	6.1	1.47	6.2	0.95	4.7	NW	323
		02	2.37	4.2	1.71	5.8	1.43	5.8	0.90	4.5	NW	315
		04	2.90	6.9	1.99	6.4	1.55	6.2	0.96	4.7	NW	319
		06	4.07	5.2	2.52	5.7	2.01	5.8	1.26	4.6		
		08	4.48	6.0	3.27	6.3	2.67	6.0	1.66	5.0	W	266
		10	5.30	6.0	3.45	6.4	2.76	6.5	1.78	5.5	W	270
		12	4.77	6.6	3.58	6.9	2.90	7.0	1.78	5.6	WNW	286
		14	5.13	7.0	3.95	7.6	3.20	7.3	2.01	6.0	WNW	282
	16	5.12	5.9	4.35	7.5	3.45	7.6	2.13	6.3	NW	307	
	18	6.11	7.5	4.33	7.9	3.45	8.0	2.14	6.2	WNW	290	
	20	5.90	10.1	4.49	8.6	3.46	8.5	2.13	6.7	WNW	282	
	22	* 6.58	9.8	* 4.85	9.2	* 3.82	9.3	* 2.26	6.9	NW	319	
	最大	6.58	9.8	4.85	9.2	3.82	9.3	2.26	6.9			
	平均	4.64	6.7	3.37	7.0	2.68	7.0	1.66	5.6			
	13	00	* 5.86	8.2	* 4.47	9.0	3.51	8.6	2.22	6.8	NW	323
		02	5.80	9.3	4.12	9.4	3.46	9.0	* 2.34	7.2	NW	323
		04	4.78	10.2	4.11	9.8	3.37	9.3	2.09	7.0	NNW	331
		06	5.54	7.7	4.20	8.6	* 3.54	8.8	2.30	7.3	NW	323
		08	5.33	9.1	4.34	9.0	3.41	8.8	2.07	6.5	NW	323
		10	4.57	7.4	3.82	8.5	3.10	8.6	1.91	6.7	NW	315
		12	3.99	9.8	3.46	9.4	2.90	9.0	1.86	6.9	NNW	331
		14	3.92	8.3	3.49	8.7	2.81	8.5	1.75	6.7	NW	323
16		4.92	8.7	3.28	8.2	2.60	8.4	1.58	6.2	WNW	303	
18		4.73	8.7	3.34	8.2	2.60	8.2	1.56	6.3	NW	311	
20		3.88	8.3	2.82	8.4	2.23	8.0	1.36	6.0	NNW	331	
22		3.89	9.5	3.13	8.7	2.56	8.4	1.66	6.4	NW	319	
最大		5.86	8.2	4.47	9.0	3.54	8.8	2.34	7.2			
平均		4.77	8.8	3.72	8.8	3.01	8.6	1.89	6.7			
14		00	4.01	7.3	2.85	8.0	2.32	7.5	1.45	5.6	NW	319
		02	* 4.21	6.1	* 3.11	7.7	* 2.50	7.7	* 1.53	6.1	NNW	335
		04	3.52	7.1	2.79	7.8	2.15	7.2	1.31	5.6	NW	315
		06	3.22	6.6	2.76	7.7	2.21	7.6	1.35	5.8	NNW	335
		08	3.00	6.7	2.33	7.5	1.84	7.3	1.15	5.8	NW	315
		10	3.34	6.5	2.52	7.4	2.05	7.4	1.22	5.7	W	266
		12	3.28	7.7	2.45	7.4	1.93	7.4	1.19	5.8	NNW	335
		14	2.70	7.3	2.12	7.2	1.70	7.1	1.10	5.6	NW	319

	16	2.35	6.7	1.87	6.5	1.52	6.5	0.96	5.0	NW	323
	18	2.73	7.5	1.90	7.0	1.55	6.7	0.95	4.9	NW	319
	20	2.15	5.8	1.72	6.3	1.41	6.4	0.88	4.8	NW	319
	22	2.19	5.7	1.61	6.0	1.30	6.1	0.81	4.9	NW	323
	最大 平均	4.21 3.06	6.1 6.8	3.11 2.34	7.7 7.2	2.50 1.87	7.7 7.1	1.53 1.16	6.1 5.5		
15	00	2.40	5.7	1.63	6.1	1.32	6.2	0.82	4.9	NW	315
	02	* 2.58	6.7	* 2.05	6.8	* 1.63	6.6	* 0.99	5.4	NW	315
	04	2.14	7.3	1.70	6.9	1.37	6.8	0.88	5.6	WNW	290
	06	1.97	7.0	1.46	6.5	1.14	6.7	0.73	5.6	WNW	295
	08	1.84	6.4	1.38	6.4	1.07	6.4	0.66	5.1	WNW	290
	10	1.53	6.4	1.19	6.3	0.93	6.0	0.60	5.2	WNW	286
	12	1.56	5.6	1.20	6.5	0.98	6.2	0.62	4.7	WNW	290
	14	1.50	5.3	1.13	5.5	0.90	5.2	0.60	4.2	WNW	290
	16	1.95	5.2	1.32	5.1	1.05	5.0	0.66	4.0	WSW	254
	18	1.86	5.6	1.32	5.1	1.05	5.0	0.66	4.0	WSW	250
	20	1.11	4.8	0.94	5.3	0.77	5.4	0.50	4.4	WSW	245
	22	1.46	4.1	0.93	5.1	0.74	5.1	0.45	3.8	W	266
	最大 平均	2.58 1.83	6.7 5.8	2.05 1.35	6.8 6.0	1.63 1.08	6.6 5.9	0.99 0.68	5.4 4.7		
	16	00	1.36	4.9	1.12	5.0	0.90	4.8	0.57	3.8	W
02		1.51	4.7	1.18	5.0	0.97	4.9	0.62	4.1	W	274
04		1.34	5.6	1.05	5.2	0.83	5.2	0.51	4.3	W	274
06		1.60	6.1	1.21	5.7	0.97	5.7	0.61	4.7	W	270
08		1.71	6.0	* 1.33	6.2	* 1.06	6.2	* 0.66	5.0	WNW	286
10		1.40	5.8	1.17	5.9	0.99	6.0	0.65	5.0	WNW	303
12		1.43	5.0	1.11	5.6	0.90	5.8	0.56	4.6	NW	307
14		1.45	5.1	1.10	5.9	0.87	5.9	0.53	4.7	WNW	286
16		* 1.81	5.4	1.23	5.7	0.99	5.7	0.62	4.7	W	274
18		1.24	6.2	0.94	5.7	0.76	5.4	0.50	4.5	W	270
20		1.40	5.8	0.98	5.6	0.75	5.4	0.45	4.2	W	266
22		1.02	5.5	0.78	5.4	0.61	5.5	0.38	4.4	WNW	282
最大 平均		1.81 1.44	5.4 5.5	1.33 1.10	6.2 5.6	1.06 0.88	6.2 5.5	0.66 0.56	5.0 4.5		
17		00	0.74	5.1	0.63	5.1	0.52	5.3	0.33	4.5	W
	02	0.71	5.3	0.59	5.4	0.48	5.4	0.30	4.6	W	270
	04	0.66	5.4	0.53	5.1	0.41	5.2	0.26	4.4	W	270
	06	0.69	5.5	0.53	5.3	0.42	5.3	0.27	4.7	WNW	290
	08	0.57	5.0	0.47	5.1	0.37	5.1	0.24	4.4	WNW	290
	10	0.63	5.3	0.47	5.0	0.38	5.0	0.24	4.2	NNW	327
	12	1.55	3.5	1.07	3.4	0.83	3.5	0.53	3.1	SW	229
	14	2.01	4.1	1.51	4.3	1.21	4.2	0.80	3.7	SW	229
	16	1.92	5.5	1.53	4.3	1.23	4.4	0.80	3.9	WSW	245
	18	2.47	4.5	1.75	4.6	1.45	4.6	0.94	3.9	WSW	241
	20	2.08	3.7	1.51	4.4	1.22	4.5	0.82	3.8	W	274
	22	* 2.52	5.6	* 2.04	5.6	* 1.62	5.4	* 1.03	4.5	WSW	254
	最大 平均	2.52 1.38	5.6 4.9	2.04 1.05	5.6 4.8	1.62 0.85	5.4 4.8	1.03 0.55	4.5 4.1		
	18	00	2.99	6.2	2.22	5.9	1.79	6.0	1.12	4.7	
02		3.28	4.9	2.13	5.7	1.68	5.6	1.06	4.5	WSW	254
04		2.45	5.1	1.87	5.6	1.49	5.4	0.93	4.4	W	262
06		2.25	5.6	1.79	5.6	1.41	5.6	0.87	4.6	WNW	286
08		2.53	5.3	1.77	5.4	1.40	5.2	0.86	4.1	W	274
10		4.01	6.2	2.65	5.9	2.05	5.8	1.27	4.7		
12		3.98	6.6	3.15	6.3	2.41	6.3	1.55	5.2	W	274
14		4.68	7.0	3.71	7.0	2.96	7.0	1.81	5.6	W	270
16		4.92	7.8	3.87	7.2	3.17	7.3	2.03	6.1	WNW	286
18		5.16	9.2	4.25	8.6	3.57	8.3	2.10	6.2	WNW	303
20		4.61	8.5	3.81	8.6	3.09	8.4	1.96	6.5	WNW	303
22		* 6.74	10.3	* 5.31	9.9	* 4.04	9.6	* 2.46	7.3	WNW	299
最大 平均		6.74 3.97	10.3 6.9	5.31 3.04	9.9 6.8	4.04 2.42	9.6 6.7	2.46 1.50	7.3 5.3		
19		00	4.55	10.2	4.04	9.9	* 3.42	9.4	* 2.25	7.7	
	02	* 5.40	9.3	* 4.05	9.4	3.29	9.3	1.97	7.2	NW	323
	04	5.08	9.6	3.97	9.4	3.09	9.4	1.96	7.7	NNW	327
	06	4.39	9.1	3.44	9.1	2.83	9.4	1.78	7.5	NW	323
	08	3.58	7.1	3.01	8.8	2.46	8.7	1.50	7.0	NNW	340
	10	3.57	6.9	2.87	8.1	2.28	8.1	1.40	6.6		

	12	3.16	8.2	2.32	8.3	1.86	8.1	1.20	6.7	N	352	
	14	2.77	7.5	2.29	7.5	1.82	7.8	1.17	6.4	NW	315	
	16	2.58	6.6	2.03	7.5	1.60	7.4	1.00	6.1	NW	319	
	18	1.86	7.3	1.58	6.8	1.30	6.8	0.80	5.6	NNW	335	
	20	2.09	8.0	1.65	7.0	1.31	6.9	0.82	5.4	NNW	331	
	22	1.86	7.5	1.56	7.0	1.25	6.8	0.78	5.7	NNW	331	
	最大	5.40	9.3	4.05	9.4	3.42	9.4	2.25	7.7			
	平均	3.41	8.1	2.73	8.2	2.21	8.2	1.39	6.6			
	20	00	1.86	5.9	1.38	7.2	1.11	6.8	0.70	5.5	NNW	335
		02	1.43	6.0	1.10	6.9	0.89	6.7	0.56	5.3	NW	323
04		1.23	6.1	0.95	6.6	0.77	6.7	0.50	5.5	WNW	303	
06		1.20	6.5	0.97	6.4	0.78	6.6	0.47	5.2	NNW	348	
08		1.20	6.8	0.94	7.0	0.78	6.9	0.49	5.4	NNW	340	
10		1.16	6.1	0.94	7.0	0.75	6.3	0.48	4.5	NNW	340	
12		1.84	3.5	1.21	4.9	1.00	4.9	0.67	4.0	WSW	245	
14		1.88	4.3	1.60	4.6	1.31	4.8	0.83	4.0	W	270	
16		2.24	4.7	1.64	4.8	1.33	4.9	0.84	4.1	WSW	241	
18		2.62	5.2	1.63	4.7	1.34	4.7	0.88	4.0	W	278	
20	2.88	5.5	2.44	5.6	1.90	5.5	1.20	4.5	W	278		
22	* 4.00	6.8	* 2.73	6.2	* 2.19	6.1	* 1.36	5.0	W	270		
最大	4.00	6.8	2.73	6.2	2.19	6.1	1.36	5.0				
平均	1.96	5.6	1.46	6.0	1.18	5.9	0.75	4.8				
21	00	4.24	6.6	* 3.29	6.5	* 2.69	6.6	* 1.65	5.4	W	266	
	02	* 4.27	7.6	3.21	6.6	2.46	6.5	1.53	5.2	W	274	
	04	3.57	6.7	2.78	6.6	2.25	6.5	1.40	5.3	NW	323	
	06	3.32	7.6	2.93	7.2	2.38	7.1	1.49	5.7	NW	315	
	08	3.81	6.9	2.47	7.1	2.04	7.2	1.26	5.7	WNW	286	
	10	2.95	6.6	2.06	7.2	1.64	7.1	1.03	5.7	W	274	
	12	2.48	6.3	1.86	7.3	1.53	7.1	0.97	5.8	WNW	290	
	14	2.89	7.8	2.02	6.6	1.60	6.9	1.00	5.6	NNW	327	
	16	2.25	6.5	1.67	6.7	1.37	6.6	0.85	4.9	NW	319	
	18	2.20	6.8	1.48	6.4	1.16	6.5	0.70	5.0	WNW	303	
20	1.70	6.1	1.25	6.2	1.06	6.1	0.69	5.1	WNW	303		
22	1.61	5.8	1.32	6.1	1.03	6.2	0.65	5.5	NNW	340		
最大	4.27	7.6	3.29	6.5	2.69	6.6	1.65	5.4				
平均	2.94	6.8	2.20	6.7	1.77	6.7	1.10	5.4				
22	00	1.32	6.2	0.97	6.0	0.76	6.0	0.47	5.3	NW	311	
	02	1.04	6.6	0.83	6.4	0.65	6.2	0.41	5.2	WNW	303	
	04	0.84	4.8	0.67	5.5	0.55	5.5	0.36	4.3	W	274	
	06	1.00	6.4	0.75	5.1	0.60	5.1	0.38	4.1	WSW	245	
	08	1.12	4.3	0.75	4.5	0.61	4.4	0.38	3.5	WSW	258	
	10	* 1.42	4.7	* 1.07	4.1	* 0.86	4.1	* 0.54	3.4	WSW	237	
	12	1.17	3.5	0.96	4.0	0.77	4.0	0.49	3.4	WSW	237	
	14	1.12	4.8	0.82	4.6	0.66	4.7	0.42	3.9	WSW	241	
	16	0.95	4.3	0.67	4.2	0.53	4.0	0.34	3.2	WSW	241	
	18	0.84	3.5	0.63	3.9	0.51	3.9	0.33	3.3	NNE	25	
20	0.62	3.3	0.46	4.3	0.38	4.3	0.25	3.4	NNE	25		
22	0.61	4.7	0.46	5.6	0.37	5.4	0.24	4.2	N	0		
最大	1.42	4.7	1.07	4.1	0.86	4.1	0.54	3.4				
平均	1.00	4.8	0.75	4.9	0.60	4.8	0.38	3.9				
23	00	0.51	6.1	0.41	6.0	0.33	5.8	0.21	4.5	NW	315	
	02	0.49	6.8	0.40	6.0	0.33	6.0	0.21	4.7	NW	319	
	04	0.80	4.2	0.64	4.6	0.52	4.1	0.33	3.1	NW	319	
	06	2.43	4.9	1.61	5.2	1.26	5.1	0.79	4.1	NW	319	
	08	2.29	5.7	1.59	5.6	1.27	5.6	0.80	4.5	NNW	327	
	10	2.19	4.6	1.62	5.6	1.27	5.6	0.79	4.3	NNW	331	
	12	* 2.90	5.9	1.57	6.3	1.25	6.0	0.81	4.8	NW	319	
	14	2.63	5.9	* 1.76	6.2	1.42	6.2	0.90	4.9	NNW	327	
	16	2.13	6.6	1.73	6.5	1.41	6.4	* 0.90	5.3	NW	323	
	18	2.22	4.9	1.73	6.1	* 1.43	5.9	0.89	4.9	NW	319	
20	2.31	5.7	1.59	5.9	1.29	5.8	0.86	4.9	NW	323		
22	1.76	5.8	1.37	6.0	1.10	6.0	0.70	5.0	NNW	335		
最大	2.90	5.9	1.76	6.2	1.43	5.9	0.90	5.3				
平均	1.89	5.6	1.34	5.8	1.07	5.7	0.68	4.6				
24	00	1.57	6.2	1.36	5.9	1.07	5.9	0.67	5.1	NNW	327	
	02	1.58	5.3	1.23	5.7	1.00	5.7	0.65	5.1	NNW	335	

	04	1.44	5.7	1.06	5.5	0.84	5.4	0.53	4.4	NNW	331
	06	1.38	5.5	1.06	5.5	0.84	5.5	0.53	4.5	NNW	348
	08	1.32	5.0	0.88	5.4	0.69	5.4	0.44	4.5	NNW	327
	10	1.03	5.2	0.85	5.5	0.68	5.7	0.43	4.6	NNE	16
	12	1.00	6.0	0.82	5.6	0.65	5.5	0.40	4.4	NNE	20
	14	1.15	4.3	0.90	4.7	0.75	4.6	0.49	3.8	N	356
	16	2.67	4.5	2.23	5.1	1.82	4.9	1.24	4.3		
	18	3.57	5.7	2.59	5.7	2.05	5.7	1.31	4.7	WSW	254
	20	3.00	4.9	2.46	5.8	2.01	5.7	1.25	4.6	SW	233
	22	* 3.78	5.4	* 2.75	5.9	* 2.24	6.2	* 1.42	5.1	W	266
	最大	3.78	5.4	2.75	5.9	2.24	6.2	1.42	5.1		
	平均	1.96	5.3	1.52	5.5	1.22	5.5	0.78	4.6		
25	00	5.39	5.3	4.13	6.7	3.19	6.9	1.94	5.6		
	02	7.41	8.3	6.05	8.3	4.77	8.1	2.95	6.6	W	262
	04	7.27	9.5	6.10	9.3	* 5.03	9.6	3.19	7.8		
	06	* 7.94	10.0	* 6.45	9.7	4.94	9.4	2.99	7.1	NW	315
	08	6.59	11.4	5.65	9.3	4.76	9.7	* 3.20	8.2	WNW	299
	10	7.93	8.5	5.27	9.2	4.29	9.2	2.78	7.6	NW	311
	12	7.75	9.3	5.03	9.2	3.86	9.1	2.31	7.0	NNW	335
	14	6.69	9.1	4.34	9.0	3.40	8.7	2.09	6.9	NW	319
	16	5.55	9.2	3.82	8.9	2.99	8.6	1.86	6.7	NNW	327
	18	4.62	6.2	3.41	8.2	2.80	8.0	1.86	6.5	NW	323
	20	3.93	7.9	3.32	7.5	2.80	7.5	1.83	5.8	NNW	327
	22	5.22	6.7	3.78	7.2	2.90	7.1	1.76	5.5	NNW	331
	最大	7.94	10.0	6.45	9.7	5.03	9.6	3.20	8.2		
	平均	6.36	8.5	4.78	8.5	3.81	8.5	2.40	6.8		
26	00	* 6.33	7.8	3.76	7.4	3.04	7.4	1.93	5.9	NNW	331
	02	6.07	7.2	* 4.33	8.2	* 3.43	7.9	* 2.18	6.8	NW	319
	04	4.63	8.7	3.63	8.1	2.95	8.0	1.79	6.3	WNW	295
	06	4.33	7.9	3.11	8.2	2.46	8.0	1.51	6.2	NNW	327
	08	4.00	6.9	2.43	7.6	1.85	7.3	1.14	5.6	NW	315
	10	3.31	7.7	2.85	7.2	2.34	7.2	1.44	5.7	NW	307
	12	4.96	6.9	3.16	7.3	2.36	7.4	1.38	5.5	W	266
	14	3.87	7.7	3.07	7.9	2.34	7.9	1.44	6.1	W	278
	16	5.10	7.9	3.08	7.8	2.36	7.5	1.44	5.9	W	278
	18	3.12	6.2	2.46	7.3	2.00	7.3	1.27	5.9	WNW	282
	20	3.54	6.5	2.23	6.8	1.72	7.0	1.07	5.5	W	266
	22	2.78	7.1	1.85	7.2	1.50	7.0	0.96	5.7	W	274
	最大	6.33	7.8	4.33	8.2	3.43	7.9	2.18	6.8		
	平均	4.34	7.4	3.00	7.6	2.36	7.5	1.46	5.9		
27	00	2.75	7.7	* 1.93	6.9	* 1.48	6.9	* 0.93	5.8	W	266
	02	* 2.85	7.0	1.76	7.0	1.38	6.8	0.89	5.7	NNW	340
	04	2.05	7.3	1.49	7.0	1.20	6.9	0.74	5.6	N	356
	06	2.43	7.7	1.76	7.4	1.42	7.3	0.85	5.7	NNW	331
	08	2.05	7.7	1.56	7.3	1.28	7.3	0.80	5.9	NNW	327
	10	2.10	6.3	1.54	7.4	1.20	7.2	0.73	5.3	NNW	327
	12	1.63	6.7	1.38	6.6	1.09	6.2	0.68	4.6	NNW	331
	14	1.55	7.4	1.13	6.2	0.91	5.5	0.57	3.8	NNW	344
	16	1.96	6.6	1.49	6.2	1.20	5.9	0.76	4.4	NW	307
	18	1.96	6.9	1.46	6.8	1.15	6.6	0.70	5.2	W	274
	20	1.87	6.2	1.35	6.4	1.08	6.4	0.68	5.2	W	274
	22	1.42	7.0	1.18	6.3	0.94	6.3	0.60	5.4	W	266
	最大	2.85	7.0	1.93	6.9	1.48	6.9	0.93	5.8		
	平均	2.05	7.0	1.50	6.8	1.19	6.6	0.74	5.2		
28	00	* 1.37	5.7	* 1.00	6.0	* 0.79	6.2	* 0.52	5.3	WNW	286
	02	0.96	5.5	0.81	6.0	0.66	6.1	0.42	5.1	W	274
	04	0.94	5.9	0.75	5.9	0.63	5.9	0.40	5.0	W	278
	06	0.88	5.5	0.71	5.7	0.57	5.7	0.36	4.9	W	262
	08	0.66	5.1	0.52	5.5	0.42	5.5	0.28	4.8	W	274
	10	0.61	5.1	0.51	5.4	0.40	5.3	0.26	4.7	W	278
	12	0.69	4.7	0.44	5.4	0.36	5.3	0.24	4.5	W	274
	14	0.58	4.5	0.43	4.9	0.34	4.9	0.22	4.2	NW	307
	16	0.59	4.7	0.42	4.6	0.34	4.7	0.22	3.8	W	278
	18	0.70	3.4	0.54	3.9	0.43	3.9	0.28	3.3	WSW	254
	20	1.05	3.0	0.64	3.2	0.52	3.2	0.33	2.7	SW	235
	22	1.05	2.9	0.66	3.2	0.54	3.2	0.36	2.8	NNE	24
	最大	1.37	5.7	1.00	6.0	0.79	6.2	0.52	5.3		

	平均	0.84	4.7	0.62	5.0	0.50	5.0	0.32	4.3		
29	00	1.57	2.9	1.07	3.8	0.83	3.7	0.52	3.1	WNW	295
	02	1.66	3.6	1.26	4.2	1.00	4.1	0.65	3.6	WNW	295
	04	2.69	4.7	1.85	4.7	1.51	4.6	0.99	4.2	NW	319
	06	2.48	5.5	1.88	5.2	1.47	5.2	0.92	4.4	NW	307
	08	2.43	5.0	1.66	5.4	1.31	5.2	0.81	4.2	NW	323
	10	2.87	6.2	2.22	6.0	1.73	6.0	1.13	5.1	W	278
	12	3.93	7.8	2.94	7.4	2.34	7.2	1.44	5.5	NNW	327
	14	3.83	7.2	2.78	7.0	2.21	6.9	1.42	5.7	NNW	331
	16	3.54	9.0	2.81	7.5	2.23	7.2	1.35	5.5	NNW	327
	18	4.61	8.1	3.31	7.8	2.60	8.2	1.61	6.4	NNW	340
	20	* 4.87	8.7	* 3.77	9.0	2.97	9.2	1.77	6.8	NW	323
	22	4.23	7.9	3.77	8.7	* 3.02	8.8	* 1.87	6.8	NW	323
	最大	4.87	8.7	3.77	9.0	3.02	8.8	1.87	6.8		
	平均	3.23	6.4	2.44	6.4	1.94	6.4	1.21	5.1		
30	00	5.53	9.8	3.80	9.4	* 3.09	9.0	* 1.98	7.1	NW	315
	02	4.49	8.0	3.64	8.9	2.97	8.7	1.94	7.0	NW	323
	04	* 5.56	8.1	* 3.99	8.8	3.06	8.9	1.80	6.6	NNW	348
	06	4.33	10.0	3.65	8.7	2.91	9.2	1.75	6.9	NNW	335
	08	4.75	8.9	3.36	8.9	2.70	8.9	1.72	7.3	NNW	331
	10	4.57	8.8	3.14	8.1	2.50	8.3	1.53	6.3	NW	307
	12	3.66	7.1	2.96	8.7	2.39	8.0	1.46	6.0	NW	319
	14	3.70	9.0	2.96	8.3	2.43	7.7	1.52	5.9	NW	315
	16	3.46	7.7	2.76	8.0	2.25	7.5	1.39	5.7	NW	311
	18	3.45	8.9	2.60	7.9	2.11	7.8	1.28	5.7	NNW	340
	20	3.43	9.3	2.47	7.8	1.99	7.6	1.22	5.5	NNW	340
	22	3.35	8.4	2.57	8.2	2.04	7.9	1.30	6.1	NNW	340
	最大	5.56	8.1	3.99	8.8	3.09	9.0	1.98	7.1		
	平均	4.19	8.7	3.16	8.5	2.54	8.3	1.57	6.3		
31	00	* 2.96	8.3	* 2.40	7.8	* 1.92	7.6	* 1.20	5.8	NNW	335
	02	2.95	9.1	2.25	8.1	1.82	7.9	1.13	6.0	NNW	331
	04	2.82	7.3	2.06	7.7	1.62	7.6	0.99	6.0	NNW	340
	06	2.55	8.6	1.90	7.7	1.50	7.5	0.99	6.2	NNW	331
	08	2.16	6.8	1.77	7.1	1.38	7.1	0.86	5.8	NNW	331
	10	1.94	6.9	1.67	8.0	1.34	7.5	0.83	5.6	NNW	344
	12	1.89	8.6	1.53	8.5	1.22	7.6	0.79	6.1	NNW	335
	14	1.65	6.6	1.27	8.2	1.03	7.7	0.65	6.0	NNW	327
	16	1.69	6.5	1.23	7.2	0.93	6.9	0.56	4.9	NW	311
	18	1.96	7.1	1.47	7.5	1.20	7.0	0.74	5.0	NNW	344
	20	2.03	7.8	1.69	6.3	1.38	5.9	0.90	4.7	W	270
	22	2.16	7.1	1.85	6.1	1.50	6.2	0.99	4.9	W	266
	最大	2.96	8.3	2.40	7.8	1.92	7.6	1.20	5.8		
	平均	2.23	7.6	1.76	7.5	1.40	7.2	0.89	5.6		
	月最大	7.94	10.0	6.45	9.7	5.03	9.6	3.20	8.2		
	起時	2506		2506		2504		2508			
	平均	2.63	6.5	1.98	6.6	1.58	6.5	0.99	5.2		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	335 回
欠測回数	0 回	欠測回数	25 回
欠測率	0.0 %	欠測率	6.9 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 2.28	5.9	* 1.74	6.4	* 1.36	6.3	* 0.86	5.0	N	352
	02	2.10	6.5	1.67	6.1	1.34	6.1	0.83	5.1	W	270
	04	1.78	7.1	1.43	6.2	1.11	6.3	0.69	5.1	WNW	303
	06	1.98	5.9	1.36	6.1	1.10	6.3	0.71	5.3	NW	311
	08	1.82	6.0	1.33	6.3	1.10	6.4	0.70	5.3	W	278
	10	1.63	5.3	1.33	6.4	1.07	6.9	0.67	5.5	NNW	331
	12	1.98	5.5	1.32	7.4	1.06	6.9	0.67	5.1	NNW	344
	14	1.58	9.4	1.27	6.4	1.02	6.2	0.63	4.9	NW	315
	16	1.56	6.6	1.24	6.2	0.96	6.2	0.59	4.6	WNW	286
	18	1.50	6.3	1.27	6.6	1.05	6.8	0.65	4.9	NW	315
	20	1.54	6.1	1.23	6.5	0.99	6.3	0.64	5.1	NNW	344
	22	1.22	5.7	1.05	6.7	0.87	6.3	0.56	5.1	NNW	327
	最大	2.28	5.9	1.74	6.4	1.36	6.3	0.86	5.0		
	平均	1.75	6.4	1.35	6.4	1.09	6.4	0.68	5.1		
02	00	1.31	5.6	* 1.08	6.6	* 0.87	6.7	* 0.56	5.7	NW	323
	02	* 1.64	6.5	0.99	6.9	0.79	6.7	0.51	5.6	NW	319
	04	1.15	6.5	0.90	6.8	0.71	6.9	0.45	5.6	N	352
	06	0.94	9.3	0.80	6.9	0.65	6.8	0.41	5.3	NNW	348
	08	0.81	7.8	0.70	6.9	0.57	6.5	0.36	5.0	NNW	344
	10	0.89	5.1	0.69	6.7	0.56	6.3	0.37	5.1	NW	323
	12	0.72	6.7	0.55	6.2	0.45	6.0	0.28	4.7	NNW	335
	14	0.64	6.3	0.50	6.6	0.40	6.2	0.26	4.6	NNW	340
	16	0.59	6.5	0.44	6.3	0.35	5.7	0.23	4.1		
	18	0.87	4.2	0.64	4.3	0.54	4.1	0.35	3.3	SW	225
	20	0.76	3.2	0.58	4.1	0.49	4.2	0.32	3.5	WSW	250
	22	1.08	4.0	0.81	3.8	0.64	3.8	0.41	3.2	WSW	237
	最大	1.64	6.5	1.08	6.6	0.87	6.7	0.56	5.7		
	平均	0.95	6.0	0.72	6.0	0.59	5.8	0.38	4.6		
03	00	0.75	3.7	0.60	4.2	0.49	4.1	0.32	3.3	WSW	241
	02	0.75	3.0	0.58	3.4	0.47	3.7	0.30	3.0	SW	225
	04	1.14	3.7	0.79	3.8	0.64	3.8	0.42	3.4	WSW	241
	06	1.16	3.1	0.95	3.6	0.78	3.7	0.50	3.3	SW	217
	08	1.06	4.1	0.73	3.9	0.59	3.9	0.38	3.2		
	10	0.92	3.8	0.63	4.2	0.50	4.1	0.33	3.6	SW	221
	12	1.02	4.4	0.79	3.9	0.64	3.9	0.41	3.5	NNW	340
	14	* 2.22	4.2	1.60	4.5	1.26	4.5	0.80	3.9	NNW	327
	16	1.76	4.5	1.35	4.7	1.11	4.9	0.70	4.1	NNW	327
	18	1.62	5.3	1.40	5.2	1.17	5.0	0.74	4.2	NNW	340
	20	2.06	5.4	1.59	5.1	1.27	5.1	0.79	4.0		
	22	1.92	6.3	* 1.73	5.8	* 1.42	5.6	* 0.87	4.4	NNW	335
	最大	2.22	4.2	1.73	5.8	1.42	5.6	0.87	4.4		
	平均	1.37	4.3	1.06	4.4	0.86	4.4	0.55	3.7		
04	00	2.54	5.9	1.88	6.2	1.52	6.2	0.97	5.2	NNW	331
	02	* 3.12	5.1	* 1.96	6.3	1.57	6.1	0.98	4.8	NNW	344
	04	2.85	5.9	1.96	5.9	* 1.60	6.0	* 1.02	4.8	NNW	327
	06	2.34	5.3	1.89	5.6	1.50	5.5	0.95	4.4	NNW	331
	08	2.19	5.9	1.66	5.7	1.36	5.7	0.85	4.6	NW	319
	10	2.12	5.1	1.44	5.3	1.15	5.3	0.70	4.2	NNW	331
	12	1.61	5.3	1.42	5.8	1.16	5.8	0.74	4.5	NNW	327
	14	1.91	5.6	1.38	5.6	1.11	5.4	0.68	4.0	NW	323
	16	1.39	3.9	1.22	5.4	1.00	5.4	0.63	4.2	NW	319
	18	1.56	5.5	1.17	5.5	0.93	5.3	0.59	4.2		
	20	1.43	5.3	1.06	5.9	0.86	5.8	0.55	4.6	NNW	335
	22	1.33	5.6	1.02	6.0	0.82	5.9	0.52	4.6	NNE	29
	最大	3.12	5.1	1.96	6.3	1.60	6.0	1.02	4.8		

	平均	2.03	5.4	1.51	5.8	1.22	5.7	0.77	4.5		
05	00	1.34	5.3	0.99	5.9	0.80	5.9	0.50	4.4	NNW	335
	02	1.37	4.3	0.91	5.5	0.75	5.3	0.49	4.2	NNW	331
	04	1.03	5.7	0.79	6.1	0.64	5.8	0.40	4.3	NNW	335
	06	0.98	4.3	0.78	5.7	0.62	5.2	0.40	3.8	NNW	331
	08	1.02	4.1	0.74	4.4	0.60	4.3	0.38	3.4	NNW	344
	10	1.50	3.9	1.18	4.0	0.97	4.0	0.64	3.5		
	12	2.14	3.9	1.53	4.5	1.25	4.5	0.79	4.0	W	262
	14	2.61	4.7	1.69	4.6	1.31	4.7	0.83	4.0	WSW	254
	16	2.28	5.2	1.83	5.7	1.43	5.6	0.90	4.4	WNW	286
	18	* 2.89	7.9	1.93	6.9	1.53	6.8	0.97	5.2	WNW	282
06	20	2.75	7.5	1.98	7.1	1.58	6.8	0.98	5.3	W	278
	22	2.71	8.1	* 2.02	7.2	* 1.58	7.6	* 1.00	5.9	W	274
	最大	2.89	7.9	2.02	7.2	1.58	7.6	1.00	5.9		
	平均	1.89	5.4	1.36	5.6	1.09	5.5	0.69	4.4		
	00	2.07	7.4	1.78	7.7	1.48	7.7	0.93	6.0	W	266
	02	2.17	7.0	1.86	7.4	1.44	7.2	0.88	5.5	W	278
	04	2.39	6.6	1.96	7.2	1.57	7.2	0.99	5.8	W	278
	06	2.42	7.4	2.10	7.1	1.69	7.2	1.05	5.7	W	266
	08	2.68	6.9	1.87	7.4	1.51	7.0	0.95	5.4	W	278
	10	2.78	7.1	2.30	7.6	1.88	7.6	1.20	6.2	W	274
07	12	3.43	7.5	2.47	7.6	1.96	7.5	1.21	6.0	W	266
	14	* 3.77	7.3	* 2.54	7.2	* 2.02	7.3	* 1.25	5.7	W	274
	16	3.09	9.0	2.30	7.6	1.87	7.4	1.20	5.9	WNW	282
	18	3.13	8.4	1.98	7.6	1.57	7.4	0.99	5.6	W	274
	20	2.37	7.2	2.12	7.6	1.72	7.6	1.08	6.3	W	274
	22	2.74	7.8	2.15	7.5	1.67	7.4	1.08	6.4	WNW	282
	最大	3.77	7.3	2.54	7.2	2.02	7.3	1.25	5.7		
	平均	2.75	7.5	2.12	7.5	1.70	7.4	1.07	5.9		
	00	2.34	7.0	* 1.80	7.4	* 1.44	7.3	* 0.97	6.3	W	266
	02	1.92	7.2	1.52	7.2	1.20	7.0	0.78	5.9	WNW	282
08	04	* 2.44	6.1	1.68	6.4	1.34	6.3	0.83	4.5	W	270
	06	1.87	6.1	1.41	5.9	1.09	5.8	0.67	4.4	W	278
	08	1.54	6.9	1.25	6.0	1.04	5.6	0.67	4.2	W	262
	10	1.69	5.4	1.38	5.0	1.12	4.9	0.73	3.9	WNW	286
	12	2.21	3.9	1.39	5.2	1.11	4.9	0.71	4.0	WSW	245
	14	1.41	5.9	1.05	5.3	0.84	4.9	0.53	3.7	WSW	250
	16	1.33	4.4	1.07	4.6	0.87	4.4	0.56	3.5	W	262
	18	1.51	4.2	1.06	5.4	0.84	5.0	0.53	3.8	W	262
	20	1.40	5.7	1.15	6.2	0.94	6.0	0.60	4.4	WNW	286
	22	1.68	5.6	1.36	6.5	1.09	5.9	0.69	4.3	W	274
09	最大	2.44	6.1	1.80	7.4	1.44	7.3	0.97	6.3		
	平均	1.78	5.7	1.34	5.9	1.08	5.7	0.69	4.4		
	00	1.93	6.7	1.59	5.9	1.32	5.8	0.83	4.3	WNW	295
	02	2.33	5.3	1.78	6.0	1.42	5.9	0.92	4.7	WNW	295
	04	2.28	6.5	1.63	6.5	1.29	6.1	0.78	4.6	W	270
	06	* 2.70	6.8	1.70	6.3	1.37	6.4	0.88	5.0	WNW	290
	08	2.52	5.9	1.73	6.0	1.40	6.1	0.87	5.1	W	270
	10	2.23	5.7	1.55	6.2	1.25	6.3	0.78	5.0	W	274
	12	2.04	7.3	1.65	6.6	1.35	6.5	0.86	5.6	W	278
	14	2.12	7.5	1.82	7.0	1.49	6.9	0.90	5.3	W	278
09	16	2.43	6.4	* 1.93	6.6	1.51	6.7	0.96	5.6	NW	323
	18	2.27	6.4	1.89	6.9	* 1.52	6.6	* 0.97	5.4	NNW	331
	20	2.14	6.4	1.79	6.9	1.47	6.7	0.94	5.4	NNW	327
	22	2.18	6.4	1.68	7.1	1.31	6.9	0.85	5.7	NNW	331
	最大	2.70	6.8	1.93	6.6	1.52	6.6	0.97	5.4		
	平均	2.26	6.4	1.73	6.5	1.39	6.4	0.88	5.1		
	00	1.98	7.0	* 1.60	7.0	* 1.31	6.9	* 0.82	5.6	NW	323
	02	* 2.03	6.6	1.45	6.9	1.17	6.5	0.73	5.4	NW	323
	04	1.97	6.6	1.45	6.9	1.16	7.1	0.75	6.0	NNW	340
	06	1.39	6.9	1.09	6.6	0.88	6.7	0.56	5.3	NNW	344
09	08	1.52	6.5	1.16	7.0	0.94	7.0	0.61	5.8	NNW	335
	10	1.36	6.4	1.08	6.9	0.85	6.6	0.55	5.5	NNW	335
	12	1.29	6.9	1.03	6.3	0.83	6.4	0.52	4.6	NW	319
	14	1.43	5.8	1.10	6.5	0.85	5.9	0.53	4.2	NNW	327
	16	1.53	5.3	1.17	6.3	0.95	5.8	0.59	4.2	NNW	335
	18	1.29	6.7	1.01	5.9	0.82	5.5	0.54	4.6	NW	311
	20	1.20	6.3	0.92	6.7	0.74	6.5	0.48	5.0	NW	319
	22	1.22	5.9	0.95	7.0	0.74	6.7	0.47	5.1	NNW	335

	最大		2.03	6.6	1.60	7.0	1.31	6.9	0.82	5.6			
	平均		1.52	6.4	1.17	6.7	0.94	6.5	0.60	5.1			
10	00		1.11	9.2	0.83	7.9	0.68	7.6	0.41	5.6	NNW	327	
	02		0.97	7.5	0.77	8.4	0.64	8.6	0.42	6.5	N	356	
	04		1.14	6.9	0.74	7.9	0.59	7.6	0.38	6.1	N	0	
	06		1.01	7.8	0.78	7.7	0.61	7.8	0.37	5.7	NNW	331	
	08		0.92	9.9	0.78	7.2	0.62	6.6	0.39	4.7	NNW	344	
	10		1.25	4.6	0.98	4.3	0.77	4.5	0.51	3.8	SW	221	
	12		* 2.15	4.9	1.45	4.6	1.14	4.7	0.72	3.8			
	14		2.00	3.9	* 1.51	4.3	* 1.20	4.5	* 0.76	3.8	SW	229	
	16		1.99	6.5	1.48	4.6	1.15	4.6	0.72	3.9	SW	233	
	18		1.74	4.1	1.31	4.8	1.08	5.0	0.70	4.1	WSW	245	
	20		1.87	5.1	1.32	4.6	1.04	4.5	0.68	3.9	SW	217	
	22		1.63	4.5	1.15	4.4	0.91	4.3	0.58	3.5	SW	225	
	最大		2.15	4.9	1.51	4.3	1.20	4.5	0.76	3.8			
	平均		1.48	6.2	1.09	5.9	0.87	5.9	0.55	4.6			
	11	00		1.54	4.0	1.17	4.1	0.93	4.3	0.62	3.7	NNW	327
		02		2.20	4.7	1.66	5.1	1.34	5.0	0.88	4.2	NNW	327
		04		2.48	6.2	1.89	6.3	1.54	6.1	0.95	4.7	NNW	327
		06		2.37	6.4	2.05	6.4	1.67	6.7	* 1.09	5.4	NW	319
		08		* 2.82	7.5	* 2.20	6.9	* 1.71	6.7	1.05	5.3	NW	319
10			2.57	6.9	1.79	6.5	1.41	6.4	0.89	5.2	NW	319	
12			2.04	5.6	1.65	6.2	1.35	6.5	0.88	5.3	NNW	331	
14			1.86	6.1	1.54	6.3	1.26	6.3	0.77	4.9	NNW	335	
16			1.80	5.6	1.50	5.7	1.22	5.9	0.79	4.9	NNW	335	
18			1.61	5.5	1.33	5.7	1.09	5.7	0.73	4.8	NNW	331	
20			1.70	5.1	1.28	5.6	1.03	5.5	0.66	4.5	NNW	335	
22			1.73	5.1	1.18	5.1	0.93	5.3	0.59	4.2	N	352	
最大			2.82	7.5	2.20	6.9	1.71	6.7	1.09	5.4			
平均			2.06	5.7	1.60	5.8	1.29	5.9	0.83	4.8			
12		00		* 1.39	4.0	* 1.07	5.2	* 0.85	5.2	* 0.53	4.1	WNW	295
		02		1.13	4.7	0.93	5.2	0.78	5.1	0.51	4.0	WNW	303
		04		1.31	5.9	0.95	5.3	0.73	4.7	0.46	3.8	N	0
		06		1.12	5.9	0.90	5.4	0.73	4.9	0.48	3.7	NNW	348
		08		1.22	4.2	0.84	4.8	0.68	4.7	0.45	3.8	N	0
	10		1.05	5.1	0.71	4.8	0.58	4.7	0.37	3.7	NNW	335	
	12		0.97	4.9	0.68	5.0	0.55	4.9	0.35	3.8	NNW	348	
	14		0.93	4.7	0.65	5.5	0.52	5.1	0.33	4.2	NNW	340	
	16		0.96	4.9	0.65	5.2	0.51	5.1	0.33	4.1	N	356	
	18		1.00	5.0	0.65	5.4	0.52	5.1	0.34	4.1	N	356	
	20		0.79	4.8	0.57	5.3	0.47	5.1	0.30	4.0	N	8	
	22		0.79	5.1	0.58	5.1	0.46	4.8	0.30	3.6	N	352	
	最大		1.39	4.0	1.07	5.2	0.85	5.2	0.53	4.1			
	平均		1.06	4.9	0.77	5.2	0.62	5.0	0.40	3.9			
	13	00		0.59	4.9	0.49	5.0	0.40	4.8	0.25	3.6	NNW	340
		02		0.77	5.8	0.56	3.8	0.47	3.8	0.31	3.1	N	8
		04		0.89	3.3	0.59	4.2	0.47	3.9	0.31	3.0	NNW	327
		06		1.33	3.7	0.85	3.9	0.67	3.9	0.44	3.3	NNW	335
		08		* 1.47	3.3	* 1.05	4.1	* 0.84	4.1	* 0.54	3.5	NNW	327
10			1.09	3.5	0.84	3.7	0.67	3.7	0.43	3.3	NNW	335	
12			1.05	3.6	0.80	3.7	0.65	3.7	0.43	3.2	NW	323	
14			1.38	3.9	0.83	4.0	0.68	4.0	0.44	3.4	NW	315	
16			0.97	3.6	0.81	4.1	0.65	4.1	0.41	3.4	NW	311	
18			0.94	3.8	0.70	4.1	0.56	4.1	0.35	3.4	NW	311	
20			0.86	4.0	0.68	4.1	0.54	4.2	0.35	3.5	NNE	12	
22			0.77	4.4	0.62	4.4	0.50	4.3	0.32	3.6	NNE	12	
最大			1.47	3.3	1.05	4.1	0.84	4.1	0.54	3.5			
平均			1.01	4.0	0.74	4.1	0.59	4.1	0.38	3.4			
14		00		0.68	3.9	0.56	4.3	0.46	4.3	0.29	3.8	N	0
		02		0.91	4.4	0.54	4.5	0.42	4.5	0.26	3.8		
		04		0.67	4.3	0.52	4.8	0.42	4.7	0.27	4.0	N	352
		06		0.65	4.0	0.47	4.7	0.38	4.6	0.24	3.6	N	356
		08		0.65	4.1	0.50	4.3	0.42	4.3	0.27	3.4	WSW	258
	10		* 0.96	3.6	* 0.64	3.4	* 0.51	3.4	* 0.33	3.0	W	273	
	12		0.90	3.6	0.58	3.6	0.46	3.6	0.30	3.1			
	14		0.86	3.0	0.53	3.7	0.42	3.6	0.28	3.1			

	16	0.63	3.5	0.43	3.5	0.35	3.4	0.23	2.9	WSW	258
	18	0.56	3.0	0.41	3.6	0.33	3.5	0.22	3.1		
	20	0.43	3.5	0.35	3.7	0.28	3.8	0.19	3.3	N	4
	22	0.54	3.5	0.38	4.1	0.31	4.0	0.20	3.5	WSW	254
	最大	0.96	3.6	0.64	3.4	0.51	3.4	0.33	3.0		
	平均	0.70	3.7	0.49	4.0	0.40	4.0	0.26	3.4		
15	00	0.60	4.3	0.42	4.5	0.34	4.5	0.23	4.0	NW	319
	02	0.67	4.5	0.53	4.4	0.43	4.6	0.28	4.1	NW	319
	04	0.82	5.1	0.55	4.4	0.43	4.3	0.28	3.7	NNW	335
	06	0.81	3.8	0.62	4.6	0.49	4.5	0.32	3.7	WNW	295
	08	1.45	3.8	0.80	4.1	0.63	4.2	0.40	3.5	W	262
	10	1.24	3.3	0.97	3.8	0.78	3.9	0.50	3.3	WNW	295
	12	1.67	3.4	1.21	4.0	0.96	3.9	0.59	3.3	WSW	258
	14	* 2.16	4.3	* 1.60	4.6	* 1.28	4.9	* 0.79	3.9	WNW	286
	16	1.94	5.2	1.37	5.7	1.14	5.9	0.71	4.5	W	278
	18	1.77	6.3	1.27	6.1	1.04	5.8	0.66	4.7	WNW	290
	20	1.76	6.1	1.33	6.0	1.07	6.0	0.66	4.8	W	274
	22	1.48	5.7	1.22	5.7	0.98	6.0	0.61	4.9	W	270
最大	2.16	4.3	1.60	4.6	1.28	4.9	0.79	3.9			
平均	1.36	4.7	0.99	4.8	0.80	4.9	0.50	4.0			
16	00	* 1.56	6.5	* 1.19	6.4	* 0.99	6.3	* 0.63	5.1	W	262
	02	1.26	5.7	1.07	5.8	0.87	5.9	0.55	4.9	WSW	258
	04	1.25	4.6	0.96	5.3	0.76	5.3	0.50	4.5	WSW	254
	06	1.38	4.6	0.94	5.1	0.76	5.2	0.49	4.2	WSW	254
	08	1.29	4.9	0.86	4.9	0.70	5.1	0.45	4.3	W	266
	10	1.05	4.8	0.80	5.1	0.62	5.2	0.40	4.3	WNW	299
	12	0.99	4.7	0.79	5.2	0.64	5.1	0.39	3.8	W	274
	14	1.16	4.8	0.85	5.1	0.67	5.0	0.42	3.8	WNW	290
	16	0.90	3.7	0.73	4.9	0.60	4.7	0.38	3.7	WNW	290
	18	0.96	4.9	0.71	5.0	0.57	4.8	0.36	3.7	W	262
	20	0.85	5.4	0.61	5.1	0.48	4.8	0.30	3.5	NW	315
	22	0.79	5.3	0.57	4.7	0.45	4.4	0.28	3.3	WNW	286
最大	1.56	6.5	1.19	6.4	0.99	6.3	0.63	5.1			
平均	1.12	5.0	0.84	5.2	0.68	5.2	0.43	4.1			
17	00	0.62	5.5	0.47	4.3	0.39	4.1	0.26	3.3	NW	319
	02	0.94	3.4	0.52	4.0	0.41	4.0	0.26	3.1	WNW	290
	04	0.69	4.2	0.51	4.1	0.41	4.0	0.27	3.2	WNW	282
	06	0.78	3.9	0.60	4.4	0.47	4.1	0.31	3.3	WNW	299
	08	1.11	3.0	0.88	4.4	0.71	4.2	0.45	3.3	W	278
	10	1.72	5.4	1.28	5.3	1.01	5.1	0.63	3.9	WNW	282
	12	1.66	5.3	1.43	5.7	1.17	5.4	0.76	4.2	WNW	290
	14	* 2.33	5.6	* 1.65	5.7	* 1.34	5.6	* 0.85	4.4	WNW	286
	16	1.61	5.8	1.40	6.0	1.16	5.9	0.72	4.6	WNW	290
	18	1.56	5.4	1.24	6.1	0.98	6.0	0.63	4.9	WNW	303
	20	1.41	6.6	1.10	6.2	0.91	6.1	0.61	5.3	W	274
	22	1.16	6.8	0.91	6.2	0.75	6.2	0.47	4.9	W	266
最大	2.33	5.6	1.65	5.7	1.34	5.6	0.85	4.4			
平均	1.30	5.1	1.00	5.2	0.81	5.1	0.52	4.0			
18	00	0.97	5.7	* 0.83	6.2	* 0.63	6.0	* 0.37	4.3	WNW	290
	02	1.06	5.7	0.73	5.4	0.58	5.4	0.36	4.4	NW	311
	04	0.81	4.3	0.67	5.4	0.54	5.3	0.35	4.1	W	262
	06	0.91	5.5	0.67	5.3	0.52	4.8	0.32	3.9	WSW	258
	08	0.83	4.9	0.63	4.3	0.50	4.1	0.33	3.4	N	0
	10	* 1.15	3.6	0.76	3.9	0.59	3.9	0.37	3.3	NNW	327
	12	0.65	4.3	0.54	4.3	0.44	4.0	0.29	3.3	NNW	335
	14	0.75	3.5	0.51	3.9	0.40	3.9	0.25	3.2	NNE	20
	16	0.86	3.1	0.59	3.6	0.46	3.7	0.30	3.1	NNE	12
	18	0.88	4.1	0.65	3.8	0.53	3.7	0.35	3.3	N	356
	20	0.79	4.6	0.52	5.3	0.42	4.7	0.27	3.5	N	352
	22	0.61	8.2	0.52	7.0	0.44	6.8	0.29	5.1	NNW	348
最大	1.15	3.6	0.83	6.2	0.63	6.0	0.37	4.3			
平均	0.86	4.8	0.64	4.9	0.50	4.7	0.32	3.7			
19	00	0.75	9.2	0.61	9.2	0.50	8.5	0.31	5.8	N	0
	02	0.82	10.4	0.66	8.8	0.51	7.8	0.32	5.6	NNW	335
	04	1.01	7.8	* 0.83	8.9	* 0.65	8.4	* 0.41	6.0	NNW	340
	06	0.99	7.5	0.80	8.8	0.64	8.1	0.38	5.5	NNW	340
	08	* 1.29	7.3	0.79	7.8	0.61	7.1	0.38	5.1	NNW	335
	10	1.03	9.9	0.73	8.1	0.57	7.1	0.36	4.8	NNW	348

	12	1.02	6.8	0.68	7.5	0.50	7.0	0.30	4.7	NNW	340
	14	0.76	7.7	0.62	7.9	0.49	7.4	0.29	5.0	NNW	340
	16	0.80	9.1	0.60	8.1	0.47	7.7	0.29	5.5	N	356
	18	0.68	8.6	0.54	7.5	0.43	6.6	0.25	4.3	N	356
	20	0.73	6.9	0.52	6.9	0.40	6.1	0.24	4.1	N	352
	22	0.57	7.3	0.47	7.3	0.37	7.1	0.23	5.0	N	0
	最大	1.29	7.3	0.83	8.9	0.65	8.4	0.41	6.0		
	平均	0.87	8.2	0.65	8.1	0.51	7.4	0.31	5.1		
20	00	0.72	7.6	0.50	7.3	0.39	7.1	0.25	5.0	NNW	340
	02	0.57	7.4	0.46	7.3	0.36	6.9	0.22	5.0	NNW	348
	04	0.81	6.7	0.55	5.5	0.44	4.9	0.28	3.8	N	356
	06	1.23	3.8	0.71	4.2	0.55	4.2	0.36	3.5	WSW	241
	08	1.62	3.8	0.96	3.6	0.76	3.6	0.49	3.2	WSW	254
	10	1.39	3.6	0.92	4.3	0.74	4.0	0.48	3.2	SW	233
	12	* 2.26	4.0	1.38	4.5	1.10	4.5	0.72	3.9	SW	233
	14	1.99	5.4	* 1.48	4.8	* 1.18	4.7	0.72	3.9	WSW	237
	16	1.53	4.3	1.03	4.4	0.84	4.5	0.54	3.6	WSW	237
18	1.83	4.4	1.39	4.6	1.13	4.6	* 0.73	3.8	WSW	241	
20	1.56	3.8	1.23	3.9	1.00	4.0	0.66	3.5	SW	229	
22	1.53	3.4	1.17	3.8	0.92	3.7	0.60	3.4	W	278	
最大	2.26	4.0	1.48	4.8	1.18	4.7	0.73	3.8			
平均	1.42	4.9	0.98	4.9	0.78	4.7	0.50	3.8			
21	00	0.90	4.3	0.67	4.7	0.52	4.5	0.34	3.6	W	262
	02	0.65	5.9	0.46	5.5	0.37	5.3	0.24	4.0	SW	233
	04	0.71	4.8	0.55	4.8	0.44	4.3	0.28	3.0	WSW	254
	06	0.78	5.8	0.59	5.7	0.45	5.5	0.27	3.7	W	262
	08	1.11	6.0	0.82	5.0	0.65	4.6	0.41	3.4	W	266
	10	1.75	5.4	1.08	5.1	0.86	4.8	0.55	3.6	W	266
	12	2.17	5.6	1.46	5.6	1.16	5.3	0.73	4.0	W	262
	14	1.95	4.3	1.50	5.2	1.18	4.9	0.75	3.9	W	266
	16	2.25	5.6	1.64	6.1	1.35	5.9	0.83	4.5	WSW	254
18	1.68	7.2	1.47	6.8	1.24	6.6	0.81	5.1	WNW	303	
20	2.19	6.9	1.61	7.0	1.29	7.0	0.80	5.4	WNW	282	
22	* 2.31	8.0	* 1.75	7.0	* 1.36	7.3	* 0.86	6.1	NW	315	
最大	2.31	8.0	1.75	7.0	1.36	7.3	0.86	6.1			
平均	1.54	5.8	1.13	5.7	0.91	5.5	0.57	4.2			
22	00	1.78	6.6	1.38	7.0	1.15	7.2	0.73	5.7	WNW	295
	02	1.72	7.7	1.30	7.3	1.05	7.1	0.68	6.0	WNW	286
	04	2.17	7.4	1.73	7.2	1.28	6.9	0.74	4.7		
	06	2.08	6.8	1.68	6.5	1.39	6.3	0.88	4.7	WNW	299
	08	2.47	4.9	1.98	6.8	1.62	6.9	1.00	5.1	NW	315
	10	2.35	6.4	1.77	6.5	1.43	6.3	0.91	4.8	WNW	303
	12	2.59	6.6	1.79	6.4	1.44	6.2	0.87	4.9	WNW	299
	14	2.48	5.7	2.03	6.1	1.66	6.2	1.05	4.7	W	266
	16	3.58	4.9	2.45	6.0	1.94	5.9	1.24	4.9	W	270
18	* 3.90	5.8	2.63	6.5	2.08	6.5	1.31	5.3	W	274	
20	3.34	6.6	* 2.67	6.9	2.15	6.7	* 1.37	5.2	W	278	
22	2.99	7.7	2.63	6.7	* 2.19	6.8	1.34	5.3	W	274	
最大	3.90	5.8	2.67	6.9	2.19	6.8	1.37	5.2			
平均	2.62	6.4	2.00	6.7	1.62	6.6	1.01	5.1			
23	00	3.22	7.3	* 2.61	7.3	* 2.15	7.1	* 1.36	5.7	W	270
	02	* 3.57	7.1	2.41	7.1	1.90	6.9	1.17	5.6	W	278
	04	2.50	6.7	2.03	7.0	1.74	7.1	1.16	6.0	W	274
	06	2.40	5.6	1.93	6.9	1.52	6.7	0.92	5.4	W	270
	08	2.44	7.2	1.74	6.9	1.40	6.8	0.88	5.6	WNW	286
	10	1.87	7.2	1.58	6.7	1.31	6.8	0.85	5.6	WNW	299
	12	2.28	7.2	1.85	6.9	1.46	7.1	0.89	5.7	WNW	282
	14	2.10	6.9	1.73	6.9	1.36	6.9	0.84	5.6	WNW	286
	16	1.87	7.3	1.43	6.6	1.14	6.9	0.73	5.5	NW	323
18	1.67	6.6	1.32	6.8	1.09	6.9	0.67	5.1	W	262	
20	1.64	6.8	1.37	7.0	1.13	6.8	0.68	5.2	NW	307	
22	1.53	7.0	1.17	6.8	0.97	7.0	0.61	5.4	NNW	344	
最大	3.57	7.1	2.61	7.3	2.15	7.1	1.36	5.7			
平均	2.26	6.9	1.76	6.9	1.43	6.9	0.90	5.5			
24	00	1.31	7.1	* 1.10	7.2	* 0.87	7.1	* 0.57	5.9	NNW	331
	02	1.41	6.1	1.01	6.8	0.79	6.7	0.49	5.3	NNW	327

	04		1.20	5.5	0.96	7.0	0.74	6.8	0.46	5.1	NNW	348
	06		1.19	6.8	0.98	6.8	0.79	7.0	0.50	5.7	NNW	340
	08		1.21	8.7	0.97	7.5	0.76	7.1	0.46	5.3	NNW	348
	10		1.27	8.6	0.94	7.8	0.75	7.3	0.46	5.5	NNW	348
	12		1.21	4.9	0.99	7.0	0.77	6.1	0.47	4.2	NNW	344
	14		1.35	7.7	1.03	7.2	0.83	5.5	0.53	3.9	NNW	348
	16		* 1.62	4.8	1.10	5.1	0.87	4.7	0.55	3.7	NNW	340
	18		1.09	5.8	0.91	5.4	0.75	5.3	0.47	3.9	N	352
	20		1.04	8.1	0.83	7.7	0.68	7.4	0.42	5.2	NNW	340
	22		0.99	8.3	0.76	8.4	0.63	8.2	0.39	6.0	NNW	340
	最大		1.62	4.8	1.10	7.2	0.87	7.1	0.57	5.9		
	平均		1.24	6.9	0.97	7.0	0.77	6.6	0.48	5.0		
25	00		0.84	8.2	0.66	8.2	0.54	7.7	0.33	5.8		
	02		0.72	8.6	0.52	8.0	0.42	7.5	0.26	5.6	NNW	348
	04		0.68	8.2	0.52	7.1	0.42	7.2	0.27	5.3	N	8
	06		0.96	4.2	0.69	5.6	0.58	5.1	0.38	4.1		
	08		1.13	3.5	0.76	4.4	0.61	4.1	0.40	3.4		
	10		0.93	4.4	0.75	3.8	0.61	4.1	0.41	3.5	WSW	258
	12		1.28	3.6	0.82	4.0	0.67	3.9	0.45	3.3	WSW	258
	14		1.15	4.2	0.87	3.8	0.68	3.9	0.43	3.2	SW	225
	16		* 1.31	3.7	* 1.00	4.1	* 0.79	4.0	* 0.50	3.4	SW	217
	18		1.01	3.5	0.79	3.8	0.61	3.9	0.40	3.4	SW	233
	20		0.70	3.2	0.47	4.0	0.39	3.9	0.26	3.3	WSW	254
	22		0.64	3.9	0.43	4.1	0.35	3.8	0.23	3.0	WSW	254
	最大		1.31	3.7	1.00	4.1	0.79	4.0	0.50	3.4		
	平均		0.95	4.9	0.69	5.1	0.56	4.9	0.36	3.9		
26	00		0.47	3.9	0.36	3.7	0.29	3.9	0.19	3.1		
	02		0.39	3.8	0.32	4.0	0.26	4.1	0.18	3.3		
	04		0.44	3.0	0.33	3.6	0.28	3.4	0.18	2.8		
	06		0.53	3.0	0.38	3.9	0.30	3.8	0.20	3.0	WSW	258
	08		0.44	3.6	0.35	4.2	0.30	4.0	0.20	3.2	W	266
	10		0.49	5.3	0.35	4.6	0.27	4.3	0.17	3.1		
	12		* 1.36	3.7	* 0.96	3.4	* 0.78	3.4	* 0.51	3.1		
	14		1.09	3.8	0.86	3.8	0.70	3.9	0.45	3.2	WSW	245
	16		0.99	4.1	0.84	3.6	0.67	3.7	0.42	3.0	WNW	282
	18		1.01	3.5	0.76	3.7	0.62	3.5	0.40	3.0	WSW	250
	20		1.22	3.3	0.92	3.4	0.74	3.6	0.49	3.1	WSW	258
	22		1.14	4.1	0.79	3.7	0.65	3.9	0.42	3.3	WSW	258
	最大		1.36	3.7	0.96	3.4	0.78	3.4	0.51	3.1		
	平均		0.80	3.8	0.60	3.8	0.49	3.8	0.32	3.1		
27	00		0.78	3.9	0.59	4.1	0.49	4.2	0.32	3.6	W	278
	02		0.70	5.5	0.55	5.0	0.45	4.7	0.28	3.6	WNW	295
	04		1.01	5.0	0.69	5.2	0.54	5.1	0.33	4.3	NW	307
	06		0.91	5.1	* 0.72	4.9	* 0.57	4.9	0.37	4.3		
	08		0.90	5.2	0.67	5.0	0.53	4.9	0.34	4.1	W	278
	10		0.86	5.2	0.56	4.8	0.45	4.7	0.30	4.0		
	12		0.80	5.0	0.54	4.9	0.43	4.7	0.27	3.7	WSW	258
	14		0.73	3.3	0.52	4.1	0.43	3.9	0.28	3.0		
	16		* 1.03	5.4	0.71	3.2	0.57	3.2	* 0.38	2.9		
	18		0.92	3.2	0.58	3.3	0.46	3.3	0.30	2.8		
	20		0.90	4.6	0.68	3.5	0.55	3.5	0.36	3.1	W	262
	22		0.84	4.1	0.66	3.8	0.54	3.8	0.35	3.2	WNW	282
	最大		1.03	5.4	0.72	4.9	0.57	4.9	0.38	2.9		
	平均		0.87	4.6	0.62	4.3	0.50	4.2	0.32	3.6		
28	00		0.87	4.0	0.73	4.4	0.60	4.3	0.38	3.6	WNW	295
	02		1.45	4.8	1.10	5.8	0.87	5.5	0.54	4.3	WNW	299
	04		2.26	5.9	1.49	6.4	1.17	6.1	0.75	5.2	NW	311
	06		1.96	6.3	1.34	6.0	1.06	6.1	0.65	4.7	WNW	286
	08		1.97	6.1	1.38	6.4	1.11	6.3	0.70	4.6	WNW	286
	10		2.28	5.9	1.51	5.7	1.21	5.3	0.78	4.2	W	274
	12		2.29	5.6	1.76	5.0	1.42	5.0	0.92	4.2	SW	229
	14		1.84	4.4	1.54	5.4	1.31	5.4	0.85	4.4	W	270
	16		2.01	9.2	1.49	7.1	1.18	6.5	0.73	4.8	W	262
	18		2.89	7.2	1.82	8.0	1.47	7.2	0.90	5.2	WNW	295
	20		* 3.32	7.5	2.26	7.8	1.75	7.5	1.09	5.4	W	278
	22		3.11	7.4	* 2.34	7.9	* 1.81	7.6	* 1.10	5.8	W	274
	最大		3.32	7.5	2.34	7.9	1.81	7.6	1.10	5.8		

	平均	2.19	6.2	1.56	6.3	1.25	6.1	0.78	4.7		
29	00	* 3.49	7.3	* 2.48	8.1	1.95	8.0	1.20	6.1	WNW	286
	02	3.00	9.0	2.30	7.5	1.89	7.4	1.21	5.9	WNW	282
	04	2.88	8.4	2.21	7.2	1.74	6.6	1.06	5.0	W	278
	06	2.57	8.9	2.07	7.5	1.68	7.2	1.02	5.2	W	274
	08	3.36	6.8	2.42	7.9	1.95	7.7	1.21	5.9	W	274
	10	3.00	8.5	2.45	8.4	* 1.99	7.9	* 1.21	6.2	W	274
	12	2.87	9.1	2.34	7.9	1.87	7.8	* 1.21	6.2	W	262
	14	2.78	6.7	2.18	8.3	1.78	7.9	1.09	5.9	W	278
	16	2.88	6.9	1.97	7.8	1.57	7.8	0.99	5.9	W	262
	18	2.30	7.1	1.76	7.2	1.42	7.6	0.87	5.9	W	274
	20	1.55	7.7	1.32	6.6	1.08	6.5	0.69	5.3	WSW	258
	22	1.54	6.7	1.24	6.7	0.98	6.6	0.61	5.3	W	266
	最大	3.49	7.3	2.48	8.1	1.99	7.9	1.21	6.2		
	平均	2.69	7.8	2.06	7.6	1.66	7.4	1.03	5.7		
30	00	1.23	6.6	* 1.02	6.5	* 0.82	6.3	* 0.51	5.0	W	266
	02	* 1.32	5.4	0.88	6.5	0.72	6.3	0.46	5.1	WSW	254
	04	1.06	5.6	0.79	6.6	0.63	6.2	0.40	5.0	W	278
	06	1.08	5.8	0.75	6.3	0.62	6.2	0.39	5.2	WNW	303
	08	0.87	5.6	0.69	5.9	0.59	6.0	0.37	5.2	NW	319
	10	1.11	5.8	0.78	6.1	0.60	6.2	0.38	5.1		
	12	1.01	6.0	0.74	6.1	0.56	5.9	0.36	5.1	NNW	344
	14	0.84	5.6	0.65	5.8	0.53	6.0	0.33	4.9	WNW	295
	16	0.74	6.4	0.60	5.9	0.48	5.9	0.30	5.1	WSW	258
	18	0.97	5.7	0.61	6.0	0.46	6.2	0.28	5.2	W	270
	20	0.59	5.2	0.52	5.8	0.42	5.9	0.26	4.8	WNW	286
	22	0.59	5.7	0.45	5.9	0.35	5.8	0.22	4.5	NNW	331
	最大	1.32	5.4	1.02	6.5	0.82	6.3	0.51	5.0		
	平均	0.95	5.8	0.71	6.1	0.57	6.1	0.36	5.0		
月最大		3.90	5.8	2.67	6.9	2.19	6.8	1.37	5.2		
起時		2218		2220		2222		2220			
平均		1.52	5.7	1.14	5.7	0.92	5.6	0.58	4.5		

* は日最大波高を示す

様式 3-1-1 波高月表

2005年 5月

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	361 回	測得回数	230 回
欠測回数	11 回	欠測回数	142 回
欠測率	3.0 %	欠測率	38.2 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.48	5.3	0.38	5.8	0.30	5.7	0.19	4.7	W	270
	02	0.46	5.0	0.34	5.8	0.27	5.7	0.17	5.0		
	04	0.50	6.0	0.41	4.7	0.34	4.7	0.22	4.1	NW	323
	06	0.70	3.8	0.57	4.3	0.46	4.1	0.30	3.5		
	08	0.70	3.5	0.57	3.8	0.46	3.7	0.30	3.2	WSW	245
	10	0.84	3.7	0.60	3.8	0.48	3.8	0.31	3.3		
	12	0.93	3.4	0.68	3.9	0.53	4.0	0.34	3.5	WSW	254
	14	* 1.06	3.7	* 0.87	3.9	* 0.70	3.8	* 0.46	3.3		
	16	0.98	3.8	0.74	3.9	0.59	4.0	0.39	3.6	WSW	245
	18	0.82	3.9	0.59	4.1	0.45	4.2	0.29	3.4		
	20	0.84	4.7	0.67	4.4	0.52	4.5	0.33	3.8		
	22	0.81	3.6	0.65	4.2	0.52	4.5	0.34	3.7	SW	229
	最大	1.06	3.7	0.87	3.9	0.70	3.8	0.46	3.3		
	平均	0.76	4.2	0.59	4.4	0.47	4.4	0.30	3.8		
02	00	1.08	4.5	0.84	4.3	0.67	4.4	0.43	4.0	WSW	245
	02	1.35	3.4	0.73	4.4	0.59	4.3	0.39	3.9	WSW	237
	04	0.98	7.1	0.76	3.7	0.64	3.3	0.42	2.9	W	273
	06	* 2.32	4.2	* 1.44	4.4	* 1.12	4.5	0.69	3.6	N	4
	08	1.89	4.8	1.31	5.1	1.00	5.1	0.61	4.2	NNW	340
	10	1.87	5.6	1.35	5.6	1.07	5.4	0.67	4.7	NNW	331
	12	1.65	7.7	1.41	6.0	1.11	5.8	0.69	4.6	NNW	327
	14	1.98	6.1	1.31	5.7	1.04	5.8	0.67	4.5	NNW	335
	16	1.86	5.6	1.32	5.6	1.01	5.2	0.63	3.9	NNE	16
	18	1.78	6.2	1.35	5.8	1.09	5.8	* 0.69	4.7	N	352
	20	1.66	5.7	1.37	6.2	1.08	6.1	0.66	5.1	NW	323
	22	1.45	5.6	1.20	5.9	0.98	6.1	0.63	5.0	NW	311
	最大	2.32	4.2	1.44	4.4	1.12	4.5	0.69	4.7		
	平均	1.66	5.5	1.20	5.2	0.95	5.2	0.60	4.3		
03	00	1.26	6.1	* 1.09	5.8	* 0.90	5.9	* 0.58	4.7	WNW	303
	02	1.27	6.5	0.94	5.8	0.78	5.6	0.50	4.4	WNW	299
	04	1.20	6.3	0.87	5.8	0.71	5.9	0.45	4.6	N	0
	06	* 1.32	5.8	0.76	6.0	0.61	5.9	0.39	4.6	NNW	331
	08	0.92	6.2	0.68	6.2	0.54	6.0	0.33	4.6	NNW	348
	10	0.82	5.6	0.59	5.9	0.48	5.9	0.30	4.4	N	356
	12	0.76	5.4	0.56	5.5	0.44	5.2	0.28	3.6		
	14	0.79	5.9	0.63	5.1	0.52	4.5	0.33	3.2	N	352
	16	0.86	3.8	0.64	4.3	0.51	4.1	0.33	3.3	N	352
	18	0.76	3.2	0.54	5.1	0.44	4.7	0.29	3.4	NNW	331
	20	0.61	5.2	0.48	5.8	0.38	5.5	0.25	4.1	NNW	348
	22	0.54	5.4	0.41	5.6	0.33	5.5	0.21	4.3		
	最大	1.32	5.8	1.09	5.8	0.90	5.9	0.58	4.7		
	平均	0.93	5.5	0.68	5.6	0.55	5.4	0.35	4.1		
04	00	0.42	5.7	0.35	5.5	0.29	5.7	0.19	4.7		
	02	0.49	5.5	0.34	5.4	0.28	5.4	0.18	4.6		
	04	0.84	3.6	0.54	4.1	0.42	4.5	0.27	3.7	NNW	335
	06	* 1.56	3.9	* 0.97	4.1	* 0.78	4.0	0.49	3.4	WSW	241
	08	1.42	4.2	0.90	4.1	0.71	4.0	0.45	3.6	WSW	245
	10	1.07	3.8	0.81	3.7	0.64	3.7	0.41	3.2		
	12	1.23	4.1	0.85	3.5	0.68	3.5	0.45	3.0	SW	221
	14	1.19	3.8	0.93	3.5	0.76	3.5	* 0.50	3.2		
	16	1.07	3.7	0.82	3.6	0.65	3.7	0.42	3.3	SW	221
	18	0.72	3.3	0.47	3.8	0.38	3.7	0.25	3.1	SW	217
	20	0.50	4.1	0.36	4.2	0.30	4.0	0.19	3.3	SW	225
	22	0.45	4.6	0.34	4.4	0.27	4.2	0.18	3.3	WNW	303
	最大	1.56	3.9	0.97	4.1	0.78	4.0	0.50	3.2		

	平均	0.91	4.2	0.64	4.2	0.51	4.2	0.33	3.5		
05	00	0.52	4.0	0.36	4.7	0.28	4.5	0.19	3.6		
	02	0.55	4.6	0.36	4.8	0.29	5.0	0.19	4.2	NW	311
	04	* 0.76	4.3	0.42	4.6	0.33	4.7	0.21	4.1	NW	319
	06	0.56	4.2	0.43	4.6	0.36	4.7	0.23	3.9		
	08	0.62	3.5	0.47	4.1	0.37	4.2	0.24	3.5		
	10	0.66	3.9	0.41	4.1	0.32	4.0	0.21	3.3		
	12	0.51	3.6	0.41	4.1	0.34	3.8	0.22	3.0	WNW	286
	14	0.44	4.0	0.36	4.7	0.29	4.6	0.18	3.4	WNW	282
	16	0.49	5.2	0.35	5.3	0.29	4.8	0.19	3.7		
	18	0.66	4.8	0.43	4.9	0.34	4.5	0.22	3.2	NW	319
	20	0.55	4.8	0.41	3.9	0.33	3.6	0.22	2.8	WNW	286
	22	0.62	2.1	* 0.51	3.2	* 0.42	3.3	* 0.28	2.8	SW	235
	最大	0.76	4.3	0.51	3.2	0.42	3.3	0.28	2.8		
	平均	0.58	4.1	0.41	4.4	0.33	4.3	0.22	3.5		
06	00	0.68	2.9	0.58	3.4	0.47	3.6	0.31	3.0	N	4
	02	0.90	3.1	0.64	3.8	0.51	3.6	0.33	2.9	NNE	16
	04	0.92	3.7	0.68	4.4	0.55	4.1	0.36	3.3		
	06	0.84	7.3	0.69	4.7	0.55	4.5	0.37	3.6	N	8
	08	0.87	4.7	0.62	5.3	0.51	4.8	0.33	3.7	NNE	12
	10	0.91	5.7	0.68	6.3	0.55	6.1	0.36	4.8	N	356
	12	0.90	5.3	0.71	6.2	0.58	6.0	0.38	4.8	N	0
	14	0.88	6.1	0.71	6.2	0.58	6.1	0.37	4.8	NNE	12
	16	0.87	5.1	0.71	6.4	0.59	6.2	0.38	4.7	NNW	348
	18	* 1.29	5.8	* 0.96	5.9	* 0.77	6.0	* 0.48	4.7	N	356
	20	1.07	6.5	0.78	6.1	0.63	5.8	0.41	4.3	N	356
	22	1.02	6.1	0.77	6.2	0.65	5.8	0.42	4.5	N	352
	最大	1.29	5.8	0.96	5.9	0.77	6.0	0.48	4.7		
	平均	0.93	5.2	0.71	5.4	0.58	5.2	0.38	4.1		
07	00	1.27	6.6	1.00	7.0	0.79	6.8	0.49	5.1	NNW	348
	02	1.20	6.3	0.95	7.1	0.76	6.4	0.48	4.8	NNW	344
	04	2.08	8.1	1.36	5.8	1.07	5.2	0.69	4.0	N	352
	06	2.53	5.2	1.66	4.9	1.29	5.2	0.85	4.2	WSW	250
	08	2.00	3.8	1.54	5.0	1.25	4.7	0.84	4.1	SW	221
	10	3.00	5.5	2.38	5.3	1.88	5.4	1.18	4.5	W	270
	12	4.13	6.9	2.88	6.5	2.25	6.4	1.39	5.0	W	270
	14	3.91	6.6	3.03	7.1	2.42	7.1	1.53	5.6	WNW	282
	16	* 4.66	7.7	* 3.18	7.4	* 2.42	7.4	* 1.53	6.0	WNW	299
	18	3.54	7.6	2.81	8.2	2.20	7.9	1.38	6.3	WNW	290
	20	3.56	8.1	2.65	8.0	2.02	7.6	1.22	6.0	NW	315
	22	3.01	8.1	2.45	7.5	1.90	7.3	1.18	5.9	NW	319
	最大	4.66	7.7	3.18	7.4	2.42	7.4	1.53	6.0		
	平均	2.91	6.7	2.16	6.7	1.69	6.5	1.06	5.1		
08	00	* 3.36	6.8	* 2.30	7.8	* 1.82	7.8	* 1.11	6.2	NNW	327
	02	2.47	7.9	1.95	7.6	1.59	7.6	1.02	6.0	NNW	335
	04	2.43	6.3	1.94	7.7	1.55	7.9	0.97	6.1	NNW	331
	06	2.56	7.1	1.87	7.3	1.54	7.1	0.95	5.9	NNW	348
	08	2.38	7.8	1.85	7.0	1.44	7.0	0.89	5.8	NNW	331
	10	1.75	7.9	1.42	7.2	1.15	6.9	0.74	5.6	NNE	16
	12	1.72	5.9	1.32	6.8	1.03	6.8	0.62	5.0	NNW	340
	14	1.68	5.8	1.24	6.7	1.00	6.7	0.61	4.8	NNW	335
	16	1.55	6.9	1.09	7.0	0.89	6.7	0.57	5.1	N	0
	18	1.40	6.5	1.07	7.2	0.85	7.2	0.54	5.6	NNW	344
	20	1.23	7.8	1.01	7.0	0.83	6.9	0.54	5.4	N	356
	22	1.34	7.1	1.01	7.5	0.78	7.1	0.50	5.7	NNW	348
	最大	3.36	6.8	2.30	7.8	1.82	7.8	1.11	6.2		
	平均	1.99	7.0	1.51	7.2	1.21	7.1	0.76	5.6		
09	00	1.32	5.9	1.04	7.4	0.79	7.4	0.49	5.8	NNW	340
	02	1.09	7.2	0.83	7.2	0.68	7.3	0.41	5.7	N	352
	04	1.14	6.5	0.90	7.2	0.72	7.2	0.45	5.5	NNW	348
	06	1.15	5.9	0.79	7.2	0.62	6.6	0.39	5.2	NNE	16
	08	1.13	7.3	0.82	6.3	0.65	5.3	0.41	3.7	NNW	344
	10	1.20	4.7	0.90	5.8	0.68	5.0	0.43	3.6	NNW	340
	12	1.01	4.9	0.79	5.5	0.65	5.0	0.44	3.7	NNW	340
	14	1.51	3.6	1.12	3.9	0.91	4.0	0.60	3.4	SW	233
	16	1.85	3.8	1.42	4.0	1.16	4.2	0.75	3.7	SW	225
	18	1.96	4.9	1.36	4.0	1.07	4.2	0.68	3.6	W	266
	20	2.04	5.1	1.46	4.8	1.22	4.8	* 0.81	4.1	W	270
	22	* 2.11	5.6	* 1.64	5.3	* 1.29	5.1	0.79	4.1	W	270

	最大	2.11	5.6	1.64	5.3	1.29	5.1	0.81	4.1			
	平均	1.46	5.5	1.09	5.7	0.87	5.5	0.55	4.3			
10	00	2.42	6.7	1.89	5.9	* 1.56	5.9	* 1.01	5.0	W	266	
	02	* 3.02	6.2	* 1.91	5.7	1.50	5.9	0.94	4.8	W	278	
	04	2.56	5.9	1.82	6.0	1.49	5.9	0.94	4.9	WNW	290	
	06	1.94	6.2	1.68	5.9	1.31	5.8	0.80	4.6	WNW	290	
	08	2.35	5.1	1.56	5.7	1.16	5.6	0.73	4.4	WNW	303	
	10	1.82	6.0	1.48	5.6	1.17	5.3	0.73	4.5			
	12	2.01	5.2	1.44	5.8	1.17	5.8	0.77	4.8	WNW	303	
	14	2.25	5.5	1.58	5.4	1.21	5.6	0.75	4.7	NW	311	
	16	1.99	5.0	1.35	5.7	1.13	5.8	0.72	4.9	NW	311	
	18	1.91	5.5	1.30	5.8	1.06	5.8	0.70	4.8	NW	311	
	20	2.12	5.6	1.29	5.6	1.05	5.8	0.66	4.8	N	356	
	22	1.62	5.3	1.23	5.6	1.02	5.9	0.68	5.1	NNW	327	
	最大	3.02	6.2	1.91	5.7	1.56	5.9	1.01	5.0			
	平均	2.17	5.7	1.54	5.7	1.24	5.8	0.79	4.8			
	11	00	1.75	5.7	* 1.28	5.9	1.00	5.8	* 0.63	5.1	NNW	344
		02	1.59	5.3	1.19	5.8	0.96	6.0	0.62	5.3	WNW	303
		04	* 2.06	6.0	1.27	6.3	* 1.01	6.4	0.62	5.3	N	0
		06	1.63	6.9	1.13	6.5	0.89	6.3	0.56	5.3		
		08	1.40	6.1	1.11	6.4	0.89	6.6	0.55	5.3		
		10	1.13	6.5	0.98	6.7	0.82	6.9	0.51	5.4	NNW	348
12		1.09	6.2	0.87	6.9	0.70	6.7	0.43	5.1	NNW	340	
14		1.10	6.7	0.89	6.2	0.70	6.2	0.42	4.5	NNW	348	
16		1.19	5.8	0.83	6.0	0.65	5.6	0.41	4.0	NNW	348	
18		1.07	4.7	0.82	5.9	0.64	5.5	0.40	4.0	NNW	331	
20		1.02	5.4	0.76	6.3	0.60	5.8	0.36	3.8	NNW	344	
22		0.86	6.4	0.69	6.3	0.56	6.0	0.34	4.3	N	352	
最大		2.06	6.0	1.28	5.9	1.01	6.4	0.63	5.1			
平均		1.32	6.0	0.99	6.3	0.79	6.2	0.49	4.8			
12		00	0.93	6.6	0.67	6.6	0.53	6.2	0.33	4.5	N	8
		02	1.00	6.7	0.66	6.8	0.52	6.0	0.32	4.3	N	352
		04	0.63	6.6	0.53	6.3	0.43	6.0	0.27	4.6	N	4
		06	0.61	5.8	0.51	5.8	0.40	5.9	0.25	4.6	NNW	348
		08	0.60	5.5	0.47	5.8	0.37	5.6	0.23	4.1	N	352
		10	0.92	5.6	0.66	5.0	0.53	4.5	0.34	3.3	NNW	344
	12	1.06	4.2	* 0.90	4.9	* 0.75	4.9	* 0.48	4.1	NNW	340	
	14	* 1.18	4.8	0.88	5.1	0.72	5.0	0.46	4.2	N	356	
	16	0.63	3.8	0.52	4.8	0.43	4.9	0.27	3.8	NNE	29	
	18	0.42	6.6	0.34	5.7	0.26	5.2	0.17	3.7	NNE	12	
	20	0.51	6.2	0.35	6.2	0.29						

	16		0.75	5.5	0.57	4.9	0.45	4.9	0.28	4.0	NNW	348	
	18		0.60	4.9	0.48	5.5	0.40	5.3	0.25	4.0			
	20		0.50	4.8	0.38	5.2	0.31	5.0	0.19	3.9	NNW	348	
	22		0.46	5.2	0.36	4.9	0.30	5.1	0.19	4.5			
	最大		0.92	4.2	0.64	5.0	0.52	4.8	0.33	4.0			
	平均		0.73	5.1	0.55	5.1	0.44	5.0	0.28	4.1			
	15	00	0.38	5.4	0.33	5.2	0.28	5.3	0.18	4.3	NNW	344	
	02	0.55	2.8	0.41	3.6	0.33	3.6	0.22	3.0				
	04	0.65	2.9	0.47	3.0	0.37	3.2	0.24	2.6				
	06	0.61	3.7	0.45	4.0	0.36	4.0	0.24	3.2				
	08	0.57	3.2	0.41	3.6	0.34	3.5	0.22	3.0				
	10	0.55	3.5	0.43	3.3	0.35	3.3	0.23	2.9				
	12	0.62	3.1	0.41	3.5	0.33	3.4	0.21	2.8				
	14	1.07	2.8	0.67	2.8	0.53	2.8	0.35	2.6	NW	315		
	16	1.47	3.4	* 1.15	3.8	* 0.92	3.9	* 0.58	3.3				
	18	1.32	5.1	1.07	4.2	0.87	4.3	0.55	3.6				
	20	1.25	4.6	0.97	4.4	0.80	4.3	0.51	3.6	NW	319		
	22	* 1.47	4.3	1.02	4.7	0.82	4.6	0.52	3.8	NNW	335		
	最大	1.47	4.3	1.15	3.8	0.92	3.9	0.58	3.3				
	平均	0.88	3.7	0.65	3.8	0.53	3.9	0.34	3.2				
		16	00	1.28	4.7	0.92	4.8	0.71	4.7	0.45	3.9	NW	319
		02	1.16	4.8	0.88	5.0	0.73	5.1	0.47	4.3	N	352	
04		1.39	4.8	0.96	5.1	0.75	5.1	0.47	4.4				
06		1.04	5.3	0.87	5.3	0.72	5.1	0.45	4.4				
08		1.22	3.8	0.90	5.0	0.69	4.9	0.44	3.8				
10		1.06	4.5	0.86	4.6	0.71	4.4	0.45	3.5	NNW	331		
12		1.28	5.2	0.91	4.8	0.73	4.6	0.46	3.7	NNW	327		
14		1.37	4.6	0.96	4.3	0.75	4.2	0.49	3.4				
16		1.49	4.5	1.07	4.4	0.84	4.4	0.54	3.7				
18		* 1.61	4.4	* 1.22	4.4	* 0.92	4.5	* 0.58	3.9				
20		1.40	4.2	0.95	4.4	0.78	4.7	0.51	4.0	N	356		
22		1.11	6.0	0.88	5.2	0.69	5.0	0.43	4.0	N	356		
最大		1.61	4.4	1.22	4.4	0.92	4.5	0.58	3.9				
平均		1.28	4.7	0.95	4.8	0.75	4.7	0.48	3.9				
	17	00	* 0.94	5.9	* 0.73	5.0	* 0.59	4.9	* 0.38	3.9	N	356	
	02	0.78	3.6	0.59	4.9	0.47	4.8	0.31	4.0	N	4		
	04	0.83	5.2	0.55	5.3	0.45	5.2	0.29	4.2				
	06	0.77	5.5	0.54	5.6	0.43	5.3	0.28	4.2				
	08	欠测	欠测	欠测	欠测	0.43	4.6	欠测	欠测				
	10	0.82	5.6	0.56	5.5	0.47	5.3	0.31	4.6				
	12	0.64	5.5	0.54	5.4	0.43	5.5	0.28	4.3				
	14	0.89	5.8	0.60	6.1	0.47	6.0	0.30	4.5				
	16	0.57	6.2	0.43	5.6	0.34	5.5	0.22	3.9				
	18	0.57	5.7	0.39	5.7	0.30	5.1	0.19	3.5				
	20	0.41	3.0	0.32	5.4	0.26	5.2	0.17	3.6				
	22	0.41	5.										

	12	2.25	6.0	1.66	6.6	1.36	6.7	0.86	5.2	W	262	
	14	2.41	6.8	1.66	6.0	1.30	6.2	0.80	5.0	WSW	258	
	16	2.19	6.3	1.80	6.7	1.50	6.9	0.94	5.3	W	266	
	18	2.31	6.6	1.80	7.2	1.45	6.8	0.90	5.4			
	20	2.39	7.0	1.86	7.2	1.48	7.0	0.95	5.7	NW	315	
	22	2.27	7.7	1.72	7.2	1.40	7.0	0.92	6.0	NW	319	
	最大	2.85	4.2	2.37	7.8	1.89	7.8	1.16	6.0			
	平均	2.33	6.5	1.78	6.5	1.42	6.4	0.89	5.1			
20	00	* 2.55	6.2	1.62	7.0	1.30	6.9	0.80	5.6	WNW	290	
	02	2.03	6.8	1.49	7.0	1.16	6.9	0.74	5.8	NW	323	
	04	2.00	10.1	* 1.63	8.4	1.29	8.0	0.81	6.6	NNW	331	
	06	1.91	7.4	1.55	8.4	1.27	8.5	0.81	6.9			
	08	2.00	10.4	1.60	9.7	* 1.31	9.5	* 0.83	7.2			
	10	2.07	10.0	1.55	9.5	1.26	9.1	0.78	7.1			
	12	1.87	8.3	1.36	8.7	1.07	8.4	0.65	6.4			
	14	1.54	7.6	1.10	7.7	0.90	8.1	0.56	6.0	NNW	344	
	16	1.35	8.2	1.01	7.8	0.83	7.3	0.53	5.7			
	18	1.13	6.4	0.98	7.9	0.78	7.6	0.49	5.7			
	20	1.17	7.7	0.84	7.4	0.69	6.9	0.45	5.8	N	352	
	22	1.06	7.1	0.80	7.5	0.63	7.2	0.40	5.8	NNW	348	
	最大	2.55	6.2	1.63	8.4	1.31	9.5	0.83	7.2			
	平均	1.72	8.0	1.29	8.1	1.04	7.9	0.65	6.2			
	21	00	* 1.03	8.4	* 0.72	7.8	* 0.57	7.5	* 0.35	5.8		
		02	0.92	7.8	0.71	7.9	0.55	7.6	0.34	5.9	NNW	348
		04	0.80	6.8	0.58	7.0	0.45	6.6	0.28	4.3		
06		0.90	8.2	0.56	6.5	0.43	6.2	0.26	4.1			
08		0.69	8.0	0.54	8.2	0.41	6.9	0.25	4.5	N	8	
10		0.68	7.8	0.47	7.6	0.37	6.5	0.23	4.2			
12		0.66	7.8	0.56	7.8	0.44	6.8	0.27	4.4	N	0	
14		0.67	6.4	0.50	6.3	0.40	5.4	0.26	4.0			
16		0.74	4.0	0.55	6.0	0.43	5.1	0.28	3.8			
	18	0.71	7.8	0.55	5.2	0.45	4.9	0.29	3.7			
	20	0.63	7.1	0.46	6.4	0.38	5.7	0.25	4.5	NNW	340	
	22	0.63	11.6	0.45	7.1	0.36	6.3	0.23	4.5	NNW	335	
	最大	1.03	8.4	0.72	7.8	0.57	7.5	0.35	5.8			
	平均	0.76	7.6	0.55	7.0	0.44	6.3	0.27	4.5			
	22	00	0.50	8.7	0.40	7.3	0.33	7.5	0.21	5.2		
		02	0.51	5.2	0.40	7.0	0.32	6.4	0.20	4.8	N	0
		04	0.45	7.3	0.33	6.3	0.27	5.6	0.17	4.2		
06		0.41	7.1	0.31	5.8	0.25	5.5	0.17	4.3	WNW	299	
08		0.42	5.2	0.32								

	04	欠测 欠测 欠测 欠测										
	06											
	08											
	10											
	12											
	14											
	16		1.96	4.6	1.45	6.1	* 1.19	6.2	* 0.77	4.8	WNW	295
	18		* 2.08	5.9	* 1.52	6.4	1.17	6.3	0.74	4.9	WNW	290
	20		1.41	6.4	1.16	5.5	0.96	5.6	0.61	4.4	W	278
	22		1.57	4.6	1.22	5.6	0.97	5.3	0.62	4.1	WNW	286
25	最大		2.08	5.9	1.52	6.4	1.19	6.2	0.77	4.8		
	平均		1.76	5.4	1.34	5.9	1.07	5.9	0.69	4.6		
	00		* 1.64	5.5	* 1.17	5.4	* 0.91	5.4	0.58	4.2	NW	315
	02		1.49	5.8	1.09	5.5	0.89	5.7	* 0.58	4.8	NW	311
	04		1.49	5.2	0.99	5.6	0.80	5.4	0.51	4.7	WNW	299
	06		1.36	5.4	0.95	5.5	0.76	5.5	0.48	4.4		
	08		1.35	5.1	0.96	5.4	0.75	5.4	0.47	4.4		
	10		1.15	5.8	0.86	5.5	0.71	5.4	0.46	4.5		
	12		0.99	4.8	0.78	5.2	0.64	5.2	0.41	4.1		
	14		1.24	3.3	0.86	4.2	0.71	4.3	0.46	3.3		
26	16		1.40	3.5	1.00	3.8	0.80	3.8	0.51	3.2		
	18		1.62	4.1	1.10	4.2	0.87	4.2	0.55	3.5		
	20		1.00	4.5	0.74	4.3	0.60	4.3	0.38	3.6	NNW	348
	22		0.65	4.6	0.49	4.6	0.39	4.8	0.25	3.8	WNW	303
	最大		1.64	5.5	1.17	5.4	0.91	5.4	0.58	4.8		
	平均		1.28	4.8	0.92	4.9	0.74	5.0	0.47	4.0		
	00		0.54	4.8	* 0.43	5.1	* 0.34	4.9	* 0.22	3.9		
	02		0.50	4.1	0.37	4.9	0.31	4.9	0.21	4.0	NNW	331
	04		0.44	5.0	0.38	4.9	0.30	5.0	0.20	4.2		
	06		0.50	5.0	0.35	5.2	0.28	5.1	0.17	3.8		
27	08		0.44	5.1	0.32	4.6	0.27	4.5	0.18	3.6	NNW	344
	10		0.38	4.0	0.29	4.4	0.23	4.2	0.15	3.3	W	270
	12		0.41	4.4	0.29	5.0	0.23	4.6	0.15	3.5	N	4
	14		0.40	4.9	0.25	4.5	0.20	4.1	0.13	2.9		
	16		* 0.61	2.2	0.38	2.7	0.30	2.8	0.19	2.6		
	18		0.43	2.3	0.32	3.1	0.26	3.0	0.17	2.6		
	20		0.51	3.4	0.39	3.3	0.31	3.4	0.20	3.0	WNW	291
	22		0.32	2.9	0.24	3.4	0.20	3.5	0.14	2.9		
	最大		0.61	2.2	0.43	5.1	0.34	4.9	0.22	3.9		
	平均		0.46	4.0	0.33	4.3	0.27	4.2	0.18	3.4		
28	00		0.29	1.8	0.21	3.0	0.17	3.2	0.11	2.7		
	02		0.30	3.3	0.21	3.2	0.16	3.3	0.11	2.6		
	04		0.46	2.2	0.35	2.7	0.28	2.8	0.18	2.6	NNW	335
	06		0.61	2.4	0.42	3.2	0.34	3.3	0.22	2.8		
	08		0.68	3.7	0.50	3.4	0.39	3.4	0.26	2.9		
	10		0.86	3.9	0.63	3.6	0.50	3.4	0.32	2.9	W	265
	12		1.40	3.2	0.97	3.6	0.79	3.7	0.52	3.2		
	14		* 1.55	3.9	* 1.22	3.8	* 1.00	3.8	* 0.66	3.5	WSW	254
	16		1.33	3.7	1.01	3.7	0.81	3.7	0.53	3.2		
	18		1.21	3.4	0.88	3.5	0.72	3.5	0.46	3.1		
29	20		1.12	3.4	0.78	3.9	0.63	4.0	0.41	3.4		
	22		1.17	4.5	0.89	4.4	0.71	4.4	0.45	3.7	W	270
	最大		1.55	3.9	1.22	3.8	1.00	3.8	0.66	3.5		
	平均		0.92	3.3	0.67	3.5	0.54	3.5	0.35	3.1		
30	00		1.25	4.3	0.88	4.7	0.72	4.7	0.47	3.9	W	274
	02		* 1.41	4.9	* 1.00	4.8	* 0.80	4.8	* 0.50	4.3	WNW	286
	04		1.09	5.1	0.88	4.9	0.72	4.8	0.47	4.0	W	270
	06		1.26	4.5	0.88	4.8	0.72	4.9	0.45	4.0	W	274
	08		1.03	5.1	0.81	4.4	0.66	4.6	0.43	3.8	W	266
	10		0.99	4.2	0.76	4.6	0.62	4.6	0.40	3.9	W	274
	12		1.04	4.6	0.80	4.6	0.63	4.7	0.41	4.0	WNW	282
	14		0.94	5.0	0.71	4.7	0.57	4.6	0.37	4.0	NW	311
	16		0.94	4.3	0.65	4.7	0.54	4.7	0.36	3.7	NW	311
	18		0.91	5.5	0.75	5.0	0.60	4.8	0.38	3.7	NNW	344
31	20		0.97	4.4	0.71	4.8	0.57	4.8	0.35	3.8		
	22		0.93	4.2	0.67	4.9	0.53	4.7	0.33	4.0	NW	319
	最大		1.41	4.9	1.00	4.8	0.80	4.8	0.50	4.3		

	平均	1.06	4.7	0.79	4.7	0.64	4.7	0.41	3.9		
29	00	0.69	4.5	0.58	4.7	0.46	4.8	0.30	4.0	NW	311
	02	0.85	4.1	0.55	4.5	0.44	4.6	0.29	4.1	NW	307
	04	0.63	4.2	0.50	4.4	0.40	4.4	0.26	3.9	NW	311
	06	0.59	3.9	0.47	4.2	0.38	4.3	0.25	3.7	NW	323
	08	0.80	4.0	0.51	4.1	0.41	4.2	0.26	3.5		
	10	0.55	4.2	0.44	3.9	0.35	4.0	0.22	3.2		
	12	0.65	4.1	0.48	3.7	0.38	3.6	0.25	2.8	NW	319
	14	* 1.28	2.7	0.72	3.0	0.57	3.1	0.36	2.7		
	16	1.05	3.2	* 0.81	3.5	0.63	3.5	0.40	3.0		
	18	0.99	3.9	0.78	4.1	* 0.63	3.9	* 0.40	3.3		
	20	0.67	4.5	0.54	4.0	0.44	3.9	0.28	3.3		
	22	0.52	4.7	0.42	4.1	0.34	3.9	0.22	3.2		
	最大	1.28	2.7	0.81	3.5	0.63	3.9	0.40	3.3		
	平均	0.77	4.0	0.57	4.0	0.45	4.0	0.29	3.4		
30	00	0.48	3.6	0.37	3.9	0.29	3.9	0.19	3.1	WNW	303
	02	0.54	3.0	0.41	3.5	0.32	3.4	0.21	2.8	WNW	292
	04	0.51	3.7	0.37	3.6	0.31	3.6	0.21	3.0	N	352
	06	0.47	3.4	0.37	3.6	0.30	3.6	0.20	3.0		
	08	0.59	3.3	0.37	3.6	0.29	3.7	0.19	3.2		
	10	0.46	3.6	0.35	3.8	0.29	3.7	0.19	3.0		
	12	0.60	3.4	0.44	2.8	0.36	2.9	0.23	2.6	SW	233
	14	* 0.73	2.8	0.49	2.8	0.39	2.9	0.25	2.6		
	16	0.70	3.3	0.47	3.2	0.38	3.3	0.25	2.9		
	18	0.71	3.4	0.54	3.6	0.44	3.6	0.28	3.2	N	8
	20	0.67	3.7	* 0.55	3.7	* 0.45	3.6	* 0.29	3.3	NNW	340
	22	0.66	3.8	0.51	3.8	0.40	3.8	0.26	3.4	N	8
	最大	0.73	2.8	0.55	3.7	0.45	3.6	0.29	3.3		
	平均	0.59	3.4	0.44	3.5	0.35	3.5	0.23	3.0		
31	00	0.56	3.3	0.40	3.6	0.33	3.7	0.22	3.3	N	0
	02	0.58	2.8	0.41	3.5	0.34	3.1	0.22	2.6	WSW	248
	04	0.69	2.7	0.51	3.3	0.41	3.3	0.27	2.9		
	06	0.84	3.5	0.63	3.5	0.50	3.6	0.32	3.2		
	08	0.84	4.0	0.67	3.8	0.53	3.7	0.35	3.3		
	10	1.01	3.4	0.69	3.8	0.56	3.8	0.37	3.2		
	12	0.96	4.2	0.69	4.2	0.56	4.0	0.35	3.2		
	14	1.02	4.1	* 0.73	4.0	0.58	3.9	0.37	3.2		
	16	1.00	3.8	0.70	3.9	0.55	3.8	0.35	3.1	N	0
	18	1.00	4.6	0.72	3.9	* 0.59	4.1	* 0.39	3.3	N	352
	20	* 1.06	4.0	0.72	4.2	0.58	4.2	0.37	3.5	NNW	327
	22	0.94	5.0	0.64	4.3	0.52	4.3	0.34	3.6		
	最大	1.06	4.0	0.73	4.0	0.59	4.1	0.39	3.3		
	平均	0.88	3.8	0.63	3.8	0.50	3.8	0.33	3.2		
	月最大	4.66	7.7	3.18	7.4	2.42	7.4	1.53	6.0		
	起時	0716		0716		0716		0716			
	平均	1.16	5.1	0.86	5.1	0.69	5.0	0.44	4.1		

* は日最大波高を示す

様式 3-1-1 波高月表

2005年 6月

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	135 回
欠測回数	0 回	欠測回数	225 回
欠測率	0.0 %	欠測率	62.5 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.76	4.7	* 0.57	4.1	* 0.45	4.2	* 0.28	3.6	N	0
	02	0.58	4.4	0.43	4.2	0.34	4.0	0.22	3.6	N	352
	04	0.51	4.0	0.38	3.9	0.30	4.0	0.19	3.4		
	06	0.50	3.7	0.35	3.9	0.28	4.0	0.18	3.4		
	08	0.52	3.9	0.31	3.6	0.24	3.7	0.16	3.3		
	10	0.41	3.8	0.25	3.6	0.20	3.6	0.13	3.2		
	12	0.35	3.3	0.22	3.4	0.17	3.5	0.11	2.9		
	14	0.22	3.6	0.17	3.9	0.14	3.4	0.10	2.8		
	16	0.28	3.3	0.18	3.2	0.15	3.1	0.10	2.6	SW	223
	18	0.26	3.0	0.18	3.8	0.15	3.5	0.10	2.8		
	20	0.29	3.9	0.20	3.9	0.16	3.8	0.10	3.1		
	22	0.26	3.9	0.18	4.0	0.14	4.0	0.09	3.1	NNW	335
	最大	0.76	4.7	0.57	4.1	0.45	4.2	0.28	3.6		
	平均	0.41	3.8	0.29	3.8	0.23	3.7	0.15	3.2		
02	00	0.18	3.1	0.13	4.2	0.11	3.9	0.08	3.3	WSW	237
	02	0.22	3.1	0.15	3.8	0.12	3.8	0.08	3.1	N	8
	04	0.21	5.5	0.16	4.3	0.13	4.2	0.09	3.2		
	06	0.27	5.1	0.22	5.2	0.18	5.1	0.11	4.0	WSW	254
	08	0.30	5.5	0.22	5.4	0.19	5.0	0.12	3.8		
	10	0.46	5.6	0.35	5.4	0.28	5.3	0.18	4.2		
	12	0.51	5.0	0.40	5.0	0.31	4.9	0.19	3.8		
	14	0.58	4.7	0.37	4.9	0.28	4.7	0.18	3.7		
	16	0.56	3.5	0.43	4.1	0.34	3.9	0.22	3.1		
	18	0.66	3.9	* 0.48	4.1	* 0.38	4.0	* 0.24	3.2		
	20	* 0.70	3.9	0.43	4.2	0.34	3.9	0.22	3.2		
	22	0.52	6.5	0.40	4.3	0.32	3.9	0.21	3.0		
	最大	0.70	3.9	0.48	4.1	0.38	4.0	0.24	3.2		
	平均	0.43	4.6	0.31	4.6	0.25	4.4	0.16	3.5		
03	00	0.45	5.5	0.37	4.4	0.29	4.2	0.19	3.3	W	278
	02	0.40	4.1	0.29	4.3	0.23	4.1	0.15	3.3	W	262
	04	0.43	5.1	0.28	4.8	0.23	4.6	0.15	3.5	WNW	282
	06	0.38	5.4	0.28	5.1	0.22	5.0	0.14	3.6		
	08	0.33	4.3	0.25	4.4	0.20	4.2	0.13	3.4		
	10	0.31	4.0	0.25	3.9	0.20	3.9	0.13	3.2		
	12	0.60	2.6	0.40	2.6	0.32	2.6	0.21	2.4		
	14	* 0.60	2.8	* 0.44	2.8	0.35	2.9	0.23	2.5		
	16	0.60	2.3	0.43	3.1	* 0.35	3.3	* 0.23	2.8		
	18	0.45	3.1	0.34	3.6	0.27	3.4	0.18	2.8		
	20	0.38	4.2	0.30	4.8	0.24	4.6	0.16	3.3	WNW	286
	22	0.35	6.1	0.29	5.0	0.24	5.2	0.16	3.8	WSW	237
	最大	0.60	2.8	0.44	2.8	0.35	3.3	0.23	2.8		
	平均	0.44	4.1	0.33	4.1	0.26	4.0	0.17	3.2		
04	00	0.35	5.4	0.29	5.9	0.24	5.6	0.15	4.1	WSW	245
	02	0.42	5.5	0.28	5.4	0.23	5.5	0.15	4.6	WSW	258
	04	0.48	3.9	0.36	5.0	0.29	5.1	0.19	4.5		
	06	0.57	4.4	0.42	5.1	0.35	5.2	0.23	4.5		
	08	0.57	5.1	0.47	4.9	0.39	5.1	0.24	4.0		
	10	0.64	5.2	0.48	5.1	0.39	4.9	0.24	3.8		
	12	0.61	4.3	0.49	5.0	0.40	4.9	0.26	4.1		
	14	0.52	4.5	0.45	5.2	0.37	5.2	0.23	4.0		
	16	0.64	6.3	0.47	6.3	0.38	6.0	0.24	4.5		
	18	0.64	6.1	0.53	6.7	0.43	6.2	0.28	4.9		
	20	0.90	5.8	0.64	6.5	0.50	6.5	0.32	5.1	NNW	344
	22	* 1.07	4.9	* 0.76	6.0	* 0.60	5.5	* 0.36	3.8	NW	323
	最大	1.07	4.9	0.76	6.0	0.60	5.5	0.36	3.8		

	平均	0.62	5.1	0.47	5.6	0.38	5.5	0.24	4.3		
05	00	1.00	5.9	0.77	5.9	0.61	5.4	0.38	4.0	NNW	331
	02	1.16	5.1	0.81	5.6	0.64	5.1	0.42	3.9	NNW	344
	04	1.22	5.2	0.92	4.9	0.74	4.6	0.48	3.7		
	06	1.08	5.6	0.78	5.2	0.62	4.7	0.41	3.7		
	08	1.11	5.2	0.72	5.5	0.59	5.0	0.38	3.8		
	10	1.07	5.9	0.77	5.4	0.61	5.0	0.37	3.9		
	12	1.05	5.6	0.79	5.6	0.64	5.4	0.41	4.4	NW	323
	14	1.13	6.5	0.82	5.3	0.64	4.9	0.41	3.7		
	16	1.18	3.9	0.89	4.8	0.72	4.6	0.47	3.6		
	18	1.37	4.4	* 1.06	4.7	* 0.85	4.6	* 0.53	3.6		
20	* 1.53	4.6	1.04	4.9	0.83	5.0	0.52	4.0			
22	1.20	5.7	0.95	5.1	0.77	5.0	0.50	4.4	NNW	327	
最大平均	1.53	4.6	1.06	4.7	0.85	4.6	0.53	3.6			
	1.18	5.3	0.86	5.2	0.69	4.9	0.44	3.9			
06	00	0.99	5.0	0.80	5.0	0.63	5.0	0.41	4.4	NNW	327
	02	1.04	5.1	0.74	5.0	0.60	5.0	0.38	4.3	NNE	12
	04	1.03	5.0	0.81	4.9	0.67	5.1	0.44	4.4		
	06	1.02	5.0	0.73	4.7	0.59	4.8	0.39	4.0		
	08	1.02	4.5	0.75	4.9	0.59	4.9	0.38	4.1		
	10	0.89	4.0	0.68	4.4	0.55	4.3	0.36	3.4		
	12	0.85	3.8	0.56	4.1	0.45	4.1	0.29	3.3		
	14	0.91	3.1	0.66	3.7	0.54	3.5	0.35	2.9		
	16	1.21	3.2	* 0.91	3.5	* 0.72	3.5	* 0.46	3.1		
	18	* 1.36	3.7	0.85	3.8	0.67	3.9	0.44	3.3		
20	0.91	4.1	0.65	4.1	0.52	4.0	0.33	3.4	NNE	16	
22	0.66	4.4	0.50	4.2	0.39	4.2	0.24	3.5	N	8	
最大平均	1.36	3.7	0.91	3.5	0.72	3.5	0.46	3.1			
	0.99	4.2	0.72	4.4	0.58	4.4	0.37	3.7			
07	00	0.53	4.5	0.41	4.3	0.31	4.3	0.20	3.6	N	4
	02	0.36	4.5	0.28	4.5	0.23	4.3	0.15	3.6	N	0
	04	0.38	4.0	0.28	4.1	0.22	4.3	0.15	3.7		
	06	0.44	4.2	0.30	4.3	0.23	4.2	0.15	3.5		
	08	0.35	3.6	0.29	3.7	0.23	3.9	0.15	3.3		
	10	0.37	3.8	0.26	3.9	0.20	3.9	0.13	3.2		
	12	0.36	3.7	0.23	3.7	0.18	3.7	0.12	3.1		
	14	0.34	7.5	0.26	5.5	0.20	4.3	0.13	3.2		
	16	0.41	3.1	0.32	5.4	0.25	4.6	0.16	3.3		
	18	0.51	6.8	0.41	5.6	0.33	5.2	0.21	4.0		
20	0.55	6.5	0.44	6.4	0.35	6.4	0.21	4.6			
22	* 0.61	6.2	* 0.48	6.4	* 0.37	6.4	* 0.22	5.2	NNW	335	
最大平均	0.61	6.2	0.48	6.4	0.37	6.4	0.22	5.2			
	0.43	4.9	0.33	4.8	0.26	4.6	0.17	3.7			
08	00	0.45	6.3	0.38	6.1	0.31	6.2	0.20	5.6	NNW	344
	02	0.49	5.7	0.37	5.7	0.30	5.7	0.19	4.5	N	0
	04	0.64	5.3	0.40	4.7	0.32	4.4	0.21			

			最大	0.54	3.0	0.43	3.0	0.35	3.1	0.23	2.9		
			平均	0.38	3.5	0.27	3.8	0.22	3.7	0.15	3.1		
10	00		0.39	3.4	0.26	3.2	0.20	3.2	0.14	2.8	SW	221	
	02		0.31	3.3	0.23	3.3	0.19	3.2	0.13	3.0	SW	220	
	04		0.26	3.0	0.20	3.4	0.16	3.5	0.10	3.0			
	06		0.28	5.6	0.20	5.0	0.17	4.6	0.11	3.4			
	08		0.32	2.9	0.19	3.2	0.16	3.4	0.11	2.9			
	10		0.21	3.4	0.17	3.3	0.14	3.3	0.09	2.8			
	12		0.22	3.0	0.17	4.0	0.13	3.7	0.09	3.0			
	14		0.25	3.5	0.17	3.5	0.14	3.1	0.10	2.5			
	16		0.42	2.8	0.29	2.8	0.23	2.8	0.16	2.5			
18		0.50	3.0	* 0.36	2.9	0.28	2.9	0.18	2.6				
20		* 0.59	3.0	0.34	3.1	* 0.28	3.1	* 0.19	2.8	WSW	240		
22		0.30	3.1	0.24	3.2	0.20	3.0	0.13	2.8	NNE	13		
			最大	0.59	3.0	0.36	2.9	0.28	3.1	0.19	2.8		
			平均	0.34	3.3	0.24	3.4	0.19	3.3	0.13	2.8		
11	00		0.26	2.7	0.20	3.0	0.16	3.1	0.11	2.7	SW	219	
	02		0.24	3.1	0.17	3.0	0.14	2.9	0.09	2.3	SW	219	
	04		0.22	2.3	0.17	3.0	0.14	2.9	0.10	2.3			
	06		0.27	2.9	0.21	4.2	0.17	3.7	0.11	2.8			
	08		0.21	4.1	0.16	3.5	0.13	3.4	0.09	2.8			
	10		0.17	4.0	0.13	4.0	0.11	3.8	0.08	3.1			
	12		0.28	2.1	0.18	3.1	0.14	3.0	0.10	2.4			
	14		0.18	3.8	0.14	4.1	0.11	3.6	0.07	2.8			
	16		0.26	3.5	0.17	3.6	0.12	3.7	0.08	3.4			
18		0.84	2.7	0.62	2.6	0.50	2.7	0.32	2.6				
20		1.41	3.4	* 1.16	3.7	* 0.92	3.6	* 0.60	3.2	WSW	241		
22		* 1.49	4.2	1.15	3.6	* 0.92	3.6	* 0.60	3.2	SW	233		
			最大	1.49	4.2	1.16	3.7	0.92	3.6	0.60	3.2		
			平均	0.49	3.2	0.37	3.5	0.30	3.3	0.20	2.8		
12	00		1.54	4.3	1.15	4.3	0.91	4.1	0.58	3.4	W	262	
	02		* 1.89	4.2	* 1.18	4.7	* 0.96	4.7	* 0.61	3.8	WSW	245	
	04		1.45	4.4	1.12	5.2	0.93	5.2	0.59	4.1	WSW	254	
	06		1.17	4.9	0.86	4.9	0.69	4.8	0.45	3.7	WSW	237	
	08		0.97	4.1	0.70	4.6	0.56	4.4	0.35	3.4	W	262	
	10		0.85	4.0	0.65	4.4	0.52	4.4	0.33	3.6	W	262	
	12		0.86	4.4	0.61	4.5	0.50	4.4	0.32	3.6	WSW	245	
	14		0.96	3.5	0.60	4.1	0.47	4.0	0.31	3.4	WSW	245	
	16		0.95	4.0	0.58	4.1	0.46	4.2	0.29	3.6			
18		0.73	4.7	0.56	4.2	0.44	4.3	0.29	3.7				
20		1.02	4.5	0.62	4.3	0.49	4.3	0.32	3.8	W	266		
22		0.78	4.7	0.56	4.1	0.46	4.2	0.30	3.6	NW	311		
			最大	1.89	4.2	1.18	4.7	0.96	4.7	0.61	3.8		
			平均	1.10	4.3	0.77	4.5	0.62	4.4	0.40	3.6		
13	00		0.59	4.3	0.46	4.2	0.36	4.2	0.24	3.8	W	274	
	02		0.60	4.5	0.45	4.2	0.34	4.3	0.21	3.7	WNW	295	
	04		0.47	4.6	0.38	4.2	0.30	4.2	0.20	3.8	WNW	299	
	06		0.51	4.2	0.39	4.3	0.30	4.4	0.19	3.9	NNW	331	
	08		0.47	3.9	0.37	4.0	0.30	4.0	0.20	3.4			
	10		0.51	5.0	0.38	4.8	0.31	4.8	0.20	4.0	N	8	
	12		0.66	5.5	0.53	5.7	0.43	5.2	0.26	3.6			
	14		0.76	5.3	0.61	5.1	0.49	4.7	0.32	3.4	N	352	
	16		0.91	2.9	0.73	4.8	0.60	4.4	0.39	3.5	NW	323	
18		1.02	4.5	* 0.78	4.7	* 0.62	4.7	* 0.40	3.8				
20		* 1.11	4.7	0.76	4.9	0.60	4.9	0.39	4.2	NNW	340		
22		0.95	5.9	0.69	5.6	0.55	5.5	0.35	4.4	NNW	344		
			最大	1.11	4.7	0.78	4.7	0.62	4.7	0.40	3.8		
			平均	0.71	4.6	0.54	4.7	0.43	4.6	0.28	3.8		
14	00		0.84	5.7	0.64	5.9	0.52	5.8	0.34	4.7	NNW	348	
	02		0.82	5.1	0.71	6.1	0.56	6.1	0.36	4.8	NNW	344	
	04		1.01	6.1	0.74	6.4	0.61	6.2	0.38	4.7			
	06		1.05	6.6	0.85	6.7	0.68	6.3	0.43	4.6			
	08		0.99	6.7	0.79	6.1	0.65	5.5	0.42	4.1			
	10		0.97	6.8	0.74	5.8	0.60	5.2	0.39	3.9			
	12		1.24	7.6	0.92	6.6	0.73	6.1	0.45	4.5			
	14		1.11	7.1	0.82	5.6	0.66	5.7	0.43	4.2			

	16	1.41	6.1	1.04	6.1	0.80	5.9	0.49	4.2	N	356		
	18	* 1.71	6.3	* 1.05	5.8	* 0.83	5.7	* 0.51	4.5				
	20	1.11	5.4	0.86	5.4	0.69	5.4	0.44	4.5				
	22	1.07	4.8	0.75	5.0	0.60	5.0	0.39	4.2				
最大	1.71	6.3	1.05	5.8	0.83	5.7	0.51	4.5					
	平均	1.11	6.2	0.83	6.0	0.66	5.7	0.42			4.4		
15	00	0.92	4.9	0.70	5.3	0.57	5.3	0.37	4.4	N	352		
	02	0.87	5.3	0.69	5.1	0.55	5.2	0.36	4.5				
	04	1.06	5.2	0.76	4.9	0.61	5.3	0.38	4.6				
	06	1.15	5.5	* 0.81	5.3	* 0.64	5.3	* 0.42	4.7				
	08	1.04	5.3	0.76	5.1	0.62	5.1	0.41	4.3	NNW	331		
	10	1.09	4.6	0.78	5.1	0.62	5.0	0.38	4.1				
	12	1.11	4.5	0.79	4.7	0.63	4.8	0.40	3.9			N	0
	14	0.86	4.4	0.60	4.9	0.48	4.5	0.30	3.4				
	16	* 1.18	5.4	0.73	4.5	0.59	4.6	0.38	3.7				
	18	0.97	5.1	0.77	4.3	0.62	4.4	0.40	3.6				
	20	1.08	4.8	0.75	4.5	0.60	4.5	0.38	3.8	N	356		
	22	0.78	4.4	0.62	4.6	0.50	4.4	0.32	3.7				
最大	1.18	5.4	0.81	5.3	0.64	5.3	0.42	4.7					
	平均	1.01	5.0	0.73	4.9	0.59	4.9	0.38			4.1		
16	00	0.84	6.4	0.66	4.6	0.53	4.6	0.34	3.7	NNW	348		
	02	0.92	4.4	* 0.68	4.7	* 0.54	4.5	* 0.35	3.6	NNW	344		
	04	0.88	4.4	0.64	4.7	0.50	4.4	0.32	3.7				
	06	0.89	5.0	0.64	4.5	0.52	4.6	0.34	4.0				
	08	* 1.09	3.9	0.67	4.4	0.52	4.5	0.34	3.8				
	10	0.78	4.7	0.63	4.7	0.50	4.7	0.32	4.0				
	12	1.02	4.9	0.55	4.7	0.44	4.6	0.27	3.8				
	14	0.50	6.4	0.41	4.8	0.33	4.6	0.21	3.4				
	16	0.56	5.1	0.41	4.6	0.32	4.4	0.20	3.3				
	18	0.59	4.4	0.41	4.5	0.33	4.4	0.22	3.6				
	20	0.55	4.2	0.41	4.5	0.33	4.6	0.21	3.9	NNW	331		
	22	0.59	4.5	0.36	4.5	0.30	4.6	0.19	3.8	NNE	25		
最大	1.09	3.9	0.68	4.7	0.54	4.5	0.35	3.6					
	平均	0.77	4.9	0.54	4.6	0.43	4.5	0.28			3.7		
17	00	0.54	3.3	0.45	3.5	0.38	3.4	0.24	2.8	SW	218		
	02	0.43	4.7	0.33	3.8	0.27	3.8	0.18	3.2	NNE	29		
	04	0.63	3.5	0.49	3.2	0.39	3.1	0.25	2.6	N	4		
	06	0.82	2.8	0.56	3.4	0.45	3.4	0.28	2.8				
	08	0.70	2.8	0.52	3.4	0.42	3.4	0.27	2.8				
	10	* 0.85	3.4	* 0.63	3.2	* 0.50	3.3	* 0.32	2.8				
	12	0.74	3.2	0.57	3.3	0.46	3.3	0.30	2.9				
	14	0.65	3.2	0.51	3.5	0.42	3.4	0.28	2.9				
	16	0.67	3.0	0.52	3.6	0.42	3.6	0.27	3.0				
	18	0.69	3.3	0.53	3.8	0.43	3.9	0.28	3.3				
	20	0.84	3.7	0.59	4.0	0.47	4.0	0.30	3.5				
	22	0.59	3.7	0.47	3.9	0.38	3.9	0.25	3.5	N	352		
最大	0.85	3.4	0.63	3.2	0.50	3.3	0.32	2.8					
	平均	0.68	3.4	0.51	3.6	0.42	3.5	0.27			3.0		
18	00	0.61	4.6	0.46	4.2	0.37	4.1	0.24	3.6				
	02	* 0.67	4.1	* 0.48	4.2	* 0.38	4.2	* 0.25	3.7				
	04	0.64	4.5	0.43	4.3	0.35	4.2	0.24	3.7				
	06	0.63	5.2	0.45	4.3	0.37	4.4	0.24	3.8				
	08	0.56	4.1	0.44	4.1	0.36	4.4	0.23	3.6				
	10	0.53	4.5	0.42	4.5	0.33	4.5	0.22	3.6				
	12	0.65	4.5	0.39	4.4	0.31	4.5	0.20	3.6				
	14	0.55	4.7	0.40	4.4	0.32	4.4	0.20	3.4				
	16	0.51	4.7	0.37	4.1	0.31	3.8	0.20	3.0				
	18	0.46	4.9	0.39	4.0	0.32	3.8	0.21	3.2				
	20	0.49	3.6	0.38	4.1	0.31	4.0	0.20	3.3	NNW	331		
	22	0.39	2.9	0.31	4.3	0.26	4.0	0.17	3.4				
最大	0.67	4.1	0.48	4.2	0.38	4.2	0.25	3.7					
	平均	0.56	4.4	0.41	4.2	0.33	4.2	0.22			3.5		
19	00	* 0.42	3.9	* 0.30	4.2	* 0.25	4.1	* 0.16	3.3	NNW	340		
	02	0.33	4.5	0.25	4.2	0.20	4.1	0.13	3.2	NW	323		
	04	0.31	4.6	0.24	4.2	0.20	4.2	0.13	3.5				
	06	0.35	5.6	0.26	4.9	0.21	4.6	0.13	3.4				
	08	0.29	4.0	0.23	3.9	0.19	3.9	0.13	3.1				
	10	0.25	5.5	0.19	4.5	0.16	4.2	0.10	3.2				

	12	0.27	6.6	0.19	4.4	0.16	4.1	0.10	3.1	NNE	12
	14	0.25	5.4	0.19	4.2	0.15	4.2	0.10	3.1	W	266
	16	0.29	5.4	0.21	4.4	0.17	4.4	0.11	3.3		
	18	0.25	2.0	0.19	4.3	0.16	4.4	0.10	3.5		
	20	0.29	4.6	0.21	4.5	0.17	4.7	0.11	3.7		
	22	0.22	4.5	0.17	4.6	0.14	4.7	0.09	3.7		
	最大	0.42	3.9	0.30	4.2	0.25	4.1	0.16	3.3		
		0.29	4.7	0.22	4.4	0.18	4.3	0.12	3.3		
	平均										
20	00	0.24	4.6	0.17	4.5	0.14	4.4	0.09	3.8		
	02	0.20	4.2	0.17	4.4	0.14	4.6	0.09	4.2		
	04	0.32	3.7	0.22	3.4	0.18	3.6	0.12	3.4		
	06	0.24	3.5	0.19	4.4	0.16	4.3	0.11	3.4		
	08	0.29	4.9	0.23	4.5	0.19	4.3	0.12	3.4		
	10	0.30	5.3	0.24	4.7	0.20	4.7	0.13	3.4	WNW	282
										W	274
										W	278
	12	0.32	5.2	0.27	4.9	0.21	4.8	0.13	3.4	WNW	290
	14	* 0.49	4.1	* 0.36	4.0	* 0.28	3.8	* 0.19	2.8		
	16	0.42	4.8	0.34	4.1	0.28	3.7	0.18	2.8		
	18	0.40	2.6	0.30	3.7	0.25	3.5	0.16	2.7		
	20	0.39	3.4	0.28	3.8	0.24	3.6	0.16	2.9		
	22	0.33	4.2	0.22	4.0	0.18	3.8	0.12	3.1	SW	229
	最大	0.49	4.1	0.36	4.0	0.28	3.8	0.19	2.8		
		0.33	4.2	0.25	4.2	0.20	4.1	0.13	3.3		
	平均										
21	00	0.25	5.0	0.18	4.0	0.14	4.0	0.09	3.3		
	02	0.20	3.5	0.16	3.9	0.13	4.1	0.09	3.3		
	04	0.23	3.7	0.16	4.0	0.14	4.0	0.09	3.2		
	06	0.27	6.4	0.18	5.7	* 0.15	4.9	* 0.10	3.9		
	08	0.26	3.1	0.17	3.3	0.14	3.5	0.10	3.3		
	10	0.21	3.7	0.16	3.8	0.13	3.7	0.09	3.1	NNE	29
	12	0.22	3.9	0.16	3.9	0.13	3.7	0.09	2.8		
	14	0.21	3.5	0.17	3.6	0.14	3.5	0.09	2.7		
	16	0.23	3.6	0.17	3.4	0.14	3.4	0.10	2.6		
	18	* 0.27	7.6	0.19	5.0	0.15	4.1	0.10	3.0		
	20	0.26	5.4	* 0.19	5.5	* 0.15	4.9	0.10	3.7		
	22	0.25	6.0	0.18	4.5	0.15	4.2	0.10	3.2	W	274
	最大										
	平均										
22	00	0.25	3.2	0.18	5.0	0.15	4.2	0.10	3.3		
	02	0.21	9.2	0.15	6.9	0.12	5.8	0.08	4.2		
	04	0.21	5.6	0.16	6.3	0.13	5.2	0.09	4.0		
	06	0.22	5.5	0.18	5.8	0.16	5.5	0.11	4.0		
	08	0.35	3.1	0.25	3.9	0.19	4.1	0.13	3.5		
	10	0.33	3.4	0.26	3.5	0.21	3.5	0.14	3.0		
	12	0.32	3.4	0.23	3.7	0.19	3.6	0.13	2.9	WNW	290
	14	0.46	2.5	0.36	2.7	0.29	2.7	0.19	2.4		
	16	0.67	2.6	0.42	2.8	0.34	2.8	0.23	2.6		
	18	* 0.94	2.8	* 0.64	2.9	* 0.51	2.9	* 0.33	2.7		
	20	0.70	2.6	0.47	2.9	0.37	2.9	0.24	2.6		
	22	0.48	4.3	0.35	3.1	0.28	3.0	0.19	2.6	NNE	29
	最大	0.94	2.8	0.64	2.9	0.51	2.9	0.33	2.7		
		0.43	4.0	0.30	4.1	0.25	3.9	0.16	3.2		
	平均										
23	00	0.36	4.9	0.26	3.5	0.21	3.2	0.14	2.7		
	02	0.34	2.8	0.25	3.1	0.21	3.2	0.14	2.7		
	04	0.48	2.5	0.38	2.9	0.30	2.9	0.20	2.6		
	06	0.46	3.1	0.34	3.1	0.27	3.1	0.18	2.7		
	08	0.39	2.8	0.31	3.1	0.25	3.0	0.17	2.6		
	10	0.36	4.8	0.28	3.2	0.22	3.1	0.15	2.6	SW	228
	12	0.33	4.7	0.26	3.9	0.22	3.9	0.14	3.1	WNW	299
	14	0.36	5.0	0.28	4.3	0.23	4.1	0.15	3.4		
	16	0.34	4.6	0.27	4.5	0.22	4.4	0.15	3.3		
	18	0.49	4.4	0.32	4.5	0.26	4.5	0.17	3.7		
	20	* 0.53	4.2	* 0.38	4.4	* 0.31	4.3	* 0.21	3.8		
	22	0.51	3.7	0.36	4.4	0.28	4.5	0.18	3.9	WSW	258
	最大										
	平均										
24	00	0.38	4.0	0.32	4.4	0.26	4.4	0.16	3.8		
	02	0.36	4.3	0.29	4.4	0.24	4.2	0.15	3.3		

	04	0.51	5.9	0.32	4.7	0.25	4.4	0.16	3.4		
	06	0.41	6.5	0.33	4.4	0.27	4.2	0.18	3.1		
	08	0.52	5.5	0.35	4.7	0.28	4.5	0.19	3.2		
	10	0.58	4.2	0.41	4.5	0.32	4.4	0.21	3.5		
	12	0.69	4.8	0.47	4.1	0.37	3.8	0.24	2.9		
	14	0.72	4.1	* 0.58	3.3	* 0.46	3.4	0.29	2.8		
	16	* 0.73	3.4	0.53	3.5	0.44	3.6	* 0.29	3.1		
	18	0.56	4.0	0.44	3.9	0.35	3.9	0.22	3.1		
	20	0.55	4.0	0.40	4.0	0.32	4.0	0.20	3.1		
	22	0.43	3.9	0.32	4.0	0.26	3.8	0.16	3.2		
25	最大	0.73	3.4	0.58	3.3	0.46	3.4	0.29	3.1	WSW	254
	平均	0.54	4.6	0.40	4.2	0.32	4.1	0.20	3.2		
	00	0.44	3.4	0.28	3.9	0.22	3.9	0.15	3.5		
	02	0.40	3.7	0.26	4.0	0.21	3.9	0.14	3.5		
	04	0.31	3.8	0.24	3.8	0.19	4.0	0.13	3.4		
	06	0.28	3.9	0.23	4.3	0.18	4.2	0.12	3.4		
	08	0.27	3.3	0.22	3.5	0.18	3.5	0.13	3.1		
	10	0.38	3.2	0.26	3.3	0.21	3.3	0.14	2.8		
	12	0.58	2.3	0.38	2.5	0.30	2.7	0.20	2.4		
	14	* 0.72	3.3	* 0.52	2.9	* 0.41	2.9	* 0.28	2.6		
26	06	0.28	3.9	0.23	4.3	0.18	4.2	0.12	3.4	WNW	299
	08	0.27	3.3	0.22	3.5	0.18	3.5	0.13	3.1		
	10	0.38	3.2	0.26	3.3	0.21	3.3	0.14	2.8	WSW	241
	12	0.58	2.3	0.38	2.5	0.30	2.7	0.20	2.4		
	14	* 0.72	3.3	* 0.52	2.9	* 0.41	2.9	* 0.28	2.6	NNW	339
	16	0.58	3.0	0.42	2.9	0.33	3.0	0.22	2.7		
	18	0.38	2.6	0.29	3.5	0.23	3.3	0.15	2.7		
	20	0.32	2.8	0.26	3.7	0.21	3.7	0.14	3.1		
	22	0.28	4.1	0.21	3.9	0.18	4.0	0.11	3.3		
	最大	0.72	3.3	0.52	2.9	0.41	2.9	0.28	2.6		
26	平均	0.41	3.3	0.30	3.5	0.24	3.5	0.16	3.0		
	00	0.37	4.0	0.23	4.1	0.18	4.1	0.12	3.2		
	02	0.34	4.8	0.26	4.5	0.21	4.4	0.14	3.5		
	04	0.74	5.1	0.48	5.2	0.39	5.1	0.25	4.0		
	06	0.87	4.3	* 0.67	5.0	* 0.53	5.0	* 0.33	3.9		
	08	0.80	4.9	0.59	4.7	0.47	4.6	0.30	3.6		
	10	0.78	5.2	0.57	4.8	0.45	4.8	0.29	3.8		
	12	0.78	4.6	0.55	4.6	0.43	4.5	0.27	3.7		
	14	* 0.91	3.9	0.62	4.2	0.50	4.2	0.32	3.2		
	16	0.82	3.4	0.62	5.0	0.50	4.6	0.31	3.6		
27	18	0.74	6.1	0.53	5.3	0.43	5.1	0.28	3.8	NNW	335
	20	0.61	6.5	0.48	6.0	0.38	5.7	0.24	4.4		
	22	0.61	6.1	0.49	5.8	0.39	5.5	0.24	4.2	WSW	241
	最大	0.91	3.9	0.67	5.0	0.53	5.0	0.33	3.9		
	平均	0.70	4.9	0.51	4.9	0.41	4.8	0.26	3.7		
	00	0.75	5.9	0.57	6.2	0.46	6.0	0.29	5.0		
	02	0.67	5.8	0.58	5.8	0.47	5.9	0.30	4.9		
	04	0.86	5.3	0.65	5.9	0.51	5.8	0.33	4.9		
	06	0.80	5.3	0.62	5.0	0.49	5.1	0.30	3.7		
	08	0.98	4.1	0.72	4.6	0.59	4.4	0.37	3.4		
	10	1.34	4.1	0.97	4.1	0.78	4.0	0.50	3.4		
	12	1.70	4.6	1.10	4.3	0.86	4.3	0.55	3.5		
	14	1.28	3.0	1.04	4.1	0.84	4.2	0.55	3.6		
	16	1.67	3.7	1.26	4.4	0.99	4.4	0.64	3.8		
28	18	1.26	4.7	1.06	5.5	0.86	5.1	0.57	4.0	SW	217
	20	2.28	4.9	1.65	6.1	1.30	5.8	0.83	4.5		
	22	* 3.10	7.3	* 2.70	7.4	* 2.15	7.7	* 1.33	6.0	WNW	286
	最大	3.10	7.3	2.70	7.4	2.15	7.7	1.33	6.0		
	平均	1.39	4.9	1.08	5.3	0.86	5.2	0.55	4.2		
	00	3.28	6.4	2.33	7.1	1.87	7.0	1.19	5.4		
	02	3.10	6.1	2.39	6.3	1.86	6.5	1.14	5.0		
	04	3.26	5.9	2.49	6.9	2.00	6.7	1.30	5.2		
	06	3.18	6.9	2.55	7.2	2.11	6.9	1.34	5.4		
	08	3.85	7.4	2.92	6.6	* 2.33	6.8	* 1.47	5.5		
	10	* 4.03	6.5	* 3.01	7.4	2.30	7.1	1.39	5.4		
	12	3.61	7.7	2.86	7.3	2.30	7.2	1.39	5.3		
	14	3.65	6.3	2.46	6.3	2.01	6.5	1.29	5.2		
	16	3.08	7.0	2.37	6.5	1.91	6.7	1.22	5.3		
	18	2.89	7.3	2.12	6.7	1.70	6.6	1.05	5.0	WSW	258
	20	3.01	7.6	2.15	7.1	1.71	6.8	1.07	5.5		
	22	2.85	6.9	1.86	6.9	1.43	6.8	0.87	5.5	W	266
	最大	4.03	6.5	3.01	7.4	2.33	6.8	1.47	5.5		

	平均	3.32	6.8	2.46	6.9	1.96	6.8	1.23	5.3		
29	00	* 1.98	7.3	* 1.53	7.1	* 1.25	6.9	* 0.82	5.8		
	02	1.85	5.9	1.32	6.7	1.08	6.8	0.70	5.8	W	278
	04	1.47	6.7	1.21	6.5	0.98	6.6	0.65	5.8	W	262
	06	1.41	4.9	1.11	6.1	0.91	6.3	0.59	5.5	W	270
	08	1.44	6.2	1.05	6.3	0.85	5.9	0.53	4.8		
	10	1.34	5.9	0.99	5.9	0.81	5.8	0.52	5.0	WSW	258
	12	1.33	5.9	0.93	5.9	0.74	5.9	0.47	4.9	WSW	254
	14	1.06	5.8	0.83	6.1	0.66	6.1	0.42	5.0	WSW	258
	16	1.08	6.1	0.78	6.0	0.64	5.9	0.42	5.0	WSW	258
	18	0.97	5.6	0.84	5.9	0.67	5.9	0.42	5.0		
	20	1.17	5.9	0.90	5.9	0.73	5.7	0.44	4.1	WSW	258
	22	0.97	5.8	0.77	5.6	0.63	5.6	0.41	4.5		
	最大	1.98	7.3	1.53	7.1	1.25	6.9	0.82	5.8		
	平均	1.34	6.0	1.02	6.2	0.83	6.1	0.53	5.1		
30	00	0.79	4.7	0.61	5.0	0.49	4.9	0.31	3.7		
	02	0.81	4.7	0.62	5.0	0.49	4.9	0.31	3.5	W	270
	04	0.84	4.8	0.65	4.6	0.52	4.2	0.34	3.3		
	06	0.92	4.2	0.65	4.1	0.54	4.0	0.35	3.1		
	08	1.11	3.6	0.79	4.0	0.64	4.1	0.42	3.4	W	266
	10	1.15	5.1	0.78	4.4	0.62	4.2	0.41	3.6	WSW	245
	12	1.02	4.0	0.80	4.5	0.65	4.6	0.40	3.7	WSW	254
	14	1.35	4.9	1.01	5.1	0.80	5.2	0.50	4.1	WSW	254
	16	1.30	5.0	0.96	4.9	0.75	4.8	0.48	3.9	W	266
	18	* 1.76	5.2	1.10	5.0	0.88	4.9	0.54	3.7	W	278
	20	1.51	5.0	* 1.23	5.5	* 0.94	5.3	* 0.58	4.2	W	266
	22	1.48	4.9	1.11	5.7	0.90	5.7	0.57	4.6	W	266
	最大	1.76	5.2	1.23	5.5	0.94	5.3	0.58	4.2		
	平均	1.17	4.7	0.86	4.8	0.69	4.7	0.43	3.7		
	月最大	4.03	6.5	3.01	7.4	2.33	6.8	1.47	5.5		
	起時	2810		2810		2808		2808			
	平均	0.76	4.5	0.56	4.5	0.45	4.4	0.29	3.6		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	308 回
欠測回数	0 回	欠測回数	64 回
欠測率	0.0 %	欠測率	17.2 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.62	6.4	1.18	6.0	0.95	5.8	0.61	4.6	W	278
	02	1.34	6.0	1.05	5.5	0.86	5.7	0.55	4.4		
	04	1.39	4.8	1.01	5.3	0.84	5.2	0.54	4.1	W	278
	06	1.28	5.3	0.94	5.6	0.75	5.4	0.47	4.3	WSW	266
	08	1.36	5.3	0.89	5.5	0.70	5.4	0.44	4.5	WSW	254
	10	1.00	5.2	0.73	5.3	0.60	5.4	0.38	4.7	W	262
	12	1.06	5.6	0.75	4.9	0.60	4.8	0.39	3.9	W	262
	14	* 2.07	4.8	1.43	4.6	1.12	4.5	0.71	3.8	W	266
	16	1.84	4.1	1.40	4.4	1.12	4.2	0.73	3.7	SW	229
	18	1.94	4.2	* 1.45	4.2	* 1.19	4.2	* 0.76	3.7	SW	217
	20	1.44	4.4	1.07	5.0	0.87	4.8	0.57	3.9	W	262
	22	1.45	5.6	1.21	6.1	0.95	5.8	0.59	4.5	W	266
	最大	2.07	4.8	1.45	4.2	1.19	4.2	0.76	3.7		
	平均	1.48	5.1	1.09	5.2	0.88	5.1	0.56	4.2		
02	00	1.66	6.4	1.30	6.2	* 1.06	6.3	* 0.67	4.8	WNW	286
	02	* 1.86	6.4	* 1.35	6.3	1.03	6.3	0.62	4.7	WSW	258
	04	1.79	6.1	1.22	6.6	0.98	6.2	0.62	5.1	WSW	258
	06	1.62	6.5	1.23	6.1	0.96	6.2	0.60	4.9	W	266
	08	1.53	5.2	1.06	5.5	0.84	5.7	0.52	4.6	WNW	286
	10	1.31	5.6	0.94	5.3	0.73	5.4	0.45	4.3	W	274
	12	1.01	5.3	0.74	5.1	0.57	4.9	0.36	4.1	W	266
	14	1.08	4.5	0.72	5.2	0.58	5.2	0.37	4.3	W	270
	16	0.80	4.4	0.61	4.9	0.48	4.9	0.30	4.1	W	274
	18	0.61	4.7	0.47	5.0	0.38	5.0	0.25	4.0	W	274
	20	0.62	7.5	0.47	4.7	0.39	4.5	0.27	3.8	W	278
	22	0.64	5.8	0.48	5.1	0.38	5.0	0.24	4.1	WNW	290
	最大	1.86	6.4	1.35	6.3	1.06	6.3	0.67	4.8		
	平均	1.21	5.7	0.88	5.5	0.70	5.5	0.44	4.4		
03	00	* 0.62	5.0	0.44	6.0	0.36	5.7	0.23	4.7	NW	315
	02	0.54	6.4	0.45	6.3	0.36	6.0	0.23	4.8	W	270
	04	0.51	5.2	0.40	5.7	0.32	5.7	0.20	4.7	WSW	237
	06	0.51	5.7	0.43	5.4	0.36	5.4	0.23	4.3	WSW	245
	08	0.57	5.2	0.43	5.5	0.34	5.5	0.21	4.2	WSW	258
	10	0.47	5.7	0.40	5.6	0.34	5.5	0.24	4.6	W	266
	12	0.53	5.0	0.41	5.3	0.32	5.2	0.20	3.9	W	262
	14	0.46	5.1	0.34	4.8	0.27	4.8	0.17	3.6	W	262
	16	0.43	4.7	0.34	5.0	0.28	4.9	0.18	3.8	W	274
	18	0.47	4.8	0.37	4.4	0.29	4.4	0.19	3.8	WNW	286
	20	0.54	3.8	0.39	4.5	0.31	4.5	0.20	3.5	W	274
	22	0.62	4.5	* 0.55	3.5	* 0.46	3.6	* 0.30	3.1	WSW	237
	最大	0.62	5.0	0.55	3.5	0.46	3.6	0.30	3.1		
	平均	0.52	5.1	0.41	5.2	0.33	5.1	0.22	4.1		
04	00	0.61	3.5	0.40	4.0	0.31	4.0	0.20	3.2	W	274
	02	0.32	4.4	0.26	4.9	0.20	4.9	0.13	3.7	W	278
	04	0.35	5.1	0.26	5.5	0.21	5.3	0.13	4.2	W	262
	06	0.33	4.9	0.26	4.8	0.21	4.9	0.14	3.9	SW	217
	08	1.04	4.3	0.66	4.0	0.53	4.1	0.34	3.5	WSW	250
	10	0.93	3.2	0.67	3.4	0.54	3.4	0.35	2.9	SW	224
	12	1.02	3.3	0.74	3.2	0.60	3.1	0.39	2.7	WSW	255
	14	1.46	3.2	0.88	3.8	0.70	3.7	0.45	3.1	WSW	250
	16	2.14	4.0	1.39	4.6	1.10	4.6	0.69	3.6	W	266
	18	1.96	4.8	* 1.49	4.9	* 1.17	4.8	* 0.75	4.0	WSW	245
	20	1.83	4.8	1.35	4.5	1.06	4.6	0.66	3.7	W	270
	22	* 2.33	5.1	1.29	5.4	0.99	5.1	0.61	3.8	WSW	254
	最大	2.33	5.1	1.49	4.9	1.17	4.8	0.75	4.0		

	平均	1.19	4.2	0.80	4.4	0.64	4.4	0.40	3.5		
05	00	1.25	5.3	1.02	5.2	0.82	4.9	* 0.53	3.8		
	02	* 1.40	3.8	* 1.07	4.9	* 0.84	4.8	0.53	3.7	W	262
	04	1.14	4.7	0.91	5.3	0.74	5.0	0.47	3.8	W	270
	06	1.14	3.9	0.87	4.5	0.71	4.6	0.47	3.7		
	08	1.07	5.6	0.84	4.5	0.67	4.5	0.43	3.4		
	10	1.10	4.0	0.70	4.2	0.57	4.1	0.36	3.4	W	278
	12	0.80	4.3	0.65	4.2	0.53	4.1	0.35	3.5	W	278
	14	0.91	4.1	0.60	4.1	0.48	4.2	0.31	3.4	WNW	290
	16	0.80	3.3	0.58	4.1	0.46	4.0	0.29	3.3	W	278
	18	0.69	4.2	0.56	4.1	0.45	4.0	0.28	3.0	WNW	286
	20	0.85	3.2	0.61	3.8	0.49	3.8	0.32	3.1	NW	311
	22	0.69	2.9	0.52	4.3	0.42	4.0	0.27	3.1	NW	323
	最大	1.40	3.8	1.07	4.9	0.84	4.8	0.53	3.8		
	平均	0.99	4.1	0.74	4.4	0.60	4.3	0.38	3.4		
06	00	0.54	4.5	0.41	4.6	0.34	4.6	0.22	3.5	NNW	331
	02	0.46	4.2	0.38	4.7	0.31	4.7	0.21	3.8	N	8
	04	0.50	4.4	0.39	4.6	0.31	4.7	0.20	3.7	NNW	340
	06	0.60	4.3	0.44	4.7	0.35	4.8	0.22	3.9	WNW	303
	08	0.72	5.1	0.59	4.8	0.48	4.8	0.31	4.1		
	10	* 0.98	4.5	* 0.65	4.9	* 0.53	4.7	* 0.33	3.6	WNW	299
	12	0.88	4.4	0.58	4.7	0.47	4.7	0.30	3.6	W	270
	14	0.65	4.4	0.51	4.7	0.43	4.6	0.28	3.6	WNW	286
	16	0.73	5.4	0.54	4.8	0.43	4.7	0.27	3.6	WNW	295
	18	0.72	5.0	0.51	4.9	0.41	4.8	0.25	3.6	NW	315
	20	0.62	6.3	0.50	5.3	0.41	5.1	0.26	4.0	NNE	20
	22	0.77	5.4	0.56	6.3	0.44	5.9	0.28	4.3	NNW	344
	最大	0.98	4.5	0.65	4.9	0.53	4.7	0.33	3.6		
	平均	0.68	4.8	0.51	4.9	0.41	4.8	0.26	3.8		
07	00	0.85	9.2	0.65	7.7	0.51	7.0	0.32	4.9	NNW	331
	02	1.06	7.6	0.78	8.1	0.63	7.8	0.38	5.8	NNW	340
	04	1.50	8.5	1.20	8.7	0.99	8.5	0.58	5.3	NNW	340
	06	1.59	7.8	1.32	7.6	1.01	6.9	0.63	4.6	NNW	335
	08	1.83	9.7	1.34	7.4	1.02	6.1	0.61	4.0		
	10	1.81	8.2	1.40	7.9	1.11	7.6	0.68	5.2	NNW	348
	12	2.00	6.7	* 1.50	7.8	1.18	7.7	0.71	5.6	NNW	331
	14	2.08	8.6	1.40	8.0	1.11	7.4	0.70	5.6	NNW	344
	16	1.70	8.8	1.42	7.8	1.18	7.9	* 0.77	6.1	NNW	335
	18	1.70	8.3	1.38	7.7	1.11	7.3	0.69	5.6	NNW	340
	20	* 2.13	7.8	1.42	8.1	1.15	7.9	0.74	6.2	NNW	344
	22	1.60	7.3	1.39	8.0	* 1.18	8.2	0.75	6.5	NNW	331
	最大	2.13	7.8	1.50	7.8	1.18	8.2	0.77	6.1		
	平均	1.65	8.2	1.27	7.9	1.02	7.5	0.63	5.5		
08	00	1.75	8.5	1.41	7.7	1.12	7.6	0.69	5.9	NNW	340
	02	1.82									

		最大 平均	1.25 0.87	6.8 5.8	0.80 0.65	6.3 6.0	0.65 0.52	6.5 6.0	0.44 0.33	5.8 5.0		
10	00		0.63	4.4	0.40	4.8	0.32	4.8	0.21	3.9		
	02		0.45	4.8	0.36	5.0	0.29	5.0	0.19	3.9	NNE	20
	04		0.66	3.2	0.48	4.2	0.38	3.5	0.25	2.9	NNE	29
	06		0.66	4.8	0.55	3.7	0.45	3.4	0.31	2.9	SW	235
	08		1.59	3.6	1.17	3.5	0.92	3.4	0.59	3.0	WSW	239
	10		* 2.09	3.9	1.52	4.0	1.23	4.1	0.80	3.7	SW	221
	12		1.59	4.8	1.31	4.4	1.04	4.2	0.65	3.6	W	262
	14		1.80	5.1	1.41	5.3	1.09	5.2	0.72	4.2	WSW	254
	16		1.97	7.1	* 1.62	5.9	* 1.28	5.7	* 0.83	4.5	W	266
	18		1.73	5.9	1.48	5.6	1.19	5.7	0.76	4.5	W	270
	20		1.71	5.0	1.37	5.4	1.10	5.3	0.70	4.3	W	262
	22		1.77	5.2	1.37	5.6	1.09	5.4	0.70	4.3	W	270
	最大 平均		2.09 1.39	3.9 4.8	1.62 1.09	5.9 4.8	1.28 0.87	5.7 4.6	0.83 0.56	4.5 3.8		
11	00		1.95	6.0	1.44	5.6	1.18	5.3	0.76	4.3	WNW	290
	02		1.97	5.3	1.51	5.2	1.17	5.1	0.74	4.0	W	274
	04		2.04	6.4	1.55	5.5	1.23	5.3	0.76	4.1	W	278
	06		1.93	5.8	1.43	5.8	1.12	5.6	0.71	4.2	W	278
	08		1.74	5.7	1.44	6.1	1.12	5.8	0.70	4.6	WNW	282
	10		* 2.21	6.2	* 1.62	6.0	* 1.29	6.1	* 0.81	4.9	W	278
	12		1.79	6.6	1.40	6.3	1.12	6.1	0.69	4.5	WNW	299
	14		1.50	5.3	1.22	5.8	1.00	5.8	0.64	4.6	W	274
	16		1.56	6.3	1.15	5.9	0.95	6.1	0.60	4.8	WNW	282
	18		1.28	5.4	0.93	5.5	0.75	5.8	0.47	4.6	WNW	282
	20		0.94	5.5	0.75	5.8	0.62	5.8	0.40	4.6	NNW	335
	22		1.05	6.0	0.73	6.4	0.60	6.3	0.38	5.0	NNW	335
	最大 平均		2.21 1.66	6.2 5.9	1.62 1.26	6.0 5.8	1.29 1.01	6.1 5.8	0.81 0.64	4.9 4.5		
12	00		1.01	7.0	0.81	6.4	0.64	6.3	0.40	5.2	NW	323
	02		1.26	4.2	0.90	4.9	0.74	5.0	0.48	4.0	NNW	335
	04		1.27	6.6	0.90	5.6	0.74	5.1	0.48	3.9	NNW	335
	06		1.52	4.0	1.22	4.2	0.98	4.1	0.63	3.3	W	266
	08		* 1.97	3.7	1.39	4.5	1.09	4.4	0.70	3.5	WSW	241
	10		1.96	4.9	* 1.46	4.8	* 1.15	4.9	* 0.73	3.9	NNW	348
	12		1.89	5.7	1.36	5.0	1.09	4.8	0.70	3.7	NNW	331
	14		1.66	7.1	1.35	5.9	1.10	5.7	0.71	4.5	NNW	335
	16		1.68	4.4	1.28	5.4	1.04	5.3	0.66	4.2	NW	323
	18		1.34	5.7	1.03	5.3	0.81	5.5	0.51	4.3	N	352
	20		1.15	5.0	0.90	5.5	0.73	5.4	0.48	4.5	W	262
	22		1.10	5.1	0.82	5.6	0.67	5.4	0.42	4.2	N	4
	最大 平均		1.97 1.48	3.7 5.3	1.46 1.12	4.8 5.3	1.15 0.90	4.9 5.2	0.73 0.58	3.9 4.1		
13	00		0.99	4.5	* 0.77	5.2	* 0.61	5.4	* 0.39	4.6	W	262
	02		* 1.02	5.2	0.75	5.4	0.59	5.5	0.38	4.6		
	04		0.99	5.8	0.74	5.6	0.58	5.6	0.38	4.8	N	8
	06		0.95	5.6	0.69	5.7	0.54	5.7	0.34	4.7	N	8
	08		0.71	5.8	0.56	5.6	0.46	5.5	0.30	4.5	N	8
	10		0.71	5.6	0.51	5.4	0.40	5.4	0.25	4.3		
	12		0.73	5.2	0.48	5.4	0.40	5.4	0.26	4.4		
	14		0.63	5.5	0.47	5.6	0.36	5.3	0.23	4.4	NNE	12
	16		0.57	4.9	0.42	5.4	0.34	5.0	0.22	3.9	NW	319
	18		0.64	3.8	0.47	4.4	0.37	4.3	0.24	3.4		
	20		0.54	4.7	0.39	5.2	0.31	4.8	0.20	3.6	N	8
	22		0.45	4.6	0.36	5.0	0.28	4.8	0.18	3.5	NNE	16
	最大 平均		1.02 0.74	5.2 5.1	0.77 0.55	5.2 5.3	0.61 0.44	5.4 5.2	0.39 0.28	4.6 4.2		
14	00		0.55	5.8	0.37	5.5	0.29	5.5	0.18	4.4		
	02		0.45	5.0	0.32	5.4	0.27	5.5	0.17	4.5	NNW	344
	04		0.42	5.8	0.31	5.4	0.25	5.2	0.16	4.4	N	356
	06		* 1.46	3.1	* 0.88	3.5	* 0.69	3.4	* 0.44	3.1	N	358
	08		1.02	3.5	0.76	3.6	0.62	3.5	0.40	3.1		
	10		0.82	3.3	0.62	3.6	0.51	3.5	0.33	3.1	SW	225
	12		0.58	3.7	0.44	4.0	0.37	3.8	0.24	3.0	N	4
	14		0.56	3.9	0.42	3.7	0.33	3.7	0.21	3.0	NNE	29

	16	0.47	3.0	0.34	3.5	0.28	3.6	0.18	3.0	WSW	241			
	18	0.39	4.1	0.31	4.1	0.24	3.9	0.16	3.3					
	20	0.36	3.5	0.28	4.6	0.22	4.5	0.15	3.4					
	22	0.31	3.4	0.22	4.0	0.17	3.7	0.11	2.9					
	最大	1.46	3.1	0.88	3.5	0.69	3.4	0.44	3.1					
	平均	0.62	4.0	0.44	4.2	0.35	4.2	0.23	3.4					
	15	00	0.32	4.7	0.21	4.6	0.17	4.5	0.12			3.5	NNW WSW SW	340 250 229
	02	0.21	3.8	0.17	4.6	0.14	4.2	0.10	3.5					
04	0.22	3.6	0.17	4.4	0.14	4.2	0.09	3.5						
06	* 0.36	6.3	* 0.24	5.5	* 0.19	5.0	* 0.13	4.0						
08	0.21	4.1	0.17	4.4	0.13	4.4	0.09	3.5						
10	0.34	3.1	0.20	4.1	0.16	4.0	0.11	3.1						
12	0.26	6.6	0.19	4.4	0.15	4.0	0.10	3.0	N	8				
14	0.22	5.0	0.16	3.8	0.13	3.7	0.09	2.8						
16	0.24	6.6	0.15	5.0	0.12	4.7	0.08	3.3						
18	0.17	6.0	0.13	4.8	0.11	4.5	0.07	3.3						
20	0.23	5.1	0.20	5.2	0.17	4.7	0.11	3.6	N	8				
22	0.28	7.1	0.21	5.9	0.17	4.7	0.10	3.2						
最大	0.36	6.3	0.24	5.5	0.19	5.0	0.13	4.0						
平均	0.26	5.2	0.18	4.7	0.15	4.4	0.10	3.4						
16	00	0.30	6.1	0.23	5.1	0.19	4.2	0.12	3.1	N WNW N WSW	0 297 11 254			
	02	0.35	5.1	0.27	3.9	0.22	3.4	0.15	2.8					
	04	0.41	2.1	0.28	3.1	0.23	3.1	0.15	2.6					
	06	* 0.43	5.9	* 0.28	4.3	* 0.23	4.0	* 0.15	3.1					
	08	0.25	3.3	0.19	4.8	0.16	4.2	0.11	3.1					
	10	0.21	5.2	0.17	4.1	0.14	4.1	0.09	3.0					
	12	0.30	2.7	0.19	3.1	0.16	2.9	0.11	2.4			NW NNW NNW N	314 345 339 8	
	14	0.30	2.2	0.19	3.0	0.16	2.8	0.11	2.4					
	16	0.25	3.1	0.18	3.5	0.14	3.2	0.10	2.6					
18	0.36	3.3	0.22	3.3	0.18	3.0	0.12	2.4						
20	0.27	7.4	0.21	4.9	0.17	4.1	0.11	3.0	NNE WNW	12 282				
22	0.29	5.0	0.19	5.0	0.15	4.3	0.10	3.4						
最大	0.43	5.9	0.28	4.3	0.23	4.0	0.15	3.1						
平均	0.31	4.3	0.22	4.0	0.18	3.6	0.12	2.8						
17	00	0.28	4.6	0.20	4.6	0.16	4.6	0.11	3.8	W WSW WNW WSW NNW	274 237 286 241 344			
	02	0.37	3.5	0.24	4.2	0.18	4.6	0.12	3.6					
	04	0.25	5.0	0.18	4.9	0.15	4.4	0.10	3.4					
	06	0.38	5.4	0.27	4.5	0.21	4.2	0.14	3.3					
	08	0.35	4.1	0.20	4.5	0.16	4.0	0.11	3.0					
	10	0.38	4.6	0.29	3.9	0.24	3.9	0.16	3.0					
	12	0.37	2.6	0.27	3.5	0.22	3.3	0.15	2.6			WNW W W NNE NNE SW	296 278 280 15 16 232	
	14	0.35	4.4	0.27	4.2	0.22	4.0	0.15	2.8					
	16	0.55	2.1	0.40	2.7	0.33	2.8	0.22	2.5					
18	* 0.64	2.7	* 0.42	2.8	* 0.34	2.9	* 0.22	2.6						
20	0.44	4.6	0.32	3.4	0.26	3.3	0.17	2.7						
22	0.39	2.6	0.24	3.3	0.20	3.2	0.13	2.7						
最大	0.64	2.7	0.42	2.8	0.34	2.9	0.22	2.6						
平均	0.40	3.9	0.28	3.9	0.22	3.8	0.15	3.0						
18	00	0.28	3.8	0.20	4.0	0.16	3.9	0.11	3.1	WNW NNE N NNW WSW SW NNW	295 16 4 337 248 224 332			
	02	0.23	3.8	0.17	3.8	0.14	3.7	0.09	3.1					
	04	0.22	7.7	0.17	4.0	0.14	3.9	0.09	3.0					
	06	0.30	4.3	0.22	4.2	0.17	4.3	0.11	3.3					
	08	0.25	3.5	0.17	3.3	0.14	3.3	0.09	2.8					
	10	0.28	2.5	0.22	3.0	0.18	3.1	0.12	2.5					
	12	0.93	2.4	0.62	2.6	0.48	2.6	0.31	2.5					
	14	* 1.00	3.0	* 0.66	2.8	* 0.53	2.8	* 0.34	2.6					
	16	0.95	2.6	0.64	2.7	0.52	2.7	* 0.34	2.6					
18	0.55	2.0	0.37	2.5	0.30	2.5	0.20	2.3						
20	0.58	2.8	0.36	2.7	0.29	2.7	0.20	2.5						
22	0.42	2.7	0.30	3.2	0.24	3.2	0.16	2.6						
最大	1.00	3.0	0.66	2.8	0.53	2.8	0.34	2.6						
平均	0.50	3.4	0.34	3.2	0.27	3.2	0.18	2.7						
19	00	0.66	4.1	0.48	3.6	0.39	3.5	0.25	2.8	NNW WNW W W	327 303 278 274			
	02	1.07	3.0	* 0.77	3.4	* 0.61	3.3	* 0.39	2.8					
	04	* 1.09	3.7	0.71	3.5	0.58	3.4	0.38	2.9					
	06	0.84	4.1	0.66	3.6	0.52	3.5	0.34	2.9					
	08	0.69	3.8	0.55	4.0	0.44	3.9	0.28	3.1					
	10	0.73	4.1	0.58	4.2	0.47	4.1	0.30	3.3					

	12	0.76	4.3	0.56	4.4	0.46	4.1	0.30	3.3	WNW	286
	14	0.70	3.3	0.54	4.0	0.43	3.6	0.28	2.9		
	16	0.68	3.4	0.51	3.5	0.40	3.6	0.26	2.9	W	262
	18	0.56	3.9	0.43	3.6	0.33	3.7	0.21	3.0	WNW	282
	20	0.50	4.5	0.38	4.1	0.30	4.0	0.19	3.2	WNW	290
	22	0.38	5.4	0.31	4.4	0.26	4.3	0.17	3.5		
	最大	1.09	3.7	0.77	3.4	0.61	3.3	0.39	2.8		
	平均	0.72	4.0	0.54	3.9	0.43	3.8	0.28	3.1		
20	00	0.40	3.7	0.31	4.6	0.26	4.7	0.17	3.7	NW	311
	02	0.44	4.6	0.37	4.4	0.29	4.6	0.19	3.8		
	04	* 0.61	4.2	0.38	4.5	* 0.30	4.5	0.19	3.4		
	06	0.50	4.2	* 0.38	4.6	* 0.30	4.5	* 0.20	3.5	NW	323
	08	0.46	4.6	0.37	4.2	0.30	4.1	0.19	3.2	NNW	348
	10	0.45	4.3	0.34	4.1	0.28	4.0	0.19	3.0	NW	315
	12	0.46	5.0	0.35	3.6	0.28	3.4	0.18	2.7	N	9
	14	0.45	4.5	0.36	3.8	0.29	3.6	0.19	2.8	NW	307
	16	0.42	3.9	0.31	4.2	0.25	3.9	0.16	3.0	NW	315
	18	0.44	4.7	0.31	4.2	0.25	4.2	0.16	3.2		
	20	0.33	4.2	0.27	4.7	0.22	4.3	0.14	3.2		
	22	0.42	3.3	0.29	4.2	0.24	4.2	0.16	3.5	NNW	327
	最大	0.61	4.2	0.38	4.6	0.30	4.5	0.20	3.5		
	平均	0.45	4.3	0.34	4.3	0.27	4.2	0.18	3.3		
21	00	0.42	3.9	0.25	4.1	0.20	4.1	0.13	3.4	W	262
	02	0.38	4.1	0.27	4.9	0.22	4.4	0.14	3.3		
	04	0.37	4.3	0.28	5.0	0.23	4.5	0.15	3.4		
	06	0.45	6.3	0.33	6.0	0.26	5.4	0.17	3.9	NNE	33
	08	0.34	2.5	0.29	4.2	0.24	3.9	0.16	3.1	WNW	295
	10	0.35	8.7	0.31	3.7	0.25	3.5	0.17	3.0	NW	319
	12	0.48	3.2	0.38	2.7	0.30	3.0	0.20	2.6	NNE	28
	14	* 0.78	2.9	* 0.47	3.0	* 0.37	2.9	* 0.24	2.7	NNE	26
	16	0.54	3.0	0.40	2.9	0.31	3.2	0.21	2.8	SW	233
	18	0.40	3.3	0.29	3.3	0.24	3.4	0.16	2.8		
	20	0.37	6.6	0.28	3.8	0.23	3.7	0.15	3.0	WSW	241
	22	0.36	3.5	0.27	4.1	0.22	3.6	0.15	2.9	WNW	303
	最大	0.78	2.9	0.47	3.0	0.37	2.9	0.24	2.7		
	平均	0.44	4.4	0.32	4.0	0.26	3.8	0.17	3.1		
22	00	0.36	3.1	0.27	3.9	0.22	3.8	0.15	3.1		
	02	0.51	4.6	0.37	5.1	0.30	5.1	0.19	4.1	WNW	290
	04	0.72	5.5	0.56	5.4	0.46	5.5	0.29	4.5		
	06	1.11	5.9	0.72	5.2	0.55	5.2	0.34	4.0	W	278
	08	* 1.16	5.2	0.76	5.0	0.60	4.9	0.38	4.1	WNW	303
	10	0.82	5.7	0.60	4.9	0.49	5.0	0.32	4.4	W	274
	12	0.90	5.0	0.61	4.9	0.48	5.0	0.31	4.1	WNW	282
	14	0.85	5.1	0.61	5.0	0.49	4.8	0.31	3.7	WNW	290
	16	1.01	5.0	0.68	4.2	0.53	4.1	0.33	3.2	W	266
	18	1.10	4.0	0.77	4.0	0.60	4.0	0.38	3.3	N	0
	20	1.10	4.8	* 0.80	4.4	* 0.63	4.4	* 0.40	3.9	NNE	12
	22	0.97	4.4	0.76	4.5	0.58	4.5	0.37	4.0	NNW	344
	最大	1.16	5.2	0.80	4.4	0.63	4.4	0.40	3.9		
	平均	0.88	4.9	0.63	4.7	0.49	4.7	0.31	3.9		
23	00	0.87	3.7	0.72	4.4	0.58	4.5	0.38	4.0	N	4
	02	0.90	4.9	0.73	4.5	0.60	4.5	0.38	3.9	NNE	16
	04	1.03	4.3	0.75	4.4	0.60	4.5	0.39	4.0	NNW	348
	06	0.89	4.6	0.65	4.6	0.53	4.6	0.33	3.8	NNE	12
	08	0.96	5.1	0.68	4.6	0.53	4.6	0.34	4.0	NNE	12
	10	0.76	4.1	0.63	4.5	0.52	4.6	0.33	4.0	NNE	20
	12	0.80	4.6	0.63	4.3	0.50	4.4	0.33	3.5	NNW	344
	14	0.96	3.7	0.65	3.8	0.52	3.9	0.34	3.1	NNW	335
	16	* 1.17	3.6	0.85	3.8	* 0.69	3.8	0.43	3.2	N	8
	18	1.14	4.1	* 0.86	4.5	0.68	4.4	* 0.44	3.5	N	4
	20	0.98	3.8	0.75	4.2	0.58	4.2	0.38	3.6	NNW	340
	22	0.82	3.8	0.66	4.4	0.51	4.4	0.32	3.9	N	0
	最大	1.17	3.6	0.86	4.5	0.69	3.8	0.44	3.5		
	平均	0.94	4.2	0.71	4.3	0.57	4.4	0.37	3.7		
24	00	0.69	4.9	* 0.53	4.6	* 0.43	4.5	* 0.27	4.0	N	0
	02	0.72	3.9	0.50	4.3	0.40	4.5	0.26	3.9	N	352

	04	0.64	4.1	0.47	4.5	0.38	4.4	0.25	3.9	NNE	12
	06	0.66	3.9	0.51	4.4	0.41	4.4	0.26	3.7	NNE	20
	08	* 0.75	4.5	0.42	4.1	0.34	4.0	0.22	3.4	N	8
	10	0.62	3.8	0.41	4.1	0.33	3.9	0.22	3.1	NNE	25
	12	0.55	4.5	0.45	3.9	0.36	3.8	0.23	2.9	NNE	12
	14	0.71	3.0	0.45	3.1	0.36	3.1	0.24	2.6		
	16	0.59	3.1	0.47	3.2	0.38	3.1	0.25	2.5	N	11
	18	0.71	3.3	0.46	3.4	0.37	3.4	0.24	2.9	NNE	13
	20	0.62	3.8	0.43	3.8	0.35	3.8	0.22	3.2	NNW	348
	22	0.54	3.8	0.42	4.1	0.33	4.0	0.21	3.4	NNW	331
	最大	0.75	4.5	0.53	4.6	0.43	4.5	0.27	4.0		
	平均	0.65	3.9	0.46	4.0	0.37	3.9	0.24	3.3		
25	00	0.49	4.1	0.35	3.8	0.27	3.8	0.18	3.2		
	02	0.37	3.7	0.29	4.0	0.24	3.8	0.16	3.2	NNW	348
	04	0.56	3.8	0.36	3.9	0.28	3.9	0.18	3.4		
	06	0.50	3.4	0.35	4.2	0.28	4.2	0.18	3.4	N	0
	08	0.41	2.8	0.32	3.4	0.26	3.4	0.17	2.9	N	357
	10	0.48	2.5	0.33	3.5	0.26	3.4	0.17	2.8		
	12	0.53	3.3	0.35	3.4	0.27	3.3	0.18	2.8	NNE	22
	14	0.56	3.7	0.36	3.7	0.30	3.7	0.19	3.0	NNE	12
	16	0.55	3.8	0.41	3.9	0.33	3.7	0.21	2.9	NNW	335
	18	0.69	4.3	* 0.48	4.1	0.37	4.0	0.24	3.0		
	20	* 0.75	3.3	0.46	3.6	0.37	3.4	0.24	2.8		
	22	0.57	3.6	0.45	3.9	* 0.38	3.6	* 0.25	2.9	N	0
	最大	0.75	3.3	0.48	4.1	0.38	3.6	0.25	2.9		
	平均	0.54	3.5	0.38	3.8	0.30	3.7	0.20	3.0		
26	00	0.56	4.1	0.40	4.0	0.32	4.0	0.20	3.1	N	8
	02	0.59	3.5	0.44	3.7	0.36	3.5	0.23	2.7	N	352
	04	0.81	3.4	0.53	3.8	0.43	3.7	0.29	3.1	N	0
	06	1.03	3.2	0.66	3.9	0.53	3.8	0.34	3.2	N	356
	08	1.13	3.7	0.82	3.9	0.63	3.9	0.41	3.2	N	0
	10	1.42	4.5	1.00	4.2	0.82	4.2	0.53	3.5	N	352
	12	1.38	5.2	1.03	4.8	0.83	4.5	0.53	3.9	N	352
	14	1.37	5.0	1.01	4.9	0.82	4.9	0.51	3.8	N	0
	16	1.79	5.4	1.14	5.2	0.91	5.1	0.58	4.2	NNW	331
	18	1.71	5.8	1.34	5.0	1.11	5.0	0.72	4.1	NNW	340
	20	* 2.18	4.8	* 1.61	5.0	* 1.31	5.0	* 0.84	4.1	NNW	340
	22	1.96	4.6	1.49	5.1	1.23	5.1	0.82	4.2	NNW	348
	最大	2.18	4.8	1.61	5.0	1.31	5.0	0.84	4.1		
	平均	1.33	4.4	0.96	4.5	0.78	4.4	0.50	3.6		
27	00	2.19	5.4	1.76	5.3	1.41	5.3	0.89	4.3	N	352
	02	2.27	5.9	1.80	5.3	1.41	5.2	0.89	4.2	N	352
	04	2.13	5.4	1.79	5.2	1.47	5.3	* 0.96	4.5	NNW	348
	06	* 2.42	5.3	* 1.84	5.5	* 1.47	5.4	0.95	4.5		
	08	2.34	4.8	1.82	5.4	1.44	5.5	0.89	4.2	N	352
	10	1.84	5.8	1.57	5.5	1.31	5.5	0.86	4.4	NNW	340
	12	1.99	5.2	1.46	5.7	1.19	5.6	0.76	4.4	NNW	331
	14	2.00	5.1	1.59	6.0	1.25	5.8	0.74	4.5	NNW	348
	16	1.93	5.9	1.53	5.9	1.23	5.8	0.76	4.7	NNW	348
	18	1.80	6.9	1.49	6.1	1.20	6.2	0.76	4.9	NNW	340
	20	2.21	6.0	1.34	6.3	1.08	6.0	0.68	4.8	NNW	344
	22	1.46	5.9	1.13	5.6	0.90	5.7	0.57	4.6	NNW	340
	最大	2.42	5.3	1.84	5.5	1.47	5.4	0.96	4.5		
	平均	2.05	5.6	1.59	5.7	1.28	5.6	0.81	4.5		
28	00	1.31	5.6	* 0.98	5.7	* 0.79	5.7	* 0.51	4.7	N	0
	02	* 1.36	5.3	0.97	5.6	0.78	5.6	0.50	4.7	NNW	344
	04	1.14	5.5	0.91	6.0	0.72	6.0	0.45	4.7	NNW	335
	06	1.20	5.6	0.93	6.2	0.72	6.2	0.45	5.0	N	8
	08	0.93	5.8	0.77	5.8	0.63	5.9	0.40	4.8	N	356
	10	0.84	7.0	0.72	6.3	0.60	6.4	0.39	5.2		
	12	1.01	5.9	0.68	6.5	0.55	6.1	0.35	5.0	N	0
	14	0.83	5.9	0.61	5.9	0.50	6.1	0.32	5.0	N	0
	16	0.94	5.7	0.70	6.2	0.56	6.5	0.34	5.3	N	356
	18	0.83	6.8	0.67	6.5	0.56	6.6	0.36	5.4	N	352
	20	0.87	6.9	0.73	6.9	0.60	6.8	0.40	5.8	NNW	348
	22	1.03	6.5	0.76	6.7	0.59	6.6	0.37	5.5	N	0
	最大	1.36	5.3	0.98	5.7	0.79	5.7	0.51	4.7		

	平均	1.02	6.0	0.79	6.2	0.63	6.2	0.40	5.1		
29	00	0.82	8.1	0.70	7.1	0.59	7.1	0.37	5.8	N	4
	02	0.92	7.5	0.71	7.2	0.56	7.2	0.33	5.1	NNW	348
	04	0.81	7.0	0.63	7.0	0.50	6.9	0.30	4.7	N	0
	06	0.85	6.6	0.69	6.9	0.54	6.8	0.32	4.6	NNW	348
	08	0.82	8.0	0.62	6.3	0.48	4.9	0.32	3.5		
	10	0.88	7.0	0.65	5.6	0.52	5.1	0.33	3.5		
	12	0.87	2.8	0.66	4.4	0.53	4.0	0.34	3.1	NNE	20
	14	1.01	3.0	0.73	4.9	0.61	4.3	0.41	3.4	NW	315
	16	0.95	6.9	0.77	6.2	0.61	5.6	0.38	3.8	WNW	290
	18	1.29	5.9	0.99	5.5	0.77	4.6	0.49	3.5	W	266
	20	1.48	4.0	* 1.13	6.0	* 0.92	5.7	0.58	4.3		
	22	* 1.52	4.4	1.08	6.1	0.90	6.0	* 0.59	4.6	WNW	290
	最大	1.52	4.4	1.13	6.0	0.92	5.7	0.59	4.6		
	平均	1.02	5.9	0.78	6.1	0.63	5.7	0.40	4.2		
30	00	* 2.07	5.9	* 1.23	6.1	* 1.00	6.3	* 0.63	5.0	W	262
	02	1.55	5.3	1.16	6.3	0.95	6.3	0.62	5.2	W	270
	04	1.57	6.3	1.16	6.3	0.86	6.3	0.54	5.0	W	278
	06	1.36	6.6	0.99	6.2	0.80	6.3	0.51	5.3	W	278
	08	1.58	6.2	1.01	6.2	0.80	6.2	0.50	5.3	WNW	295
	10	1.11	5.1	0.87	6.1	0.72	5.9	0.46	4.4		
	12	1.12	6.0	0.86	5.6	0.68	5.5	0.42	4.3	WNW	286
	14	1.09	5.0	0.82	5.4	0.66	5.1	0.42	3.8	WNW	282
	16	1.21	4.9	0.93	4.9	0.75	4.9	0.50	4.0	WNW	290
	18	1.05	4.7	0.86	5.5	0.70	5.1	0.45	3.9		
	20	1.02	4.7	0.84	5.5	0.67	5.7	0.42	4.3	W	270
	22	1.05	6.0	0.81	5.9	0.65	5.8	0.41	4.5	WNW	286
	最大	2.07	5.9	1.23	6.1	1.00	6.3	0.63	5.0		
	平均	1.32	5.6	0.96	5.8	0.77	5.8	0.49	4.6		
31	00	* 0.97	7.1	* 0.77	5.8	* 0.62	5.6	* 0.40	4.5	WSW	245
	02	0.83	5.6	0.67	5.8	0.53	5.8	0.33	4.4	WNW	286
	04	0.77	6.4	0.59	6.0	0.47	5.7	0.30	4.6	W	262
	06	0.79	5.8	0.62	6.4	0.49	6.4	0.31	5.0	W	274
	08	0.78	5.2	0.59	6.1	0.48	6.2	0.32	5.0	NW	315
	10	0.75	6.1	0.56	6.2	0.46	6.0	0.30	4.8	NNW	340
	12	0.76	6.0	0.49	5.7	0.40	5.6	0.26	4.5	N	352
	14	0.72	6.2	0.50	5.8	0.42	5.8	0.27	4.6		
	16	0.75	5.6	0.53	5.7	0.43	5.7	0.29	4.7	NW	307
	18	0.65	4.2	0.49	5.3	0.40	5.4	0.26	4.6		
	20	0.63	6.4	0.45	5.5	0.38	5.3	0.24	4.2		
	22	0.52	5.8	0.40	5.5	0.33	5.3	0.22	4.2	NNW	344
	最大	0.97	7.1	0.77	5.8	0.62	5.6	0.40	4.5		
	平均	0.74	5.9	0.56	5.8	0.45	5.7	0.29	4.6		
	月最大	2.42	5.3	1.84	5.5	1.47	5.4	0.96	4.5		
	起時	2706		2706		2706		2704			
	平均	0.96	5.0	0.71	5.0	0.57	4.9	0.36	3.9		

* は日最大波高を示す

様式 3-1-1 波高月表

2005年 8月

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	341 回	測得回数	229 回
欠測回数	31 回	欠測回数	143 回
欠測率	8.3 %	欠測率	38.4 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.70	4.4	* 0.41	5.4	* 0.32	5.2	* 0.20	4.1		
	02	0.51	4.3	0.36	5.8	0.29	5.5	0.18	4.2	N	4
	04	0.45	4.6	0.34	5.7	0.28	5.6	0.18	4.7	N	352
	06	0.45	5.3	0.35	5.5	0.28	5.7	0.18	4.8		
	08	0.41	5.8	0.34	5.5	0.27	5.3	0.17	4.1		
	10	0.47	6.2	0.35	5.6	0.28	5.5	0.17	4.3	NNE	25
	12	0.40	6.5	0.33	5.2	0.27	5.0	0.17	3.8		
	14	0.48	4.7	0.37	5.1	0.30	4.9	0.20	3.6	NNE	25
	16	0.38	5.1	0.31	4.9	0.25	4.8	0.16	3.9	NNE	12
	18	0.44	4.9	0.32	4.6	0.26	4.5	0.18	3.6		
	20	0.42	3.6	0.34	4.2	0.27	4.4	0.18	3.7		
	22	0.38	5.2	0.29	4.8	0.24	4.6	0.15	3.5	N	352
	最大	0.70	4.4	0.41	5.4	0.32	5.2	0.20	4.1		
	平均	0.46	5.1	0.34	5.2	0.28	5.1	0.18	4.0		
02	00	0.39	5.7	0.28	5.2	0.23	4.9	0.15	3.6		
	02	0.31	5.2	0.23	5.2	0.19	5.1	0.12	4.1	NW	323
	04	0.34	2.7	0.23	4.8	0.19	4.8	0.13	3.8		
	06	0.68	3.3	0.48	3.7	0.39	3.8	0.26	3.3	WSW	250
	08	0.72	2.9	0.52	3.8	0.42	3.8	0.28	3.3	W	270
	10	0.72	4.6	0.52	4.7	0.41	4.4	0.27	3.5		
	12	0.89	4.0	0.72	5.6	0.58	5.2	0.37	3.7	W	274
	14	1.06	4.1	0.78	4.9	0.65	4.8	0.42	3.6	W	278
	16	* 1.15	4.9	* 0.87	5.1	0.70	5.0	0.46	3.7	WNW	282
	18	1.04	5.7	0.85	5.7	* 0.73	5.8	* 0.48	4.6	WNW	282
	20	0.95	5.9	0.73	5.7	0.60	5.7	0.37	4.5	WNW	286
	22	1.07	5.5	0.81	5.9	0.61	5.8	0.36	4.2	WNW	295
	最大	1.15	4.9	0.87	5.1	0.73	5.8	0.48	4.6		
	平均	0.78	4.5	0.59	5.0	0.48	4.9	0.31	3.8		
03	00	0.90	5.8	0.66	5.8	0.55	5.5	0.35	4.7	WNW	295
	02	0.89	5.7	0.66	5.8	0.54	5.8	0.35	5.0		
	04	0.87	5.1	0.62	5.6	0.50	5.8	0.31	4.7	WNW	295
	06	0.80	5.8	0.66	6.0	0.55	5.8	0.34	4.9		
	08	0.95	5.4	0.75	5.2	0.59	5.1	0.38	4.2	W	278
	10	1.14	4.5	0.83	4.6	0.66	4.6	0.43	3.8	WNW	290
	12	1.15	5.3	0.82	4.5	0.67	4.5	0.44	3.6	WNW	286
	14	* 1.25	4.1	* 0.91	4.5	* 0.72	4.2	* 0.46	3.4	WNW	282
	16	1.08	3.2	0.90	4.1	0.71	4.1	* 0.46	3.4	WNW	290
	18	0.92	4.5	0.70	4.5	0.56	4.2	0.35	3.5	WSW	258
	20	0.69	5.4	0.54	5.3	0.43	5.1	0.27	3.8	W	274
	22	0.65	5.2	0.49	5.8	0.39	5.6	0.24	4.3	W	278
	最大	1.25	4.1	0.91	4.5	0.72	4.2	0.46	3.4		
	平均	0.94	5.0	0.71	5.1	0.57	5.0	0.37	4.1		
04	00	0.56	5.8	0.47	6.1	0.39	6.0	0.25	4.6	WNW	290
	02	0.69	6.7	0.55	6.5	0.45	6.4	0.29	5.3		
	04	0.67	5.9	0.56	6.6	0.46	6.3	0.29	5.2	WNW	299
	06	0.66	5.7	0.54	6.1	0.45	6.3	0.30	5.3	WNW	286
	08	0.69	6.6	0.54	6.1	0.45	5.9	0.29	5.1	WNW	286
	10	* 0.89	5.7	* 0.63	5.6	0.49	5.4	0.31	4.4	WNW	286
	12	0.81	5.0	0.58	5.6	0.47	5.5	0.30	4.1	WNW	299
	14	0.75	5.3	0.61	5.5	* 0.51	5.1	* 0.34	4.1	W	278
	16	0.75	5.3	0.61	4.9	0.48	5.0	0.30	3.9	WNW	295
	18	0.73	4.9	0.54	5.4	0.43	5.0	0.27	4.0	W	274
	20	0.62	5.4	0.48	5.2	0.39	5.0	0.25	3.8	W	278
	22	0.62	5.0	0.46	4.7	0.36	4.9	0.22	3.9	WNW	290
	最大	0.89	5.7	0.63	5.6	0.51	5.1	0.34	4.1		

	平均	0.70	5.6	0.55	5.7	0.44	5.6	0.28	4.5		
05	00	0.54	4.7	0.42	5.5	0.34	5.3	0.22	4.2	WNW	295
	02	0.53	5.9	0.37	5.4	0.30	5.4	0.19	4.3		
	04	0.56	4.9	0.36	5.4	0.29	5.2	0.19	4.4	WNW	299
	06	0.51	4.7	0.40	5.6	0.31	5.4	0.20	4.3	W	262
	08	0.42	4.1	0.33	4.8	0.27	4.9	0.17	4.1	WNW	299
	10	0.40	5.9	0.32	5.0	0.27	5.0	0.18	4.1		
	12	0.46	5.1	0.32	4.7	0.26	4.4	0.16	3.2		
	14	0.55	2.8	0.41	3.2	0.33	3.1	0.21	2.6		
	16	* 0.69	2.7	* 0.44	3.1	* 0.36	3.1	* 0.24	2.6	N	7
	18	0.60	2.8	0.43	3.7	0.34	3.4	0.22	2.8	NW	307
	20	0.50	4.4	0.38	4.0	0.31	4.0	0.20	3.4	WNW	282
	22	0.39	3.9	0.33	3.8	0.26	3.9	0.18	3.2	NW	311
	最大	0.69	2.7	0.44	3.1	0.36	3.1	0.24	2.6		
	平均	0.51	4.3	0.38	4.5	0.30	4.4	0.20	3.6		
06	00	* 0.45	3.3	* 0.33	3.3	* 0.27	3.5	* 0.18	3.1		
	02	0.43	4.1	0.31	3.9	0.25	3.7	0.16	3.0	NNW	344
	04	0.33	3.7	0.24	4.3	0.20	4.2	0.13	3.2	NNW	331
	06	0.32	6.5	0.24	5.7	0.19	5.0	0.13	3.6		
	08	0.32	4.0	0.24	5.3	0.19	5.1	0.13	3.6		
	10	0.34	6.4	0.24	5.3	0.20	4.7	0.13	3.2	W	278
	12	0.34	2.7	0.28	4.7	0.23	4.1	0.15	3.1	NNW	327
	14	0.37	5.4	0.27	3.7	0.22	3.3	0.14	2.6		
	16	欠测									
	18	欠测									
	20	欠测									
	22	欠测									
	最大	0.45	3.3	0.33	3.3	0.27	3.5	0.18	3.1		
	平均	0.36	4.5	0.27	4.5	0.22	4.2	0.14	3.2		
07	00	欠测									
	02	欠测									
	04	欠测									
	06	欠测									
	08	欠测									
	10	欠测									
	12	欠测									
	14	欠测									
	16	欠测									
	18	欠测									
	20	欠测									
	22	欠测									
	最大										
	平均										
08	00	欠测									
	02	欠测									
	04	欠测									
	06	欠测									
	08	欠测									
	10	欠测									
	12	欠测									
	14	欠测									
	16	0.39	3.3	* 0.29	4.0	0.23	3.6	0.15	2.8		
	18	* 0.40	4.5	0.28	4.8	0.23	4.4	0.15	3.2	W	274
	20	0.34	4.2	0.28	5.4	* 0.23	5.1	* 0.15	3.5	WSW	245
	22	0.39	7.5	0.27	7.0	0.22	5.8	0.14	3.9		
	最大	0.40	4.5	0.29	4.0	0.23	5.1	0.15	3.5		
	平均	0.38	4.9	0.28	5.3	0.23	4.7	0.15	3.4		
09	00	0.32	10.4	0.27	5.9	0.22	5.3	0.14	3.7	W	266
	02	0.29	4.2	0.21	4.2	0.17	3.7	0.12	2.9		
	04	0.25	6.3	0.19	4.8	0.15	4.4	0.10	3.2	WNW	295
	06	0.29	7.2	0.22	6.1	0.18	5.5	0.11	3.6		
	08	0.30	6.0	0.21	6.1	0.17	5.5	0.11	3.8	SW	221
	10	0.36	8.0	0.24	6.0	0.19	5.6	0.13	3.8	NW	307
	12	0.40	5.6	0.28	6.3	0.22	5.6	0.14	3.9		
	14	* 0.41	2.4	* 0.30	5.3	* 0.24	4.8	* 0.16	3.3	WNW	295
	16	0.36	2.7	0.28	4.6	0.23	4.2	0.15	3.0	WNW	303
	18	0.31	2.3	0.24	4.2	0.20	3.9	0.13	2.9		
	20	0.36	5.7	0.25	4.9	0.20	4.5	0.13	3.2	NNE	16
	22	0.30	3.8	0.21	4.8	0.17	4.4	0.11	3.6	NNW	327

站次	时段	站名	2019年				2020年				风向	频率	
			1月	2月	3月	4月	1月	2月	3月	4月			
10	最大	平均	0.41	2.4	0.30	5.3	0.24	4.8	0.16	3.3			
			0.33	5.4	0.24	5.3	0.20	4.8	0.13	3.4			
	00	0.26	4.4	0.21	4.7	0.17	4.5	0.11	3.3	W	274		
	02	0.28	5.3	0.21	4.4	0.17	4.2	0.11	3.1	WNW	303		
	04	0.50	3.0	0.34	2.9	0.27	3.1	0.18	2.6	NW	317		
	06	0.64	2.8	0.41	3.5	0.33	3.4	0.22	2.7				
	08	1.13	3.6	0.75	3.3	0.60	3.4	0.38	2.9	WSW	243		
	10	0.91	3.3	0.76	3.5	0.62	3.5	0.40	3.0				
	12	1.93	5.3	1.62	5.5	* 1.34	5.4	0.85	4.2	WNW	282		
	14	2.23	5.2	* 1.66	5.6	1.32	5.3	* 0.87	4.3	WNW	290		
	16	* 2.32	5.3	1.58	5.6	1.29	5.6	0.84	4.5	WNW	299		
	18	1.62	5.9	1.36	5.3	1.11	5.6	0.70	4.3	WNW	299		
	20	1.74	5.4	1.25	5.8	0.98	5.7	0.60	4.5	WNW	303		
	22	1.22	5.9	1.01	5.8	0.82	5.7	0.51	4.4	WNW	299		
	最大	平均	2.32	5.3	1.66	5.6	1.34	5.4	0.87	4.3			
			1.23	4.6	0.93	4.7	0.75	4.6	0.48	3.7			
	11	最大	平均	1.18	5.0	* 0.88	5.6	0.70	5.4	* 0.45	4.5	WNW	303
				1.12	5.0	0.87	5.5	* 0.71	5.4	0.45	4.4	W	266
		04	* 1.30	5.6	0.84	5.2	0.66	5.2	0.42	4.0	W	274	
		06	1.01	5.0	0.77	4.7	0.62	4.9	0.40	3.9			
08		0.90	5.1	0.72	4.9	0.58	4.9	0.37	4.0				
10		0.82	4.7	0.62	4.7	0.49	4.5	0.32	3.6				
12		0.80	3.2	0.64	4.0	0.52	3.8	0.34	3.1				
14		0.84	3.3	0.65	3.6	0.53	3.6	0.34	3.1				
16		1.03	3.1	0.70	3.6	0.56	3.7	0.36	3.1	WNW	282		
18		0.99	3.7	0.71	4.1	0.57	3.9	0.37	3.2				
20		0.98	3.8	0.62	4.0	0.50	3.8	0.31	3.1	W	262		
22		0.75	4.1	0.57	3.8	0.46	3.8	0.29	3.2	W	278		
最大		平均	1.30	5.6	0.88	5.6	0.71	5.4	0.45	4.5			
			0.98	4.3	0.72	4.5	0.58	4.4	0.37	3.6			
12		最大	平均	欠测									
				欠测									
		04	欠测										
		06	欠测										
		08	欠测										
		10	1.28	5.4	0.95	5.2	0.77	5.0	0.48	3.9			
	12	1.76	4.3	1.25	4.8	1.00	4.7	0.65	3.9				
	14	* 3.04	5.1	* 2.11	5.6	* 1.68	5.6	* 1.07	4.5				
	16	1.96	5.3	1.56	5.3	1.30	5.3	0.82	4.3				
	18	1.92	6.8	1.54	6.5	1.23	6.5	0.77	4.9				
	20	2.06	6.0	1.45	6.1	1.18	6.2	0.76	5.0	W	270		
	22	2.12	6.0	1.51	6.3	1.15	6.3	0.72	4.9	W	266		
	最大	平均	3.04	5.1	2.11	5.6	1.68	5.6	1.07	4.5			
			2.02	5.6	1.48	5.7	1.19	5.7	0.75	4.5			
	13	最大	平均	* 1.77	5.6	* 1.25	6.4	* 0.99	6.1	* 0.61</			

	16		1.90	3.7	* 1.22	3.8	0.96	3.8	0.62	3.3		
	18		1.57	3.9	1.14	4.0	* 0.96	4.0	* 0.64	3.5	WNW	282
	20		1.78	4.6	1.12	4.1	0.86	4.0	0.55	3.4	W	278
	22	* 2.02	4.5	1.19		4.5	0.95	4.2	0.61	3.4	W	270
	最大		2.02	4.5	1.22	3.8	0.96	4.0	0.64	3.5		
	平均		1.12	3.8	0.78	3.8	0.62	3.7	0.40	3.1		
15	00		2.03	5.5	1.29	4.6	0.99	4.4	0.63	3.6	WNW	282
	02		2.43	5.2	1.69	5.0	1.36	4.9	0.87	4.1	W	274
	04		2.60	5.4	1.80	5.4	1.45	5.3	0.89	4.3	WNW	295
	06		2.67	5.9	2.21	6.0	1.74	5.9	1.08	4.7	W	278
	08		2.55	6.4	2.02	6.1	1.61	5.9	1.01	4.6	WNW	290
	10		2.57	6.7	2.06	5.6	1.71	5.8	1.09	4.8	WNW	295
	12		3.20	6.7	2.26	6.0	1.79	6.2	1.14	5.0	WNW	286
	14		2.87	6.7	2.26	6.3	1.85	6.2	* 1.20	5.1	NNW	331
	16		2.55	7.1	2.16	6.1	1.74	6.2	1.08	4.9	NW	307
	18		2.84	6.3	* 2.30	5.9	* 1.87	5.9	1.20	5.0	NW	311
	20	* 3.42	5.2	2.29	6.3	6.3	1.84	6.2	1.17	5.1	NNW	340
	22	2.75	6.2	2.15	6.1	6.1	1.65	6.1	1.06	5.2	NW	323
	最大		3.42	5.2	2.30	5.9	1.87	5.9	1.20	5.1		
	平均		2.71	6.1	2.04	5.8	1.63	5.8	1.04	4.7		
16	00	* 2.86	7.1	* 2.04	6.6	* 1.57	6.3	* 0.97	4.9	NNW		344
	02	2.15	7.9	1.72	6.3	1.41	6.5	0.91	5.4	NNW		335
	04	2.49	5.6	1.85	6.2	1.44	6.0	0.93	4.9	NNW		348
	06	2.47	5.9	1.64	5.5	1.32	5.8	0.84	4.8	N		356
	08	1.79	5.9	1.41	5.6	1.13	5.4	0.73	4.6	NNW		344
	10	1.57	5.0	1.22	5.2	0.97	5.3	0.63	4.5	NNW		335
	12	1.76	4.9	1.21	5.1	0.96	5.2	0.62	4.3	NNW		348
	14	1.86	4.8	1.17	4.9	0.91	5.0	0.56	4.0	N		352
	16	1.86	4.8	1.23	4.7	0.96	4.5	0.60	3.7	N		0
	18	1.48	4.9	1.17	4.5	0.94	4.6	0.61	3.9	NNE		12
	20	1.27	5.2	0.89	5.1	0.72	5.2	0.44	4.2	N		352
	22	1.15	5.4	0.80	6.0	0.64	5.8	0.39	4.6	NNW		348
	最大	2.86	7.1	2.04	6.6	1.57	6.3	0.97	4.9			
	平均	1.89	5.6	1.36	5.5	1.08	5.5	0.69	4.5			
17	00	1.32	8.1	1.07	7.3	0.85	7.2	* 0.56	6.0	NNW		348
	02	* 1.35	7.3	* 1.08	7.3	* 0.87	7.1	0.54	5.5	NNW		340
	04	1.09	6.0	0.97	6.7	0.82	6.8	0.54	5.6	N		352
	06	1.35	5.2	1.01	6.3	0.83	6.3	0.53	5.1			

	12	0.85	3.0	0.67	3.4	0.55	3.4	0.36	3.0		
	14	* 1.35	3.4	0.97	3.5	0.79	3.5	0.50	3.1		
	16	1.34	3.8	* 1.01	4.1	* 0.82	4.0	* 0.54	3.5		
	18	0.92	3.9	0.62	4.2	0.51	4.3	0.33	3.4		
	20	0.84	7.6	0.59	6.6	0.46	5.7	0.30	4.3	NW	319
	22	1.03	6.9	0.65	7.4	0.49	7.2	0.30	5.4	NNW	331
	最大	1.35	3.4	1.01	4.1	0.82	4.0	0.54	3.5		
	平均	0.85	4.8	0.61	4.9	0.49	4.7	0.31	3.8		
20	00	0.85	7.4	0.62	7.2	0.50	7.2	0.31	6.0	NW	323
	02	0.67	7.3	0.56	7.2	0.45	7.0	0.28	5.6	NW	323
	04	0.87	7.1	0.57	7.4	0.44	7.2	0.28	5.9	NNW	340
	06	0.77	7.8	0.66	7.1	0.56	7.1	0.36	5.5	WNW	299
	08	0.94	6.8	0.77	7.0	0.62	6.8	0.38	4.8		
	10	0.94	7.4	0.75	6.7	0.59	6.6	0.39	5.0	NW	307
	12	1.29	6.5	0.91	7.4	0.71	7.0	0.43	5.1		
	14	* 1.72	7.8	1.17	7.4	0.93	7.5	0.60	6.0	N	352
	16	1.68	9.1	* 1.28	7.8	0.98	7.9	0.61	5.9	NNW	344
	18	1.38	8.2	1.14	7.8	0.95	7.5	0.61	5.7	NNW	344
	20	1.58	7.7	1.16	7.9	0.90	7.8	0.53	5.5	NNW	340
	22	1.51	8.2	1.23	8.1	* 0.98	8.0	* 0.61	6.5	NNW	348
	最大	1.72	7.8	1.28	7.8	0.98	8.0	0.61	6.5		
	平均	1.18	7.6	0.90	7.4	0.72	7.3	0.45	5.6		
21	00	* 1.81	7.3	* 1.29	7.8	* 0.99	7.8	0.59	6.0	NNW	331
	02	1.60	7.8	1.14	7.9	0.91	7.4	0.55	5.3	NNW	335
	04	1.36	7.1	1.14	7.4	0.93	7.3	* 0.61	5.7	N	0
	06	1.45	7.4	1.08	7.0	0.86	6.6	0.54	4.9	NNW	340
	08	1.42	5.7	1.03	5.9	0.84	5.9	0.51	4.5	N	356
	10	1.17	6.3	0.93	6.0	0.76	5.9	0.50	4.5	N	4
	12	1.17	4.9	0.97	5.0	0.77	5.0	0.49	4.0	N	0
	14	1.50	4.8	1.19	4.6	0.93	4.5	0.58	3.6	NW	323
	16	1.28	6.2	0.95	4.5	0.76	4.5	0.49	3.5	NNW	344
	18	1.32	3.3	0.98	5.1	0.81	4.6	0.51	3.6	NNW	327
	20	1.30	3.9	1.00	4.6	0.79	4.7	0.51	3.7	NNW	340
	22	1.24	6.2	0.94	5.1	0.79	4.9	0.51	3.7	NNW	348
	最大	1.81	7.3	1.29	7.8	0.99	7.8	0.61	5.7		
	平均	1.39	5.9	1.05	5.9	0.85	5.8	0.53	4.4		
22	00	1.32	4.8	0.87	5.0	0.71	4.9	0.45	4.0	WSW	250
	02	1.02	4.7	0.82	5.4	0.68	5.4	0.44	4.2	W	270
	04	1.28	4.0	1.00	5.2	0.80	5.1	0.53	4.3	W	266
	06	1.28	5.4	1.01	5.5	0.82	5.3	0.52	4.1	W	278
	08	1.37	5.8	1.02	5.4	0.83	5.4	0.54	4.3	WNW	290
	10	1.42	5.2	1.02	5.6	0.80	5.3	0.52	3.9	NNW	335
	12	1.20	5.3	0.96	6.4	0.79	5.7	0.50	4.1	WNW	282
	14	1.69	5.8	1.21	5.2	0.95	5.3	0.60	3.9		
	16	1.95	8.4	1.20	7.1	0.98	6.7	0.61	4.9	NNW	340
	18	* 2.23	5.0	* 1.71	5.6	* 1.38	5.3	* 0.86	4.2	SW	229
	20	1.39	6.9	1.16	7.2	0.96	7.0	0.60	5.1	NNW	331
	22	2.22	5.5	1.42	6.1	1.14	5.8	0.74	4.5	NNW	335
	最大	2.23	5.0	1.71	5.6	1.38	5.3	0.86	4.2		
	平均	1.53	5.6	1.12	5.8	0.90	5.6	0.58	4.3		
23	00	* 3.10	5.6	* 2.36	6.3	* 1.93	6.5	* 1.21	5.2	NNW	340
	02	2.68	6.1	2.01	6.6	1.62	6.6	1.05	5.2	N	352
	04	2.67	6.2	2.08	5.8	1.61	5.9	1.01	4.8	NNW	331
	06	2.48	6.0	1.88	6.7	1.51	6.1	0.95	5.0	NNW	340
	08	1.63	6.8	1.33	6.4	1.08	6.0	0.67	5.0	N	352
	10	欠测									
	12	欠测									
	14	1.68	6.0	1.36	5.9	1.07	5.9	0.68	5.2		
	16	1.61	4.6	1.31	5.7	1.06	5.6	0.68	4.6	N	4
	18	1.70	5.1	1.19	5.6	0.95	5.5	0.61	4.6	NNW	335
	20	1.40	5.3	1.08	5.3	0.89	5.3	0.60	4.7		
	22	1.79	5.7	1.13	5.5	0.88	5.4	0.55	4.2	NNE	16
	最大	3.10	5.6	2.36	6.3	1.93	6.5	1.21	5.2		
	平均	2.07	5.7	1.57	6.0	1.26	5.9	0.80	4.9		
24	00	1.28	5.2	* 0.97	5.0	* 0.79	5.1	* 0.52	4.1	NNW	331
	02	1.26	4.7	0.88	5.7	0.70	5.6	0.44	4.4		

	平均	1.05	5.8	0.82	5.9	0.66	5.9	0.42	5.0		
29	00	0.86	5.2	* 0.68	5.4	* 0.54	5.4	* 0.33	4.6	NW	319
	02	0.75	5.9	0.58	5.4	0.46	5.6	0.30	4.7		
	04	0.71	5.9	0.51	5.6	0.40	5.6	0.25	4.4	NW	323
	06	0.63	5.6	0.50	5.3	0.39	5.3	0.25	4.2		
	08	0.63	5.5	0.46	5.5	0.38	5.5	0.24	4.6		
	10	0.56	5.3	0.46	5.5	0.37	5.4	0.23	4.3		
	12	0.81	5.4	0.54	5.2	0.44	5.1	0.28	4.4		
	14	0.68	4.8	0.56	4.9	0.46	4.9	0.29	3.9		
	16	0.70	4.6	0.58	4.8	0.47	4.8	0.30	3.8		
	18	0.69	5.3	0.58	5.0	0.47	4.7	0.30	3.5		
	20	* 0.94	5.2	0.61	5.2	0.49	4.9	0.32	3.9	NW	319
	22	0.86	4.7	0.55	5.0	0.44	4.9	0.29	4.2	NNW	348
	最大	0.94	5.2	0.68	5.4	0.54	5.4	0.33	4.6		
	平均	0.74	5.3	0.55	5.2	0.44	5.2	0.28	4.2		
30	00	0.61	4.8	0.44	4.9	0.34	4.9	0.21	4.0	W	278
	02	0.44	5.1	0.38	4.9	0.30	4.9	0.20	4.1	NNW	335
	04	0.60	5.0	0.38	4.9	0.29	4.9	0.18	3.9		
	06	0.42	5.1	0.31	4.8	0.25	4.8	0.16	3.9		
	08	0.39	5.1	0.29	4.6	0.23	4.6	0.15	3.8		
	10	0.37	5.1	0.28	4.4	0.23	4.2	0.15	3.3		
	12	0.41	3.9	0.29	3.8	0.23	4.0	0.15	3.3		
	14	0.39	4.9	0.28	4.1	0.23	4.0	0.15	3.1		
	16	0.41	3.9	0.30	3.5	0.24	3.6	0.16	3.0		
	18	0.42	2.9	0.30	3.4	0.24	3.4	0.16	2.9	NNW	329
	20	* 0.86	3.2	* 0.62	3.2	* 0.48	3.3	* 0.31	3.0	NNW	335
	22	0.76	3.7	0.56	3.6	0.44	3.7	0.29	3.3	WSW	250
	最大	0.86	3.2	0.62	3.2	0.48	3.3	0.31	3.0		
	平均	0.51	4.4	0.37	4.2	0.29	4.2	0.19	3.5		
31	00	* 0.55	3.6	* 0.45	3.6	* 0.36	3.6	* 0.24	3.0	WSW	245
	02	0.50	4.0	0.39	3.8	0.31	3.8	0.19	3.1	WSW	245
	04	0.52	4.2	0.40	3.9	0.31	3.8	0.19	3.2	WSW	245
	06	0.48	3.9	0.34	3.7	0.27	3.8	0.17	3.1		
	08	0.37	3.3	0.30	3.5	0.25	3.5	0.16	3.1		
	10	0.34	3.7	0.27	3.4	0.21	3.5	0.14	3.1		
	12	0.31	3.0	0.22	3.5	0.18	3.5	0.12	3.0		
	14	0.31	3.5	0.23	3.3	0.19	3.3	0.12	2.6		
	16	0.35	3.1	0.25	2.8	0.20	2.9	0.13	2.5		
	18	0.33	2.4	0.23	2.9	0.19	2.8	0.12	2.3		
	20	0.29	5.2	0.23	4.5	0.19	4.0	0.13	3.0	NNE	20
	22	0.22	3.2	0.18	3.5	0.15	3.3	0.10	2.8	NNW	341
	最大	0.55	3.6	0.45	3.6	0.36	3.6	0.24	3.0		
	平均	0.38	3.6	0.29	3.5	0.23	3.5	0.15	2.9		
	月最大	3.42	5.2	2.36	6.3	1.93	6.5	1.21	5.2		
	起時	1520		2300		2300		2300			
	平均	1.07	5.2	0.80	5.2	0.64	5.1	0.41	4.1		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	321 回
欠測回数	0 回	欠測回数	39 回
欠測率	0.0 %	欠測率	10.8 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.23	3.6	0.16	3.5	0.13	3.5	0.09	2.9	WNW	282
	02	0.20	4.9	0.15	4.1	0.12	3.9	0.08	3.0		
	04	0.33	3.4	0.21	3.6	0.17	3.6	0.12	3.0	NW	319
	06	0.31	5.8	0.22	4.5	0.18	4.2	0.12	3.1		
	08	0.41	3.1	0.30	3.2	0.24	3.4	0.16	2.9		
	10	0.57	3.2	0.43	3.3	0.34	3.3	0.21	2.9		
	12	0.90	3.0	0.63	3.4	0.50	3.3	0.32	2.9		
	14	0.86	4.3	0.70	3.4	0.57	3.3	0.36	2.9		
	16	* 1.26	3.0	* 0.82	3.5	* 0.65	3.6	* 0.42	3.1		
	18	0.70	3.5	0.54	3.3	0.43	3.4	0.28	2.9	SW	223
	20	0.69	3.1	0.44	3.2	0.36	3.3	0.23	2.9		
	22	0.49	2.9	0.32	3.2	0.26	3.1	0.18	2.7	NNE	26
										N	10
	最大	1.26	3.0	0.82	3.5	0.65	3.6	0.42	3.1		
	平均	0.58	3.7	0.41	3.5	0.33	3.5	0.21	2.9		
02	00	0.40	2.9	0.24	3.0	0.18	3.1	0.12	2.9	N	2
	02	0.26	2.3	0.19	3.1	0.15	3.0	0.10	2.6		
	04	0.40	3.1	0.24	3.1	0.18	2.9	0.12	2.6	N	11
	06	0.43	2.3	0.31	3.1	0.25	3.1	0.16	2.7		
	08	0.46	3.1	0.35	3.1	0.29	3.1	0.19	2.9		
	10	0.50	2.9	0.34	3.0	0.27	3.1	0.18	2.7		
	12	0.43	3.9	0.32	3.3	0.26	3.3	0.17	2.9		
	14	0.44	4.5	0.37	3.7	0.31	3.8	0.20	3.2		
	16	0.56	3.9	0.45	4.0	0.38	4.0	* 0.25	3.3		
	18	0.58	4.3	0.43	4.0	0.36	3.9	0.23	3.2	W	278
	20	0.59	4.7	0.41	4.3	0.33	4.1	0.22	3.5		
	22	* 0.63	4.8	* 0.47	4.4	* 0.38	4.4	0.24	3.6	WNW	295
	最大	0.63	4.8	0.47	4.4	0.38	4.4	0.25	3.3		
	平均	0.47	3.6	0.34	3.5	0.28	3.5	0.18	3.0		
03	00	0.60	4.5	0.49	4.7	0.38	4.7	0.24	4.0	WNW	290
	02	0.86	5.0	0.63	5.0	0.50	5.0	0.32	4.5		
	04	0.98	5.6	0.75	5.0	0.60	5.1	0.38	4.3	NNW	348
	06	1.12	4.6	0.78	5.4	0.60	5.5	0.38	4.5		
	08	1.12	7.1	0.85	7.4	0.68	7.1	0.42	5.1	WNW	299
	10	1.14	8.1	0.92	8.2	0.75	7.8	0.47	6.1		
										NNW	331
	12	1.15	6.7	0.96	7.3	0.83	7.4	0.54	6.4		
	14	1.29	6.7	1.02	7.1	0.77	6.8	0.44	4.7	NNW	327
	16	1.82	5.8	1.30	5.7	1.03	5.7	0.62	4.1		
	18	* 1.91	5.7	* 1.36	5.6	* 1.09	5.5	* 0.69	4.3	NNW	335
	20	1.62	6.3	1.20	6.0	0.92	5.9	0.58	4.5		
	22	1.43	6.4	0.95	5.9	0.76	6.0	0.48	4.7	NW	315
	最大	1.91	5.7	1.36	5.6	1.09	5.5	0.69	4.3	NNW	327
	平均	1.25	6.0	0.93	6.1	0.74	6.0	0.46	4.8		
04	00	* 1.48	6.0	1.01	6.3	0.78	6.1	0.48	4.7	NNW	327
	02	1.40	5.5	* 1.13	6.2	* 0.86	6.1	0.52	4.5		
	04	1.11	6.1	0.93	5.5	0.76	5.5	0.48	4.3	NNW	344
	06	1.13	6.0	0.94	5.8	0.78	5.5	0.49	4.3		
	08	1.19	5.8	0.88	5.6	0.70	5.6	0.44	4.2		
	10	1.19	5.8	1.01	4.6	0.82	4.7	* 0.53	3.7		
										NNW	335
	12	1.28	4.5	0.90	4.6	0.74	4.3	0.47	3.4		
	14	0.79	4.5	0.68	4.3	0.56	4.3	0.36	3.5	NNW	340
	16	0.96	3.6	0.76	4.0	0.62	3.9	0.39	3.1		
	18	0.81	3.7	0.56	4.3	0.45	4.1	0.29	3.3	N	0
	20	0.62	5.0	0.47	4.6	0.37	4.3	0.24	3.3		
	22	0.60	3.2	0.48	4.6	0.38	4.3	0.25	3.4	NNW	327
	最大	1.48	6.0	1.13	6.2	0.86	6.1	0.53	3.7	NNW	348

		平均	1.05	5.0	0.81	5.0	0.65	4.9	0.41	3.8		
05	00	0.54		4.0	0.42	4.5	0.35	4.6	0.22	3.5	NNW	348
	02	0.48		4.5	0.40	4.8	0.33	4.7	0.21	3.4	WSW	245
	04	0.69		4.6	0.50	4.5	0.39	4.2	0.25	3.1	NNW	327
	06	0.69		5.3	0.49	5.0	0.41	4.6	0.27	3.5	WSW	250
	08	0.76		5.0	0.60	4.8	0.48	4.6	0.31	3.7		
	10	0.81		5.4	0.63	4.2	0.51	4.3	0.33	3.4	N	356
	12	0.85		5.4	0.60	4.5	0.48	4.4	0.31	3.4	NNW	335
	14	0.70		4.7	0.56	4.9	0.45	4.7	0.29	3.5	NNE	16
	16	0.85		4.6	0.60	4.5	0.47	4.3	0.30	3.4	N	356
	18	0.93		4.7	0.59	4.3	0.46	4.3	0.29	3.4	N	4
	20	0.80		4.7	0.63	4.2	0.52	4.2	0.32	3.4	N	8
	22	* 0.96		5.3	* 0.68	4.8	* 0.54	4.4	* 0.35	3.4	N	356
	最大	0.96		5.3	0.68	4.8	0.54	4.4	0.35	3.4		
	平均	0.76		4.9	0.56	4.6	0.45	4.4	0.29	3.4		
06	00	0.96		4.2	0.73	4.3	0.59	4.2	0.39	3.5	N	356
	02	0.83		4.3	0.62	5.0	0.49	4.6	0.32	3.7	N	0
	04	0.84		5.1	0.69	5.0	0.57	4.9	0.37	3.9	N	8
	06	1.10		5.0	0.84	4.8	0.68	4.8	0.42	3.7		
	08	1.33		4.7	0.91	4.9	0.75	4.8	0.48	3.9	NNW	348
	10	1.28		4.2	0.99	4.8	0.78	4.9	0.51	3.9		
	12	1.49		4.5	* 1.11	5.3	* 0.88	5.3	0.55	4.1		
	14	* 1.56		5.2	1.11	5.1	0.88	5.2	* 0.56	4.4	N	352
	16	1.17		4.8	0.90	4.9	0.72	4.9	0.46	3.9	NNW	348
	18	1.08		5.0	0.79	5.1	0.65	5.2	0.41	4.0	N	8
	20	0.91		5.8	0.76	4.9	0.60	4.9	0.38	4.1	N	356
	22	1.08		5.0	0.74	5.0	0.58	4.8	0.37	3.6	NNE	16
	最大	1.56		5.2	1.11	5.3	0.88	5.3	0.56	4.4		
	平均	1.14		4.8	0.85	4.9	0.68	4.9	0.44	3.9		
07	00	1.06		3.8	0.76	5.0	0.61	4.6	0.39	3.2	N	356
	02	1.00		5.4	0.74	5.7	0.56	5.0	0.35	3.5	N	8
	04	0.80		5.6	0.65	5.5	0.52	5.5	0.33	4.4	NNW	348
	06	1.17		7.0	0.94	5.1	0.74	4.8	0.47	3.7	WSW	237
	08	1.24		6.4	0.93	4.7	0.74	4.6	0.49	3.6	NNE	20
	10	1.26		4.6	0.96	5.3	0.78	4.9	0.50	3.8	SW	225
	12	2.08		5.8	1.73	5.1	1.39	4.9	0.88	3.8	SW	221
	14	4.01		6.1	2.46	5.7	1.95	5.7	1.24	4.6	SW	233
	16	5.57		7.6	3.87	7.6	3.09	7.0	1.90	5.4		
	18	* 8.73		10.0	* 6.51	9.5	* 5.45	9.6	* 3.44	7.8	W	278
	20	6.18		9.0	4.75	9.4	3.95	9.1	2.65	7.2	W	266
	22	5.27		7.4	3.69	8.1	3.03	7.7	1.93	5.9	WSW	258
	最大	8.73		10.0	6.51	9.5	5.45	9.6	3.44	7.8		
	平均	3.20		6.6	2.33	6.4	1.90	6.1				

站次	日期	10月		11月		12月		1月		风向	风速
		最大	平均	最大	平均	最大	平均	最大	平均		
10	00	2.02	9.1	1.56	9.4	1.32	9.1	0.87	7.2	N	356
	02	1.24	7.5	0.93	7.4	0.74	7.0	0.47	5.2	N	352
	04	0.81	7.5	0.63	7.2	0.52	6.7	0.32	5.1	NW	307
	06	0.71	7.1	0.61	6.8	0.50	6.7	0.33	5.4	NW	319
	08	0.65	6.9	0.58	6.0	0.47	5.9	0.30	4.7	NW	311
	10	0.74	5.7	0.62	5.9	0.50	5.8	0.31	4.5	NNW	348
	12	0.76	6.7	0.57	5.8	0.44	5.7	0.27	4.2	NW	323
	14	0.62	4.9	0.48	5.6	0.39	5.3	0.26	4.1	WSW	245
	16	0.64	4.6	0.46	4.8	0.37	4.5	0.24	3.4	NW	323
	18	1.11	3.6	0.85	3.5	0.71	3.5	0.47	3.1	WNW	303
	20	* 1.82	3.5	* 1.35	3.8	* 1.04	3.8	* 0.65	3.3	WNW	290
	22	1.40	3.9	0.99	4.2	0.78	4.1	0.49	3.5	NNE	16
	00	0.67	4.5	0.50	4.8	0.40	4.8	0.26	3.9	NW	323
	02	0.57	5.2	0.40	5.4	0.33	5.2	0.20	4.0	NW	319
	04	1.82	3.5	1.35	3.8	1.04	3.8	0.65	3.3	NW	307
	06	0.88	5.3	0.67	5.3	0.54	5.2	0.34	4.1	NNW	348
	08	0.57	4.7	0.42	5.3	0.34	5.5	0.23	4.0	NW	319
	10	0.42	4.9	0.31	5.0	0.25	4.7	0.16	3.5	NW	319
11	00	0.56	5.6	0.41	5.8	* 0.34	5.5	0.21	3.9	NNW	340
	02	* 0.57	4.7	* 0.42	5.3	0.34	5.0	* 0.23	4.0	WNW	295
	04	0.44	6.3	0.33	5.3	0.27	5.4	0.18	3.9	NNW	340
	06	0.46	4.4	0.35	5.4	0.28	5.0	0.17	3.6	NNW	327
	08	0.43	5.2	0.31	4.7	0.25	4.4	0.16	3.2	NNW	327
	10	0.44	6.2	0.30	5.5	0.24	4.6	0.15	3.4	WNW	290
	12	0.39	3.4	0.29	4.6	0.23	4.0	0.15	3.2	NNW	340
	14	0.35	5.3	0.28	4.9	0.23	4.7	0.15	3.6	WNW	295
	16	0.30	5.9	0.24	4.7	0.20	4.7	0.13	3.5	W	262
	18	0.33	2.9	0.24	4.3	0.20	3.9	0.13	3.0	NW	315
	20	0.33	4.6	0.25	4.5	0.21	4.4	0.14	3.2	NNW	335
	22	0.38	4.2	0.24	4.7	0.19	4.5	0.13	3.4	NW	319
	00	0.57	4.7	0.42	5.3	0.34	5.5	0.23	4.0	NNW	340
	02	0.42	4.9	0.31	5.0	0.25	4.7	0.16	3.5	NNW	331
	04	0.26	4.8	0.19	5.0	0.15	4.4	0.10	3.2	NNW	331
	06	0.23	6.7	0.18	5.0	0.14	4.7	0.09	3.4	NNW	331
	08	0.27	3.0	0.20	4.2	0.16	4.1	0.10	3.2	W	270
	10	0.33	5.6	0.23	5.4	0.19	5.2	0.12	3.5	W	270
12	0.22	4.4	0.18	4.9	0.15	4.2	0.10	3.1	NNW	335	
14	0.28	5.8	0.21	3.7	0.17	3.6	0.11	2.9	SW	225	
16	0.46	2.8	0.25	3.4	0.20	3.4	0.13	2.8	N	6	
18	0.55	2.2	0.44	2.6	0.35	2.6	0.23	2.4	N	351	
20	* 0.90	3.2	* 0.59	3.2	* 0.47	3.1	* 0.29	2.8	NNE	18	
22	0.67	3.2	0.48	3.2	0.38	3.2	0.24	2.8	NW	317	
00	0.52										

	16	3.78	5.3	2.24	5.4	1.74	5.4	1.08	4.4	W	274
	18	3.29	6.8	2.49	5.9	* 1.96	6.0	* 1.24	4.8	W	266
	20	2.70	6.6	2.24	7.0	1.87	6.7	1.21	5.4	NW	315
	22	* 4.23	7.4	* 2.57	7.2	1.95	6.9	1.19	5.4	W	278
	最大	4.23	7.4	2.57	7.2	1.96	6.0	1.24	4.8		
	平均	1.97	5.5	1.40	5.3	1.11	5.2	0.71	4.2		
15	00	* 3.01	6.4	* 2.22	6.8	* 1.80	6.7	* 1.17	5.7	W	278
	02	1.91	6.5	1.58	6.8	1.30	6.6	0.85	5.5	WNW	282
	04	1.77	5.0	1.43	5.8	1.16	5.5	0.77	4.5	NNW	348
	06	2.03	5.6	1.65	5.9	1.26	5.6	0.76	4.3	N	356
	08	2.44	7.7	1.84	7.3	1.43	7.0	0.91	5.4	NNW	335
	10	2.32	6.7	1.85	6.6	1.43	6.9	0.89	5.2	NNW	327
	12	1.97	7.8	1.55	6.8	1.22	6.5	0.77	4.8	N	352
	14	2.23	4.7	1.63	5.3	1.26	5.0	0.80	4.1	NNW	335
	16	1.92	6.1	1.44	5.4	1.12	5.4	0.70	4.4	NNW	344
	18	1.46	5.2	1.09	5.5	0.90	5.4	0.58	4.1	NW	323
	20	1.26	5.4	1.00	4.8	0.80	4.8	0.52	3.9	NNW	344
	22	0.96	5.9	0.80	4.8	0.65	4.6	0.43	3.7	N	352
	最大	3.01	6.4	2.22	6.8	1.80	6.7	1.17	5.7		
	平均	1.94	6.1	1.51	6.0	1.19	5.8	0.76	4.6		
16	00	* 1.15	4.0	* 0.73	5.2	* 0.58	4.9	* 0.38	4.0	NNW	344
	02	0.84	4.0	0.67	5.7	0.55	5.4	0.35	4.2	NNW	335
	04	0.83	5.4	0.62	5.2	0.51	5.3	0.34	4.6	NNW	331
	06	0.71	5.4	0.56	5.7	0.46	5.7	0.30	4.6	NW	307
	08	0.74	5.4	0.53	6.2	0.42	5.9	0.27	4.5	NNW	327
	10	0.70	6.1	0.55	6.0	0.45	5.9	0.28	4.4	NNW	335
	12	0.73	5.1	0.49	5.4	0.38	5.2	0.23	3.9	NNW	331
	14	0.73	5.6	0.44	5.2	0.34	4.9	0.21	3.6	NNE	16
	16	0.66	5.4	0.41	4.6	0.33	4.1	0.21	3.0	N	8
	18	0.48	2.7	0.38	4.4	0.31	4.3	0.20	3.1	NW	315
	20	0.53	5.1	0.33	4.8	0.27	4.6	0.17	3.3	NNW	348
	22	0.39	3.9	0.27	5.1	0.21	4.8	0.14	3.5	NW	311
	最大	1.15	4.0	0.73	5.2	0.58	4.9	0.38	4.0		
	平均	0.71	4.8	0.50	5.3	0.40	5.1	0.26	3.9		
17	00	0.39	4.4	0.27	4.8	0.22	4.5	0.14	3.5	NW	319
	02	0.70	3.4	0.46	4.1	0.35	4.0	0.22	3.5	WSW	237
	04	* 1.02	3.4	0.67	3.9	0.52	4.0	0.33	3.6	WSW	237
	06	0.90	3.0	0.60	3.8	0.48	3.9	0.31	3.3	WSW	254
	08	0.77	3.5	0.57	3.8	0.47	3.9	0.31	3.4	WSW	258
	10	0.98	3.5	0.66	4.0	0.54	3.9	0.34	3.5	WSW	237
	12	0.82	3.4	0.64	3.9	0.52	4.1	0.34	3.7	WSW	237
	14	0.69	3.5	0.55	4.1	0.45	4.0	0.29	3.5		
	16	0.60	4.0	0.49	3.6	0.39	3.7	0.25	3.1	SW	217
	18	1.01	3.7	* 0.71	3.7	* 0.56	3.8	* 0.35	3.3	WSW	254
	20	0.85	3.5	0.63	3.7	0.50	3.6	0.33	3.2	WSW	245
	22	0.62	4.4	0.48	3.6	0.40	3.5	0.26	3.1	WSW	237
	最大	1.02	3.4	0.71	3.7	0.56	3.8	0.35	3.3		
	平均	0.78	3.6	0.56	3.9	0.45	3.9	0.29	3.4		
18	00	0.74	3.7	0.58	3.5	0.45	3.5	0.29	3.0	SW	233
	02	0.92	3.5	0.62	3.5	0.49	3.6	0.31	3.2	WSW	245
	04	1.18	4.0	0.84	3.8	0.66	3.7	0.41	3.3	SW	225
	06	0.85	4.4	0.71	3.8	0.58	3.8	0.37	3.2	SW	233
	08	1.09	3.5	0.82	3.9	0.66	4.0	0.42	3.5		
	10	0.94	3.6	0.63	3.8	0.51	3.8	0.33	3.2		
	12	1.03	3.2	0.71	3.7	0.57	3.6	0.37	3.1	WSW	245
	14	* 1.24	3.8	* 0.91	3.9	* 0.72	4.0	* 0.47	3.4	WSW	254
	16	1.00	4.3	0.78	4.4	0.64	4.4	0.42	3.4	WNW	290
	18	0.93	4.5	0.68	5.0	0.55	4.7	0.35	3.5	W	270
	20	0.83	5.5	0.58	5.3	0.47	5.1	0.31	4.1	WNW	299
	22	0.63	5.6	0.51	5.5	0.40	5.6	0.26	4.4	WNW	286
	最大	1.24	3.8	0.91	3.9	0.72	4.0	0.47	3.4		
	平均	0.95	4.1	0.70	4.2	0.56	4.2	0.36	3.4		
19	00	0.75	6.1	0.58	5.9	0.46	5.6	0.29	4.3	WNW	282
	02	0.77	5.4	0.63	5.8	0.51	5.7	0.32	4.7	W	262
	04	0.90	5.9	0.66	6.1	0.53	5.5	0.33	4.0	W	270
	06	* 1.01	5.9	* 0.71	5.7	* 0.57	5.6	* 0.36	4.3	W	274
	08	1.01	5.3	0.63	5.6	0.52	5.5	0.34	4.3	W	278
	10	0.80	5.6	0.67	5.3	0.54	5.2	0.35	4.1	W	274

	12	1.00	5.1	0.66	5.0	0.52	4.8	0.32	3.9	W	270
	14	0.74	4.9	0.58	4.6	0.46	4.6	0.28	3.7	W	266
	16	0.80	5.9	0.56	4.6	0.45	4.7	0.29	3.8	WNW	286
	18	0.62	5.4	0.50	4.9	0.40	4.8	0.26	3.7	WNW	282
	20	0.72	5.1	0.53	4.8	0.43	4.9	0.28	3.8	WNW	282
	22	0.53	3.9	0.42	4.8	0.34	4.7	0.22	3.9	WNW	286
	最大	1.01	5.9	0.71	5.7	0.57	5.6	0.36	4.3		
	平均	0.80	5.4	0.59	5.3	0.48	5.1	0.30	4.0		
20	00	0.55	4.8	0.43	4.9	0.35	4.8	0.23	4.0	WSW	254
	02	0.59	5.1	0.42	4.8	0.34	4.8	0.21	3.9	WNW	295
	04	0.53	5.0	0.41	4.8	0.33	4.6	0.21	3.8	W	278
	06	0.53	4.9	0.42	5.0	0.33	4.8	0.21	3.9	WNW	282
	08	0.49	4.8	0.36	4.4	0.30	4.4	0.19	3.6		
	10	0.44	4.5	0.35	4.4	0.27	4.4	0.16	3.4	WNW	282
	12	0.66	3.1	0.45	3.4	0.35	3.4	0.23	2.7	WNW	298
	14	0.67	3.1	0.48	3.2	0.39	3.2	0.26	2.8	WNW	285
	16	0.91	2.6	0.72	3.0	0.59	3.1	0.39	2.9	NNE	22
18	* 1.08	3.4	* 0.82	3.4	* 0.67	3.5	* 0.43	3.0	WSW	245	
20	0.87	3.8	0.68	3.4	0.55	3.5	0.35	3.1	W	274	
22	0.93	3.6	0.59	3.8	0.47	3.9	0.30	3.1	W	266	
最大	1.08	3.4	0.82	3.4	0.67	3.5	0.43	3.0			
平均	0.69	4.1	0.51	4.0	0.41	4.0	0.26	3.4			
21	00	0.88	3.7	0.57	3.8	0.45	4.0	0.29	3.2	WNW	290
	02	0.71	5.0	0.57	3.8	0.47	3.7	0.31	3.2	W	278
	04	0.73	3.0	0.55	3.7	0.44	3.7	0.29	3.2		
	06	0.88	3.7	0.64	3.6	0.51	3.7	0.33	3.1	NNW	340
	08	1.32	3.5	0.80	3.7	0.62	3.7	0.40	3.1	N	352
	10	1.08	4.1	0.81	3.7	0.65	3.7	0.41	3.2	NNW	348
	12	0.89	4.5	0.69	3.7	0.54	3.8	0.35	3.2	NNW	348
	14	1.29	3.8	0.77	4.9	0.61	4.5	0.38	3.5	NW	311
	16	1.36	4.5	1.14	5.2	0.89	5.1	0.56	4.1	NNW	348
18	1.50	4.6	0.99	5.1	0.80	5.2	0.49	4.1	NW	311	
20	* 1.79	4.8	* 1.19	5.5	* 0.93	5.5	* 0.58	4.3	NNW	331	
22	1.38	5.3	0.93	5.4	0.75	5.4	0.47	4.2	NW	323	
最大	1.79	4.8	1.19	5.5	0.93	5.5	0.58	4.3			
平均	1.15	4.2	0.80	4.3	0.64	4.3	0.41	3.5			
22	00	* 1.20	5.7	* 0.88	5.3	0.69	5.2	0.44	4.3	NNW	340
	02	1.03	5.3	0.78	5.2	0.64	5.5	0.41	4.5	NW	323
	04	1.04	5.2	0.78	5.3	0.60	5.4	0.37	4.5	NW	319
	06	0.84	4.9	0.68	5.4	0.54	5.2	0.33	4.2	NNW	327
	08	0.84	5.5	0.63	5.6	0.50	5.5	0.32	4.4	N	0
	10	0.90	5.8	0.67	5.6	0.52	5.6	0.33	4.7		
	12	0.82	5.1	0.57	5.5	0.47	5.4	0.32	4.7	NW	323
	14	0.91	4.3	0.64	4.7	0.52	4.8	0.33	4.2	NNW	348
	16	1.08	3.4	0.83	4.2	0.68	4.0	0.45	3.5		
18	1.08	4.3	0.84	4.1	* 0.71	4.1	* 0.47	3.7	SW	233	
20	1.14	3.7	0.82	4.1	0.65	4.1	0.41	3.4	WSW	237	
22	0.96	3.5	0.76	4.4	0.61	4.3	0.40	3.5	WSW	254	
最大	1.20	5.7	0.88	5.3	0.71	4.1	0.47	3.7			
平均	0.99	4.7	0.74	5.0	0.59	4.9	0.38	4.1			
23	00	1.07	5.0	0.78	4.3	0.62	4.3	0.41	3.4	WSW	258
	02	1.14	4.1	0.85	4.5	0.68	4.3	0.43	3.5		
	04	1.21	4.5	0.93	4.7	0.71	4.7	0.46	3.8	NNW	335
	06	1.31	5.0	0.89	5.3	0.70	4.9	0.44	3.9	NNE	16
	08	1.19	4.8	0.84	4.6	0.68	4.4	0.44	3.4	N	4
	10	* 1.52	5.0	* 1.17	4.7	* 0.92	4.7	0.56	3.8	NNW	335
	12	1.11	3.7	0.82	4.6	0.66	4.8	0.42	3.9	NNW	344
	14	1.19	4.8	0.89	4.9	0.72	4.5	0.45	3.4	NNW	340
	16	1.41	4.5	1.12	4.3	0.90	4.3	* 0.59	3.9	N	352
18	1.45	5.8	1.05	5.2	0.83	5.0	0.53	4.1	NNW	344	
20	1.32	4.4	1.00	5.1	0.82	5.1	0.53	4.0	NW	319	
22	1.45	3.7	1.07	4.6	0.85	4.7	0.54	4.0	NNW	327	
最大	1.52	5.0	1.17	4.7	0.92	4.7	0.59	3.9			
平均	1.28	4.6	0.95	4.7	0.76	4.6	0.48	3.8			
24	00	1.34	4.9	0.96	5.0	0.78	4.7	0.49	3.8	N	352
	02	1.59	4.5	1.19	5.2	0.95	5.0	0.62	4.1	NNW	327

	04	1.49	5.2	1.10	5.2	0.91	5.0	0.58	4.1	NNW	335
	06	1.43	5.3	1.17	4.6	0.95	4.7	0.60	3.7	NNW	340
	08	1.35	4.0	1.10	4.1	0.87	4.2	0.57	3.5		
	10	1.51	3.8	1.09	4.2	0.86	4.1	0.56	3.5		
	12	1.50	4.2	1.08	5.1	0.88	4.7	0.57	4.0	NNW	331
	14	* 1.98	5.0	* 1.37	5.0	1.08	4.9	0.68	4.1	NNW	331
	16	1.73	4.8	1.32	5.2	1.07	5.1	* 0.70	4.3	NNW	335
	18	1.76	4.5	1.31	5.0	* 1.09	4.9	0.69	4.0	NNW	340
	20	1.57	4.8	1.31	4.7	1.09	4.8	0.69	4.0	NNW	344
	22	1.91	4.7	1.35	4.7	1.07	4.7	0.69	3.9	NNW	340
	最大	1.98	5.0	1.37	5.0	1.09	4.9	0.70	4.3		
	平均	1.60	4.6	1.20	4.8	0.97	4.7	0.62	3.9		
25	00	1.71	5.0	1.39	4.6	1.07	4.6	0.67	3.8	NNW	335
	02	1.66	4.6	1.28	4.2	1.03	4.5	0.67	3.8	N	0
	04	1.57	4.9	1.31	5.0	1.08	4.9	0.69	4.0	NNW	348
	06	1.98	4.8	1.41	5.0	1.16	5.0	0.77	4.2	N	0
	08	2.25	5.1	1.67	5.1	1.29	5.2	0.82	4.2	NNW	335
	10	2.19	5.6	1.62	5.1	1.31	5.3	0.84	4.4	N	352
	12	2.23	6.0	1.65	5.8	1.34	5.6	0.85	4.6	NNW	335
	14	2.22	5.3	1.68	5.3	* 1.39	5.2	* 0.90	4.4	N	356
	16	* 2.30	5.1	* 1.71	5.0	1.34	5.1	0.82	4.1	N	352
	18	2.05	5.7	1.64	5.7	1.31	5.4	0.82	4.4	N	0
	20	1.61	5.5	1.35	5.4	1.09	5.3	0.71	4.3	NNW	331
	22	1.87	6.6	1.28	6.0	1.01	5.7	0.64	4.5	NW	319
	最大	2.30	5.1	1.71	5.0	1.39	5.2	0.90	4.4		
	平均	1.97	5.4	1.50	5.2	1.20	5.2	0.77	4.2		
26	00	* 1.55	5.1	* 1.21	5.4	* 1.00	5.4	* 0.65	4.4	NW	315
	02	1.53	4.9	1.19	5.0	0.96	5.1	0.62	4.1	NNW	331
	04	1.54	5.2	1.14	5.4	0.91	5.3	0.56	4.1	NW	323
	06	1.18	4.2	0.94	5.0	0.75	5.0	0.48	4.0	NW	315
	08	1.51	5.7	0.92	5.5	0.74	5.6	0.45	4.2	NNW	340
	10	1.17	5.0	0.86	5.7	0.68	5.4	0.44	4.3	NNW	331
	12	1.12	5.5	0.84	6.2	0.70	6.1	0.45	4.7	NNW	335
	14	1.04	6.2	0.79	5.9	0.64	5.5	0.40	4.1	N	8
	16	1.42	4.3	1.03	5.0	0.84	4.6	0.54	3.6	NNW	327
	18	1.29	5.3	0.93	4.7	0.74	4.6	0.47	3.6	NW	307
	20	0.91	6.1	0.76	5.5	0.61	5.3	0.38	4.1	NNW	340
	22	0.88	4.3	0.70	5.3	0.56	5.1	0.35	4.1	NNW	331
	最大	1.55	5.1	1.21	5.4	1.00	5.4	0.65	4.4		
	平均	1.26	5.2	0.94	5.4	0.76	5.3	0.48	4.1		
27	00	0.99	6.7	0.77	5.6	0.63	5.6	0.40	4.4	NNW	327
	02	0.89	5.9	0.75	5.3	0.61	5.1	0.38	3.9	NW	323
	04	1.00	5.1	0.79	5.2	0.64	5.0	0.41	3.9	NW	323
	06	1.01	5.5	0.72	5.3	0.58	5.0	0.37	3.9	NW	315
	08	0.86	5.2	0.69	4.5	0.57	4.4	0.37	3.6	NW	315
	10	1.06	4.3	0.75	3.8	0.60	3.9	0.39	3.0	NNW	340
	12	0.99	2.8	0.76	4.4	0.62	4.2	0.40	3.3		
	14	1.20	3.3	0.80	3.7	0.65	3.8	0.43	3.2	WSW	241
	16	* 1.28	4.2	* 1.04	3.9	* 0.83	4.0	* 0.53	3.4	N	356
	18	1.16	4.6	0.89	4.2	0.72	4.3	0.47	3.6	NNW	331
	20	1.16	3.4	0.87	3.9	0.71	4.0	0.46	3.5	NNW	331
	22	0.99	4.8	0.77	3.9	0.63	3.9	0.40	3.3	NNW	331
	最大	1.28	4.2	1.04	3.9	0.83	4.0	0.53	3.4		
	平均	1.05	4.7	0.80	4.5	0.65	4.4	0.42	3.6		
28	00	0.91	3.6	0.65	3.9	0.52	4.1	0.33	3.4	NNW	340
	02	0.86	3.4	0.62	4.1	0.51	4.0	0.33	3.3	NW	319
	04	1.05	2.9	0.69	4.0	0.55	4.2	0.36	3.5	NW	323
	06	* 1.05	4.3	0.80	4.1	* 0.64	4.2	0.41	3.4	NNW	331
	08	0.87	3.3	0.59	4.1	0.48	4.1	0.31	3.4	NW	319
	10	0.94	4.4	0.57	4.1	0.45	4.2	0.29	3.4	N	0
	12	0.71	4.7	0.52	4.1	0.42	3.8	0.27	3.0	N	0
	14	0.92	4.2	0.77	3.7	0.63	3.8	0.40	3.2	N	352
	16	1.00	3.7	0.78	4.1	0.64	4.1	* 0.42	3.4	NNW	344
	18	0.96	4.2	0.69	4.3	0.55	4.1	0.35	3.4	NNW	335
	20	0.88	4.4	0.70	4.0	0.55	3.9	0.35	3.3	NNW	344
	22	1.04	4.4	* 0.83	3.6	0.64	3.7	0.39	3.2	N	8
	最大	1.05	4.3	0.83	3.6	0.64	4.2	0.42	3.4		

	平均	0.93	4.0	0.68	4.0	0.55	4.0	0.35	3.3		
29	00	* 0.93	3.2	0.60	3.5	* 0.48	3.8	0.31	3.2	N	4
	02	0.62	3.1	0.51	3.6	0.42	3.7	0.27	3.1	N	352
	04	0.73	3.1	0.56	3.6	0.45	3.6	0.29	3.2	N	0
	06	0.84	3.8	* 0.63	3.7	* 0.48	3.8	* 0.31	3.3	NNW	335
	08	0.68	5.3	0.54	4.2	0.43	4.1	0.27	3.3	NNW	348
	10	0.83	4.1	0.56	3.8	0.45	3.9	0.29	3.2	N	4
	12	0.52	3.6	0.43	3.7	0.35	3.6	0.23	2.9	N	356
	14	0.57	2.0	0.44	3.8	0.36	3.4	0.23	2.8	NW	320
	16	0.69	4.2	0.60	3.9	0.48	3.7	0.31	3.0	N	8
	18	0.73	3.2	0.55	4.0	0.44	3.8	0.28	3.0	N	356
	20	0.68	3.9	0.55	4.4	0.45	4.3	0.29	3.5	N	352
	22	0.62	5.2	0.47	4.2	0.38	4.2	0.24	3.5	N	356
	最大	0.93	3.2	0.63	3.7	0.48	3.8	0.31	3.3		
	平均	0.70	3.7	0.54	3.9	0.43	3.8	0.28	3.2		
30	00	0.54	4.2	0.39	4.1	0.31	4.0	0.20	3.3	NNE	12
	02	0.42	4.1	0.32	4.1	0.25	4.0	0.17	3.3	N	4
	04	0.57	4.3	0.39	4.3	0.30	4.1	0.19	3.2	NNW	340
	06	0.63	4.2	0.45	4.1	0.36	4.1	0.24	3.5	SW	229
	08	0.74	3.4	0.53	3.7	0.43	3.8	0.29	3.4	WSW	245
	10	0.71	3.2	0.51	3.9	0.42	3.7	0.27	3.2		
	12	0.72	3.8	0.59	3.8	0.47	3.9	0.30	3.4	WSW	241
	14	0.74	3.7	0.57	3.9	0.45	4.0	0.29	3.5	WSW	245
	16	* 0.80	4.2	* 0.63	3.9	* 0.50	3.9	* 0.33	3.4	WSW	258
	18	0.70	3.5	0.50	3.9	0.40	3.9	0.26	3.4	WSW	250
	20	0.56	3.9	0.38	3.9	0.30	3.8	0.19	3.1	WSW	250
	22	0.45	3.5	0.32	3.8	0.25	3.6	0.17	2.9	N	356
	最大	0.80	4.2	0.63	3.9	0.50	3.9	0.33	3.4		
	平均	0.63	3.8	0.47	4.0	0.37	3.9	0.24	3.3		
月最大		8.73	10.0	6.51	9.5	5.45	9.6	3.44	7.8		
起時		0718		0718		0718		0718			
平均		1.15	4.9	0.85	4.9	0.68	4.8	0.44	3.9		

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	337 回
欠測回数	0 回	欠測回数	35 回
欠測率	0.0 %	欠測率	9.4 %

観測所名：金沢港大野地区

機種：波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	0.48	2.4	0.33	3.5	0.28	3.4	0.18	2.7	N	356	
	02	0.40	4.8	0.33	3.9	0.27	3.8	0.18	3.1	W	278	
	04	0.69	3.9	0.49	3.5	0.39	3.5	0.25	3.0	WSW	258	
	06	1.07	3.9	0.77	3.9	0.63	3.9	0.40	3.2	SW	229	
	08	1.03	3.5	0.79	3.8	0.64	3.8	0.41	3.2	WSW	237	
	10	* 1.08	3.7	0.80	3.8	0.65	3.7	0.42	3.3	WSW	237	
	12	1.08	3.3	* 0.81	3.7	* 0.66	3.7	* 0.43	3.2	WSW	254	
	14	1.00	3.4	0.75	3.8	0.59	3.7	0.38	3.1	WSW	254	
	16	1.00	3.8	0.65	3.9	0.51	3.9	0.32	3.1	WSW	254	
	18	0.81	4.1	0.62	3.8	0.48	3.9	0.31	3.4	WSW	241	
	20	0.77	4.6	0.55	3.9	0.44	3.9	0.29	3.3	WSW	258	
	22	0.91	3.9	0.59	4.3	0.47	4.0	0.30	3.3	WSW	245	
	最大	1.08	3.7	0.81	3.7	0.66	3.7	0.43	3.2			
	平均	0.86	3.8	0.62	3.8	0.50	3.8	0.32	3.2			
	02	00	1.33	3.4	0.84	3.6	0.67	3.8	0.43	3.3	W	262
		02	1.46	5.5	0.92	5.0	0.75	4.8	0.48	3.8	WNW	295
		04	1.90	6.2	1.35	6.2	1.05	5.6	0.65	4.2	WNW	295
		06	1.79	5.5	1.42	5.8	1.14	5.8	0.72	4.3	WNW	286
08		2.02	6.0	1.43	5.5	1.11	5.2	0.71	4.1	WNW	295	
10		* 2.08	5.4	1.34	5.1	1.10	5.1	0.71	4.0	WNW	286	
12		2.03	5.1	* 1.56	4.9	* 1.28	5.1	* 0.85	4.2	W	274	
14		1.80	5.0	1.33	4.9	1.05	5.1	0.65	4.1	W	278	
16		1.44	4.9	1.10	4.9	0.85	4.8	0.53	3.8	W	278	
18		1.18	4.5	0.90	5.7	0.76	5.5	0.48	4.3	WNW	282	
20		1.37	6.3	0.79	4.9	0.63	4.7	0.40	3.5	NW	323	
22		1.16	5.1	0.87	5.4	0.69	5.2	0.44	4.0	NNW	331	
最大		2.08	5.4	1.56	4.9	1.28	5.1	0.85	4.2			
平均		1.63	5.2	1.15	5.2	0.92	5.1	0.59	4.0			
03		00	1.20	5.3	0.96	5.1	0.77	5.0	0.49	4.0	NW	307
		02	1.33	4.5	0.95	4.9	0.78	5.1	0.51	4.1	WNW	295
		04	1.67	5.3	1.14	4.7	0.91	4.5	0.57	3.6	NNW	331
		06	1.98	5.1	1.51	4.8	1.17	4.9	0.73	4.1	NW	311
	08	1.71	5.1	1.41	5.1	1.12	4.9	0.70	4.1	NW	323	
	10	1.99	5.5	1.62	5.9	1.26	5.8	0.81	4.6	NNW	327	
	12	2.73	7.7	1.93	7.1	1.53	7.1	0.94	5.5	NNW	335	
	14	2.54	7.5	2.01	7.9	1.61	7.9	0.98	5.8	NNW	335	
	16	2.82	8.3	2.06	8.0	1.61	7.7	0.99	5.8	NNW	327	
	18	2.80	7.8	* 2.19	7.9	1.72	7.9	1.06	6.1	NW	315	
	20	2.95	8.7	2.11	8.3	* 1.73	8.3	* 1.12	6.6	NW	319	
	22	* 3.18	7.8	2.18	8.0	1.70	7.8	1.00	6.0	WNW	303	
	最大	3.18	7.8	2.19	7.9	1.73	8.3	1.12	6.6			
	平均	2.24	6.6	1.67	6.5	1.33	6.4	0.83	5.0			
	04	00	3.14	7.4	* 2							

	平均	1.79	6.6	1.32	6.6	1.04	6.5	0.65	5.3		
05	00	* 1.62	4.7	* 1.12	5.2	* 0.89	5.2	* 0.56	4.2	WNW	282
	02	1.00	5.4	0.89	5.1	0.74	5.2	0.48	4.3	W	270
	04	0.93	4.5	0.77	4.9	0.64	5.0	0.42	4.3	W	270
	06	1.15	4.9	0.84	5.2	0.64	5.2	0.39	4.2	WSW	241
	08	0.82	4.5	0.71	5.1	0.57	5.0	0.37	4.1	WNW	290
	10	0.85	4.6	0.69	4.7	0.55	4.8	0.34	3.7	WNW	282
	12	0.98	4.4	0.67	4.3	0.54	4.2	0.35	3.4	NW	307
	14	0.99	3.5	0.75	4.4	0.60	4.4	0.38	3.5	WNW	286
	16	1.12	4.0	0.87	5.0	0.70	5.0	0.43	3.8	W	274
	18	1.02	5.2	0.88	5.2	0.72	5.1	0.46	4.1	WNW	303
	20	1.20	5.2	0.83	5.0	0.68	5.1	0.44	4.0	NNW	331
	22	1.21	5.6	0.74	5.0	0.59	4.7	0.37	3.6	NNW	340
	最大	1.62	4.7	1.12	5.2	0.89	5.2	0.56	4.2		
	平均	1.07	4.7	0.81	4.9	0.66	4.9	0.42	3.9		
06	00	1.11	3.1	0.81	4.9	0.65	4.8	0.42	3.8	NNW	327
	02	1.13	5.5	0.84	4.9	0.70	4.8	0.45	3.9	NW	319
	04	1.00	4.6	0.85	5.1	0.68	4.8	0.44	4.0	NW	315
	06	1.42	6.3	* 0.97	5.0	* 0.79	4.9	* 0.50	3.9	NW	315
	08	* 1.43	4.1	0.91	5.1	0.71	4.9	0.45	4.0	NNW	327
	10	1.07	5.1	0.84	4.7	0.68	4.8	0.43	3.8	NNW	331
	12	1.30	4.2	0.84	4.8	0.69	4.7	0.45	3.9	NW	319
	14	1.30	4.2	0.73	4.5	0.59	4.5	0.37	3.5		
	16	1.02	3.8	0.66	4.2	0.54	4.1	0.35	3.3	NW	311
	18	0.88	4.2	0.68	4.0	0.54	3.9	0.34	3.3	NNW	335
	20	0.71	4.4	0.58	4.1	0.48	4.1	0.31	3.3	N	4
	22	0.66	3.9	0.51	3.9	0.41	3.9	0.26	3.4	N	8
	最大	1.43	4.1	0.97	5.0	0.79	4.9	0.50	3.9		
	平均	1.09	4.5	0.77	4.6	0.62	4.5	0.40	3.7		
07	00	0.52	3.1	0.40	4.0	0.32	4.0	0.22	3.4	N	0
	02	0.55	3.6	0.39	4.2	0.32	4.2	0.20	3.4	N	8
	04	0.44	4.2	0.34	4.9	0.28	4.7	0.18	3.7	N	356
	06	0.46	6.0	0.37	5.7	0.30	5.4	0.19	4.0		
	08	0.49	5.4	0.37	5.1	0.30	4.8	0.19	3.6	NNW	348
	10	0.39	4.4	0.31	4.9	0.25	4.5	0.16	3.4		
	12	0.39	4.6	0.27	4.9	0.22	4.5	0.15	3.4	NNE	16
	14	0.33	4.6	0.25	4.9	0.20	4.2	0.13	3.1	N	0
	16	0.48	3.6	0.34	4.0	0.27	4.0	0.18	3.4	SW	221
	18	0.56	3.9	0.41	4.0	0.34	4.0	0.22	3.4	W	262
	20	* 0.59	3.0	* 0.46	4.0	* 0.36	4.0	* 0.23	3.4	WSW	254
	22	0.46	3.1	0.36	3.5	0.29	3.6	0.19	3.2		
	最大	0.59	3.0	0.46	4.0	0.36	4.0	0.23	3.4		
	平均	0.47	4.1	0.36	4.5	0.29	4.3	0.19	3.5		
08	00	0.49	4.2	0.41	4.2	0.32	4.0	0.20	3.4	WSW	250
	02	0.86	3.7	0.53	3.7	0.42	3.8	0.27	3.1	W	274
	04	0.90	3.4	0.67	3.5	0.52	3.5	0.33	3.0	SW	225
	06	1.14	2.6	0.88	3.5	0.71	3.4	0.45	3.0	WSW	242
	08	1.02	3.5	0.76	3.1	0.61	3.2	0.39	2.8	W	265
	10	1.32	2.9	0.98	3.4	0.78	3.5	0.50	3.1	W	270
	12	1.67	4.0	1.14	4.1	0.89	4.1	0.56	3.4	W	274
	14	1.60	5.1	1.18	4.8	0.96	4.8	0.62	4.1	NNW	335
	16	* 1.85	6.9	* 1.51	6.1	* 1.16	5.9	* 0.69	4.7	NW	319
	18	1.55	5.6	1.24	6.0	1.01	6.1	0.66	5.2	NNW	327
	20	1.52	5.4	1.19	5.9	0.94	5.9	0.62	5.0	NW	315
	22	1.41	5.6	1.21	5.9	1.01	6.0	0.65	5.1	WNW	286
	最大	1.85	6.9	1.51	6.1	1.16	5.9	0.69	4.7		
	平均	1.28	4.4	0.98	4.5	0.78	4.5	0.50	3.8		
09	00	2.14	6.1	1.47	5.8	1.15	5.8	0.70	4.7	NW	319
	02	2.01	4.3	1.48	5.5	1.19	5.4	0.73	4.3	WNW	299
	04	2.44	6.0	1.52	5.8	1.22	5.7	0.78	4.7	W	278
	06	1.93	5.7	1.69	6.5	1.40	6.3	0.89	5.2	WNW	286
	08	2.65	6.7	1.96	7.6	* 1.57	7.8	* 0.96	5.9		
	10	* 2.95	7.6	1.87	7.7	1.50	7.8	0.95	6.2	NW	311
	12	2.92	7.9	1.91	7.5	1.43	7.6	0.86	5.8	NW	319
	14	2.56	7.6	* 1.96	7.7	1.47	7.2	0.86	5.2	NNW	331
	16	2.38	5.8	1.70	6.8	1.36	6.6	0.89	5.4	NW	319
	18	1.88	6.5	1.63	6.6	1.31	6.5	0.84	5.2	NNW	340
	20	1.88	5.8	1.49	5.8	1.22	5.6	0.78	4.6	NNW	335
	22	1.50	6.0	1.21	5.7	1.01	5.7	0.66	4.6	NNW	327

		最大	2.95	7.6	1.96	7.7	1.57	7.8	0.96	5.9		
		平均	2.27	6.3	1.66	6.6	1.32	6.5	0.83	5.2		
10	00		1.53	5.8	1.21	5.8	0.97	5.5	0.63	4.6	NNW	340
	02		1.62	5.3	1.23	5.7	* 1.03	5.5	* 0.66	4.4	NNW	331
	04		1.51	5.1	1.18	5.5	0.97	5.4	0.62	4.3	N	352
	06		1.41	4.6	1.09	5.3	0.89	5.2	0.56	4.1	NW	323
	08		1.42	4.7	1.17	4.8	0.93	4.9	0.59	3.8	N	0
	10	* 1.65	5.3	1.22	4.9	0.98	5.0	0.62	0.62	4.0	N	0
	12		1.60	4.5	* 1.24	5.2	0.99	5.0	0.62	4.0	NNW	335
	14		1.37	6.0	1.09	4.9	0.88	4.8	0.56	3.8	N	4
	16		1.40	4.3	1.07	4.6	0.86	4.9	0.55	3.9	NNW	340
	18		1.56	3.9	1.06	5.0	0.86	4.8	0.55	3.9	NNW	335
	20		1.56	4.5	1.06	4.5	0.85	4.4	0.54	3.7	NNE	20
	22		1.37	4.9	0.99	4.9	0.79	4.8	0.51	4.1	N	0
		最大	1.65	5.3	1.24	5.2	1.03	5.5	0.66	4.4		
		平均	1.50	4.9	1.13	5.1	0.92	5.0	0.58	4.1		
11	00		1.19	3.7	0.91	4.7	0.73	4.4	0.47	3.8	N	356
	02		1.19	4.5	* 1.00	4.5	* 0.78	4.4	* 0.49	3.6	N	352
	04		1.46	4.7	0.90	4.7	0.71	4.7	0.45	3.9	N	356
	06		1.22	4.2	0.91	4.6	0.71	4.6	0.45	3.7	NNW	344
	08		1.39	4.7	0.94	4.5	0.74	4.6	0.47	3.8	N	4
	10	* 1.47	4.8	0.97	4.6	0.76	4.7	0.48	0.48	3.9	N	356
	12		1.13	5.0	0.89	4.6	0.72	4.6	0.45	3.7		
	14		1.07	4.6	0.84	4.4	0.69	4.5	0.44	3.7	NNW	335
	16		1.04	5.2	0.77	4.8	0.62	4.9	0.39	3.6	N	352
	18		1.19	4.4	0.87	4.8	0.67	4.7	0.41	3.7	NNW	344
	20		1.06	3.9	0.84	4.3	0.69	4.4	0.45	3.6	NNW	331
	22		1.30	4.4	0.84	4.0	0.67	4.0	0.44	3.4	N	8
		最大	1.47	4.8	1.00	4.5	0.78	4.4	0.49	3.6		
		平均	1.23	4.5	0.89	4.5	0.71	4.5	0.45	3.7		
12	00		0.91	3.9	0.68	4.2	0.55	4.1	0.36	3.5	N	356
	02		1.13	3.5	0.66	3.9	0.52	3.9	0.34	3.2	N	352
	04		0.82	2.9	0.63	4.0	0.52	3.9	0.34	3.1	NNW	340
	06	* 1.36	4.2	* 0.72	4.1	* 0.57	3.8	* 0.37	* 0.37	3.2	NNW	344
	08		0.92	3.1	0.67	3.8	0.53	3.8	0.34	3.1	NNW	344
	10		0.77	4.2	0.59	3.7	0.47	3.6	0.30	3.0	NW	319
	12		0.67	6.0	0.49	3.8	0.40	3.7	0.26	3.0		
	14		0.94	3.1	0.60	3.1	0.48	3.2	0.30	2.7	W	264
	16		0.92	3.9	0.67	3.7	0.53	3.6	0.33	3.1		
	18		0.70	3.2	0.54	3.9	0.43	3.8	0.28	3.1	NNW	340
	20		0.76	3.6	0.50	3.8	0.39	3.8	0.25	3.1	N	4
	22		0.67	4.5	0.44	4.2	0.36	3.9	0.23	3.1	NNW	331
		最大	1.36	4.2	0.72	4.1	0.57	3.8	0.37	3.2		
		平均	0.88	3.8	0.60	3.9	0.48	3.8	0.31	3.1		
13	00	* 0.58	4.4	0.39	4.4	0.31	4.3	0.20	0.20	3.4	NNW	335
	02		0.52	3.5	0.34	4.0	0.28	4.0	0.19	3.3		
	04		0.53	5.4	0.37	4.0	0.30	4.1	0.19	3.3		
	06		0.44	5.2	0.37	4.9	0.29	4.7	0.19	3.5		
	08		0.51	5.1	0.37	5.0	0.31	4.9	0.19	3.8		
	10		0.40	5.0	0.30	4.9	0.25	5.0	0.17	4.1	NNW	348
	12		0.34	4.7	0.28	4.8	0.23	4.8	0.15	3.7	NNW	335
	14		0.31	5.3	0.25	4.7	0.20	4.4	0.13	3.2		
	16		0.29	4.9	0.23	4.4	0.19	4.3	0.12	3.1		
	18		0.35	5.4	0.25	4.5	0.21	4.3	0.14	3.5	NW	311
	20		0.53	4.1	* 0.40	4.0	* 0.32	4.0	* 0.21	3.6		
	22		0.41	2.8	0.29	3.7	0.23	3.7	0.15	3.0	WSW	241
		最大	0.58	4.4	0.40	4.0	0.32	4.0	0.21	3.6		
		平均	0.43	4.7	0.32	4.4	0.26	4.4	0.17	3.5		
14	00		0.43	3.8	0.28	4.0	0.24	4.0	0.15	3.3	W	274
	02		0.63	3.9	0.42	3.8	0.33	3.8	0.22	3.3	SW	221
	04		0.78	4.2	0.61	3.8	0.50	4.0	0.34	3.6	WSW	245
	06		0.82	4.3	0.56	4.0	0.44	3.9	0.28	3.3	WSW	245
	08		0.64	3.7	0.50	3.8	0.40	3.8	0.26	3.2	WSW	241
	10		0.62	3.7	0.46	3.8	0.36	3.8	0.24	3.2		
	12		0.56	4.0	0.41	3.8	0.33	3.7	0.21	3.1	SW	225
	14		0.46	3.2	0.37	3.7	0.30	3.8	0.20	3.1	WSW	250

	16	1.35	3.4	0.84	3.2	0.66	3.3	0.43	3.0	N	11
	18	1.23	3.9	0.83	3.7	0.65	3.7	0.42	3.1	WSW	258
	20	1.40	3.3	* 1.10	3.8	* 0.86	3.6	* 0.55	3.2	W	274
	22	* 1.40	4.3	1.02	4.3	0.82	4.3	0.53	3.6	NW	315
	最大	1.40	4.3	1.10	3.8	0.86	3.6	0.55	3.2		
	平均	0.86	3.8	0.62	3.8	0.49	3.8	0.32	3.3		
15	00	1.46	4.5	1.05	4.9	0.82	4.7	0.51	3.9	WNW	299
	02	1.35	4.5	0.90	4.8	0.73	4.8	0.48	4.2		
	04	1.11	5.5	0.82	5.1	0.64	5.1	0.40	4.3	WNW	299
	06	1.17	4.9	0.76	5.3	0.60	5.3	0.39	4.3	WNW	299
	08	1.04	6.5	0.86	7.5	0.70	6.9	0.44	5.2	NNW	331
	10	1.51	9.7	1.27	9.1	1.01	8.5	0.64	6.4	NNW	344
	12	1.68	7.1	1.32	7.8	1.03	8.0	0.64	6.4	NNW	327
	14	* 2.04	7.2	1.53	7.8	1.19	7.8	0.73	6.4	NW	319
	16	2.02	7.9	1.43	7.2	1.12	7.4	0.68	5.8	NW	319
	18	1.82	6.8	* 1.54	6.8	* 1.27	6.7	* 0.79	4.8	WNW	299
	20	1.40	6.2	1.18	6.8	0.94	6.6	0.58	4.8	NW	315
	22	1.51	7.1	1.09	7.0	0.85	7.1	0.51	5.4	NW	315
	最大	2.04	7.2	1.54	6.8	1.27	6.7	0.79	4.8		
	平均	1.51	6.5	1.15	6.7	0.91	6.6	0.57	5.2		
16	00	1.20	6.7	0.91	6.6	0.72	6.6	0.44	5.5	NW	307
	02	1.02	5.7	0.86	6.4	0.72	6.2	0.44	5.3	NW	319
	04	1.11	6.3	0.75	6.0	0.61	5.9	0.40	5.2		
	06	1.18	5.4	0.96	5.8	0.78	5.5	0.47	4.0	NW	307
	08	2.12	4.1	1.62	5.1	1.27	5.1	0.77	4.2	NNW	327
	10	2.17	5.2	1.68	5.5	1.33	5.6	0.82	4.6	WNW	299
	12	1.92	5.2	1.37	5.8	1.13	5.8	0.73	4.8	NNW	327
	14	1.97	6.1	1.39	6.0	1.07	6.1	0.68	5.1	NW	307
	16	1.75	6.3	1.33	6.3	1.05	6.3	0.65	4.9	WNW	295
	18	2.41	8.2	1.80	7.5	* 1.48	7.6	0.92	6.3	NW	307
	20	* 2.49	6.8	* 1.87	7.0	1.45	7.2	* 0.93	6.3	NW	307
	22	2.08	7.0	1.67	7.2	1.30	7.3	0.82	6.0	WNW	303
	最大	2.49	6.8	1.87	7.0	1.48	7.6	0.93	6.3		
	平均	1.79	6.1	1.35	6.3	1.08	6.3	0.67	5.2		
17	00	2.08	7.2	1.65	7.1	1.29	7.0	0.79	5.8	WNW	299
	02	* 2.28	6.7	* 1.79	7.5	* 1.46	7.7	* 0.91	6.3	NW	307
	04	1.92	6.8	1.46	7.2	1.17	7.0	0.73	5.9	WNW	290
	06	1.91	7.9	1.30	7.2	1.00	7.2	0.63	5.7		
	08	1.35	5.4	1.05	6.9	0.85	6.9	0.55	5.6	WNW	299
	10	1.46	6.9	1.14	6.6	0.87	6.7	0.52	5.0		
	12	1.17	6.4	0.91	6.3	0.72	6.2	0.45	4.7	WNW	290
	14	1.48	3.9	1.09	5.5	0.89	5.0	0.57	3.8	NW	307
	16	1.80	5.0	1.28	4.7	1.01	4.7	0.66	3.9	NW	307
	18	1.42	4.8	1.01	4.9	0.84	5.0	0.54	4.0	WNW	299
	20	1.17	4.5	0.87	5.1	0.71	4.7	0.45	3.7	NW	307
	22	1.23	6.0	0.87	5.3	0.68	5.1	0.42	3.7	WNW	299
	最大	2.28	6.7	1.79	7.5	1.46	7.7	0.91	6.3		
	平均	1.61	6.0	1.20	6.2	0.96	6.1	0.60	4.8		
18	00	1.19	5.1	0.83	5.2	0.68	4.9	0.44	3.7	NW	315
	02	1.10	6.0	0.81	5.3	0.67	5.0	0.43	3.8	NW	315
	04	1.20	6.0	1.04	6.0	0.83	5.3	0.53	4.1	NW	311
	06	1.47	6.3	1.12	6.4	0.90	6.3	0.57	4.8	WNW	299
	08	1.63	6.6	1.21	6.9	0.94	5.9	0.58	4.3	NW	315
	10	1.65	5.7	1.27	7.0	1.05	6.3	0.65	4.4	NW	311
	12	* 2.60	5.9	1.85	6.2	1.49	6.1	0.93	4.8	NW	307
	14	2.36	5.6	* 1.86	6.2	* 1.54	6.3	* 0.99	5.2	NW	311
	16	2.30	6.2	1.74	6.3	1.40	6.0	0.88	4.7	WNW	303
	18	2.29	6.6	1.59	5.9	1.28	5.8	0.80	4.4	NNW	331
	20	2.19	6.2	1.63	5.7	1.29	5.7	0.79	4.4	NW	315
	22	2.39	6.1	1.80	5.9	1.43	5.7	0.89	4.4	NW	319
	最大	2.60	5.9	1.86	6.2	1.54	6.3	0.99	5.2		
	平均	1.86	6.0	1.40	6.1	1.13	5.8	0.71	4.4		
19	00	2.23	6.4	1.78	6.2	1.39	6.1	0.88	4.6	NW	319
	02	2.43	5.7	* 1.83	6.4	* 1.47	6.1	* 0.96	4.8	N	8
	04	* 2.61	5.0	1.82	5.7	1.45	5.7	0.90	4.4	NNW	327
	06	2.12	5.1	1.60	5.6	1.27	5.7	0.79	4.4	NNW	327
	08	2.10	5.7	1.53	5.8	1.24	5.7	0.78	4.4	NNW	327
	10	1.62	5.6	1.26	5.6	1.03	5.2	0.66	4.1	N	356

	12	1.34	6.7	1.13	5.5	0.91	5.4	0.60	4.2	NW	323
	14	1.50	5.2	1.10	5.7	0.87	5.2	0.55	3.9	NW	315
	16	1.43	5.1	1.23	4.9	1.03	4.8	0.67	3.8	NNW	327
	18	1.82	3.3	1.26	4.8	1.00	4.7	0.63	3.9	NNW	327
	20	1.66	4.8	1.02	5.0	0.83	4.8	0.54	3.9	NNW	335
	22	1.55	5.5	0.94	5.0	0.76	4.7	0.48	3.7	NNW	331
	最大 平均	2.61	5.0	1.83	6.4	1.47	6.1	0.96	4.8		
		1.87	5.3	1.38	5.5	1.10	5.3	0.70	4.2		
	20	00	1.27	5.7	0.84	5.0	0.68	4.9	0.45	4.0	
		02	1.02	4.1	0.79	5.0	0.64	4.9	0.41	3.8	
		04	1.02	4.3	0.75	4.6	0.60	4.5	0.39	3.7	NW
		06	1.27	3.2	0.79	4.7	0.64	4.7	0.40	3.7	
		08	0.98	4.7	0.76	4.2	0.61	4.2	0.40	3.6	
		10	0.89	3.5	0.70	4.1	0.58	4.0	0.38	3.3	NNW
		12	1.02	4.2	0.71	4.1	0.56	4.0	0.37	3.2	NNW
		14	1.07	3.5	0.82	4.0	0.65	4.0	0.42	3.3	
		16	0.97	4.7	0.75	4.0	0.60	4.1	0.40	3.4	N
		18	1.08	3.9	0.79	4.1	0.65	4.2	0.42	3.4	NNE
		20	* 1.29	3.5	* 0.87	3.9	* 0.71	4.0	* 0.47	3.4	N
		22	0.97	4.2	0.72	4.0	0.57	4.0	0.36	3.4	
	最大 平均	1.29	3.5	0.87	3.9	0.71	4.0	0.47	3.4		
		1.07	4.1	0.77	4.3	0.62	4.3	0.41	3.5		
21	00	* 1.03	3.4	* 0.69	3.7	* 0.55	3.7	* 0.36	3.2	N	356
	02	0.77	3.6	0.61	3.8	0.49	3.8	0.32	3.3	N	356
	04	0.60	4.0	0.47	3.8	0.38	3.9	0.24	3.3	N	0
	06	0.53	3.1	0.40	3.9	0.31	3.9	0.20	3.0	N	356
	08	0.51	3.3	0.34	3.9	0.28	3.9	0.18	3.2	NNW	348
	10	0.50	4.0	0.36	4.0	0.26	3.9	0.16	3.0	NW	323
	12	0.48	3.4	0.29	3.9	0.23	3.9	0.16	3.1	NW	311
	14	0.56	2.5	0.31	3.4	0.26	3.3	0.17	2.7	WSW	245
	16	0.65	3.2	0.45	3.2	0.36	3.2	0.23	2.8	NNE	30
	18	0.88	3.2	0.64	3.4	0.51	3.5	0.33	2.9	SW	229
	20	0.91	3.4	0.67	3.4	0.54	3.4	0.35	2.9	SW	235
	22	0.90	3.7	0.63	3.7	0.49	3.6	0.31	3.1	WSW	245
	最大 平均	1.03	3.4	0.69	3.7	0.55	3.7	0.36	3.2		
		0.69	3.4	0.49	3.7	0.39	3.7	0.25	3.0		
22	00	0.71	3.9	0.57	3.5	0.46	3.6	0.29	3.0	SW	217
	02	0.75	3.1	0.57	3.4	0.45	3.4	0.28	3.0	WSW	238
	04	0.74	3.9	0.59	4.2	0.49	3.9	0.33	3.4	NNW	331
	06	1.71	9.9	1.25	8.1	1.00	5.8	0.66	4.3	N	8
	08	2.09	12.2	1.78	12.0	1.43	11.4	0.86	7.3	NW	323
	10	3.31	11.1	2.89	11.3	2.26	9.9	1.35	6.6	NW	319
	12	5.04	6.1	* 4.31	8.4	* 3.49	8.3	* 2.13	6.6	NNW	327
	14	5.31	10.3	4.01	9.5	3.26	9.0	2.03	6.8	NW	311
	16	* 5.62	10.4	3.90	9.5	3.10	8.9	1.84	6.5	NW	323
	18	4.35	10.8	3.66	9.6	3.01	9.4	1.89	6.9	NW	323
	20	5.33	11.2	3.97	9.2	3.14	8.8	1.81	6.6		
	22	3.72	8.0	3.12	9.5	2.62	8.9	1.70	7.4	NW	319
	最大 平均	5.62	10.4	4.31	8.4	3.49	8.3	2.13	6.6		
		3.22	8.4	2.55	8.2	2.06	7.6	1.26	5.7		
23	00	3.95	7.8	3.22	10.0	2.58	9.3	1.62	6.9	NNW	331
	02	5.70	10.4	3.94	10.6	3.13	10.6	1.92	8.2	NNW	335
	04	* 7.11	9.9	4.17	10.3	3.08	10.6	1.91	8.4	NNW	327
	06	5.12	9.8	3.77	9.8	2.94	9.8	1.76	7.6	NW	315
	08	3.66	10.9	3.10	9.8	2.55	9.9	1.59	7.7	NNW	348
	10	3.65	9.4	3.01	10.4	2.38	9.8	1.40	6.9	NNW	335
	12	3.41	9.4	2.82	9.7	2.25	9.9	1.36	6.8	NNW	335
	14	4.31	9.3	3.57	9.3	2.81	9.0	1.77	7.0	NNW	327
	16	4.94	8.7	4.07	8.4	3.31	8.3	2.10	6.6	NW	323
	18	5.48	9.6	* 4.75	9.0	* 3.81	9.3	* 2.31	7.1	NW	323
	20	5.07	7.9	3.92	8.7	3.15	8.1	1.95	6.4	NNW	327
	22	4.97	8.0	3.51	8.3	2.90	8.3	1.82	6.4	NNW	331
	最大 平均	7.11	9.9	4.75	9.0	3.81	9.3	2.31	7.1		
		4.78	9.3	3.65	9.5	2.91	9.4	1.79	7.2		
24	00	* 3.82	9.7	* 2.91	8.7	* 2.38	8.1	* 1.47	6.0	NNW	327
	02	3.69	8.9	2.91	8.1	2.30	8.3	1.43	6.2	NW	323

	04		2.89	8.1	2.38	8.4	1.93	8.1	1.24	6.0	NNW	331
	06		2.80	7.8	1.96	7.9	1.52	7.3	0.92	5.2	NNW	340
	08		2.36	8.1	1.85	7.7	1.45	6.9	0.91	5.4	NNW	327
	10		2.21	6.2	1.68	6.8	1.40	6.7	0.88	5.2	N	352
	12		1.71	7.6	1.42	6.2	1.18	6.1	0.74	4.5	NNW	335
	14		1.97	5.9	1.40	6.5	1.08	5.9	0.66	4.3	NNW	335
	16		1.87	7.7	1.35	6.1	1.09	6.0	0.68	4.5	NNW	331
	18		1.38	4.4	1.18	5.9	0.99	5.3	0.64	4.2	NNW	331
	20		1.55	5.9	1.12	5.6	0.91	5.4	0.58	4.2	NNW	331
22		1.96	4.4	1.47	4.9	1.17	4.9	0.75	4.0	WNW	282	
	最大平均		3.82	9.7	2.91	8.7	2.38	8.1	1.47	6.0		
			2.35	7.1	1.80	6.9	1.45	6.6	0.91	5.0		
25	00		2.92	6.3	1.98	5.2	1.53	5.3	0.99	4.4	W	270
	02		* 3.02	6.2	* 2.07	5.7	* 1.65	5.8	* 1.03	4.6	WNW	282
	04		1.99	5.2	1.61	5.7	1.34	5.8	0.83	4.4	W	266
	06		2.02	5.5	1.51	5.9	1.20	5.8	0.76	4.6	W	266
	08		1.83	5.0	1.41	5.9	1.13	5.8	0.72	4.7	NNW	340
	10		1.66	7.1	1.27	5.7	0.99	5.6	0.60	4.4	W	274
	12		2.06	6.5	1.43	6.0	1.10	5.9	0.69	4.8	WNW	282
	14		2.13	6.6	1.50	6.5	1.17	6.3	0.72	4.6		
	16		2.34	6.3	1.67	6.0	1.36	6.0	0.89	4.9	WNW	290
18		2.16	6.3	1.86	6.2	1.49	6.1	0.94	4.9	NW	323	
20		2.32	5.9	1.85	6.0	1.46	5.9	0.92	4.9	WNW	299	
22		2.45	6.2	1.85	6.7	1.48	6.6	0.94	5.2	NW	307	
	最大平均		3.02	6.2	2.07	5.7	1.65	5.8	1.03	4.6		
			2.24	6.1	1.67	6.0	1.33	5.9	0.84	4.7		
26	00		2.98	7.0	* 2.13	7.3	1.68	7.2	1.05	5.7	NNW	344
	02		2.56	8.6	2.10	7.7	* 1.73	7.6	* 1.10	5.7	NNW	327
	04		* 3.12	7.2	1.93	7.5	1.49	7.1	0.88	5.2	NNW	327
	06		2.17	8.7	1.63	7.6	1.32	7.1	0.83	5.3	NNW	327
	08		1.96	6.3	1.36	6.6	1.08	6.4	0.67	4.9	NNW	340
	10		1.50	8.4	1.20	7.0	0.93	6.8	0.58	4.9	NNW	340
	12		2.05	6.9	1.24	6.9	0.99	6.8	0.62	5.2	NW	323
	14		1.74	7.3	1.20	7.0	0.95	6.9	0.57	5.3	NW	323
	16		1.64	7.1	1.25	6.7	1.01	6.6	0.62	5.0	NNW	331
18		1.57	6.4	1.06	6.3	0.86	6.4	0.54	4.9	NNW	335	
20		1.16	5.3	0.99	6.2	0.80	6.3	0.49	5.1	NNW	331	
22		1.18	5.4	0.82	6.0	0.65	5.9	0.42	4.9	NNW	327	
	最大平均		3.12	7.2	2.13	7.3	1.73	7.6	1.10	5.7		
			1.97	7.1	1.41	6.9	1.12	6.8	0.70	5.2		
27	00		0.90	5.1	* 0.74	5.8	* 0.61	5.7	* 0.39	4.8		
	02		0.92	5.9	0.65	5.8	0.51	5.7	0.33	4.7	NNW	340
	04		* 0.97	5.1	0.67	5.7	0.54	5.5	0.33	4.4	NW	319
	06		0.96	5.2	0.68	5.4	0.54	5.5	0.34	4.3	N	352
	08		0.78	4.9	0.59	5.7	0.46	5.8	0.29	4.2	NNW	327
	10		0.89	6.1	0.59	5.3	0.45	5.4	0.28	4.3	N	4
	12		0.58	5.5	0.48	5.3	0.40	5.3	0.26	4.2	NNW	335
	14		0.64	5.3	0.49	5.3	0.39	5.2	0.25	4.2		
	16		0.68	5.2	0.53	5.4	0.42	5.2	0.27	4.0	NNW	340
18		0.63	5.2	0.50	5.3	0.40	5.2	0.25	3.9	NNW	344	
20		0.64	4.8	0.51	5.0	0.41	5.0	0.26	4.0	NNW	344	
22		0.53	5.5	0.40	5.1	0.32	5.1	0.20	4.0	N	0	
	最大平均		0.97	5.1	0.74	5.8	0.61	5.7	0.39	4.8		
			0.76	5.3	0.57	5.4	0.45	5.4	0.29	4.3		
28	00		0.46	4.1	0.36	4.9	0.30	4.9	0.19	3.8	NNE	25
	02		0.45	4.9	0.33	4.9	0.26	4.4	0.17	3.2	NNW	335
	04		0.40	4.2	0.33	4.4	0.28	4.1	0.19	3.4	WNW	286
	06		0.57	4.8	0.34	5.0	0.28	4.8	0.18	3.5		
	08		0.40	5.5	0.30	5.1	0.25	4.6	0.16	3.3	WSW	254
	10		0.43	5.3	0.31	4.7	0.25	4.5	0.16	3.4		
	12		0.50	4.3	0.31	4.2	0.25	4.0	0.16	3.0	N	0
	14		1.05	2.7	0.69	3.1	0.54	3.1	0.35	2.8	NNW	342
	16		* 1.08	3.4	* 0.80	3.4	* 0.65	3.5	* 0.42	3.0	WSW	254
18		0.91	3.4	0.72	3.4	0.58	3.4	0.38	3.0	W	269	
20		0.59	3.3	0.45	3.4	0.37	3.4	0.24	3.0	NNE	33	
22		0.49	3.5	0.37	3.3	0.30	3.4	0.20	2.9	WNW	283	
	最大		1.08	3.4	0.80	3.4	0.65	3.5	0.42	3.0		

	平均	0.61	4.1	0.44	4.2	0.36	4.0	0.23	3.2		
29	00	0.45	2.9	0.33	3.2	0.27	3.4	0.18	2.9	NNE	15
	02	0.54	3.4	0.40	3.3	0.32	3.2	0.21	2.7	NNE	19
	04	1.08	3.5	0.65	3.8	0.52	3.7	0.34	3.2	SW	229
	06	1.23	3.5	0.69	3.5	0.54	3.5	0.35	3.0	WSW	254
	08	1.04	3.7	0.75	3.7	0.60	3.8	0.39	3.3		
	10	1.84	4.1	1.34	4.3	1.11	4.3	0.71	3.6		
	12	2.86	4.7	2.06	5.6	1.62	5.4	1.03	4.5	WNW	295
	14	2.65	5.6	1.94	6.2	1.54	6.0	0.95	4.7	WNW	295
	16	3.37	7.0	2.33	6.1	1.80	5.9	1.13	4.7	WNW	286
	18	2.69	5.9	2.20	6.5	1.74	6.2	1.12	4.9	WNW	286
	20	2.95	8.3	2.44	7.6	1.98	7.7	1.28	6.1	W	278
	22	* 4.61	10.7	* 4.02	10.1	* 3.34	9.9	* 2.10	8.3	WNW	299
	最大	4.61	10.7	4.02	10.1	3.34	9.9	2.10	8.3		
	平均	2.11	5.3	1.60	5.3	1.28	5.3	0.82	4.3		
30	00	* 6.06	9.5	* 4.69	9.7	* 3.73	10.3	* 2.26	7.8	NW	307
	02	4.58	9.0	3.88	9.3	3.13	9.3	1.93	7.4	NW	307
	04	4.23	9.6	3.47	9.1	2.78	9.1	1.77	7.3	WNW	303
	06	4.65	8.8	3.33	9.0	2.58	8.5	1.53	6.7	WNW	282
	08	2.73	8.2	2.32	8.0	1.94	8.3	1.23	6.5	NW	311
	10	3.41	8.7	2.46	8.3	1.99	8.2	1.27	6.7	NW	319
	12	3.15	7.3	2.11	7.9	1.74	7.6	1.15	6.3	NW	311
	14	2.61	7.8	2.09	7.4	1.69	7.4	1.03	5.8	NW	323
	16	2.29	8.8	1.78	7.7	1.44	7.4	0.87	5.5	NW	323
	18	2.00	7.0	1.45	6.9	1.13	6.8	0.71	5.1	NW	323
	20	1.97	6.2	1.38	6.7	1.13	6.4	0.71	4.8	NNW	335
	22	1.95	6.0	1.53	7.6	1.24	7.0	0.78	5.3	NNW	335
	最大	6.06	9.5	4.69	9.7	3.73	10.3	2.26	7.8		
	平均	3.30	8.1	2.54	8.1	2.04	8.0	1.27	6.3		
31	00	* 2.60	6.5	* 1.82	8.0	1.39	7.9	0.85	5.7	NNW	327
	02	2.45	7.4	1.81	6.9	* 1.48	6.4	* 0.95	4.8	NNW	331
	04	2.23	7.8	1.67	7.1	1.31	7.1	0.83	5.6	NNW	348
	06	2.29	8.9	1.64	7.6	1.30	7.8	0.81	6.3	NNW	335
	08	2.08	9.0	1.41	7.5	1.12	7.5	0.68	5.9	NNW	344
	10	1.67	9.6	1.31	7.2	1.05	6.9	0.64	5.3	NNW	348
	12	1.89	6.6	1.36	7.0	1.11	6.8	0.70	5.2		
	14	1.82	5.2	1.33	6.2	1.09	5.9	0.69	4.6	NNW	331
	16	1.46	6.7	1.20	6.8	0.97	6.7	0.60	4.7	NNW	344
	18	1.56	7.0	1.25	8.0	0.98	7.0	0.60	4.8	NNW	344
	20	1.39	8.5	1.18	7.2	0.96	7.0	0.58	4.9	NNW	344
	22	1.54	6.0	1.15	6.5	0.91	6.3	0.58	5.2	NNW	335
	最大	2.60	6.5	1.82	8.0	1.48	6.4	0.95	4.8		
	平均	1.92	7.4	1.43	7.2	1.14	6.9	0.71	5.3		
	月最大	7.11	9.9	4.75	9.0	3.81	9.3	2.31	7.1		
	起時	2304		2318		2318		2318			
	平均	1.65	5.6	1.24	5.7	0.99	5.5	0.62	4.4		

* は日最大波高を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	343 回	測得回数	311 回
欠測回数	17 回	欠測回数	49 回
欠測率	4.7 %	欠測率	13.6 %

観測所名: 金沢港大野地区 | 機種: 波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	1.35	6.5	1.08	6.9	0.85	6.6	* 0.54	5.3	NNW	331	
	02	* 1.66	7.1	* 1.10	6.9	* 0.85	6.8	0.53	5.4			
	04	1.23	7.0	0.97	6.8	0.77	6.3	0.50	5.2	NNW	335	
	06	1.35	6.0	0.89	6.4	0.73	6.2	0.46	4.9	NW	307	
	08	1.22	6.7	0.82	6.0	0.67	6.2	0.42	4.8	NW	311	
	10	0.97	6.0	0.78	6.3	0.61	6.0	0.39	4.8	NNW	335	
	12	0.94	5.8	0.74	6.2	0.60	6.1	0.38	4.7	NNE	20	
	14	0.82	5.8	0.68	6.1	0.55	6.2	0.35	4.8	N	0	
	16	0.81	5.6	0.63	6.0	0.51	5.8	0.32	4.5	NW	323	
	18	0.79	4.9	0.58	5.8	0.47	5.8	0.30	4.7	NNW	344	
	20	0.72	6.3	0.50	5.7	0.41	5.5	0.26	4.1	NW	315	
	22	0.72	4.6	0.50	5.5	0.40	5.2	0.25	3.9	NNW	327	
	最大	1.66	7.1	1.10	6.9	0.85	6.8	0.54	5.3			
	平均	1.05	6.0	0.77	6.2	0.62	6.1	0.39	4.8			
	02	00	0.63	5.9	0.45	5.8	0.35	5.2	0.22	3.7		
		02	0.55	5.6	0.41	5.5	0.34	5.0	0.21	3.7	NNW	340
		04	0.58	4.5	0.43	5.4	0.33	4.9	0.21	3.6	NNE	12
		06	0.56	4.7	0.44	6.2	0.36	5.2	0.24	3.6	NNW	327
		08	1.09	6.6	0.82	7.1	0.65	7.0	0.39	5.4	NW	315
		10	1.61	7.3	1.18	7.3	0.94	7.1	0.58	5.6	NW	307
		12	1.64	7.8	* 1.37	7.6	* 1.11	7.2	* 0.67	5.4	WNW	299
		14	* 1.91	6.1	1.37	7.2	1.06	6.8	0.66	5.1	NW	311
16		1.69	7.6	1.28	7.2	1.00	6.5	0.60	4.8	WNW	303	
18		1.59	6.7	1.14	7.1	0.91	6.8	0.57	5.2	WNW	290	
20		1.55	7.2	1.18	7.3	0.93	7.1	0.59	5.7	WNW	303	
22		1.39	5.4	1.01	6.9	0.81	6.8	0.50	5.5	WNW	303	
最大		1.91	6.1	1.37	7.6	1.11	7.2	0.67	5.4			
平均		1.23	6.3	0.92	6.7	0.73	6.3	0.45	4.8			
03		00	1.23	6.3	1.00	6.9	0.79	6.8	0.48	5.6	NW	307
		02	1.07	5.9	0.92	6.5	0.73	6.3	0.45	5.2	WNW	303
		04	1.19	6.1	0.85	5.8	0.68	5.6	0.42	4.3	WNW	303
		06	1.22	4.9	0.96	5.6	0.78	5.5	0.49	4.5	NW	307
		08	* 1.82	5.3	1.12	5.3	0.85	5.2	0.49	4.1	NW	307
		10	1.43	5.3	0.94	5.9	0.76	5.4	0.49	4.2	NW	315
		12	1.53	5.1	1.14	5.2	0.91	5.1	* 0.58	4.0	NW	307
		14	1.54	6.1	* 1.15	5.5	* 0.94	5.2	* 0.58	4.0	WNW	295
	16	1.37	5.1	1.06	5.3	0.86	5.5	0.54	4.5	WNW	299	
	18	1.14	5.3	0.91	5.4	0.75	5.5	0.47	4.5	SW	225	
	20	1.25	5.2	1.02	5.4	0.83	5.3	0.53	4.3	NW	307	
	22	1.34	4.8	1.08	5.2	0.86	5.2	0.53	4.3	NW	315	
	最大	1.82	5.3	1.15	5.5	0.94	5.2	0.58	4.0			
	平均	1.34	5.5	1.01	5.7	0.81	5.6	0.51	4.5			
	04	00	1.18	5.3	0.93	5.1	0.74	5.1	* 0.48	4.3	WNW	282
		02	* 1.35	5.0	* 0.94	5.1	* 0.75	5.1	0.47	4.0	WNW	299
		04	1.16	4.6	0.88	5.1	0.69	4.9	0.42	3.9	W	278
		06	1.25	4.9	0.75	4.8	0.61	4.8	0.39	3.9	W	262
		08	0.81	4.9	0.66	4.9	0.54	4.7	0.34	3.7	WSW	254
		10	0.74	4.3	0.59	4.5	0.48	4.6	0.31	3.7	WNW	282
		12	0.74	4.4	0.58	5.1	0.47	5.1	0.30	4.1	WNW	303
		14	0.80	5.8	0.58	5.5	0.47	5.2	0.29	3.9	WNW	295
16		0.81	5.3	0.69	5.8	0.55	5.7	0.33	4.0	NW	307	
18		0.95	6.0	0.71	5.6	0.57	5.6	0.35	4.3	NW	315	
20		0.97	5.3	0.77	5.5	0.62	5.6	0.39	4.6	WNW	303	
22		0.81	6.0	0.69	5.3	0.57	5.4	0.35	4.2	NW	307	
最大		1.35	5.0	0.94	5.1	0.75	5.1	0.48	4.3			

	平均	0.96	5.2	0.73	5.2	0.59	5.2	0.37	4.1		
05	00	0.87	5.7	* 0.72	5.4	* 0.60	5.6	* 0.37	4.6	NW	319
	02	0.88	5.7	0.65	5.4	0.53	5.5	0.35	4.6	NW	323
	04	* 0.94	5.5	0.69	5.4	0.54	5.3	0.33	4.4	WNW	299
	06	0.91	4.6	0.71	5.3	0.55	5.2	0.33	4.1	NW	319
	08	0.73	4.7	0.55	5.1	0.44	5.1	0.27	4.0		
	10	0.71	5.0	0.58	5.2	0.45	5.1	0.29	4.2	NW	315
	12	0.88	5.2	0.62	5.2	0.49	5.4	0.32	4.4		
	14	0.84	7.3	0.63	5.6	0.50	5.4	0.30	3.9	WNW	299
	16	0.83	6.0	0.57	5.5	0.47	5.3	0.29	3.9	NW	307
	18	0.72	5.8	0.55	5.8	0.45	5.4	0.28	3.8	NW	311
	20	0.59	5.0	0.50	5.0	0.41	4.8	0.25	3.6		
	22	0.51	4.1	0.41	5.1	0.33	4.7	0.21	3.5	NNW	327
	最大	0.94	5.5	0.72	5.4	0.60	5.6	0.37	4.6		
	平均	0.78	5.4	0.60	5.3	0.48	5.2	0.30	4.1		
06	00	0.52	5.1	0.39	4.5	0.32	4.2	0.21	3.3	N	4
	02	0.54	3.5	0.41	3.7	0.33	3.9	0.22	3.3	NNW	335
	04	0.39	3.4	0.31	4.1	0.25	3.9	0.17	3.2	WNW	295
	06	0.39	4.7	0.28	5.0	0.22	4.7	0.14	3.3	WSW	245
	08	0.33	5.1	0.23	4.5	0.19	4.2	0.12	3.2	NNE	29
	10	0.39	3.4	0.27	3.7	0.22	3.7	0.14	3.1	W	274
	12	0.85	3.6	0.62	3.9	0.49	4.1	0.32	3.4	WSW	241
	14	0.68	3.9	0.55	4.5	0.46	4.4	0.29	3.6	WSW	241
	16	0.99	5.1	0.81	4.2	0.64	4.1	0.41	3.5	WSW	250
	18	1.91	4.7	1.26	4.9	1.00	4.8	0.64	4.1	WSW	245
	20	* 2.70	4.3	* 1.62	4.5	* 1.29	4.7	* 0.79	3.9	WSW	254
	22	1.79	4.9	1.40	4.8	1.12	4.8	0.73	4.0	WSW	254
	最大	2.70	4.3	1.62	4.5	1.29	4.7	0.79	3.9		
	平均	0.96	4.3	0.68	4.4	0.54	4.3	0.35	3.5		
07	00	1.85	3.6	1.29	4.3	1.03	4.3	0.63	3.5	WSW	254
	02	2.16	4.3	1.62	4.4	1.32	4.6	0.86	4.0	W	274
	04	3.07	5.6	2.04	5.3	1.61	5.3	1.05	4.5	W	278
	06	2.75	5.5	1.91	5.7	1.58	5.6	1.01	4.6	W	274
	08	2.64	6.9	2.28	7.1	1.87	6.8	1.17	5.3	NW	323
	10	3.16	7.6	2.63	7.5	2.18	7.5	1.36	6.0	NW	307
	12	3.49	7.6	2.72	8.1	2.08	7.6	1.27	6.0	WNW	299
	14	3.18	6.5	2.28	7.3	1.79	7.3	1.12	5.8	NW	311
	16	3.47	6.4	2.57	7.9	2.12	7.8	1.38	6.2	NW	315
	18	* 4.02	8.2	2.77	8.4	2.15	7.8	1.33	5.8	NNW	331
	20	3.21	7.9	2.74	7.9	2.24	8.0	1.37	5.8	NNW	327
	22	3.64	10.1	* 3.20	9.6	* 2.58	9.1	* 1.59	7.0	NW	323
	最大	4.02	8.2	3.20	9.6	2.58	9.1	1.59	7.0		
	平均	3.05	6.7	2.34	7.0	1.88	6.8	1.18	5.4		
08	00	3.93	11.1	3.15	9.7	2.49	9.4	1.56	7.1	NNW	327
	02	3.45	7.6	2.79	9.0	2.21	9.1	1.37	7.0	NNW	327
	04	3.75	7.7	2.82	8.4	2.29	8.5	1.42	7.0	NW	323
	06	3.08	8.6	2.38	9.5	1.80	8.8	1.05	6.4	NW	323
	08	3.18	8.2	2.25	8.7	1.73	8.0	1.05	5.8	NW	323
	10	2.76	5.3	2.15	6.4	1.78	6.2	1.15	4.9	NW	319
	12	5.27	7.4	3.67	6.8	2.83	6.7	1.77	5.4	W	270
	14	5.78	7.5	5.19	8.2	4.37	8.6	2.88	7.2	NNE	29
	16	7.78	9.6	5.37	8.7	4.24	8.8	2.62	7.0	WNW	303
	18	* 9.46	8.3	* 6.54	10.1	* 5.38	9.8	* 3.35	8.0	WNW	282
	20	6.41	9.1	4.75	9.2	3.70	9.0	2.27	6.6	WNW	282
	22	8.03	10.2	5.37	10.3	4.07	9.4	2.35	6.8	WNW	303
	最大	9.46	8.3	6.54	10.1	5.38	9.8	3.35	8.0		
	平均	5.24	8.4	3.87	8.8	3.07	8.5	1.90	6.6		
09	00	5.79	9.5	4.61	9.8	3.84	9.8	* 2.47	7.5	WNW	286
	02	5.98	9.2	4.53	10.1	3.60	9.9	2.17	7.4	WNW	303
	04	5.90	9.5	4.63	10.2	3.50	10.1	2.08	7.8	WNW	303
	06	5.30	10.4	4.12	9.4	3.22	9.4	1.98	7.0	WNW	286
	08	* 6.50	8.9	4.73	9.4	3.72	9.3	2.24	7.1	WNW	295
	10	6.26	8.9	4.72	9.0	* 3.88	9.1	2.44	7.5	NW	315
	12	6.37	9.9	* 4.75	9.5	3.74	9.1	2.26	7.2	WNW	295
	14	4.73	8.6	3.80	9.0	3.15	9.3	1.98	7.2	WNW	282
	16	4.27	6.7	3.39	8.8	2.71	8.6	1.65	6.6	WNW	295
	18	3.82	8.1	3.05	8.8	2.41	8.8	1.50	6.3	WNW	299
	20	3.12	8.6	2.57	8.2	2.13	7.9	1.35	5.8	NW	307
	22	4.51	8.3	3.33	8.8	2.46	8.2	1.51	6.2	WNW	295

		最大	6.50	8.9	4.75	9.5	3.88	9.1	2.47	7.5		
		平均	5.21	8.9	4.02	9.3	3.20	9.1	1.97	7.0		
10	00		4.19	9.1	* 3.20	8.7	* 2.53	8.6	* 1.56	6.6	NW	323
	02		3.62	7.1	2.74	7.9	2.21	7.9	1.38	6.3		
	04		3.69	8.5	2.98	8.3	2.23	7.6	1.36	6.2	WNW	295
	06	* 4.44	7.7	2.87	8.0	2.18	7.9	7.9	1.30	6.1	NNW	335
	08		3.19	7.6	2.46	7.8	1.98	7.8	1.29	6.7	WNW	299
	10		3.06	7.7	2.40	7.9	1.89	7.9	1.19	6.6	WNW	286
	12		2.87	8.1	2.28	7.9	1.72	7.7	1.02	5.8	WNW	282
	14		2.31	7.3	1.85	7.5	1.43	7.6	0.84	5.6	NW	315
	16		1.93	7.2	1.45	7.2	1.17	7.0	0.72	5.1	WNW	290
	18		1.60	7.6	1.32	6.5	1.04	6.2	0.63	4.3	NW	319
	20		1.75	7.3	1.33	6.5	1.00	6.4	0.62	4.8	NNW	340
	22		1.62	5.9	1.15	6.2	0.91	6.0	0.58	4.8	NW	315
		最大	4.44	7.7	3.20	8.7	2.53	8.6	1.56	6.6		
		平均	2.86	7.6	2.17	7.5	1.69	7.4	1.04	5.7		
11	00		1.53	7.2	1.26	6.6	1.04	6.4	0.68	4.9	NW	311
	02		2.12	6.5	1.67	6.8	1.37	6.8	0.87	5.5		
	04	* 2.55	6.8	* 1.86	6.9	* 1.44	6.6	* 0.89	5.3			
	06		1.93	6.6	1.58	6.4	1.29	6.5	0.81	5.0	NW	307
	08		2.12	6.5	1.59	6.8	1.26	6.3	0.78	5.0	WNW	295
	10		2.10	7.6	1.52	6.6	1.17	6.2	0.72	4.8		
	12		2.05	6.6	1.49	6.3	1.17	6.0	0.73	4.6	WNW	282
	14		1.88	7.3	1.44	6.2	1.14	5.5	0.70	4.4	WNW	286
	16		1.81	5.8	1.35	5.8	1.05	5.6	0.67	4.4	WNW	282
	18		1.92	6.4	1.33	6.0	1.03	5.8	0.63	4.4	WNW	286
	20		1.46	6.0	1.24	6.0	0.99	5.8	0.64	4.8	WNW	303
	22		1.62	6.4	1.09	5.9	0.86	5.8	0.53	4.7	NW	319
		最大	2.55	6.8	1.86	6.9	1.44	6.6	0.89	5.3		
		平均	1.92	6.6	1.45	6.4	1.15	6.1	0.72	4.8		
12	00		1.25	5.9	0.97	6.0	0.79	5.9	0.50	4.9	NW	311
	02		1.50	5.6	0.96	5.7	0.76	5.6	0.46	4.5	NW	307
	04		1.51	5.1	1.05	5.6	0.82	5.5	0.52	4.7	NNW	340
	06		1.87	5.0	1.36	5.2	1.10	5.2	0.71	4.0	NNW	331
	08		2.34	5.0	1.75	5.5	1.44	5.7	0.93	4.8	NNW	327
	10	* 3.05	6.7	* 2.33	6.7	1.83	6.3	6.3	1.14	5.0	NW	323
	12		2.72	6.8	2.30	6.9	* 1.87	7.0	* 1.14	5.6	NNW	335
	14		2.60	6.9	2.03	6.5	1.64	6.6	1.02	5.5	NW	323
	16		2.32	6.9	1.75	6.5	1.38	6.5	0.86	5.2	NW	323
	18		2.11	5.5	1.68	6.8	1.34	6.6	0.81	5.3	NNW	327
	20		1.92	6.3	1.42	6.4	1.15	6.2	0.73	5.0	NNW	331
	22		1.63	5.4	1.25	6.3	0.98	6.3	0.61	4.9	NNW	340
		最大	3.05	6.7	2.33	6.7	1.87	7.0	1.14	5.6		
		平均	2.07	5.9	1.57	6.2	1.26	6.1	0.79	5.0		
13	00		1.58	5.3	1.15	5.9	0.89	6.1	0.56	5.3	NNW	335
	02		1.73	6.1	1.13	6.3	0.87	6.3	0.52	5.1	NNW	344
	04		1.12	6.0	0.88	6.0	0.71	5.9	0.45	4.9		
	06		0.99	5.5	0.77	6.1	0.63	5.9	0.39	4.6	NW	319
	08		0.88	6.1	0.70	5.3	0.55	5.3	0.34	3.9	NW	307
	10		0.85	5.8	0.65	5.3	0.54	5.1	0.34	3.9	NNW	327
	12		0.89	5.0	0.68	5.1	0.55	4.6	0.35	3.5	NW	323
	14		1.30	6.2	0.89	4.1	0.72	4.1	0.47	3.4	NNW	344
	16		1.52	3.9	1.07	4.4	0.84	4.3	0.53	3.4	NW	307
	18		1.55	5.9	1.18	5.1	0.96	4.8	0.61	3.8	NW	311
	20		1.74	5.1	1.23	5.2	1.00	5.4	0.65	4.4		
	22	* 1.79	6.1	* 1.40	5.6	* 1.12	5.6	* 0.68	4.6		NW	307
		最大	1.79	6.1	1.40	5.6	1.12	5.6	0.68	4.6		
		平均	1.33	5.6	0.98	5.4	0.78	5.3	0.49	4.2		
14	00		1.75	5.9	1.20	5.6	0.94	5.5	0.59	4.3	NNW	335
	02		1.42	5.3	1.07	5.6	0.87	5.6	0.55	4.3	NW	311
	04		1.30	5.2	1.05	5.5	0.85	5.6	0.56	4.7	NW	323
	06		1.40	5.6	1.00	5.7	0.81	5.4	0.52	4.7	NW	323
	08		1.33	4.6	1.03	5.2	0.85	5.1	0.53	4.0	NNW	327
	10		1.22	4.8	0.98	4.7	0.80	4.9	0.49	3.8	NW	323
	12		1.48	5.1	1.09	4.9	0.85	4.9	0.54	4.0		
	14		1.88	6.2	1.48	5.9	1.18	5.7	0.72	4.6	NNW	331

	16	2.25	6.2	* 1.67	5.8	* 1.37	5.7	* 0.88	4.8	NNW	340
	18	* 2.42	5.3	1.54	5.4	1.29	5.6	0.82	4.7	NNW	331
	20	1.86	5.9	1.41	5.7	1.12	5.6	0.72	4.5	NNW	331
	22	1.94	5.7	1.50	5.2	1.22	5.1	0.80	4.1	N	0
	最大	2.42	5.3	1.67	5.8	1.37	5.7	0.88	4.8		
	平均	1.69	5.5	1.25	5.4	1.01	5.4	0.64	4.4		
15	00	2.31	5.1	1.77	5.4	1.43	5.2	0.92	4.4		
	02	2.71	5.3	1.88	5.5	1.57	5.6	1.06	4.7	NNW	335
	04	2.52	6.2	2.11	6.0	1.70	6.0	1.03	4.6		
	06	2.98	5.8	* 2.30	6.5	* 1.82	6.3	* 1.17	5.3	NW	315
	08	2.62	5.7	2.15	6.8	1.71	6.4	1.05	5.1	NNW	335
	10	2.84	6.8	2.13	6.4	1.70	6.7	1.07	5.5	NNW	335
	12	2.34	6.6	1.93	7.2	1.56	7.1	0.96	5.4	NW	323
	14	* 3.41	7.3	1.97	7.0	1.51	6.9	0.90	5.1	NNW	331
	16	2.33	7.3	1.66	6.7	1.33	6.8	0.85	5.2	NNW	340
	18	1.94	6.7	1.50	6.4	1.19	6.5	0.74	4.8	NNW	335
	20	2.09	5.2	1.51	6.3	1.19	6.0	0.76	4.6	NW	315
	22	2.00	6.2	1.49	6.7	1.22	6.5	0.79	5.1	NW	323
	最大	3.41	7.3	2.30	6.5	1.82	6.3	1.17	5.3		
	平均	2.51	6.2	1.87	6.4	1.49	6.3	0.94	5.0		
16	00	1.87	6.3	1.40	5.6	1.08	5.2	0.67	4.0	NNW	327
	02	2.44	5.0	1.67	6.1	1.28	5.6	0.81	4.5		
	04	3.57	6.5	2.34	7.0	1.83	6.8	1.10	5.3	NNW	331
	06	* 4.18	7.6	* 3.15	7.7	* 2.40	7.3	* 1.53	6.3	NW	319
	08	3.53	7.0	2.51	7.0	2.03	7.2	1.29	5.8	NW	323
	10	3.22	6.2	2.69	7.1	2.20	7.0	1.42	6.0	NNW	340
	12	3.13	8.4	2.64	7.4	2.09	7.4	1.27	5.8	NW	315
	14	3.14	8.2	2.56	7.7	2.08	7.7	1.32	6.3	NW	323
	16	3.25	7.4	2.28	7.5	1.87	7.5	1.18	6.2	NW	323
	18	3.41	7.2	2.43	7.4	2.01	7.7	1.27	6.2	NW	323
	20	2.90	6.8	2.39	7.7	1.86	7.3	1.15	5.8	NW	323
	22	3.27	7.1	2.31	7.2	1.84	7.2	1.15	6.0	NW	319
	最大	4.18	7.6	3.15	7.7	2.40	7.3	1.53	6.3		
	平均	3.16	7.0	2.36	7.1	1.88	7.0	1.18	5.7		
17	00	* 3.10	6.7	* 2.24	7.6	* 1.83	7.4	* 1.15	6.1	NNW	331
	02	2.10	6.4	1.79	7.2	1.46	7.1	0.93	6.2	NW	323
	04	2.63	7.2	1.95	7.2	1.49	7.2	0.89	5.7	NNW	327
	06	2.18	7.3	1.93	7.4	1.57	7.4	0.99	6.2	NW	323
	08	1.89	6.0	1.63	6.9	1.36	7.4	0.90	6.4	NW	323
	10	2.29	7.8	1.88	7.5	1.41	7.1	0.86	5.5	NNW	344
	12	2.12	6.4	1.70	7.3	1.38	7.2	0.86	5.8	NW	319
	14	2.27	7.1	1.72	6.9	1.31	6.9	0.80	5.3		
	16	2.47	7.1	2.03	7.7	1.62	7.4	0.97	5.3	NNW	331
	18	2.01	7.2	1.63	7.4	1.33	7.2	0.80	5.2	NW	323
	20	1.82	7.1	1.64	7.5	1.35	7.5	0.88	6.1		
	22	1.93	8.2	1.41	7.2	1.10	7.0	0.67	5.4	NW	319
	最大	3.10	6.7	2.24	7.6	1.83	7.4	1.15	6.1		
	平均	2.23	7.0	1.80	7.3	1.43	7.2	0.89	5.8		
18	00	2.21	7.1	1.42	7.4	1.13	7.1	0.72	5.8	NW	319
	02	1.72	7.4	1.29	7.0	1.02	7.0	0.64	5.6		
	04	1.96	6.6	1.23	6.7	0.95	6.8	0.60	5.5		
	06	1.68	5.3	1.40	6.8	1.15	7.0	0.72	5.8		
	08	1.71	5.9	1.24	6.7	0.96	6.7	0.61	5.5	NW	323
	10	1.68	6.4	1.20	7.0	0.96	6.8	0.60	5.4	NW	319
	12	1.77	6.3	1.35	6.8	1.09	6.3	0.68	4.4		
	14	1.73	6.2	1.45	6.0	1.19	5.9	0.75	4.4	NW	323
	16	1.97	6.4	1.50	5.8	1.19	5.4	0.77	4.2		
	18	2.56	5.8	1.96	5.6	1.55	5.7	0.99	4.7		
	20	3.92	5.9	2.76	6.7	2.19	6.6	1.38	5.2	NW	323
	22	* 5.67	7.7	* 3.81	7.3	* 2.95	7.2	* 1.89	6.1	NW	315
	最大	5.67	7.7	3.81	7.3	2.95	7.2	1.89	6.1		
	平均	2.38	6.4	1.72	6.7	1.36	6.5	0.86	5.2		
19	00	* 5.31	6.9	* 3.74	7.5	* 2.89	7.8	* 1.78	6.2	NW	319
	02	3.79	8.6	3.37	8.2	2.77	8.0	1.71	6.1	NW	323
	04	4.50	7.6	3.33	8.1	2.70	7.9	1.60	5.7	NW	311
	06	4.86	8.6	3.56	8.3	2.81	8.2	1.70	6.2	NW	315
	08	4.42	8.6	3.23	8.4	2.49	8.1	1.49	6.2	NW	311
	10	3.60	8.4	2.96	8.4	2.34	7.8	1.47	6.1	NW	323

	12	3.33	7.7	2.80	7.8	2.22	8.2	1.41	6.7	NW	315
	14	3.88	8.1	2.86	7.9	2.17	7.6	1.35	6.2	NW	319
	16	3.80	7.7	3.12	8.1	2.50	8.0	1.59	6.9	NNW	327
	18	3.39	8.2	2.58	8.1	2.16	8.0	1.40	6.3	NNW	331
	20	2.67	7.3	2.25	7.8	1.88	7.7	1.20	6.0		
	22	3.04	7.2	2.22	7.9	1.83	7.7	1.16	6.3	NW	323
	最大	5.31	6.9	3.74	7.5	2.89	7.8	1.78	6.2		
	平均	3.88	7.9	3.00	8.0	2.40	7.9	1.49	6.2		
20	00	3.07	7.2	2.03	7.7	1.60	7.3	0.97	5.9	NW	323
	02	* 3.41	7.9	* 2.31	7.7	* 1.76	7.8	* 1.08	6.3	NW	323
	04	2.87	8.3	1.94	7.8	1.57	7.9	1.01	6.4	NW	307
	06	2.09	7.1	1.73	7.7	1.44	7.5	0.92	6.2	NW	311
	08	2.15	7.7	1.74	7.4	1.40	7.1	0.91	6.2	NNW	327
	10	2.53	6.7	1.85	7.4	1.50	7.6	0.99	6.8	NW	315
	12	2.18	6.9	1.70	7.2	1.37	7.5	0.87	6.0	NW	311
	14	2.48	6.7	1.71	7.1	1.37	7.3	0.91	6.2	NW	319
	16	1.81	6.6	1.41	6.9	1.15	6.9	0.75	5.8	NNW	340
	18	1.91	6.6	1.44	6.7	1.15	7.0	0.75	5.8	NW	319
	20	1.67	6.3	1.32	7.0	1.05	6.8	0.64	5.5		
	22	1.63	7.3	1.27	7.1	1.01	6.9	0.65	5.6		
	最大	3.41	7.9	2.31	7.7	1.76	7.8	1.08	6.3		
	平均	2.32	7.1	1.70	7.3	1.36	7.3	0.87	6.1		
21	00	1.37	6.8	1.08	7.1	0.85	6.8	0.55	5.5	NNW	340
	02	1.46	6.8	1.07	6.9	0.87	7.0	0.57	5.9	WNW	303
	04	1.44	6.9	1.09	7.3	0.85	7.2	0.55	5.8	N	356
	06	1.31	6.8	1.01	7.2	0.80	6.9	0.48	5.2		
	08	1.16	6.8	0.90	7.0	0.71	6.6	0.44	5.0	NNW	335
	10	1.14	6.7	0.86	6.9	0.65	5.8	0.40	4.0	NW	323
	12	1.20	6.9	0.89	5.9	0.70	5.2	0.45	3.8		
	14	1.67	3.5	1.07	4.5	0.85	4.2	0.55	3.6		
	16	1.65	5.5	1.15	4.3	0.91	4.1	0.60	3.6	WSW	241
	18	1.66	4.2	1.12	4.3	0.88	4.2	0.57	3.5	SW	217
	20	1.13	4.0	0.90	4.8	0.73	4.7	0.46	3.7	W	278
	22	* 2.49	5.7	* 1.63	5.8	* 1.30	5.8	* 0.83	4.7	NW	307
	最大	2.49	5.7	1.63	5.8	1.30	5.8	0.83	4.7		
	平均	1.47	5.9	1.06	6.0	0.84	5.7	0.54	4.5		
22	00	欠测									
	02	欠测									
	04	欠测									
	06	欠测									
	08	欠测									
	10	2.62	8.3	1.91	7.3	1.53	7.1	0.96	5.7	WNW	290
	12	2.68	7.5	1.96	7.5	1.65	7.2	* 1.07	6.0	WNW	295
	14	2.47	7.2	* 2.11	7.3	* 1.67	7.2	1.01	5.8	NW	307
	16	2.47	7.2	1.83	6.8	1.49	6.6	0.92	5.0	WNW	290
	18	* 2.74	7.0	1.80	7.1	1.43	6.8	0.88	5.2	WNW	303
	20	2.72	5.6	1.71	6.4	1.38	6.6	0.83	4.9	NW	307
	22	2.57	6.1	1.57	6.2	1.25	6.3	0.76	4.7	NW	307
	最大	2.74	7.0	2.11	7.3	1.67	7.2	1.07	6.0		
	平均	2.61	7.0	1.84	6.9	1.49	6.8	0.92	5.3		
23	00	2.25	6.0	1.51	6.3	1.18	6.2	0.73	5.0	NNW	340
	02	1.99	5.7	1.31	6.3	1.08	6.2	0.69	5.1	WNW	290
	04	2.06	6.1	1.38	6.3	1.11	5.9	0.70	4.6	WNW	290
	06	2.12	6.5	1.60	6.6	1.27	6.5	0.78	5.0	NW	311
	08	2.09	6.7	1.63	6.7	1.26	6.4	0.77	4.8	NW	315
	10	2.22	6.3	1.76	6.0	1.39	5.9	0.89	4.7	W	274
	12	2.26	6.4	1.79	6.3	1.48	6.2	* 0.96	5.0	NW	307
	14	2.49	5.3	* 1.96	6.4	* 1.53	6.3	0.95	4.9	NW	319
	16	* 2.53	5.7	1.84	6.1	1.44	5.7	0.86	4.3	W	278
	18	2.37	5.9	1.79	5.4	1.42	5.3	0.92	4.3	W	278
	20	1.67	5.5	1.33	5.9	1.06	5.5	0.67	4.2	NW	319
	22	2.10	5.6	1.69	6.0	1.40	5.9	0.91	4.6		
	最大	2.53	5.7	1.96	6.4	1.53	6.3	0.96	5.0		
	平均	2.18	6.0	1.63	6.2	1.30	6.0	0.82	4.7		
24	00	2.42	6.1	1.76	5.9	1.35	6.1	0.84	4.7	W	278
	02	2.78	6.2	1.95	6.2	1.54	6.0	0.98	4.7	W	266

24	04	2.95	7.7	2.32	6.8	1.81	6.7	1.13	5.3	W	266	
	06	2.60	7.1	2.24	6.7	1.85	6.9	1.17	5.5	WNW	295	
	08	2.70	7.3	2.26	7.3	1.77	7.2	1.10	5.5	WNW	286	
	10	2.66	6.8	2.10	7.0	1.71	7.3	1.07	5.5	WNW	299	
	12	2.84	7.7	* 2.45	7.5	* 1.98	7.5	* 1.24	5.8	NW	307	
	14	2.63	8.0	2.23	7.5	1.80	7.2	1.11	5.5	WNW	286	
	16	3.14	6.2	2.23	6.8	1.77	7.0	1.10	5.5	WNW	282	
	18	2.85	6.4	2.20	7.4	1.76	7.0	1.12	5.4	WNW	299	
	20	* 3.58	7.1	2.34	7.0	1.89	7.0	1.14	5.5	NW	311	
	22	2.94	7.8	2.11	8.0	1.67	7.8	1.02	6.1	WNW	303	
	最大	3.58	7.1	2.45	7.5	1.98	7.5	1.24	5.8			
	平均	2.84	7.0	2.18	7.0	1.74	7.0	1.09	5.4			
	25	00	2.88	7.9	* 2.11	7.9	* 1.65	7.7	* 0.98	5.9	WNW	299
		02	2.48	6.3	1.90	7.1	1.52	7.4	0.94	5.7	WNW	299
		04	2.14	7.8	1.72	7.0	1.33	7.1	0.79	5.3	WNW	282
		06	2.05	6.9	1.63	6.8	1.31	7.0	0.83	5.5	WNW	286
		08	1.97	6.6	1.46	6.4	1.17	6.4	0.72	5.2	WNW	299
		10	1.97	6.8	1.40	6.5	1.10	6.4	0.68	5.0	WNW	290
12		2.13	6.3	1.52	5.7	1.20	5.7	0.76	4.5	WNW	286	
14		2.43	6.0	1.57	6.2	1.29	6.1	0.81	4.6	WNW	295	
16		2.23	6.1	1.78	6.0	1.41	5.8	0.89	4.5	WNW	299	
18		1.46	4.6	1.30	5.5	1.01	5.2	0.63	4.0	WNW	299	
20		1.57	5.6	1.27	5.5	1.02	5.7	0.64	4.3	WNW	303	
22		* 2.98	5.8	1.87	5.1	1.49	5.1	0.95	4.3	WNW	282	
最大		2.98	5.8	2.11	7.9	1.65	7.7	0.98	5.9			
平均		2.19	6.4	1.63	6.3	1.29	6.3	0.80	4.9			
26		00	3.07	6.7	2.56	6.1	2.06	6.3	1.30	5.2	W	270
		02	* 3.46	6.0	* 2.73	6.6	* 2.16	6.6	* 1.35	5.5	WNW	286
		04	3.35	7.2	2.29	6.9	1.79	6.7	1.13	5.4	NW	315
		06	3.13	6.9	2.48	7.2	1.92	7.1	1.21	5.7	NW	319
	08	2.85	7.2	2.33	7.2	1.91	7.3	1.24	6.1	WNW	299	
	10	2.68	6.7	2.13	7.4	1.73	7.3	1.12	6.2	NW	307	
	12	2.24	6.7	1.96	6.9	1.58	7.2	1.01	6.0	WNW	290	
	14	2.19	5.6	1.71	6.6	1.41	7.0	0.92	5.6	WNW	286	
	16	1.94	6.7	1.44	7.0	1.14	6.4	0.72	5.2	WNW	299	
	18	1.68	7.0	1.17	6.9	0.97	6.6	0.62	5.2	NW	311	
	20	1.37	7.0	1.14	6.9	0.92	6.5	0.57	5.4	WNW	286	
	22	1.46	6.1	1.13	6.0	0.91	6.1	0.59	4.9			
	最大	3.46	6.0	2.73	6.6	2.16	6.6	1.35	5.5			
	平均	2.45	6.7	1.92	6.8	1.54	6.8	0.98	5.5			
	27	00	1.29	6.5	1.03	6.0	0.82	6.0	0.51	4.6	NW	307
		02	1.49	6.3	1.12	5.1	0.91	4.7	0.60	3.8		
		04	1.47	6.3	1.16	5.1	0.93	4.9	0.57	4.0	W	278
		06	1.74	5.1	1.37	5.0	1.14	4.9	0.75	4.0	W	266
08		* 2.34	5.7	* 1.90	5.5	* 1.48	5.3	* 0.93	4.3	WNW	282	
10		欠测										
12		欠测										
14		欠测										
16		欠测										
18		欠测										
20		欠测										
22		欠测										
最大		2.34	5.7	1.90	5.5	1.48	5.3	0.93	4.3			
平均		1.67	6.0	1.32	5.3	1.06	5.2	0.67	4.1			
28		00	欠测									
		02	欠测									
		04	欠测									
		06	欠测									
	08	欠测										
	10	* 1.88	5.2	1.19	5.7	0.93	5.5	0.57	4.5	W	270	
	12	1.44	5.2	1.20	5.3	0.94	5.5	0.58	4.6	W	274	
	14	1.43	5.7	1.16	5.0	0.96	4.7	0.63	3.9	WNW	299	
	16	1.45	5.8	1.09	4.8	0.86	4.5	0.56	3.7	W	274	
	18	1.56	4.6	1.25	4.5	0.99	4.3	0.64	3.7	WSW	258	
	20	1.65	3.9	* 1.34	4.7	* 1.08	4.8	* 0.68	4.0	W	274	
	22	1.74	4.8	1.32	4.7	1.06	4.7	0.68	3.9	WSW	258	
	最大	1.88	5.2	1.34	4.7	1.08	4.8	0.68	4.0			

	平均	1.59	5.0	1.22	5.0	0.97	4.9	0.62	4.0		
29	00	1.84	4.5	1.44	4.8	1.15	4.9	0.73	4.2	W	266
	02	2.17	4.9	1.67	5.2	1.32	5.2	0.83	4.2	W	266
	04	2.80	5.5	2.22	5.7	1.84	5.6	1.24	4.8	WSW	245
	06	4.80	6.1	3.81	6.5	3.05	6.6	1.98	5.8	W	262
	08	* 9.21	8.4	5.69	8.3	4.54	8.1	2.75	6.7	W	278
	10	7.72	8.8	5.49	9.0	4.36	9.2	2.72	7.1	WNW	295
	12	6.30	9.0	4.85	9.2	3.83	9.0	2.36	6.6	W	278
	14	5.49	8.7	4.12	9.1	3.42	9.1	2.17	6.7	WNW	286
	16	5.30	9.5	4.15	8.8	3.28	8.9	2.00	6.6	W	270
	18	8.10	8.7	4.32	9.1	3.24	8.5	1.91	6.0	NW	307
	20	7.59	9.1	* 5.85	10.4	* 4.93	10.4	* 3.06	8.4	NNW	331
	22	7.40	10.8	5.80	11.1	4.66	10.5	2.87	8.0	WNW	286
	最大	9.21	8.4	5.85	10.4	4.93	10.4	3.06	8.4		
	平均	5.73	7.8	4.12	8.1	3.30	8.0	2.05	6.3		
30	00	6.86	10.0	5.06	10.6	4.05	10.0	2.50	7.3	NNW	331
	02	7.01	8.3	* 5.65	10.0	* 4.67	9.8	* 3.01	8.1	NNW	331
	04	* 7.03	9.9	4.91	10.1	3.89	9.9	2.44	7.8	NNW	331
	06	6.40	10.6	4.63	10.8	3.78	10.2	2.24	7.2	NNW	331
	08	5.94	8.5	4.30	10.1	3.35	9.7	2.01	7.1	NNE	20
	10	5.39	8.6	4.36	10.0	3.43	9.4	2.02	7.0	N	0
	12	4.94	8.1	3.77	9.3	2.93	9.2	1.82	7.0	NW	323
	14	4.56	9.8	3.63	9.4	2.78	9.1	1.65	6.8	NW	319
	16	5.91	8.8	3.53	8.6	2.73	8.8	1.73	7.0	NW	315
	18	4.63	7.7	3.69	8.5	2.89	8.9	1.80	7.2	NW	311
	20	4.82	8.5	3.69	9.5	2.91	9.3	1.77	7.4	NW	323
	22	3.95	9.2	3.00	9.5	2.44	9.4	1.49	7.3	NNW	327
	最大	7.03	9.9	5.65	10.0	4.67	9.8	3.01	8.1		
	平均	5.62	9.0	4.19	9.7	3.32	9.5	2.04	7.3		
月最大		9.46	8.3	6.54	10.1	5.38	9.8	3.35	8.0		
起時		0818		0818		0818		0818			
平均		2.51	6.6	1.89	6.7	1.50	6.6	0.94	5.2		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	370 回	測得回数	330 回
欠測回数	2 回	欠測回数	42 回
欠測率	0.5 %	欠測率	11.3 %

観測所名：|金沢港大野地区 | 機種：|波高 海象計 - 21.2 m 波向 海象計 - 21.2 m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 4.56	8.7	* 3.31	9.7	* 2.61	9.7	* 1.66	7.8	NNW	344
	02	3.72	9.3	2.86	9.6	2.43	9.8	1.65	8.5	NW	323
	04	3.38	9.6	2.76	9.3	2.20	9.4	1.39	7.8	NW	319
	06	3.52	10.0	2.93	9.5	2.31	9.4	1.50	7.8	NW	319
	08	3.53	11.4	2.64	9.8	2.07	9.7	1.32	7.8	NNW	340
	10	3.03	9.3	2.16	9.4	1.68	9.3	1.07	7.2	NNW	335
	12	2.24	9.3	1.92	9.1	1.62	9.0	1.02	7.0	NNW	327
	14	2.83	7.8	1.75	8.4	1.37	8.4	0.85	6.3	NW	315
	16	1.97	7.8	1.62	8.2	1.30	8.6	0.83	6.4	NNW	344
	18	1.98	8.1	1.39	8.5	1.11	8.4	0.67	6.2	NW	323
	20	1.56	7.7	1.13	8.1	0.91	7.6	0.56	5.6	NW	323
	22	1.57	5.3	1.34	5.6	1.11	5.5	0.70	4.2	WSW	245
	最大	4.56	8.7	3.31	9.7	2.61	9.7	1.66	7.8		
	平均	2.82	8.7	2.15	8.8	1.73	8.7	1.10	6.9		
02	00	2.20	5.4	1.85	5.2	1.49	5.3	0.95	4.5	WSW	245
	02	2.22	4.4	1.84	5.3	1.53	5.4	0.97	4.3	WSW	254
	04	3.58	5.7	2.68	5.8	2.01	6.0	1.28	5.0	W	262
	06	4.62	7.3	* 3.57	6.6	2.79	6.7	1.76	5.7	WNW	299
	08	4.59	5.8	3.51	7.4	* 2.85	7.1	* 1.87	6.1	WNW	282
	10	3.77	7.8	2.89	7.8	2.34	7.5	1.43	5.6	W	274
	12	* 4.81	8.5	3.08	7.7	2.54	7.6	1.61	6.2	NNE	12
	14	3.61	7.8	2.65	7.7	2.09	7.7	1.29	6.0	WNW	299
	16	3.69	6.4	2.22	6.7	1.77	6.9	1.13	5.6	WNW	286
	18	2.85	7.1	2.24	6.7	1.76	6.3	1.10	5.0	WNW	290
	20	3.52	6.7	2.45	6.7	2.01	7.1	1.28	5.6	NW	307
	22	3.44	7.7	2.79	7.8	2.22	7.5	1.35	5.8	NNW	335
	最大	4.81	8.5	3.57	6.6	2.85	7.1	1.87	6.1		
	平均	3.58	6.7	2.65	6.8	2.12	6.8	1.34	5.5		
03	00	3.58	8.5	2.86	8.2	2.28	8.2	1.54	6.9	NNW	340
	02	3.70	8.8	2.95	8.1	2.27	7.7	1.39	6.0	NW	319
	04	4.00	7.5	3.06	8.1	2.53	8.1	1.66	7.0	NNW	327
	06	3.48	7.7	2.83	8.2	2.20	8.1	1.33	6.4	NNW	331
	08	3.55	8.0	2.78	8.3	2.17	8.2	1.36	6.8	NNW	327
	10	4.45	7.6	2.80	8.2	2.29	8.1	1.43	6.7	NNW	327
	12	4.12	6.6	3.30	7.4	2.71	7.2	1.70	5.6	N	0
	14	5.67	6.3	3.81	7.3	3.05	7.4	1.91	5.9	NW	315
	16	5.17	6.7	* 4.19	7.3	* 3.34	7.6	2.07	6.0	NW	323
	18	4.85	6.3	3.71	6.9	2.97	7.2	1.91	6.1	NW	307
	20	* 5.77	8.0	3.93	8.2	3.22	8.2	* 2.08	6.7	NW	323
	22	5.01	9.4	4.13	8.5	3.28	8.5	2.05	6.5	NW	323
	最大	5.77	8.0	4.19	7.3	3.34	7.6	2.08	6.7		
	平均	4.45	7.6	3.36	7.9	2.69	7.9	1.70	6.4		
04	00	6.75	9.7	4.84	9.1	3.66	8.3	2.24	6.5	NW	315
	02	5.47	7.8	3.85	8.4	3.18	8.4	2.01	6.4	NNW	335
	04	5.66	7.8	3.97	8.5	3.14	8.8	1.91	6.7	WNW	290
	06	4.23	8.6	3.61	9.1	2.88	8.9	1.73	7.2	NW	319
	08	3.62	9.6	2.84	9.4	2.35	8.6	1.43	6.1	NW	323
	10	3.85	8.6	3.15	9.1	2.50	8.9	1.59	7.3	NNW	331
	12	3.25	9.0	2.79	9.0	2.28	9.0	1.44	7.2	NNW	327
	14	3.70	8.3	2.58	8.6	2.02	8.3	1.24	5.6	NW	323
	16	3.75	6.5	2.43	6.7	1.98	6.5	1.26	5.1	WSW	241
	18	5.79	7.1	4.82	7.3	3.79	7.2	2.42	6.2		
	20	* 7.97	8.8	* 6.52	9.2	5.11	8.8	3.16	7.3		
	22	7.11	9.3	6.14	9.8	* 5.25	9.7	* 3.40	7.9	WNW	286
	最大	7.97	8.8	6.52	9.2	5.25	9.7	3.40	7.9		

	平均	5.10	8.4	3.96	8.7	3.18	8.5	1.99	6.6		
05	00	7.71	8.0	6.14	9.0	4.93	9.3	3.20	7.4	WNW	290
	02	8.38	8.6	6.31	9.5	5.04	9.5	3.06	7.5	WNW	286
	04	6.84	10.1	5.56	9.0	4.56	8.8	2.83	6.8	W	266
	06	7.47	11.1	6.00	9.8	4.89	9.6	2.98	7.3	WNW	286
	08	6.57	9.4	5.47	9.4	4.45	9.1	2.89	7.1	W	274
	10	7.05	8.0	5.10	8.6	4.18	8.5	2.66	6.8	WNW	303
	12	6.39	9.3	5.68	10.0	4.55	9.0	2.67	6.5		
	14	6.95	10.3	6.22	10.5	5.31	9.9	3.22	7.8		
	16	9.43	11.1	* 7.79	10.1	* 6.17	10.3	* 3.62	8.0		
	18	*10.55	10.0	7.35	10.6	5.88	10.9	3.45	8.0		
	20	7.54	11.4	6.33	11.2	5.24	10.7	3.35	8.1	NW	311
	22	8.83	11.6	7.19	11.1	5.85	10.4	3.47	7.9	NNW	340
	最大	10.55	10.0	7.79	10.1	6.17	10.3	3.62	8.0		
	平均	7.81	9.9	6.26	9.9	5.09	9.7	3.12	7.4		
06	00	* 9.34	10.5	* 7.28	10.6	* 5.84	10.7	* 3.59	8.3	NNW	327
	02	7.35	10.2	6.21	10.7	5.03	10.6	3.02	7.5		
	04	8.11	10.4	5.63	10.2	4.50	10.3	2.66	7.5	NW	315
	06	6.32	9.5	4.82	10.6	3.92	10.0	2.45	7.3	NW	315
	08	6.35	9.8	5.05	10.8	3.90	10.6	2.39	8.4	NNW	344
	10	5.41	9.9	4.29	10.6	3.45	10.3	2.24	8.5	NNW	348
	12	4.91	9.5	4.28	10.2	3.62	10.2	2.37	7.9	NNW	331
	14	4.61	10.2	3.66	9.3	2.90	9.4	1.78	6.9	NNW	340
	16	4.18	11.6	3.27	9.7	2.72	9.2	1.71	7.2	NNW	327
	18	3.76	8.1	3.15	8.0	2.47	8.3	1.56	6.3	NNW	340
	20	3.75	7.9	2.59	8.9	2.09	8.6	1.31	6.3	NNW	340
	22	3.44	6.9	2.38	8.4	1.89	8.1	1.22	6.6	NNW	327
	最大	9.34	10.5	7.28	10.6	5.84	10.7	3.59	8.3		
	平均	5.63	9.5	4.38	9.8	3.53	9.7	2.19	7.4		
07	00	2.93	7.8	* 2.37	7.7	* 1.85	7.4	* 1.18	5.9	NNW	327
	02	2.64	8.9	2.13	7.1	1.71	7.1	1.07	5.4	NW	323
	04	2.83	8.8	2.08	7.9	1.66	7.7	1.00	5.9	NW	323
	06	2.81	8.7	2.21	8.0	1.73	7.4	1.07	5.9	NW	323
	08	2.41	7.1	2.08	7.1	1.64	7.4	1.03	5.8	NW	323
	10	* 3.07	8.0	2.04	7.6	1.64	7.3	1.04	5.9	NNW	331
	12	2.18	7.9	1.84	7.1	1.48	7.0	0.93	5.9	NNW	331
	14	2.01	6.3	1.68	7.0	1.35	7.3	0.83	5.5	NNW	335
	16	2.47	6.8	1.64	7.1	1.28	7.2	0.77	5.3	NNW	331
	18	2.01	6.7	1.58	7.3	1.24	7.3	0.80	6.1	NNW	331
	20	1.65	5.9	1.29	7.0	1.06	6.7	0.66	5.4	NW	323
	22	1.49	6.5	1.23	7.0	1.02	7.1	0.63	5.5	NNW	327
	最大	3.07	8.0	2.37	7.7	1.85	7.4	1.18	5.9		
	平均	2.38	7.5	1.85	7.3	1.47	7.2	0.92	5.7		
08	00	2.08	6.4	1.32	6.9	1.02	6.8	0.62	5.4	NNW	340
	02	2.17	6.8	1.51	6.4	1.20	6.6	0.73	5.7	SW	229
	04	2.86	6.2	2.16	6.6	1.75	6.5	1.12	5.3	WSW	254
	06	3.08	5.5	2.31	5.9	1.89	6.0	1.22	5.1	WSW	245
	08	3.09	5.7	2.69	6.1	2.17	6.1	1.36	5.0	WSW	245
	10	3.44	7.2	2.66	6.7	2.08	6.8	1.29	5.4	WSW	250
	12	3.18	5.4	2.53	6.3	1.99	6.1	1.21	4.6	W	262
	14	3.48	6.7	2.73	6.9	2.19	6.6	1.40	5.2		
	16	4.03	6.8	3.13	6.7	2.59	6.7	1.63	5.4	W	274
	18	* 4.12	7.7	* 3.43	7.1	* 2.70	6.8	* 1.68	5.7	W	262
	20	3.53	7.6	3.07	7.4	2.49	7.2	1.60	5.7		
	22	3.86	6.9	3.09	7.5	2.53	7.5	1.62	5.8	WSW	250
	最大	4.12	7.7	3.43	7.1	2.70	6.8	1.68	5.7		
	平均	3.24	6.6	2.55	6.7	2.05	6.6	1.29	5.4		
09	00	5.20	7.7	3.89	7.7	2.87	7.4	1.78	5.8	W	278
	02	4.92	7.3	3.73	7.2	2.93	7.3	1.80	5.6	W	270
	04	5.20	7.4	3.54	7.2	2.75	7.3	1.69	5.7	WNW	290
	06	欠测									
	08	欠测									
	10	4.26	8.1	3.42	7.5	2.78	7.6	1.72	5.9		
	12	3.62	7.0	2.79	7.3	2.21	7.1	1.36	5.6	W	266
	14	4.15	5.8	3.34	7.2	2.62	7.2	1.63	5.5	WNW	295
	16	4.10	7.4	3.37	7.2	2.72	6.9	1.72	5.4	WNW	286
	18	4.39	7.2	3.63	7.2	2.94	7.0	1.84	5.7	WSW	250
	20	4.73	8.4	3.65	7.8	2.88	7.6	1.75	5.7	WNW	295
	22	* 5.25	8.2	* 4.38	8.0	* 3.47	7.9	* 2.21	6.4	NW	307

		最大	5.25	8.2	4.38	8.0	3.47	7.9	2.21	6.4		
		平均	4.58	7.5	3.57	7.4	2.82	7.3	1.75	5.7		
10	00		5.71	8.5	4.35	8.1	3.39	7.7	2.16	6.1	NNW	335
	02		4.57	8.5	3.72	7.9	3.04	7.8	1.96	6.1	WNW	295
	04		5.14	7.8	4.21	8.0	3.43	7.8	2.09	6.3	NW	307
	06		6.35	8.0	4.54	8.2	3.63	8.2	2.30	6.4		
	08		5.54	8.2	4.13	8.0	3.40	7.5	2.16	6.1	WNW	286
	10	* 6.69	7.3	4.58	8.5	8.5	3.66	8.6	2.39	6.7	WNW	290
	12		6.41	8.9	5.10	9.0	* 4.03	8.8	* 2.46	6.8	WNW	299
	14		6.23	10.6	* 5.15	8.9	3.95	8.4	2.42	6.7	WNW	290
	16		5.85	9.7	4.78	8.3	3.79	8.3	2.18	6.3	WNW	286
	18		5.65	7.3	4.59	8.1	3.65	7.9	2.31	6.5	WNW	282
	20		5.02	7.9	4.09	8.5	3.36	8.0	2.16	6.3	WNW	299
	22		4.66	8.6	3.96	7.9	3.07	7.6	1.95	6.1	NNW	327
	最大		6.69	7.3	5.15	8.9	4.03	8.8	2.46	6.8		
	平均		5.65	8.4	4.43	8.3	3.53	8.1	2.21	6.4		
11	00		4.88	5.7	3.94	7.4	3.24	7.7	2.00	6.1	WNW	286
	02	* 5.58	7.7	* 4.05	8.3	8.3	* 3.30	8.1	* 2.07	6.4	NNW	327
	04	3.86	6.9	3.13	7.7	7.7	2.57	7.3	1.64	5.7	WNW	299
	06	4.36	9.1	3.71	8.6	8.6	2.90	8.5	1.77	6.8	NNW	327
	08	3.79	8.8	3.38	9.0	9.0	2.73	8.8	1.75	7.0	NW	319
	10	4.51	9.2	3.51	9.1	9.1	2.95	9.2	1.94	7.7	NW	323
	12	5.54	9.0	3.67	9.0	9.0	2.90	9.2	1.82	7.6	NNW	327
	14	4.70	9.6	3.65	9.3	9.3	2.90	9.4	1.84	7.6	NW	323
	16	4.96	8.3	4.03	8.9	8.9	3.07	8.8	1.83	7.1	NW	319
	18	3.89	8.8	3.02	8.9	8.9	2.52	9.0	1.58	7.3	NW	319
	20	3.95	8.3	3.07	8.4	8.4	2.44	8.6	1.51	6.9	NNW	335
	22	3.90	9.3	2.95	8.9	8.9	2.35	8.6	1.50	7.3	NW	323
	最大		5.58	7.7	4.05	8.3	3.30	8.1	2.07	6.4		
	平均		4.49	8.4	3.51	8.6	2.82	8.6	1.77	7.0		
12	00		3.41	9.0	2.58	8.8	2.05	8.7	1.35	7.4	NW	307
	02		3.04	10.0	2.44	8.8	1.97	8.5	1.27	7.2	NW	323
	04		3.95	8.9	2.63	8.5	2.13	8.5	1.30	7.1	NW	315
	06		3.14	8.3	2.56	8.7	2.10	9.0	1.34	7.2	NW	323
	08		2.91	7.3	2.37	8.2	1.95	8.3	1.24	7.0	NNW	331
	10	2.86	9.7	2.26	8.0	8.0	1.87	7.8	1.19	6.4		
	12	2.80	8.3	2.21	8.5	8.5	1.80	8.4	1.14	6.6	NNW	344
	14	2.89	7.8	2.21	8.6	8.6	1.79	8.2	1.07	6.1	NW	319
	16	2.53	6.6	2.16	8.0	8.0	1.77	7.8	1.09	5.5	NW	307
	18	* 8.73	7.3	4.92	7.1	7.1	3.76	7.0	2.27	5.8	W	278
	20	6.23	9.9	* 5.36	8.6	8.6	* 4.32	8.4	* 2.73	6.7		
	22	7.53	8.1	4.96	8.7	8.7	4.02	8.4	2.53	6.7	WNW	282
	最大		8.73	7.3	5.36	8.6	4.32	8.4	2.73	6.7		
	平均		4.17	8.4	3.06	8.4	2.46	8.3	1.54	6.6		
13	00		6.36	9.1	* 5.07	9.2	* 4.18	9.6	* 2.68	7.4	WNW	282
	02		6.54	8.5	4.81	8.8	3.90	9.0	2.43	7.0	WNW	286
	04		4.88	7.4	4.24	8.7	3.55	8.4	2.21	6.7	WNW	290
	06	* 7.79	8.8	5.06	8.9	8.9	3.94	8.9	2.37	6.7	WNW	299
	08	6.21	8.1	4.46	8.8	8.8	3.53	8.5	2.15	6.7	NNW	340
	10	5.53	9.0	4.30	9.1	9.1	3.37	8.8	2.04	6.8	NNW	327
	12	5.52	9.4	4.52	9.3	9.3	3.68	8.9	2.28	7.4	NNW	335
	14	5.15	7.5	4.11	9.2	9.2	3.19	8.9	1.94	6.7	WNW	299
	16	4.15	8.6	3.56	8.7	8.7	2.90	8.5	1.91	7.1	NW	319
	18	4.56	8.5	3.70	8.5	8.5	2.95	8.3	1.86	6.4	NW	323
	20	4.63	8.3	4.09	9.6	9.6	3.39	9.1	2.11	7.1	NW	323
	22	5.32	10.5	4.23	8.7	8.7	3.43	8.7	2.04	6.7	NW	323
	最大		7.79	8.8	5.07	9.2	4.18	9.6	2.68	7.4		
	平均		5.55	8.6	4.35	9.0	3.50	8.8	2.17	6.9		
14	00		6.15	9.6	4.45	8.9	3.57	8.9	2.25	7.0	NNW	331
	02	* 7.13	8.7	* 4.81	8.8	8.8	* 3.74	9.1	* 2.27	7.1	NW	319
	04	5.16	8.8	3.97	8.7	8.7	3.17	8.6	1.97	6.7	NNW	335
	06	4.31	9.0	3.63	8.4	8.4	2.94	8.8	1.93	7.0		
	08	4.29	9.5	3.53	8.8	8.8	2.93	8.9	1.89	7.3	NW	323
	10	5.88	8.8	3.43	9.0	9.0	2.68	8.8	1.70	7.0	NNW	335
	12	3.78	9.7	3.05	8.3	8.3	2.52	8.7	1.65	7.1	NNW	340
	14	4.73	8.2	3.37	9.1	9.1	2.81	9.1	1.83	7.4	NNW	335

	16	4.20	9.6	2.86	9.0	2.35	8.3	1.43	6.0	NW	323	
	18	4.51	8.6	3.88	8.3	3.31	8.7	2.19	7.3	NNW	327	
	20	4.60	9.1	3.87	8.5	3.13	8.4	1.97	6.6	NW	319	
	22	4.57	8.6	3.61	8.3	2.96	8.5	1.85	6.8	NW	311	
	最大	7.13	8.7	4.81	8.8	3.74	9.1	2.27	7.1			
	平均	4.94	9.0	3.71	8.7	3.01	8.7	1.91	6.9			
	15	00	4.96	8.7	3.91	8.6	3.06	8.9	1.83	6.8	NW	323
	02	4.95	9.9	3.83	9.1	3.01	8.6	1.98	7.4	NW	323	
	04	3.65	9.6	2.86	8.8	2.46	8.8	1.65	7.4	NW	319	
06	3.65	8.0	2.97	8.5	2.43	8.8	1.57	7.7	NW	315		
08	2.98	7.8	2.60	8.8	2.03	8.5	1.25	6.9	NW	323		
10	3.32	7.5	2.44	8.2	1.96	8.3	1.24	7.1	NW	315		
	12	2.52	7.1	2.08	7.9	1.69	8.3	1.07	6.8	NNW	327	
	14	3.10	6.9	2.23	7.8	1.75	7.1	1.08	5.3	NNW	331	
	16	2.90	5.1	2.13	6.3	1.71	6.1	1.02	4.5	NW	323	
	18	4.04	6.7	3.20	7.1	2.57	7.2	1.64	5.7	W	262	
	20	4.58	7.9	3.26	7.3	2.61	7.2	1.62	5.6			
	22	* 6.27	8.3	* 4.12	8.0	* 3.42	8.2	* 2.11	6.5	W	270	
最大	6.27	8.3	4.12	8.0	3.42	8.2	2.11	6.5				
平均	3.91	7.8	2.97	8.0	2.39	8.0	1.51	6.5				
16	00	4.87	8.7	* 4.23	8.6	* 3.42	8.2	* 2.10	6.6			
02	* 5.32	6.8	3.77	7.7	3.02	7.7	1.88	5.9		W	274	
04	4.24	7.4	3.24	7.6	2.58	7.8	1.59	6.0				
06	3.96	8.7	3.22	7.4	2.60	7.3	1.64	5.8	WNW	282		
08	3.74	7.2	3.03	7.2	2.39	7.0	1.50	5.6	NNW	327		
10	3.97	7.7	3.14	7.3	2.40	7.1	1.48	5.6	W	270		
	12	3.24	7.3	2.55	7.0	2.09	6.6	1.34	5.4	W	270	
	14	4.09	7.5	3.10	7.3	2.39	7.0	1.49	5.5	WNW	286	
	16	3.61	6.6	3.05	7.4	2.48	7.3	1.59	6.3	W	270	
	18	4.22	6.9	3.07	7.6	2.43	7.6	1.49	5.8	W	278	
	20	4.05	8.4	3.45	8.1	2.80	7.9	1.71	6.1			
	22	4.89	7.4	3.59	7.8	2.86	7.7	1.73	6.1	WNW	303	
最大	5.32	6.8	4.23	8.6	3.42	8.2	2.10	6.6				
平均	4.18	7.6	3.29	7.6	2.62	7.4	1.63	5.9				
17	00	6.05	8.0	4.36	8.4	3.43	8.0	2.14	6.4	WNW	282	
02	4.86	8.5	3.87	7.8	3.20	7.9	2.04	6.4		W	278	
04	4.84	8.7	3.59	7.8	2.76	7.7	1.68	5.7		NNE	12	
06	3.83	8.6	3.27	7.7	2.50	7.6	1.51	5.6	WNW	295		
08	4.17	7.2	2.89	7.4	2.32	7.2	1.48	5.9	WNW	290		
10	3.84	7.1	3.16	7.0	2.56	7.1	1.54	5.4	WNW	290		
	12	6.69	7.2	4.73	8.0	3.86	7.9	2.49	6.4	WNW	282	
	14	7.66	8.7	* 6.46	8.6	5.12	8.5	* 3.22	7.2			
	16	7.62	7.9	5.97	9.2	4.63	8.9	2.92	7.0			
	18	7.20	10.0	6.32	10.1	* 5.31	9.8	3.19	7.5			
	20	* 8.63	9.7	5.75	10.0	4.18	9.2	2.48	6.6	W	274	
	22	6.83	11.0	5.63	9.8	4.42	9.7	2.82	7.7	NNW	335	
最大	8.63	9.7	6.46	8.6	5.31	9.8	3.22	7.2				
平均	6.02	8.6	4.67	8.5	3.69	8.3	2.29	6.5				
18	00	6.32	9.8	5.53	9.5	4.63	9.5	3.06	7.9			
02	7.97	8.9	6.75	9.7	5.59	9.6	3.53	8.0				
04	* 9.51	10.2	* 7.29	10.2	* 5.87	10.4	* 3.69	8.3		NW	323	
06	8.34	10.5	6.49	10.0	5.16	9.8	3.15	7.5				
08	5.96	11.4	5.28	9.5	4.42	9.8	2.75	7.2	WNW	303		
10	6.69	11.1	5.25	10.0	4.47	9.7	2.81	7.8	NW	319		
	12	7.93	7.7	5.45	10.1	4.08	9.6	2.51	7.3	NW	319	
	14	5.50	10.1	4.53	9.7	3.67	9.6	2.29	7.3	NW	323	
	16	6.11	8.9	4.49	8.8	3.56	8.8	2.09	6.3	NW	319	
	18	6.33	7.3	5.13	8.4	4.14	8.3	2.61	6.9	WNW	290	
	20	8.12	8.5	5.77	9.4	4.52	9.0	2.71	7.0	WNW	282	
	22	7.97	9.4	5.61	9.3	4.25	9.2	2.67	7.3	WNW	299	
最大	9.51	10.2	7.29	10.2	5.87	10.4	3.69	8.3				
平均	7.23	9.5	5.63	9.6	4.53	9.4	2.82	7.4				
19	00	6.49	10.5	5.34	9.9	4.20	9.4	2.52	7.0	NNW	335	
02	7.96	10.6	5.99	10.0	4.70	9.8	2.84	7.4	NW	323		
04	7.74	10.0	5.90	9.9	4.72	9.6	2.90	7.6	NW	311		
06	* 8.58	9.3	6.02	10.2	4.79	9.9	2.97	7.6	NNW	327		
08	6.78	9.7	5.53	9.7	4.52	9.8	2.90	7.7	WNW	286		
10	6.92	10.2	5.90	9.7	4.89	10.3	3.12	7.6	NW	319		

	12	8.40	11.1	* 6.78	10.8	* 5.52	10.5	* 3.44	8.2	NW	319
	14	6.82	10.4	6.21	10.8	5.03	10.5	3.17	8.1	NW	315
	16	6.74	11.1	5.35	11.3	4.21	9.9	2.44	7.3	NW	311
	18	6.68	10.4	5.46	10.8	4.39	11.1	2.74	8.5	NW	323
	20	5.53	10.2	4.79	11.0	3.92	10.6	2.43	8.0	NNW	331
	22	4.86	11.9	4.21	10.8	3.42	10.4	2.11	8.1	NW	319
	最大	8.58	9.3	6.78	10.8	5.52	10.5	3.44	8.2		
	平均	6.96	10.5	5.62	10.4	4.53	10.2	2.80	7.8		
20	00	4.14	10.6	3.65	10.4	3.12	10.3	1.99	7.8	NW	319
	02	4.48	11.0	* 3.98	11.4	* 3.19	10.2	* 2.06	8.4		
	04	4.73	11.7	3.87	10.9	2.88	10.5	1.83	8.1	NW	323
	06	* 4.85	9.7	3.31	9.4	2.57	9.3	1.67	7.5	NNW	348
	08	3.27	9.4	2.90	9.9	2.32	10.4	1.45	7.5	NNW	327
	10	2.87	8.4	2.41	9.4	2.01	9.1	1.31	7.2	NNW	327
	12	2.55	8.3	2.22	8.9	1.84	9.0	1.24	7.3	NNW	327
	14	2.74	10.0	2.08	8.7	1.66	8.4	1.06	6.3	NNW	331
	16	2.55	8.5	1.96	8.6	1.55	7.9	0.95	5.8	NW	315
	18	3.21	7.3	2.10	8.3	1.65	7.8	1.01	5.9	NNW	344
	20	2.75	6.8	2.11	8.0	1.68	7.8	1.03	5.9	NNW	331
	22	2.86	6.8	2.30	7.6	1.80	7.4	1.11	5.9	NNW	344
	最大	4.85	9.7	3.98	11.4	3.19	10.2	2.06	8.4		
	平均	3.42	9.0	2.74	9.3	2.19	9.0	1.39	7.0		
21	00	2.82	6.9	2.00	7.8	1.58	7.6	1.01	5.8	NW	319
	02	2.53	7.2	1.92	7.2	1.59	7.3	1.04	5.7	NNW	344
	04	2.20	7.7	1.82	6.6	1.44	6.6	0.89	5.2	NNW	327
	06	2.42	5.2	1.90	7.0	1.52	7.0	0.96	5.8	NNW	335
	08	2.41	6.5	1.80	6.5	1.40	6.6	0.85	5.2	NNW	335
	10	2.19	7.6	1.58	7.1	1.28	6.8	0.81	5.0	NNW	344
	12	2.14	6.8	1.61	6.3	1.28	6.2	0.81	4.7	NNW	331
	14	2.34	7.1	2.09	5.6	1.75	5.8	1.13	4.8		
	16	2.52	6.6	1.98	6.3	1.59	6.4	1.01	5.2	WSW	241
	18	3.28	6.4	2.30	6.0	1.91	5.9	1.23	4.7		
	20	3.31	6.3	2.54	6.3	2.03	6.3	1.27	5.2	WSW	250
	22	* 4.04	5.9	* 3.16	6.3	* 2.55	6.6	* 1.66	5.5	WSW	254
	最大	4.04	5.9	3.16	6.3	2.55	6.6	1.66	5.5		
	平均	2.68	6.7	2.06	6.6	1.66	6.6	1.06	5.2		
22	00	4.72	6.0	3.79	6.8	3.04	6.5	1.94	5.7		
	02	6.24	8.6	5.18	8.7	4.19	8.1	2.81	6.8		
	04	7.62	9.5	6.68	9.4	5.59	9.2	3.51	7.6		
	06	9.55	9.5	6.61	10.0	5.21	10.2	3.11	7.6	WNW	295
	08	6.92	8.7	5.58	9.0	4.39	9.1	2.81	7.3	NNW	344
	10	欠测	欠测	欠测	欠测	4.61	7.6	欠测	欠测		
	12	* 14.01	11.4	* 8.79	10.9	* 6.82	10.5	* 4.13	8.5		
	14	10.12	11.3	8.29	11.4	6.61	11.4	4.09	8.9		
	16	7.69	11.1	6.23	10.3	5.13	10.1	3.30	8.0		
	18	6.17	9.0	5.57	9.9	4.66	10.1	2.95	7.9	NW	311
	20	6.17	8.0	5.06	10.4	4.03	9.7	2.48	7.1	NW	311
	22	6.23	7.9	5.15	9.9	3.85	9.6	2.41	7.3	NW	311
	最大	14.01	11.4	8.79	10.9	6.82	10.5	4.13	8.5		
	平均	7.77	9.2	6.08	9.7	4.84	9.3	3.05	7.5		
23	00	7.15	9.7	5.27	9.5	3.98	9.1	2.40	6.9	WNW	303
	02	6.26	8.2	4.88	8.6	3.92	8.5	2.51	7.1		
	04	6.66	9.4	5.03	9.2	4.10	9.3	2.57	7.3	NNW	340
	06	7.51	8.8	5.09	9.1	4.00	9.0	2.51	6.9	WNW	303
	08	* 7.62	8.4	5.28	8.7	4.17	8.9	2.59	7.0	NW	319
	10	6.48	10.0	4.68	9.9	3.72	8.5	2.37	6.6	NW	315
	12	6.26	8.8	4.94	8.7	4.01	8.8	2.47	6.8	NW	315
	14	6.20	9.2	4.67	8.8	3.64	8.4	2.18	6.5	NW	311
	16	6.25	7.3	4.42	8.7	3.59	8.7	2.34	6.8	NW	315
	18	6.81	8.0	* 5.51	8.7	* 4.47	8.8	* 2.82	7.1		
	20	6.87	8.1	5.16	8.8	4.08	9.0	2.56	7.0	W	278
	22	6.66	8.4	4.99	9.1	3.89	8.8	2.45	7.2	WNW	290
	最大	7.62	8.4	5.51	8.7	4.47	8.8	2.82	7.1		
	平均	6.73	8.7	4.99	9.0	3.96	8.8	2.48	6.9		
24	00	6.04	9.3	4.56	8.5	3.55	8.6	2.21	6.7	NNW	340
	02	4.89	8.9	4.19	8.7	3.15	8.2	1.92	6.4	NW	315

	04	4.35	7.2	3.81	8.7	3.09	8.3	1.89	6.4	NNW	335
	06	7.04	7.8	4.56	7.5	3.55	7.9	2.19	6.1	NW	319
	08	* 7.40	9.0	* 4.92	8.6	* 3.90	8.6	2.43	7.0	NW	315
	10	6.11	9.6	4.74	8.7	3.90	8.4	* 2.44	6.7	NNE	33
	12	6.55	9.0	4.65	8.8	3.60	8.7	2.14	6.5	NNW	335
	14	5.07	8.2	4.39	8.3	3.49	8.8	2.20	7.1	NNW	340
	16	4.86	8.3	4.00	8.8	3.20	8.9	2.00	6.8	NNW	327
	18	4.98	7.7	3.85	8.6	3.10	8.9	1.93	6.8	NNW	327
	20	5.88	9.8	4.03	9.1	3.18	9.1	1.93	7.0	WNW	303
	22	4.80	7.9	3.49	8.7	2.78	8.7	1.70	6.7	NW	311
	最大	7.40	9.0	4.92	8.6	3.90	8.6	2.44	6.7		
	平均	5.66	8.6	4.27	8.6	3.37	8.6	2.08	6.7		
25	00	3.78	6.8	3.05	8.9	2.44	8.6	1.56	7.0	NW	323
	02	3.94	8.0	2.85	8.7	2.27	8.7	1.43	6.8	NW	311
	04	3.66	9.3	2.44	8.8	1.93	8.5	1.15	6.2	NNW	335
	06	2.92	8.8	2.20	7.9	1.73	8.0	1.05	5.6	NNW	331
	08	2.78	9.7	2.10	7.7	1.63	7.1	1.01	5.1	NW	323
	10	2.80	7.4	2.28	7.2	1.74	6.8	1.09	5.4	NNW	331
	12	3.60	5.7	2.69	6.5	2.13	6.5	1.35	5.2	W	266
	14	3.56	7.3	2.92	6.8	2.38	6.8	1.53	5.5	W	270
	16	4.14	7.4	3.22	7.6	2.67	7.5	1.74	6.3	NW	307
	18	5.53	7.1	4.15	7.6	3.28	7.9	2.02	6.2		
	20	5.89	9.6	5.18	8.5	4.00	8.8	2.41	6.8	W	274
	22	* 6.95	9.4	* 5.48	8.9	* 4.25	8.7	* 2.65	6.8	W	274
	最大	6.95	9.4	5.48	8.9	4.25	8.7	2.65	6.8		
	平均	4.13	8.0	3.21	7.9	2.54	7.8	1.58	6.1		
26	00	7.32	8.5	5.41	8.8	4.14	9.0	2.44	6.6	NNE	29
	02	6.59	9.1	5.23	9.7	3.89	9.0	2.35	6.7	WNW	282
	04	6.50	9.0	4.85	8.9	3.99	9.0	2.57	7.2	WNW	290
	06	6.23	9.3	4.74	8.4	3.99	8.7	2.50	6.8	WNW	282
	08	6.90	10.1	5.86	9.6	4.84	9.5	3.01	7.4	NW	307
	10	* 7.87	10.5	* 6.25	10.9	* 4.91	10.5	* 3.02	8.0	NW	315
	12	6.54	8.6	5.17	10.3	4.21	9.8	2.57	7.2		
	14	7.49	10.4	5.68	9.8	4.32	9.5	2.50	7.1	NNW	331
	16	6.67	9.0	5.39	10.1	3.99	9.6	2.35	7.1	NW	311
	18	5.74	10.7	4.91	9.2	4.04	9.4	2.60	7.5	NW	315
	20	6.11	9.8	5.09	9.6	3.94	9.8	2.45	7.4	NNW	327
	22	5.91	9.2	4.65	9.7	3.85	9.3	2.42	7.1	NW	315
	最大	7.87	10.5	6.25	10.9	4.91	10.5	3.02	8.0		
	平均	6.66	9.5	5.27	9.6	4.18	9.4	2.57	7.2		
27	00	5.69	11.9	* 4.79	9.8	* 3.95	9.7	* 2.36	7.2	NNW	340
	02	4.89	11.0	4.00	9.8	3.28	9.4	2.09	7.0	NNW	327
	04	4.83	6.9	4.28	9.3	3.47	9.5	2.18	7.0	NW	323
	06	4.99	9.2	3.79	9.1	3.09	8.6	1.87	6.2	NW	311
	08	4.96	9.6	3.66	8.9	3.06	8.5	1.89	6.5	NW	315
	10	4.41	8.6	3.48	8.5	2.79	8.3	1.79	6.4	NNW	331
	12	4.67	6.6	3.82	8.9	2.95	8.6	1.82	6.7	NW	323
	14	4.31	7.7	3.41	8.7	2.76	8.6	1.68	6.3	NNW	327
	16	3.52	7.0	2.93	7.9	2.42	7.8	1.57	6.1	NW	323
	18	4.48	8.1	3.52	7.1	2.81	7.1	1.75	5.5	NNW	327
	20	* 6.28	7.3	4.21	8.3	3.32	7.9	2.10	6.3	NW	319
	22	4.79	8.3	3.86	8.1	3.14	8.0	2.02	6.4	WNW	295
	最大	6.28	7.3	4.79	9.8	3.95	9.7	2.36	7.2		
	平均	4.82	8.5	3.81	8.7	3.09	8.5	1.93	6.5		
28	00	6.27	9.2	4.34	8.4	3.43	8.5	2.06	6.6	NW	311
	02	5.32	7.7	4.20	9.3	* 3.49	9.1	2.12	7.1		
	04	5.59	7.9	4.09	9.4	3.25	8.8	2.07	6.6	NW	319
	06	* 7.32	9.5	* 4.42	9.3	3.45	9.0	2.10	6.7	NW	315
	08	4.41	8.7	3.77	8.8	3.13	9.1	1.93	6.7	NW	307
	10	7.03	9.9	4.38	9.8	3.42	9.6	* 2.18	7.7	NW	307
	12	5.01	9.9	3.79	9.4	2.95	8.8	1.83	6.6	NW	323
	14	4.87	7.1	4.01	9.6	2.97	9.0	1.80	6.8		
	16	4.93	8.4	3.94	9.3	3.06	9.4	1.92	7.4	NW	323
	18	3.57	9.1	3.06	8.9	2.51	9.0	1.58	6.9	NW	319
	20	3.67	8.7	2.81	8.5	2.26	8.8	1.36	6.6	NNW	327
	22	3.59	7.7	2.89	8.5	2.32	8.8	1.40	6.9	NNW	327
	最大	7.32	9.5	4.42	9.3	3.49	9.1	2.18	7.7		

	平均	5.13	8.7	3.81	9.1	3.02	9.0	1.86	6.9		
29	00	3.39	9.1	2.81	9.0	* 2.31	8.8	* 1.51	7.3	NNW	327
	02	3.07	9.6	2.44	8.6	2.01	8.8	1.26	6.8	NNW	331
	04	3.45	9.3	* 2.93	9.0	2.17	8.6	1.26	6.4	NW	323
	06	* 3.58	7.4	2.40	8.1	1.88	7.9	1.17	6.2	NNW	335
	08	2.91	7.8	2.21	7.8	1.80	8.1	1.15	6.8	NW	323
	10	2.42	8.4	2.03	8.0	1.69	7.9	1.11	6.7	NNW	327
	12	2.51	7.2	2.04	8.0	1.62	8.1	1.01	6.6	NW	319
	14	2.86	8.0	2.12	7.9	1.62	7.6	1.02	6.5	NNW	327
	16	2.47	6.8	1.72	7.4	1.40	7.8	0.91	6.4	NNW	331
	18	2.48	8.0	1.87	7.7	1.46	7.8	0.93	6.4	NNW	335
	20	2.11	8.3	1.69	8.0	1.35	8.1	0.84	6.2	NNW	327
	22	2.27	7.5	1.49	7.3	1.19	7.1	0.73	5.8	NNW	335
	最大	3.58	7.4	2.93	9.0	2.31	8.8	1.51	7.3		
	平均	2.79	8.1	2.15	8.1	1.71	8.1	1.08	6.5		
30	00	1.89	7.3	1.61	7.9	1.27	8.1	0.78	6.3	NNW	340
	02	1.56	8.5	1.35	7.9	1.08	7.8	0.71	6.7	NW	319
	04	1.75	8.3	1.40	7.8	1.13	7.9	0.73	6.9	NW	323
	06	1.50	7.2	1.27	7.7	1.06	7.7	0.74	6.8	NNW	335
	08	2.00	6.9	1.47	7.3	1.21	6.9	0.78	5.2	NNW	335
	10	1.79	7.4	1.42	6.7	1.14	6.4	0.70	4.7	NW	319
	12	3.15	5.1	2.26	5.2	1.79	5.4	1.17	4.6	WNW	282
	14	3.13	6.1	2.51	5.8	1.96	5.8	1.20	4.6	WNW	286
	16	4.46	6.9	3.05	6.5	2.42	6.4	1.54	5.3	WNW	290
	18	4.86	6.0	4.22	6.7	3.24	6.9	1.94	5.5	WNW	299
	20	4.88	7.9	* 4.34	7.8	* 3.64	7.9	* 2.36	6.4	WNW	286
	22	* 5.31	6.5	4.33	7.6	3.52	7.9	2.20	6.4	WNW	295
	最大	5.31	6.5	4.34	7.8	3.64	7.9	2.36	6.4		
	平均	3.02	7.0	2.44	7.1	1.96	7.1	1.24	5.8		
31	00	6.14	8.7	* 5.06	8.6	* 4.15	8.4	* 2.68	6.9	NW	315
	02	* 7.12	9.2	4.89	9.2	3.76	8.7	2.24	6.5	NW	319
	04	6.67	9.2	4.88	9.5	4.02	9.7	2.48	7.5	NW	319
	06	5.08	8.4	4.51	9.8	3.64	9.3	2.29	7.3	N	352
	08	5.91	10.0	4.26	10.5	3.32	10.1	2.05	7.9	NW	323
	10	4.46	10.5	3.85	10.1	3.08	9.8	1.86	7.8	NW	315
	12	5.26	10.8	4.34	10.5	3.49	10.1	2.15	8.2	NW	319
	14	4.79	10.6	3.82	10.2	2.89	9.7	1.77	7.4	NNW	340
	16	4.41	9.8	3.55	9.7	2.81	9.5	1.68	7.6	NW	311
	18	3.57	9.7	3.05	9.1	2.43	9.2	1.58	7.7	NW	319
	20	3.48	9.3	2.55	8.9	2.06	8.6	1.33	7.5	NNW	335
	22	2.69	8.9	2.23	8.5	1.76	8.6	1.09	7.0	NNW	327
	最大	7.12	9.2	5.06	8.6	4.15	8.4	2.68	6.9		
	平均	4.97	9.6	3.92	9.6	3.12	9.3	1.93	7.4		
	月最大	14.01	11.4	8.79	10.9	6.82	10.5	4.13	8.5		
	起時	2212		2212		2212		2212			
	平均	4.85	8.4	3.76	8.5	3.01	8.4	1.88	6.6		

* は日最大波高を示す