

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	372 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	3.76	5.4	2.85	5.7	2.15	5.9	1.32	4.8	NW	307
	02	3.82	6.1	3.33	6.7	2.78	6.7	1.72	5.4	NW	319
	04	6.70	8.1	5.04	8.3	4.13	8.2	* 2.65	6.9	WNW	295
	06	6.76	9.1	* 5.34	8.4	* 4.15	8.2	2.64	7.0	WNW	290
	08	6.18	7.5	5.10	7.9	4.08	8.0	2.46	6.1	WNW	299
	10	6.85	7.9	5.04	7.9	3.85	7.7	2.37	6.1	WNW	286
	12	* 7.72	8.5	5.02	8.2	4.09	8.2	2.55	6.8	WNW	290
	14	7.22	7.6	4.71	8.8	3.86	8.4	2.31	6.3	NW	315
	16	5.98	8.6	4.34	8.4	3.46	7.9	2.12	6.3	WNW	303
	18	5.43	10.7	3.85	8.5	3.09	7.8	1.93	6.0	WNW	290
	20	4.49	9.0	3.89	8.8	3.15	8.4	1.93	6.2	NW	323
	22	5.46	8.3	3.88	8.6	3.12	8.3	1.96	6.3	NW	323
	最大	7.72	8.5	5.34	8.4	4.15	8.2	2.65	6.9		
	平均	5.86	8.1	4.37	8.0	3.49	7.8	2.16	6.2		
02	00	4.36	8.9	3.27	8.1	2.59	8.2	1.56	6.1	NW	323
	02	3.90	7.1	3.01	8.3	2.38	8.4	1.47	6.4	NW	315
	04	3.53	7.0	2.96	8.3	2.35	7.7	1.49	6.2	NW	315
	06	4.08	9.1	3.12	8.1	2.42	7.6	1.49	5.7	NW	319
	08	3.51	7.1	2.66	7.7	2.07	7.3	1.25	5.4	NNW	331
	10	3.95	7.4	3.15	6.7	2.54	6.3	1.66	5.3	WNW	282
	12	4.88	6.8	3.24	7.1	2.56	6.9	1.58	5.3	WNW	286
	14	5.27	8.2	3.83	7.6	3.08	7.1	1.96	5.6	不明	
	16	6.13	8.8	4.35	7.7	3.65	7.4	2.41	6.4	WNW	282
	18	* 8.13	9.2	* 5.70	8.6	* 4.61	8.6	* 2.94	7.1	WNW	303
	20	7.51	8.5	5.28	7.6	4.30	8.1	2.71	6.5	NW	307
	22	6.41	8.3	5.25	8.3	4.23	7.9	2.68	6.4	不明	
	最大	8.13	9.2	5.70	8.6	4.61	8.6	2.94	7.1		
	平均	5.14	8.0	3.82	7.8	3.07	7.6	1.93	6.0		
03	00	7.33	7.3	* 5.53	7.9	* 4.38	7.8	* 2.78	6.6	W	266
	02	5.88	7.3	4.50	7.6	3.58	7.4	2.21	6.0	W	270
	04	7.29	7.0	4.00	6.9	3.24	6.8	2.09	5.7	WNW	282
	06	4.98	6.9	4.10	7.1	3.43	7.1	2.10	5.6	W	274
	08	4.87	7.2	4.33	7.6	3.52	7.2	2.16	5.6	不明	
	10	6.63	6.8	5.17	7.9	4.24	7.9	2.66	6.2	W	262
	12	6.17	7.1	5.13	8.0	4.24	7.9	2.49	6.1	不明	
	14	* 7.42	7.9	5.00	7.7	3.76	7.7	2.28	6.0	不明	
	16	5.59	6.4	3.95	7.3	3.18	7.3	2.02	5.7	W	270
	18	4.78	5.6	4.17	7.3	3.35	7.5	2.17	5.8	不明	
	20	5.49	6.3	4.39	7.5	3.60	7.6	2.31	5.9	WNW	282
	22	7.01	8.1	4.80	7.8	3.86	7.7	2.38	6.0	不明	
	最大	7.42	7.9	5.53	7.9	4.38	7.8	2.78	6.6		
	平均	6.12	7.0	4.59	7.6	3.70	7.5	2.30	5.9		
04	00	6.65	7.1	5.01	8.2	3.97	7.7	2.53	6.4	WNW	282
	02	6.42	7.6	4.82	7.9	3.85	7.9	2.46	6.6	WNW	290
	04	7.31	8.7	4.96	8.5	3.95	8.5	2.40	6.3	WNW	282
	06	7.18	8.7	5.36	9.0	4.32	8.9	2.72	7.0	NW	323
	08	6.09	11.0	5.02	9.0	4.02	8.5	2.54	6.8	NW	315
	10	5.78	9.6	4.66	9.9	3.89	9.2	2.56	7.5	NNW	327
	12	8.03	9.7	5.39	9.0	4.51	9.2	2.95	7.4	NNW	344
	14	8.13	8.0	* 6.34	9.5	* 4.99	9.3	3.11	7.4	NW	323
	16	* 9.70	9.4	6.12	9.3	4.98	9.3	3.12	7.4	NW	315
	18	7.48	12.1	5.89	10.2	4.81	9.3	2.96	7.3	WNW	299
	20	7.27	10.7	5.87	10.3	4.79	9.7	3.06	7.5	NW	319
	22	7.39	10.2	6.04	9.4	4.93	9.5	* 3.18	7.6	NNW	331
	最大	9.70	9.4	6.34	9.5	4.99	9.3	3.18	7.6		

	平均	7.29	9.4	5.46	9.2	4.42	8.9	2.80	7.1		
05	00	5.14	9.2	4.47	8.9	3.68	8.3	2.32	6.5	WNW	290
	02	6.35	8.9	4.86	9.8	3.96	9.3	2.44	7.1	NNW	327
	04	4.81	9.3	4.17	9.6	3.35	8.5	2.11	6.3	NW	315
	06	5.61	6.6	4.25	8.0	3.32	7.9	2.11	6.3	NNW	340
	08	5.07	9.1	4.25	8.8	3.40	8.4	2.12	6.5	NNW	331
	10	5.89	9.2	4.55	8.8	3.53	8.6	2.22	6.7	NW	315
	12	6.73	8.6	4.48	8.5	3.57	8.7	2.24	6.8	NW	315
	14	5.52	7.3	4.24	8.3	3.50	8.6	2.17	6.6	NNW	327
	16	5.14	7.9	4.12	8.1	3.41	8.2	2.24	6.5	WNW	290
	18	6.45	7.6	4.42	7.6	3.52	7.8	2.20	6.2	NNW	327
	20	* 6.85	9.4	4.94	8.0	3.89	8.1	2.42	6.5	NNW	335
	22	6.75	8.2	* 5.21	8.7	* 4.10	8.4	* 2.50	6.7	NW	307
	最大	6.85	9.4	5.21	8.7	4.10	8.4	2.50	6.7		
	平均	5.86	8.4	4.50	8.6	3.60	8.4	2.26	6.6		
06	00	5.77	9.4	4.77	8.5	4.06	8.4	2.53	6.9	NW	307
	02	* 6.30	9.0	* 5.18	8.5	* 4.20	8.2	* 2.67	6.7	WNW	290
	04	5.39	7.3	4.17	7.7	3.35	7.8	2.06	6.1	NW	319
	06	5.05	9.8	3.66	7.6	2.89	7.3	1.86	5.7	NNW	335
	08	4.30	6.5	3.34	7.2	2.79	7.4	1.77	5.6	NW	315
	10	4.08	8.1	3.44	7.4	2.84	7.3	1.76	5.7	NNW	335
	12	4.75	8.2	3.62	8.2	2.91	7.7	1.78	5.8	NW	323
	14	4.22	6.9	3.31	7.5	2.60	7.3	1.62	5.6	NW	323
	16	3.93	6.3	2.96	6.8	2.43	6.8	1.57	5.4	WNW	303
	18	4.96	7.1	3.20	7.2	2.43	7.0	1.51	5.4	NW	311
	20	3.94	5.9	2.72	7.7	2.14	7.1	1.30	5.2	NNW	331
	22	3.74	9.3	2.53	7.8	2.06	7.4	1.29	5.6	NNW	335
	最大	6.30	9.0	5.18	8.5	4.20	8.2	2.67	6.7		
	平均	4.70	7.8	3.58	7.7	2.89	7.5	1.81	5.8		
07	00	2.59	6.2	2.25	8.0	1.81	7.3	1.14	5.5	WNW	303
	02	* 3.21	8.3	* 2.37	8.2	* 1.86	8.0	* 1.15	6.1	NNW	335
	04	2.50	9.6	2.12	7.9	1.63	7.9	1.01	6.2	NNW	331
	06	2.14	7.8	1.71	8.0	1.40	8.0	0.93	6.4	N	352
	08	1.90	7.5	1.63	7.8	1.37	7.9	0.90	6.6	NNW	344
	10	1.96	8.0	1.55	7.9	1.22	8.1	0.76	6.3	NNW	331
	12	2.13	7.5	1.59	7.8	1.22	7.7	0.75	6.4	N	0
	14	1.61	7.6	1.22	7.5	0.96	7.2	0.58	5.5	NNW	340
	16	1.54	7.6	1.16	7.9	0.94	7.7	0.58	5.8	NNW	335
	18	1.42	7.5	1.19	7.8	0.94	7.9	0.58	6.1	NNW	348
	20	1.37	6.8	1.05	7.6	0.81	7.3	0.47	5.2	NW	323
	22	1.18	5.2	0.95	6.2	0.79	5.8	0.50	4.3	NNW	348
	最大	3.21	8.3	2.37	8.2	1.86	8.0	1.15	6.1		
	平均	1.96	7.5	1.57	7.7	1.25	7.6	0.78	5.9		
08	00	1.25	5.2	1.03	6.0	0.82	5.4	0.52	4.0	NNW	327
	02	1.74	6.2	1.20	5.5	0.97	5.2	0.62	4.3	N	356
	04	1.56	5.7	1.12	5.6	0.89	5.5	0.56	4.6	NNE	12
	06	1.15	6.0	0.89	6.4	0.72	6.4	0.44	4.7	NNW	327
	08	1.16	6.1	0.85	7.0	0.69	6.8	0.44	5.6	NNW	335
	10	1.37	5.8	0.94	6.6	0.77	6.7	0.50	5.4	NNW	331
	12	1.30	5.8	1.05	6.4	0.87	6.5	0.54	5.3	NNW	335
	14	1.51	7.3	1.22	6.7	0.98	6.1	0.60	4.5	NNW	340
	16	1.89	5.9	1.35	5.5	1.09	5.3	0.71	4.1	NNW	344
	18	* 3.23	6.3	* 2.28	5.9	* 1.78	5.9	1.09	4.8	NNW	340
	20	2.93	8.1	2.20	7.1	1.74	6.6	* 1.13	5.3	NNW	327
	22	2.92	6.7	2.06	7.3	1.57	7.2	0.98	5.3	NNW	335
	最大	3.23	6.3	2.28	5.9	1.78	5.9	1.13	5.3		
	平均	1.83	6.3	1.35	6.3	1.07	6.1	0.68	4.8		
09	00	* 2.68	6.6	* 2.05	8.0	* 1.68	7.8	* 1.04	6.2	NNW	340
	02	2.45	7.6	1.76	7.4	1.36	7.6	0.86	6.2	NNW	344
	04	2.14	6.9	1.63	7.5	1.34	7.7	0.85	6.2	NNW	327
	06	1.50	7.0	1.26	7.1	1.00	7.4	0.63	5.7	NNW	344
	08	1.59	7.4	1.14	7.3	0.92	7.1	0.61	6.0	NNW	340
	10	1.32	6.2	0.95	6.8	0.78	6.8	0.50	5.3	NNW	340
	12	1.27	7.4	0.94	6.8	0.75	6.8	0.45	5.1	NNW	331
	14	1.14	6.1	0.86	6.7	0.68	6.8	0.42	4.8	NW	319
	16	1.30	7.2	0.88	7.3	0.67	6.9	0.39	4.4	NNW	340
	18	1.10	8.0	0.82	6.4	0.60	5.3	0.37	3.6	NNW	335
	20	1.28	6.4	0.90	3.5	0.73	3.4	0.48	3.0	NE	50
	22	1.23	2.9	0.90	3.4	0.73	3.4	0.47	3.0	WNW	296

	最大	2.68	6.6	2.05	8.0	1.68	7.8	1.04	6.2			
	平均	1.58	6.6	1.17	6.5	0.94	6.4	0.59	5.0			
10	00	1.11	2.6	0.76	2.9	0.59	3.3	0.38	2.9	NE	42	
	02	0.83	2.1	0.68	3.4	0.55	3.3	0.36	2.8	WSW	251	
	04	0.65	6.6	0.49	6.8	0.40	6.7	0.24	4.6	NW	307	
	06	1.42	3.1	1.13	3.6	0.89	3.5	0.56	3.2	NE	56	
	08	3.98	5.9	2.79	5.5	2.19	5.6	1.33	4.7	NW	323	
	10	3.81	7.0	3.30	6.9	2.81	6.8	* 1.84	5.9	NW	323	
	12	4.46	7.5	3.48	7.3	2.74	7.1	1.68	5.8	NW	323	
	14	3.57	8.0	2.84	7.6	2.27	7.8	1.39	5.8	NW	319	
	16	2.86	8.1	2.37	7.9	1.92	7.4	1.23	5.7	NW	315	
	18	4.08	8.0	2.85	9.0	2.28	8.5	1.41	6.1	NNW	331	
	20	* 4.78	12.2	3.73	10.7	2.91	9.9	1.69	6.6	NW	315	
	22	4.78	11.4	* 3.75	10.6	* 2.98	10.9	1.82	8.0	NW	315	
	最大	4.78	12.2	3.75	10.6	2.98	10.9	1.84	5.9			
	平均	3.03	6.9	2.35	6.9	1.88	6.7	1.16	5.2			
	11	00	4.45	11.3	2.96	11.3	2.44	10.3	1.54	7.7	NW	323
		02	4.34	10.7	3.33	10.7	2.44	10.5	1.45	7.9	NNW	340
04		3.41	10.4	2.87	10.4	2.27	10.4	1.38	8.3	NNW	335	
06		2.80	9.6	2.35	9.8	1.85	9.4	1.09	7.2	NNW	331	
08		2.43	8.4	2.02	9.4	1.60	9.4	0.96	6.6	NNW	335	
10		3.24	7.2	2.55	7.7	2.04	7.6	1.31	6.0	NNW	335	
12		3.70	6.0	2.81	6.1	2.18	6.2	1.35	5.0	WNW	299	
14		4.24	7.1	3.59	6.9	2.94	6.8	1.90	5.7	WNW	286	
16		5.76	7.4	4.64	7.6	3.54	7.7	2.15	6.2	W	266	
18		* 7.53	9.8	* 4.78	8.2	* 3.75	7.9	* 2.32	6.4	WNW	286	
20		5.56	7.5	4.55	8.0	3.63	8.1	2.27	6.1	WNW	286	
22		5.38	8.2	4.44	8.0	3.63	8.0	2.23	6.2	WNW	295	
最大		7.53	9.8	4.78	8.2	3.75	7.9	2.32	6.4			
平均		4.40	8.6	3.41	8.7	2.69	8.5	1.66	6.6			
12		00	5.09	5.9	3.77	7.7	3.12	7.4	2.01	5.7	WNW	286
		02	4.43	7.5	3.76	7.6	3.19	7.2	2.06	6.0	WNW	295
	04	5.27	7.6	4.48	8.1	* 3.73	8.3	* 2.34	6.6	NW	311	
	06	5.90	10.8	4.04	8.1	3.27	7.7	2.15	6.3	WNW	295	
	08	5.58	7.6	4.47	7.9	3.60	7.8	2.20	6.4	NNW	340	
	10	5.25	9.0	3.88	8.2	3.16	7.8	2.01	6.3	NW	311	
	12	5.45	9.2	3.97	8.0	3.19	7.7	1.99	6.1	NNW	340	
	14	5.42	7.7	3.91	8.3	3.07	7.9	1.92	6.1	NNW	327	
	16	4.96	8.8	3.88	8.1	3.10	8.1	1.89	6.1	NNW	335	
	18	* 6.58	8.1	4.57	8.1	3.51	8.4	2.14	6.6	WNW	303	
	20	5.83	9.3	* 4.61	8.7	3.53	8.2	2.09	6.2	NW	311	
	22	5.77	8.9	4.48	8.6	3.58	8.2	2.20	6.4	NNW	327	
	最大	6.58	8.1	4.61	8.7	3.73	8.3	2.34	6.6			
	平均	5.46	8.4	4.15	8.1	3.34	7.9	2.08	6.2			
	13	00	5.79	9.1	4.44	8.6	3.64	8.6	2.29	6.8	NW	311
		02	* 6.55	9.1	* 4.71	8.4	3.73	8.1	* 2.37	6.8	WNW	295
04		5.54	9.0	4.34	8.9	3.56	8.9	2.30	7.1	NW	319	
06		5.94	9.4	4.59	9.4	* 3.75	9.3	2.31	7.0	NNW	331	
08		5.86	8.3	4.11	9.0	3.24	8.7	1.97	6.7	NW	315	
10		4.69	8.7	3.68	9.2	2.90	9.0	1.81	6.9	NNW	335	
12		3.94	10.1	3.19	9.4	2.55	9.1	1.55	6.9	NW	319	
14		3.47	8.9	2.94	9.6	2.38	9.7	1.45	7.3	NNW	327	
16		3.69	8.1	2.52	8.8	2.02	8.5	1.24	6.9	NNW	327	
18		3.23	9.0	2.54	8.2	2.01	8.2	1.21	6.4	NNW	335	
20		3.10	9.0	2.52	9.0	2.09	8.9	1.28	6.9	NNW	344	
22		2.83	8.7	2.41	6.9	1.95	6.9	1.22	5.1	NNW	335	
最大		6.55	9.1	4.71	8.4	3.75	9.3	2.37	6.8			
平均		4.55	9.0	3.50	8.8	2.82	8.7	1.75	6.7			
14		00	2.78	8.3	2.43	7.7	1.97	7.5	1.21	5.5	NW	319
		02	3.19	6.2	2.49	7.8	2.00	7.8	1.24	6.0	WNW	303
	04	3.25	7.8	2.73	8.1	2.21	7.7	1.39	6.4	NNW	327	
	06	4.28	7.5	3.54	7.8	2.76	7.9	1.69	6.6	NNW	327	
	08	4.75	7.0	3.82	7.4	3.14	7.5	1.97	6.2	WNW	282	
	10	6.09	9.9	4.71	8.2	3.62	7.7	2.32	6.4	NW	315	
	12	* 7.96	6.7	* 5.34	8.7	* 4.23	8.4	* 2.72	7.0	NNW	327	
	14	5.19	6.7	3.99	7.4	3.22	7.7	2.03	6.0	NW	307	

	16	4.91	6.6	3.77	7.2	2.98	7.5	1.88	5.8	WNW	299
	18	4.36	9.9	3.27	7.9	2.57	7.5	1.57	5.6	NW	323
	20	4.17	7.1	3.08	7.8	2.46	7.4	1.57	5.8	NW	319
	22	3.54	8.3	3.06	8.2	2.34	8.2	1.37	6.0	NW	323
	最大	7.96	6.7	5.34	8.7	4.23	8.4	2.72	7.0		
	平均	4.54	7.7	3.52	7.9	2.79	7.7	1.75	6.1		
15	00	3.34	7.1	2.66	8.0	2.22	8.3	1.45	6.8	NNW	327
	02	3.26	8.1	2.76	7.4	2.10	7.3	1.34	6.0	NW	315
	04	2.67	6.3	2.22	7.6	1.76	7.5	1.11	6.2	NNW	331
	06	3.15	5.7	2.59	7.4	2.10	7.6	1.32	6.1	WNW	303
	08	4.73	9.0	3.57	7.4	2.73	7.3	1.68	5.7	WNW	303
	10	4.84	8.0	3.71	7.3	3.06	7.3	1.97	6.1	NW	307
	12	5.01	6.2	4.04	7.1	* 3.29	7.5	2.11	6.2	NNW	331
	14	* 5.58	8.4	4.07	7.8	3.26	7.5	2.08	6.1	NW	323
	16	5.04	9.0	4.05	7.5	3.28	7.6	* 2.14	6.3	NNW	327
	18	5.43	7.7	4.03	8.1	3.23	7.9	2.00	6.2	NW	311
	20	4.91	7.0	* 4.11	8.5	3.19	8.0	2.07	6.5	NW	315
	22	5.26	8.2	4.00	8.4	3.23	8.3	1.96	6.5	NW	315
	最大	5.58	8.4	4.11	8.5	3.29	7.5	2.14	6.3		
	平均	4.44	7.6	3.48	7.7	2.79	7.7	1.77	6.2		
16	00	5.04	9.6	* 3.90	8.3	* 3.35	8.1	* 2.10	6.5	NNW	331
	02	* 5.24	5.7	3.87	7.7	3.05	7.9	1.95	6.2	NNW	327
	04	4.44	9.6	3.87	7.7	3.18	7.7	1.99	6.0	NW	319
	06	4.29	8.1	3.38	7.2	2.72	7.3	1.70	5.7	NW	319
	08	4.77	6.1	3.28	7.1	2.61	7.2	1.61	5.7	NW	323
	10	4.02	8.6	3.23	7.7	2.47	7.2	1.54	5.6	NW	311
	12	4.91	8.2	3.33	8.2	2.63	8.1	1.63	5.8	NW	315
	14	3.68	7.7	2.83	7.8	2.31	7.4	1.45	5.7	NW	323
	16	3.94	7.5	2.89	7.6	2.30	7.2	1.45	5.7	NW	319
	18	4.21	8.3	3.11	8.1	2.39	7.6	1.44	5.5	NW	315
	20	4.16	6.9	3.12	6.7	2.54	6.6	1.71	5.8	NW	307
	22	3.68	7.2	3.00	6.8	2.40	6.8	1.53	5.4	NNW	340
	最大	5.24	5.7	3.90	8.3	3.35	8.1	2.10	6.5		
	平均	4.37	7.8	3.32	7.6	2.66	7.4	1.68	5.8		
17	00	3.89	6.3	3.15	6.9	2.51	6.8	1.56	5.4	NNW	327
	02	3.94	6.7	2.86	6.5	2.24	6.4	1.42	5.1	WNW	303
	04	3.46	8.1	2.55	6.9	2.07	6.8	1.29	5.2	NW	315
	06	3.18	5.4	2.49	6.6	1.99	6.7	1.25	5.2	NNW	327
	08	3.78	7.1	2.94	6.4	2.45	6.2	1.59	5.2	NNW	340
	10	4.88	7.1	3.84	6.8	3.05	7.1	1.91	5.8	WNW	290
	12	5.34	8.9	* 4.35	7.7	* 3.40	7.8	* 2.10	6.2	WNW	299
	14	* 5.91	7.5	3.75	7.6	3.08	7.6	1.96	6.0	NNW	331
	16	4.17	7.5	3.47	7.8	2.86	7.6	1.79	5.9	NW	307
	18	4.30	8.0	3.12	7.7	2.48	7.3	1.57	5.6	NNW	327
	20	3.77	7.8	2.68	7.6	2.15	7.3	1.33	5.4	WNW	303
	22	3.54	8.4	2.76	7.9	2.20	7.5	1.38	5.7	NW	323
	最大	5.91	7.5	4.35	7.7	3.40	7.8	2.10	6.2		
	平均	4.18	7.4	3.16	7.2	2.54	7.1	1.60	5.6		
18	00	2.99	7.8	2.14	7.6	1.74	7.3	1.09	5.4	NW	319
	02	3.11	5.8	2.43	7.9	1.89	7.2	1.13	5.3	NW	323
	04	3.17	8.3	2.26	8.2	1.86	8.3	1.18	6.5	NNW	335
	06	3.03	7.7	2.00	8.1	1.63	7.9	1.04	6.1	NW	319
	08	2.86	6.9	1.99	7.8	1.57	7.8	0.94	5.9	NNW	331
	10	3.34	7.4	2.72	6.7	2.08	6.7	1.30	5.2	WNW	282
	12	4.50	6.3	3.42	6.3	2.72	6.3	1.72	5.3	WNW	282
	14	4.07	5.6	3.05	6.5	2.43	6.6	1.58	5.5	W	278
	16	3.67	5.9	2.72	6.0	2.14	6.0	1.39	5.0	WNW	290
	18	4.85	7.3	3.88	6.6	2.99	6.7	1.88	5.6	NNW	344
	20	5.81	8.0	4.39	7.4	3.51	7.2	2.22	6.0	NW	323
	22	* 6.90	7.1	* 4.64	7.2	* 3.70	7.5	* 2.33	6.3	NW	323
	最大	6.90	7.1	4.64	7.2	3.70	7.5	2.33	6.3		
	平均	4.03	7.0	2.97	7.2	2.36	7.1	1.48	5.7		
19	00	6.19	8.1	* 4.82	7.5	* 3.81	7.5	* 2.42	6.1	W	274
	02	5.86	7.0	4.28	7.7	3.43	7.6	2.17	6.0	NW	311
	04	* 6.22	7.4	4.10	7.1	3.35	7.2	2.09	5.8	NNW	331
	06	5.12	7.2	3.65	7.2	2.85	6.9	1.81	5.8	WNW	286
	08	3.60	5.6	3.11	7.1	2.50	7.2	1.55	5.5	NW	323
	10	3.80	8.6	2.85	7.8	2.33	7.3	1.48	5.7	NW	319

	12	3.20	7.8	2.38	7.6	1.90	8.0	1.19	5.9	NNW	327
	14	2.90	8.0	2.13	8.2	1.64	7.3	1.05	5.6	NW	323
	16	2.64	6.1	2.21	8.3	1.81	8.2	1.14	6.2	NNW	327
	18	3.19	8.5	2.00	8.0	1.53	7.5	0.96	6.1	NNW	340
	20	2.48	9.3	1.91	8.1	1.52	7.9	0.94	6.1	NNW	335
	22	2.16	6.3	1.80	8.0	1.44	8.3	0.92	6.8	NNW	340
	最大	6.22	7.4	4.82	7.5	3.81	7.5	2.42	6.1		
	平均	3.95	7.5	2.94	7.7	2.34	7.6	1.48	6.0		
	20	00	* 2.16	7.8	* 1.64	8.3	* 1.35	8.0	* 0.84	6.3	NNW 340
		02	1.80	7.5	1.53	8.0	1.27	7.9	0.80	6.3	NNW 335
		04	2.07	7.9	1.32	7.9	1.06	7.5	0.64	5.4	NNW 348
		06	1.49	6.7	1.12	7.5	0.90	7.6	0.54	5.2	NNW 327
		08	1.36	7.7	1.08	7.7	0.87	7.7	0.52	5.5	NNW 340
		10	1.15	6.8	0.92	7.5	0.76	7.4	0.46	5.1	N 352
		12	0.92	8.8	0.78	7.4	0.61	7.0	0.37	4.9	NNW 344
		14	1.37	7.0	0.85	7.4	0.65	7.3	0.39	5.3	N 352
		16	0.91	7.5	0.72	7.2	0.58	7.1	0.36	5.8	NNE 12
		18	0.75	7.9	0.57	7.1	0.47	7.0	0.30	5.1	NNW 340
		20	0.70	6.8	0.51	6.6	0.41	6.7	0.25	4.9	NNW 335
		22	0.70	6.6	0.48	6.5	0.38	6.6	0.23	4.8	N 0
	最大	2.16	7.8	1.64	8.3	1.35	8.0	0.84	6.3		
	平均	1.28	7.4	0.96	7.4	0.78	7.3	0.48	5.4		
	21	00	0.62	5.7	0.42	6.2	0.34	6.1	0.21	4.1	NNW 331
		02	0.45	5.3	0.35	5.8	0.29	5.6	0.17	3.6	NNW 327
		04	3.56	4.5	2.42	4.9	1.94	5.0	1.21	4.4	WNW 282
		06	3.61	6.1	3.35	6.5	2.74	6.5	1.69	5.3	W 278
		08	3.87	6.7	3.08	6.3	2.50	6.4	1.60	5.2	NW 311
		10	4.54	5.6	2.78	5.9	2.27	6.1	1.45	5.1	NW 311
		12	* 4.92	7.0	* 3.48	7.3	* 2.80	7.2	* 1.89	6.1	WNW 303
		14	3.78	6.5	3.03	7.2	2.47	7.2	1.57	5.8	NNW 335
		16	3.93	5.9	2.69	6.9	2.10	6.6	1.33	5.1	NNW 327
		18	3.15	7.5	2.32	6.5	1.91	6.7	1.19	5.1	N 0
		20	3.63	7.6	2.39	7.3	1.94	7.0	1.24	5.4	N 352
		22	3.92	7.6	2.75	7.9	2.11	7.7	1.32	5.7	NNW 335
	最大	4.92	7.0	3.48	7.3	2.80	7.2	1.89	6.1		
	平均	3.33	6.3	2.42	6.6	1.95	6.5	1.24	5.1		
	22	00	3.33	7.9	2.52	7.9	1.94	7.4	1.15	5.3	NNW 344
		02	3.14	8.8	2.50	7.3	2.01	7.1	1.27	5.5	NNW 331
		04	3.55	7.3	2.62	6.9	2.14	7.0	1.36	5.4	NNW 348
		06	3.26	7.5	2.46	7.6	1.99	7.4	1.21	5.4	NNW 344
		08	3.91	7.2	2.98	7.6	2.41	7.5	* 1.52	5.8	NW 323
		10	* 4.13	6.8	* 3.13	7.6	2.41	7.1	1.51	5.7	NNW 348
		12	3.48	7.9	3.05	7.9	* 2.45	7.7	1.51	5.9	NNW 335
		14	2.74	5.9	2.31	7.4	1.92	6.9	1.18	5.3	WNW 299
		16	3.06	5.9	2.28	7.5	1.85	7.2	1.16	5.6	NNW 340
		18	2.53	6.5	2.01	7.5	1.62	7.3	0.99	5.4	NNW 340
		20	2.85	8.2	2.21	7.4	1.82	7.5	1.18	6.2	NW 315
		22	2.84	7.7	1.99	7.8	1.56	7.8	0.97	6.0	NNW 344
	最大	4.13	6.8	3.13	7.6	2.45	7.7	1.52	5.8		
	平均	3.24	7.3	2.51	7.5	2.01	7.3	1.25	5.6		
	23	00	2.44	6.6	1.80	7.5	1.52	7.6	0.97	6.2	NNW 335
		02	2.49	7.9	1.58	7.4	1.25	7.2	0.82	6.0	NNW 331
		04	2.25	6.9	1.54	7.7	1.27	7.6	0.82	6.2	NNW 327
		06	1.70	6.8	1.43	7.1	1.15	7.0	0.76	5.9	NNW 344
		08	1.88	7.2	1.47	6.7	1.18	6.7	0.74	5.2	WNW 303
		10	2.67	5.3	1.76	5.7	1.44	5.7	0.91	4.6	NNW 340
		12	2.93	4.9	2.08	5.7	1.69	5.5	1.07	4.6	NNW 340
		14	2.59	6.5	1.95	6.0	1.52	6.0	0.94	4.6	NNW 340
		16	2.37	6.8	1.88	6.0	1.48	5.8	0.94	4.7	N 356
		18	2.71	6.2	2.08	6.6	1.65	6.3	1.04	4.9	NNW 335
		20	2.92	6.6	2.41	6.4	1.85	6.3	1.13	4.8	NW 323
		22	* 3.50	6.1	* 2.60	6.4	* 1.98	6.2	* 1.19	4.9	NW 311
	最大	3.50	6.1	2.60	6.4	1.98	6.2	1.19	4.9		
	平均	2.54	6.5	1.88	6.6	1.50	6.5	0.94	5.2		
	24	00	2.80	6.5	* 2.32	5.9	* 1.87	6.0	* 1.20	4.6	NNW 340
		02	2.66	5.9	2.11	6.4	1.67	6.3	1.00	4.6	NNW 327

	04	2.86	5.6	2.11	6.4	1.71	6.3	1.08	4.7	NNW	327
	06	2.58	6.0	2.10	6.2	1.67	6.1	1.03	4.8	NNW	335
	08	3.07	7.2	1.99	6.4	1.62	6.5	1.04	4.9	NNW	327
	10	2.69	5.7	1.97	6.3	1.58	6.2	1.01	4.8	NNW	327
	12	* 3.43	7.4	2.09	7.3	1.63	6.8	0.99	5.0	NW	323
	14	2.64	7.0	2.03	7.1	1.64	6.6	1.02	5.0	NNW	335
	16	2.18	5.7	1.83	7.3	1.48	7.1	0.92	5.1	NNW	327
	18	2.07	8.5	1.74	6.9	1.32	6.9	0.79	5.3	NW	315
	20	2.14	6.5	1.60	7.6	1.24	7.4	0.76	5.8	NNW	340
	22	1.60	7.3	1.37	7.3	1.13	7.6	0.73	6.1	NW	323
25	最大	3.43	7.4	2.32	5.9	1.87	6.0	1.20	4.6		
	平均	2.56	6.6	1.94	6.8	1.55	6.7	0.96	5.1		
	00	1.70	6.7	* 1.27	7.2	* 1.00	7.2	* 0.61	5.6	NW	319
	02	* 1.73	7.2	1.12	7.4	0.92	7.3	0.59	6.0	NNW	340
	04	1.14	6.5	0.94	6.7	0.79	6.9	0.49	5.5	NNW	348
	06	1.49	6.6	1.02	6.8	0.80	7.1	0.47	5.3	NNW	340
	08	1.25	7.0	0.81	7.0	0.65	6.8	0.40	5.2	NNW	348
	10	1.35	7.1	0.93	7.0	0.75	6.9	0.46	5.6	NNW	348
	12	0.90	8.1	0.80	6.7	0.66	6.6	0.41	5.4	NNW	340
	14	0.94	6.3	0.75	6.8	0.61	6.8	0.38	5.4	NNW	340
26	16	1.13	6.6	0.75	6.2	0.59	6.3	0.35	5.0	N	352
	18	0.89	6.1	0.67	6.4	0.55	6.3	0.34	4.8	NNW	340
	20	0.80	6.3	0.55	6.3	0.45	6.4	0.28	4.8	NNW	331
	22	0.75	5.8	0.54	6.0	0.43	6.1	0.26	4.4	NNW	340
	最大	1.73	7.2	1.27	7.2	1.00	7.2	0.61	5.6		
	平均	1.17	6.7	0.85	6.7	0.68	6.7	0.42	5.3		
	00	0.70	5.6	0.48	6.1	0.37	6.1	0.22	4.5	NNW	331
	02	0.75	5.2	0.54	4.9	0.44	4.7	0.28	3.5	NNW	327
	04	0.60	4.3	0.45	5.2	0.35	4.7	0.21	3.2	NNW	335
	06	0.45	6.5	0.35	5.5	0.29	5.4	0.18	4.0	NNW	331
27	08	0.53	5.2	0.37	5.3	0.29	5.2	0.18	3.7	N	356
	10	1.09	5.5	0.66	5.5	0.50	5.4	0.31	4.1	NNW	327
	12	2.59	5.4	1.97	5.8	1.58	5.6	0.98	4.7	N	352
	14	2.89	6.5	2.15	6.1	1.72	6.0	1.11	5.0	NNW	348
	16	2.85	6.9	2.15	6.3	* 1.79	6.4	* 1.14	5.2	N	352
	18	* 3.36	6.7	* 2.24	6.9	1.77	6.9	1.13	5.9	NNW	348
	20	2.36	5.7	2.01	7.1	1.56	6.7	0.96	4.9	N	8
	22	2.48	6.1	2.02	7.4	1.64	7.1	1.04	5.5	N	8
	最大	3.36	6.7	2.24	6.9	1.79	6.4	1.14	5.2		
	平均	1.72	5.8	1.28	6.0	1.03	5.9	0.65	4.5		
28	00	2.41	7.5	1.92	7.6	1.53	7.3	0.96	5.9	NNW	348
	02	2.54	7.3	1.86	7.0	1.43	7.1	0.90	5.5	NNW	344
	04	2.02	7.3	1.60	7.0	1.32	6.9	0.83	5.4	NNW	335
	06	2.11	7.8	1.54	7.2	1.22	6.9	0.73	4.9	NNW	344
	08	1.63	7.6	1.27	7.4	1.01	6.9	0.61	4.7	NNW	344
	10	1.32	7.3	1.11	7.4	0.89	6.8	0.52	4.4	N	356
	12	1.18	7.6	0.89	6.8	0.72	6.3	0.45	4.2	N	352
	14	1.21	8.2	0.92	7.3	0.71	6.7	0.44	4.6	NNW	340
	16	1.06	7.4	0.85	7.9	0.69	7.2	0.44	5.0	N	352
	18	1.70	4.8	1.24	6.1	0.98	5.6	0.61	4.1	NW	315
29	20	2.86	5.1	2.21	5.6	1.74	5.6	1.09	4.6	W	270
	22	* 3.58	5.6	* 2.52	5.6	* 2.01	5.6	* 1.25	4.7	W	278
	最大	3.58	5.6	2.52	5.6	2.01	5.6	1.25	4.7		
	平均	1.97	7.0	1.49	6.9	1.19	6.6	0.74	4.8		
30	00	3.89	5.6	2.98	5.8	2.41	5.7	1.52	4.8	NW	323
	02	4.50	5.8	3.15	6.1	2.56	6.1	1.65	5.2	NW	319
	04	* 4.71	6.9	* 3.82	7.1	* 2.96	6.9	* 1.81	5.6	NW	311
	06	4.36	5.6	3.42	7.0	2.64	6.7	1.61	5.3	WNW	303
	08	4.06	5.5	3.06	6.5	2.50	6.6	1.60	5.4	WNW	299
	10	3.16	4.9	2.62	6.5	2.08	6.1	1.24	5.1	W	266
	12	2.55	6.1	1.96	6.0	1.57	6.0	1.00	4.7	NW	311
	14	3.49	6.3	2.53	5.8	2.04	5.9	1.29	4.9	NW	323
	16	4.42	7.1	3.27	6.1	2.56	6.1	1.60	5.1	WNW	295
	18	3.16	5.9	2.62	6.1	2.12	6.3	1.31	5.1	W	266
31	20	3.50	5.4	2.75	6.4	2.24	6.2	1.44	5.2	WNW	286
	22	4.36	8.9	3.39	7.0	2.74	7.2	1.74	5.7	WNW	299
	最大	4.71	6.9	3.82	7.1	2.96	6.9	1.81	5.6		

	平均	3.85	6.2	2.96	6.4	2.37	6.3	1.48	5.2		
29	00	3.90	7.3	2.84	6.9	2.25	6.9	1.39	5.2	NW	307
	02	4.64	7.8	3.29	7.5	2.71	7.4	1.70	5.7	NNW	335
	04	* 5.68	6.8	3.61	7.1	2.80	7.1	1.78	5.8	WNW	290
	06	4.64	6.3	3.54	7.2	* 2.89	7.0	* 1.84	5.8	WNW	290
	08	5.18	7.0	* 3.67	7.1	2.84	7.0	1.76	5.6	NW	323
	10	5.24	6.3	3.54	7.1	2.76	7.2	1.74	5.8	WNW	295
	12	4.60	7.3	3.01	6.9	2.38	7.0	1.55	5.5	NW	323
	14	3.16	6.7	2.57	6.5	2.10	6.9	1.29	5.4	NW	315
	16	2.80	8.5	2.24	7.6	1.78	7.7	1.16	5.8	NW	319
	18	2.74	6.6	2.33	8.2	1.86	8.3	1.15	6.3	NNW	331
	20	2.10	8.6	1.81	7.7	1.54	7.9	0.97	6.0	NNW	327
	22	2.64	5.7	2.06	7.0	1.67	7.0	1.04	5.2	NW	323
	最大	5.68	6.8	3.67	7.1	2.89	7.0	1.84	5.8		
	平均	3.94	7.1	2.88	7.2	2.30	7.3	1.45	5.7		
30	00	2.95	7.9	2.23	7.4	1.71	6.9	1.05	5.2	NNW	331
	02	3.01	6.2	2.04	6.7	1.65	6.9	1.08	5.6	NNW	340
	04	3.12	7.5	2.19	7.1	1.76	7.2	1.09	5.6	NW	323
	06	3.20	6.7	2.33	7.2	1.79	6.8	1.11	5.5	NW	315
	08	3.29	5.7	2.49	6.9	1.99	6.9	1.24	5.5	WNW	295
	10	2.40	6.1	2.00	6.7	1.64	6.6	1.02	5.3	NW	319
	12	2.49	5.5	2.08	6.3	1.70	6.1	1.05	4.9	NNW	344
	14	2.24	4.8	1.70	5.7	1.39	5.8	0.90	4.5	NW	323
	16	3.12	6.7	1.96	5.6	1.54	5.6	0.98	4.3	WNW	290
	18	2.66	6.2	2.07	6.3	1.69	6.3	1.05	4.7	不明	
	20	3.39	6.6	2.74	6.3	2.07	6.4	1.27	5.1	NW	319
	22	* 4.14	6.0	* 2.84	6.3	* 2.34	6.3	* 1.50	5.2	NNW	331
	最大	4.14	6.0	2.84	6.3	2.34	6.3	1.50	5.2		
	平均	3.00	6.3	2.22	6.5	1.77	6.5	1.11	5.1		
31	00	* 3.90	5.9	* 2.70	6.9	* 2.15	6.7	* 1.32	5.1	NW	319
	02	3.14	7.6	2.23	6.9	1.74	6.6	1.12	5.2	WNW	290
	04	2.90	6.6	2.18	7.2	1.73	7.0	1.10	5.6	NNW	331
	06	2.93	9.0	2.36	7.6	1.86	7.6	1.17	6.1	NW	315
	08	2.59	9.1	2.04	7.8	1.62	7.7	1.00	6.0	NNW	331
	10	2.98	7.0	1.75	7.5	1.41	7.3	0.90	6.1	NNW	335
	12	2.03	7.9	1.58	7.4	1.30	7.6	0.82	6.1	NNW	335
	14	2.20	7.6	1.46	7.3	1.21	7.4	0.78	6.1	NW	319
	16	1.53	7.3	1.31	7.4	1.04	7.4	0.64	6.0	NNW	335
	18	1.50	6.9	1.14	7.0	0.89	6.9	0.53	5.4	NW	323
	20	1.18	7.7	0.85	7.3	0.69	7.1	0.43	5.1	NNW	335
	22	0.96	7.1	0.75	7.0	0.61	7.1	0.38	5.6	NNW	335
	最大	3.90	5.9	2.70	6.9	2.15	6.7	1.32	5.1		
	平均	2.32	7.5	1.70	7.3	1.35	7.2	0.85	5.7		
	月最大	9.70	9.4	6.34	9.5	4.99	9.3	3.18	7.6		
	起時	0416		0414		0414		0422			
	平均	3.68	7.3	2.78	7.4	2.23	7.3	1.40	5.7		

* は日最大波高を示す

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	336 回	測得回数	336 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：直江津港(直轄) | 機種：波高 海象計-32m 波向 海象計-32m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	0.78	6.8	0.62	6.8	0.50	6.9	0.31	5.3	NNW	344	
	02	0.75	6.7	0.55	6.9	0.44	6.7	0.26	4.5	NNW	340	
	04	0.60	6.6	0.46	5.9	0.37	5.9	0.24	4.5	N	356	
	06	0.75	4.8	0.60	5.3	0.48	5.2	0.31	4.1	N	352	
	08	0.78	6.8	0.65	6.3	0.53	5.8	0.33	4.1	NW	323	
	10	0.97	6.7	0.68	6.1	0.53	5.8	0.33	4.2	WNW	295	
	12	1.10	5.8	0.82	6.1	0.66	5.8	0.41	4.2	NW	307	
	14	1.20	7.4	0.93	6.9	0.72	6.5	0.44	4.8	NW	315	
	16	3.34	5.3	2.09	5.2	1.66	5.2	1.06	4.2	NW	311	
	18	4.11	5.7	2.84	5.8	2.29	5.8	1.45	4.9	NW	323	
	20	4.43	6.4	3.71	6.7	2.92	6.5	1.79	5.3	NW	323	
	22	* 5.07	6.9	* 3.81	7.0	* 3.03	7.1	* 1.92	5.8	WNW	299	
	最大	5.07	6.9	3.81	7.0	3.03	7.1	1.92	5.8			
	平均	1.99	6.3	1.48	6.3	1.18	6.1	0.74	4.7			
	02	00	5.53	7.6	4.06	7.5	3.21	7.6	1.98	5.9	WNW	299
		02	4.87	7.3	3.80	7.7	3.07	7.4	1.90	5.8	WNW	299
		04	* 6.05	7.8	3.80	8.7	3.01	8.5	1.81	6.2	WNW	299
		06	4.91	11.9	3.90	10.7	3.21	9.9	2.01	7.5	NW	323
		08	5.68	11.1	4.43	11.0	3.47	10.3	* 2.24	8.1	W	278
		10	5.92	10.4	* 4.59	10.6	* 3.61	10.5	2.23	8.7	NNW	327
12		5.33	11.1	4.07	10.9	3.17	10.3	1.97	7.2	NNW	327	
14		4.88	10.1	3.51	10.2	2.84	9.8	1.75	7.2	NW	323	
16		4.62	9.3	3.55	9.9	2.91	9.6	1.80	6.8	NNW	335	
18		4.20	10.2	3.70	10.3	2.99	9.8	1.92	7.3	NNW	344	
20		4.99	9.1	3.56	9.0	2.85	8.7	1.70	6.4	NW	311	
22		4.72	8.6	3.62	8.6	2.90	8.5	1.78	5.9	NNW	335	
最大		6.05	7.8	4.59	10.6	3.61	10.5	2.24	8.1			
平均		5.14	9.5	3.88	9.6	3.10	9.2	1.92	6.9			
03		00	5.78	6.6	4.02	7.8	3.22	7.8	2.02	6.0	WNW	290
		02	6.83	7.6	4.38	7.9	3.52	7.8	2.14	5.9	NNW	331
		04	5.36	7.9	4.17	8.1	3.32	7.8	2.04	6.1	NNW	331
		06	5.02	7.4	4.14	7.9	3.46	7.4	2.25	6.1	NW	323
		08	7.69	6.4	* 5.55	8.4	4.35	8.4	2.65	6.7	WNW	290
		10	5.30	8.3	4.32	8.3	3.41	8.1	2.11	6.3	WNW	299
	12	6.00	8.2	4.38	8.8	3.35	8.2	2.05	6.2	NW	323	
	14	4.87	8.9	3.83	8.3	3.25	8.2	2.18	6.7	NW	323	
	16	* 7.79	8.8	5.40	9.3	4.24	9.4	2.73	7.5	NW	323	
	18	6.09	11.1	5.33	10.7	* 4.37	10.1	* 2.77	7.4	NW	323	
	20	6.24	10.3	4.85	10.3	3.86	9.9	2.38	7.4	NNW	331	
	22	4.64	11.6	4.14	9.7	3.36	9.1	2.06	6.7	NNW	331	
	最大	7.79	8.8	5.55	8.4	4.37	10.1	2.77	7.4			
	平均	5.97	8.6	4.54	8.8	3.64	8.5	2.28	6.6			
	04	00	4.64	10.1	3.69	10.0	2.97	9.3	1.82	6.9	NNW	331
		02	4.53	11.0	3.49	9.4	2.78	9.2	1.69	6.6	NNW	335
		04	4.35	9.4	* 3.77	9.7	* 3.02	9.4	* 1.92	6.9	N	356
		06	4.39	9.1	3.66	9.6	2.92	9.9	1.74	7.1	W	274
		08	4.17	8.6	3.43	8.9	2.74	9.3	1.71	7.1	NW	311
		10	* 6.05	9.1	3.64	9.9	2.94	9.6	1.78	7.3	NNW	331
12		3.81	8.5	3.08	9.0	2.62	9.2	1.64	7.3	NW	323	
14		3.41	9.9	2.94	8.8	2.39	8.8	1.51	7.1	NNW	344	
16		2.75	9.8	2.37	8.9	1.94	8.7	1.24	7.0	NNW	331	
18		3.00	7.5	2.26	9.0	1.91	8.9	1.23	7.5	NNW	340	
20		2.48	7.7	1.96	8.7	1.54	8.8	0.96	6.9	NNW	340	
22		2.44	8.2	1.92	8.7	1.50	8.7	0.94	7.1	NNW	327	
最大		6.05	9.1	3.77	9.7	3.02	9.4	1.92	6.9			

	平均	3.84	9.1	3.02	9.2	2.44	9.2	1.52	7.1		
05	00	* 2.80	8.4	* 1.95	8.9	* 1.59	8.8	* 1.01	7.4	NNW	344
	02	2.30	7.1	1.87	8.2	1.43	8.4	0.86	6.7	NNW	348
	04	2.40	7.7	1.78	8.3	1.36	8.0	0.80	6.4	NNW	331
	06	1.58	9.1	1.29	8.3	1.05	8.1	0.67	6.6	NNW	340
	08	1.85	9.7	1.45	8.2	1.10	8.0	0.68	6.1	NNW	344
	10	1.52	7.2	1.22	8.0	0.95	8.0	0.57	6.3	NNW	348
	12	1.58	6.7	1.17	7.6	0.95	7.7	0.62	6.9	NNW	331
	14	1.58	6.8	1.21	7.7	0.94	7.7	0.59	6.5	N	352
	16	1.28	7.8	1.04	8.0	0.83	7.8	0.50	6.1	NNW	344
	18	1.20	8.1	1.04	7.8	0.83	7.8	0.50	6.1	N	352
	20	1.32	8.0	0.97	7.5	0.76	7.5	0.47	5.9	NNW	348
	22	1.13	7.8	0.98	7.4	0.75	7.3	0.46	6.1	NNW	327
	最大	2.80	8.4	1.95	8.9	1.59	8.8	1.01	7.4		
	平均	1.71	7.9	1.33	8.0	1.05	7.9	0.64	6.4		
06	00	1.19	7.5	0.88	7.1	0.69	6.8	0.42	5.0	NNW	340
	02	0.92	6.5	0.81	6.8	0.68	7.0	0.42	5.3	NNW	344
	04	1.03	7.5	0.83	6.8	0.68	6.8	0.41	5.1	N	4
	06	0.95	6.5	0.72	6.1	0.56	6.3	0.35	4.7	NNW	335
	08	1.02	6.2	0.66	6.6	0.53	6.3	0.33	4.7	N	356
	10	0.95	6.4	0.70	6.5	0.56	6.3	0.35	4.5	NNW	344
	12	0.91	6.4	0.77	5.8	0.63	5.9	0.41	4.6	NNW	340
	14	2.03	4.8	1.26	5.4	1.01	5.2	0.65	4.1	NNW	348
	16	1.68	5.0	1.21	5.4	0.96	5.1	0.61	3.9	N	4
	18	1.88	5.6	1.53	5.5	1.23	5.5	0.77	4.5	NNW	340
	20	* 2.38	5.9	* 1.59	5.8	* 1.27	5.8	* 0.77	4.8	N	0
	22	1.93	5.6	1.54	5.7	1.20	5.6	0.71	4.4	N	0
	最大	2.38	5.9	1.59	5.8	1.27	5.8	0.77	4.8		
	平均	1.41	6.2	1.04	6.1	0.83	6.1	0.52	4.6		
07	00	1.90	5.2	1.48	5.8	1.20	5.7	0.74	4.6	NNE	25
	02	1.81	5.4	* 1.49	6.2	* 1.21	6.1	* 0.77	4.9	NNW	344
	04	* 2.05	5.6	1.39	5.8	1.08	6.0	0.67	4.9	NNW	327
	06	1.57	6.5	1.27	6.3	1.06	6.2	0.68	4.9	NW	311
	08	1.80	5.1	1.26	6.3	0.98	6.5	0.61	5.3	N	352
	10	1.70	5.8	1.26	7.4	1.03	7.1	0.63	5.6	NW	323
	12	1.34	7.6	1.13	7.5	0.92	7.4	0.59	6.0	NW	323
	14	1.45	7.4	1.12	7.1	0.93	7.2	0.58	5.9	NNW	344
	16	1.31	7.2	0.99	7.4	0.82	7.4	0.51	5.4	NNW	327
	18	1.35	7.0	0.94	7.1	0.76	7.2	0.47	5.6	NNW	331
	20	1.05	7.2	0.79	7.2	0.64	6.9	0.41	5.4	NNW	344
	22	1.06	6.7	0.88	7.1	0.74	7.2	0.47	5.7	NNW	335
	最大	2.05	5.6	1.49	6.2	1.21	6.1	0.77	4.9		
	平均	1.53	6.4	1.17	6.8	0.95	6.7	0.59	5.4		
08	00	1.40	5.3	0.95	6.4	0.75	6.2	0.47	4.6	NNW	344
	02	1.09	6.7	0.83	6.6	0.66	6.4	0.41	4.6	NNW	344
	04	1.09	5.6	0.82	6.3	0.68	6.1	0.42	4.3	N	4
	06	3.04	5.0	2.33	5.0	1.91	5.1	1.20	4.3	NNW	340
	08	* 5.31	7.3	* 3.80	7.8	* 3.05	7.5	* 1.91	6.0	NW	307
	10	4.22	7.5	3.55	7.8	2.90	7.5	1.85	6.1	NNW	335
	12	4.46	7.8	3.45	7.5	2.75	7.4	1.70	5.9	NNW	348
	14	4.23	7.7	3.05	7.1	2.36	6.7	1.52	5.5	N	352
	16	4.40	6.6	3.04	6.6	2.40	6.7	1.53	5.4	WNW	282
	18	3.26	6.6	2.57	6.9	2.06	6.5	1.27	5.2	NNW	331
	20	2.56	5.5	2.09	6.8	1.70	6.4	1.03	5.0	NNW	340
	22	2.95	7.9	2.31	7.1	1.80	7.0	1.16	5.6	NW	319
	最大	5.31	7.3	3.80	7.8	3.05	7.5	1.91	6.0		
	平均	3.17	6.6	2.40	6.8	1.92	6.6	1.21	5.2		
09	00	2.44	8.4	1.92	7.4	1.51	7.2	0.94	5.4	NW	315
	02	2.92	6.8	1.94	7.5	1.50	7.2	0.92	5.6	NNW	331
	04	2.23	8.1	1.71	7.9	1.36	7.6	0.83	6.0	NW	315
	06	1.86	7.2	1.45	7.5	1.16	7.6	0.72	5.9	NNW	335
	08	1.74	7.5	1.30	7.6	1.00	7.4	0.58	5.5	NNW	340
	10	1.77	7.7	1.44	7.5	1.17	7.5	0.76	6.6	NNW	348
	12	1.44	7.2	1.17	7.0	0.95	7.1	0.62	6.2	NNW	344
	14	2.71	4.1	1.90	5.0	1.50	5.0	0.95	4.1	WNW	303
	16	2.83	4.8	2.33	5.6	1.86	5.4	1.20	4.6	WNW	286
	18	* 4.35	6.5	* 3.08	6.4	* 2.40	6.3	* 1.51	5.3	W	278
	20	2.89	6.0	2.50	6.0	2.00	5.8	1.24	4.9	WNW	295
	22	3.01	6.2	2.28	6.2	1.82	6.1	1.12	4.7	NW	315

		最大	4.35	6.5	3.08	6.4	2.40	6.3	1.51	5.3		
		平均	2.52	6.7	1.92	6.8	1.52	6.7	0.95	5.4		
10	00		2.57	5.7	1.89	5.6	1.54	5.7	1.00	4.6	NW	319
	02		2.45	5.8	1.70	5.7	1.38	5.6	0.88	4.7	NW	307
	04		2.36	6.1	2.00	5.9	1.62	6.0	1.02	5.0	NW	319
	06		3.30	7.4	2.19	6.2	1.71	6.1	1.05	4.7	WNW	303
	08		2.57	7.1	1.78	6.2	1.42	6.4	0.88	4.8	WNW	299
	10		3.01	5.3	2.36	6.0	1.89	6.1	1.22	4.9	WNW	286
	12		3.53	6.9	2.81	5.9	2.18	5.9	1.32	4.7	WNW	286
	14		3.75	6.6	2.85	6.2	2.27	6.1	* 1.43	5.0	NNW	331
	16		3.74	7.0	* 2.90	7.0	* 2.28	6.7	1.41	5.2	NW	319
	18	* 4.47	6.0	2.50	2.50	6.9	1.98	6.6	1.25	5.1	NW	307
	20	2.62	7.3	2.13	2.13	6.7	1.69	6.6	1.06	5.2	NNW	327
	22	2.61	6.5	1.95	1.95	7.0	1.55	6.9	0.98	5.5	NW	319
	最大		4.47	6.0	2.90	7.0	2.28	6.7	1.43	5.0		
	平均		3.08	6.5	2.26	6.3	1.79	6.2	1.13	5.0		
11	00		2.66	8.4	2.17	7.5	1.70	7.7	1.09	6.3	NW	323
	02		4.60	5.6	2.72	6.8	2.10	6.4	1.36	5.1	NNW	331
	04		4.25	5.7	3.09	6.4	2.51	6.7	1.64	5.5	NNW	335
	06		5.15	5.5	3.50	6.4	2.77	6.5	1.69	5.3	NW	323
	08		3.68	6.4	2.50	7.2	2.01	7.0	1.26	5.5	WNW	295
	10		2.52	6.4	2.03	6.1	1.62	6.2	1.05	4.8	NW	319
	12		3.24	5.6	2.21	5.8	1.76	5.8	1.17	4.7	WNW	295
	14		3.10	5.3	2.56	5.9	2.05	5.9	1.28	4.6	W	278
	16	* 6.07	6.7	* 4.03	7.4	* 3.25	7.5	* 2.05	6.0	6.0	WNW	299
	18	3.90	6.9	2.84	7.1	2.23	6.6	6.6	1.35	5.1	WNW	299
	20	4.19	6.2	2.98	6.7	2.29	6.4	6.4	1.38	5.0	NW	315
	22	4.47	6.3	3.25	6.6	2.56	6.7	6.7	1.63	5.5	NNW	327
	最大		6.07	6.7	4.03	7.4	3.25	7.5	2.05	6.0		
	平均		3.99	6.3	2.82	6.7	2.24	6.6	1.41	5.3		
12	00	* 4.98	6.7	3.62	7.2	2.95	6.9	6.9	1.86	5.7	NNW	348
	02	4.69	7.6	3.58	7.1	2.74	6.8	6.8	1.70	5.5	NNW	340
	04	4.66	8.0	* 3.76	8.2	* 3.01	7.8	7.8	* 1.89	6.2	NW	323
	06	4.48	7.3	3.42	7.1	2.80	7.4	7.4	1.78	5.9	WNW	295
	08	4.81	7.8	3.18	7.3	2.52	7.1	7.1	1.60	5.7	NNW	331
	10	3.32	8.2	2.82	7.5	2.34	7.3	7.3	1.47	5.8	不明	
	12	3.00	8.3	2.69	7.7	2.24	7.7	7.7	1.41	6.0	NNW	335
	14	3.14	7.9	2.53	8.2	2.00	7.8	7.8	1.24	6.0	NNW	335
	16	2.68	7.0	2.19	8.2	1.77	8.3	8.3	1.12	5.8	NNW	335
	18	3.39	8.1	2.13	8.0	1.69	7.9	7.9	1.07	5.8	NNW	331
	20	2.32	8.0	1.84	7.7	1.54	7.5	7.5	0.97	5.7	NW	323
	22	3.26	7.0	2.28	7.7	1.73	7.5	7.5	1.07	5.5	NNW	340
	最大		4.98	6.7	3.76	8.2	3.01	7.8	1.89	6.2		
	平均		3.73	7.7	2.84	7.7	2.28	7.5	1.43	5.8		
13	00		2.82	8.4	2.28	7.7	1.74	7.3	1.07	5.2	NNW	348
	02		2.78	7.5	2.19	7.5	1.79	7.7	* 1.15	6.0	NNW	340
	04		3.36	7.8	2.34	7.4	* 1.86	6.8	1.13	5.2	NNW	344
	06		2.57	8.0	1.98	6.8	1.59	6.8	0.98	5.2	NNW	327
	08		3.03	7.5	2.24	6.6	1.80	6.7	1.14	5.1	NNW	331
	10		3.31	5.5	* 2.35	6.7	1.82	6.9	1.14	5.4	NW	323
	12		2.46	6.8	2.13	7.0	1.72	7.3	1.13	6.3	NW	315
	14		2.62	7.7	2.07	7.7	1.68	7.4	1.06	6.0	NNW	335
	16		2.47	7.3	1.97	7.8	1.62	7.8	1.05	6.1	NNW	331
	18	* 3.40	7.5	2.28	8.0	1.74	7.9	7.9	1.08	6.2	NNW	331
	20	2.24	6.7	1.76	7.8	1.39	7.6	7.6	0.87	6.1	NNW	331
	22	2.04	7.2	1.50	7.2	1.17	7.3	7.3	0.74	5.9	NNW	331
	最大		3.40	7.5	2.35	6.7	1.86	6.8	1.15	6.0		
	平均		2.76	7.3	2.09	7.4	1.66	7.3	1.05	5.7		
14	00		1.69	8.3	1.47	7.7	1.21	7.7	0.76	6.1	NNW	340
	02		2.61	9.0	1.94	8.4	1.54	8.1	0.97	6.7	NNW	331
	04		3.10	6.5	2.24	7.2	1.83	7.3	1.17	6.0	NNW	331
	06		3.06	6.8	2.41	7.0	1.95	7.1	1.23	5.7	NNW	331
	08		3.29	7.1	2.45	7.2	2.00	7.2	1.23	5.8	NNW	335
	10		2.80	6.8	2.33	6.9	1.85	7.4	1.21	6.1	NNW	331
	12		2.97	6.7	2.22	7.3	1.81	7.3	1.14	6.0	NNW	331
	14		2.38	6.5	1.97	7.2	1.61	7.1	1.05	5.6	NNW	335

	16	2.61	7.8	2.02	7.5	1.59	7.0	0.97	5.1	NNW	331
	18	2.83	6.1	1.93	6.7	1.52	6.5	0.94	5.3	N	356
	20	2.20	6.8	1.71	6.6	1.39	6.8	0.88	5.5	NNW	340
	22	* 3.71	6.6	* 2.54	6.7	* 2.06	6.5	* 1.32	5.5	NW	323
	最大	3.71	6.6	2.54	6.7	2.06	6.5	1.32	5.5		
	平均	2.77	7.1	2.10	7.2	1.70	7.2	1.07	5.8		
	15	00	3.04	6.3	2.55	6.6	* 2.02	6.4	* 1.25	NNW	335
		02	3.53	5.5	* 2.58	6.8	2.01	6.3	1.24	NW	319
		04	3.16	6.8	2.40	6.6	1.96	6.5	1.24	NNW	331
		06	3.03	6.0	2.18	6.8	1.81	6.2	1.13	NW	323
		08	3.46	5.0	2.50	6.4	1.94	6.2	1.18	NW	323
		10	3.04	5.8	2.23	6.3	1.72	6.2	1.08	NW	323
		12	2.50	7.0	2.02	6.9	1.61	6.8	1.01	NNW	335
		14	2.04	7.6	1.64	6.7	1.31	6.2	0.84	NW	319
		16	2.15	6.3	1.69	6.5	1.36	6.3	0.88	WNW	303
		18	* 3.57	5.6	2.19	6.2	1.68	6.4	1.04	NW	323
		20	2.28	5.6	1.92	6.6	1.59	6.5	1.03	NNW	340
		22	2.26	6.3	1.63	6.9	1.31	6.8	0.81	NNW	340
	最大	3.57	5.6	2.58	6.8	2.02	6.4	1.25	5.0		
		平均	2.84	6.2	2.13	6.6	1.69	6.4	1.06	5.0	
	16	00	2.06	6.7	1.49	7.0	1.17	6.7	0.71	NNW	340
		02	1.36	7.2	1.10	6.6	0.88	6.2	0.53	NNW	344
		04	1.61	6.9	1.07	5.9	0.85	6.0	0.54	NNW	331
		06	2.01	6.6	1.26	6.7	0.95	6.4	0.56	WNW	299
		08	3.77	5.8	2.79	6.2	2.15	5.9	1.32	WNW	290
		10	4.58	5.6	3.38	6.1	2.68	6.1	1.73	WNW	282
		12	* 5.51	7.6	* 4.19	7.9	* 3.30	7.7	* 2.11	NW	307
		14	4.49	7.4	3.52	8.1	2.82	7.8	1.73	NNW	327
		16	4.13	8.2	3.28	6.9	2.57	6.7	1.62	NNW	335
		18	4.34	5.4	2.86	6.4	2.31	6.8	1.51	NNW	344
		20	3.73	7.6	3.01	6.8	2.47	6.6	1.60	NNW	340
		22	3.48	7.3	2.73	6.8	2.24	6.8	1.42	NNW	340
	最大	5.51	7.6	4.19	7.9	3.30	7.7	2.11	6.4		
		平均	3.42	6.9	2.56	6.8	2.03	6.6	1.28	5.2	
	17	00	* 3.92	6.8	* 2.51	6.6	* 1.96	6.4	* 1.27	WNW	299
		02	3.50	6.4	2.29	6.4	1.87	6.5	1.19	NNW	340
		04	3.52	6.5	2.37	6.4	1.94	6.2	1.21	NNW	327
		06	3.00	6.2	2.28	6.1	1.82	5.9	1.16	NNW	331
		08	2.20	5.4	1.70	6.1	1.39	5.9	0.87	NNW	340
		10	2.48	7.2	1.64	6.2	1.31	6.0	0.82	NNW	327
		12	1.90	8.0	1.59	5.8	1.34	5.8	0.86	NNW	335
		14	2.43	6.9	1.74	5.7	1.35	5.7	0.86	NNW	327
		16	1.97	6.7	1.59	5.8	1.28	5.6	0.83	NNW	331
		18	2.17	7.8	1.84	7.7	1.49	7.3	0.93	NNW	335
		20	2.47	5.6	1.67	7.2	1.31	7.1	0.81	NNW	340
		22	1.62	7.0	1.26	6.9	1.01	6.7	0.62	NNW	335
	最大	3.92	6.8	2.51	6.6	1.96	6.4	1.27	5.2		
		平均	2.60	6.7	1.87	6.4	1.51	6.3	0.95	4.9	
	18	00	1.28	6.0	1.04	6.8	0.84	6.7	0.52	NNW	331
		02	1.48	6.1	1.23	5.3	1.00	5.4	0.63	WNW	295
		04	1.94	4.6	1.50	5.5	1.20	5.4	0.77	WNW	299
		06	2.42	5.7	1.56	5.9	1.25	5.8	0.80	WNW	299
		08	2.01	6.1	1.60	6.2	1.29	6.1	0.77	NW	323
		10	2.03	7.5	1.55	6.1	1.27	6.1	0.81	NW	319
		12	2.14	5.7	1.82	6.0	1.53	6.0	1.02	WNW	299
		14	2.89	5.8	2.28	5.6	* 1.87	5.5	1.14	WNW	290
		16	3.28	5.7	* 2.29	5.9	1.84	5.7	* 1.21	WNW	290
		18	* 3.74	5.5	2.24	5.3	1.77	5.2	1.13	WNW	290
		20	2.17	5.3	1.85	5.6	1.50	5.4	0.96	WNW	295
		22	2.24	4.8	1.77	5.0	1.47	5.1	0.93	WNW	303
	最大	3.74	5.5	2.29	5.9	1.87	5.5	1.21	4.7		
		平均	2.30	5.7	1.73	5.8	1.40	5.7	0.89	4.6	
	19	00	1.90	5.5	1.47	5.5	1.23	5.8	0.79	NW	323
		02	3.17	4.6	2.05	5.4	1.68	5.0	1.10	NNW	327
		04	2.79	5.1	2.26	5.3	* 1.86	5.4	* 1.22	NW	319
		06	* 3.66	5.5	2.13	5.6	1.59	5.4	0.98	WNW	295
		08	2.10	5.9	1.76	5.6	1.47	5.5	0.96	NW	315
		10	2.21	5.4	1.54	5.5	1.25	5.5	0.81	NNW	335

	12	2.40	4.9	1.78	5.0	1.43	5.0	0.94	4.2	NNW	335	
	14	2.51	5.0	1.73	5.3	1.38	4.9	0.87	4.1	NW	319	
	16	3.00	4.7	1.96	5.1	1.59	5.2	1.02	4.4	NW	319	
	18	3.40	5.1	* 2.33	5.1	1.84	5.2	1.12	4.4	NNW	340	
	20	2.47	5.4	1.74	5.1	1.46	5.2	0.97	4.3	NNW	344	
	22	2.45	5.3	1.85	5.5	1.48	5.4	0.95	4.4	NW	319	
	最大											
		3.66	5.5	2.33	5.1	1.86	5.4	1.22	4.5			
	平均											
		2.67	5.2	1.88	5.3	1.52	5.3	0.98	4.4			
	20	00	* 2.65	5.9	* 1.98	5.8	* 1.54	5.9	* 0.96	4.7	NNW	327
		02	2.49	5.2	1.78	6.0	1.45	6.1	0.89	4.8	NW	323
		04	1.82	6.4	1.52	6.3	1.23	5.9	0.78	4.7	N	0
		06	1.74	6.3	1.48	6.3	1.20	5.7	0.76	4.5	NNW	348
08		1.81	5.7	1.34	5.9	1.09	5.7	0.69	4.2	N	0	
10		1.71	6.3	1.33	6.0	1.06	5.6	0.67	4.1	NNW	344	
12		1.46	6.1	1.22	5.5	0.97	5.5	0.61	4.2	NNW	344	
		1.39	4.7	1.01	5.8	0.81	5.3	0.50	4.0	NNW	348	
14		1.45	6.8	1.12	6.2	0.87	5.8	0.55	4.4	NNW	348	
16		1.54	5.3	1.15	6.3	0.92	6.3	0.57	4.8	N	352	
18		1.33	6.9	1.03	6.6	0.85	6.5	0.54	5.2	NNW	335	
20		1.35	7.0	1.09	6.6	0.90	6.7	0.57	5.5	NNW	340	
最大		2.65	5.9	1.98	5.8	1.54	5.9	0.96	4.7			
		1.73	6.1	1.34	6.1	1.07	5.9	0.67	4.6			
21	00	1.73	6.7	1.17	6.9	0.93	6.8	0.57	5.6	NNW	344	
	02	1.69	7.7	1.32	7.0	1.04	7.0	0.65	6.1	NNW	344	
	04	1.31	6.5	1.02	6.7	0.80	6.9	0.50	5.5	NNW	344	
	06	1.01	6.5	0.85	6.7	0.70	6.7	0.45	5.4	NNW	348	
	08	0.95	6.5	0.80	6.6	0.67	6.5	0.41	5.2	N	352	
	10	1.12	6.7	0.83	6.5	0.64	6.5	0.39	5.2	NNW	344	
	12	0.89	7.5	0.64	6.3	0.52	6.3	0.33	5.2	N	352	
		0.79	6.8	0.61	6.3	0.47	6.5	0.30	5.1	N	352	
	14	0.74	6.9	0.59	6.6	0.47	6.6	0.29	5.3	NNW	348	
	16	0.66	5.0	0.49	6.4	0.41	6.3	0.26	5.0	N	4	
	18	1.93	4.1	1.47	4.4	1.20	4.5	0.76	3.8	W	274	
	20	* 2.64	4.1	* 1.67	4.6	* 1.34	4.5	* 0.86	4.0	WNW	290	
	最大	2.64	4.1	1.67	4.6	1.34	4.5	0.86	4.0			
		1.29	6.3	0.96	6.3	0.77	6.3	0.48	5.1			
22	00	* 2.85	4.1	* 2.09	4.7	* 1.61	4.7	* 1.02	4.1	W	274	
	02	2.21	4.6	1.70	4.8	1.35	4.6	0.87	4.1	WSW	237	
	04	1.84	5.0	1.41	4.5	1.12	4.6	0.70	3.8	WNW	282	
	06	1.59	4.4	1.09	4.3	0.88	4.2	0.56	3.5	WSW	244	
	08	1.28	4.6	0.98	4.5	0.78	4.5	0.49	3.8	NW	307	
	10	1.49	5.9	1.03	5.7	0.81	5.3	0.51	4.3	NW	323	
	12	1.70	6.2	1.17	6.1	0.92	6.0	0.58	4.9	NNW	344	
		1.59	5.6	1.07	6.2	0.84	6.0	0.50	4.7	NNW	340	
	14	1.17	5.8	0.87	6.0	0.70	6.1	0.44	4.8	NNW	344	
	16	1.22	5.9	0.86	5.8	0.66	5.8	0.42	4.9	NNW	340	
	18	1.06	6.0	0.76	6.1	0.58	5.9	0.35	4.6	NNW	331	
	20	0.70	5.8	0.56	5.8	0.46	5.6	0.31	4.8	NNW	335	
	最大	2.85	4.1	2.09	4.7	1.61	4.7	1.02	4.1			
		1.56	5.3	1.13	5.4	0.89	5.3	0.56	4.4			
23	00	0.78	5.2	0.53	5.6	0.42	5.5	0.27	4.4	N	356	
	02	0.71	4.3	0.59	5.1	0.48	5.1	0.30	4.0	NNW	327	
	04	0.68	4.9	0.52	4.8	0.41	5.1	0.26	3.9	NNW	335	
	06	0.74	5.4	0.54	5.1	0.43	5.2	0.27	4.0	NNW	344	
	08	0.70	4.9	0.52	5.4	0.42	5.0	0.26	4.1	NNW	335	
	10	0.77	5.4	0.57	5.3	0.47	5.5	0.30	4.6	NNW	335	
	12	0.69	5.1	0.48	5.4	0.40	5.3	0.26	4.4	NNW	327	
		0.70	5.8	0.57	5.6	0.45	5.6	0.28	4.5	N	4	
	14	0.84	5.0	0.60	5.6	0.49	5.6	0.30	4.2	NNW	340	
	16	0.96	5.6	0.64	5.6	0.47	5.4	0.27	3.9	N	356	
	18	1.31	3.6	0.89	3.8	0.71	3.8	0.45	3.2	WSW	250	
	20	* 1.69	4.8	* 1.24	4.8	* 0.97	4.9	* 0.61	4.2	NNE	12	
	最大	1.69	4.8	1.24	4.8	0.97	4.9	0.61	4.2			
		0.88	5.0	0.64	5.2	0.51	5.2	0.32	4.1			
24	00	2.26	4.9	1.92	5.5	1.54	5.4	0.96	4.5	N	4	
	02	2.29	5.8	1.69	5.9	1.40	6.0	0.89	5.1	NNW	348	

	04	2.16	6.3	1.62	6.0	1.30	5.8	0.82	4.6	NNE	12
	06	1.93	5.0	1.66	5.6	1.30	5.9	0.85	5.2	NNE	12
	08	2.07	5.4	1.78	5.9	1.46	5.9	0.93	5.2	N	0
	10	2.58	5.2	2.06	6.3	1.68	6.0	1.06	5.2	N	8
	12	3.13	6.0	* 2.43	6.4	* 1.97	6.3	* 1.29	5.5	N	4
	14	* 3.18	6.5	2.35	6.5	1.86	6.4	1.19	5.4	N	356
	16	2.42	6.5	2.02	6.5	1.68	6.5	1.03	5.1	NNW	348
	18	2.62	6.0	2.14	6.3	1.73	6.5	1.09	5.4	NNW	348
	20	2.64	5.6	1.90	6.1	1.50	6.2	0.92	5.0	N	0
	22	2.64	6.1	1.79	6.2	1.43	6.2	0.90	4.9	W	270
	最大	3.18	6.5	2.43	6.4	1.97	6.3	1.29	5.5		
	平均	2.49	5.8	1.95	6.1	1.57	6.1	0.99	5.1		
25	00	2.89	5.2	1.86	6.1	1.45	6.1	0.89	4.7	N	352
	02	2.72	6.6	2.29	5.8	1.94	5.9	1.24	5.0	N	356
	04	3.33	6.3	2.53	6.0	2.00	6.2	1.28	5.1	NNW	331
	06	3.59	6.1	2.83	6.0	2.22	5.9	1.34	4.9	NNW	340
	08	3.50	7.3	2.73	6.1	2.20	6.0	1.42	4.9	NNW	340
	10	3.31	6.2	2.59	6.2	2.05	6.3	1.27	4.9	WNW	286
	12	3.39	6.1	2.65	6.4	2.14	6.3	1.37	5.1	N	356
	14	3.64	5.2	2.68	6.6	2.08	6.6	1.30	5.1	N	0
	16	3.80	5.0	2.82	5.8	2.18	6.0	1.34	4.7	NW	315
	18	4.67	6.7	3.56	6.4	2.88	6.2	1.80	5.3	NNW	335
	20	6.39	7.3	4.97	7.2	3.85	7.2	2.27	5.9	WNW	303
	22	* 6.67	7.9	* 5.03	7.9	* 4.04	8.0	* 2.63	6.7	WNW	290
	最大	6.67	7.9	5.03	7.9	4.04	8.0	2.63	6.7		
	平均	3.99	6.3	3.05	6.4	2.42	6.4	1.51	5.2		
26	00	* 6.69	9.0	* 5.35	9.3	* 4.23	8.8	* 2.67	6.9	NW	311
	02	5.77	7.8	4.49	9.1	3.74	8.8	2.42	6.9	NNW	327
	04	4.91	8.6	3.82	8.7	3.05	8.0	1.85	6.0	NNW	327
	06	4.39	8.6	3.35	7.8	2.72	7.9	1.65	5.8	NNW	335
	08	3.67	5.2	2.85	7.5	2.26	7.3	1.45	5.5	NW	323
	10	3.94	8.3	3.01	7.7	2.45	7.2	1.55	5.7	NNW	327
	12	4.01	7.9	2.94	8.1	2.29	7.4	1.46	5.6	NNW	327
	14	3.83	6.4	2.74	7.4	2.27	8.2	1.48	6.4	NNW	331
	16	4.43	8.3	3.07	8.8	2.51	8.5	1.55	6.1	NNW	331
	18	3.43	10.4	2.64	8.4	2.08	7.9	1.26	5.9	NNW	344
	20	3.00	7.7	2.38	8.1	1.88	8.1	1.14	5.8	NNW	327
	22	2.32	7.0	2.04	8.0	1.68	8.2	1.08	6.5	NNW	348
	最大	6.69	9.0	5.35	9.3	4.23	8.8	2.67	6.9		
	平均	4.20	7.9	3.22	8.2	2.60	8.0	1.63	6.1		
27	00	* 2.47	8.0	* 2.01	7.9	* 1.68	8.3	* 1.05	6.5	NNW	331
	02	2.11	7.9	1.77	7.9	1.43	7.8	0.90	6.0	NNW	348
	04	2.27	8.1	1.89	8.0	1.46	7.7	0.87	6.0	NNW	340
	06	2.01	7.1	1.57	7.6	1.29	7.2	0.80	5.6	NNW	344
	08	2.05	7.4	1.46	7.5	1.15	7.3	0.72	5.8	NNW	331
	10	1.90	7.0	1.39	7.5	1.14	7.3	0.71	6.0	N	0
	12	1.58	6.8	1.34	7.1	1.11	6.9	0.72	5.6	NNW	344
	14	1.77	6.6	1.42	6.8	1.11	6.5	0.67	5.2	NNW	340
	16	1.32	6.6	1.11	6.5	0.89	6.4	0.55	5.1	NNW	335
	18	1.34	6.2	1.00	6.2	0.85	6.3	0.55	5.2	N	356
	20	1.40	5.9	0.99	6.3	0.79	6.2	0.49	5.0	NNW	327
	22	1.16	5.7	0.87	6.1	0.68	6.4	0.43	5.3	NNW	344
	最大	2.47	8.0	2.01	7.9	1.68	8.3	1.05	6.5		
	平均	1.78	6.9	1.40	7.1	1.13	7.0	0.71	5.6		
28	00	0.83	7.0	0.73	6.3	0.60	6.2	0.38	5.1	NNW	340
	02	0.72	6.0	0.61	6.2	0.49	6.2	0.32	5.2	NNW	331
	04	0.77	6.2	0.55	6.1	0.41	5.9	0.24	4.2	NNW	348
	06	0.61	5.3	0.48	5.7	0.38	5.5	0.25	4.0	N	352
	08	0.54	6.8	0.41	5.9	0.33	5.9	0.21	4.7	NW	323
	10	0.75	5.6	0.48	5.8	0.38	5.7	0.23	4.2	NW	323
	12	1.01	5.5	0.70	5.7	0.55	5.6	0.34	4.5	WNW	295
	14	1.48	5.0	1.16	5.7	0.90	5.6	0.56	4.9	NW	311
	16	1.34	4.9	0.98	5.8	0.78	5.9	0.50	4.7	NW	311
	18	* 2.01	4.9	* 1.44	5.2	* 1.14	5.4	* 0.73	4.4	NW	315
	20	1.76	4.0	1.29	4.4	1.05	4.6	0.67	3.8	WNW	286
	22	1.54	4.6	1.09	4.7	0.89	4.6	0.57	3.8	NW	307
	最大	2.01	4.9	1.44	5.2	1.14	5.4	0.73	4.4		

	平均	1.11	5.5	0.83	5.6	0.66	5.6	0.42	4.5	
月最大		7.79	8.8	5.55	8.4	4.37	10.1	2.77	7.4	
起時		0316		0308		0318		0318		
平均		2.73	6.7	2.06	6.8	1.65	6.7	1.03	5.3	

* は日最大波高を示す

波浪整理表（1）

2001年 3月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	372 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.36	6.1	1.09	4.9	0.88	4.7	0.57	4.0	NW	315
	02	1.40	4.8	1.03	5.2	0.82	5.2	0.51	4.2	NNW	331
	04	1.60	5.0	1.21	4.5	0.96	4.5	0.62	3.9	NW	315
	06	1.68	4.5	1.22	4.9	0.95	5.0	0.59	4.3	NNW	327
	08	1.63	5.5	1.22	5.6	1.00	5.6	0.63	4.5	NNW	331
	10	1.58	4.6	1.29	5.3	1.04	5.3	0.67	4.1	NNW	335
	12	1.70	5.1	1.30	5.6	1.06	5.6	0.65	4.4	NNW	340
	14	1.70	5.5	1.34	5.3	1.05	5.4	0.68	4.5	N	352
	16	1.86	6.1	1.42	5.4	1.11	5.5	0.72	4.6	NNW	344
	18	1.96	6.1	1.46	5.7	1.15	5.8	0.73	4.8	N	352
	20	* 2.60	4.9	* 1.63	5.4	* 1.31	5.5	* 0.85	4.7	NNW	344
	22	1.73	5.6	1.47	5.9	1.22	5.9	0.83	5.1	NNW	331
	最大	2.60	4.9	1.63	5.4	1.31	5.5	0.85	4.7		
	平均	1.73	5.3	1.31	5.3	1.05	5.3	0.67	4.4		
02	00	1.73	5.5	1.41	5.6	1.14	5.6	0.71	4.4	N	356
	02	1.96	5.8	1.38	5.8	1.12	5.5	0.71	4.2	N	352
	04	2.50	4.0	1.78	5.1	1.41	5.1	0.89	4.2	NNW	340
	06	2.67	5.2	2.16	5.4	1.74	5.4	1.08	4.3	NNW	344
	08	2.58	5.1	2.06	5.5	1.72	5.6	1.10	4.7	NNW	348
	10	2.71	4.9	2.08	5.1	1.66	5.3	1.05	4.4	NNW	340
	12	2.92	4.2	2.36	5.5	* 1.98	5.6	* 1.29	4.7	WNW	295
	14	* 3.61	4.8	* 2.52	5.3	1.97	5.5	1.25	4.7	NNW	331
	16	3.32	5.5	2.40	5.5	1.94	5.7	1.19	4.5	NNW	335
	18	3.13	5.3	2.35	5.4	1.87	5.5	1.17	4.6	NNW	331
	20	3.37	5.8	2.38	6.1	1.83	5.9	1.11	4.6	NNW	340
	22	2.37	6.1	1.86	6.2	1.50	6.2	0.97	4.9	N	0
	最大	3.61	4.8	2.52	5.3	1.98	5.6	1.29	4.7		
	平均	2.74	5.2	2.06	5.5	1.66	5.6	1.04	4.5		
03	00	* 2.08	6.7	1.53	6.4	1.23	6.2	0.75	4.8	NW	311
	02	2.01	5.6	* 1.57	6.4	* 1.26	6.2	* 0.80	5.1	NNW	340
	04	1.89	6.1	1.48	6.1	1.18	6.3	0.75	5.1	NNW	331
	06	1.49	6.8	1.09	6.0	0.87	5.9	0.54	4.6	NW	323
	08	1.44	5.5	1.00	5.8	0.78	5.9	0.47	4.3	NNW	348
	10	1.24	4.4	0.97	5.6	0.79	5.6	0.51	4.7	N	352
	12	1.38	6.2	1.03	6.1	0.82	6.0	0.50	4.7	WNW	290
	14	1.06	6.4	0.91	6.0	0.73	6.0	0.47	5.0	NW	323
	16	1.02	6.6	0.76	6.0	0.60	5.8	0.37	4.6	NNW	331
	18	0.88	5.5	0.67	6.1	0.51	5.9	0.33	4.7	NW	323
	20	0.90	5.8	0.60	6.1	0.48	5.7	0.29	4.5	N	352
	22	0.76	5.7	0.54	6.0	0.43	5.8	0.27	4.5	NNW	331
	最大	2.08	6.7	1.57	6.4	1.26	6.2	0.80	5.1		
	平均	1.35	5.9	1.01	6.1	0.81	5.9	0.50	4.7		
04	00	0.84	2.3	0.53	3.7	0.43	3.4	0.29	2.7	NNE	26
	02	1.18	2.7	0.81	2.7	0.63	2.8	0.42	2.7	W	260
	04	0.74	2.0	0.52	2.7	0.40	2.7	0.25	2.4	W	262
	06	0.69	2.0	0.50	2.5	0.40	2.7	0.25	2.5	WSW	257
	08	0.62	2.6	0.44	2.9	0.35	3.0	0.23	2.6	WNW	285
	10	1.84	3.5	1.19	3.5	0.93	3.5	0.57	3.1	NW	325
	12	3.53	5.7	2.60	5.4	2.03	5.4	1.26	4.5	WNW	286
	14	3.80	5.5	* 3.01	5.8	* 2.38	5.9	* 1.56	5.0	W	278
	16	3.15	6.2	2.54	5.8	2.11	5.8	1.37	4.9	W	278
	18	3.53	4.8	2.21	5.1	1.75	5.1	1.10	4.3	W	270
	20	* 4.10	5.8	2.51	5.8	1.96	5.6	1.21	4.5	W	278
	22	3.42	4.9	2.38	5.7	1.94	5.8	1.23	4.7	NW	323
	最大	4.10	5.8	3.01	5.8	2.38	5.9	1.56	5.0		

	平均	2.29	4.0	1.60	4.3	1.28	4.3	0.81	3.7		
05	00	2.98	6.2	2.31	6.0	1.89	5.8	1.23	4.8	WNW	303
	02	2.99	7.1	2.50	6.3	2.04	6.4	1.29	5.0	WNW	286
	04	5.00	6.0	3.01	6.5	2.41	6.4	1.47	5.0	NW	315
	06	5.07	7.2	3.34	6.9	2.60	6.9	1.67	5.6	WNW	286
	08	5.62	7.2	4.36	7.9	3.40	7.5	2.12	6.0	NW	323
	10	6.86	7.8	5.10	7.9	4.16	8.1	2.75	6.8	W	270
	12	7.06	6.6	5.10	8.1	4.09	7.9	2.61	6.7	不明	
	14	7.29	8.5	* 5.85	8.8	* 4.87	8.6	* 3.05	7.1	W	262
	16	6.00	9.3	5.04	8.5	4.12	8.5	2.64	6.7	W	270
	18	7.66	7.5	5.28	8.6	4.20	8.3	2.59	6.7	W	274
	20	* 8.78	10.0	5.71	9.8	4.45	9.5	2.83	7.3	NNW	331
	22	5.80	12.3	4.81	9.2	4.03	9.5	2.63	7.3	NNW	340
	最大	8.78	10.0	5.85	8.8	4.87	8.6	3.05	7.1		
	平均	5.93	8.0	4.37	7.9	3.52	7.8	2.24	6.3		
06	00	6.10	9.6	5.07	9.5	4.14	9.1	* 2.55	7.0	NNW	335
	02	6.27	6.8	* 5.26	10.1	* 4.21	9.7	2.50	6.9	NNW	335
	04	* 6.71	10.7	5.01	10.2	4.05	9.8	2.49	7.2	NW	319
	06	6.31	10.0	4.53	10.2	3.79	10.3	2.36	7.5	NNW	327
	08	5.65	8.0	3.95	8.7	3.00	9.0	1.83	6.3	NW	323
	10	4.45	9.6	3.58	9.1	2.81	8.5	1.75	6.2	NW	319
	12	3.78	8.7	3.21	8.1	2.59	7.8	1.63	5.7	NNW	331
	14	3.86	9.1	2.95	8.2	2.40	8.2	1.53	6.2	NW	319
	16	3.37	11.0	2.77	9.2	2.22	8.6	1.35	6.4	NNW	331
	18	2.67	8.8	2.30	8.6	1.92	8.6	1.17	6.6	NW	323
	20	2.94	9.4	2.23	9.0	1.79	8.6	1.12	6.7	NNW	331
	22	2.47	7.3	2.00	8.3	1.61	8.4	1.04	7.0	NNW	331
	最大	6.71	10.7	5.26	10.1	4.21	9.7	2.55	7.0		
	平均	4.55	9.1	3.57	9.1	2.88	8.9	1.78	6.6		
07	00	2.10	9.3	1.51	8.5	1.28	8.3	0.83	6.6	NNW	335
	02	3.24	5.6	2.26	6.8	1.80	6.3	1.15	4.8	NNW	348
	04	3.29	6.7	2.19	6.4	1.74	6.2	1.09	4.7	NNW	327
	06	3.68	5.8	2.39	6.2	1.89	5.9	1.18	4.7	NNW	335
	08	4.27	6.2	3.07	6.0	2.38	6.2	1.50	5.1	WNW	303
	10	4.65	5.9	* 4.01	6.6	* 3.21	7.0	* 2.04	5.7	WNW	303
	12	* 4.93	7.9	3.75	6.8	3.09	6.8	1.93	5.6	WNW	290
	14	4.54	6.9	3.58	7.0	2.87	6.8	1.83	5.6	NW	315
	16	4.07	6.1	3.19	6.3	2.56	6.4	1.59	5.2	NNW	327
	18	4.42	6.0	3.30	6.5	2.66	6.5	1.66	5.5	NNW	331
	20	4.60	6.0	3.07	6.8	2.38	6.7	1.46	5.2	NNW	335
	22	3.34	6.7	2.90	6.4	2.36	6.6	1.50	5.4	NW	307
	最大	4.93	7.9	4.01	6.6	3.21	7.0	2.04	5.7		
	平均	3.93	6.6	2.94	6.7	2.35	6.6	1.48	5.3		
08	00	3.57	7.2	2.77	6.6	2.19	6.3	1.38	4.9	WNW	303
	02	3.82	6.5	2.89	6.6	2.29	6.3	1.43	5.0	NNW	327
	04	* 4.02	7.3	* 3.10	6.8	* 2.40	6.4	* 1.50	5.1	NNW	331
	06	3.40	7.6	2.54	6.2	2.03	6.1	1.25	4.8	NW	307
	08	3.50	6.8	2.85	6.4	2.29	6.7	1.46	5.2	NW	323
	10	3.70	6.8	2.75	6.6	2.21	6.3	1.37	5.0	NNW	327
	12	3.37	8.3	2.39	7.5	1.94	7.4	1.20	5.4	NNW	331
	14	2.89	7.6	2.31	7.2	1.84	7.3	1.17	5.6	NNW	327
	16	2.80	8.6	2.15	7.8	1.68	7.0	1.07	5.2	NNW	327
	18	3.32	8.9	2.34	7.9	1.85	7.5	1.14	5.5	NNW	335
	20	3.13	7.3	2.46	7.0	1.95	7.3	1.24	5.6	NNW	327
	22	2.81	9.2	2.25	7.9	1.84	7.2	1.17	5.4	NNW	331
	最大	4.02	7.3	3.10	6.8	2.40	6.4	1.50	5.1		
	平均	3.36	7.7	2.57	7.0	2.04	6.8	1.28	5.2		
09	00	2.96	6.4	2.20	7.0	1.80	6.8	1.11	5.2	NNW	331
	02	2.92	8.0	2.44	6.5	1.95	6.6	1.23	5.2	NNW	340
	04	3.20	5.3	2.70	6.1	2.20	6.0	1.39	4.8	NW	323
	06	3.69	8.0	2.88	6.1	2.30	6.0	1.44	4.9	NW	319
	08	* 4.97	6.2	* 3.15	6.2	* 2.49	6.1	* 1.63	5.3	W	278
	10	3.46	5.3	2.69	6.0	2.23	6.1	1.40	5.1	W	278
	12	2.91	6.7	2.26	7.0	1.83	6.9	1.18	5.6	NNW	331
	14	2.70	6.6	2.06	6.9	1.61	7.0	1.01	5.4	WNW	295
	16	2.64	6.9	2.10	6.5	1.70	6.9	1.06	5.2	NNW	340
	18	2.55	7.7	2.09	6.4	1.67	6.4	1.07	5.1	NW	319
	20	3.90	6.5	2.38	6.0	1.94	6.0	1.24	5.0	N	352
	22	4.55	5.7	2.60	5.7	2.03	5.9	1.29	4.9	NNW	327

		最大	4.97	6.2	3.15	6.2	2.49	6.1	1.63	5.3		
		平均	3.37	6.6	2.46	6.4	1.98	6.4	1.25	5.1		
10	00		2.79	6.7	2.20	6.2	1.74	6.2	1.07	4.7	NW	319
	02		2.69	5.7	1.93	6.4	1.56	6.3	1.01	5.2	NNW	331
	04		2.46	6.9	1.60	6.5	1.27	6.6	0.81	5.2	NNW	344
	06		2.21	5.8	1.53	6.3	1.21	6.0	0.76	4.8	NNW	331
	08		2.48	6.2	1.86	5.9	1.47	5.8	0.91	4.5	NNW	340
	10		1.78	5.7	1.56	6.5	1.28	6.3	0.82	5.0	NNW	348
	12		2.05	7.2	1.54	7.2	1.23	7.0	0.74	5.5	NNW	348
	14		1.50	6.9	1.32	7.0	1.05	6.8	0.68	5.6	NNW	331
	16		1.83	7.5	1.45	6.8	1.20	6.9	0.73	5.3	NNW	348
	18		2.53	6.8	1.92	7.0	1.52	6.8	0.91	5.0	NNW	340
	20		3.11	6.9	2.52	6.4	* 1.97	6.0	* 1.22	4.9	NNW	335
	22	* 3.44	6.0	* 2.57	6.3	1.92	6.0	1.20	5.0	5.0	NNW	344
		最大	3.44	6.0	2.57	6.3	1.97	6.0	1.22	4.9		
		平均	2.41	6.5	1.83	6.5	1.45	6.4	0.91	5.1		
11	00		2.81	5.5	2.01	5.6	1.60	5.5	1.00	4.4	NNW	340
	02		3.18	4.8	2.30	5.5	1.83	5.4	1.15	4.7	NNW	331
	04		3.29	5.3	2.40	5.9	1.85	5.7	1.18	4.7	NNW	327
	06		3.34	5.1	2.41	6.1	1.88	5.7	1.18	4.7	NNW	335
	08		3.00	5.6	2.40	5.7	1.92	5.9	1.18	4.8	NNW	331
	10		3.20	5.5	* 2.48	5.8	* 2.07	5.7	* 1.29	4.7	NNW	344
	12	* 3.45	7.6	2.47	6.7	2.00	6.4	1.27	5.1	5.1	NNW	327
	14	2.83	5.5	2.16	6.5	1.75	6.6	1.15	5.4	5.4	NNW	335
	16	2.75	6.5	2.18	7.6	1.73	6.9	1.06	5.5	5.5	NNW	331
	18	2.40	7.8	1.88	8.5	1.58	8.1	1.01	6.2	6.2	NNW	331
	20	2.39	7.3	1.96	8.1	1.58	7.5	1.02	5.8	5.8	NNW	340
	22	2.91	7.9	2.04	7.8	1.58	7.7	0.95	6.1	6.1	NNW	344
		最大	3.45	7.6	2.48	5.8	2.07	5.7	1.29	4.7		
		平均	2.96	6.2	2.22	6.7	1.78	6.4	1.12	5.2		
12	00		2.74	8.4	2.05	7.8	1.58	7.7	0.96	6.0	NNW	340
	02		2.48	7.1	1.94	7.9	1.51	7.9	0.92	6.3	NNW	335
	04		2.21	8.0	1.82	7.6	1.40	7.6	0.86	6.1	NNW	340
	06		2.42	6.9	1.78	7.6	1.40	7.3	0.87	5.9	NNW	331
	08		2.23	7.7	1.59	7.8	1.26	7.7	0.79	6.4	N	352
	10		1.73	8.0	1.33	7.4	1.06	7.5	0.68	6.1	NNW	344
	12	1.86	8.1	1.43	7.5	1.18	7.7	0.73	6.2	6.2	NNW	340
	14	1.77	7.1	1.35	7.1	1.05	7.4	0.65	6.0	6.0	N	356
	16	1.60	7.2	1.18	7.3	0.98	7.3	0.61	5.8	5.8	NNW	335
	18	1.36	6.4	1.04	7.1	0.82	7.3	0.49	5.7	5.7	N	356
	20	1.24	7.4	0.98	7.7	0.78	7.6	0.47	5.6	5.6	N	8
	22	* 2.98	5.7	* 2.25	5.2	* 1.75	5.2	* 1.12	4.4	4.4	WNW	290
		最大	2.98	5.7	2.25	5.2	1.75	5.2	1.12	4.4		
		平均	2.05	7.3	1.56	7.3	1.23	7.4	0.76	5.9		
13	00		4.76	6.2	3.47	6.2	2.82	6.4	1.82	5.5	NW	323
	02		6.25	7.1	4.36	7.2	3.46	7.2	2.24	6.2	NW	319
	04	* 7.72	6.8	* 4.58	7.5	* 3.59	7.3	* 2.25	6.0	6.0	NW	315
	06	5.16	7.2	3.87	7.4	3.16	7.8	2.08	6.2	6.2	WNW	299
	08	4.40	6.7	3.74	7.9	2.96	7.7	1.83	6.1	6.1	NNW	327
	10	4.07	8.1	3.17	8.5	2.57	8.1	1.54	6.1	6.1	NW	319
	12	3.77	7.1	2.77	8.3	2.22	8.3	1.44	6.7	6.7	NNW	327
	14	3.96	10.1	3.18	8.9	2.53	8.8	1.56	6.6	6.6	NNW	335
	16	3.88	7.6	2.65	8.7	2.18	8.0	1.36	6.2	6.2	NW	315
	18	3.97	9.6	2.79	9.2	2.17	8.6	1.29	6.1	6.1	NNW	327
	20	2.83	6.8	2.40	9.1	1.94	8.6	1.25	6.5	6.5	NNW	331
	22	2.46	9.0	2.06	8.7	1.65	8.7	1.00	6.3	6.3	NNW	344
		最大	7.72	6.8	4.58	7.5	3.59	7.3	2.25	6.0		
		平均	4.44	7.7	3.25	8.1	2.60	8.0	1.64	6.2		
14	00	* 2.19	8.0	* 1.65	7.7	* 1.32	7.6	* 0.83	6.0	6.0	NNW	327
	02	2.18	7.5	1.58	7.7	1.28	7.7	0.81	6.1	6.1	NNW	335
	04	1.72	7.2	1.36	6.9	1.07	7.0	0.68	5.7	5.7	NNW	340
	06	1.85	7.7	1.19	7.4	0.90	7.2	0.55	5.3	5.3	NNW	331
	08	1.38	6.8	1.07	7.2	0.86	6.9	0.53	5.5	5.5	NNW	331
	10	0.96	6.2	0.82	7.1	0.67	7.0	0.43	5.9	5.9	NNW	340
	12	1.06	7.0	0.75	6.3	0.60	6.5	0.39	5.5	5.5	NNW	327
	14	0.89	5.3	0.71	6.4	0.57	6.4	0.35	5.1	5.1	NNW	344

	16	0.75	5.4	0.58	5.9	0.47	5.7	0.29	4.9	NW	315	
	18	0.77	6.5	0.57	6.3	0.46	6.1	0.29	4.8	NW	323	
	20	0.84	5.6	0.65	6.1	0.49	6.1	0.30	5.0	NNW	327	
	22	0.85	6.1	0.62	5.6	0.50	5.6	0.32	4.8	NW	307	
	最大	2.19	8.0	1.65	7.7	1.32	7.6	0.83	6.0			
	平均	1.29	6.6	0.96	6.7	0.77	6.7	0.48	5.4			
15	00	0.83	7.3	0.69	5.8	0.55	5.9	0.35	4.9	NNW	327	
	02	0.96	6.9	0.65	5.9	0.50	5.2	0.30	3.6	NNW	331	
	04	1.09	6.9	0.78	6.3	0.60	5.2	0.38	3.7	NW	319	
	06	1.58	6.3	1.19	6.0	0.94	5.9	0.59	4.5	WNW	286	
	08	2.20	5.2	1.78	5.4	1.37	5.6	0.86	4.5	W	274	
	10	3.13	5.3	2.04	5.9	1.62	5.8	1.01	4.6	W	270	
	12	2.73	4.2	2.25	5.4	1.85	5.4	1.20	4.6	NNW	331	
	14	3.30	6.0	* 2.57	5.8	* 2.08	5.6	* 1.36	4.8	NNW	327	
	16	* 3.46	5.6	2.39	5.7	2.00	5.9	1.33	5.0	WNW	295	
	18	3.44	6.1	2.41	6.0	1.91	6.1	1.19	4.8	NW	307	
	20	3.00	5.4	2.32	5.9	1.89	6.2	1.16	4.7	WNW	295	
	22	2.76	7.3	2.11	7.2	1.70	6.6	1.09	5.2	NW	311	
	最大	3.46	5.6	2.57	5.8	2.08	5.6	1.36	4.8			
	平均	2.37	6.0	1.77	5.9	1.42	5.8	0.90	4.6			
	16	00	* 2.84	8.2	* 2.38	7.4	* 1.89	7.2	* 1.15	5.3	NW	323
		02	2.72	7.7	2.31	7.9	1.85	7.7	1.13	5.7	NNW	335
		04	2.43	8.7	2.07	7.3	1.70	7.2	1.08	5.5	NW	319
		06	2.68	6.0	2.03	7.1	1.64	7.0	1.04	5.4	NW	323
08		2.30	7.3	1.74	6.7	1.41	6.9	0.88	5.1	NNW	331	
10		2.20	6.7	1.76	7.3	1.41	7.0	0.85	5.5	NNW	331	
12		1.96	6.7	1.44	6.9	1.13	6.9	0.70	5.5	NW	311	
14		1.81	5.7	1.31	7.1	1.06	6.8	0.67	5.4	NW	315	
16		2.04	6.3	1.39	7.1	1.12	6.8	0.71	5.4	NNW	335	
18		1.50	6.4	1.20	6.4	0.95	6.3	0.58	5.0	NNW	344	
20		1.44	6.3	1.20	6.6	1.00	6.7	0.64	5.7	NNW	348	
22		1.40	6.9	1.14	6.6	0.92	6.7	0.57	5.8	NNW	348	
最大		2.84	8.2	2.38	7.4	1.89	7.2	1.15	5.3			
平均		2.11	6.9	1.66	7.0	1.34	6.9	0.83	5.4			
17		00	1.11	5.5	0.91	6.5	* 0.76	6.6	* 0.49	5.6	NNW	327
		02	1.04	6.4	0.85	6.6	0.67	6.4	0.42	5.3	NNW	348
		04	* 1.11	6.7	0.88	6.6	0.69	6.7	0.42	5.2	NNW	335
		06	1.08	6.5	* 0.92	6.6	0.71	6.7	0.45	5.7	NNW	344
	08	0.93	6.6	0.83	6.4	0.65	6.5	0.42	5.7	NNW	348	
	10	0.80	5.9	0.60	6.2	0.48	6.2	0.31	5.4	NNW	344	
	12	0.76	6.9	0.59	6.1	0.47	6.3	0.29	5.1	NNW	344	
	14	0.90	6.0	0.66	4.8	0.54	4.6	0.35	3.5	NNW	340	
	16	0.85	3.5	0.63	5.1	0.51	4.6	0.34	3.6	NNW	348	
	18	0.89	3.8	0.66	4.7	0.53	4.5	0.34	3.5	NNW	340	
	20	0.76	5.4	0.57	5.4	0.46	5.2	0.29	4.0	NNW	335	
	22	0.76	3.7	0.53	4.7	0.43	4.7	0.28	3.8	NNE	12	
	最大	1.11	6.7	0.92	6.6	0.76	6.6	0.49	5.6			
	平均	0.92	5.6	0.72	5.8	0.58	5.8	0.37	4.7			
	18	00	0.53	5.1	0.43	5.1	0.35	5.2	0.23	3.9	N	352
		02	0.57	5.1	0.42	5.1	0.34	4.9	0.22	3.8	N	0
		04	0.47	4.0	0.34	4.7	0.27	4.6	0.17	3.5	NW	323
		06	0.49	6.2	0.31	4.8	0.25	4.9	0.16	3.7	NNW	335
08		2.11	4.5	1.60	4.4	1.29	4.4	0.83	3.9	W	270	
10		1.42	3.7	0.99	4.0	0.81	4.0	0.53	3.3	NNE	16	
12		2.38	4.3	1.65	4.2	1.30	4.2	0.81	3.7	NNE	14	
14		2.91	5.2	2.10	4.7	1.70	4.8	1.08	4.1	W	274	
16		3.36	4.7	2.18	4.8	1.69	4.9	1.07	4.2	W	278	
18		2.45	4.9	1.98	5.0	1.62	5.1	1.05	4.3	WNW	286	
20		* 3.81	5.8	* 2.55	5.5	* 2.05	5.4	* 1.35	4.6	WNW	282	
22		3.50	5.9	2.32	6.0	1.83	5.8	1.16	4.7	NW	311	
最大		3.81	5.8	2.55	5.5	2.05	5.4	1.35	4.6			
平均		2.00	5.0	1.41	4.9	1.13	4.9	0.72	4.0			
19		00	* 3.57	5.4	* 2.71	6.0	* 2.16	5.8	* 1.35	4.8	NW	319
		02	2.88	7.0	2.15	6.2	1.75	6.2	1.14	5.1	NW	307
		04	2.72	6.3	2.00	5.8	1.60	6.1	1.00	4.8	NW	319
		06	2.26	5.4	1.50	6.3	1.21	6.2	0.77	5.1	NW	323
	08	1.90	6.0	1.53	6.4	1.22	6.2	0.75	4.8	NW	311	
	10	1.77	6.2	1.39	6.0	1.12	6.0	0.69	4.7	NW	319	

	12	1.56	7.3	1.25	6.3	1.04	6.1	0.68	4.9	NW	311
	14	1.72	6.7	1.26	6.4	1.02	6.4	0.67	5.2	NW	323
	16	1.74	6.7	1.34	6.4	1.12	6.6	0.68	5.3	NW	319
	18	1.74	6.2	1.21	6.4	0.97	6.2	0.61	4.8	NNW	344
	20	2.05	5.5	1.23	6.3	0.96	6.1	0.60	4.9	NNW	327
	22	1.82	7.1	1.18	6.6	0.89	6.3	0.56	4.9	NW	311
	最大	3.57	5.4	2.71	6.0	2.16	5.8	1.35	4.8		
	平均	2.14	6.3	1.56	6.3	1.26	6.2	0.79	4.9		
20	00	* 1.72	6.3	0.88	6.0	0.68	5.9	0.42	4.4	NW	319
	02	0.93	6.3	0.73	6.1	0.61	5.9	0.38	4.7	NNW	335
	04	1.01	6.6	0.77	6.7	0.61	6.2	0.39	4.7	NW	307
	06	1.01	6.1	0.70	6.1	0.58	6.0	0.36	4.7	NW	311
	08	1.09	5.1	0.79	5.7	0.64	5.7	0.40	4.2	NW	311
	10	1.04	5.5	0.81	5.4	0.68	5.3	0.44	4.3	NW	315
	12	0.97	5.7	0.81	5.6	0.67	5.5	0.43	4.3	NW	315
	14	1.20	4.6	0.86	5.3	0.71	5.1	0.46	4.3	NNW	331
	16	1.18	3.8	0.89	4.8	0.70	4.7	0.44	3.7	NNW	331
	18	1.32	6.8	1.03	6.1	0.81	5.7	0.50	4.2	NW	319
	20	1.41	4.8	* 1.14	5.6	* 0.90	5.8	* 0.58	4.8	NNW	327
	22	1.34	6.8	0.92	6.1	0.73	6.0	0.47	5.1	NW	315
	最大	1.72	6.3	1.14	5.6	0.90	5.8	0.58	4.8		
	平均	1.19	5.7	0.86	5.8	0.69	5.7	0.44	4.5		
21	00	1.34	5.8	1.08	6.1	0.89	6.1	0.56	4.6	NW	315
	02	1.65	5.4	1.34	6.5	1.07	6.1	0.66	4.6	NW	315
	04	1.82	7.0	1.52	5.9	1.25	5.8	0.80	4.4	NW	311
	06	1.97	4.9	1.60	5.6	1.31	5.4	0.83	4.4	NW	319
	08	2.09	4.9	1.55	5.7	1.25	5.5	0.80	4.4	NW	311
	10	1.68	6.4	1.36	5.6	1.08	5.8	0.68	4.6	NW	307
	12	2.08	4.6	1.67	5.5	1.37	5.6	0.87	4.7	WNW	303
	14	* 2.56	5.5	* 1.90	5.4	* 1.51	5.5	* 0.98	4.7	NNW	331
	16	2.31	5.9	1.64	5.7	1.34	5.7	0.85	4.6	不明	
	18	1.88	5.2	1.47	5.4	1.19	5.2	0.77	4.4	NNW	340
	20	1.86	5.0	1.31	5.3	1.03	5.8	0.65	4.7	NNW	335
	22	1.98	5.8	1.32	6.7	1.06	6.3	0.67	5.0	NNW	348
	最大	2.56	5.5	1.90	5.4	1.51	5.5	0.98	4.7		
	平均	1.94	5.5	1.48	5.8	1.20	5.7	0.76	4.6		
22	00	* 1.72	7.2	1.27	6.5	0.99	6.0	0.63	4.7	NNW	344
	02	1.64	8.1	* 1.35	6.8	* 1.12	6.9	* 0.72	5.5	NNW	340
	04	1.40	6.5	1.12	7.4	0.89	7.0	0.57	5.4	NNW	344
	06	1.18	7.9	0.97	7.3	0.80	7.0	0.50	5.3	NNW	340
	08	1.15	7.1	0.98	7.2	0.80	7.2	0.49	5.7	NNW	348
	10	1.09	7.0	0.81	6.7	0.62	6.8	0.36	5.0	NNW	335
	12	0.85	7.0	0.68	6.5	0.55	6.7	0.36	5.5	N	352
	14	0.74	7.2	0.56	6.5	0.47	6.2	0.30	5.1	NNW	340
	16	0.66	6.6	0.54	6.4	0.42	6.4	0.26	5.1	NNW	340
	18	0.59	5.7	0.44	6.5	0.35	6.5	0.22	4.7	NNW	331
	20	0.78	2.8	0.51	4.4	0.40	4.1	0.26	3.2	WSW	243
	22	1.31	3.2	1.00	4.0	0.82	4.0	0.53	3.5	WNW	291
	最大	1.72	7.2	1.35	6.8	1.12	6.9	0.72	5.5		
	平均	1.09	6.4	0.85	6.4	0.69	6.2	0.43	4.9		
23	00	2.38	3.9	1.40	4.3	1.11	4.2	0.71	3.7	W	281
	02	1.95	4.4	1.46	4.4	1.21	4.4	0.79	3.8	WNW	290
	04	2.01	4.1	1.46	4.8	1.18	4.8	0.74	4.0	NNW	335
	06	2.12	5.4	1.66	5.7	1.30	5.7	0.82	4.8	NNW	331
	08	* 2.58	7.0	* 2.06	6.5	* 1.59	6.4	* 0.99	5.5	NW	315
	10	2.45	7.4	1.80	6.9	1.42	7.2	0.88	5.9	N	352
	12	1.92	5.6	1.69	6.7	1.34	6.8	0.81	5.6	NNW	331
	14	1.80	6.5	1.44	6.8	1.13	6.6	0.72	5.6	NNW	344
	16	1.99	6.6	1.51	7.2	1.16	7.5	0.69	5.7	NNW	344
	18	2.33	7.5	1.80	7.5	1.42	7.7	0.87	6.5	NNW	327
	20	1.82	7.6	1.48	8.0	1.16	8.0	0.71	6.4	NNW	348
	22	1.31	7.5	1.06	7.3	0.88	7.1	0.57	6.1	NNW	348
	最大	2.58	7.0	2.06	6.5	1.59	6.4	0.99	5.5		
	平均	2.06	6.1	1.57	6.3	1.24	6.4	0.78	5.3		
24	00	1.12	6.1	0.87	7.3	0.69	7.1	0.41	5.6	NNW	344
	02	* 1.16	6.7	* 0.93	6.9	* 0.77	7.2	* 0.48	6.0	NNW	331

	04	0.93	6.4	0.65	6.5	0.52	6.5	0.32	5.3	N	352
	06	0.81	6.9	0.65	6.8	0.51	6.9	0.31	5.4	NNW	331
	08	0.97	6.4	0.72	6.8	0.54	6.7	0.33	5.5	NNW	340
	10	0.99	6.5	0.79	6.4	0.62	6.4	0.39	5.6	NNW	340
	12	0.80	6.2	0.62	6.2	0.50	6.1	0.31	5.2	NNW	335
	14	0.87	6.4	0.65	6.2	0.51	6.3	0.31	4.9	NNW	335
	16	0.88	6.5	0.56	6.0	0.42	6.1	0.26	4.7	NNW	344
	18	0.78	5.1	0.57	6.0	0.45	6.1	0.28	4.6	NNW	327
	20	0.73	5.8	0.54	5.9	0.42	5.9	0.26	5.1	NW	319
	22	0.59	5.9	0.46	5.7	0.36	5.7	0.23	4.8	NW	311
	最大	1.16	6.7	0.93	6.9	0.77	7.2	0.48	6.0		
	平均	0.89	6.2	0.67	6.4	0.53	6.4	0.32	5.2		
25	00	* 0.58	5.6	* 0.42	5.6	* 0.33	5.8	* 0.21	4.6	NW	307
	02	0.57	4.9	0.36	5.8	0.29	5.6	0.18	4.5	N	0
	04	0.47	6.5	0.37	5.8	0.30	5.6	0.19	4.0	NNW	335
	06	0.48	5.0	0.40	5.5	0.30	5.4	0.19	3.7	NW	311
	08	0.48	6.1	0.34	5.1	0.27	4.9	0.17	3.3	NNE	20
	10	0.35	6.2	0.30	4.7	0.24	4.2	0.16	3.0	N	6
	12	0.43	5.4	0.30	5.0	0.23	4.4	0.15	3.2	NNW	344
	14	0.48	4.2	0.31	5.4	0.24	5.2	0.15	3.9	NNW	348
	16	0.36	5.3	0.29	5.8	0.24	5.6	0.15	3.9	NW	319
	18	0.55	5.7	0.32	6.1	0.26	5.9	0.16	4.1	NNW	340
	20	0.50	6.5	0.35	6.1	0.27	5.8	0.16	4.0	NW	315
	22	0.36	4.9	0.28	5.6	0.23	5.2	0.14	3.8	NE	53
	最大	0.58	5.6	0.42	5.6	0.33	5.8	0.21	4.6		
	平均	0.47	5.5	0.34	5.5	0.27	5.3	0.17	3.8		
26	00	0.33	4.7	0.28	5.4	0.23	5.5	0.15	4.1	NNW	335
	02	0.33	4.8	0.27	5.3	0.22	5.2	0.14	3.8	NNW	344
	04	0.33	6.0	0.26	5.4	0.21	5.0	0.13	3.4	NNW	344
	06	0.39	5.8	0.25	5.3	0.20	4.9	0.13	3.5	NNW	327
	08	1.01	3.3	0.75	3.3	0.62	3.3	0.40	3.0	NNW	333
	10	1.35	4.1	1.06	3.8	0.87	3.9	0.55	3.3	NE	36
	12	2.11	4.0	1.42	4.4	1.16	4.4	0.74	3.8	NW	319
	14	1.76	4.3	1.55	4.9	1.29	5.0	0.83	4.2	NNW	335
	16	2.76	4.6	2.29	5.5	1.87	5.5	1.25	4.8	NW	311
	18	4.41	6.6	3.43	6.2	2.76	6.2	1.75	5.1	WNW	303
	20	* 4.79	6.2	* 3.51	6.3	* 2.85	6.4	* 1.82	5.2	W	278
	22	4.42	6.7	3.31	6.6	2.61	6.4	1.59	5.3	NW	323
	最大	4.79	6.2	3.51	6.3	2.85	6.4	1.82	5.2		
	平均	2.00	5.1	1.53	5.2	1.24	5.1	0.79	4.1		
27	00	3.39	6.7	2.62	6.5	2.13	6.8	1.35	5.5	NW	319
	02	3.26	9.2	2.61	7.6	2.10	7.0	1.30	5.3	NW	323
	04	3.45	7.2	2.75	8.0	2.26	8.1	1.38	6.3	NW	319
	06	4.32	5.9	2.90	7.3	2.32	7.2	1.48	5.6	NW	323
	08	3.94	7.7	2.99	7.3	2.41	7.0	1.52	5.5	NW	323
	10	4.55	7.3	3.42	7.0	2.68	6.9	1.71	5.6	NW	315
	12	4.33	8.3	3.74	8.1	2.98	8.0	* 1.96	6.6	NNW	327
	14	* 4.82	8.0	3.72	7.4	2.91	7.4	1.79	5.9	NW	323
	16	4.78	7.8	* 3.76	7.6	* 3.02	7.2	1.87	5.8	NW	319
	18	4.52	8.1	3.17	7.3	2.43	7.3	1.57	5.8	NNW	335
	20	3.71	6.9	3.00	8.2	2.44	8.4	1.54	6.7	WNW	286
	22	3.04	8.2	2.74	8.6	2.22	8.4	1.37	6.5	NNW	340
	最大	4.82	8.0	3.76	7.6	3.02	7.2	1.96	6.6		
	平均	4.01	7.6	3.12	7.6	2.49	7.5	1.57	5.9		
28	00	* 3.07	7.8	* 2.38	8.6	* 1.89	8.6	1.18	6.7	NNW	327
	02	3.07	7.7	2.21	8.8	1.77	8.7	1.12	7.3	NNW	327
	04	2.87	8.2	2.32	8.9	1.85	8.8	* 1.19	7.8	NW	311
	06	3.02	8.3	2.17	8.7	1.68	8.4	1.07	7.3	NNW	327
	08	2.04	8.0	1.64	8.0	1.35	7.8	0.87	6.5	NNW	335
	10	2.18	8.1	1.75	7.9	1.41	7.7	0.90	6.7	NNW	344
	12	2.25	7.1	1.70	7.7	1.33	7.3	0.81	5.2	NNW	331
	14	2.35	7.9	1.87	7.2	1.47	6.5	0.90	4.7	NW	323
	16	2.00	7.9	1.64	6.8	1.33	6.5	0.88	5.0	NNW	327
	18	2.06	6.5	1.67	5.9	1.35	5.9	0.88	4.7	NW	323
	20	2.20	5.6	1.36	5.8	1.13	6.0	0.74	5.1	NNW	327
	22	1.73	6.2	1.15	6.1	0.93	6.2	0.59	5.2	NNW	327
	最大	3.07	7.8	2.38	8.6	1.89	8.6	1.19	7.8		

	平均	2.40	7.4	1.82	7.5	1.46	7.4	0.93	6.0		
29	00	1.38	6.9	0.90	6.4	0.72	6.0	0.47	5.1	NNW	344
	02	0.97	5.7	0.83	6.0	0.67	5.8	0.42	4.2	NW	311
	04	0.87	4.3	0.63	5.2	0.52	5.4	0.33	4.1	N	8
	06	0.95	4.4	0.72	5.1	0.57	5.1	0.37	4.1	NNW	340
	08	0.96	4.2	0.72	4.3	0.58	4.2	0.37	3.5	N	352
	10	1.15	3.0	0.86	3.8	0.68	3.8	0.45	3.4	NNW	347
	12	1.02	4.1	0.73	4.0	0.58	4.0	0.37	3.3	NNW	337
	14	1.33	4.1	0.95	4.7	0.78	4.5	0.49	3.8	NNE	20
	16	1.69	5.0	1.14	5.1	0.92	5.1	0.58	4.4	NNE	16
	18	1.76	4.4	1.27	5.0	0.99	4.9	0.62	4.0	NNE	29
	20	2.00	5.1	* 1.67	5.4	1.29	5.5	0.81	4.8	N	8
	22	* 2.29	5.6	1.61	6.0	* 1.32	5.8	* 0.85	4.9	N	8
	最大	2.29	5.6	1.67	5.4	1.32	5.8	0.85	4.9		
	平均	1.36	4.7	1.00	5.1	0.80	5.0	0.51	4.1		
30	00	2.74	5.5	1.58	5.5	1.23	5.5	0.77	4.6	N	4
	02	1.93	5.3	1.45	5.4	1.18	5.4	0.75	4.2	NNE	16
	04	3.39	5.7	2.45	5.4	1.94	5.3	1.20	4.4	NNW	335
	06	2.98	5.0	2.34	5.4	1.92	5.4	1.25	4.6	NNW	344
	08	2.38	6.0	1.94	5.5	1.54	5.4	0.99	4.4	N	0
	10	2.61	5.8	1.90	6.2	1.50	5.9	0.91	4.5	NNW	344
	12	2.27	6.0	1.61	5.9	1.32	5.8	0.83	4.5	N	352
	14	2.53	4.6	1.96	5.3	1.52	5.2	0.97	4.2	NNW	344
	16	3.08	4.8	2.41	5.2	1.97	5.4	* 1.27	4.7	NNW	331
	18	* 3.62	5.7	* 2.51	5.5	* 1.98	5.4	1.22	4.4	NNW	335
	20	3.13	5.7	2.04	5.7	1.63	5.5	1.05	4.7	NNW	340
	22	2.57	6.5	1.74	5.4	1.41	5.3	0.89	4.3	NNW	348
	最大	3.62	5.7	2.51	5.5	1.98	5.4	1.27	4.7		
	平均	2.77	5.6	1.99	5.5	1.60	5.5	1.01	4.5		
31	00	* 2.27	6.2	* 1.65	6.2	* 1.35	6.0	* 0.84	4.9	NNW	335
	02	2.09	6.4	1.50	6.3	1.18	6.3	0.71	5.2	NNW	335
	04	1.63	6.2	1.38	6.5	1.14	6.5	0.74	5.5	NNW	340
	06	1.44	6.2	1.15	6.3	0.94	6.6	0.63	5.4	NNW	340
	08	1.45	6.0	1.08	6.4	0.84	6.5	0.51	5.1	NNW	331
	10	1.42	6.3	1.13	6.4	0.88	6.6	0.54	5.4	NNW	327
	12	1.49	6.1	1.09	6.4	0.86	6.4	0.54	5.6	N	352
	14	1.34	5.8	1.11	6.6	0.95	6.8	0.62	6.0	NNW	335
	16	1.42	6.5	1.07	6.8	0.87	6.7	0.56	5.5	NNW	335
	18	1.26	7.6	1.07	6.7	0.86	6.6	0.55	5.0	N	352
	20	1.36	6.0	1.04	5.2	0.83	5.0	0.53	3.8	N	352
	22	1.17	4.2	0.94	5.8	0.76	5.4	0.49	4.1	NW	323
	最大	2.27	6.2	1.65	6.2	1.35	6.0	0.84	4.9		
	平均	1.53	6.1	1.18	6.3	0.96	6.3	0.61	5.1		
	月最大	8.78	10.0	5.85	8.8	4.87	8.6	3.05	7.1		
	起時	0520		0514		0514		0514			
	平均	2.37	6.3	1.78	6.4	1.43	6.3	0.90	5.0		

* は日最大波高を示す

波浪整理表（1）

												波高		波向	
												規定回数	360 回	規定回数	360 回
												測得回数	360 回	測得回数	360 回
												欠測回数	0 回	欠測回数	0 回
												欠測率	0.0 %	欠測率	0.0 %
観測所名： 直江津港(直轄)												機種： 波高 海象計 -32m 波向 海象計 -32m			
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向					
										16方位	角度				
01	00	1.49	4.7	1.21	4.6	1.01	4.3	0.64	3.6	NNE	28				
	02	2.33	4.6	1.57	4.8	1.31	4.8	0.87	4.1	WNW	286				
	04	2.65	5.3	* 2.14	5.0	* 1.68	5.0	* 1.08	4.2	W	278				
	06	2.38	4.8	1.90	5.4	1.53	5.3	0.99	4.5	WNW	286				
	08	2.72	5.4	1.68	5.2	1.31	5.1	0.82	4.4	NNW	331				
	10	* 2.80	5.3	1.99	5.1	1.52	5.1	0.93	4.1	WNW	282				
	12	2.38	5.1	1.84	5.1	1.46	5.2	0.92	4.3	WNW	290				
	14	2.00	5.8	1.44	5.3	1.13	5.3	0.72	4.3	NNW	331				
	16	2.03	5.4	1.39	5.2	1.14	5.3	0.72	4.3	NNW	331				
	18	1.81	5.8	1.32	5.7	1.01	5.5	0.62	4.4	NNW	335				
	20	1.54	5.4	1.10	5.7	0.86	5.7	0.55	4.9	NNW	335				
	22	1.32	5.1	0.94	5.7	0.76	5.5	0.49	4.8	NNW	331				
	最大	2.80	5.3	2.14	5.0	1.68	5.0	1.08	4.2						
	平均	2.12	5.2	1.54	5.2	1.23	5.2	0.78	4.3						
02	00	1.15	5.3	0.89	5.7	0.72	5.6	* 0.47	4.8	NNW	344				
	02	1.14	5.9	0.89	5.7	0.71	5.7	0.45	4.7	NNW	331				
	04	1.22	5.0	0.85	5.5	0.66	5.5	0.40	4.3	NW	315				
	06	1.14	5.5	0.83	5.5	0.70	5.5	0.43	4.4	NW	307				
	08	1.26	6.1	0.87	5.9	0.70	5.9	0.43	4.6	NNW	335				
	10	* 1.34	5.3	* 0.97	5.8	* 0.74	5.8	0.46	4.7	NW	319				
	12	1.10	5.6	0.86	6.1	0.70	6.0	0.43	4.8	NW	311				
	14	1.04	5.9	0.80	5.7	0.64	5.8	0.38	4.4	NW	311				
	16	0.89	5.1	0.75	6.1	0.59	5.8	0.37	4.6	WNW	295				
	18	0.97	5.3	0.72	5.9	0.58	5.9	0.37	4.8	NW	311				
	20	0.93	6.1	0.77	6.7	0.61	6.5	0.39	5.2	WNW	303				
	22	1.07	5.2	0.84	6.7	0.66	6.3	0.40	5.0	WNW	303				
	最大	1.34	5.3	0.97	5.8	0.74	5.8	0.47	4.8						
	平均	1.10	5.5	0.84	5.9	0.67	5.9	0.42	4.7						
03	00	1.11	6.8	0.84	6.4	0.67	6.3	0.44	5.3	NW	323				
	02	0.94	8.5	0.76	7.3	0.62	6.6	0.40	5.0	NW	323				
	04	1.24	6.9	0.78	7.0	0.60	6.9	0.37	4.8	NNW	331				
	06	1.93	4.9	1.32	4.9	1.02	4.7	0.65	3.8	NW	315				
	08	* 3.09	4.6	* 2.01	5.3	* 1.56	5.3	* 0.97	4.5	NNW	340				
	10	2.19	4.4	1.65	5.3	1.31	5.3	0.84	4.4	NNW	335				
	12	1.65	5.0	1.20	5.3	0.97	5.5	0.62	4.3	NW	307				
	14	1.10	5.6	0.80	5.7	0.64	5.9	0.40	4.5	NW	307				
	16	0.80	8.6	0.64	7.2	0.49	6.8	0.31	5.0	NW	315				
	18	0.94	7.8	0.74	6.7	0.63	6.7	0.39	5.1	NW	307				
	20	1.21	6.9	0.85	6.3	0.65	6.7	0.40	5.3	NW	315				
	22	1.37	6.4	1.07	6.1	0.84	6.1	0.51	4.6	NW	323				
	最大	3.09	4.6	2.01	5.3	1.56	5.3	0.97	4.5						
	平均	1.46	6.4	1.06	6.1	0.83	6.1	0.53	4.7						
04	00	2.11	4.5	1.55	5.2	1.24	5.2	0.80	4.3	NNW	335				
	02	2.28	4.3	1.57	5.2	1.25	5.2	0.80	4.2	NNW	348				
	04	2.43	4.8	1.68	5.3	1.40	5.4	0.91	4.4	NNW	335				
	06	* 2.46	4.2	* 1.83	5.2	* 1.46	5.3	* 0.92	4.4	NNW	340				
	08	2.31	4.0	1.75	5.5	1.43	5.6	0.90	4.3	NNW	335				
	10	1.96	6.5	1.61	5.8	1.29	5.8	0.82	4.5	NNW	331				
	12	1.95	6.4	1.50	5.8	1.23	5.6	0.80	4.5	NNW	331				
	14	2.02	5.6	1.49	6.4	1.21	6.4	0.76	4.9	NW	311				
	16	1.89	6.9	1.45	7.6	1.19	7.1	0.75	5.3	NNW	331				
	18	1.63	5.7	1.31	7.5	1.08	7.5	0.68	5.4	N	4				
	20	1.79	9.5	1.40	8.6	1.11	7.7	0.68	5.7	N	356				
	22	1.33	6.3	1.11	7.1	0.87	6.8	0.54	5.1	N	0				
	最大	2.46	4.2	1.83	5.2	1.46	5.3	0.92	4.4						

	平均	2.01	5.7	1.52	6.3	1.23	6.1	0.78	4.8		
05	00	1.13	6.5	0.96	7.5	0.80	7.3	0.52	5.8	N	356
	02	1.23	8.6	0.99	8.4	0.82	8.0	0.53	6.2	N	356
	04	1.18	6.6	0.85	7.5	0.67	7.5	0.42	5.7	N	0
	06	1.00	6.3	0.80	8.0	0.62	8.0	0.38	5.7	N	356
	08	1.02	5.9	0.66	7.2	0.53	6.8	0.33	5.0	NNW	348
	10	0.70	7.0	0.58	7.4	0.46	6.8	0.29	4.9	NNW	348
	12	0.78	6.2	0.49	6.7	0.39	6.4	0.25	4.6	N	352
	14	0.82	4.2	0.55	5.4	0.45	5.5	0.28	4.0	NW	311
	16	0.67	4.9	0.55	4.9	0.45	4.5	0.29	3.3	NNW	331
	18	1.68	3.9	1.00	4.4	0.78	4.4	0.50	3.7	NW	311
	20	* 2.14	5.6	* 1.60	5.3	* 1.26	5.0	* 0.81	4.2	W	278
	22	1.83	5.1	1.35	5.1	1.08	5.3	0.70	4.3	WNW	286
	最大	2.14	5.6	1.60	5.3	1.26	5.0	0.81	4.2		
	平均	1.18	5.9	0.87	6.5	0.69	6.3	0.44	4.8		
06	00	1.43	5.7	1.12	4.9	0.88	5.0	0.57	4.2	WNW	290
	02	1.20	5.1	0.93	5.3	0.73	5.2	0.46	4.3	NW	323
	04	1.46	4.7	0.84	6.7	0.68	6.3	0.44	4.8	NW	323
	06	1.14	6.4	0.86	6.9	0.67	6.4	0.41	4.9	NW	315
	08	0.80	7.5	0.68	6.7	0.56	6.6	0.37	5.1	WNW	303
	10	0.79	5.3	0.62	6.4	0.49	5.9	0.30	4.6	NW	315
	12	0.74	5.6	0.58	6.0	0.46	6.2	0.30	4.8	NW	323
	14	0.91	7.9	0.71	5.9	0.55	5.6	0.34	3.8	NW	323
	16	0.95	8.1	0.79	4.8	0.64	4.3	0.43	3.5	NNE	16
	18	1.38	3.3	1.01	4.4	0.83	4.4	0.55	3.6	NW	307
	20	* 1.96	4.6	* 1.16	4.6	* 0.94	4.9	* 0.61	4.2	N	356
	22	1.40	4.3	1.04	4.6	0.80	4.7	0.50	4.0	NNE	20
	最大	1.96	4.6	1.16	4.6	0.94	4.9	0.61	4.2		
	平均	1.18	5.7	0.86	5.6	0.69	5.5	0.44	4.3		
07	00	1.12	5.0	* 0.91	4.8	* 0.71	4.8	* 0.46	4.1	NNE	16
	02	0.86	3.3	0.68	4.8	0.56	4.9	0.36	4.0	NNE	12
	04	0.88	4.7	0.67	4.5	0.55	4.5	0.36	4.2	NNE	16
	06	0.85	4.7	0.70	4.4	0.58	4.4	0.38	3.8	N	4
	08	0.87	4.9	0.71	4.5	0.57	4.5	0.37	3.9	NNE	20
	10	0.90	4.4	0.70	4.7	0.56	4.6	0.35	4.0	NNE	33
	12	0.98	5.0	0.68	4.7	0.53	4.7	0.34	3.9	NNE	12
	14	* 1.22	4.4	0.73	4.7	0.56	4.4	0.35	3.6	NNE	25
	16	0.86	4.1	0.67	4.4	0.53	4.5	0.34	3.6	NNE	20
	18	0.93	5.1	0.67	4.6	0.53	4.6	0.33	3.7	WNW	299
	20	0.72	4.0	0.59	4.5	0.48	4.5	0.31	3.6	NE	41
	22	1.15	4.5	0.84	4.2	0.69	4.3	0.45	3.8	NE	49
	最大	1.22	4.4	0.91	4.8	0.71	4.8	0.46	4.1		
	平均	0.95	4.5	0.71	4.6	0.57	4.6	0.37	3.9		
08	00	* 1.14	4.2	0.76	4.1	0.59	4.1	0.37	3.4	NE	54
	02	1.11	4.0	* 0.78	4.4	* 0.62	4.3	* 0.39	3.7	W	266
	04	0.87	4.2	0.60	4.3	0.49	4.3	0.32	3.7	NNE	33
	06	0.69	3.6	0.56	4.2	0.46	4.2	0.29	3.5	WNW	296
	08	0.66	4.5	0.52	4.4	0.43	4.5	0.28	3.8	N	4
	10	0.52	4.9	0.43	4.4	0.34	4.4	0.22	3.6	N	8
	12	0.55	4.0	0.41	4.4	0.33	4.6	0.20	3.7	NNE	20
	14	0.59	4.4	0.40	4.3	0.31	4.2	0.19	3.3	N	354
	16	0.48	4.4	0.34	4.0	0.27	4.0	0.17	2.9	NE	41
	18	0.42	4.0	0.28	4.1	0.23	3.9	0.15	3.0	WNW	289
	20	0.49	4.6	0.29	4.2	0.24	4.0	0.15	3.1	NNE	14
	22	0.40	3.5	0.26	4.3	0.20	4.2	0.13	3.2	W	268
	最大	1.14	4.2	0.78	4.4	0.62	4.3	0.39	3.7		
	平均	0.66	4.2	0.47	4.3	0.38	4.2	0.24	3.4		
09	00	0.38	3.6	0.30	3.9	0.23	3.8	0.15	3.1	WSW	249
	02	0.43	4.0	0.30	3.8	0.24	3.7	0.16	3.1	NNE	26
	04	0.35	2.6	0.23	3.5	0.19	3.5	0.12	3.0	WNW	302
	06	0.39	3.1	0.24	3.8	0.20	3.6	0.13	2.8	NE	53
	08	0.29	4.0	0.22	3.8	0.18	3.8	0.12	3.0	NNE	19
	10	0.29	2.9	0.22	4.3	0.18	4.0	0.12	3.1	W	261
	12	0.32	4.8	0.23	4.0	0.18	3.6	0.12	2.7	WNW	293
	14	0.35	4.9	0.25	3.9	0.20	3.4	0.13	2.7	NE	52
	16	0.44	2.6	0.32	3.0	0.25	2.9	0.16	2.5	W	264
	18	0.51	2.3	0.37	2.8	0.29	2.9	0.19	2.6	NNW	329
	20	* 0.67	3.1	0.50	2.8	0.40	3.0	0.26	2.7	W	263
	22	0.65	3.4	* 0.54	3.4	* 0.43	3.6	* 0.27	3.2	WSW	253

	最大		0.67	3.1	0.54	3.4	0.43	3.6	0.27	3.2		
	平均		0.42	3.4	0.31	3.6	0.25	3.5	0.16	2.9		
10	00		0.66	3.4	0.46	3.6	0.36	3.6	0.23	3.2	N	2
	02		0.68	3.3	0.44	3.6	0.34	3.6	0.22	3.1	NW	306
	04		0.68	2.8	0.39	3.3	0.31	3.3	0.20	2.9	NNE	32
	06		0.73	3.2	0.52	3.7	0.42	3.8	0.28	3.3	NE	50
	08		0.68	3.9	0.51	3.8	0.41	3.9	0.25	3.3	WSW	253
	10		0.87	4.0	0.55	3.8	0.43	3.8	0.28	3.2	NE	55
	12		0.77	3.3	0.56	3.3	0.45	3.4	0.29	2.9	NNW	341
	14	* 1.16	3.6	* 0.84	3.4	0.66	3.6	0.42	3.1	NE	52	
	16	1.11	3.5	0.82	3.6	* 0.67	3.6	* 0.44	3.2	NE	55	
	18	0.99	3.4	0.70	3.8	0.56	3.7	0.36	3.3	NE	42	
	20	0.99	3.1	0.67	3.8	0.55	3.7	0.36	3.1	W	267	
	22	0.87	2.9	0.64	3.6	0.52	3.7	0.33	3.2	NW	325	
	最大		1.16	3.6	0.84	3.4	0.67	3.6	0.44	3.2		
	平均		0.85	3.4	0.59	3.6	0.47	3.6	0.31	3.2		
11	00	* 0.95	3.3	* 0.61	3.8	* 0.48	3.9	* 0.31	3.4	NNE	32	
	02	0.87	3.5	0.58	3.8	0.47	3.8	0.30	3.2	WNW	292	
	04	0.54	3.8	0.42	3.5	0.35	3.6	0.22	3.1	NW	321	
	06	0.42	3.7	0.32	3.5	0.26	3.5	0.16	3.0	NE	54	
	08	0.41	3.7	0.31	3.6	0.25	3.7	0.16	3.1	N	359	
	10	0.49	3.8	0.31	3.7	0.24	3.8	0.15	3.0	NNW	333	
	12	0.50	3.5	0.29	3.7	0.23	3.8	0.15	2.9	NNE	12	
	14	0.38	4.1	0.27	3.5	0.21	3.5	0.13	2.7	NNW	339	
	16	0.26	3.1	0.18	4.2	0.15	4.0	0.10	2.9	NNE	14	
	18	0.28	4.1	0.21	4.2	0.17	3.9	0.11	2.9	NW	321	
	20	0.35	3.8	0.24	3.8	0.19	3.4	0.13	2.6	NNE	30	
	22	0.29	6.0	0.23	3.9	0.18	4.0	0.12	3.0	NW	308	
	最大		0.95	3.3	0.61	3.8	0.48	3.9	0.31	3.4		
	平均		0.48	3.9	0.33	3.8	0.27	3.7	0.17	3.0		
12	00		0.32	3.4	0.22	3.7	0.18	3.6	0.12	3.2	NE	56
	02		0.30	3.0	0.21	3.5	0.17	3.6	0.11	2.9	N	356
	04		0.27	4.1	0.21	3.2	0.17	3.2	0.11	2.9	NNE	33
	06		0.34	3.3	0.23	3.0	0.19	2.9	0.13	2.4	W	276
	08		0.83	3.3	0.49	3.3	0.38	3.3	0.24	2.9	NW	307
	10		0.87	3.9	0.66	4.1	0.53	4.0	0.33	3.3	NNE	27
	12		0.74	2.8	0.54	3.2	0.42	3.2	0.26	2.8	W	271
	14		3.20	5.1	2.19	5.0	1.71	5.0	1.08	4.2	W	270
	16		2.62	5.9	2.18	5.3	1.86	5.4	1.16	4.5	NW	323
	18		3.10	5.0	2.38	5.6	1.88	5.5	1.21	4.6	W	274
	20	* 3.77	6.6	2.48	5.9	1.91	5.8	1.19	4.8	W	278	
	22	3.71	7.4	* 2.51	6.4	* 1.97	6.2	* 1.25	5.2	WSW	258	
	最大		3.77	6.6	2.51	6.4	1.97	6.2	1.25	5.2		
	平均		1.67	4.5	1.19	4.4	0.95	4.3	0.60	3.6		
13	00		3.38	6.5	2.35	6.2	1.83	6.1	1.10	4.6	NNW	327
	02		3.25	6.3	* 2.37	7.0	1.86	6.5	1.17	5.0	NW	307
	04		3.29	6.4	2.36	6.9	* 1.88	6.7	* 1.19	5.1	WNW	303
	06		3.12	7.2	2.17	6.7	1.69	6.7	1.07	5.2	NW	319
	08		2.17	7.0	1.82	6.8	1.48	6.6	0.92	5.2	NW	323
	10	* 3.92	6.2	2.18	6.4	1.64	6.1	0.98	4.7	WNW	303	
	12		2.73	5.0	2.05	5.9	1.62	5.8	1.00	4.6	WNW	303
	14		2.34	6.4	1.74	6.3	1.39	5.9	0.87	4.3	WNW	299
	16		2.86	6.9	2.19	6.6	1.76	6.2	1.07	4.7	NW	315
	18		3.16	6.9	2.34	6.5	1.78	6.7	1.10	4.9	NW	311
	20		2.20	7.7	1.84	7.3	1.54	7.2	0.96	5.4	NNW	331
	22		2.63	6.2	1.97	6.2	1.53	6.2	0.98	4.9	NNW	327
	最大		3.92	6.2	2.37	7.0	1.88	6.7	1.19	5.1		
	平均		2.92	6.6	2.12	6.6	1.67	6.4	1.03	4.9		
14	00		1.90	5.3	1.59	6.4	1.28	6.6	0.81	5.1	NW	323
	02		1.43	6.6	1.14	6.8	0.90	6.9	0.57	5.3	NNW	340
	04		1.51	7.5	1.08	7.2	0.85	7.1	0.54	5.8	NNW	340
	06		1.29	6.6	0.94	7.5	0.77	7.3	0.47	5.5	N	352
	08		1.13	7.5	0.93	7.3	0.73	7.3	0.45	5.7	NNW	344
	10		1.26	6.8	0.95	7.2	0.74	7.3	0.47	5.7	N	352
	12		1.31	7.3	0.93	6.9	0.74	7.1	0.46	5.8	NNW	348
	14		1.19	6.7	0.86	7.0	0.68	6.9	0.42	5.5	NNW	335

	16	0.83	7.0	0.67	7.0	0.54	6.9	0.33	5.3	NNW	344
	18	1.90	3.8	1.45	3.9	1.15	3.9	0.74	3.5	W	281
	20	1.93	5.6	1.55	5.2	1.26	5.0	0.79	3.9	WNW	295
	22	* 2.39	5.6	* 1.68	5.5	* 1.34	5.4	* 0.84	4.3	WNW	286
	最大	2.39	5.6	1.68	5.5	1.34	5.4	0.84	4.3		
	平均	1.51	6.4	1.15	6.5	0.92	6.5	0.57	5.1		
	15	00	1.68	5.1	1.39	4.9	1.10	0.68	3.9	WNW	286
		02	1.62	4.7	1.17	5.3	0.93	0.57	4.2	WNW	303
		04	1.59	5.0	1.19	5.3	0.92	0.57	4.3	WNW	290
		06	1.50	7.1	1.19	5.9	0.95	0.60	4.9	NW	319
		08	1.23	4.9	1.03	5.5	0.85	0.56	4.9	NW	307
		10	1.26	5.6	0.92	6.1	0.75	0.46	4.6	NW	315
		12	1.23	4.0	0.90	4.7	0.73	0.48	3.6	NW	319
		14	1.92	4.1	1.23	4.1	1.00	0.66	3.6	不明	
		16	2.85	5.6	2.10	5.4	1.66	1.02	4.2	WNW	286
		18	* 3.58	6.1	* 2.38	5.8	* 1.83	* 1.19	4.7	WNW	282
		20	2.09	4.3	1.57	5.0	1.26	0.83	4.3	NW	323
		22	3.12	4.8	1.73	4.7	1.34	0.86	4.1	WNW	295
	最大	3.58	6.1	2.38	5.8	1.83	5.6	1.19	4.7		
		平均	1.97	5.1	1.40	5.2	1.11	0.71	4.3		
	16	00	* 1.71	5.7	* 1.42	5.0	* 1.15	* 0.73	4.1	WNW	303
		02	1.39	5.1	1.01	5.5	0.83	0.54	4.2	WNW	299
		04	1.23	5.7	0.94	5.7	0.76	0.49	4.7	NW	307
		06	1.09	5.0	0.84	6.3	0.66	0.41	4.7	NW	311
		08	1.03	5.4	0.82	6.3	0.69	0.44	5.2	NNW	331
		10	1.17	6.4	0.84	7.0	0.66	0.41	5.2	NW	323
		12	1.01	7.1	0.85	6.5	0.72	0.45	5.5	NNW	331
		14	1.05	6.6	0.72	6.3	0.56	0.35	4.7	NW	319
		16	0.83	6.1	0.63	6.1	0.48	0.30	4.6	NW	311
		18	0.68	5.3	0.55	6.5	0.46	0.29	4.7	NNW	335
		20	0.78	6.7	0.54	6.3	0.44	0.28	5.0	NNW	340
		22	0.59	6.7	0.49	6.1	0.40	0.25	4.7	NNW	331
	最大	1.71	5.7	1.42	5.0	1.15	5.0	0.73	4.1		
		平均	1.05	6.0	0.80	6.1	0.65	0.41	4.8		
	17	00	0.48	6.2	* 0.39	5.9	* 0.32	0.19	4.3	NNW	331
		02	0.48	5.9	0.39	5.8	0.29	* 0.19	4.6	NNW	327
		04	0.50	5.5	0.37	5.7	0.29	0.19	4.2	NNW	340
		06	0.44	6.2	0.35	5.6	0.28	0.18	3.8	NW	311
		08	0.42	6.2	0.36	5.9	0.30	0.19	4.2	NW	307
		10	0.54	5.9	0.33	5.5	0.27	0.18	4.8	NW	311
		12	0.45	3.9	0.33	5.3	0.26	0.17	3.8	NW	323
		14	0.53	5.3	0.36	4.8	0.27	0.17	3.7	NNW	340
		16	0.49	4.6	0.33	4.8	0.26	0.16	3.5	NNW	327
		18	* 0.63	4.8	0.38	4.7	0.29	0.18	3.5	WNW	290
		20	0.43	3.7	0.28	5.2	0.23	0.15	4.3	NW	315
		22	0.36	4.7	0.27	5.5	0.22	0.14	4.0	NW	323
	最大	0.63	4.8	0.39	5.9	0.32	5.8	0.19	4.6		
		平均	0.48	5.2	0.35	5.4	0.27	0.17	4.1		
	18	00	0.37	4.6	0.26	5.2	0.21	0.13	3.6	NW	323
		02	0.38	4.6	0.24	5.3	0.19	0.13	3.6	NNW	327
		04	0.34	4.9	0.26	5.2	0.20	0.13	3.4	WNW	290
		06	0.33	6.0	0.24	5.3	0.19	0.12	3.1	NNW	340
		08	0.40	4.7	0.27	5.2	0.21	0.14	3.2	NW	307
		10	0.37	5.1	0.30	5.0	0.25	0.16	3.4	NNW	327
		12	0.44	3.0	0.31	4.7	0.23	0.15	3.0	NNW	347
		14	0.55	4.4	0.34	4.5	0.26	0.16	2.9	NW	307
		16	* 0.66	2.7	* 0.43	3.3	0.34	0.22	2.6	N	356
		18	0.65	2.9	0.41	3.4	* 0.34	* 0.22	2.7	WNW	286
		20	0.61	3.4	0.37	4.1	0.30	0.20	2.9	N	10
		22	0.37	3.4	0.29	4.8	0.23	0.15	3.2	WNW	300
	最大	0.66	2.7	0.43	3.3	0.34	3.4	0.22	2.7		
		平均	0.46	4.1	0.31	4.7	0.25	0.16	3.1		
	19	00	0.35	7.1	0.25	4.9	0.20	0.13	3.4	NW	315
		02	0.28	6.0	0.24	5.4	0.20	0.13	3.7	NNW	335
		04	0.30	5.2	0.24	5.3	0.19	0.12	3.5	NW	323
		06	0.35	3.6	0.25	5.4	0.20	0.13	3.4	NNW	327
		08	0.29	5.3	0.23	4.6	0.19	0.12	3.2	N	10
		10	0.40	3.1	0.23	4.4	0.18	0.12	3.2	NE	35

	12	0.35	3.2	0.25	4.2	0.20	3.7	0.14	2.7	WSW	242
	14	0.43	4.5	0.26	4.3	0.19	4.2	0.12	3.0	WSW	251
	16	0.27	4.5	0.20	4.6	0.16	4.3	0.11	3.1	NE	54
	18	* 0.56	4.5	* 0.37	4.8	* 0.25	4.8	* 0.15	3.4	—	
	20	0.24	4.0	0.17	4.3	0.14	4.2	0.09	3.2	WNW	283
	22	0.25	6.5	0.18	4.7	0.14	4.2	0.09	2.8	NNW	331
	最大	0.56	4.5	0.37	4.8	0.25	4.8	0.15	3.4		
	平均	0.34	4.8	0.24	4.7	0.19	4.5	0.12	3.2		
20	00	0.34	3.2	0.27	3.4	0.21	3.4	0.14	2.9	NNW	330
	02	1.33	3.6	1.02	3.9	0.83	3.8	0.53	3.3	WSW	250
	04	1.89	3.8	1.53	4.3	1.22	4.3	0.76	3.7	NE	50
	06	2.58	4.6	1.80	4.7	1.43	4.7	0.91	4.0	NNW	327
	08	2.19	4.7	1.52	4.3	1.20	4.4	0.73	3.7	NW	307
	10	1.68	5.0	1.39	5.0	1.12	5.0	0.71	4.2	NNW	327
	12	3.19	5.9	1.92	7.0	1.56	7.0	0.99	5.4	NNW	331
	14	3.25	8.8	* 2.74	8.1	* 2.14	8.0	* 1.32	6.4	NNW	340
	16	3.09	7.7	2.29	8.9	1.82	8.2	1.11	6.1	NW	319
	18	* 3.35	8.2	2.42	8.5	1.84	8.2	1.09	6.2	NNW	335
	20	2.47	8.5	1.98	7.7	1.56	7.7	1.00	6.5	NNW	327
	22	2.37	8.1	1.91	7.7	1.54	7.9	1.01	6.7	NNW	327
	最大	3.35	8.2	2.74	8.1	2.14	8.0	1.32	6.4		
	平均	2.31	6.0	1.73	6.1	1.37	6.1	0.86	4.9		
21	00	* 2.28	7.3	* 1.68	7.5	* 1.32	7.3	* 0.83	6.1	NNW	340
	02	2.02	6.8	1.49	6.8	1.22	7.0	0.79	5.9	NNW	331
	04	2.09	6.6	1.49	7.1	1.18	7.0	0.73	5.9	NNW	340
	06	2.09	7.4	1.47	7.5	1.16	7.1	0.72	5.8	NNW	331
	08	1.68	7.8	1.34	7.7	1.07	7.3	0.66	6.1	N	352
	10	1.49	7.3	1.23	7.3	0.96	7.2	0.57	5.1	NNW	344
	12	1.37	6.6	1.09	6.9	0.89	6.5	0.57	4.6	NNW	327
	14	1.89	7.0	1.11	5.8	0.88	5.6	0.58	4.2	NNW	348
	16	1.18	5.9	0.97	6.1	0.79	6.0	0.49	4.2	NNW	344
	18	1.20	4.3	0.96	5.5	0.79	5.0	0.51	3.9	NNW	340
	20	1.42	5.6	0.92	5.2	0.74	4.8	0.48	3.7	NNW	340
	22	1.10	4.4	0.82	5.5	0.66	5.3	0.43	4.2	N	356
	最大	2.28	7.3	1.68	7.5	1.32	7.3	0.83	6.1		
	平均	1.65	6.4	1.21	6.6	0.97	6.3	0.61	5.0		
22	00	0.92	5.0	0.76	5.0	0.63	4.9	0.41	3.8	N	356
	02	1.01	5.3	0.70	5.6	0.56	5.3	0.37	4.3	NNW	340
	04	0.84	4.7	0.66	4.9	0.53	4.7	0.35	4.1	NNW	348
	06	0.73	4.2	0.55	5.2	0.44	5.2	0.28	4.0	NNW	340
	08	0.77	5.8	0.54	4.9	0.43	4.9	0.28	4.1	NNW	331
	10	0.77	4.7	0.56	4.7	0.45	4.4	0.28	3.3	NNE	20
	12	1.18	2.9	0.75	3.8	0.61	3.8	0.39	3.1	W	279
	14	1.21	3.5	0.86	3.6	0.69	3.8	0.44	3.2	NE	53
	16	1.70	3.6	1.16	3.9	0.92	3.9	0.61	3.5	WSW	242
	18	1.82	3.9	1.24	4.3	0.99	4.2	0.63	3.6	WSW	240
	20	1.68	5.4	1.31	5.0	1.06	4.9	0.69	4.0	NW	323
	22	* 1.94	5.0	* 1.46	5.5	* 1.16	5.5	* 0.73	4.3	NNW	327
	最大	1.94	5.0	1.46	5.5	1.16	5.5	0.73	4.3		
	平均	1.21	4.5	0.88	4.7	0.71	4.6	0.46	3.8		
23	00	* 1.90	5.8	* 1.42	5.8	* 1.13	5.7	* 0.71	4.6	NNW	340
	02	1.58	6.4	1.20	5.8	0.98	5.7	0.62	4.6	NNW	344
	04	1.47	5.7	1.04	5.6	0.82	5.6	0.51	4.5	NNW	340
	06	1.27	5.0	0.87	5.4	0.70	5.3	0.44	4.2	NNW	340
	08	1.23	5.1	0.77	5.1	0.61	5.1	0.39	4.2	NNW	340
	10	1.24	4.2	0.86	5.0	0.69	5.0	0.44	4.2	NNW	331
	12	1.01	5.2	0.80	5.1	0.64	5.1	0.41	4.3	NW	319
	14	0.89	4.8	0.74	5.3	0.60	5.3	0.38	4.3	NNW	344
	16	1.06	5.6	0.76	5.4	0.59	5.4	0.37	4.6	NNW	335
	18	0.96	5.5	0.63	5.2	0.51	5.2	0.32	4.2	NNW	348
	20	0.83	5.2	0.60	5.3	0.49	5.3	0.31	4.5	N	8
	22	0.69	5.9	0.52	5.1	0.41	5.3	0.25	4.1	NW	315
	最大	1.90	5.8	1.42	5.8	1.13	5.7	0.71	4.6		
	平均	1.18	5.4	0.85	5.3	0.68	5.3	0.43	4.4		
24	00	0.80	4.2	0.59	4.7	0.49	4.7	0.31	3.9	NNW	348
	02	0.73	4.5	0.61	4.3	0.50	4.4	0.32	3.8	—	

	04	1.46	4.1	0.86	4.6	0.68	4.6	0.45	4.0	WNW	286
	06	1.07	4.2	0.76	4.7	0.64	4.7	0.42	4.1	WNW	282
	08	1.47	4.8	1.13	4.9	0.93	4.8	* 0.60	4.1	WNW	290
	10	* 1.97	5.9	* 1.18	5.3	* 0.95	5.3	0.58	4.1	NW	319
	12	1.90	5.0	1.10	5.3	0.84	5.1	0.54	4.0	NW	311
	14	1.45	4.9	0.99	4.8	0.79	4.7	0.51	3.7	NW	315
	16	1.34	4.0	0.91	4.6	0.73	4.6	0.46	3.6	NW	315
	18	1.08	5.2	0.77	4.8	0.61	4.6	0.41	3.9	不明	
	20	1.08	4.2	0.72	4.7	0.57	4.7	0.37	3.9	WNW	286
	22	0.93	4.5	0.67	4.3	0.52	4.2	0.34	3.5	WNW	299
	最大	1.97	5.9	1.18	5.3	0.95	5.3	0.60	4.1		
	平均	1.27	4.6	0.86	4.8	0.69	4.7	0.44	3.9		
25	00	0.69	5.8	0.49	5.1	0.39	4.8	0.26	3.8	NNW	340
	02	0.62	4.7	0.48	5.7	0.39	5.3	0.25	4.1	NNW	327
	04	0.62	6.2	0.45	5.5	0.35	5.3	0.22	4.1	N	352
	06	0.65	4.8	0.45	5.3	0.36	5.0	0.23	3.8	NW	315
	08	0.81	4.9	0.55	4.8	0.45	4.4	0.29	3.2	NW	319
	10	* 1.07	4.1	* 0.75	4.3	* 0.61	4.3	* 0.39	3.6	WNW	289
	12	0.87	5.4	0.62	4.7	0.51	4.6	0.33	3.5	NW	319
	14	0.83	4.0	0.65	4.6	0.52	4.5	0.33	3.6	NW	319
	16	0.82	3.9	0.65	4.6	0.52	4.4	0.34	3.5	NW	311
	18	0.82	4.9	0.69	4.9	0.54	4.4	0.34	3.5	NNW	331
	20	0.85	4.4	0.70	4.4	0.57	4.6	0.37	3.9	NNW	331
	22	0.96	4.3	0.71	4.6	0.57	4.4	0.37	3.7	NW	323
	最大	1.07	4.1	0.75	4.3	0.61	4.3	0.39	3.6		
	平均	0.80	4.8	0.60	4.9	0.48	4.7	0.31	3.7		
26	00	* 1.18	4.7	* 0.77	4.5	0.60	4.7	* 0.40	4.1	N	356
	02	0.90	6.5	0.73	5.1	* 0.61	5.1	* 0.40	4.1	NNW	335
	04	0.92	5.8	0.72	5.4	0.59	5.5	0.36	4.2	NNE	20
	06	0.84	6.3	0.64	5.5	0.51	5.5	0.33	4.6	NNW	348
	08	0.76	5.9	0.59	5.2	0.49	5.2	0.30	4.1	N	4
	10	0.74	4.9	0.52	4.9	0.43	4.8	0.27	3.6	NNW	344
	12	0.60	5.5	0.45	4.8	0.36	4.6	0.23	3.4	NNE	16
	14	0.70	5.0	0.46	4.6	0.36	4.4	0.23	3.4	NNE	12
	16	0.55	3.9	0.39	4.5	0.32	4.3	0.20	3.4	NNE	31
	18	0.51	3.7	0.37	4.7	0.30	4.5	0.19	3.6	NW	323
	20	0.39	3.3	0.29	4.5	0.24	4.4	0.16	3.5	—	
	22	0.39	4.9	0.27	4.7	0.22	4.5	0.14	3.2	—	
	最大	1.18	4.7	0.77	4.5	0.61	5.1	0.40	4.1		
	平均	0.71	5.0	0.52	4.9	0.42	4.8	0.27	3.8		
27	00	0.62	4.7	0.48	4.4	0.40	4.5	0.26	3.8	—	
	02	0.84	5.0	0.59	4.7	0.47	4.6	0.29	3.9	NNW	348
	04	0.74	4.4	0.61	4.8	0.49	4.9	0.30	4.1	NNW	340
	06	0.82	5.1	0.64	5.2	0.51	5.1	0.33	4.1	NNW	331
	08	* 0.90	5.3	0.68	5.0	* 0.55	5.1	0.34	4.2	NNW	344
	10	0.84	5.4	* 0.71	4.7	0.55	4.9	0.34	4.3	NW	315
	12	0.88	4.7	0.61	4.9	0.50	4.9	0.32	4.2	NNW	331
	14	0.89	5.4	0.67	5.0	0.54	5.1	* 0.35	4.4	NW	323
	16	0.80	5.0	0.58	5.2	0.45	5.2	0.29	4.4	NW	319
	18	0.67	5.0	0.52	5.1	0.43	5.1	0.27	4.2	WNW	303
	20	0.61	5.6	0.51	5.1	0.40	5.1	0.25	4.3	NW	311
	22	0.63	5.1	0.49	5.0	0.38	5.1	0.24	4.3	NW	311
	最大	0.90	5.3	0.71	4.7	0.55	5.1	0.35	4.4		
	平均	0.77	5.1	0.59	4.9	0.47	5.0	0.30	4.2		
28	00	* 0.75	5.3	* 0.50	4.9	* 0.38	5.0	* 0.24	4.1	NW	323
	02	0.49	4.4	0.41	4.9	0.33	4.8	0.20	3.9	NNW	331
	04	0.49	3.3	0.37	4.5	0.29	4.6	0.18	3.6	NNW	340
	06	0.60	4.5	0.38	4.5	0.29	4.5	0.18	3.6	NNW	331
	08	0.38	3.9	0.30	4.4	0.24	4.5	0.16	3.5	NW	319
	10	0.29	4.9	0.23	4.4	0.19	4.5	0.12	3.4	—	
	12	0.34	4.8	0.26	4.5	0.21	4.4	0.14	3.4	WNW	286
	14	0.47	3.7	0.32	4.3	0.25	3.8	0.16	2.8	WNW	282
	16	0.36	4.5	0.28	4.6	0.23	4.2	0.15	3.1	W	280
	18	0.45	4.7	0.30	4.1	0.24	4.1	0.15	3.0	WNW	297
	20	0.32	2.1	0.26	4.0	0.21	3.8	0.14	2.8	NNW	341
	22	0.35	3.7	0.22	4.6	0.18	4.4	0.12	3.5	NNE	25
	最大	0.75	5.3	0.50	4.9	0.38	5.0	0.24	4.1		

	平均	0.44	4.2	0.32	4.5	0.25	4.4	0.16	3.4		
29	00	0.34	3.6	0.23	4.1	0.19	4.2	0.13	3.4	N	11
	02	0.36	3.1	0.27	3.7	0.22	3.7	0.15	3.1	W	274
	04	0.30	3.5	0.24	3.7	0.19	3.7	0.12	3.1	—	
	06	0.39	3.7	0.24	4.2	0.18	4.0	0.12	3.0	NW	315
	08	0.31	2.7	0.21	3.9	0.17	3.7	0.11	2.9	—	
	10	0.26	3.5	0.20	4.1	0.15	3.9	0.10	2.8	NNE	18
	12	0.26	4.6	0.19	3.8	0.15	3.6	0.10	2.6	NNW	343
	14	* 0.48	4.4	0.31	3.1	0.24	3.0	0.15	2.5	W	272
	16	0.34	1.9	0.24	2.9	0.20	3.0	0.14	2.4	NE	50
	18	0.35	3.4	0.27	2.7	0.22	2.7	0.15	2.4	W	273
	20	0.37	2.6	0.27	2.8	0.22	3.0	0.14	2.7	NNW	344
	22	0.43	3.6	* 0.34	3.6	* 0.28	3.5	* 0.18	3.1	NE	54
	最大	0.48	4.4	0.34	3.6	0.28	3.5	0.18	3.1		
	平均	0.35	3.4	0.25	3.6	0.20	3.5	0.13	2.8		
30	00	0.50	3.6	0.36	3.3	0.29	3.2	0.19	2.5	NNE	26
	02	0.42	3.1	0.29	3.4	0.23	3.2	0.15	2.7	NNW	339
	04	0.31	3.1	0.22	3.4	0.18	3.3	0.12	2.8	NE	52
	06	0.36	2.5	0.27	2.7	0.21	2.9	0.14	2.6	NW	317
	08	0.34	2.9	0.25	3.3	0.20	3.1	0.14	2.7	WNW	284
	10	0.74	2.5	0.49	2.7	0.38	2.8	0.24	2.5	NNW	335
	12	0.90	3.1	0.60	3.2	0.48	3.1	0.31	2.8	N	8
	14	1.41	3.6	0.91	3.6	0.73	3.6	0.47	3.2	W	264
	16	1.89	4.6	1.33	4.2	1.06	4.2	0.67	3.7	WSW	257
	18	2.06	4.5	1.51	4.6	* 1.23	4.6	0.79	3.9	N	8
	20	* 2.48	4.4	1.46	4.7	1.14	4.7	0.69	3.8	N	0
	22	2.01	5.0	* 1.53	5.2	1.22	5.2	* 0.80	4.6	N	356
	最大	2.48	4.4	1.53	5.2	1.23	4.6	0.80	4.6		
	平均	1.12	3.6	0.77	3.7	0.61	3.7	0.39	3.2		
月最大		3.92	6.2	2.74	8.1	2.14	8.0	1.32	6.4		
起時		1310		2014		2014		2014			
平均		1.15	5.0	0.84	5.1	0.67	5.0	0.43	4.0		

* は日最大波高を示す

波浪整理表（1）

												波高		波向	
												規定回数	372 回	規定回数	372 回
												測得回数	372 回	測得回数	372 回
												欠測回数	0 回	欠測回数	0 回
												欠測率	0.0 %	欠測率	0.0 %
観測所名：直江津港(直轄)												機種：波高 海象計 -32m 波向 海象計 -32m			
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位角度					
01	00	1.79	6.7	1.59	5.7	1.29	5.8	0.78	4.9	NNW	344				
	02	1.98	6.0	1.72	5.9	* 1.42	6.1	* 0.92	5.4	N	0				
	04	2.18	5.7	1.73	6.5	1.37	6.5	0.86	5.4	N	352				
	06	1.96	8.0	* 1.73	7.2	1.39	6.7	0.87	5.5	NNW	335				
	08	* 2.85	7.0	1.69	6.9	1.34	7.1	0.82	5.5	N	356				
	10	1.85	7.4	1.42	7.2	1.17	7.0	0.76	5.7	N	352				
	12	1.79	8.8	1.48	7.4	1.21	7.4	0.75	5.4	NNW	348				
	14	2.01	7.2	1.45	7.0	1.19	7.2	0.72	5.1	N	352				
	16	1.90	7.0	1.44	7.3	1.17	7.5	0.71	5.6	N	352				
	18	1.75	7.1	1.32	7.3	1.06	6.9	0.64	5.1	NNE	12				
	20	1.62	6.5	1.23	6.9	0.99	6.9	0.62	5.3	N	4				
	22	1.76	6.8	1.33	6.9	1.02	6.7	0.62	5.5	NNE	20				
	最大	2.85	7.0	1.73	7.2	1.42	6.1	0.92	5.4						
	平均	1.95	7.0	1.51	6.9	1.22	6.8	0.76	5.4						
02	00	* 1.35	5.7	* 1.09	6.8	* 0.87	6.7	* 0.53	5.4	NNW	348				
	02	1.14	7.7	0.93	6.6	0.73	6.1	0.46	4.7	NNW	348				
	04	1.11	6.3	0.88	6.2	0.68	5.6	0.43	4.6	NNW	344				
	06	1.09	6.2	0.87	6.2	0.68	6.2	0.43	4.9	NNW	344				
	08	1.06	6.1	0.81	6.3	0.67	6.1	0.42	4.9	N	352				
	10	1.34	6.6	0.93	6.6	0.69	6.4	0.42	4.8	N	352				
	12	1.15	6.2	0.92	6.0	0.71	6.0	0.44	4.7	N	352				
	14	1.02	5.2	0.74	5.5	0.58	5.3	0.36	4.1	NNW	348				
	16	1.01	6.6	0.73	5.7	0.60	5.1	0.38	3.9	N	352				
	18	0.89	7.2	0.74	5.9	0.61	5.7	0.39	4.2	N	352				
	20	0.91	6.7	0.67	6.0	0.54	5.7	0.36	4.6	N	0				
	22	0.86	5.3	0.59	5.8	0.47	5.5	0.30	4.0	N	0				
	最大	1.35	5.7	1.09	6.8	0.87	6.7	0.53	5.4						
	平均	1.08	6.3	0.83	6.1	0.65	5.9	0.41	4.6						
03	00	0.80	5.8	* 0.60	5.8	* 0.49	5.8	* 0.31	4.1	NNE	16				
	02	0.70	6.1	0.56	5.9	0.46	5.8	0.29	4.5	N	4				
	04	0.70	5.2	0.44	5.6	0.36	5.4	0.23	4.3	N	352				
	06	* 0.90	4.3	0.45	5.4	0.37	5.4	0.23	4.1	NNW	344				
	08	0.58	5.2	0.42	5.7	0.33	5.3	0.20	3.9	N	356				
	10	0.62	5.6	0.43	5.8	0.34	5.5	0.21	4.0	NNE	12				
	12	0.72	5.1	0.50	5.9	0.39	5.5	0.24	3.9	NNW	348				
	14	0.68	5.2	0.55	5.5	0.45	5.0	0.29	3.7	NNE	12				
	16	0.81	4.5	0.52	5.1	0.42	4.7	0.26	3.3	N	4				
	18	0.72	3.4	0.52	5.0	0.42	4.8	0.26	3.5	N	4				
	20	0.60	5.0	0.45	5.2	0.37	4.7	0.24	3.6	N	352				
	22	0.54	5.5	0.44	4.6	0.36	4.3	0.24	3.5	NNE	27				
	最大	0.90	4.3	0.60	5.8	0.49	5.8	0.31	4.1						
	平均	0.70	5.1	0.49	5.5	0.40	5.2	0.25	3.9						
04	00	0.70	3.5	0.46	5.0	0.36	4.8	0.23	3.8	N	352				
	02	0.58	5.5	0.44	5.6	0.36	5.3	0.24	4.3	N	352				
	04	0.68	5.9	0.52	5.5	0.42	5.4	0.27	4.5	NNW	348				
	06	0.83	5.0	0.57	5.3	0.46	5.4	0.29	4.3	NNW	344				
	08	0.65	5.4	0.53	5.4	0.44	5.6	0.29	4.4	NNW	340				
	10	0.79	5.8	* 0.62	5.8	* 0.49	5.3	* 0.32	4.1	N	356				
	12	0.83	4.8	0.59	5.5	0.49	5.2	0.30	4.0	NNW	348				
	14	0.76	5.6	0.58	5.5	0.45	5.3	0.29	4.1	N	356				
	16	0.76	5.5	0.59	5.7	0.48	5.6	0.30	4.2	NNW	348				
	18	* 0.85	5.9	0.61	6.0	0.47	5.8	0.29	4.5	N	0				
	20	0.68	4.9	0.54	5.4	0.42	5.4	0.25	4.1	N	0				
	22	0.64	6.3	0.48	5.4	0.40	5.4	0.25	4.3	NNW	327				
	最大	0.85	5.9	0.62	5.8	0.49	5.3	0.32	4.1						

	平均	0.73	5.3	0.54	5.5	0.44	5.4	0.28	4.2		
05	00	* 0.68	5.2	* 0.54	5.5	* 0.43	5.3	0.27	4.3	N	8
	02	0.65	4.9	0.53	5.5	0.43	5.2	* 0.28	4.2	N	356
	04	0.61	4.9	0.50	5.1	0.40	5.1	0.26	4.1	NNW	344
	06	0.53	4.4	0.43	5.1	0.35	5.1	0.22	3.8	NNW	335
	08	0.52	4.9	0.35	5.1	0.28	5.0	0.18	4.1	N	4
	10	0.53	4.2	0.37	5.1	0.29	5.0	0.18	3.6	NNW	344
	12	0.42	5.5	0.34	4.9	0.28	4.6	0.18	3.3	NNE	16
	14	0.65	4.2	0.43	4.1	0.34	3.8	0.22	2.9	NNE	26
	16	0.53	4.4	0.37	4.2	0.30	3.9	0.20	3.0	WNW	299
	18	0.51	5.0	0.39	5.0	0.31	4.7	0.20	3.4	NW	315
	20	0.41	6.5	0.30	4.6	0.25	4.4	0.16	3.2	—	
	22	0.57	2.7	0.41	3.6	0.32	3.3	0.21	2.8	WNW	282
	最大	0.68	5.2	0.54	5.5	0.43	5.3	0.28	4.2		
	平均	0.55	4.7	0.41	4.8	0.33	4.6	0.21	3.6		
06	00	* 0.95	3.3	* 0.65	3.6	* 0.52	3.7	* 0.33	3.4	NNE	21
	02	0.71	3.8	0.55	3.8	0.42	3.8	0.27	3.2	NNE	26
	04	0.51	4.2	0.40	3.8	0.33	3.8	0.22	3.3	WSW	240
	06	0.45	3.3	0.34	3.9	0.28	4.0	0.18	3.2	WSW	240
	08	0.42	3.6	0.30	4.0	0.24	4.0	0.16	3.2	NNE	14
	10	0.39	4.3	0.29	4.3	0.24	4.1	0.16	3.2	N	351
	12	0.39	2.6	0.29	3.6	0.23	3.6	0.15	2.8	WSW	244
	14	0.49	3.4	0.31	3.7	0.25	3.4	0.16	2.8	WNW	296
	16	0.33	4.6	0.21	4.3	0.17	3.8	0.11	2.8	WNW	300
	18	0.28	3.3	0.20	4.4	0.16	4.2	0.11	3.0	—	
	20	0.27	5.2	0.19	4.5	0.15	4.3	0.10	3.3	N	0
	22	0.24	5.2	0.14	4.8	0.11	4.8	0.07	3.7	NNW	344
	最大	0.95	3.3	0.65	3.6	0.52	3.7	0.33	3.4		
	平均	0.45	3.9	0.32	4.1	0.26	4.0	0.17	3.2		
07	00	0.22	6.2	0.16	5.3	0.13	5.0	0.08	3.5	NNE	33
	02	0.26	4.1	0.18	4.5	0.15	4.3	0.10	3.2	WSW	256
	04	0.24	3.1	0.17	4.1	0.15	3.8	0.10	2.8	—	
	06	0.28	3.4	0.19	3.7	0.15	3.6	0.10	2.8	NW	324
	08	0.27	3.0	0.20	4.0	0.16	3.7	0.10	2.8	NE	36
	10	0.26	4.3	0.20	4.3	0.16	4.0	0.10	2.9	WSW	253
	12	0.27	4.0	0.20	4.0	0.17	3.7	0.11	2.8	NNE	31
	14	* 0.47	2.6	* 0.33	3.5	* 0.26	3.4	* 0.17	2.7	WSW	247
	16	0.36	4.4	0.27	3.9	0.22	3.8	0.15	2.9	WNW	288
	18	0.38	3.4	0.23	4.0	0.19	3.8	0.12	2.9	N	10
	20	0.24	5.7	0.17	4.6	0.13	4.3	0.09	3.4	W	260
	22	0.24	5.1	0.18	4.7	0.14	4.1	0.10	2.8	—	
	最大	0.47	2.6	0.33	3.5	0.26	3.4	0.17	2.7		
	平均	0.29	4.1	0.21	4.2	0.17	4.0	0.11	3.0		
08	00	0.27	4.5	0.20	4.6	0.16	4.5	0.10	3.3	—	
	02	0.27	4.0	0.21	4.0	0.17	3.9	0.11	3.2	NNE	27
	04	0.57	3.1	0.38	2.8	0.30	3.0	0.19	2.6	WSW	255
	06	0.51	3.1	0.36	2.9	0.29	2.9	0.19	2.6	NW	318
	08	0.82	3.1	0.55	3.1	0.44	3.2	0.29	2.8	WSW	256
	10	1.15	3.6	* 0.92	4.1	* 0.74	4.2	* 0.48	3.6	NE	34
	12	0.90	4.2	0.72	4.0	0.58	4.1	0.38	3.5	WSW	258
	14	* 1.27	3.3	0.81	3.5	0.61	3.6	0.38	3.1	NE	45
	16	1.25	3.5	0.70	3.6	0.55	3.7	0.35	3.1	NE	39
	18	0.91	3.1	0.63	3.7	0.49	3.9	0.32	3.4	W	275
	20	0.74	3.6	0.49	3.6	0.39	3.7	0.25	3.1	N	10
	22	0.99	3.5	0.76	3.4	0.61	3.4	0.38	3.0	不明	
	最大	1.27	3.3	0.92	4.1	0.74	4.2	0.48	3.6		
	平均	0.80	3.6	0.56	3.6	0.44	3.7	0.29	3.1		
09	00	1.02	3.7	0.75	3.8	0.58	3.7	0.37	3.3	N	354
	02	0.89	3.2	0.69	3.6	0.53	3.5	0.34	3.1	NNE	27
	04	0.65	3.4	0.50	3.3	0.41	3.4	0.27	3.1	NE	56
	06	0.74	3.6	0.58	3.7	0.47	3.7	0.31	3.3	N	2
	08	0.77	3.5	0.56	3.7	0.44	3.6	0.28	3.2	NE	40
	10	0.90	3.1	0.58	3.6	0.47	3.7	0.29	3.2	W	270
	12	0.79	4.0	0.56	4.0	0.44	4.0	0.28	3.3	N	4
	14	0.77	3.4	0.57	4.6	0.45	4.5	0.29	3.7	N	352
	16	0.79	4.2	0.49	4.4	0.39	4.4	0.25	3.4	N	356
	18	0.76	4.1	0.55	4.4	0.44	4.2	0.29	3.3	WNW	285
	20	1.51	3.1	1.01	3.5	0.81	3.7	0.51	3.2	NNE	20
	22	* 1.56	3.9	* 1.17	4.5	* 0.93	4.7	* 0.58	3.6	不明	

			最大		平均		最大		平均				
			值	值	值	值	值	值					
10	00		2.05	4.9	1.50	4.5	1.22	4.5	0.80	3.9	WNW	290	
	02		1.20	5.5	1.02	4.9	0.81	5.1	0.52	3.9	NNW	340	
	04		1.45	6.0	1.16	5.1	0.89	5.0	0.56	4.0	W	278	
	06		1.46	4.3	1.11	4.5	0.91	4.6	0.58	3.8	N	0	
	08		1.21	4.3	0.97	4.9	0.77	4.8	0.50	3.7	WNW	282	
	10		1.18	6.3	0.92	4.9	0.75	4.8	0.49	3.9	不明		
	12		1.30	5.1	0.99	4.5	0.82	4.5	0.53	3.6	NNW	348	
	14		1.35	5.8	1.04	4.9	0.84	5.2	0.54	4.0	NNW	331	
	16		2.03	5.6	1.44	4.9	1.13	5.1	0.71	4.1	WNW	290	
	18		2.82	5.1	* 2.19	5.6	* 1.76	5.7	* 1.12	4.8	NNW	327	
	20		* 2.83	6.1	2.17	5.9	1.72	5.8	1.08	4.9	NW	323	
	22		1.69	7.3	1.43	6.0	1.19	5.7	0.75	4.8	NNW	327	
	最大		2.83	6.1	2.19	5.6	1.76	5.7	1.12	4.8			
	平均		1.71	5.5	1.33	5.1	1.07	5.1	0.68	4.1			
	11	00		1.31	5.7	1.03	6.1	0.80	5.8	0.52	4.7	NNW	340
		02		1.14	6.3	0.97	6.4	0.79	6.4	0.50	5.1	NNW	327
		04		1.21	7.2	0.99	6.8	0.78	6.7	0.49	5.4	NNW	335
		06		1.25	7.1	0.94	7.0	0.75	6.7	0.47	5.2	NNW	327
		08		1.23	6.7	0.94	6.3	0.72	6.0	0.44	4.7	NW	311
		10		1.58	6.7	0.95	6.4	0.71	6.0	0.43	4.6	NW	319
12			1.29	6.2	0.91	5.9	0.71	6.1	0.42	4.5	NNW	344	
14			1.16	6.3	0.81	5.5	0.65	5.3	0.42	4.3	NNW	327	
16			1.20	5.1	0.98	4.4	0.80	4.3	0.52	3.5	N	349	
18			1.87	4.2	* 1.54	4.8	* 1.24	4.6	* 0.78	3.9	NNW	327	
20			* 1.97	4.8	1.38	4.8	1.13	4.9	0.72	4.1	NW	319	
22			1.95	4.3	1.38	4.7	1.10	4.7	0.69	3.8	NNW	331	
最大			1.97	4.8	1.54	4.8	1.24	4.6	0.78	3.9			
平均			1.43	5.9	1.07	5.8	0.85	5.6	0.53	4.5			
12		00		1.86	4.9	1.40	4.5	* 1.12	4.6	* 0.72	3.8	NW	323
		02		* 1.91	3.9	* 1.42	4.4	1.12	4.5	0.72	3.7	WNW	303
		04		1.59	4.2	1.15	4.6	0.89	4.6	0.56	3.7	NW	319
		06		1.53	6.1	1.07	5.2	0.83	5.3	0.53	4.4	NNW	327
		08		1.19	5.3	0.87	5.5	0.68	5.6	0.43	4.4	NNW	344
		10		0.96	4.8	0.70	5.3	0.55	5.2	0.35	4.3	NNW	340
	12		0.97	5.7	0.83	5.5	0.66	5.6	0.42	4.7	NNW	348	
	14		1.21	6.0	0.84	5.4	0.67	5.6	0.43	4.6	NW	315	
	16		0.91	5.7	0.69	5.6	0.56	5.5	0.36	4.4	NW	311	
	18		0.74	5.3	0.60	5.4	0.48	5.2	0.29	3.7	NW	307	
	20		0.86	4.2	0.63	5.4	0.50	5.5	0.31	4.2	NW	323	
	22		0.73	5.4	0.50	5.3	0.41	5.2	0.26	4.2	NNW	327	
	最大		1.91	3.9	1.42	4.4	1.12	4.6	0.72	3.8		</	

	16	0.34	4.2	0.28	5.0	0.22	4.9	0.14	3.9	NW	315	
	18	* 0.50	5.1	0.33	4.4	0.25	4.6	0.15	3.8	N	356	
	20	0.33	6.1	0.27	5.7	0.22	5.7	0.14	4.5	NNW	335	
	22	0.44	6.4	* 0.35	5.5	* 0.27	5.5	* 0.17	4.3	WNW	295	
	最大	0.50	5.1	0.35	5.5	0.27	5.5	0.17	4.3			
	平均	0.40	5.1	0.30	4.9	0.24	4.8	0.15	3.7			
	15	00	0.57	5.1	0.42	5.7	0.33	5.7	0.20	4.5	NW	323
		02	0.53	5.5	0.40	5.8	0.32	5.7	0.20	4.3	NNW	331
		04	* 0.62	5.6	0.41	5.5	0.33	5.6	0.20	4.2	NNW	344
		06	0.52	6.3	0.41	5.8	0.32	5.5	0.20	4.0	NW	319
		08	0.57	4.9	* 0.45	5.1	* 0.37	5.2	* 0.23	4.0	WNW	295
		10	0.56	5.1	0.43	5.8	0.33	5.5	0.21	4.5	NW	311
		12	0.53	6.7	0.38	5.8	0.30	5.4	0.19	4.0	NNW	335
		14	0.62	5.2	0.38	5.4	0.31	5.3	0.19	4.0	NNW	331
		16	0.54	4.0	0.40	5.1	0.31	5.2	0.19	4.2	NNW	335
		18	0.56	5.9	0.41	5.3	0.31	5.2	0.19	3.9	NNW	340
		20	0.43	4.9	0.34	5.6	0.28	5.2	0.17	3.9	NNW	340
		22	0.43	5.0	0.34	5.5	0.27	5.5	0.17	4.2	NW	323
	最大	0.62	5.6	0.45	5.1	0.37	5.2	0.23	4.0			
		平均	0.54	5.4	0.40	5.5	0.32	5.4	0.20	4.1		
	16	00	0.43	6.8	0.35	5.6	0.28	5.4	0.18	4.0	NW	323
		02	0.51	6.6	0.41	5.7	0.32	5.4	0.21	4.6	NNW	331
		04	0.45	5.7	0.33	5.6	0.27	5.4	0.17	4.1	NNW	344
		06	0.41	5.5	0.32	5.4	0.26	5.2	0.16	3.7	NW	315
		08	0.45	5.6	0.32	5.0	0.25	4.8	0.16	3.3	WNW	303
		10	0.48	2.1	0.31	4.7	0.23	4.6	0.15	3.7	WNW	299
		12	0.84	2.8	0.55	2.9	0.43	3.0	0.28	2.7	NW	320
		14	1.16	3.7	0.79	3.8	0.64	3.9	0.41	3.3	W	278
		16	* 1.39	4.4	0.83	4.3	0.65	4.4	0.42	3.8	NW	323
		18	0.93	4.6	0.68	4.4	0.54	4.6	0.35	3.8	NW	319
		20	0.75	6.9	0.63	5.5	0.51	5.4	0.34	4.3	NW	319
		22	1.35	4.3	* 1.08	4.3	* 0.84	4.2	* 0.54	3.6	不明	
	最大	1.39	4.4	1.08	4.3	0.84	4.2	0.54	3.6			
	平均	0.76	4.9	0.55	4.8	0.44	4.7	0.28	3.7			
	17	00	1.55	4.3	* 1.27	4.5	* 1.03	4.4	* 0.67	3.7	W	278
		02	* 1.79	4.2	1.13	4.1	0.89	4.2	0.57	3.5	WSW	243
		04	1.15	4.6	0.83	4.1	0.68	4.1	0.44	3.3	NE	34
		06	1.41	4.2	0.87	5.2	0.70	5.0	0.43	3.7	NW	311
		08	1.17	5.4	0.98	5.9	0.78	6.0	0.49	4.7	NW	319
		10	1.27	6.2	0.94	6.2	0.76	6.0	0.50	5.2	NW	307
		12	1.07	5.5	0.84	5.7	0.66	6.0	0.42	4.8	NW	323
		14	1.01	4.6	0.63	5.5	0.50	5.1	0.31	4.0	NW	323
		16	0.74	4.7	0.56	5.3	0.45	5.0	0.28	3.6	WNW	295
		18	0.62	3.9	0.49	5.1	0.38	4.8	0.24	3.5	NW	307
		20	0.61	6.9	0.43	6.0	0.35	5.7	0.21	4.0	NW	311
		22	0.47	6.3	0.37	6.2	0.31	5.9	0.19	4.0	NW	311
	最大	1.79	4.2	1.27	4.5	1.03	4.4	0.67	3.7			
		平均	1.07	5.1	0.78	5.3	0.62	5.2	0.40	4.0		
	18	00	0.63	5.6	0.47	6.3	0.37	6.2	0.22	4.4	NW	315
		02	0.59	5.8	0.44	5.9	0.34	5.7	0.20	3.8	NNW	327
		04	0.75	5.5	0.49	5.7	0.37	5.7	0.23	4.3	NW	307
		06	0.63	5.6	0.44	5.6	0.34	5.2	0.21	3.7	NW	307
		08	0.49	2.8	0.40	5.0	0.31	4.7	0.20	3.3	NNW	340
		10	0.52	5.8	0.36	5.2	0.28	5.0	0.17	3.4	NW	311
		12	0.46	7.2	0.33	4.9	0.26	4.9	0.16	3.6	WNW	282
		14	0.62	4.9	0.33	4.7	0.26	4.7	0.17	3.6	NNW	327
		16	0.35	5.9	0.29	5.4	0.24	5.0	0.15	3.6	N	0
		18	0.64	5.8	0.41	4.8	0.32	4.3	0.20	2.9	W	266
		20	0.89	6.2	0.63	6.2	0.50	6.3	0.31	5.0	NW	307
		22	* 1.30	5.9	* 0.80	6.3	* 0.63	6.2	* 0.40	5.1	NW	307
	最大	1.30	5.9	0.80	6.3	0.63	6.2	0.40	5.1			
	平均	0.66	5.6	0.45	5.5	0.35	5.3	0.22	3.9			
	19	00	1.14	4.8	0.74	5.5	0.56	5.6	0.36	4.5	NW	319
		02	0.67	5.9	0.55	5.8	0.45	5.6	0.28	4.4	NNW	331
		04	0.58	5.2	0.45	5.4	0.36	5.7	0.23	4.2	NW	311
		06	0.45	4.6	0.36	5.7	0.28	5.4	0.18	3.7	WNW	299
		08	0.49	5.8	0.38	5.8	0.31	5.2	0.19	3.7	NW	315
		10	0.59	6.3	0.41	7.3	0.31	5.8	0.20	4.1	NW	323

	平均	0.54	3.9	0.38	3.9	0.31	3.8	0.20	3.1		
29	00	0.33	3.0	0.24	4.1	0.19	3.9	0.13	3.1	N	351
	02	0.38	4.0	0.26	3.6	0.21	3.6	0.13	2.8	NNW	331
	04	* 0.39	3.2	0.27	3.5	0.21	3.5	0.14	2.7	NW	324
	06	0.34	3.5	0.26	3.6	0.21	3.6	0.14	2.8	NW	322
	08	0.38	2.8	* 0.29	3.1	* 0.24	3.2	* 0.16	2.8	W	266
	10	0.32	6.0	0.22	3.6	0.18	3.2	0.12	2.6	NW	312
	12	0.34	2.8	0.26	3.3	0.21	3.2	0.14	2.6	N	5
	14	0.36	3.5	0.25	3.3	0.20	3.3	0.14	2.5	—	
	16	0.36	4.1	0.22	3.7	0.18	3.2	0.12	2.5	N	0
	18	0.34	7.2	0.25	5.6	0.20	4.5	0.13	3.0	—	
	20	0.24	3.8	0.18	4.0	0.15	4.2	0.09	3.3	WNW	291
	22	0.24	6.2	0.17	4.4	0.14	3.8	0.09	2.7	N	350
	最大	0.39	3.2	0.29	3.1	0.24	3.2	0.16	2.8		
	平均	0.34	4.2	0.24	3.8	0.19	3.6	0.13	2.8		
30	00	0.25	3.3	0.18	4.2	0.15	3.7	0.10	2.6	WSW	256
	02	0.19	2.6	0.15	3.7	0.12	3.5	0.08	2.8	WSW	251
	04	0.21	3.4	0.16	3.6	0.13	3.3	0.08	2.4	NNW	339
	06	0.26	2.3	0.18	3.3	0.15	3.2	0.10	2.5	WSW	250
	08	0.32	4.6	0.22	3.4	0.17	3.1	0.12	2.4	NE	44
	10	0.33	4.6	0.25	3.6	0.20	3.2	0.13	2.4	W	260
	12	0.25	3.8	0.19	3.3	0.15	3.2	0.10	2.5	NE	48
	14	* 0.48	4.5	0.25	3.9	0.20	3.4	0.13	2.6	—	
	16	0.38	3.2	0.24	3.3	0.20	3.0	0.13	2.4	WSW	255
	18	0.37	3.1	* 0.26	3.4	* 0.21	3.2	* 0.14	2.6	NNW	343
	20	0.33	5.2	0.22	4.1	0.18	3.8	0.12	2.8	NE	35
	22	0.24	4.7	0.19	4.3	0.15	3.9	0.10	3.0	WNW	295
	最大	0.48	4.5	0.26	3.4	0.21	3.2	0.14	2.6		
	平均	0.30	3.8	0.21	3.7	0.17	3.4	0.11	2.6		
31	00	0.28	4.1	0.22	4.8	0.17	4.0	0.11	2.8	WSW	244
	02	0.53	2.3	0.34	2.6	0.26	2.7	0.17	2.4	NNE	29
	04	0.94	2.7	0.61	2.8	0.46	2.9	0.30	2.6	WSW	247
	06	1.15	2.9	0.73	3.3	0.58	3.3	0.38	3.0	NNE	21
	08	* 1.48	4.0	* 1.01	4.2	* 0.78	4.1	* 0.48	3.4	NE	44
	10	1.08	4.6	0.89	4.4	0.74	4.5	0.46	3.8	NNE	20
	12	0.81	3.7	0.58	4.1	0.46	4.1	0.28	3.4	WNW	300
	14	1.07	3.4	0.63	3.9	0.48	3.8	0.30	3.0	NW	315
	16	0.92	2.9	0.71	3.2	0.58	3.2	0.37	2.9	WNW	286
	18	0.92	2.7	0.70	3.1	0.57	3.1	0.37	2.8	WNW	289
	20	1.19	3.0	0.77	3.2	0.62	3.2	0.39	2.9	WNW	284
	22	1.25	3.6	0.93	3.6	0.73	3.6	0.46	3.0	不明	
	最大	1.48	4.0	1.01	4.2	0.78	4.1	0.48	3.4		
	平均	0.97	3.3	0.68	3.6	0.54	3.5	0.34	3.0		
	月最大	2.85	7.0	2.19	5.6	1.76	5.7	1.12	4.8		
	起時	0108		1018		1018		1018			
	平均	0.81	4.9	0.60	4.9	0.48	4.8	0.30	3.7		

* は日最大波高を示す

	04	0.31	3.2	0.24	4.2	0.19	4.0	0.12	3.1	W	264
	06	0.36	3.3	* 0.25	3.6	* 0.20	3.5	* 0.13	2.9	NE	40
	08	0.30	4.3	0.21	3.8	0.17	3.7	0.11	2.9	WSW	246
	10	0.24	2.2	0.17	4.0	0.14	3.5	0.09	2.9	NW	325
	12	0.22	4.3	0.17	3.5	0.14	3.6	0.10	2.6	NE	49
	14	0.31	2.9	0.19	4.8	0.14	4.0	0.09	3.0	WSW	258
	16	* 0.37	3.6	0.20	4.3	0.15	3.9	0.10	2.8	N	0
	18	0.25	4.0	0.21	3.4	0.17	3.1	0.11	2.5	W	274
	20	0.19	4.2	0.14	3.9	0.12	3.6	0.08	2.6	W	264
	22	0.19	3.8	0.16	4.4	0.13	3.9	0.08	2.8	NNE	32
	最大	0.37	3.6	0.25	3.6	0.20	3.5	0.13	2.9		
	平均	0.27	3.8	0.20	4.1	0.16	3.8	0.10	3.0		
25	00	0.21	7.9	0.17	4.7	0.14	4.0	0.09	2.8	—	
	02	0.17	6.7	0.12	4.9	0.09	4.5	0.06	3.3	—	
	04	0.18	5.8	0.15	4.1	0.12	3.5	0.09	2.6	WSW	255
	06	0.45	2.6	0.27	3.0	0.21	3.0	0.14	2.4	NNE	21
	08	0.43	2.7	0.25	3.3	0.19	3.2	0.13	2.6	WNW	292
	10	0.35	2.7	0.26	3.2	0.20	3.1	0.13	2.5	N	9
	12	0.51	3.5	0.30	3.0	0.24	3.0	0.16	2.6	W	270
	14	0.80	3.0	0.57	3.1	0.46	3.2	0.30	2.8	N	2
	16	0.63	3.6	0.45	3.5	0.36	3.6	0.23	3.0	N	356
	18	2.24	4.3	1.78	4.3	1.40	4.3	0.88	3.8	不明	
	20	* 3.04	5.2	* 2.20	5.1	* 1.70	5.1	* 1.09	4.4	W	270
	22	2.59	5.2	1.93	5.2	1.56	5.2	0.97	4.2	W	274
	最大	3.04	5.2	2.20	5.1	1.70	5.1	1.09	4.4		
	平均	0.97	4.4	0.70	4.0	0.56	3.8	0.36	3.1		
26	00	* 2.10	5.4	* 1.53	4.8	* 1.25	4.9	* 0.82	4.1	WSW	258
	02	1.71	4.5	1.28	4.9	1.03	5.1	0.65	4.2	NNW	327
	04	1.83	5.1	1.13	4.9	0.90	4.9	0.58	4.1	NW	315
	06	1.12	4.1	0.92	4.6	0.78	4.6	0.52	4.1	不明	
	08	1.27	5.2	0.84	4.8	0.64	4.7	0.39	3.6	WNW	295
	10	0.90	4.4	0.69	4.4	0.56	4.5	0.37	3.6	WNW	299
	12	0.93	4.4	0.61	4.4	0.47	4.4	0.31	3.5	—	
	14	0.83	4.0	0.62	4.5	0.49	4.3	0.31	3.5	WSW	246
	16	0.81	3.8	0.60	4.1	0.48	4.1	0.31	3.4	N	1
	18	0.75	4.7	0.50	4.6	0.39	4.2	0.25	3.5	NNW	336
	20	0.66	4.4	0.52	4.3	0.42	4.3	0.28	3.7	WNW	285
	22	0.53	4.7	0.42	4.3	0.34	4.5	0.22	3.6	—	
	最大	2.10	5.4	1.53	4.8	1.25	4.9	0.82	4.1		
	平均	1.12	4.6	0.81	4.6	0.65	4.5	0.42	3.7		
27	00	0.56	4.0	0.39	4.2	0.31	4.1	0.20	3.2	WSW	245
	02	0.57	3.3	0.47	3.4	0.37	3.6	0.24	3.1	NNE	27
	04	0.65	3.5	0.39	3.7	0.31	3.7	0.20	3.2	WNW	286
	06	0.38	3.8	0.31	3.6	0.25	3.6	0.17	2.8	W	263
	08	0.73	2.9	0.42	3.5	0.34	3.5	0.22	3.0	—	
	10	0.48	3.8	0.36	4.0	0.28	4.0	0.18	3.0	W	279
	12	1.22	2.7	0.74	2.8	0.58	2.8	0.37	2.6	W	266
	14	1.70	3.6	1.27	3.8	1.03	3.9	0.67	3.5	W	266
	16	* 1.98	4.4	* 1.48	4.2	* 1.16	4.2	* 0.74	3.6	W	270
	18	1.64	3.6	0.99	4.0	0.84	4.0	0.55	3.4	WSW	258
	20	1.30	2.9	1.00	4.0	0.82	4.1	0.52	3.3	W	259
	22	1.19	3.2	0.93	4.2	0.77	4.3	0.50	3.6	NW	315
	最大	1.98	4.4	1.48	4.2	1.16	4.2	0.74	3.6		
	平均	1.03	3.5	0.73	3.8	0.59	3.8	0.38	3.2		
28	00	0.89	3.8	0.60	4.0	0.49	4.0	0.33	3.2	NNW	329
	02	0.85	4.1	0.62	4.5	0.50	4.5	0.31	3.3	WNW	303
	04	0.89	3.9	* 0.70	4.4	* 0.56	4.4	0.35	3.6	NNW	327
	06	0.88	5.1	0.68	4.5	0.54	4.6	0.35	3.8	NNW	331
	08	* 0.95	4.2	* 0.70	4.4	0.55	4.3	0.35	3.7	W	269
	10	0.84	4.3	0.66	4.2	0.51	4.2	0.32	3.5	W	269
	12	0.85	4.1	0.65	3.7	0.52	3.7	0.32	3.1	W	261
	14	0.92	3.3	0.65	3.8	0.51	3.9	0.33	3.2	NNW	333
	16	0.92	3.9	0.61	4.0	0.49	3.9	0.30	3.0	WSW	250
	18	0.88	2.9	0.66	4.5	0.54	4.6	0.34	3.7	NW	319
	20	0.90	4.7	0.69	4.9	0.55	4.7	* 0.36	4.0	NW	315
	22	0.83	5.3	0.68	5.6	0.55	5.5	0.35	4.3	NW	323
	最大	0.95	4.2	0.70	4.4	0.56	4.4	0.36	4.0		

	平均	0.88	4.1	0.66	4.4	0.53	4.4	0.33	3.5		
29	00	* 0.95	6.7	* 0.67	6.2	* 0.53	5.9	* 0.34	4.7	NNW	327
	02	0.63	7.3	0.51	5.8	0.42	5.4	0.27	4.1	NNW	327
	04	0.53	5.6	0.42	5.2	0.33	4.5	0.21	3.2	NW	319
	06	0.45	6.1	0.32	5.4	0.25	5.0	0.16	3.4	NW	315
	08	0.60	4.1	0.46	4.4	0.37	4.2	0.24	3.3	NW	322
	10	欠測									
	12	欠測									
	14	欠測									
	16	0.67	5.5	0.50	5.3	0.38	5.1	0.24	3.6	NW	319
	18	0.62	4.6	0.49	4.7	0.40	4.5	0.26	3.5	NW	315
	20	0.52	5.7	0.38	5.0	0.30	4.8	0.19	3.6	WNW	303
	22	0.53	5.4	0.39	4.8	0.30	4.8	0.19	3.7	NW	319
	最大	0.95	6.7	0.67	6.2	0.53	5.9	0.34	4.7		
	平均	0.61	5.7	0.46	5.2	0.36	4.9	0.23	3.7		
30	00	0.53	5.4	0.37	4.9	0.29	4.9	0.19	3.7	W	266
	02	0.39	4.2	0.32	5.4	0.26	4.9	0.16	3.5	NW	319
	04	0.40	5.9	0.33	5.3	0.27	5.1	0.18	3.9	NW	319
	06	0.51	5.5	0.39	5.1	0.31	4.9	0.19	3.9	NW	315
	08	0.58	5.3	0.40	5.0	0.33	4.9	0.21	3.9	NNW	331
	10	0.55	4.9	0.40	5.1	0.29	4.9	0.18	3.4	NW	319
	12	0.48	4.3	0.36	4.4	0.28	4.5	0.17	3.3	NNW	327
	14	0.48	4.0	0.32	4.8	0.24	4.7	0.14	3.7	NW	307
	16	0.34	4.3	0.25	5.4	0.21	5.1	0.13	3.6	NNW	344
	18	0.50	6.1	0.31	5.8	0.24	5.3	0.15	3.6	WNW	290
	20	0.32	5.5	0.24	5.5	0.19	5.0	0.12	3.3	WNW	303
	22	* 1.34	3.9	* 1.03	3.8	* 0.85	3.8	* 0.55	3.3	WSW	244
	最大	1.34	3.9	1.03	3.8	0.85	3.8	0.55	3.3		
	平均	0.54	4.9	0.39	5.0	0.31	4.8	0.20	3.6		
月最大		3.04	5.2	2.20	5.1	1.70	5.1	1.09	4.4		
起時		2520		2520		2520		2520			
平均		0.91	4.9	0.67	4.9	0.53	4.7	0.34	3.7		

* は日最大波高を示す

波浪整理表（1）

												波高		波向	
												規定回数	372 回	規定回数	372 回
												測得回数	371 回	測得回数	372 回
												欠測回数	1 回	欠測回数	0 回
												欠測率	0.3 %	欠測率	0.0 %
観測所名： 直江津港(直轄)												機種： 波高 海象計 -32m 波向 海象計 -32m			
日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向					
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度				
01	00	1.53	3.9	1.25	3.9	1.03	3.9	0.67	3.5	不明					
	02	1.84	3.6	1.42	4.0	1.16	4.0	0.76	3.5	W	260				
	04	2.81	4.7	2.18	4.5	1.72	4.6	1.08	4.0	W	262				
	06	3.38	4.7	2.38	5.0	1.88	5.0	1.16	4.2	W	274				
	08	* 4.77	6.1	* 3.64	6.1	* 2.77	6.0	* 1.75	5.3	WNW	282				
	10	3.32	5.1	2.37	5.7	1.86	5.5	1.18	4.5	WSW	254				
	12	1.99	3.8	1.63	4.6	1.26	4.6	0.82	3.9	W	266				
	14	1.98	4.8	1.51	4.5	1.20	4.6	0.77	3.9	W	278				
	16	1.55	4.7	1.15	5.4	0.91	4.8	0.57	3.8	NNW	327				
	18	2.18	8.3	1.85	8.0	1.46	7.9	0.90	5.7	NNW	335				
	20	1.90	7.2	1.51	7.4	1.23	7.6	0.78	6.0	NNW	335				
	22	1.45	6.5	1.19	7.0	0.95	6.9	0.58	5.3	NNW	348				
	最大	4.77	6.1	3.64	6.1	2.77	6.0	1.75	5.3						
	平均	2.39	5.3	1.84	5.5	1.45	5.5	0.92	4.5						
02	00	1.29	5.1	1.08	7.3	0.88	6.8	0.55	5.4	NNW	344				
	02	1.26	5.9	1.03	6.4	0.85	6.5	0.55	5.4	NNW	331				
	04	1.36	5.9	1.03	6.0	0.84	6.2	0.53	5.2	NNW	344				
	06	* 1.65	5.7	1.07	5.8	0.85	5.7	0.55	4.9	NNW	344				
	08	1.54	5.5	* 1.18	6.3	* 0.92	6.1	* 0.57	5.0	NNW	348				
	10	1.28	5.7	1.01	5.6	0.82	5.7	0.53	4.8	N	0				
	12	0.91	5.9	0.76	5.6	0.63	5.5	0.41	4.4	N	356				
	14	1.25	6.2	0.77	5.6	0.63	5.4	0.41	4.1	N	352				
	16	0.90	6.9	0.66	5.9	0.54	5.8	0.35	4.5	N	4				
	18	0.72	6.0	0.57	5.7	0.44	5.6	0.27	4.4	N	0				
	20	0.65	5.4	0.50	5.8	0.40	5.7	0.26	4.8	N	0				
	22	0.68	6.5	0.53	6.0	0.41	5.8	0.25	4.5	N	8				
	最大	1.65	5.7	1.18	6.3	0.92	6.1	0.57	5.0						
	平均	1.12	5.9	0.85	6.0	0.68	5.9	0.44	4.8						
03	00	0.63	6.4	0.51	5.9	0.42	6.0	0.26	4.9	N	8				
	02	0.80	5.8	0.59	5.9	0.47	5.9	0.29	4.8	N	0				
	04	0.83	5.6	0.63	6.0	0.51	6.0	0.31	4.7	N	8				
	06	0.70	5.4	0.52	5.7	0.42	5.5	0.25	4.2	N	4				
	08	0.71	4.6	0.52	5.7	0.41	5.4	0.25	4.0	NNW	348				
	10	0.57	5.9	0.45	5.9	0.36	5.7	0.23	4.4	N	0				
	12	0.45	5.4	0.34	5.6	0.27	5.2	0.17	3.7	NNE	29				
	14	0.51	4.3	0.39	4.0	0.32	3.6	0.22	3.0	WSW	244				
	16	0.51	4.4	0.34	3.8	0.27	3.8	0.18	3.1	NE	44				
	18	0.55	3.8	0.36	4.2	0.27	4.0	0.18	3.1	N	359				
	20	0.56	3.3	0.37	3.5	0.30	3.4	0.19	2.9	W	280				
	22	* 1.05	4.1	* 0.82	4.0	* 0.65	4.1	* 0.43	3.7	W	281				
	最大	1.05	4.1	0.82	4.0	0.65	4.1	0.43	3.7						
	平均	0.66	4.9	0.49	5.0	0.39	4.9	0.25	3.9						
04	00	1.05	3.5	0.77	3.9	0.60	3.9	0.37	3.4	WNW	287				
	02	0.84	3.8	0.58	3.6	0.46	3.6	0.30	3.2	NE	56				
	04	0.71	4.1	0.56	3.7	0.45	3.7	0.29	3.3	WSW	242				
	06	0.88	3.6	0.72	3.8	0.59	3.8	0.38	3.4	NE	46				
	08	1.08	4.3	0.82	4.0	0.66	3.9	0.42	3.5	W	269				
	10	0.84	4.1	0.66	3.8	0.53	4.0	0.34	3.4	WSW	244				
	12	0.80	3.2	0.59	3.8	0.47	3.9	0.31	3.3	NE	36				
	14	0.92	3.5	0.63	4.0	0.50	3.9	0.32	3.2	WSW	248				
	16	* 1.39	4.4	* 0.99	4.5	* 0.76	4.4	* 0.46	3.9	NNW	327				
	18	1.00	4.5	0.81	4.5	0.66	4.4	0.43	3.7	不明					
	20	0.99	4.1	0.60	4.1	0.49	4.3	0.31	3.3	WNW	283				
	22	0.67	4.5	0.46	4.3	0.38	4.2	0.24	3.4	WSW	242				
	最大	1.39	4.4	0.99	4.5	0.76	4.4	0.46	3.9						

	平均	0.93	4.0	0.68	4.0	0.55	4.0	0.35	3.4		
05	00	0.52	3.7	0.38	4.2	0.31	4.2	0.19	3.3	NW	325
	02	0.45	4.1	0.29	3.9	0.23	3.9	0.15	3.2	W	272
	04	0.36	3.4	0.27	3.9	0.21	3.9	0.14	3.0	W	274
	06	0.46	3.3	0.33	3.4	0.27	3.5	0.18	3.0	NE	53
	08	0.44	2.9	0.34	3.6	0.28	3.6	0.19	2.9	WNW	301
	10	0.47	2.7	0.35	3.6	0.28	3.4	0.18	2.8	W	261
	12	0.36	3.2	0.28	3.9	0.22	3.7	0.15	2.9	W	262
	14	0.42	4.2	0.32	3.3	0.26	3.3	0.17	2.7	—	
	16	0.69	2.3	0.50	2.9	0.39	3.1	0.25	2.7	WSW	244
	18	0.85	3.9	0.63	4.4	0.50	4.0	0.32	3.3	NE	37
06	20	0.99	3.9	0.66	4.1	0.53	4.0	0.35	3.6	NE	34
	22	* 1.06	4.0	* 0.77	3.9	* 0.62	4.1	* 0.39	3.5	NW	304
	最大	1.06	4.0	0.77	3.9	0.62	4.1	0.39	3.5		
	平均	0.59	3.5	0.43	3.8	0.34	3.7	0.22	3.1		
	00	1.18	3.6	0.81	4.0	0.67	4.1	0.45	3.6	NNE	15
	02	1.01	3.1	0.70	4.0	0.56	4.0	0.36	3.3	WSW	254
	04	0.91	3.3	0.64	3.7	0.51	3.7	0.33	3.2	N	358
	06	1.02	5.8	0.75	4.3	0.58	4.2	0.36	3.4	N	355
	08	1.08	4.1	0.92	4.2	0.74	4.2	0.48	3.6	NNE	30
	10	1.26	4.7	0.96	4.3	0.79	4.4	0.53	4.0	W	274
07	12	1.04	4.4	0.78	3.9	0.63	4.0	0.40	3.3	W	268
	14	* 1.65	4.0	* 1.06	3.8	* 0.88	3.9	* 0.57	3.4	WSW	256
	16	1.13	3.2	0.87	3.6	0.70	3.6	0.45	3.2	NE	56
	18	1.26	4.1	0.99	3.9	0.78	3.9	0.49	3.4	NNW	329
	20	1.11	5.1	0.91	4.6	0.75	4.6	0.49	3.9	NNE	16
	22	1.07	4.4	0.91	5.1	0.72	5.1	0.47	4.1	N	352
	最大	1.65	4.0	1.06	3.8	0.88	3.9	0.57	3.4		
	平均	1.14	4.2	0.86	4.1	0.69	4.1	0.45	3.5		
	00	1.24	10.4	1.00	8.1	0.80	6.8	0.48	4.7	N	0
	02	1.60	9.4	1.09	8.0	0.87	7.3	0.54	5.2	N	352
08	04	1.53	6.9	1.19	8.8	0.96	8.2	0.60	5.9	N	0
	06	1.83	8.6	1.40	8.8	1.13	8.3	0.73	6.4	N	352
	08	1.75	8.7	1.36	8.6	1.12	8.3	0.72	6.6	N	352
	10	1.72	9.5	1.35	7.7	1.10	7.2	0.66	5.1	NNW	344
	12	1.78	9.3	1.44	7.9	1.16	7.2	0.72	4.9	N	0
	14	2.17	8.0	* 1.74	6.3	* 1.37	5.8	* 0.85	4.5	不明	
	16	* 2.49	7.9	1.66	6.4	1.33	6.2	0.83	4.5	N	352
	18	2.10	8.0	1.44	5.5	1.15	5.7	0.73	4.2	N	0
	20	1.63	6.9	1.40	6.0	1.13	5.8	0.72	4.4	N	352
	22	1.83	6.8	1.28	7.5	1.02	6.9	0.62	5.1	N	356
09	最大	2.49	7.9	1.74	6.3	1.37	5.8	0.85	4.5		
	平均	1.81	8.4	1.36	7.5	1.10	7.0	0.68	5.1		
	00	1.71	9.1	* 1.38	7.7	* 1.12	7.3	* 0.71	5.9	NNW	344
	02	1.48	6.5	1.22	6.9	0.97	6.8	0.59	5.2	N	356
	04	* 1.85	6.6	1.16	6.8	0.93	6.8	0.60	5.6	N	352
	06	1.41	6.3	1.10	6.9	0.89	6.4	0.56	5.2	不明	
	08	1.73	8.2	1.17	6.8	0.89	6.4	0.54	5.0	不明	
	10	1.33	6.1	0.99	6.8	0.80	6.8	0.52	5.4	NNW	348
	12	1.37	5.6	0.92	6.8	0.75	6.5	0.46	5.0	NNW	348
	14	1.19	6.4	0.81	6.3	0.66	6.5	0.40	4.9	N	356
09	16	0.88	6.7	0.72	6.9	0.59	6.5	0.37	5.1	N	356
	18	0.95	6.3	0.66	6.2	0.51	6.3	0.31	4.8	N	356
	20	0.68	6.2	0.52	6.4	0.41	6.1	0.25	4.4	NNW	348
	22	0.75	5.8	0.49	6.0	0.39	6.0	0.24	4.6	N	356
	最大	1.85	6.6	1.38	7.7	1.12	7.3	0.71	5.9		
	平均	1.28	6.7	0.93	6.7	0.74	6.5	0.46	5.1		
	00	* 0.57	5.2	* 0.43	5.7	* 0.34	5.8	* 0.21	4.4	N	352
	02	0.52	5.2	0.36	5.5	0.29	5.5	0.18	4.1	N	8
	04	0.46	4.2	0.33	5.1	0.25	4.9	0.16	3.5	N	0
	06	0.48	3.2	0.36	4.0	0.30	3.7	0.19	2.9	—	
09	08	0.54	3.1	0.36	3.7	0.29	3.6	0.19	3.0	NNW	329
	10	0.39	3.1	0.30	3.7	0.24	3.7	0.15	2.8	WSW	250
	12	0.36	2.7	0.27	3.8	0.22	3.5	0.14	2.8	NW	319
	14	0.40	4.6	0.27	3.9	0.22	3.9	0.14	3.1	—	
	16	0.43	3.2	0.27	4.1	0.23	3.9	0.15	3.0	N	4
	18	0.49	3.2	0.33	5.5	0.27	4.8	0.17	3.3	NNW	340
	20	0.40	7.9	0.33	6.1	0.26	5.2	0.17	3.6	N	0
	22	0.42	4.0	0.37	7.1	0.31	6.2	0.20	4.4	N	0

		最大	0.57	5.2	0.43	5.7	0.34	5.8	0.21	4.4		
		平均	0.46	4.1	0.33	4.9	0.27	4.6	0.17	3.4		
10	00		0.52	6.7	0.42	7.0	0.34	6.5	0.21	4.3	NNW	348
	02		0.65	4.9	0.42	6.2	0.34	5.8	0.22	4.4	N	352
	04		0.56	6.5	0.40	6.5	0.32	6.3	0.20	4.6	NNW	335
	06		0.55	7.0	0.41	6.4	0.32	6.2	0.19	4.2	—	
	08		0.61	6.2	* 0.45	6.2	* 0.36	6.0	* 0.23	4.6	—	
	10		0.47	6.3	0.37	5.9	0.30	5.8	0.18	4.1	—	
	12		0.45	5.2	0.35	5.7	0.27	5.1	0.17	3.6	NNW	348
	14		0.49	4.9	0.39	5.2	0.31	5.2	0.19	3.5	NNE	12
	16		0.45	6.3	0.33	5.7	0.27	5.4	0.16	3.9	NNW	331
	18	* 0.67	4.4	0.38	5.4	0.29	5.1	0.18	0.18	3.7	N	352
	20	0.35	5.7	0.27	6.0	0.22	5.8	0.14	0.14	4.4	N	4
	22	0.40	5.6	0.27	5.7	0.21	5.6	0.13	0.13	4.1	N	356
	最大		0.67	4.4	0.45	6.2	0.36	6.0	0.23	4.6		
	平均		0.51	5.8	0.37	6.0	0.30	5.7	0.18	4.1		
11	00		0.36	5.9	0.25	5.8	0.20	5.3	0.12	3.4	N	352
	02		0.29	5.1	0.22	5.6	0.18	5.4	0.12	3.8	NNW	348
	04	* 0.40	3.4	0.23	5.0	0.19	4.8	0.12	0.12	3.4	—	
	06		0.28	4.2	0.22	4.9	0.18	4.4	0.12	3.2	—	
	08		0.34	4.1	0.25	4.3	0.20	3.9	0.13	3.0	NE	44
	10		0.30	4.9	0.23	4.5	0.18	4.1	0.12	3.0	NW	317
	12		0.32	4.2	0.24	4.0	0.19	3.6	0.13	2.6	NE	40
	14		0.38	4.8	* 0.26	4.3	* 0.21	3.7	* 0.14	2.7	W	265
	16		0.31	3.8	0.22	3.7	0.18	3.4	0.12	2.6	—	
	18		0.35	5.4	0.24	4.4	0.19	3.9	0.13	2.8	W	266
	20		0.29	3.7	0.21	3.8	0.17	3.8	0.11	3.0	NNE	25
	22		0.24	4.3	0.19	4.3	0.16	3.9	0.10	2.8	WSW	255
	最大		0.40	3.4	0.26	4.3	0.21	3.7	0.14	2.7		
	平均		0.32	4.5	0.23	4.6	0.19	4.2	0.12	3.0		
12	00		0.22	3.8	0.17	4.5	0.14	4.0	0.10	2.8	NNE	25
	02		0.46	4.3	0.27	4.3	0.19	4.2	0.12	2.9	WSW	257
	04		0.34	3.4	0.23	3.9	0.18	3.3	0.12	2.6	WSW	251
	06		0.31	3.7	0.22	4.0	0.18	3.7	0.12	2.8	W	266
	08		0.36	3.4	0.24	4.1	0.20	3.7	0.13	2.9	NE	37
	10		0.29	4.1	0.22	5.0	0.18	4.6	0.12	3.5	NW	323
	12		0.71	4.2	0.55	4.2	0.43	4.3	0.27	3.8	NNW	345
	14		0.66	3.7	0.42	3.9	0.33	4.0	0.20	3.1	—	
	16		0.53	3.8	0.45	4.2	0.37	4.2	0.24	3.6	N	7
	18		1.13	3.5	0.85	3.6	0.67	3.6	0.43	3.2	不明	
	20		1.64	4.3	1.16	4.1	0.90	4.1	0.57	3.5	NE	39
	22	* 1.90	5.2	* 1.27	4.8	* 1.00	4.9	* 0.65	4.3	4.3	W	266
	最大		1.90	5.2	1.27	4.8	1.00	4.9	0.65	4.3		
	平均		0.71	4.0	0.50	4.2	0.40	4.1	0.26	3.3		
13	00	* 0.84	5.1	0.61	4.5	0.49	4.4	0.31	0.31	3.5	W	262
	02	0.62	4.0	0.42	4.2	0.34	4.2	0.22	0.22	3.4	W	259
	04	0.44	5.5	0.33	4.0	0.27	3.8	0.17	0.17	3.0	WSW	250
	06	0.40	3.8	0.28	4.1	0.22	3.8	0.15	0.15	3.1	WNW	288
	08	0.33	3.8	0.28	3.8	0.23	3.9	0.15	0.15	3.3	WSW	241
	10	0.44	3.6	0.28	3.9	0.22	3.8	0.14	0.14	3.2	NE	50
	12	0.31	6.1	0.22	4.1	0.18	4.0	0.12	0.12	2.9	N	0
	14	0.38	3.7	0.25	4.1	0.20	4.1	0.13	0.13	3.2	NNE	28
	16	0.33	3.3	0.24	4.2	0.20	4.0	0.13	0.13	3.2	—	
	18	0.67	4.0	0.54	3.9	0.43	4.0	0.27	0.27	3.2	WSW	257
	20	0.78	3.7	0.54	3.9	0.44	3.8	0.28	0.28	3.2	WSW	254
	22	0.79	4.6	* 0.62	4.2	* 0.50	4.2	* 0.32	* 0.32	3.6	NNE	26
	最大		0.84	5.1	0.62	4.2	0.50	4.2	0.32	3.6		
	平均		0.53	4.3	0.38	4.1	0.31	4.0	0.20	3.2		
14	00	0.71	2.9	* 0.54	3.8	* 0.44	3.6	* 0.28	3.1	3.1	—	
	02	* 0.80	3.4	0.49	3.8	0.36	3.8	0.22	0.22	3.2	W	268
	04	0.47	3.2	0.33	3.9	0.26	4.0	0.17	0.17	3.3	WNW	290
	06	0.43	5.2	0.35	4.6	0.27	4.3	0.17	0.17	3.5	WNW	291
	08	0.55	4.6	0.42	3.9	0.33	3.9	0.21	0.21	3.2	NNE	28
	10	0.38	5.0	0.28	4.6	0.23	4.3	0.15	0.15	3.2	WSW	252
	12	0.37	3.6	0.25	4.2	0.20	4.0	0.13	0.13	2.9	WNW	303
	14	0.38	4.4	0.25	4.5	0.19	4.2	0.12	0.12	3.1	WNW	286

	16	0.26	4.7	0.21	4.3	0.17	4.1	0.11	3.1	NE	55	
	18	0.52	3.9	0.30	4.4	0.22	4.2	0.14	3.2	WSW	256	
	20	0.30	3.9	0.19	5.0	0.15	4.6	0.09	3.6	NNW	348	
	22	0.28	5.1	0.20	4.5	0.16	4.2	0.11	3.1	NNE	20	
	最大	0.80	3.4	0.54	3.8	0.44	3.6	0.28	3.1			
	平均	0.45	4.2	0.32	4.3	0.25	4.1	0.16	3.2			
15	00	0.22	4.3	0.17	4.7	0.14	4.0	0.09	2.8	NE	35	
	02	0.22	4.1	0.17	4.3	0.14	4.1	0.09	3.0	—		
	04	0.22	4.2	0.16	4.5	0.13	4.3	0.09	3.0	NE	53	
	06	0.32	2.7	0.21	3.8	0.17	3.8	0.11	2.8	WSW	247	
	08	0.26	6.5	0.20	4.6	0.16	4.1	0.11	3.1	—		
	10	0.25	4.6	0.20	4.6	0.16	4.5	0.10	3.2	WSW	241	
	12	0.26	4.3	0.19	4.3	0.15	3.9	0.10	2.8	NW	308	
	14	* 0.44	4.6	* 0.24	4.5	* 0.18	4.1	* 0.12	2.9	WNW	286	
	16	0.26	4.3	0.19	4.5	0.15	4.0	0.10	2.9	WSW	242	
	18	0.25	5.1	0.19	4.9	0.15	3.9	0.10	2.8	WNW	287	
	20	0.23	5.1	0.17	4.8	0.14	4.1	0.10	2.8	N	358	
	22	0.27	5.2	0.17	4.6	0.14	4.2	0.09	2.8	NNE	19	
	最大	0.44	4.6	0.24	4.5	0.18	4.1	0.12	2.9			
	平均	0.27	4.6	0.19	4.5	0.15	4.1	0.10	2.9			
	16	00	0.27	7.1	0.18	4.5	0.14	3.9	0.09	2.8	WSW	249
		02	0.22	4.5	0.16	4.8	0.13	3.9	0.09	2.6	NE	40
		04	0.19	3.6	0.15	4.6	0.12	4.3	0.08	3.1	WNW	285
		06	0.27	2.8	0.17	3.9	0.14	3.7	0.09	2.6	WSW	254
08		* 0.35	2.8	0.23	3.4	0.18	3.4	0.12	2.8	WSW	256	
10		0.28	2.8	0.19	4.0	0.15	3.8	0.10	2.7	—		
12		0.23	3.6	0.19	3.5	0.16	3.5	0.11	2.8	—		
14		0.29	3.9	0.22	4.2	0.17	3.9	0.12	2.8	W	275	
16		欠測								WSW	242	
18		0.34	2.1	0.22	4.0	0.16	3.6	0.11	2.8	N	358	
20		0.34	4.4	* 0.27	4.1	0.21	3.9	* 0.14	2.9	NNW	331	
22		0.34	3.6	0.27	3.6	* 0.22	3.6	0.14	2.8	N	9	
最大		0.35	2.8	0.27	4.1	0.22	3.6	0.14	2.9			
平均		0.28	3.7	0.20	4.1	0.16	3.8	0.11	2.8			
17		00	0.30	3.4	0.23	3.5	0.19	3.6	0.12	2.8	NE	53
		02	0.68	3.8	0.31	3.9	0.21	3.6	0.13	2.7	NE	40
		04	0.36	3.7	0.29	3.2	0.23	3.0	0.15	2.5	WNW	301
		06	0.63	2.4	0.43	2.6	0.33	2.8	0.21	2.5	NE	48
	08	0.88	3.0	0.62	3.2	0.48	3.3	0.31	2.9	W	265	
	10	* 1.54	4.8	* 1.29	4.6	* 1.01	4.6	* 0.63	3.7	WNW	282	
	12	1.39	4.3	0.97	4.5	0.78	4.3	0.49	3.4	NW	316	
	14	1.28	7.3	0.92	4.4	0.73	4.1	0.47	3.4	不明		
	16	1.16	4.6	0.78	4.0	0.62	4.1	0.39	3.4	WSW	244	
	18	1.20	3.8	0.77	4.1	0.62	4.3	0.41	3.7	N	352	
	20	1.36	6.5	1.04	6.1	0.82	5.8	0.52	4.5	NW	311	
	22	1.16	5.8	0.91	5.7	0.75	5.7	0.47	4.4	NNW	327	
	最大	1.54	4.8	1.29	4.6	1.01	4.6	0.63	3.7			
	平均	1.00	4.5	0.71	4.2	0.56	4.1	0.36	3.3			
	18	00	1.11	5.9	0.78	5.5	0.61	5.3	0.40	4.2	NW	323
		02	0.96	5.3	0.75	5.6	0.60	5.4	0.38	4.2	N	352
		04	0.85	4.7	0.68	5.6	0.55	5.2	0.33	4.0	N	356
		06	* 1.19	5.2	* 0.79	5.8	* 0.63	5.9	* 0.40	4.6	NNW	344
08		1.02	5.4	0.79	5.7	0.63	5.7	0.39	4.5	NNW	331	
10		0.90	4.6	0.70	5.5	0.56	5.4	0.34	4.1	NNW	348	
12		1.04	5.3	0.64	5.6	0.51	5.4	0.32	4.2	NNW	348	
14		0.81	4.9	0.66	5.4	0.54	5.5	0.34	4.4	NNW	340	
16		1.00	6.0	0.65	5.9	0.50	5.9	0.31	4.6	NNW	348	
18		0.93	5.4	0.64	6.0	0.50	6.1	0.32	5.0	NNW	340	
20		0.84	5.8	0.62	6.0	0.49	5.9	0.30	4.7	NNW	340	
22		0.79	6.5	0.64	6.0	0.52	6.1	0.31	4.7	NNW	344	
最大		1.19	5.2	0.79	5.8	0.63	5.9	0.40	4.6			
平均		0.95	5.4	0.70	5.7	0.55	5.7	0.35	4.4			
19		00	0.70	5.7	* 0.56	5.7	* 0.44	5.7	* 0.27	4.8	N	352
		02	* 0.79	5.7	0.52	5.7	0.40	5.5	0.25	4.4	NNW	348
		04	0.66	5.1	0.49	5.3	0.38	5.3	0.24	4.3	NNW	348
		06	0.62	5.6	0.50	5.1	0.41	4.8	0.26	3.7	N	4
	08	0.56	5.3	0.45	4.9	0.38	4.7	0.24	3.6	NNW	327	
	10	0.59	6.6	0.37	5.6	0.29	5.1	0.19	3.8	NNW	348	

	12	0.43	5.1	0.33	5.1	0.26	4.9	0.16	3.6	NNW	340	
	14	0.54	3.9	0.37	5.0	0.30	4.9	0.18	3.6	NNW	327	
	16	0.41	5.0	0.35	5.0	0.28	4.9	0.17	3.5	NNW	348	
	18	0.75	4.4	0.42	4.9	0.32	4.8	0.21	3.9	—		
	20	0.36	5.2	0.30	4.8	0.24	4.4	0.16	3.3	NNE	25	
	22	0.37	3.1	0.29	4.4	0.23	4.1	0.15	3.1	N	349	
	最大	0.79	5.7	0.56	5.7	0.44	5.7	0.27	4.8			
	平均	0.57	5.1	0.41	5.1	0.33	4.9	0.21	3.8			
	20	00	0.38	4.9	0.27	4.8	0.21	4.5	0.13	3.2	N	0
		02	0.40	4.0	0.29	4.4	0.23	4.3	* 0.15	3.2	NE	45
		04	0.60	4.1	* 0.33	4.0	* 0.24	4.1	* 0.15	3.2	NNW	348
		06	* 0.71	4.8	0.31	4.5	0.23	4.2	* 0.15	3.2	N	4
08		0.40	3.8	0.25	3.8	0.20	3.8	0.13	3.0	NNW	333	
10		0.32	4.5	0.25	4.2	0.21	4.0	0.14	3.1	WNW	297	
12		0.34	3.5	0.25	4.0	0.20	3.7	0.13	2.7	N	356	
14		0.36	3.8	0.26	4.2	0.21	4.0	0.14	3.0	N	352	
16		0.35	4.2	0.27	4.1	0.21	3.9	0.13	2.9	WSW	258	
18		0.32	6.0	0.25	4.0	0.20	3.8	0.13	2.7	WSW	243	
20		0.41	4.7	0.26	4.3	0.21	4.2	0.13	3.1	NNE	13	
22		0.30	4.2	0.24	4.6	0.20	4.4	0.13	3.6	NW	307	
最大		0.71	4.8	0.33	4.0	0.24	4.1	0.15	3.2			
平均	0.41	4.4	0.27	4.2	0.21	4.1	0.14	3.1				
21	00	0.30	4.4	0.22	4.9	0.18	4.5	0.12	3.2	N	4	
	02	0.29	4.8	0.21	4.3	0.17	4.2	0.11	3.1	NNE	13	
	04	0.26	3.6	0.19	4.2	0.15	3.8	0.10	2.8	W	266	
	06	* 0.49	4.5	0.23	4.4	0.17	4.0	0.11	2.9	N	4	
	08	0.35	3.2	0.19	3.8	0.15	3.5	0.10	2.7	NE	45	
	10	0.22	3.7	0.17	4.6	0.14	4.0	0.09	2.9	NNW	340	
	12	0.22	3.1	0.17	3.8	0.14	3.5	0.09	2.5	WSW	257	
	14	0.32	3.2	0.21	3.9	0.17	3.6	0.11	2.7	NNE	16	
	16	0.36	3.0	0.21	4.4	0.17	3.9	0.11	2.7	NNE	20	
	18	0.42	3.0	* 0.30	4.8	* 0.23	4.7	* 0.14	3.3	NW	319	
	20	0.30	4.1	0.22	4.2	0.18	3.7	0.12	2.7	NE	43	
	22	0.21	6.0	0.17	4.8	0.14	4.0	0.09	2.8	NNE	13	
	最大	0.49	4.5	0.30	4.8	0.23	4.7	0.14	3.3			
平均	0.31	3.9	0.21	4.3	0.17	4.0	0.11	2.9				
22	00	0.22	3.7	0.17	4.3	0.14	3.6	0.09	2.6	NE	50	
	02	0.20	5.0	0.15	4.3	0.12	3.7	0.08	2.7	N	354	
	04	0.22	4.9	0.15	4.2	0.12	3.5	0.09	2.6	NE	50	
	06	0.26	3.9	0.18	4.0	0.15	3.6	0.10	2.7	—		
	08	0.26	2.6	0.19	4.0	0.16	3.6	0.11	2.7	NNE	23	
	10	0.26	2.9	0.19	4.3	0.16	3.9	0.11	2.8	—		
	12	0.26	3.8	0.19	3.8	0.15	3.5	0.10	2.6	W	272	
	14	* 0.39	4.7	* 0.26	3.7	* 0.20	3.6	* 0.13	2.8	NNW	348	
	16	0.30	4.7	0.22	4.0	0.17	3.4	0.11	2.5	WSW	251	
	18	0.28	3.6	0.19	4.1	0.15	3.4	0.10	2.6	N	4	
	20	0.21	5.1	0.16	4.8	0.12	3.6	0.08	2.7	NNW	347	
	22	0.26	3.3	0.17	4.4	0.14	3.6	0.09	2.7	NNE	12	
	最大	0.39	4.7	0.26	3.7	0.20	3.6	0.13	2.8			
平均	0.26	4.0	0.19	4.2	0.15	3.6	0.10	2.7				
23	00	0.24	4.9	0.21	4.7	0.17	4.4	0.11	3.4	—		
	02	0.33	3.6	0.26	3.5	0.21	3.6	0.14	2.8	NNW	339	
	04	0.40	3.6	0.26	3.4	0.20	3.3	0.14	2.7	WNW	293	
	06	0.35	3.6	0.24	3.2	0.19	3.2	0.13	2.6	N	1	
	08	0.31	3.2	0.21	3.4	0.17	3.3	0.12	2.7	WSW	246	
	10	0.24	4.8	0.20	3.9	0.16	3.6	0.11	2.8	NE	54	
	12	0.41	4.1	0.28	4.1	0.22	3.7	0.15	2.9	NNE	12	
	14	0.76	4.4	0.54	4.0	0.43	4.1	0.28	3.3	N	358	
	16	0.91	4.7	0.65	4.2	0.51	4.2	0.33	3.4	WSW	245	
	18	1.37	3.4	0.96	4.1	0.77	4.1	0.50	3.6	WSW	253	
	20	* 1.66	4.4	* 1.17	4.5	* 0.94	4.4	* 0.60	3.9	W	266	
	22	1.48	5.0	1.02	4.6	0.80	4.5	0.52	3.9	W	270	
	最大	1.66	4.4	1.17	4.5	0.94	4.4	0.60	3.9			
平均	0.71	4.1	0.50	4.0	0.40	3.9	0.26	3.2				
24	00	1.27	4.9	0.90	4.8	0.71	4.6	0.45	4.0	W	270	
	02	1.06	4.2	0.75	4.5	0.61	4.5	0.39	3.9	W	270	

	04	0.90	4.2	0.71	4.6	0.58	4.8	0.37	3.9	WNW	282
	06	1.19	4.3	0.95	4.7	* 0.78	4.6	* 0.52	4.1	WNW	286
	08	* 1.38	4.3	0.89	4.7	0.69	4.7	0.44	3.9	W	278
	10	0.98	4.1	0.73	4.4	0.57	4.3	0.36	3.7	NNE	19
	12	0.83	4.0	0.64	4.3	0.51	4.3	0.32	3.4	NNW	346
	14	1.08	4.5	0.79	4.0	0.62	4.1	0.39	3.4	WNW	298
	16	1.03	3.8	0.76	4.3	0.60	4.2	0.38	3.5	W	267
	18	1.19	4.6	* 0.96	4.4	0.77	4.5	0.50	4.0	不明	
	20	1.00	4.6	0.81	4.4	0.65	4.5	0.42	3.8	NW	307
	22	0.84	4.2	0.61	4.0	0.51	4.0	0.33	3.3	WSW	249
	最大	1.38	4.3	0.96	4.4	0.78	4.6	0.52	4.1		
	平均	1.06	4.3	0.79	4.4	0.63	4.4	0.41	3.7		
25	00	0.75	3.3	0.55	3.9	0.44	3.9	0.28	3.3	WNW	301
	02	0.56	3.9	0.43	3.9	0.35	3.8	0.23	3.1	NNE	23
	04	0.57	4.4	0.38	4.4	0.30	4.2	0.20	3.2	NNE	33
	06	0.48	4.3	0.37	3.8	0.30	3.8	0.20	3.0	W	279
	08	0.48	3.1	0.34	3.9	0.27	3.8	0.18	3.1	NW	311
	10	0.44	4.0	0.35	4.2	0.28	4.1	0.18	3.1	WNW	299
	12	0.55	2.6	0.42	3.6	0.34	3.7	0.23	3.0	NNE	24
	14	0.72	4.0	0.52	4.6	0.42	4.3	0.27	3.4	NNW	338
	16	0.72	2.8	0.52	3.8	0.44	4.0	0.29	3.3	WNW	292
	18	0.98	4.7	0.57	3.8	0.46	3.7	0.29	3.1	NW	321
	20	1.02	4.0	0.68	3.7	0.54	3.6	0.35	3.2	不明	
	22	* 1.20	3.9	* 0.83	3.8	* 0.65	3.9	* 0.41	3.3	NNE	20
	最大	1.20	3.9	0.83	3.8	0.65	3.9	0.41	3.3		
	平均	0.71	3.8	0.50	4.0	0.40	3.9	0.26	3.2		
26	00	0.96	4.0	0.70	3.9	0.57	3.9	0.36	3.4	NE	41
	02	1.15	3.8	0.75	3.9	0.61	3.9	0.41	3.4	NE	46
	04	0.93	4.0	0.65	3.9	0.52	4.0	0.33	3.4	不明	
	06	0.89	3.4	0.64	4.0	0.50	4.1	0.32	3.6	WSW	250
	08	0.93	3.4	0.59	4.1	0.47	4.1	0.30	3.4	WSW	243
	10	0.85	4.3	0.66	4.0	0.51	3.9	0.33	3.3	N	351
	12	1.01	3.8	0.73	3.6	0.60	3.7	0.39	3.2	NNE	29
	14	0.99	3.2	0.81	3.5	0.66	3.4	0.42	3.0	不明	
	16	1.43	4.4	1.12	4.0	0.88	3.9	0.55	3.4	NE	51
	18	1.57	3.3	1.10	4.3	0.88	4.2	0.58	3.6	W	274
	20	* 1.77	3.8	1.27	4.2	* 1.03	4.3	* 0.65	3.7	NNW	345
	22	1.74	4.6	* 1.29	4.5	0.99	4.6	0.62	4.0	NNW	340
	最大	1.77	3.8	1.29	4.5	1.03	4.3	0.65	3.7		
	平均	1.19	3.8	0.86	4.0	0.69	4.0	0.44	3.5		
27	00	* 2.07	4.7	1.24	4.8	* 0.98	4.9	0.61	4.2	NNE	33
	02	1.57	4.9	1.08	4.9	0.84	4.9	0.52	4.0	NNW	340
	04	1.64	5.0	1.06	5.0	0.79	4.8	0.49	4.2	N	356
	06	1.26	5.0	0.88	5.1	0.69	5.0	0.44	4.2	N	356
	08	1.02	4.6	0.74	5.0	0.59	5.0	0.37	4.0	不明	
	10	0.75	6.2	0.64	4.8	0.50	4.6	0.31	3.6	N	356
	12	0.87	5.0	0.58	4.8	0.47	4.9	0.30	3.8	N	356
	14	0.85	3.2	0.58	4.0	0.46	3.8	0.30	3.1	NNW	332
	16	1.00	3.4	0.75	3.3	0.61	3.5	0.40	3.0	NNW	331
	18	1.35	3.3	0.99	3.8	0.80	3.8	0.52	3.4	NE	43
	20	1.58	4.2	* 1.26	4.4	0.98	4.3	* 0.62	3.6	NNE	21
	22	2.03	4.1	1.22	4.6	0.92	4.5	0.60	4.0	NNE	33
	最大	2.07	4.7	1.26	4.4	0.98	4.9	0.62	3.6		
	平均	1.33	4.5	0.92	4.5	0.72	4.5	0.46	3.8		
28	00	* 1.17	4.3	* 0.84	4.7	* 0.65	4.6	* 0.42	4.1	NNE	29
	02	0.82	4.4	0.62	4.7	0.48	4.5	0.30	3.7	NNE	29
	04	0.96	4.4	0.60	4.5	0.47	4.6	0.30	3.9	NNE	16
	06	0.80	4.5	0.65	4.4	0.52	4.5	0.32	3.8	不明	
	08	0.76	4.5	0.53	4.7	0.41	4.5	0.26	3.5	NNE	29
	10	0.72	3.7	0.51	4.1	0.40	4.0	0.26	3.2	NW	322
	12	0.58	5.2	0.44	4.0	0.35	4.3	0.23	3.2	NNE	32
	14	0.84	4.1	0.51	4.3	0.40	4.1	0.26	3.2	NNE	15
	16	0.66	5.8	0.40	5.2	0.31	5.0	0.20	3.6	NNE	25
	18	0.56	5.2	0.41	5.9	0.32	5.6	0.20	4.1	NNE	20
	20	0.50	5.6	0.37	6.0	0.30	5.9	0.18	4.2	NNE	12
	22	0.57	5.7	0.38	5.8	0.30	5.9	0.19	4.2	N	4
	最大	1.17	4.3	0.84	4.7	0.65	4.6	0.42	4.1		

	平均	0.75	4.8	0.52	4.9	0.41	4.8	0.26	3.7		
29	00	0.38	4.5	0.31	5.3	0.25	5.1	0.16	3.8	NNE	25
	02	0.39	5.3	0.28	5.6	0.23	5.1	0.14	3.5	N	4
	04	0.34	6.0	0.27	5.2	0.22	4.6	0.14	3.2	NNW	335
	06	* 0.61	4.4	0.31	4.7	0.24	4.4	0.15	3.1	—	
	08	0.42	5.5	0.25	5.0	0.20	4.5	0.13	3.2	NNE	20
	10	0.33	4.7	0.24	5.0	0.19	4.5	0.12	3.2	N	4
	12	0.41	4.1	0.29	4.6	0.23	4.4	0.15	3.4	—	
	14	0.41	5.1	0.30	4.8	0.23	4.5	0.14	3.3	N	356
	16	0.58	3.7	0.31	4.3	0.22	4.5	0.14	3.4	NNE	25
	18	0.34	6.4	0.23	5.2	0.19	5.1	0.12	3.8	NE	37
	20	0.55	4.7	0.38	4.7	0.30	4.7	0.18	3.9	NW	323
	22	0.55	6.4	* 0.41	4.9	* 0.33	4.8	* 0.22	3.9	—	
	最大	0.61	4.4	0.41	4.9	0.33	4.8	0.22	3.9		
	平均	0.44	5.1	0.30	4.9	0.24	4.7	0.15	3.5		
30	00	0.56	4.6	0.35	4.9	0.28	4.8	0.18	3.6	NE	49
	02	0.42	5.0	0.28	4.7	0.23	4.4	0.15	3.4	N	4
	04	0.33	4.2	0.27	4.5	0.22	4.2	0.14	3.0	NNE	21
	06	0.42	4.6	0.26	4.1	0.21	3.6	0.14	2.7	NE	54
	08	0.37	3.9	0.27	4.0	0.22	3.7	0.14	2.9	WSW	251
	10	0.29	4.7	0.20	4.8	0.16	4.5	0.11	3.1	—	
	12	0.29	5.5	0.23	5.1	0.19	4.3	0.13	3.2	W	262
	14	0.44	4.9	0.37	5.3	0.30	5.4	0.20	4.2	NW	311
	16	0.60	4.4	0.48	5.2	0.38	4.8	0.24	3.6	NW	319
	18	0.88	4.8	* 0.64	5.3	* 0.50	5.4	* 0.32	4.1	NW	315
	20	* 0.91	4.5	0.58	5.2	0.46	5.2	0.29	4.1	NW	315
	22	0.80	5.4	0.55	4.8	0.44	4.8	0.28	4.1	NW	311
	最大	0.91	4.5	0.64	5.3	0.50	5.4	0.32	4.1		
	平均	0.53	4.7	0.37	4.8	0.30	4.6	0.19	3.5		
31	00	0.58	4.5	0.39	4.8	0.31	4.6	0.20	3.7	WNW	290
	02	0.48	5.1	0.35	4.9	0.27	4.9	0.17	3.8	WNW	295
	04	0.45	5.3	0.37	5.4	0.29	5.1	0.18	3.8	NW	319
	06	0.42	6.9	0.33	5.7	0.26	5.2	0.17	3.7	NNW	331
	08	0.48	5.8	0.36	5.3	0.28	4.9	0.17	3.6	WNW	303
	10	0.57	5.7	0.41	5.6	0.32	5.3	0.21	4.0	NW	315
	12	0.42	5.5	0.34	5.9	0.28	5.6	0.18	4.0	N	352
	14	* 0.68	5.0	0.40	5.2	0.30	5.3	0.19	3.9	NNW	327
	16	0.48	5.8	0.36	5.8	0.29	5.2	0.19	3.9	NW	323
	18	0.61	4.2	0.43	6.1	0.33	5.8	0.21	4.1	NNW	335
	20	0.58	3.5	* 0.44	4.2	0.35	4.2	* 0.23	3.5	N	353
	22	0.59	4.2	0.43	4.2	* 0.35	4.4	0.22	3.5	NNW	335
	最大	0.68	5.0	0.44	4.2	0.35	4.4	0.23	3.5		
	平均	0.53	5.1	0.38	5.3	0.30	5.0	0.19	3.8		
	月最大	4.77	6.1	3.64	6.1	2.77	6.0	1.75	5.3		
	起時	0108		0108		0108		0108			
	平均	0.78	4.7	0.57	4.8	0.45	4.6	0.29	3.6		

* は日最大波高を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	372 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

機種：波高 海象計 -32m 波向 海象計 -32m

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度	
01	00	0.58	3.9	0.40	5.1	0.32	4.9	0.20	3.7	NW	323	
	02	0.64	4.3	0.39	4.9	0.31	4.9	0.20	3.8	WNW	299	
	04	0.44	5.1	0.36	5.6	0.29	5.4	0.18	4.0	NNW	335	
	06	0.53	5.1	0.42	5.4	0.35	5.3	0.22	4.2	NNW	327	
	08	0.50	5.8	0.38	5.4	0.31	5.2	0.20	3.9	NNW	348	
	10	0.56	5.1	0.39	4.8	0.31	4.9	0.20	3.9	NW	323	
	12	0.46	4.8	0.36	5.0	0.28	4.8	0.18	3.7	NNW	340	
	14	0.64	4.7	0.40	4.7	0.31	4.6	0.20	3.7	NNW	327	
	16	0.45	4.7	0.37	5.0	0.30	4.9	0.19	3.6	N	352	
	18	0.49	4.7	0.37	5.2	0.30	5.0	0.19	3.9	NNW	340	
	20	0.52	5.2	0.41	5.6	0.34	5.3	0.20	3.9	WNW	303	
	22	* 0.66	5.8	* 0.49	5.8	* 0.39	5.6	* 0.24	4.4	N	352	
	最大 平均	0.66	5.8	0.49	5.8	0.39	5.6	0.24	4.4			
		0.54	4.9	0.40	5.2	0.32	5.1	0.20	3.9			
	02	00	0.71	6.5	0.53	5.9	0.42	5.9	0.27	4.9	NNW	344
		02	0.81	5.3	0.60	5.9	0.48	5.8	0.30	5.0	N	352
		04	0.79	6.3	0.60	6.1	0.48	6.0	0.30	5.0	NNW	335
		06	0.79	5.5	0.58	6.1	0.47	6.0	0.29	4.8	N	356
		08	0.78	6.7	0.59	6.2	0.48	6.1	0.31	4.9	N	4
10		0.72	5.8	0.55	5.7	0.44	6.0	0.27	4.6	NNW	327	
12		0.71	6.7	0.60	6.3	0.49	6.1	0.30	4.4	NNW	344	
14		0.94	6.1	0.65	5.5	0.50	5.4	0.32	4.0	NNW	335	
16		* 0.96	5.6	0.62	5.9	0.48	5.1	0.29	3.4	N	352	
18		0.89	6.7	0.65	5.9	0.51	5.9	0.32	4.0	WNW	303	
20		0.89	5.5	0.61	5.9	0.49	5.4	0.31	3.9	NNW	348	
22		0.90	5.7	* 0.66	4.9	* 0.52	5.0	* 0.34	4.0	N	352	
最大 平均		0.96	5.6	0.66	4.9	0.52	5.0	0.34	4.0			
		0.82	6.0	0.60	5.9	0.48	5.7	0.30	4.4			
03		00	0.76	6.7	* 0.59	4.8	* 0.48	4.6	0.30	3.7	NE	41
		02	0.73	7.4	0.58	5.7	0.46	5.5	* 0.30	4.3	N	0
		04	* 0.86	4.5	0.57	5.7	0.45	5.5	0.28	4.0	N	4
		06	0.66	5.1	0.49	5.6	0.39	5.4	0.25	4.0	NNW	344
		08	0.65	6.0	0.49	5.9	0.39	5.5	0.24	3.9	N	352
	10	0.75	6.0	0.52	5.7	0.41	5.4	0.26	3.9	NNW	348	
	12	0.62	5.5	0.44	5.6	0.36	5.6	0.23	4.1	NNW	344	
	14	0.71	5.5	0.46	5.6	0.38	5.4	0.23	4.0	NNW	335	
	16	0.45	4.9	0.34	5.5	0.27	5.2	0.17	3.6	NNW	335	
	18	0.46	6.5	0.37	5.2	0.29	4.9	0.18	3.5	NW	319	
	20	0.41	5.7	0.33	5.5	0.27	4.9	0.16	3.3	NNW	331	
	22	0.44	4.9	0.31	5.5	0.25	5.1	0.16	3.6	NNW	335	
	最大 平均	0.86	4.5	0.59	4.8	0.48	4.6	0.30	4.3			
		0.63	5.7	0.46	5.5	0.37	5.3	0.23	3.8			
	04	00	0.42	5.2	0.30	5.6	0.24	5.1	0.16	3.6	—	—
		02	0.35	3.8	0.29	5.1	0.23	4.5	0.15	3.1	NW	319
		04	0.59	2.2	0.42	4.1	0.33	3.6	0.21	2.8	NNE	18
		06	0.84	3.2	0.69	3.4	0.55	3.3	0.35	2.9	不明	—
		08	1.35	3.5	1.08	3.6	0.87	3.6	0.57	3.3	WNW	300
10		1.71	4.4	* 1.25	4.0	* 0.99	4.1	* 0.62	3.5	WSW	256	
12		* 2.07	4.4	1.19	4.3	0.94	4.2	0.60	3.7	NNE	33	
14		1.48	4.2	1.10	4.4	0.87	4.5	0.55	3.9	NNW	331	
16		1.08	4.0	0.83	4.4	0.65	4.2	0.40	3.4	WSW	257	
18		0.98	5.0	0.74	4.4	0.61	4.3	0.40	3.5	WSW	253	
20		0.93	4.7	0.76	4.3	0.63	4.1	0.42	3.6	NE	55	
22		1.16	4.2	0.82	4.1	0.66	4.1	0.44	3.4	WSW	247	
最大 平均		2.07	4.4	1.25	4.0	0.99	4.1	0.62	3.5			

	平均	1.08	4.1	0.79	4.3	0.63	4.1	0.41	3.4		
05	00	* 1.10	4.0	* 0.79	3.8	* 0.63	3.8	* 0.41	3.2	WSW	258
	02	0.90	4.4	0.72	4.3	0.57	4.3	0.35	3.5	WNW	296
	04	0.88	3.8	0.65	4.3	0.53	4.4	0.34	3.6	NNE	16
	06	0.86	5.1	0.64	4.5	0.51	4.5	0.33	3.6	NNE	20
	08	0.79	5.4	0.60	4.9	0.47	4.8	0.30	3.7	NNE	20
	10	0.96	4.9	0.58	4.9	0.44	4.5	0.28	3.4	NNE	33
	12	0.65	3.2	0.54	4.3	0.44	3.8	0.28	3.0	N	10
	14	0.93	5.0	0.55	4.1	0.43	3.8	0.28	3.0	NNE	26
	16	0.85	3.8	0.63	4.9	0.51	4.4	0.33	3.3	NNE	29
	18	0.82	5.4	0.62	5.4	0.49	4.8	0.31	3.5	NE	37
	20	0.84	3.5	0.64	4.9	0.52	4.8	0.33	3.6	NNE	16
	22	1.08	5.3	0.68	5.2	0.54	5.0	0.34	3.9	NNE	33
	最大	1.10	4.0	0.79	3.8	0.63	3.8	0.41	3.2		
	平均	0.89	4.5	0.64	4.6	0.51	4.4	0.32	3.4		
06	00	* 0.91	5.3	* 0.67	5.8	* 0.53	5.8	* 0.32	4.3	NNE	29
	02	0.74	6.0	0.52	5.7	0.42	5.5	0.26	4.1	NE	37
	04	0.56	5.7	0.45	5.3	0.36	5.2	0.23	3.7	NNE	33
	06	0.57	5.1	0.43	5.2	0.34	5.0	0.22	3.8	NE	49
	08	0.59	4.8	0.41	5.2	0.33	5.0	0.21	3.8	NNE	29
	10	0.51	5.2	0.38	4.9	0.30	4.7	0.19	3.7	N	4
	12	0.44	4.2	0.32	4.3	0.25	4.1	0.16	3.1	NE	52
	14	0.58	4.2	0.34	4.2	0.26	3.8	0.17	2.8	W	261
	16	0.42	3.8	0.31	4.5	0.24	4.0	0.15	2.9	NW	310
	18	0.36	5.0	0.28	4.8	0.23	4.4	0.15	3.3	NNE	20
	20	0.37	5.3	0.27	4.9	0.21	4.4	0.14	3.1	—	
	22	0.31	5.0	0.24	5.1	0.19	4.7	0.12	3.4	NNE	12
	最大	0.91	5.3	0.67	5.8	0.53	5.8	0.32	4.3		
	平均	0.53	5.0	0.39	5.0	0.31	4.7	0.19	3.5		
07	00	0.35	3.4	0.24	4.1	0.19	4.2	0.12	3.1	W	268
	02	0.33	3.9	0.22	4.4	0.18	4.1	0.12	3.0	NNE	25
	04	0.26	5.5	0.21	4.3	0.17	3.9	0.11	2.9	NE	42
	06	0.37	4.2	0.23	4.1	0.18	3.8	0.11	2.7	NE	37
	08	0.26	4.1	0.20	4.0	0.16	3.6	0.11	2.8	W	279
	10	0.23	6.6	0.17	4.6	0.13	4.2	0.09	2.9	NW	305
	12	0.27	4.3	0.17	4.5	0.14	4.1	0.10	3.0	N	9
	14	0.29	5.8	0.23	4.4	0.19	4.2	0.12	2.9	—	
	16	0.39	3.2	0.27	3.9	0.21	3.8	0.14	2.8	W	261
	18	* 0.51	4.5	* 0.33	4.2	* 0.25	4.0	* 0.17	3.3	NNE	12
	20	0.32	3.2	0.22	3.8	0.18	3.8	0.12	3.0	NE	37
	22	0.30	5.4	0.22	4.8	0.17	4.4	0.12	3.1	NNE	12
	最大	0.51	4.5	0.33	4.2	0.25	4.0	0.17	3.3		
	平均	0.32	4.5	0.23	4.3	0.18	4.0	0.12	3.0		
08	00	0.31	5.0	0.22	4.9	0.18	4.5	0.11	3.2	NNE	12
	02	0.33	2.2	0.25	5.0	0.20	4.3	0.12	3.0	WNW	282
	04	0.38	4.1	0.29	5.0	0.23	4.1	0.15	2.8	WSW	241
	06	* 0.46	3.7	* 0.32	5.0	* 0.26	4.3	* 0.16	3.0	—	
	08	0.41	4.4	0.27	4.6	0.22	4.0	0.14	3.0	NNE	30
	10	0.32	3.1	0.24	3.9	0.19	3.8	0.13	3.1	N	352
	12	0.30	4.8	0.21	4.1	0.17	3.7	0.12	2.8	WNW	287
	14	0.38	4.8	0.27	4.4	0.21	3.6	0.13	2.7	WNW	295
	16	0.36	5.9	0.24	4.3	0.19	3.7	0.13	2.7	WNW	303
	18	0.36	6.8	0.26	5.6	0.20	4.8	0.13	3.2	N	8
	20	0.32	6.5	0.25	6.1	0.20	5.2	0.12	3.5	WSW	237
	22	0.36	5.5	0.26	6.0	0.20	5.5	0.12	3.6	—	
	最大	0.46	3.7	0.32	5.0	0.26	4.3	0.16	3.0		
	平均	0.36	4.7	0.26	4.9	0.20	4.3	0.13	3.1		
09	00	0.52	2.2	0.38	3.6	0.31	3.7	0.20	2.9	N	4
	02	0.54	3.6	0.42	4.4	0.34	4.1	0.22	3.2	WSW	248
	04	0.68	3.9	0.51	4.6	0.39	4.9	0.24	3.8	—	
	06	0.92	6.0	0.74	7.3	0.60	7.1	0.37	5.2	NW	307
	08	1.45	8.1	1.12	8.0	0.89	8.0	0.56	6.1	NW	311
	10	* 1.75	4.8	* 1.34	4.6	* 1.04	4.6	* 0.65	3.8	WNW	303
	12	1.28	4.6	1.00	5.0	0.83	4.9	0.52	3.9	NW	319
	14	1.04	4.5	0.83	5.1	0.67	5.1	0.43	4.2	NW	315
	16	0.85	4.8	0.63	5.3	0.52	5.1	0.33	4.1	NW	307
	18	0.89	6.6	0.62	5.7	0.49	5.2	0.32	4.2	WNW	303
	20	0.75	5.8	0.53	5.6	0.43	5.2	0.27	4.2	WNW	299
	22	0.74	4.8	0.53	5.7	0.43	5.2	0.27	4.1	N	356

		最大 平均	1.75 0.95	4.8 5.0	1.34 0.72	4.6 5.4	1.04 0.58	4.6 5.3	0.65 0.37	3.8 4.1		
10	00		0.80	5.6	0.47	5.9	0.39	5.8	0.26	4.5	NW	323
	02		0.69	5.7	0.54	5.6	0.44	5.6	0.29	4.7	NNW	331
	04		1.00	5.4	0.57	5.7	0.45	5.7	0.28	4.5	NW	311
	06		0.67	5.4	0.52	5.7	0.41	5.4	0.26	4.4	NNW	335
	08		0.62	5.2	0.49	5.8	0.39	5.6	0.24	4.3	NW	323
	10		0.69	5.6	0.43	5.6	0.33	5.6	0.21	4.3	WNW	303
	12		0.83	2.6	0.57	3.5	0.45	3.3	0.30	2.8	WSW	250
	14		1.48	4.4	1.08	4.2	0.87	4.3	0.57	3.6	NNW	333
	16		1.57	4.3	* 1.19	4.5	* 0.95	4.4	0.59	3.6	不明	
	18	* 1.69	5.0	1.13	1.13	4.6	0.91	4.5	* 0.60	3.8	NNW	327
	20	1.33	5.1	1.08	1.08	4.7	0.90	4.7	0.57	3.8	NW	319
	22	1.21	5.2	0.96	0.96	4.8	0.75	4.8	0.48	4.0	NNW	335
	最大 平均		1.69 1.05	5.0 5.0	1.19 0.75	4.5 5.1	0.95 0.60	4.4 5.0	0.60 0.39	3.8 4.0		
11	00		1.06	5.6	0.83	5.3	0.68	5.3	0.43	4.4	NNW	335
	02		1.03	5.3	0.78	5.3	0.62	5.2	0.39	4.2	NNW	344
	04		1.20	5.5	0.90	5.5	0.69	5.5	0.44	4.6	NNW	340
	06		1.36	5.5	0.82	5.3	0.67	4.9	0.42	3.9	N	352
	08		1.58	4.5	* 1.20	4.4	* 0.96	4.5	* 0.60	3.6	N	356
	10		1.27	3.9	1.01	4.5	0.82	4.5	0.52	3.9	NNW	344
	12	* 1.59	4.3	1.05	1.05	4.8	0.83	4.5	0.52	3.8	N	352
	14	1.34	3.7	0.95	0.95	4.3	0.78	4.2	0.49	3.5	WNW	303
	16	1.47	3.9	0.95	0.95	4.1	0.76	4.2	0.49	3.5	W	266
	18	1.37	4.5	1.03	1.03	4.3	0.82	4.3	0.51	3.6	WNW	298
	20	1.42	4.3	1.04	1.04	4.3	0.82	4.2	0.52	3.8	WNW	282
	22	1.16	4.4	0.92	0.92	4.3	0.71	4.3	0.44	3.5	NW	309
	最大 平均		1.59 1.32	4.3 4.6	1.20 0.96	4.4 4.7	0.96 0.76	4.5 4.6	0.60 0.48	3.6 3.9		
12	00	* 1.12	4.7	* 0.79	* 0.79	4.7	* 0.63	4.5	* 0.40	3.6	NNE	20
	02	1.10	4.2	0.76	0.76	4.3	0.60	4.4	0.37	3.8	N	0
	04	0.86	4.7	0.68	0.68	4.5	0.54	4.5	0.34	3.8	NNE	12
	06	0.74	3.8	0.62	0.62	4.3	0.50	4.5	0.32	3.8	NE	37
	08	0.88	5.0	0.71	0.71	4.5	0.56	4.5	0.35	3.7	NNE	12
	10	0.87	4.1	0.67	0.67	4.5	0.52	4.3	0.32	3.4	不明	
	12	0.75	5.1	0.57	0.57	5.0	0.47	4.8	0.30	3.8	NNE	20
	14	0.78	4.4	0.57	0.57	4.9	0.46	5.0	0.28	4.0	NNW	340
	16	0.74	5.0	0.59	0.59	5.1	0.48	5.1	0.31	4.2	NNW	348
	18	0.65	5.5	0.54	0.54	5.0	0.45	4.8	0.29	3.8	NNW	348
	20	0.87	5.0	0.53	0.53	5.0	0.43	5.0	0.26	3.8	NNW	340
	22	0.72	4.7	0.52	0.52	5.1	0.41	5.1	0.26	4.1	N	0
	最大 平均		1.12 0.84	4.7 4.7	0.79 0.63	4.7 4.7	0.63 0.50	4.5 4.7	0.40 0.32	3.6 3.8		
13	00	* 0.84	4.8	0.55	0.55	4.8	0.42	4.9	0.27	4.1	NNE	12
	02	0.73	5.0	* 0.58	* 0.58	5.1	* 0.45	5.1	* 0.29	4.5	NNE	12
	04	0.64	4.5	0.52	0.52	4.9	0.42	4.9	0.27	4.2	N	352
	06	0.73	4.0	0.50	0.50	4.7	0.40	4.6	0.26	3.7	N	356
	08	0.60	4.8	0.45	0.45	4.8	0.35	4.6	0.22	3.7	NNW	344
	10	0.49	4.7	0.36	0.36	4.7	0.28	4.6	0.18	3.7	N	8
	12	0.52	4.3	0.33	0.33	4.6	0.27	4.6	0.17	3.4	NNE	29
	14	0.47	5.2	0.33	0.33	4.8	0.27	4.5	0.17	3.5	N	4
	16	0.41	4.3	0.33	0.33	4.8	0.26	4.8	0.16	3.4	NE	45
	18	0.39	4.6	0.30	0.30	5.0	0.23	4.9	0.15	3.7	N	8
	20	0.38	5.0	0.29	0.29	5.1	0.23	5.0	0.15	3.7	NNE	20
	22	0.40	4.8	0.32	0.32	5.0	0.25	4.8	0.16	3.7	NNE	33
	最大 平均		0.84 0.55	4.8 4.7	0.58 0.41	5.1 4.9	0.45 0.32	5.1 4.8	0.29 0.20	4.5 3.8		
14	00	0.41	5.1	0.26	0.26	5.0	0.21	4.9	0.14	3.7	NE	37
	02	0.37	5.6	0.26	0.26	4.7	0.22	4.4	0.15	3.3	NE	45
	04	0.36	5.6	0.29	0.29	5.5	0.24	5.2	0.15	3.6	NE	37
	06	0.50	2.3	0.33	0.33	5.4	0.26	5.3	0.16	3.9	N	8
	08	0.35	5.8	0.28	0.28	5.3	0.23	5.2	0.15	3.8	NE	41
	10	0.35	6.5	0.27	0.27	5.7	0.22	5.2	0.14	3.8	NNE	33
	12	0.37	4.8	0.26	0.26	4.9	0.20	4.5	0.13	3.1	NNE	12
	14	0.37	4.8	0.28	0.28	5.1	0.22	4.9	0.14	3.4	—	

	16	0.36	4.3	0.26	4.8	0.21	4.8	0.14	3.6	—	
	18	* 0.51	4.0	* 0.36	4.8	* 0.28	4.2	* 0.18	3.1	NE	34
	20	0.37	6.1	0.26	4.4	0.21	3.9	0.14	2.8	NE	40
	22	0.44	4.6	0.31	4.4	0.24	4.3	0.16	3.3	NE	34
	最大	0.51	4.0	0.36	4.8	0.28	4.2	0.18	3.1		
	平均	0.40	5.0	0.29	5.0	0.23	4.7	0.15	3.5		
	00	0.38	4.7	0.27	4.2	0.22	4.0	0.15	3.3	NE	42
	02	0.35	4.6	0.25	4.5	0.20	4.2	0.13	3.1	NE	41
	04	0.25	6.5	0.21	4.3	0.17	4.1	0.11	3.0	NNE	29
15	06	0.42	4.6	0.26	4.6	0.19	4.4	0.12	3.2	N	352
	08	0.33	6.0	0.22	4.9	0.17	4.0	0.10	2.9	WSW	258
	10	0.28	6.2	0.22	4.4	0.19	4.0	0.12	3.1	NE	34
	12	0.24	5.0	0.19	3.8	0.15	3.6	0.10	2.7	W	276
	14	0.51	4.4	0.28	4.4	0.21	3.9	0.13	2.8	—	
	16	0.38	2.9	0.25	3.4	0.20	3.3	0.13	2.6	NE	52
	18	0.37	3.6	0.26	3.4	0.22	3.3	0.15	2.7	WSW	242
	20	0.31	2.2	0.26	3.4	0.21	3.4	0.14	2.8	NE	36
	22	* 0.67	3.5	* 0.50	3.7	* 0.38	3.6	* 0.24	3.0	N	10
	最大	0.67	3.5	0.50	3.7	0.38	3.6	0.24	3.0		
16	00	0.49	3.3	0.40	3.6	0.32	3.5	0.21	3.0	W	274
	02	0.66	3.8	0.40	3.6	0.31	3.5	0.20	3.0	NNE	32
	04	0.48	3.1	0.35	3.7	0.28	3.7	0.18	3.1	NE	35
	06	0.46	4.5	0.31	3.9	0.25	4.0	0.16	3.1	N	10
	08	0.42	2.8	0.31	3.6	0.24	3.5	0.16	2.8	W	259
	10	0.41	4.6	0.29	4.2	0.23	3.8	0.15	3.0	NNE	24
	12	0.43	3.6	0.33	4.0	0.26	3.9	0.17	3.0	NE	40
	14	0.66	4.1	0.42	3.4	0.33	3.3	0.22	2.7	NNE	26
	16	0.73	3.5	0.51	3.1	0.42	3.1	0.27	2.6	NW	311
	18	1.01	3.3	0.67	3.4	0.53	3.4	0.35	3.0	WSW	246
17	20	1.01	3.6	* 0.71	3.7	* 0.57	3.8	* 0.37	3.2	NNE	25
	22	* 1.03	3.6	0.70	4.0	0.55	4.1	0.36	3.7	NE	45
	最大	1.03	3.6	0.71	3.7	0.57	3.8	0.37	3.2		
	平均	0.65	3.7	0.45	3.7	0.36	3.6	0.23	3.0		
	00	0.66	3.3	0.56	3.8	0.46	3.9	0.29	3.4	NW	318
	02	0.68	3.9	0.48	4.2	0.39	4.2	0.26	3.6	NE	49
	04	0.70	4.3	0.52	4.3	0.40	4.3	0.24	3.5	W	271
	06	0.71	4.2	0.54	4.4	0.44	4.4	0.28	3.7	N	8
	08	0.68	3.7	0.56	4.4	0.44	4.4	0.28	3.7	N	0
18	10	0.72	4.2	0.55	4.0	0.44	4.2	0.28	3.5	—	
	12	0.57	4.1	0.48	4.0	0.39	4.1	0.26	3.5	WSW	243
	14	0.73	4.0	0.53	4.1	0.42	4.1	0.27	3.4	WSW	241
	16	0.85	4.5	0.62	4.2	0.49	4.2	0.32	3.5	WSW	248
	18	0.80	3.8	0.64	4.1	0.50	4.3	0.32	3.4	NE	54
	20	1.07	3.8	0.76	3.8	0.61	4.0	0.39	3.4	WSW	248
	22	* 1.08	4.4	* 0.87	4.2	* 0.68	4.3	* 0.44	3.8	NNE	22
	最大	1.08	4.4	0.87	4.2	0.68	4.3	0.44	3.8		
	平均	0.77	4.0	0.59	4.1	0.47	4.2	0.30	3.5		
19	00	1.04	3.7	0.81	4.5	0.63	4.4	0.40	3.9	N	4
	02	1.08	5.0	0.82	4.5	0.66	4.6	0.42	4.1	N	4
	04	0.94	4.6	0.72	5.0	0.57	4.9	0.36	4.0	N	352
	06	0.99	4.8	0.75	5.5	0.59	5.4	0.37	4.4	N	352
	08	1.24	5.7	0.87	5.7	0.65	5.6	0.40	4.4	N	356
	10	1.22	5.4	0.86	5.2	0.69	5.1	0.44	3.9	N	356
	12	1.20	5.3	0.93	5.3	0.73	5.0	0.46	3.7	N	4
	14	1.60	3.3	1.16	4.2	0.92	4.4	0.59	3.7	NNE	25
	16	1.82	5.0	* 1.43	4.6	* 1.15	4.5	* 0.72	3.8	NNE	29
	18	1.44	5.2	1.18	5.4	0.95	5.2	0.61	4.2	NNW	348
19	20	* 1.89	8.2	1.35	6.9	1.07	6.8	0.67	5.2	NNW	348
	22	1.61	5.8	1.25	7.3	1.02	7.0	0.63	5.2	N	352
	最大	1.89	8.2	1.43	4.6	1.15	4.5	0.72	3.8		
	平均	1.34	5.2	1.01	5.3	0.80	5.2	0.51	4.2		
	00	1.52	6.8	1.14	7.0	0.93	6.7	0.59	5.1	NNW	340
	02	1.45	5.4	1.14	6.9	0.92	6.8	0.58	5.2	NNW	344
	04	1.60	6.8	1.11	6.9	0.91	6.6	0.56	5.0	N	352
	06	1.40	7.1	1.05	7.1	0.85	6.7	0.53	5.2	NNW	348
	08	1.36	7.6	1.15	7.2	0.91	7.2	0.55	5.4	N	356
	10	1.70	7.1	1.15	7.1	0.93	7.1	0.58	5.8	N	352

	12	* 1.82	7.1	* 1.37	7.2	* 1.05	7.4	* 0.63	5.8	N	356	
	14	1.51	6.8	1.09	7.1	0.87	7.0	0.53	5.2	N	352	
	16	1.38	6.8	1.06	6.9	0.82	6.6	0.49	4.5	N	352	
	18	1.59	6.6	0.99	6.4	0.75	5.7	0.46	4.0	NNW	348	
	20	1.03	5.4	0.76	6.2	0.62	5.6	0.40	4.1	N	352	
	22	1.25	5.2	0.84	5.1	0.66	5.0	0.42	4.1	N	4	
	最大	1.82	7.1	1.37	7.2	1.05	7.4	0.63	5.8			
	平均	1.47	6.6	1.07	6.8	0.85	6.5	0.53	5.0			
	20	00	* 1.02	6.6	* 0.75	5.0	* 0.60	4.9	* 0.39	3.9	N	0
	02	0.83	4.8	0.63	5.7	0.50	5.4	0.31	3.8	N	352	
	04	0.65	4.7	0.49	4.6	0.40	4.3	0.26	3.1	NW	318	
	06	0.68	5.3	0.48	5.5	0.37	5.1	0.23	3.5	N	356	
	08	0.65	5.7	0.51	5.9	0.40	5.1	0.24	3.4	NNW	348	
	10	0.64	6.0	0.48	5.5	0.38	5.4	0.24	4.0	N	352	
	12	0.62	4.4	0.46	5.3	0.37	5.6	0.23	4.1	NNW	344	
	14	0.61	4.2	0.41	5.2	0.33	5.0	0.20	3.9	NNW	335	
	16	0.57	2.7	0.41	5.1	0.33	4.4	0.21	3.2	—		
	18	0.69	2.8	0.45	3.5	0.36	3.6	0.24	3.0	NNW	332	
	20	0.68	3.4	0.49	4.0	0.39	3.9	0.25	3.1	NE	52	
	22	0.62	4.1	0.47	3.9	0.39	3.8	0.26	3.4	NE	53	
	最大	1.02	6.6	0.75	5.0	0.60	4.9	0.39	3.9			
	平均	0.69	4.6	0.50	4.9	0.40	4.7	0.26	3.5			
	21	00	0.64	3.6	0.50	3.9	* 0.40	4.0	* 0.26	3.5	NE	50
	02	* 0.76	3.8	0.48	4.0	0.37	4.0	0.24	3.3	NE	37	
	04	0.59	4.6	0.39	3.8	0.31	4.0	0.20	3.4	NE	51	
	06	0.40	3.3	0.32	4.0	0.26	4.1	0.17	3.3	NW	322	
	08	0.59	2.6	0.34	3.7	0.27	3.9	0.18	3.2	WSW	247	
	10	0.50	4.1	0.39	3.9	0.31	3.7	0.21	3.1	W	267	
	12	0.52	2.1	0.41	3.5	0.32	3.2	0.21	2.7	WSW	243	
	14	0.67	3.9	* 0.51	3.7	0.40	3.6	0.25	2.9	WNW	303	
	16	0.61	5.2	0.44	4.2	0.35	4.2	0.23	3.3	NW	304	
	18	0.55	3.4	0.41	4.0	0.33	3.9	0.22	3.5	NNE	13	
	20	0.76	3.3	0.44	3.7	0.33	3.7	0.20	3.1	WSW	257	
	22	0.53	3.4	0.36	3.7	0.29	3.6	0.19	3.2	NE	43	
	最大	0.76	3.8	0.51	3.7	0.40	4.0	0.26	3.5			
	平均	0.59	3.6	0.42	3.8	0.33	3.8	0.21	3.2			
	22	00	1.17	4.0	0.83	4.4	0.67	4.3	0.43	不明		
	02	1.06	4.3	0.81	4.4	0.67	4.4	0.43	3.9	NNE	29	
	04	1.18	5.1	0.93	4.8	0.75	4.8	0.49	4.2	NNE	16	
	06	1.07	4.0	0.79	4.5	0.61	4.6	0.39	3.9	NNE	16	
	08	0.87	3.8	0.67	4.4	0.53	4.3	0.33	3.7	NNW	334	
	10	0.72	3.7	0.59	4.2	0.50	4.4	0.33	3.8	NNE	16	
	12	1.10	4.3	0.66	4.5	0.52	4.6	0.33	3.8	NNE	12	
	14	1.18	2.9	0.81	3.8	0.63	3.6	0.41	3.1	NNE	17	
	16	1.69	3.6	1.13	3.7	0.89	3.5	0.57	3.2	NNW	344	
	18	1.77	3.5	1.15	3.8	0.94	3.9	0.62	3.4	NNE	16	
	20	2.20	5.1	1.70	4.5	1.38	4.3	0.89	3.9	W	264	
	22	* 2.50	5.0	* 2.02	5.1	* 1.63	5.1	* 1.06	4.4	NW	319	
	最大	2.50	5.0	2.02	5.1	1.63	5.1	1.06	4.4			
	平均	1.38	4.1	1.01	4.3	0.81	4.3	0.52	3.8			
	23	00	* 3.30	5.5	* 2.50	5.6	* 1.99	5.8	* 1.24	NNW	327	
	02	2.95	5.4	2.26	5.7	1.81	5.4	1.13	4.5	W	278	
	04	2.26	5.2	1.73	5.4	1.38	5.5	0.87	4.4	NW	323	
	06	1.98	5.3	1.33	5.2	1.07	5.1	0.68	4.0	NNW	348	
	08	1.72	5.2	1.28	5.4	1.04	5.2	0.66	4.2	NW	323	
	10	1.54	5.7	1.16	5.4	0.93	5.6	0.58	4.4	NNW	331	
	12	1.42	5.2	1.16	5.6	0.92	5.6	0.57	4.5	NNW	335	
	14	1.69	5.8	1.12	5.6	0.85	5.4	0.53	4.6	NNW	340	
	16	1.37	5.3	0.98	5.3	0.79	5.3	0.50	4.5	NNW	348	
	18	1.32	5.6	0.88	5.4	0.69	5.5	0.44	4.3	NNW	344	
	20	0.86	6.0	0.72	5.5	0.59	5.3	0.38	4.2	NNW	335	
	22	0.81	4.8	0.61	5.5	0.50	5.5	0.32	4.4	N	352	
	最大	3.30	5.5	2.50	5.6	1.99	5.8	1.24	4.7			
	平均	1.77	5.4	1.31	5.5	1.05	5.4	0.66	4.4			
	24	00	0.97	6.0	0.70	6.2	0.55	6.1	0.34	N	4	
	02	0.78	6.5	0.63	6.0	0.49	6.0	0.29	4.7	N	8	

	04	0.93	5.3	0.67	5.9	0.51	5.8	0.32	4.9	N	4
	06	0.99	6.7	0.76	6.8	0.61	6.5	0.40	5.3	N	352
	08	1.05	6.4	0.74	6.4	0.60	6.3	0.39	5.0	NNW	344
	10	0.80	5.4	0.62	5.9	0.49	5.7	0.31	4.3	N	352
	12	0.86	7.2	0.71	6.7	0.57	6.4	0.36	5.0	NNW	348
	14	* 1.23	6.3	0.82	6.7	0.65	6.4	0.40	4.9	NNW	340
	16	1.22	7.4	* 0.83	6.6	* 0.66	6.4	* 0.41	4.6	N	356
	18	1.17	5.1	0.79	6.3	0.64	6.3	0.40	4.5	NNW	348
	20	0.90	6.5	0.70	6.3	0.56	5.9	0.35	4.5	NNW	348
	22	0.98	6.6	0.71	7.0	0.57	6.2	0.37	4.8	NNW	344
	最大	1.23	6.3	0.83	6.6	0.66	6.4	0.41	4.6		
	平均	0.99	6.3	0.72	6.4	0.58	6.2	0.36	4.8		
25	00	* 0.73	8.3	0.59	6.8	0.48	6.6	* 0.30	4.7	NNW	348
	02	0.70	6.8	0.53	6.8	0.42	6.8	0.26	5.2	NNW	348
	04	0.64	6.6	0.48	7.1	0.39	6.7	0.24	5.1	NNW	344
	06	0.71	7.9	* 0.59	7.2	* 0.49	7.1	0.29	5.2	N	352
	08	0.68	6.8	0.50	6.6	0.40	6.4	0.24	4.4	N	356
	10	0.71	5.9	0.52	7.0	0.41	6.8	0.25	5.2	NNW	348
	12	0.58	6.3	0.45	7.0	0.35	6.4	0.22	4.5	NNW	335
	14	0.56	7.4	0.44	6.6	0.35	6.3	0.21	4.3	N	352
	16	0.46	7.6	0.32	6.6	0.25	5.7	0.16	3.8	—	
	18	0.41	7.3	0.29	6.4	0.23	5.7	0.14	3.7	NNW	344
	20	0.34	6.5	0.26	6.4	0.21	5.9	0.13	4.0	NNW	344
	22	0.39	7.2	0.31	7.2	0.25	7.0	0.16	4.8	NNW	344
	最大	0.73	8.3	0.59	7.2	0.49	7.1	0.30	4.7		
	平均	0.58	7.1	0.44	6.8	0.35	6.5	0.22	4.6		
26	00	0.53	3.1	0.38	6.4	0.28	6.4	0.17	4.5	N	356
	02	0.57	7.3	0.40	7.7	0.31	7.5	0.20	5.8	NNE	12
	04	0.48	6.9	0.39	7.2	0.31	7.0	0.19	5.0	N	0
	06	0.43	6.9	0.30	6.5	0.24	5.9	0.16	4.2	NNW	344
	08	0.35	8.0	0.29	6.8	0.24	6.0	0.15	4.0	NNW	331
	10	0.35	6.5	0.27	5.8	0.21	5.3	0.13	3.7	N	8
	12	* 1.45	3.2	* 1.02	3.7	* 0.81	3.6	* 0.52	3.2	NNE	12
	14	1.26	3.6	0.95	3.8	0.74	3.8	0.47	3.3	NNW	340
	16	0.87	2.9	0.58	3.3	0.46	3.5	0.30	3.2	NE	43
	18	0.66	4.0	0.47	4.2	0.38	4.4	0.25	3.5	NE	37
	20	0.86	4.5	0.61	4.5	0.48	4.5	0.30	3.9	NE	37
	22	0.71	5.0	0.51	4.5	0.42	4.6	0.27	3.7	NNE	12
	最大	1.45	3.2	1.02	3.7	0.81	3.6	0.52	3.2		
	平均	0.71	5.2	0.51	5.4	0.41	5.2	0.26	4.0		
27	00	0.54	3.4	* 0.42	4.6	* 0.33	4.6	0.20	3.5	NNW	327
	02	* 0.56	5.0	0.41	4.9	0.32	4.6	* 0.21	3.6	NNE	20
	04	0.50	4.4	0.37	5.0	0.29	4.7	0.18	3.6	—	
	06	0.37	5.8	0.31	4.8	0.26	4.5	0.16	3.4	N	4
	08	0.40	3.6	0.31	4.5	0.25	4.4	0.16	3.5	NNW	344
	10	0.42	4.9	0.32	4.8	0.26	4.7	0.17	3.9	NNE	20
	12	0.39	4.8	0.29	4.7	0.23	4.6	0.15	3.5	—	
	14	0.52	4.3	0.35	4.2	0.26	4.4	0.16	3.4	—	
	16	0.42	5.2	0.31	4.9	0.24	4.6	0.16	3.5	—	
	18	0.34	5.0	0.27	4.3	0.23	4.3	0.15	3.4	N	352
	20	0.46	4.7	0.37	4.6	0.29	4.5	0.19	3.6	NE	53
	22	0.52	4.4	0.32	4.8	0.26	4.9	0.16	3.8	WNW	290
	最大	0.56	5.0	0.42	4.6	0.33	4.6	0.21	3.6		
	平均	0.45	4.6	0.34	4.7	0.27	4.6	0.17	3.6		
28	00	0.44	5.0	0.32	5.3	0.25	5.2	0.16	3.7	NNW	340
	02	0.55	4.3	0.40	5.5	0.31	5.5	0.19	4.0	N	4
	04	0.56	5.9	0.44	6.7	0.35	6.6	0.22	4.6	NNW	348
	06	0.71	6.3	0.57	7.0	0.44	6.6	0.27	4.6	NNW	344
	08	0.87	7.1	0.67	7.4	0.54	6.8	0.34	4.8	NNW	331
	10	1.11	7.4	0.92	7.3	0.72	6.8	0.46	4.9	N	352
	12	1.50	7.1	1.14	5.7	0.93	5.3	0.60	4.0	N	356
	14	1.48	6.8	1.13	6.6	0.92	5.8	0.59	4.4	NNW	348
	16	1.70	8.5	1.24	7.3	1.00	6.4	0.61	4.6	NNW	340
	18	1.98	6.3	1.68	6.4	1.34	6.0	0.85	4.5	NNW	344
	20	2.75	5.4	* 2.04	5.9	* 1.64	5.9	* 1.07	4.8	W	274
	22	* 2.92	5.9	2.01	5.9	1.56	5.8	0.98	4.6	W	270
	最大	2.92	5.9	2.04	5.9	1.64	5.9	1.07	4.8		

	平均	1.38	6.3	1.05	6.4	0.83	6.1	0.53	4.5		
29	00	* 2.29	6.8	* 1.81	6.3	* 1.41	5.9	* 0.90	4.5	NNW	348
	02	1.86	7.2	1.40	7.1	1.13	6.2	0.70	4.5	N	352
	04	1.47	6.2	1.09	6.9	0.89	6.2	0.57	4.6	NNW	340
	06	1.32	7.2	1.08	6.7	0.88	6.3	0.56	4.7	NNW	348
	08	1.22	7.1	0.96	6.5	0.77	6.1	0.49	4.6	NNW	340
	10	1.08	6.8	0.94	7.2	0.78	6.6	0.49	5.0	NNW	335
	12	1.30	6.0	0.94	6.9	0.75	6.7	0.47	5.2	NNW	327
	14	1.32	7.3	1.05	6.2	0.83	6.3	0.52	5.2	NNW	331
	16	1.32	6.3	1.02	6.5	0.80	6.4	0.50	5.0	NNW	331
	18	1.42	6.3	1.08	6.0	0.88	6.0	0.54	4.8	NNW	348
	20	1.54	6.5	1.09	6.1	0.88	5.9	0.55	4.8	NNW	344
	22	1.17	6.5	0.99	6.0	0.77	5.7	0.49	4.7	NNW	340
	最大	2.29	6.8	1.81	6.3	1.41	5.9	0.90	4.5		
	平均	1.44	6.7	1.12	6.5	0.90	6.2	0.57	4.8		
30	00	1.17	6.5	0.89	6.2	0.69	6.1	0.42	4.6	NNW	344
	02	1.09	5.2	0.78	6.1	0.62	6.2	0.38	4.8	NNW	344
	04	0.98	6.3	0.72	6.2	0.58	6.0	0.36	4.8	NNW	344
	06	0.92	4.0	0.71	5.7	0.58	5.6	0.37	4.8	N	356
	08	0.87	5.8	0.67	5.7	0.53	5.7	0.34	4.6	NNW	344
	10	0.73	5.5	0.60	5.4	0.49	5.5	0.31	4.5	NNW	348
	12	0.91	6.8	0.67	5.5	0.53	5.1	0.34	4.0	N	356
	14	0.92	5.2	0.67	4.6	0.53	4.6	0.33	3.5	NNW	348
	16	0.87	3.6	0.65	4.8	0.52	4.7	0.33	3.6	N	0
	18	1.23	3.6	0.85	4.3	0.66	4.2	0.42	3.5	WNW	295
	20	1.58	3.6	1.02	3.9	0.83	3.9	0.53	3.3	WNW	299
	22	* 1.78	4.8	* 1.47	4.5	* 1.16	4.4	* 0.77	4.1	NNW	340
	最大	1.78	4.8	1.47	4.5	1.16	4.4	0.77	4.1		
	平均	1.09	5.1	0.81	5.2	0.64	5.2	0.41	4.2		
31	00	* 1.77	4.7	* 1.38	4.4	* 1.10	4.4	* 0.68	3.6	NNW	340
	02	1.27	5.3	1.00	4.5	0.80	4.5	0.50	3.7	N	352
	04	1.13	4.2	0.82	4.1	0.66	4.1	0.42	3.4	WSW	249
	06	1.07	4.7	0.80	4.2	0.65	4.3	0.43	3.6	NE	56
	08	1.12	4.3	0.85	4.7	0.68	4.5	0.43	3.7	NNE	20
	10	1.10	4.6	0.73	4.5	0.58	4.6	0.38	4.0	NNE	25
	12	0.74	4.1	0.59	4.4	0.47	4.5	0.29	3.6	NE	41
	14	0.74	5.0	0.55	4.3	0.45	4.2	0.30	3.6	NE	53
	16	0.57	2.7	0.47	4.0	0.37	4.0	0.24	3.3	WSW	244
	18	0.50	3.9	0.36	4.0	0.29	4.0	0.19	3.3	NNE	17
	20	0.41	3.9	0.32	4.3	0.25	4.3	0.16	3.3	NNE	12
	22	0.45	4.4	0.32	4.7	0.25	4.4	0.16	3.3	NNW	327
	最大	1.77	4.7	1.38	4.4	1.10	4.4	0.68	3.6		
	平均	0.91	4.3	0.68	4.3	0.55	4.3	0.35	3.5		
	月最大	3.30	5.5	2.50	5.6	1.99	5.8	1.24	4.7		
	起時	2300		2300		2300		2300			
	平均	0.87	5.0	0.64	5.1	0.51	4.9	0.32	3.8		

* は日最大波高を示す

波浪整理表（1）

2001年 9月

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	360 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.46	4.6	0.35	4.5	0.29	4.5	0.19	3.4	—	
	02	0.54	4.2	0.38	4.4	0.30	4.3	0.18	3.2	WNW	295
	04	0.59	4.9	0.44	4.9	0.36	4.6	0.23	3.6	NNW	344
	06	0.83	5.1	0.57	5.2	0.44	5.0	0.27	3.8	NNW	340
	08	0.76	5.3	0.58	5.0	* 0.47	5.0	0.29	4.0	NNW	340
	10	0.81	4.7	0.58	4.9	* 0.47	5.0	* 0.30	4.1	NNW	340
	12	0.68	4.5	0.52	4.6	0.42	4.6	0.27	3.8	NW	315
	14	0.70	4.4	0.54	4.7	0.43	4.7	0.27	3.6	NNW	327
	16	0.70	4.3	0.53	4.6	0.42	4.4	0.27	3.3	NNW	344
	18	0.76	4.6	0.55	4.5	0.44	4.2	0.27	3.2	NNE	13
	20	0.70	3.3	0.54	4.3	0.44	4.1	0.28	3.3	WSW	251
	22	* 0.95	4.6	* 0.60	4.2	0.44	4.0	0.27	3.3	NNW	339
	最大	0.95	4.6	0.60	4.2	0.47	5.0	0.30	4.1		
	平均	0.71	4.5	0.52	4.7	0.41	4.5	0.26	3.6		
02	00	0.66	3.7	0.51	4.0	0.42	4.1	0.27	3.5	NNW	344
	02	0.64	4.0	0.46	4.2	0.37	4.2	0.24	3.4	WNW	287
	04	0.53	3.7	0.40	4.1	0.33	4.2	0.21	3.4	NE	50
	06	0.56	3.6	0.38	4.4	0.31	4.3	0.20	3.4	NNE	12
	08	0.41	3.8	0.34	4.0	0.28	4.1	0.19	3.2	N	9
	10	0.44	3.7	0.31	4.1	0.25	4.0	0.17	3.2	N	11
	12	0.63	2.2	0.44	3.0	0.34	3.0	0.22	2.6	WSW	248
	14	0.95	4.0	0.47	2.9	0.37	3.0	0.24	2.6	NNW	327
	16	0.96	2.8	0.59	2.9	0.46	3.0	0.30	2.8	NNW	341
	18	0.83	2.5	0.61	3.0	0.49	3.2	0.32	2.9	N	358
	20	0.76	3.7	0.57	3.6	0.45	3.6	0.30	3.0	W	274
	22	* 1.06	4.1	* 0.73	3.7	* 0.57	3.9	* 0.37	3.5	NE	55
	最大	1.06	4.1	0.73	3.7	0.57	3.9	0.37	3.5		
	平均	0.70	3.5	0.48	3.7	0.39	3.7	0.25	3.1		
03	00	1.00	3.7	0.75	3.9	0.59	3.9	0.37	3.6	N	1
	02	0.94	3.3	0.64	3.9	0.51	4.0	0.32	3.5	NE	56
	04	0.67	3.8	0.53	4.4	0.44	4.5	0.28	3.6	NNE	33
	06	0.73	4.5	0.55	4.8	0.44	4.6	0.28	3.7	NNE	12
	08	0.76	8.5	0.58	6.5	0.47	5.7	0.29	4.0	—	
	10	0.90	6.5	0.68	6.8	0.55	6.2	0.34	4.5	NNW	348
	12	1.06	6.6	0.86	6.1	0.69	6.1	0.44	5.0	NNW	340
	14	1.22	8.7	* 1.00	6.9	0.79	6.3	0.48	4.5	不明	
	16	1.22	4.8	0.99	6.4	* 0.80	6.4	* 0.51	5.2	N	8
	18	* 1.36	6.3	0.98	6.4	0.77	6.1	0.47	4.9	NNE	16
	20	1.29	5.5	0.88	6.6	0.71	6.4	0.45	5.2	NNE	20
	22	0.90	7.5	0.77	6.4	0.62	5.8	0.39	4.3	N	0
	最大	1.36	6.3	1.00	6.9	0.80	6.4	0.51	5.2		
	平均	1.00	5.8	0.77	5.8	0.62	5.5	0.39	4.3		
04	00	0.89	4.9	0.67	6.1	0.55	6.1	* 0.35	4.7	NNE	16
	02	* 0.96	6.4	0.66	6.5	0.53	6.2	0.34	4.9	NNE	16
	04	0.68	6.7	0.51	6.5	0.42	6.2	0.27	4.6	N	8
	06	0.78	6.5	0.53	5.8	0.42	5.8	0.26	4.1	NNW	344
	08	0.63	5.2	0.49	5.6	0.39	5.6	0.24	4.1	N	352
	10	0.59	4.0	0.49	5.1	0.40	4.9	0.26	3.8	NNW	348
	12	0.86	3.9	0.62	4.5	0.50	4.4	0.33	3.8	NNE	16
	14	0.84	4.8	0.57	4.5	0.45	4.4	0.29	3.5	NNE	20
	16	0.53	3.4	0.44	4.5	0.36	4.4	0.24	3.5	N	8
	18	0.86	4.0	0.47	5.0	0.39	4.6	0.25	3.8	NNE	16
	20	0.86	4.7	0.70	4.6	* 0.57	4.6	0.35	3.8	不明	
	22	0.92	4.5	* 0.70	4.9	0.55	4.8	0.34	4.2	NNE	25
	最大	0.96	6.4	0.70	4.9	0.57	4.6	0.35	4.7		

	平均	0.78	4.9	0.57	5.3	0.46	5.2	0.29	4.1		
05	00	* 0.72	4.1	* 0.51	5.0	* 0.42	5.0	* 0.27	4.1	NNW	335
	02	0.59	4.7	0.50	4.8	0.40	4.7	0.26	3.9	N	8
	04	0.65	4.1	0.48	4.5	0.38	4.5	0.23	3.5	NNW	327
	06	0.49	5.3	0.36	4.6	0.29	4.4	0.19	3.4		
	08	0.62	3.6	0.38	4.3	0.30	4.4	0.19	3.4	N	4
	10	0.43	3.6	0.33	4.5	0.27	4.5	0.17	3.3	N	0
	12	0.51	3.9	0.39	4.1	0.31	4.2	0.20	3.6	NE	52
	14	0.61	3.6	0.42	3.9	0.33	4.1	0.21	3.3	NE	53
	16	0.50	3.6	0.34	3.9	0.27	3.8	0.18	3.0	WSW	253
	18	0.49	4.7	0.35	3.7	0.28	3.8	0.18	3.0		
	20	0.42	4.9	0.27	4.4	0.22	4.1	0.14	3.1	WSW	254
	22	0.35	4.1	0.26	4.8	0.21	4.4	0.13	3.2	NW	323
	最大	0.72	4.1	0.51	5.0	0.42	5.0	0.27	4.1		
	平均	0.53	4.2	0.38	4.4	0.31	4.3	0.20	3.4		
06	00	0.34	5.0	0.25	5.3	0.20	4.9	0.13	3.4	N	4
	02	0.44	4.6	0.28	5.3	0.21	4.9	0.13	3.4	N	4
	04	0.35	3.5	0.24	4.4	0.19	4.0	0.13	2.8	NE	40
	06	0.34	5.5	0.28	4.3	0.22	3.9	0.14	2.8		
	08	0.33	6.4	0.25	4.5	0.20	4.2	0.13	2.9	W	265
	10	0.35	3.7	0.26	4.2	0.21	4.1	0.14	3.0	WNW	291
	12	0.53	2.6	0.35	3.4	0.28	3.3	0.18	2.6	WSW	246
	14	0.57	2.6	0.40	3.2	0.33	3.3	0.21	2.7	WSW	242
	16	0.57	2.6	0.40	3.2	0.32	3.1	0.21	2.8	NE	40
	18	* 0.86	2.7	* 0.49	3.4	* 0.38	3.4	* 0.25	3.0	NE	45
	20	0.58	3.1	0.43	3.5	0.34	3.6	0.22	3.1	NNE	26
	22	0.59	3.2	0.40	3.7	0.32	3.7	0.21	3.1	W	268
	最大	0.86	2.7	0.49	3.4	0.38	3.4	0.25	3.0		
	平均	0.49	3.8	0.34	4.0	0.27	3.9	0.17	3.0		
07	00	0.54	4.0	0.42	3.7	0.34	3.7	0.21	3.0	NW	322
	02	0.60	4.0	0.38	3.9	0.30	3.9	0.19	3.4	WSW	244
	04	0.51	3.6	0.31	3.8	0.26	3.8	0.16	3.0	NW	326
	06	0.51	4.0	0.30	3.8	0.25	4.0	0.17	3.3	NE	53
	08	0.64	3.6	0.32	4.1	0.25	4.0	0.16	3.1	W	265
	10	0.33	5.4	0.26	5.0	0.21	4.5	0.14	3.5		
	12	0.35	4.2	0.27	4.4	0.21	4.3	0.13	3.3	NE	56
	14	0.74	2.5	0.55	2.7	0.44	2.8	0.28	2.5	W	270
	16	* 1.18	3.8	* 0.86	4.0	* 0.67	4.0	* 0.43	3.5	W	262
	18	1.00	4.1	0.65	4.4	0.54	4.4	0.34	3.7	W	262
	20	0.64	3.9	0.47	4.0	0.37	4.1	0.24	3.4	NNE	26
	22	0.47	3.8	0.33	4.4	0.27	4.2	0.18	3.3	WSW	241
	最大	1.18	3.8	0.86	4.0	0.67	4.0	0.43	3.5		
	平均	0.63	3.9	0.43	4.0	0.34	4.0	0.22	3.3		
08	00	0.60	4.4	0.40	4.1	0.32	3.9	0.21	3.2	WSW	254
	02	0.74	3.3	0.48	4.8	0.36	4.5	0.23	3.5		
	04	0.55	4.3	0.43	5.0	0.35	4.8	0.23	3.9	NNW	331
	06	0.74	7.9	0.55	5.7	0.43	5.1	0.27	3.9	NNW	327
	08	0.97	4.8	0.77	5.5	0.62	5.6	0.39	4.4	NW	323
	10	1.00	6.2	0.84	6.0	0.67	5.9	0.41	4.5	NNW	335
	12	1.27	5.9	0.95	5.1	0.77	4.9	0.50	3.7	NNW	335
	14	1.87	4.3	1.20	4.2	0.96	4.2	0.63	3.8	NW	319
	16	1.76	4.3	1.38	4.9	1.14	4.8	0.74	4.0	NE	37
	18	* 2.37	4.0	* 1.46	4.8	* 1.16	4.8	* 0.76	4.1	NNE	25
	20	2.08	4.9	1.29	5.3	1.05	5.1	0.69	4.5	NNE	29
	22	1.57	5.4	1.27	5.3	1.03	5.4	0.66	4.5	NW	315
	最大	2.37	4.0	1.46	4.8	1.16	4.8	0.76	4.1		
	平均	1.29	5.0	0.92	5.1	0.74	4.9	0.48	4.0		
09	00	* 1.76	5.0	* 1.18	5.2	* 0.94	5.3	* 0.62	4.5	NE	41
	02	1.59	5.7	1.05	5.1	0.85	5.1	0.55	4.3	NE	45
	04	1.09	5.3	0.94	5.5	0.77	5.4	0.49	4.5	N	8
	06	1.15	5.1	0.95	5.1	0.75	5.1	0.47	4.3	N	356
	08	1.18	4.8	0.81	5.1	0.65	5.4	0.41	4.3	NNE	16
	10	1.10	4.8	0.85	5.4	0.69	5.6	0.44	4.3	N	4
	12	1.08	5.5	0.79	5.5	0.62	5.5	0.40	4.5	NNE	29
	14	0.88	4.1	0.66	5.3	0.54	5.2	0.34	4.0	NNE	12
	16	0.89	4.5	0.64	5.0	0.50	4.7	0.31	3.5	NNE	33
	18	0.64	4.2	0.55	5.4	0.44	5.2	0.28	4.0	NNE	20
	20	0.70	5.9	0.51	5.2	0.40	5.2	0.26	4.2	NNE	20
	22	0.70	5.3	0.57	4.9	0.46	5.0	0.29	4.1		
	最大	1.76	5.0	1.18	5.2	0.94	5.3	0.62	4.5		
	平均	1.09	5.3	0.94	5.5	0.77	5.4	0.49	4.5		

	最大	1.76	5.0	1.18	5.2	0.94	5.3	0.62	4.5			
	平均	1.06	5.0	0.79	5.2	0.63	5.2	0.41	4.2			
10	00	0.68	4.8	0.58	4.7	0.46	4.8	0.30	4.1	NNE	29	
	02	0.81	4.7	0.65	4.6	0.52	4.8	0.34	4.3	NNE	25	
	04	0.77	4.1	0.63	4.6	0.50	4.5	0.33	3.9	NNE	29	
	06	1.08	4.5	0.69	4.5	0.55	4.6	0.36	4.0	NE	41	
	08	0.96	4.2	0.63	4.6	0.50	4.7	0.31	3.8	NNE	33	
	10	0.99	5.5	0.71	4.5	0.55	4.6	0.35	3.9	NNE	20	
	12	0.84	4.5	0.70	4.4	0.56	4.4	0.36	3.7	NNE	25	
	14	0.90	5.3	0.69	4.3	0.55	4.1	0.35	3.3	NE	45	
	16	1.28	4.2	0.85	4.3	0.69	4.2	0.44	3.5	W	261	
	18	* 2.17	5.0	1.60	4.9	1.30	4.8	0.83	4.3	N	356	
	20	1.98	5.3	1.48	5.7	1.19	5.6	0.76	4.7	NNE	12	
	22	2.16	6.9	* 1.69	7.3	* 1.38	7.0	* 0.86	5.5	NNW	335	
	最大	2.17	5.0	1.69	7.3	1.38	7.0	0.86	5.5			
	平均	1.22	4.9	0.91	4.9	0.73	4.8	0.47	4.1			
11	00	3.91	8.2	2.56	8.4	1.92	8.0	1.18	6.5	NNW	344	
	02	2.64	6.9	2.02	7.4	1.61	7.5	1.00	5.9	NNW	344	
	04	2.25	6.7	1.85	7.6	1.53	7.1	0.99	5.6	NNW	344	
	06	2.41	6.4	1.86	7.0	1.51	7.0	0.97	5.7	NNW	344	
	08	2.67	10.2	2.22	8.5	1.80	8.3	1.12	6.0	NNW	344	
	10	2.10	8.5	1.88	7.3	1.52	6.8	0.95	5.0	NNW	348	
	12	2.67	9.3	2.14	7.2	1.70	7.2	1.04	5.3	NNW	335	
	14	2.95	9.1	2.34	7.8	1.80	7.8	1.12	5.8	NNW	340	
	16	2.82	7.1	2.39	7.8	1.87	7.1	1.17	5.3	NNW	344	
	18	* 4.29	6.0	2.89	6.7	2.26	6.6	1.39	5.1	NNW	335	
	20	4.08	4.8	* 2.94	7.0	* 2.45	6.9	* 1.62	5.5	NNW	340	
	22	3.54	8.4	2.82	7.0	2.34	6.9	1.51	5.4	NNW	348	
	最大	4.29	6.0	2.94	7.0	2.45	6.9	1.62	5.5			
	平均	3.03	7.6	2.33	7.5	1.86	7.3	1.17	5.6			
12	00	* 3.27	7.1	* 2.68	7.3	* 2.19	7.4	* 1.44	5.7	NNW	344	
	02	2.89	8.5	2.36	7.8	1.92	7.2	1.17	5.1	NNW	340	
	04	3.25	8.4	2.47	8.0	1.95	7.5	1.24	5.8	NNW	340	
	06	2.93	9.5	2.28	8.8	1.78	7.9	1.12	5.9	NNW	335	
	08	2.58	5.7	1.89	7.9	1.51	7.5	0.93	5.4	NNW	340	
	10	2.49	6.8	1.86	7.7	1.50	7.5	0.93	5.5	NNW	335	
	12	2.28	7.8	1.80	7.6	1.45	8.0	0.87	5.7	NNW	340	
	14	2.26	7.9	1.66	8.1	1.36	7.8	0.86	5.6	NNW	340	
	16	2.15	9.8	1.76	8.2	1.40	7.2	0.87	5.2	NNW	340	
	18	1.86	7.6	1.54	7.4	1.28	6.6	0.83	4.9	NNW	335	
	20	2.32	6.7	1.55	6.6	1.20	6.5	0.74	4.9	N	352	
	22	1.79	6.5	1.46	6.7	1.15	6.4	0.73	4.9	NNW	348	
	最大	3.27	7.1	2.68	7.3	2.19	7.4	1.44	5.7			
	平均	2.51	7.7	1.94	7.7	1.56	7.3	0.98	5.4			
13	00	* 1.69	8.2	* 1.39	7.2	* 1.14	6.4	* 0.70	4.8	N	352	
	02	1.52	6.4	1.25	6.6	1.03	6.5	0.65	5.1	NNW	331	
	04	1.64	4.7	1.21	7.3	0.99	6.7	0.64	5.3	NNW	340	
	06	1.45	5.4	1.12	6.6	0.90	6.5	0.57	4.7	NNW	340	
	08	1.57	6.7	1.22	6.7	0.99	6.6	0.61	5.0	NNW	344	
	10	1.49	6.6	1.12	6.4	0.92	6.5	0.59	5.2	NNW	340	
	12	1.38	6.7	1.13	6.6	0.89	6.1	0.56	4.8	NNW	335	
	14	1.50	5.5	1.02	6.4	0.81	6.1	0.51	4.8	NNW	348	
	16	1.38	5.9	1.01	6.0	0.82	6.1	0.55	5.0	N	356	
	18	1.30	5.7	0.95	5.9	0.77	5.9	0.49	4.6	N	356	
	20	1.20	6.4	0.84	5.8	0.70	5.6	0.45	4.5	NE	41	
	22	1.01	4.5	0.86	6.0	0.71	5.9	0.44	4.6	N	0	
	最大	1.69	8.2	1.39	7.2	1.14	6.4	0.70	4.8			
	平均	1.43	6.1	1.09	6.5	0.89	6.2	0.56	4.9			
14	00	* 1.14	5.5	0.79	6.1	0.65	5.7	0.41	4.6	NNW	348	
	02	0.96	5.1	* 0.80	5.4	* 0.67	5.5	* 0.42	4.6	NNW	340	
	04	0.95	5.2	0.74	5.2	0.59	5.4	0.37	4.3	NNE	29	
	06	1.08	4.9	0.77	5.4	0.62	5.7	0.38	4.6	NE	41	
	08	0.83	6.4	0.68	5.7	0.56	5.7	0.35	4.5	NNW	331	
	10	0.92	5.0	0.61	5.0	0.50	4.8	0.31	3.7	NNW	340	
	12	0.74	5.7	0.56	5.1	0.45	4.7	0.29	3.7	NNE	16	
	14	0.86	5.1	0.59	4.7	0.48	4.5	0.31	3.5	NNE	16	

	16	0.87	2.8	0.63	3.9	0.50	4.1	0.31	3.2	NE	49
	18	0.97	4.0	0.67	4.1	0.53	4.1	0.34	3.5	WSW	249
	20	0.99	3.7	0.65	4.0	0.51	4.2	0.33	3.5	NE	40
	22	0.85	3.7	0.65	3.9	0.52	3.9	0.33	3.3	NE	48
	最大	1.14	5.5	0.80	5.4	0.67	5.5	0.42	4.6		
	平均	0.93	4.8	0.68	4.9	0.55	4.9	0.35	3.9		
15	00	0.73	4.3	0.54	4.3	0.44	4.2	0.29	3.6	WNW	289
	02	0.59	4.5	0.45	4.3	0.36	4.3	0.23	3.5	WNW	300
	04	0.69	3.0	0.49	4.0	0.38	4.2	0.24	3.4	NE	44
	06	0.72	4.2	0.59	3.8	0.47	3.9	0.31	3.4	—	
	08	0.84	3.4	0.65	3.6	0.53	3.7	0.34	3.2	N	3
	10	1.02	3.8	0.69	3.9	0.54	3.9	0.34	3.4	WSW	241
	12	0.98	3.3	0.76	3.4	0.60	3.5	0.38	3.1	NNW	329
	14	1.51	3.9	0.95	3.7	0.76	3.8	0.49	3.4	N	9
	16	1.28	4.1	1.06	4.0	0.85	4.1	0.53	3.5	W	275
	18	* 1.65	3.4	* 1.25	4.0	* 0.99	3.9	* 0.66	3.4	WSW	252
	20	1.26	4.5	0.99	4.5	0.77	4.4	0.48	3.6	NNE	12
	22	0.86	4.3	0.69	4.6	0.54	4.6	0.34	3.9	NNE	12
	最大	1.65	3.4	1.25	4.0	0.99	3.9	0.66	3.4		
	平均	1.01	3.9	0.76	4.0	0.60	4.0	0.39	3.5		
	16	00	0.72	4.6	0.62	4.3	0.49	4.4	0.32	4.0	NNE
02		0.94	5.1	0.69	5.3	0.53	5.1	0.33	4.3	NNE	12
04		0.87	5.9	0.67	5.3	0.52	5.2	0.33	4.2	NNE	12
06		* 1.31	4.9	0.72	5.2	0.57	5.2	0.36	4.4	N	8
08		1.02	5.0	* 0.73	4.7	0.59	4.7	0.38	4.0	NW	319
10		0.95	4.5	0.71	4.7	* 0.59	4.8	* 0.38	4.2	WNW	282
12		0.97	4.5	0.62	5.1	0.50	4.8	0.33	3.7	NNE	16
14		0.74	5.9	0.57	5.0	0.46	4.8	0.29	3.6	NNE	20
16		0.87	5.3	0.53	5.1	0.40	4.7	0.25	3.5	NNW	335
18		0.70	6.1	0.47	5.5	0.38	5.2	0.24	3.8	NNE	20
20		0.60	5.6	0.47	5.6	0.38	5.6	0.23	4.2	NNW	331
22		0.91	4.7	0.60	6.5	0.47	6.3	0.30	5.0	NNW	344
最大		1.31	4.9	0.73	4.7	0.59	4.8	0.38	4.2		
平均		0.88	5.2	0.62	5.2	0.49	5.1	0.31	4.1		
17		00	1.01	6.4	0.78	7.3	0.62	7.2	0.38	5.7	NNW
	02	* 1.15	6.6	0.80	7.1	0.63	7.4	* 0.40	5.9	NNW	344
	04	1.04	6.3	* 0.82	6.8	* 0.65	6.6	0.40	4.8	NNW	340
	06	1.03	6.0	0.70	6.3	0.55	6.1	0.33	4.4	NNW	327
	08	0.86	6.5	0.66	6.1	0.54	6.0	0.34	4.5	NNW	327
	10	0.94	5.0	0.68	5.5	0.56	5.5	0.37	4.6	NNW	348
	12	0.70	5.9	0.59	5.4	0.48	5.3	0.30	4.2	NNW	348
	14	0.93	4.4	0.63	5.2	0.49	5.3	0.32	4.2	N	356
	16	0.94	6.0	0.56	4.8	0.44	4.9	0.27	3.8	NNW	340
	18	0.67	4.8	0.50	5.5	0.40	5.3	0.26	4.0	N	0
	20	0.58	5.4	0.43	5.6	0.33	4.9	0.21	3.6	NNW	344
	22	0.50	7.0	0.38	5.6	0.30	5.1	0.19	3.8	NW	315
	最大	1.15	6.6	0.82	6.8	0.65	6.6	0.40	5.9		
	平均	0.86	5.9	0.63	5.9	0.50	5.8	0.31	4.5		
	18	00	0.48	6.0	0.38	5.4	0.30	5.3	0.19	3.9	NNE
02		0.56	5.9	0.42	5.3	0.34	5.3	0.22	4.2	N	352
04		0.55	5.1	0.40	5.1	0.33	5.1	0.21	4.0	NE	37
06		0.46	4.5	0.35	5.1	0.28	4.8	0.18	3.8	N	356
08		0.44	5.3	0.32	4.6	0.26	4.5	0.17	3.5	N	352
10		0.37	3.4	0.30	4.1	0.24	4.0	0.16	3.1	NE	56
12		0.40	4.4	0.31	4.7	0.26	4.4	0.16	3.1	NNW	344
14		0.61	2.9	0.45	3.8	0.36	3.8	0.23	3.1	NNE	30
16		0.74	4.2	0.54	4.7	0.43	4.7	0.27	3.7	NW	315
18		1.02	4.1	0.73	5.1	0.58	5.0	0.37	4.2	NW	319
20		* 1.38	5.5	* 0.77	5.4	* 0.61	5.4	* 0.40	4.5	NW	311
22		0.91	4.3	0.63	5.1	0.50	5.0	0.32	4.2	NNW	327
最大		1.38	5.5	0.77	5.4	0.61	5.4	0.40	4.5		
平均		0.66	4.6	0.47	4.9	0.37	4.8	0.24	3.8		
19		00	0.88	4.7	0.69	4.8	0.56	4.8	0.36	3.8	NW
	02	1.30	4.2	0.82	4.4	0.63	4.4	0.40	3.4	NW	311
	04	0.96	3.5	0.70	5.0	0.56	4.6	0.36	3.5	NW	315
	06	1.02	5.3	0.76	4.9	0.62	4.5	0.41	3.6	NNW	335
	08	1.50	4.2	1.04	4.4	0.83	4.3	0.51	3.5	NNE	19
	10	1.88	4.7	1.27	4.7	0.99	4.7	0.61	4.0	N	4

	12	1.46	4.5	1.17	4.6	0.92	4.8	0.58	4.1	NNW	340
	14	1.85	4.9	1.33	5.1	1.04	5.1	0.65	4.3	NNW	335
	16	1.81	4.2	1.41	4.8	1.13	4.9	* 0.73	4.2	NNW	327
	18	1.80	5.8	1.46	5.6	1.10	5.8	0.68	4.5	NNW	331
	20	* 2.12	6.9	* 1.46	5.7	* 1.13	5.7	0.70	4.5	NW	319
	22	1.92	5.6	1.22	5.8	1.00	5.7	0.63	4.6	NW	307
	最大										
	平均	2.12	6.9	1.46	5.7	1.13	5.7	0.73	4.2		
		1.54	4.9	1.11	5.0	0.88	4.9	0.55	4.0		
20	00	* 1.70	6.2	* 1.26	5.6	* 1.00	5.8	* 0.64	4.8	NNW	331
	02	1.58	5.3	1.04	5.6	0.83	5.3	0.53	4.3	NW	323
	04	1.37	5.6	0.95	5.3	0.75	5.2	0.47	4.3	NW	319
	06	1.33	4.3	1.00	5.6	0.79	5.3	0.51	4.4	NNW	327
	08	1.38	5.5	1.01	5.6	0.80	5.5	0.51	4.5	NNW	335
	10	1.31	4.2	0.97	5.4	0.79	5.4	0.50	4.3	NNW	335
	12	1.18	5.8	0.89	5.6	0.74	5.2	0.47	4.2	NW	319
	14	1.32	5.5	0.89	4.4	0.69	4.5	0.43	3.6	NNW	331
	16	1.32	4.1	0.89	4.9	0.71	4.8	0.46	3.9	NNW	331
	18	1.20	4.5	0.88	4.8	0.68	4.7	0.43	3.7	NNW	348
	20	1.10	4.6	0.83	4.9	0.66	4.8	0.42	3.9	N	8
	22	0.99	4.9	0.71	4.7	0.60	4.7	0.39	3.8	N	4
	最大	1.70	6.2	1.26	5.6	1.00	5.8	0.64	4.8		
	平均	1.32	5.0	0.94	5.2	0.75	5.1	0.48	4.1		
21	00	0.83	4.0	0.67	4.7	0.54	4.7	0.34	3.8	NNW	348
	02	0.82	5.6	0.59	5.0	0.49	4.9	0.31	4.0	N	356
	04	0.88	4.5	0.58	5.0	0.45	5.0	0.29	4.0	NNW	340
	06	0.78	4.7	0.57	5.2	0.44	5.1	0.28	4.0	NNW	344
	08	0.76	4.6	0.58	5.0	0.46	4.8	0.29	3.9	NNW	344
	10	0.91	3.8	0.75	4.1	0.57	4.3	0.36	3.4	NNE	19
	12	1.03	4.7	0.85	4.3	0.71	4.3	0.48	3.7	NNW	327
	14	0.90	3.4	0.65	4.1	0.52	4.1	0.34	3.4	N	2
	16	0.68	4.4	0.52	4.2	0.42	4.2	0.27	3.4	NNE	29
	18	2.75	5.7	2.01	5.9	1.58	5.9	1.02	4.9	NNW	340
	20	* 5.26	6.9	* 3.15	7.3	* 2.44	7.1	* 1.48	5.5	NNW	340
	22	3.15	7.2	2.64	7.0	2.18	6.9	1.37	5.3	NNW	335
	最大	5.26	6.9	3.15	7.3	2.44	7.1	1.48	5.5		
	平均	1.56	5.0	1.13	5.2	0.90	5.1	0.57	4.1		
22	00	3.44	6.9	2.62	7.4	* 2.19	7.5	* 1.40	5.6	NNW	340
	02	3.11	7.4	2.70	7.8	2.11	7.6	1.28	5.6	NNW	335
	04	3.60	7.8	* 2.72	7.6	2.08	8.0	1.32	6.4	NNW	331
	06	* 4.18	8.4	2.53	8.0	1.93	7.7	1.22	6.3	NNW	335
	08	3.59	7.7	2.58	7.9	1.97	8.0	1.19	6.2	NNW	327
	10	3.03	7.6	2.33	7.8	1.89	7.8	1.15	6.2	NNW	327
	12	2.56	7.5	1.91	7.9	1.52	7.3	0.95	5.6	NNW	348
	14	2.56	7.3	1.93	7.0	1.50	7.2	0.93	5.6	NNW	331
	16	2.02	6.6	1.55	7.3	1.25	7.2	0.81	5.7	NNW	340
	18	1.74	6.8	1.38	6.3	1.13	6.4	0.70	4.9	NW	323
	20	1.54	5.5	1.22	6.3	0.98	6.1	0.62	4.8	NNW	335
	22	1.35	5.1	1.07	6.4	0.85	6.4	0.53	4.9	NW	323
	最大	4.18	8.4	2.72	7.6	2.19	7.5	1.40	5.6		
	平均	2.73	7.1	2.05	7.3	1.62	7.3	1.01	5.7		
23	00	1.22	5.7	* 1.01	6.7	* 0.84	6.7	* 0.55	5.3	NNW	344
	02	* 1.32	5.7	0.92	6.5	0.70	6.5	0.42	4.8	NNW	335
	04	1.13	6.3	0.91	6.8	0.72	6.8	0.45	5.3	NW	323
	06	1.15	6.3	0.86	6.7	0.68	6.5	0.42	5.2	NNW	335
	08	1.03	6.5	0.84	6.3	0.68	6.6	0.42	5.2	NW	323
	10	1.18	6.1	0.81	6.0	0.64	6.3	0.39	5.2	N	0
	12	0.91	6.4	0.67	6.0	0.52	5.9	0.33	4.3	NNW	348
	14	0.84	4.9	0.62	6.1	0.49	5.7	0.30	4.0	NNW	348
	16	0.69	6.0	0.55	5.4	0.45	5.3	0.29	4.0	N	8
	18	0.65	5.5	0.50	6.0	0.40	5.4	0.25	3.9	NNE	20
	20	0.62	7.2	0.45	6.1	0.37	5.7	0.24	4.3	N	352
	22	0.66	5.8	0.45	6.1	0.36	5.8	0.22	4.1	N	4
	最大	1.32	5.7	1.01	6.7	0.84	6.7	0.55	5.3		
	平均	0.95	6.0	0.72	6.2	0.57	6.1	0.36	4.6		
24	00	0.53	5.6	0.44	5.6	0.34	5.5	0.22	4.0	NNW	340
	02	0.70	4.9	0.46	5.5	0.35	5.5	0.22	3.9	NNE	25

	04	0.57	4.3	0.39	4.7	0.31	4.2	0.20	3.1	WSW	256
	06	0.58	4.0	0.39	5.0	0.30	4.3	0.19	3.0	NNE	14
	08	0.58	3.7	0.37	4.7	0.29	4.1	0.19	3.0	WNW	299
	10	0.35	5.9	0.28	5.8	0.23	5.5	0.14	3.5	NW	315
	12	0.43	7.6	0.35	5.9	0.28	5.2	0.19	3.9	NW	323
	14	0.57	4.1	0.40	6.4	0.32	5.8	0.20	4.1	NW	319
	16	0.55	7.7	0.45	6.6	0.34	6.0	0.21	4.1	NNW	327
	18	* 0.88	5.7	* 0.54	6.4	* 0.43	5.9	* 0.27	4.1	NW	311
	20	0.68	5.6	0.53	6.1	0.41	5.9	0.25	4.1	NNW	331
	22	0.73	6.2	0.52	5.8	0.41	5.8	0.25	4.0	NW	315
	最大	0.88	5.7	0.54	6.4	0.43	5.9	0.27	4.1		
	平均	0.60	5.4	0.43	5.7	0.33	5.3	0.21	3.7		
25	00	* 0.65	5.2	* 0.50	5.9	* 0.39	5.5	* 0.24	3.9	NW	315
	02	0.62	4.6	0.46	5.0	0.35	5.1	0.22	3.6	WNW	303
	04	0.53	4.6	0.38	5.7	0.31	5.5	0.20	3.9	WNW	299
	06	0.52	5.6	0.39	5.2	0.30	4.8	0.19	3.4	NW	307
	08	0.44	6.6	0.34	6.0	0.28	5.2	0.18	3.7	NNW	327
	10	0.47	6.2	0.35	5.4	0.28	5.3	0.18	3.7	NNW	331
	12	0.44	6.4	0.35	5.8	0.27	5.2	0.17	3.9	NW	319
	14	0.54	5.4	0.37	5.3	0.30	5.2	0.19	3.8	NW	311
	16	0.46	4.5	0.36	5.1	0.30	5.0	0.18	3.7	WNW	286
	18	0.61	5.0	0.42	5.3	0.34	5.1	0.21	3.8	NW	311
	20	0.49	4.9	0.39	5.4	0.31	5.1	0.20	3.9	NW	323
	22	0.42	5.1	0.34	5.2	0.28	5.0	0.18	3.8	WNW	299
	最大	0.65	5.2	0.50	5.9	0.39	5.5	0.24	3.9		
	平均	0.52	5.3	0.39	5.4	0.31	5.2	0.20	3.8		
26	00	0.43	4.5	0.32	5.2	0.26	5.1	0.16	3.6	WNW	303
	02	0.45	5.4	0.33	5.7	0.26	5.2	0.16	3.5	NNW	344
	04	0.39	5.2	0.30	5.5	0.24	5.3	0.15	3.5	NW	323
	06	0.46	4.9	0.30	5.4	0.25	5.3	0.16	3.7	NW	307
	08	0.42	5.1	0.31	5.2	0.25	5.0	0.15	3.5	NW	323
	10	0.42	5.0	0.35	5.0	0.28	5.0	0.18	3.9	NNW	327
	12	0.68	3.6	0.50	4.6	0.39	4.4	0.24	3.5	NNW	335
	14	* 0.74	5.9	* 0.51	5.1	* 0.41	4.9	* 0.25	3.6	NW	319
	16	0.57	5.4	0.45	5.1	0.36	5.1	0.23	3.8	NNW	344
	18	0.46	5.3	0.39	5.1	0.32	4.9	0.20	3.7	NW	319
	20	0.54	5.0	0.40	5.0	0.31	5.0	0.20	3.7	NNW	335
	22	0.58	4.4	0.43	5.0	0.34	4.9	0.22	3.9	NNW	340
	最大	0.74	5.9	0.51	5.1	0.41	4.9	0.25	3.6		
	平均	0.51	5.0	0.38	5.2	0.31	5.0	0.19	3.7		
27	00	0.56	4.9	0.39	4.8	0.32	4.8	0.21	3.9	NNW	348
	02	* 0.75	3.8	* 0.45	4.3	* 0.34	4.5	* 0.22	3.7	N	352
	04	0.44	5.0	0.36	4.5	0.29	4.5	0.19	3.6	—	
	06	0.52	4.2	0.38	4.3	0.30	4.2	0.19	3.4	NE	46
	08	0.37	4.1	0.28	4.3	0.23	4.3	0.14	3.1	N	351
	10	0.41	4.1	0.31	4.3	0.25	4.3	0.16	3.5	NNE	30
	12	0.53	3.4	0.32	4.1	0.25	4.1	0.16	3.2	NE	44
	14	0.43	4.5	0.32	4.2	0.26	4.2	0.17	3.3	WSW	246
	16	0.36	4.6	0.27	4.4	0.21	4.2	0.14	3.1	WSW	245
	18	0.55	4.3	0.28	4.2	0.21	4.2	0.13	3.1	NW	319
	20	0.33	3.5	0.24	4.7	0.19	4.2	0.12	3.0	NE	43
	22	0.32	4.6	0.23	5.2	0.19	4.7	0.12	3.0	NW	323
	最大	0.75	3.8	0.45	4.3	0.34	4.5	0.22	3.7		
	平均	0.46	4.3	0.32	4.4	0.25	4.4	0.16	3.3		
28	00	0.37	5.0	0.25	5.0	0.20	4.8	0.13	3.3	NE	45
	02	0.60	2.7	0.49	3.3	0.39	3.3	0.26	2.8	NE	45
	04	0.78	3.1	0.56	3.4	0.44	3.4	0.28	3.0	NE	56
	06	1.47	3.9	1.16	4.1	0.93	3.9	0.60	3.5	NNE	13
	08	1.47	4.7	1.11	4.6	0.90	4.5	0.58	3.8	NW	315
	10	1.31	4.2	0.95	4.4	0.75	4.5	0.49	3.9	NW	323
	12	1.67	5.1	1.28	4.9	0.99	4.9	0.61	4.0	NW	319
	14	2.40	5.8	1.91	5.4	1.54	5.6	1.00	4.6	NNW	335
	16	2.98	5.7	2.21	5.7	1.78	6.1	1.13	5.0	NNW	340
	18	* 3.79	7.3	* 2.56	6.6	* 2.01	6.8	* 1.28	5.5	NNW	335
	20	3.36	6.1	2.14	6.8	1.72	6.8	1.09	5.6	NNW	335
	22	2.95	6.8	1.89	7.1	1.42	6.8	0.90	5.4	NNW	344
	最大	3.79	7.3	2.56	6.6	2.01	6.8	1.28	5.5		

	平均	1.93	5.0	1.38	5.1	1.09	5.1	0.70	4.2		
29	00	* 2.60	5.8	* 1.85	7.2	* 1.43	7.2	* 0.89	6.1	NNW	348
	02	2.31	6.0	1.73	7.1	1.36	7.2	0.84	5.9	NNW	348
	04	1.76	7.5	1.39	6.8	1.14	6.7	0.74	5.6	NNW	335
	06	1.81	6.9	1.43	6.8	1.17	6.9	0.73	5.5	NNW	331
	08	2.10	6.9	1.57	7.0	1.19	6.9	0.70	5.7	NNW	331
	10	2.21	6.7	1.46	6.7	1.14	6.7	0.74	6.0	NW	323
	12	1.70	6.5	1.37	6.9	1.11	6.8	0.70	5.7	NNW	344
	14	1.46	5.6	1.16	6.6	0.90	6.6	0.56	5.1	N	356
	16	1.23	8.5	0.98	6.7	0.80	6.5	0.48	4.8	NNW	344
	18	1.24	6.8	0.98	6.7	0.77	6.0	0.48	4.3	NNW	340
	20	1.12	6.1	0.76	6.4	0.58	6.1	0.35	4.5	NNW	335
	22	1.06	6.7	0.80	6.2	0.63	6.3	0.38	5.1	NNW	344
	最大	2.60	5.8	1.85	7.2	1.43	7.2	0.89	6.1		
	平均	1.72	6.7	1.29	6.8	1.02	6.7	0.63	5.4		
30	00	1.00	6.1	0.82	6.4	0.65	6.3	0.41	5.2	NW	315
	02	0.87	5.6	0.67	5.9	0.52	6.0	0.33	5.0	NNW	331
	04	0.79	5.7	0.61	5.7	0.51	5.7	0.33	4.8	NNW	327
	06	0.97	6.0	0.64	5.7	0.51	5.6	0.32	4.6	NNW	340
	08	0.80	5.1	0.63	5.7	0.50	5.7	0.31	4.5	NNW	327
	10	0.75	5.8	0.55	5.7	0.43	5.5	0.26	4.1	NNE	16
	12	0.72	4.4	0.59	4.8	0.48	4.4	0.31	3.4	NNE	12
	14	0.98	3.7	0.68	4.1	0.56	4.0	0.37	3.4	N	358
	16	0.84	4.3	0.66	4.7	0.53	4.7	0.34	3.8	不明	
	18	1.14	6.2	0.84	4.7	0.66	4.6	0.42	3.6	NNW	335
	20	* 1.62	4.7	* 1.01	5.1	0.79	5.1	0.49	3.9	NNW	348
	22	1.27	5.4	0.97	5.1	* 0.79	5.3	* 0.49	4.0	NNW	340
	最大	1.62	4.7	1.01	5.1	0.79	5.3	0.49	4.0		
	平均	0.98	5.3	0.72	5.3	0.58	5.2	0.37	4.2		
月最大		5.26	6.9	3.15	7.3	2.45	6.9	1.62	5.5		
起時		2120		2120		1120		1120			
平均		1.15	5.2	0.85	5.3	0.68	5.2	0.43	4.1		

* は日最大波高を示す

波浪整理表（1）

2001年10月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	372 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.17	4.9	0.84	5.0	0.69	5.0	0.44	3.9	N	0
	02	1.46	5.3	0.95	4.9	0.74	4.6	0.47	3.6	NNE	29
	04	1.43	5.9	1.05	4.7	0.85	4.8	0.54	3.8	NNE	20
	06	1.32	5.3	0.97	4.7	0.79	4.8	0.50	3.9	NNE	25
	08	1.36	4.9	0.88	4.7	0.66	4.6	0.40	3.6	NNE	25
	10	0.95	4.0	0.69	4.5	0.56	4.6	0.36	3.7	不明	
	12	0.85	4.2	0.64	4.6	0.51	4.5	0.32	3.6	不明	
	14	0.65	4.9	0.50	5.0	0.40	4.8	0.26	4.0	NNE	33
	16	0.67	4.8	0.42	5.0	0.34	4.9	0.22	3.9	NNE	33
	18	0.43	4.8	0.37	5.3	0.30	5.0	0.19	3.6	—	
	20	1.19	3.4	0.93	3.4	0.75	3.5	0.47	3.2	W	272
	22	* 2.38	4.3	* 1.76	5.0	* 1.41	5.0	* 0.90	4.4	W	274
	最大	2.38	4.3	1.76	5.0	1.41	5.0	0.90	4.4		
	平均	1.16	4.7	0.83	4.7	0.67	4.7	0.42	3.8		
02	00	3.00	5.8	2.43	5.8	1.90	5.7	1.20	4.9	W	274
	02	2.86	5.0	2.33	5.3	1.92	5.4	1.28	4.9	W	266
	04	2.25	5.5	1.76	5.0	1.40	5.0	0.87	4.0	WSW	258
	06	2.69	4.5	2.01	4.9	1.59	5.0	1.06	4.2	W	270
	08	3.39	6.1	2.77	5.9	2.23	5.8	1.41	5.0	NW	315
	10	3.79	6.6	2.94	6.3	2.34	6.4	1.46	5.1	NW	311
	12	4.46	6.5	3.29	6.7	2.52	6.5	1.56	5.3	NW	315
	14	4.29	7.6	3.62	7.2	3.03	7.1	1.94	6.0	不明	
	16	5.63	8.2	4.31	7.6	* 3.48	7.6	* 2.21	6.3	NW	315
	18	5.29	9.0	4.19	8.3	3.32	7.9	2.12	6.4	NNW	331
	20	* 6.82	7.8	* 4.38	7.8	3.47	8.2	2.19	6.5	NNW	327
	22	4.75	7.4	3.90	8.7	3.23	8.1	2.05	6.5	NNW	335
	最大	6.82	7.8	4.38	7.8	3.48	7.6	2.21	6.3		
	平均	4.10	6.7	3.16	6.6	2.54	6.6	1.61	5.4		
03	00	4.69	8.3	3.61	8.0	2.96	8.0	1.87	6.1	NNW	331
	02	* 5.51	8.5	* 3.99	8.8	* 3.21	8.3	* 2.07	6.8	NNW	348
	04	4.48	7.1	3.74	8.7	2.97	8.6	1.79	6.4	NNW	344
	06	4.72	6.9	3.68	10.0	2.98	9.8	1.86	7.3	NNW	344
	08	4.74	9.5	3.88	10.5	3.13	10.2	1.99	8.3	NNW	344
	10	4.76	9.7	3.42	9.9	2.68	9.6	1.68	7.2	NNW	348
	12	3.82	8.4	3.06	9.6	2.53	9.8	1.60	7.5	NNW	335
	14	3.43	9.8	2.91	9.0	2.38	9.0	1.57	7.3	NNW	344
	16	2.69	8.6	2.30	8.6	1.75	8.5	1.09	6.1	NNW	340
	18	2.49	9.1	2.05	8.1	1.70	8.2	1.03	6.3	NNW	344
	20	2.60	9.0	1.83	8.0	1.42	7.9	0.86	6.0	NNW	348
	22	2.30	9.4	1.70	8.3	1.39	8.0	0.86	6.2	N	356
	最大	5.51	8.5	3.99	8.8	3.21	8.3	2.07	6.8		
	平均	3.85	8.7	3.01	9.0	2.43	8.8	1.52	6.8		
04	00	* 1.96	7.9	* 1.58	7.9	* 1.29	8.0	* 0.81	6.2	NNW	348
	02	1.64	5.8	1.31	7.1	1.08	6.8	0.67	5.4	N	356
	04	1.46	7.7	1.18	7.2	0.97	6.8	0.60	5.3	N	356
	06	1.50	6.8	1.05	6.5	0.85	6.4	0.55	5.1	N	352
	08	1.36	6.3	1.07	6.5	0.86	6.6	0.55	5.2	N	4
	10	1.26	5.7	0.87	5.9	0.71	6.2	0.45	4.9	N	4
	12	1.17	6.4	0.90	5.9	0.71	5.6	0.45	4.1	N	8
	14	1.17	6.3	0.88	5.0	0.70	4.7	0.46	3.7	N	352
	16	1.03	5.0	0.82	5.0	0.65	4.6	0.42	3.6	N	352
	18	1.42	3.8	0.89	5.0	0.69	4.8	0.44	3.8	NNE	33
	20	1.27	4.9	0.89	5.1	0.71	4.6	0.46	3.6	NNW	348
	22	1.00	4.7	0.77	5.1	0.62	5.0	0.39	3.8	N	0
	最大	1.96	7.9	1.58	7.9	1.29	8.0	0.81	6.2		

	平均	1.35	5.9	1.02	6.0	0.82	5.8	0.52	4.6		
05	00	0.81	6.1	0.60	6.1	0.47	5.9	0.29	4.2	N	4
	02	0.83	6.6	0.52	6.3	0.40	5.9	0.24	4.5	NE	41
	04	0.59	5.7	0.48	5.9	0.38	5.7	0.24	4.0	NNE	12
	06	0.47	6.3	0.39	6.1	0.31	5.7	0.19	3.8	N	0
	08	0.43	6.3	0.32	5.9	0.26	5.6	0.16	3.7	NNE	12
	10	0.38	5.2	0.31	5.9	0.24	5.4	0.15	3.4	N	8
	12	0.39	5.5	0.29	5.9	0.23	5.4	0.15	3.7	NE	49
	14	0.60	4.0	0.32	4.8	0.25	4.2	0.17	3.2	NE	52
	16	0.35	4.7	0.27	4.2	0.23	3.7	0.15	2.9	WSW	246
	18	0.88	3.0	0.67	3.1	0.54	3.1	0.35	2.9	WNW	284
	20	1.87	3.7	1.15	3.8	0.94	3.9	0.60	3.6	WNW	298
	22	* 1.96	4.4	* 1.48	4.4	* 1.15	4.3	* 0.72	3.8	N	6
	最大	1.96	4.4	1.48	4.4	1.15	4.3	0.72	3.8		
	平均	0.80	5.1	0.57	5.2	0.45	4.9	0.28	3.6		
06	00	2.05	4.7	1.43	4.5	1.14	4.4	0.74	3.8	WNW	303
	02	2.01	4.7	1.30	4.3	1.01	4.3	0.63	3.5	WNW	302
	04	1.57	4.6	1.13	4.3	0.92	4.4	0.60	3.8	WNW	303
	06	1.15	4.2	0.89	4.5	0.73	4.5	0.48	3.7	NW	307
	08	1.22	4.6	0.92	5.1	0.77	5.1	0.50	4.1	NW	315
	10	1.63	6.8	1.33	7.2	1.08	7.1	0.69	5.4	NW	319
	12	1.75	7.7	1.47	7.6	1.17	7.4	0.74	5.6	NW	315
	14	2.07	7.2	1.62	7.6	1.29	7.2	0.80	5.7	NW	315
	16	2.20	8.7	1.69	8.2	1.32	7.8	0.80	5.9	NNW	331
	18	* 2.44	8.3	* 1.78	8.0	* 1.34	7.7	* 0.82	5.9	NNW	331
	20	1.82	7.7	1.53	7.3	1.24	7.2	0.78	6.0	NNW	331
	22	2.00	6.5	1.61	7.1	1.29	7.1	0.81	5.6	NNW	327
	最大	2.44	8.3	1.78	8.0	1.34	7.7	0.82	5.9		
	平均	1.83	6.3	1.39	6.3	1.11	6.2	0.70	4.9		
07	00	* 2.10	6.9	* 1.42	6.8	* 1.15	6.5	* 0.74	5.4	NNW	331
	02	1.57	6.8	1.12	6.8	0.91	6.7	0.56	5.1	NNW	344
	04	1.48	5.8	1.14	6.8	0.93	6.8	0.58	5.4	NNW	340
	06	1.33	7.0	1.08	6.5	0.84	6.1	0.50	4.8	NNW	348
	08	1.44	6.4	1.06	6.3	0.82	6.1	0.49	4.5	NNW	340
	10	1.53	7.2	1.15	7.0	0.89	6.7	0.57	5.2	NNW	340
	12	1.49	7.4	1.11	6.0	0.87	5.5	0.56	4.1	NNW	344
	14	1.67	4.0	1.15	4.7	0.90	4.9	0.58	3.8	NNW	344
	16	1.62	5.2	1.23	4.8	0.99	4.7	0.65	3.8	不明	
	18	1.72	5.2	1.35	4.7	1.09	4.6	0.69	3.8	NE	37
	20	1.44	4.6	1.06	4.7	0.84	4.9	0.53	4.1	NNW	344
	22	1.70	5.3	1.04	5.2	0.85	5.3	0.54	4.5	N	356
	最大	2.10	6.9	1.42	6.8	1.15	6.5	0.74	5.4		
	平均	1.59	6.0	1.16	5.9	0.92	5.7	0.58	4.5		
08	00	1.14	4.5	0.88	5.2	0.71	5.3	0.46	4.7	N	0
	02	1.02	5.8	0.91	5.4	* 0.76	5.4	0.48	4.8	NE	41
	04	* 1.56	5.4	0.91	5.5	0.75	5.6	* 0.49	4.9	N	352
	06	1.40	5.7	* 0.97	5.5	0.75	5.7	0.47	4.7	NNW	348
	08	1.37	5.3	0.90	5.3	0.71	5.2	0.45	4.5	N	8
	10	0.91	4.9	0.75	5.2	0.60	5.2	0.38	4.3	N	8
	12	1.16	4.7	0.74	5.0	0.59	5.0	0.38	4.2	NNE	12
	14	0.86	4.9	0.68	4.9	0.55	4.8	0.34	3.5	NNE	29
	16	0.89	4.7	0.70	4.4	0.55	4.2	0.35	3.3	NNW	344
	18	0.66	3.3	0.54	4.5	0.44	4.3	0.28	3.5	NE	39
	20	0.77	4.9	0.54	4.8	0.42	4.9	0.26	3.9	NNE	29
	22	0.61	4.9	0.52	4.9	0.41	4.9	0.25	4.0	NE	37
	最大	1.56	5.4	0.97	5.5	0.76	5.4	0.49	4.9		
	平均	1.03	4.9	0.75	5.1	0.60	5.0	0.38	4.2		
09	00	0.66	4.9	0.47	4.9	0.38	4.8	0.24	3.8	NNE	29
	02	0.60	4.7	0.43	4.8	0.35	4.8	0.22	3.8	NNE	25
	04	0.52	4.3	0.38	4.7	0.31	4.8	0.19	3.6	NNE	33
	06	0.64	4.6	0.42	5.0	0.34	4.9	0.21	3.7	NNE	16
	08	0.62	5.5	0.44	4.9	0.34	4.7	0.21	3.6	N	4
	10	0.53	4.2	0.38	4.8	0.30	4.6	0.20	3.9	—	
	12	0.48	4.4	0.37	4.4	0.30	4.2	0.19	3.3	NNE	21
	14	0.74	2.7	0.51	3.4	0.41	3.3	0.26	2.8	NE	56
	16	* 0.81	2.9	* 0.57	3.3	* 0.47	3.4	* 0.31	3.0	NE	43
	18	0.66	4.8	0.46	4.1	0.36	4.0	0.23	3.2	WNW	293
	20	0.50	5.0	0.39	4.4	0.32	4.4	0.21	3.3	NNE	25
	22	0.67	2.9	0.44	4.3	0.35	4.1	0.22	3.1	NNE	26

		最大 平均	0.81 0.62	2.9 4.2	0.57 0.44	3.3 4.4	0.47 0.35	3.4 4.3	0.31 0.22	3.0 3.4		
10	00		0.73	5.4	0.52	4.4	0.41	4.1	0.26	3.0	NE	49
	02		0.55	4.7	0.43	4.4	0.34	3.9	0.21	2.8	WSW	247
	04		0.51	5.8	0.37	5.4	0.29	4.9	0.18	3.5	N	8
	06		0.55	2.1	0.39	4.3	0.30	3.9	0.20	2.8	W	280
	08		0.63	4.9	0.45	4.1	0.36	3.6	0.24	2.9	NE	42
	10		0.79	4.3	0.61	3.7	0.48	4.0	0.31	3.2	N	6
	12		0.63	5.9	0.52	4.4	0.42	4.2	0.28	3.3	NNE	31
	14		0.81	3.1	0.59	4.5	0.48	4.2	0.31	3.2	NE	34
	16	* 0.89	5.9	* 0.63	5.4	* 0.51	4.9	* 0.32	3.7	3.7	NNE	16
	18	0.80	5.3	0.56	4.8	0.46	4.4	0.29	3.3	3.3	NNE	12
	20	0.70	3.3	0.48	4.6	0.38	4.6	0.24	3.4	3.4	N	8
	22	0.75	3.5	0.50	3.9	0.40	4.0	0.26	3.2	3.2	NNW	341
	最大 平均		0.89 0.70	5.9 4.5	0.63 0.50	5.4 4.5	0.51 0.40	4.9 4.2	0.32 0.26	3.7 3.2		
11	00		0.66	2.6	0.49	3.4	0.39	3.6	0.26	3.0	WSW	248
	02		0.68	3.0	0.50	3.6	0.41	3.6	0.28	3.0	WSW	242
	04		0.68	6.6	0.42	4.6	0.34	4.0	0.22	3.1	NNE	31
	06		0.43	7.4	0.38	5.3	0.32	4.6	0.20	3.4	NW	315
	08		0.47	6.6	0.37	6.9	0.29	5.7	0.19	3.8	NNW	327
	10		0.62	7.7	0.36	7.4	0.30	6.5	0.19	4.6	N	0
	12		0.68	7.5	0.44	8.4	0.34	7.3	0.22	5.1	NNW	331
	14		0.70	6.4	0.47	8.0	0.35	7.2	0.22	5.0	NW	319
	16		0.51	9.3	0.42	8.9	0.34	7.5	0.21	4.9	NW	319
	18	1.99	4.0	1.35	4.2	1.09	4.3	0.71	3.8	3.8	W	279
	20	* 2.17	4.5	* 1.70	5.1	* 1.33	5.1	* 0.85	4.3	4.3	W	278
	22	2.09	5.1	1.54	5.0	1.25	4.9	0.82	4.2	4.2	W	266
	最大 平均		2.17 0.97	4.5 5.9	1.70 0.70	5.1 5.9	1.33 0.56	5.1 5.4	0.85 0.36	4.3 4.0		
12	00		2.25	4.2	1.47	4.7	1.16	4.7	0.76	4.2	W	274
	02		1.79	3.9	1.31	5.1	1.06	5.1	0.69	4.2	W	274
	04		2.28	4.2	1.69	4.8	1.34	4.9	0.86	4.1	W	274
	06		1.85	4.6	1.37	4.6	1.10	4.6	0.71	3.9	W	278
	08		1.10	5.1	0.97	6.5	0.78	6.0	0.50	4.4	NW	323
	10		1.47	6.7	0.98	5.2	0.76	4.8	0.49	3.7	NNW	335
	12		1.28	3.8	1.00	4.3	0.82	4.1	0.53	3.5	WNW	286
	14		1.48	3.6	1.23	4.6	1.01	4.5	0.66	3.7	NW	311
	16		2.04	4.8	1.34	5.1	1.09	4.7	0.73	3.9	WNW	303
	18		2.29	4.8	1.69	5.9	1.37	5.6	0.88	4.5	WNW	303
	20	* 2.61	5.9	1.89	5.6	1.53	5.7	1.00	4.7	4.7	NW	315
	22	2.56	4.7	* 2.03	5.7	* 1.65	5.6	* 1.06	4.6	4.6	WNW	303
	最大 平均		2.61 1.92	5.9 4.7	2.03 1.41	5.7 5.2	1.65 1.14	5.6 5.0	1.06 0.74	4.6 4.1		
13	00		2.40	7.8	1.87	5.9	1.48	5.8	0.94	4.4	NW	315
	02		2.13	7.9	1.75	6.6	1.42	6.3	0.89	4.7	NW	311
	04		1.88	6.4	1.41	6.3	1.10	5.9	0.69	4.3	NW	319
	06		1.60	7.4	1.28	6.7	1.08	6.0	0.68	4.3	NNW	331
	08		2.44	5.6	1.59	6.3	1.30	6.2	0.80	4.5	NW	323
	10		2.08	8.0	1.73	6.5	1.40	6.0	0.88	4.5	NNW	327
	12		2.86	7.4	2.13	6.5	1.70	6.3	1.11	4.9	NNW	331
	14	* 3.84	7.6	2.35	7.3	1.85	6.9	1.15	5.2	5.2	NNW	335
	16	3.12	6.3	* 2.35	7.6	* 1.87	7.0	* 1.18	5.5	5.5	NNW	335
	18	2.56	6.8	2.17	6.8	1.78	6.7	1.10	5.2	5.2	NNW	331
	20	2.36	6.8	1.89	7.1	1.52	6.7	0.92	5.1	5.1	NNW	340
	22	1.75	7.1	1.28	6.7	1.03	6.2	0.63	4.6	4.6	NW	323
	最大 平均		3.84 2.42	7.6 7.1	2.35 1.82	7.6 6.7	1.87 1.46	7.0 6.3	1.18 0.91	5.5 4.8		
14	00		1.72	5.4	* 1.35	6.3	* 1.11	6.2	* 0.71	4.7	NNW	327
	02	* 1.84	5.8	1.33	6.1	1.02	6.0	6.0	0.62	4.3	NW	323
	04	1.65	7.0	1.15	6.0	0.93	6.0	6.0	0.58	4.4	NNW	327
	06	1.25	6.3	1.04	6.6	0.87	6.6	6.6	0.56	5.1	NNW	335
	08	1.39	6.7	1.09	6.8	0.82	6.6	6.6	0.49	4.8	N	8
	10	1.54	7.3	1.29	7.1	1.04	7.1	7.1	0.65	5.6	NNW	348
	12		1.44	6.3	1.13	6.5	0.87	6.5	0.54	5.2	NW	323
	14		1.62	6.5	1.10	6.5	0.86	6.3	0.55	5.1	NNW	331

	16	1.60	7.0	1.09	6.9	0.84	6.4	0.52	5.1	NNW	335	
	18	1.48	7.3	1.08	6.7	0.85	6.5	0.51	5.0	NNW	344	
	20	1.27	7.1	0.97	6.8	0.78	6.7	0.48	5.1	NNW	335	
	22	1.17	4.8	0.82	6.7	0.63	6.4	0.39	4.5	NNW	340	
	最大 平均	1.84 1.50	5.8 6.5	1.35 1.12	6.3 6.6	1.11 0.89	6.2 6.4	0.71 0.55	4.7 4.9			
15	00	1.27	6.5	0.89	6.3	0.67	6.1	0.40	4.5	NNW	331	
	02	1.12	5.9	0.84	6.2	0.67	6.2	0.42	4.6	NNW	340	
	04	1.07	6.4	0.83	5.7	0.66	5.9	0.40	4.4	NNW	327	
	06	1.32	6.3	0.79	6.3	0.63	6.0	0.39	4.5	N	8	
	08	1.25	6.0	0.83	6.5	0.64	6.5	0.39	4.8	NW	315	
	10	1.05	6.0	0.75	6.4	0.58	6.2	0.36	4.9	NNW	344	
	12	1.03	6.2	0.80	6.2	0.65	6.1	0.40	4.6	NNW	327	
	14	1.37	5.0	0.95	5.3	0.76	5.2	0.47	3.8	NNW	340	
	16	1.30	5.4	1.00	4.8	0.82	4.7	0.53	3.8	NW	323	
	18	* 1.46	5.6	* 1.09	5.6	* 0.85	5.5	* 0.53	4.3	NNW	327	
	20	1.44	5.3	0.93	5.7	0.77	5.7	0.50	4.5	NW	323	
	22	1.23	5.3	0.94	5.7	0.75	5.7	0.47	4.5	NW	323	
	最大 平均	1.46 1.24	5.6 5.8	1.09 0.89	5.6 5.9	0.85 0.70	5.5 5.8	0.53 0.44	4.3 4.4			
	16	00	1.10	5.6	0.84	5.4	0.68	5.3	0.43	4.5	NNW	327
		02	1.22	4.8	0.78	5.4	0.62	5.5	0.39	4.6	NNW	340
04		0.98	4.9	0.72	6.6	0.56	6.2	0.36	4.7	N	352	
06		1.05	7.1	0.61	7.3	0.47	6.5	0.29	4.5	N	356	
08		0.71	5.6	0.56	6.5	0.46	6.2	0.28	4.2	NW	315	
10		0.76	6.6	0.57	6.4	0.44	5.7	0.27	3.8	N	356	
12		0.67	7.1	0.49	7.2	0.38	6.3	0.23	4.0	NNE	16	
14		0.56	4.1	0.43	6.2	0.34	5.7	0.22	4.1	N	4	
16		0.48	7.0	0.38	6.6	0.31	6.2	0.20	4.5	N	4	
18		0.58	6.1	0.44	6.7	0.34	6.2	0.22	4.4	NW	307	
20		0.63	5.3	0.44	5.7	0.35	5.7	0.22	4.2	NW	307	
22		* 1.28	4.4	* 0.93	4.9	* 0.73	4.8	* 0.46	4.0	WNW	295	
最大 平均		1.28 0.84	4.4 5.7	0.93 0.60	4.9 6.2	0.73 0.47	4.8 5.9	0.46 0.30	4.0 4.3			
17		00	1.30	4.2	0.93	4.6	0.72	4.7	0.46	4.1	WNW	286
		02	0.83	4.6	0.68	4.6	0.55	4.8	0.36	4.0	W	274
	04	0.79	5.4	0.62	4.4	0.51	4.5	0.33	3.8	NW	311	
	06	0.57	4.1	0.47	4.3	0.39	4.3	0.26	3.3	N	10	
	08	0.56	3.8	0.41	4.4	0.33	4.3	0.21	3.4	N	353	
	10	0.54	4.3	0.38	4.2	0.31	4.2	0.19	3.2	NNE	31	
	12	0.49	4.3	0.39	4.0	0.31	3.9	0.20	3.2	NE	49	
	14	1.08	3.8	0.60	3.7	0.48	3.6	0.32	3.2	NE	35	
	16	1.13	3.2	0.75	3.7	0.59	3.6	0.37	3.1	NW	308	
	18	1.19	3.7	0.95	3.9	0.78	4.1	0.51	3.5	NW	322	
	20	2.61	5.8	1.94	7.0	1.55	6.5	0.97	5.0	NW	315	
	22	* 2.95	7.8	* 2.30	7.9	* 1.85	7.8	* 1.13	5.8	NNW	327	
	最大 平均	2.95 1.17	7.8 4.6	2.30 0.87	7.9 4.7	1.85 0.70	7.8 4.7	1.13 0.44	5.8 3.8			
	18	00	2.58	8.5	2.03	8.2	1.66	8.1	1.03	5.7	NW	323
		02	* 3.35	9.5	* 2.61	8.6	* 2.13	8.2	* 1.33	6.5	NW	319
04		3.19	8.0	2.31	8.4	1.89	8.2	1.14	6.1	NW	319	
06		3.02	8.1	2.37	8.2	1.93	7.9	1.19	6.4	NW	323	
08		3.18	7.5	2.55	8.4	1.99	8.0	1.22	6.5	NW	323	
10		3.21	8.2	2.61	8.4	2.00	8.2	1.30	6.9	不明		
12		3.29	8.3	2.24	8.0	1.76	8.0	1.08	5.9	NW	323	
14		2.54	9.2	1.89	7.4	1.53	6.9	0.94	5.1	NW	323	
16		2.35	7.2	1.76	7.1	1.42	6.7	0.90	5.1	NNW	327	
18		2.39	5.9	1.65	6.3	1.30	6.2	0.81	4.8	NW	319	
20		2.01	5.8	1.54	6.3	1.23	6.4	0.78	5.1	NW	319	
22		1.79	6.7	1.39	6.2	1.12	6.1	0.70	5.1	NNW	331	
最大 平均		3.35 2.74	9.5 7.7	2.61 2.08	8.6 7.6	2.13 1.66	8.2 7.4	1.33 1.04	6.5 5.8			
19		00	1.84	6.3	1.47	6.4	1.16	6.2	0.72	5.0	NW	319
		02	1.92	7.1	1.40	6.0	1.12	6.4	0.73	5.5	NW	311
	04	* 2.24	7.1	* 1.52	7.0	* 1.19	6.8	* 0.73	5.6	NNW	327	
	06	1.85	6.9	1.45	7.1	1.11	7.2	0.71	5.6	NNW	344	
	08	1.64	6.7	1.18	6.8	0.93	6.5	0.56	5.2	NNW	327	
	10	1.62	6.5	1.18	7.2	0.95	6.9	0.62	5.9	NNW	344	

	12	1.14	6.8	0.96	6.2	0.79	6.3	0.50	5.1	NNW	331
	14	1.35	6.2	1.03	6.5	0.81	6.6	0.53	5.3	NNW	340
	16	1.06	7.0	0.90	5.9	0.72	6.2	0.45	4.8	NW	323
	18	1.27	6.1	0.93	6.5	0.74	6.5	0.44	4.9	NNW	327
	20	1.16	6.1	0.72	5.8	0.57	5.9	0.34	4.4	NNW	335
	22	0.89	6.6	0.69	5.9	0.58	6.0	0.36	4.5	NNW	340
	最大	2.24	7.1	1.52	7.0	1.19	6.8	0.73	5.6		
	平均	1.50	6.6	1.12	6.4	0.89	6.5	0.56	5.2		
	20	00	* 0.99	6.2	* 0.69	5.9	* 0.55	5.8	* 0.34	4.4	NNW 344
		02	0.77	5.0	0.60	5.6	0.47	5.4	0.30	3.9	NNW 327
		04	0.70	5.8	0.55	5.6	0.46	5.2	0.29	3.8	NNW 340
		06	0.82	5.9	0.59	5.5	0.45	5.1	0.28	3.6	NW 323
		08	0.69	6.2	0.53	5.5	0.41	5.2	0.25	3.6	N 352
		10	0.60	5.9	0.51	5.7	0.41	5.7	0.25	4.4	NNW 344
		12	0.62	5.3	0.49	5.8	0.39	5.8	0.24	4.4	N 352
		14	0.75	5.0	0.60	5.4	0.46	5.2	0.29	3.6	NNE 12
		16	0.89	5.2	0.58	5.1	0.46	4.5	0.30	3.3	N 356
		18	0.74	3.8	0.55	4.6	0.44	4.3	0.28	3.2	WNW 288
		20	0.62	5.2	0.45	5.9	0.36	5.4	0.22	3.9	NE 37
		22	0.63	4.9	0.45	5.5	0.36	5.4	0.23	4.0	NNW 348
	最大	0.99	6.2	0.69	5.9	0.55	5.8	0.34	4.4		
	平均	0.74	5.4	0.55	5.5	0.44	5.3	0.27	3.8		
	21	00	* 0.79	5.3	* 0.52	5.3	* 0.41	5.1	* 0.25	3.5	NNW 340
		02	0.70	5.0	0.48	5.0	0.37	4.9	0.23	3.8	NNE 20
		04	0.64	5.3	0.47	5.4	0.37	5.4	0.23	3.9	NNE 29
		06	0.62	5.7	0.41	5.5	0.33	5.3	0.21	3.9	N 0
		08	0.54	5.4	0.41	5.5	0.32	5.0	0.20	3.5	N 356
		10	0.58	3.6	0.40	4.9	0.31	4.4	0.19	3.1	NNE 20
		12	0.48	2.3	0.33	4.3	0.27	4.0	0.18	2.9	N 7
		14	0.60	4.3	0.33	4.9	0.25	4.2	0.16	2.9	—
		16	0.39	5.3	0.26	5.3	0.20	4.9	0.12	3.3	NNE 20
		18	0.44	2.5	0.29	4.4	0.22	4.0	0.15	2.8	W 263
		20	0.34	4.2	0.26	5.5	0.21	4.6	0.14	3.2	NNW 344
		22	0.38	2.0	0.28	4.1	0.22	4.1	0.14	2.8	NE 36
	最大	0.79	5.3	0.52	5.3	0.41	5.1	0.25	3.5		
	平均	0.54	4.2	0.37	5.0	0.29	4.7	0.18	3.3		
	22	00	0.42	4.6	* 0.34	4.2	* 0.27	4.2	* 0.17	2.9	NW 311
		02	0.42	4.8	0.31	4.3	0.25	3.8	0.16	2.8	W 267
		04	0.41	3.5	0.28	4.2	0.23	3.8	0.15	2.8	W 278
		06	0.40	3.8	0.29	4.6	0.23	4.1	0.15	3.0	NNE 15
		08	0.34	5.6	0.27	4.3	0.21	4.0	0.13	2.9	NE 54
		10	0.30	5.7	0.22	4.9	0.19	4.5	0.12	3.2	N 352
		12	0.31	5.3	0.24	5.2	0.19	4.7	0.12	3.3	NW 307
		14	* 0.44	3.3	0.30	4.7	0.24	4.6	0.15	3.3	NW 323
		16	0.38	5.0	0.28	5.0	0.22	4.3	0.15	3.1	N 2
		18	0.35	5.5	0.26	5.1	0.21	4.5	0.13	3.1	NW 315
		20	0.34	4.8	0.25	5.1	0.20	4.6	0.13	3.1	NW 307
		22	0.31	5.6	0.23	5.2	0.18	4.6	0.12	3.2	NW 315
	最大	0.44	3.3	0.34	4.2	0.27	4.2	0.17	2.9		
	平均	0.37	4.8	0.27	4.7	0.22	4.3	0.14	3.1		
	23	00	0.38	4.7	0.21	4.5	0.17	4.2	0.11	2.9	WSW 252
		02	0.38	3.6	0.26	3.6	0.20	3.4	0.13	2.6	NNE 14
		04	0.31	4.8	0.22	4.3	0.18	3.9	0.12	2.8	NNW 330
		06	0.26	5.5	0.20	5.0	0.16	4.3	0.10	2.9	NE 41
		08	2.01	4.1	1.45	4.3	1.13	4.1	0.72	3.7	WSW 254
		10	2.70	4.1	1.83	4.6	1.45	4.6	0.91	4.0	WSW 254
		12	* 2.71	5.3	* 1.97	4.7	* 1.55	4.7	* 0.99	4.2	W 266
		14	2.51	5.1	1.84	4.9	1.48	5.0	0.94	4.2	NW 323
		16	1.98	5.0	1.57	5.1	1.29	5.0	0.86	4.3	NW 315
		18	2.70	5.9	1.50	5.7	1.17	5.5	0.73	4.3	NW 315
		20	1.97	5.6	1.45	5.9	1.20	5.9	0.75	4.8	NW 319
		22	1.99	4.7	1.31	5.5	1.04	5.5	0.65	4.5	NW 323
	最大	2.71	5.3	1.97	4.7	1.55	4.7	0.99	4.2		
	平均	1.66	4.9	1.15	4.8	0.92	4.7	0.58	3.8		
	24	00	1.61	4.8	* 1.21	5.2	* 0.95	5.2	* 0.61	4.3	NNW 331
		02	1.24	5.9	1.05	5.2	0.87	5.2	0.55	4.3	NNW 344

	04	1.33	5.6	1.04	5.2	0.83	5.3	0.52	4.4	NNW	344
	06	1.16	5.0	0.84	5.1	0.67	5.0	0.42	4.0	NNW	327
	08	1.34	5.1	0.92	5.3	0.74	5.4	0.45	4.3	NNW	340
	10	1.17	4.9	0.92	5.2	0.71	5.3	0.42	4.1	NNW	340
	12	1.08	4.9	0.86	5.2	0.72	5.1	0.47	3.9	NNW	344
	14	1.13	4.8	0.86	5.4	0.69	4.9	0.45	3.9	N	352
	16	1.10	5.4	0.83	5.4	0.68	5.1	0.44	4.0	N	356
	18	1.28	5.5	0.89	5.2	0.72	4.9	0.47	3.8	NNW	340
	20	1.39	5.6	1.05	5.7	0.83	5.7	0.52	4.1	N	0
	22	* 1.63	6.9	1.03	6.1	0.81	5.9	0.51	4.3	NNW	335
	最大	1.63	6.9	1.21	5.2	0.95	5.2	0.61	4.3		
	平均	1.29	5.4	0.96	5.4	0.77	5.3	0.49	4.1		
25	00	1.53	6.5	1.08	6.3	0.85	6.0	0.53	4.5	NNW	340
	02	1.51	7.6	1.01	6.7	0.79	6.2	0.49	4.6	NNW	348
	04	1.15	6.3	0.97	6.2	0.77	5.9	0.48	4.3	N	4
	06	1.04	6.7	0.87	6.4	0.71	6.2	0.46	4.7	NNW	344
	08	1.36	5.2	* 1.11	5.5	* 0.90	5.3	* 0.58	4.2	N	352
	10	1.32	5.5	0.95	5.2	0.77	5.3	0.48	4.1	不明	
	12	1.47	5.6	1.04	5.5	0.83	5.4	0.52	4.5	不明	
	14	1.14	5.2	0.92	5.3	0.75	5.3	0.50	4.5	不明	
	16	1.21	4.6	0.95	5.6	0.79	5.5	0.50	4.5	NNW	331
	18	* 1.56	6.2	0.96	5.6	0.77	5.6	0.48	4.4	NNW	335
	20	1.31	5.8	0.91	5.8	0.71	5.7	0.45	4.5	NNW	335
	22	1.19	6.5	0.86	5.3	0.68	5.5	0.44	4.5	NNW	335
	最大	1.56	6.2	1.11	5.5	0.90	5.3	0.58	4.2		
	平均	1.32	6.0	0.97	5.8	0.78	5.7	0.49	4.4		
26	00	1.25	5.8	0.98	5.7	0.78	5.6	0.48	4.4	NNW	348
	02	1.17	6.1	0.96	5.5	0.77	5.7	0.49	4.5	N	352
	04	1.24	5.6	0.92	5.6	0.73	5.6	0.47	4.7	NNW	335
	06	1.42	5.3	0.95	6.2	0.73	6.1	0.47	4.9	NNW	348
	08	1.16	6.0	0.90	6.1	0.73	6.2	0.45	4.9	NNW	344
	10	1.08	6.5	0.84	6.2	0.67	6.3	0.41	5.0	NNW	335
	12	1.23	6.7	0.92	6.8	0.75	6.9	0.47	5.3	不明	
	14	1.60	7.4	* 1.16	7.1	* 0.87	6.7	* 0.54	4.8	不明	
	16	* 1.61	6.0	1.07	7.0	0.82	6.3	0.50	4.6	NNW	344
	18	1.20	7.3	0.89	6.9	0.70	6.7	0.44	5.3	NNW	344
	20	1.10	8.3	0.87	7.1	0.71	7.1	0.44	5.7	NNW	348
	22	1.01	7.2	0.78	6.5	0.61	6.5	0.38	5.3	NNW	344
	最大	1.61	6.0	1.16	7.1	0.87	6.7	0.54	4.8		
	平均	1.26	6.5	0.94	6.4	0.74	6.3	0.46	5.0		
27	00	* 1.06	6.9	* 0.78	6.6	* 0.62	6.4	* 0.38	5.1	NNW	348
	02	0.85	6.5	0.71	6.7	0.55	6.5	0.33	4.7	N	356
	04	0.87	6.3	0.63	6.7	0.52	6.6	0.32	5.0	N	4
	06	0.72	7.9	0.57	6.8	0.48	6.7	0.30	4.9	NNW	348
	08	0.74	7.8	0.63	7.2	0.50	6.9	0.31	5.0	N	352
	10	0.72	9.5	0.61	7.8	0.50	7.6	0.32	5.6	NNW	340
	12	0.61	7.3	0.51	6.9	0.42	6.6	0.26	4.5	—	
	14	0.72	5.0	0.56	6.6	0.44	5.3	0.28	3.7	—	
	16	0.75	2.8	0.50	4.7	0.40	4.2	0.25	3.1	NNE	16
	18	0.73	5.2	0.53	4.9	0.43	4.3	0.28	3.3	WSW	245
	20	0.68	4.1	0.43	5.0	0.34	4.2	0.21	3.1	WSW	244
	22	0.50	3.5	0.40	5.0	0.32	4.6	0.21	3.5	N	4
	最大	1.06	6.9	0.78	6.6	0.62	6.4	0.38	5.1		
	平均	0.75	6.1	0.57	6.2	0.46	5.8	0.29	4.3		
28	00	0.41	6.6	0.34	5.0	0.27	4.4	0.17	3.1	N	352
	02	0.39	3.4	0.27	5.2	0.21	4.7	0.14	3.2	NE	41
	04	0.37	2.2	0.26	4.1	0.21	3.6	0.14	2.7	NNW	327
	06	0.34	5.5	0.22	4.7	0.18	4.1	0.12	2.8	NE	35
	08	0.37	2.0	0.26	4.0	0.20	3.6	0.13	2.7	NNE	18
	10	0.36	5.7	0.25	3.9	0.21	3.7	0.14	2.8	WSW	248
	12	0.34	5.5	0.25	4.2	0.20	3.6	0.13	2.6	WNW	294
	14	0.32	2.3	0.26	3.8	0.21	3.6	0.13	2.6	NNE	24
	16	* 0.88	2.9	* 0.64	2.7	* 0.51	2.7	0.32	2.6	WNW	299
	18	0.50	2.1	0.30	2.9	0.24	2.9	0.16	2.4	—	
	20	0.38	3.3	0.26	3.9	0.21	3.6	0.14	2.8	NE	36
	22	0.82	3.8	0.60	3.8	0.49	3.7	* 0.32	3.3	NE	53
	最大	0.88	2.9	0.64	2.7	0.51	2.7	0.32	3.3		

	平均	0.46	3.8	0.33	4.0	0.26	3.7	0.17	2.8		
29	00	0.95	4.6	0.68	4.5	0.54	4.5	0.34	3.7	NNE	25
	02	1.04	4.0	0.78	3.9	0.62	3.8	0.40	3.1	N	351
	04	2.57	4.6	1.92	4.7	1.53	4.8	0.96	4.1	W	266
	06	3.50	5.5	2.52	5.5	2.09	5.5	1.36	4.9	NNW	344
	08	4.06	6.2	2.91	6.0	2.34	6.1	1.53	5.4	NNW	344
	10	4.65	6.9	3.64	7.4	2.79	7.0	* 1.79	5.8	NNW	340
	12	* 4.72	8.0	* 3.64	8.0	* 2.83	8.0	1.76	6.1	NNW	340
	14	4.13	9.7	3.39	9.1	2.79	8.7	1.69	6.5	NNW	344
	16	3.79	10.2	2.93	8.8	2.39	8.8	1.46	6.5	NNW	327
	18	3.17	7.1	2.74	9.3	2.20	8.8	1.41	6.5	NNW	331
	20	3.54	8.3	2.40	8.0	1.86	8.0	1.11	5.9	NNW	344
	22	2.94	8.6	2.25	8.1	1.77	8.1	1.11	6.1	NNW	327
	最大	4.72	8.0	3.64	8.0	2.83	8.0	1.79	5.8		
	平均	3.26	7.0	2.48	6.9	1.98	6.8	1.24	5.4		
30	00	* 2.70	8.7	* 2.34	7.8	* 1.94	8.0	* 1.20	6.6	NNW	335
	02	2.26	7.9	1.97	7.9	1.65	7.8	1.05	6.5	NNW	340
	04	2.23	7.8	1.70	7.8	1.34	7.5	0.83	5.8	N	352
	06	2.04	7.5	1.63	7.4	1.31	7.4	0.82	6.2	NNW	340
	08	1.71	7.3	1.56	7.5	1.28	7.5	0.79	6.1	N	4
	10	1.55	8.0	1.27	7.3	1.00	7.1	0.61	5.9	NNW	340
	12	1.25	5.9	0.99	6.5	0.79	6.8	0.49	5.5	NNW	331
	14	0.97	4.6	0.82	6.4	0.67	6.4	0.41	4.6	NNW	340
	16	1.08	7.0	0.86	6.6	0.68	6.4	0.42	4.6	NW	319
	18	1.14	6.0	0.85	6.5	0.70	6.4	0.44	4.7	NNW	344
	20	1.06	6.9	0.80	6.5	0.65	6.2	0.42	5.0	NNW	344
	22	1.00	5.3	0.83	6.0	0.67	6.1	0.39	4.8	NW	323
	最大	2.70	8.7	2.34	7.8	1.94	8.0	1.20	6.6		
	平均	1.58	6.9	1.30	7.0	1.06	7.0	0.66	5.5		
31	00	0.90	6.1	* 0.72	5.8	* 0.56	5.8	* 0.36	4.9	NW	319
	02	* 0.93	5.5	0.63	5.8	0.51	5.7	0.31	4.4	N	352
	04	0.75	5.2	0.61	5.5	0.48	5.4	0.28	4.0	NNW	348
	06	0.59	6.3	0.47	5.8	0.39	5.4	0.25	3.9	NNW	331
	08	0.65	5.5	0.44	5.3	0.35	4.8	0.22	3.4	NW	323
	10	0.68	6.3	0.49	5.3	0.39	4.7	0.25	3.4	WNW	290
	12	0.58	6.3	0.43	4.5	0.35	4.2	0.22	3.3	W	262
	14	0.63	4.9	0.38	5.0	0.29	4.6	0.19	3.4	N	356
	16	0.42	4.9	0.34	4.7	0.26	4.2	0.17	3.2	NNE	19
	18	0.47	5.4	0.33	4.9	0.27	4.9	0.17	3.7	NNW	348
	20	0.42	5.4	0.33	4.9	0.27	4.7	0.17	3.4	NNW	344
	22	0.31	5.7	0.26	4.9	0.21	4.6	0.14	3.4	WNW	303
	最大	0.93	5.5	0.72	5.8	0.56	5.8	0.36	4.9		
	平均	0.61	5.6	0.45	5.2	0.36	4.9	0.23	3.7		
	月最大	6.82	7.8	4.38	7.8	3.48	7.6	2.21	6.3		
	起時	0220		0220		0216		0216			
	平均	1.46	5.7	1.09	5.8	0.87	5.6	0.55	4.4		

* は日最大波高を示す

波浪整理表（1）

2001年11月

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	360 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.43	4.9	0.28	4.8	0.23	4.7	0.14	3.3	NW	311
	02	0.34	6.1	0.28	4.8	0.22	4.4	0.14	3.0	NNW	335
	04	0.43	4.5	0.30	4.7	0.24	4.6	0.16	3.3	NNW	331
	06	0.41	4.3	0.30	4.8	0.25	4.3	0.15	3.1	WSW	254
	08	0.50	4.6	0.33	4.0	0.27	3.9	0.18	2.9	NW	314
	10	0.36	4.0	0.28	4.4	0.23	4.1	0.15	2.9	NE	49
	12	0.50	4.7	0.34	4.3	0.27	4.4	0.18	3.5	NW	307
	14	0.86	4.4	0.52	5.1	0.40	5.2	0.25	4.1	NW	323
	16	1.06	4.9	0.74	5.6	0.60	5.7	0.40	4.9	NW	315
	18	1.25	5.4	0.89	5.9	0.70	5.8	0.45	4.7	NW	311
	20	2.40	5.1	1.63	5.0	1.32	5.0	* 0.85	4.3	NW	323
	22	* 2.76	4.9	* 1.78	5.5	* 1.37	5.5	0.83	4.3	NW	311
	最大	2.76	4.9	1.78	5.5	1.37	5.5	0.85	4.3		
	平均	0.94	4.8	0.64	4.9	0.51	4.8	0.32	3.7		
02	00	* 2.23	5.2	1.52	5.6	1.16	5.5	0.72	4.4	W	274
	02	2.04	5.5	1.43	4.8	1.14	4.9	0.74	4.0	W	270
	04	1.83	3.8	1.37	5.1	1.12	4.9	0.73	4.2	NW	323
	06	1.76	5.3	1.35	5.5	1.11	5.7	0.72	4.5	NNW	344
	08	2.07	6.0	1.59	7.0	1.27	6.9	0.80	5.7	NW	311
	10	1.91	8.5	1.54	8.0	1.25	7.8	0.80	6.1	NW	319
	12	2.13	9.1	1.60	7.9	1.29	8.2	0.80	6.5	NW	315
	14	2.12	9.2	* 1.63	8.2	* 1.31	8.0	* 0.81	6.5	NW	319
	16	1.99	6.7	1.51	7.4	1.19	7.3	0.73	5.8	NW	319
	18	2.03	7.3	1.47	7.5	1.18	7.5	0.74	5.9	NW	323
	20	2.22	7.3	1.46	7.4	1.12	7.1	0.67	5.5	NW	323
	22	1.43	7.6	1.23	7.1	1.04	7.2	0.67	6.1	NW	323
	最大	2.23	5.2	1.63	8.2	1.31	8.0	0.81	6.5		
	平均	1.98	6.8	1.48	6.8	1.18	6.8	0.74	5.4		
03	00	1.40	6.4	1.00	6.9	0.79	7.0	0.49	5.2	NW	323
	02	1.26	6.7	0.96	6.9	0.76	6.5	0.45	5.0	NW	315
	04	0.95	6.9	0.75	6.8	0.60	6.5	0.37	4.8	NW	319
	06	0.84	7.3	0.67	6.8	0.55	6.6	0.34	5.0	NNW	331
	08	0.98	6.7	0.53	6.4	0.42	6.0	0.26	4.1	NNW	327
	10	0.57	7.1	0.50	6.5	0.39	6.2	0.24	4.5	WNW	303
	12	0.51	5.8	0.40	6.3	0.32	6.3	0.19	4.2	WNW	303
	14	0.55	4.7	0.35	6.1	0.29	6.1	0.19	4.6	NNW	348
	16	0.48	5.4	0.34	5.3	0.28	5.0	0.18	3.5	NW	319
	18	0.94	2.9	0.55	3.6	0.45	3.5	0.29	2.9	NE	56
	20	2.29	4.7	1.67	4.7	1.33	4.8	0.86	4.0	NNW	340
	22	* 4.10	5.6	* 2.70	5.3	* 2.17	5.5	* 1.37	4.7	NNE	20
	最大	4.10	5.6	2.70	5.3	2.17	5.5	1.37	4.7		
	平均	1.24	5.9	0.87	6.0	0.70	5.8	0.44	4.4		
04	00	3.06	5.7	2.32	5.5	1.86	5.6	1.15	4.6	NNE	29
	02	2.61	4.5	1.87	5.5	1.55	5.5	1.02	4.5	NNW	335
	04	3.41	6.2	2.44	6.1	1.90	6.1	1.13	4.8	NNW	331
	06	* 3.48	6.8	* 2.50	6.5	* 2.02	6.2	* 1.26	5.0	NNW	340
	08	3.08	6.5	2.28	6.2	1.86	6.2	1.20	5.2	NNW	335
	10	2.92	5.7	2.17	6.3	1.76	6.4	1.09	4.9	NNW	327
	12	3.12	5.4	2.44	6.7	1.93	6.6	1.21	5.0	NW	319
	14	3.13	5.6	2.32	6.3	1.87	6.0	1.18	4.8	NW	323
	16	2.97	6.8	2.05	5.8	1.66	5.8	1.04	4.7	NW	307
	18	3.12	7.6	1.96	7.3	1.56	6.8	1.00	5.3	NW	323
	20	2.33	7.3	1.81	7.2	1.44	7.1	0.91	5.7	NW	315
	22	2.09	7.1	1.60	6.9	1.27	7.1	0.83	6.0	NW	323
	最大	3.48	6.8	2.50	6.5	2.02	6.2	1.26	5.0		

	平均	2.94	6.3	2.15	6.4	1.72	6.3	1.09	5.0		
05	00	2.16	7.6	1.57	7.4	1.23	7.3	0.76	5.7	NW	315
	02	2.05	6.5	1.63	7.3	1.33	7.7	0.85	6.5	NNW	335
	04	1.92	7.5	* 1.70	7.7	* 1.45	7.8	* 0.95	6.9	NNW	335
	06	* 2.34	8.3	1.51	7.8	1.19	7.6	0.69	5.8	NW	323
	08	1.99	7.3	1.59	7.4	1.25	7.3	0.79	6.2	NNW	331
	10	1.82	6.9	1.27	7.8	1.05	7.5	0.67	6.2	NNW	344
	12	1.58	7.7	1.17	7.4	0.98	7.2	0.64	6.1	NNW	331
	14	1.47	6.9	1.08	6.9	0.86	7.1	0.51	5.5	NNW	331
	16	1.22	6.9	0.82	7.0	0.71	7.0	0.48	6.2	NW	323
	18	0.81	6.7	0.61	6.7	0.50	6.7	0.29	4.8	NW	315
	20	0.63	6.3	0.45	6.9	0.36	6.7	0.21	4.4	NNW	327
	22	0.63	7.5	0.47	5.5	0.37	5.1	0.23	3.4	NW	311
	最大	2.34	8.3	1.70	7.7	1.45	7.8	0.95	6.9		
平均	1.55	7.2	1.16	7.2	0.94	7.1	0.59	5.6			
06	00	0.47	4.2	0.33	5.6	0.27	4.9	0.17	3.3	N	0
	02	0.44	5.7	0.33	5.5	0.26	4.7	0.17	3.4	NW	307
	04	1.41	3.6	1.01	3.6	0.80	3.6	0.51	3.2	N	1
	06	1.63	4.3	1.32	4.2	1.06	4.2	0.67	3.6	NNW	343
	08	1.75	4.6	1.28	4.4	0.98	4.4	0.61	3.8	WNW	286
	10	2.16	4.3	1.60	4.4	1.31	4.6	0.84	3.9	NW	315
	12	2.45	4.6	1.97	4.6	1.52	4.6	0.97	4.0	NW	319
	14	4.65	5.0	3.06	5.3	2.33	5.4	1.45	4.7	W	266
	16	3.40	4.9	2.84	5.7	2.30	6.0	1.43	5.1	NW	323
	18	4.87	6.4	3.58	7.0	2.83	7.0	1.79	5.8	NNW	327
	20	5.34	8.6	3.74	7.4	3.03	7.2	1.88	5.7	NNW	340
	22	* 5.39	9.0	* 4.18	7.9	* 3.45	8.1	* 2.17	6.4	NW	323
	最大	5.39	9.0	4.18	7.9	3.45	8.1	2.17	6.4		
平均	2.83	5.4	2.10	5.5	1.68	5.4	1.06	4.4			
07	00	* 6.59	7.5	* 4.58	8.6	* 3.61	8.4	* 2.23	6.5	NNW	340
	02	4.40	10.3	3.49	8.9	2.86	7.9	1.86	6.0	NNW	340
	04	5.09	9.9	3.70	9.5	2.99	9.0	1.86	6.8	NNW	340
	06	4.17	5.8	2.85	8.9	2.34	8.3	1.51	6.1	NNW	335
	08	4.81	10.1	3.07	8.9	2.30	8.5	1.38	6.5	NNW	327
	10	3.18	8.1	2.70	8.9	2.13	8.7	1.33	6.7	NNW	331
	12	2.88	8.6	2.32	8.6	1.86	8.3	1.11	6.0	NW	315
	14	2.90	8.0	2.19	8.7	1.77	8.2	1.06	6.1	NW	319
	16	2.26	5.6	1.94	7.6	1.58	7.8	1.00	6.2	NNW	331
	18	2.47	7.7	2.01	7.9	1.61	7.9	1.01	6.5	NNW	331
	20	2.35	8.1	1.67	7.5	1.29	7.5	0.81	6.0	NNW	344
	22	1.53	6.6	1.22	7.0	0.97	7.2	0.60	5.5	N	8
	最大	6.59	7.5	4.58	8.6	3.61	8.4	2.23	6.5		
平均	3.55	8.0	2.65	8.4	2.11	8.1	1.31	6.2			
08	00	* 1.65	7.3	* 1.29	7.4	* 1.06	7.6	* 0.64	5.7	NNW	344
	02	1.55	7.3	1.07	7.2	0.85	7.2	0.54	5.6	N	352
	04	1.32	6.1	1.10	7.5	0.89	7.3	0.53	5.6	NNW	327
	06	1.25	7.8	1.00	7.8	0.81	7.6	0.52	6.1	NW	315
	08	1.62	6.9	0.95	7.1	0.74	7.0	0.45	5.4	NNW	331
	10	1.13	6.7	0.83	6.7	0.69	6.9	0.44	5.0	NNW	327
	12	1.16	6.8	0.89	6.7	0.69	6.7	0.41	5.3	NW	315
	14	1.00	6.2	0.78	6.7	0.64	6.5	0.43	5.6	NNW	335
	16	0.93	6.2	0.70	6.2	0.57	6.4	0.34	4.8	NW	319
	18	0.87	6.5	0.65	6.1	0.51	6.1	0.32	4.8	NW	323
	20	0.74	5.9	0.58	6.2	0.46	6.0	0.27	4.4	NW	319
	22	0.73	5.7	0.53	5.9	0.43	6.0	0.27	4.5	NNW	335
	最大	1.65	7.3	1.29	7.4	1.06	7.6	0.64	5.7		
平均	1.16	6.6	0.86	6.8	0.70	6.8	0.43	5.2			
09	00	0.75	5.8	0.52	5.9	0.40	5.6	0.25	4.1	N	0
	02	0.64	5.7	0.42	5.7	0.33	5.7	0.20	4.1	NE	45
	04	0.58	6.0	0.39	5.4	0.30	4.9	0.19	3.4	NW	315
	06	0.43	4.6	0.34	5.4	0.27	4.6	0.17	3.1	NNW	344
	08	0.38	5.7	0.30	5.6	0.24	5.0	0.15	3.4	NNW	335
	10	0.36	6.2	0.29	5.7	0.23	5.0	0.14	3.4	NW	311
	12	0.40	4.5	0.32	6.1	0.26	5.6	0.16	3.9	NW	311
	14	0.62	5.5	0.44	5.9	0.34	5.8	0.21	4.2	WNW	303
	16	0.57	5.5	0.47	5.8	0.40	5.7	0.26	4.4	NW	315
	18	1.80	4.6	1.26	4.3	1.00	4.3	0.64	3.7	N	354
	20	* 2.47	5.1	* 1.69	5.1	* 1.38	5.1	* 0.87	4.3	NNE	25
	22	1.95	5.2	1.38	5.5	1.15	5.4	0.73	4.6	NNE	12

		最大	2.47	5.1	1.69	5.1	1.38	5.1	0.87	4.3		
		平均	0.91	5.4	0.65	5.5	0.53	5.2	0.33	3.9		
10	00		2.00	6.1	1.56	6.0	1.25	5.9	0.81	5.0	NW	323
	02		2.77	6.7	1.98	6.8	1.56	6.8	0.99	5.8	NNW	331
	04		2.55	6.7	2.01	6.6	1.67	6.7	1.11	5.5	NNW	340
	06		2.79	6.9	2.10	7.0	1.67	6.9	1.00	5.4	NNW	340
	08		2.65	6.3	2.13	7.0	1.70	6.8	1.09	5.6	NNW	335
	10		* 3.20	6.6	* 2.32	6.6	* 1.80	6.6	* 1.17	5.2	NNW	335
	12		3.08	6.0	2.07	6.6	1.72	6.7	1.08	5.2	NNW	335
	14		3.02	6.7	2.18	7.1	1.67	6.8	1.04	5.5	NNW	344
	16		2.43	6.7	1.83	6.8	1.48	6.4	0.92	5.2	NNW	335
	18		2.36	6.8	1.93	6.6	1.51	6.9	0.96	5.5	N	356
	20		2.50	7.0	1.77	6.2	1.36	6.2	0.84	5.1	NNW	344
	22		2.58	5.5	1.71	6.3	1.38	6.5	0.87	5.4	NNE	12
		最大	3.20	6.6	2.32	6.6	1.80	6.6	1.17	5.2		
		平均	2.66	6.5	1.97	6.6	1.56	6.6	0.99	5.4		
11	00		* 2.07	6.1	* 1.35	6.4	* 1.10	6.1	* 0.72	5.3	N	8
	02		1.25	6.0	1.04	5.8	0.85	5.9	0.53	4.8	N	352
	04		1.17	5.9	0.98	6.0	0.77	5.9	0.48	4.6	NNW	344
	06		0.98	5.1	0.75	5.7	0.59	5.7	0.36	4.2	NNW	340
	08		1.00	6.6	0.74	5.7	0.58	5.6	0.38	4.3	NE	37
	10		0.88	5.8	0.64	5.5	0.50	5.6	0.30	4.1	NNW	335
	12		0.79	5.6	0.55	5.3	0.45	5.4	0.29	4.5	—	
	14		1.01	5.2	0.56	5.2	0.44	5.3	0.26	3.9	N	352
	16		0.83	5.1	0.51	5.2	0.41	5.0	0.26	3.7	NNW	335
	18		0.68	5.3	0.52	5.0	0.41	4.9	0.26	3.9	NNW	327
	20		0.59	5.1	0.46	5.3	0.37	5.0	0.23	3.7	NE	37
	22		0.63	5.3	0.40	5.4	0.33	5.1	0.22	3.9	NNE	25
		最大	2.07	6.1	1.35	6.4	1.10	6.1	0.72	5.3		
		平均	0.99	5.6	0.71	5.5	0.57	5.5	0.36	4.2		
12	00		0.57	4.9	0.40	4.9	0.31	4.8	0.19	3.4	NNW	327
	02		0.50	5.4	0.36	5.0	0.29	4.8	0.18	3.3	N	4
	04		0.46	4.2	0.31	4.3	0.24	3.9	0.15	2.8	N	2
	06		0.40	4.9	0.28	4.9	0.23	4.5	0.14	3.0	NNE	16
	08		0.41	3.8	0.31	4.5	0.24	4.0	0.16	2.8	NE	52
	10		0.48	3.2	0.38	4.6	0.31	4.2	0.20	3.2	W	270
	12		1.54	3.8	1.08	4.1	0.88	4.0	0.56	3.4	W	262
	14		2.01	6.2	1.51	5.7	1.19	5.3	0.74	4.2	NW	323
	16		1.92	5.3	1.32	6.0	1.04	5.6	0.67	4.4	NW	315
	18		1.32	4.6	1.01	6.1	0.81	5.9	0.51	4.4	NW	323
	20		2.02	6.3	1.49	6.0	1.16	5.8	0.70	4.5	NW	315
	22		* 2.83	5.3	* 1.78	5.3	* 1.40	5.5	* 0.88	4.4	NW	323
		最大	2.83	5.3	1.78	5.3	1.40	5.5	0.88	4.4		
		平均	1.21	4.8	0.85	5.1	0.68	4.9	0.42	3.7		
13	00		2.51	5.3	1.83	5.7	1.45	5.6	0.89	4.4	NNE	16
	02		3.30	5.9	2.20	6.0	1.76	5.9	1.09	4.6	NW	311
	04		3.29	7.8	2.60	6.8	2.07	7.1	* 1.32	5.4	NW	319
	06		* 3.72	8.0	* 2.65	7.1	* 2.08	6.7	1.31	5.3	NNW	331
	08		3.01	7.8	2.43	7.3	1.92	7.2	1.23	5.5	NW	319
	10		2.73	6.1	2.17	6.9	1.75	6.9	1.08	5.4	NNW	327
	12		2.22	6.8	1.85	7.0	1.47	7.0	0.91	5.1	NW	323
	14		2.64	7.5	1.84	6.7	1.45	6.8	0.90	4.9	NW	323
	16		2.17	7.2	1.81	6.7	1.44	6.7	0.92	5.3	NNW	327
	18		1.94	6.8	1.60	7.2	1.28	6.9	0.79	5.3	NNW	344
	20		2.16	6.1	1.56	6.6	1.22	6.6	0.78	5.6	NNW	344
	22		1.88	6.5	1.43	6.8	1.13	6.9	0.72	6.0	NNW	340
		最大	3.72	8.0	2.65	7.1	2.08	6.7	1.32	5.4		
		平均	2.63	6.8	2.00	6.7	1.59	6.7	1.00	5.2		
14	00		1.79	6.3	1.35	7.1	1.11	7.0	0.71	6.1	NNW	344
	02		2.08	7.5	1.63	7.7	1.29	7.7	0.79	5.8	NNW	335
	04		2.07	7.8	1.35	7.2	1.05	7.1	0.63	5.4	NNW	344
	06		1.97	6.6	1.48	7.1	1.21	7.0	0.79	5.9	NNW	335
	08		2.33	7.2	1.90	7.1	1.54	6.9	0.99	5.5	NNW	327
	10		2.76	6.0	2.15	7.1	1.76	7.3	1.12	6.0	NW	323
	12		2.83	7.0	2.27	7.0	1.81	7.2	1.11	5.9	NW	311
	14		3.07	7.5	2.30	7.2	1.78	7.1	1.10	5.4	NNW	327

	16	3.29	7.3	2.44	7.5	1.90	7.2	1.16	5.4	NNW	327
	18	* 4.14	8.3	* 2.69	7.5	* 2.06	7.5	* 1.33	6.2	NW	315
	20	2.98	7.8	2.40	7.5	1.90	7.4	1.17	5.6	NW	311
	22	2.67	8.0	2.24	7.5	1.84	7.7	1.18	6.2	NW	311
	最大	4.14	8.3	2.69	7.5	2.06	7.5	1.33	6.2		
	平均	2.67	7.3	2.02	7.3	1.60	7.3	1.01	5.8		
	15	* 3.16	8.3	* 2.17	7.7	* 1.65	7.7	* 1.01	6.1	NW	323
	02	2.04	7.2	1.79	7.0	1.47	7.5	0.94	6.2	NW	323
	04	2.04	7.9	1.61	8.0	1.26	7.6	0.77	5.7	NNW	331
	06	2.35	7.8	1.55	7.7	1.23	7.6	0.73	5.5	NW	323
	08	1.87	7.2	1.48	7.3	1.20	7.4	0.77	5.9	NW	315
	10	1.93	8.3	1.59	7.5	1.23	7.4	0.76	5.9	NW	315
	12	2.08	8.5	1.64	8.0	1.25	7.5	0.75	5.9	NNW	340
	14	2.39	7.7	1.56	7.3	1.18	7.2	0.71	5.7	NNW	335
	16	1.71	6.9	1.32	7.2	1.02	7.1	0.62	5.7	NNW	344
	18	1.72	7.0	1.16	7.2	0.92	7.0	0.57	5.8	NNW	331
	20	1.29	7.2	1.02	7.0	0.83	7.0	0.52	5.7	NW	323
	22	1.24	7.4	0.79	6.9	0.62	6.7	0.38	5.1	NNW	331
	最大	3.16	8.3	2.17	7.7	1.65	7.7	1.01	6.1		
	16	1.99	7.6	1.47	7.4	1.16	7.3	0.71	5.8		
	00	1.55	7.3	1.07	5.7	0.82	5.5	0.51	4.0	NW	323
	02	* 3.72	6.2	* 2.77	6.1	2.15	5.9	1.32	4.9	W	278
	04	2.68	5.5	1.88	5.6	1.46	5.7	0.90	4.6	W	274
	06	3.00	6.1	2.57	6.2	* 2.16	6.1	* 1.41	5.2	NW	323
	08	2.98	5.0	2.37	6.1	1.93	6.0	1.20	4.9	NW	319
	10	3.05	6.4	2.31	6.2	1.77	6.1	1.06	4.8	NNW	335
	12	2.61	5.2	2.08	5.9	1.69	5.8	1.08	4.8	NW	319
	14	2.77	6.4	1.97	5.8	1.62	5.4	1.04	4.5	NNW	331
	16	2.12	5.3	1.72	5.2	1.44	5.4	0.92	4.3	NW	307
	18	2.52	4.9	1.57	5.4	1.24	4.9	0.78	4.0	WNW	295
	20	1.79	5.8	1.47	6.0	1.20	5.7	0.76	4.5	NW	307
	22	1.99	6.4	1.50	5.9	1.20	5.9	0.77	4.8	NW	323
	最大	3.72	6.2	2.77	6.1	2.16	6.1	1.41	5.2		
	平均	2.57	5.9	1.94	5.8	1.56	5.7	0.98	4.6		
	17	2.97	5.3	2.00	5.8	1.56	5.4	0.99	4.4	NW	311
	02	2.24	6.9	1.91	5.9	1.53	5.9	0.99	5.2	NNW	327
	04	3.68	6.1	2.79	5.8	2.24	5.9	1.42	5.0	NW	315
	06	3.26	6.4	2.35	6.4	1.90	6.6	1.19	5.2	NNW	327
	08	3.35	6.7	2.41	6.3	1.85	6.4	1.20	5.1	NW	323
	10	3.25	6.4	2.76	6.6	2.19	6.6	1.39	5.3	NNW	331
	12	3.65	6.6	2.73	6.3	2.22	6.6	1.43	5.4	NW	319
	14	3.55	5.9	2.25	6.5	1.80	6.2	1.11	4.8	NW	311
	16	3.22	6.4	2.37	6.2	1.95	6.1	1.27	5.0	WNW	303
	18	* 4.63	6.2	* 3.21	6.5	* 2.58	6.6	* 1.61	5.6	NW	319
	20	3.82	7.6	2.96	6.7	2.44	6.7	1.57	5.7	NW	323
	22	4.52	7.2	3.17	7.2	2.51	7.1	1.58	5.5	NNW	340
	最大	4.63	6.2	3.21	6.5	2.58	6.6	1.61	5.6		
	18	3.51	6.5	2.58	6.4	2.06	6.3	1.31	5.2		
	00	* 4.20	7.2	* 2.83	7.3	* 2.27	7.1	* 1.48	5.9	NW	315
	02	3.65	7.0	2.56	7.2	2.00	7.0	1.28	5.5	NW	311
	04	3.27	7.8	2.51	7.3	2.01	7.2	1.27	5.9	NW	311
	06	2.48	7.2	2.09	7.3	1.69	7.6	1.04	5.7	NW	315
	08	2.48	6.8	2.02	7.4	1.61	7.4	1.03	6.1	NW	315
	10	2.83	7.7	1.94	7.6	1.49	7.4	0.90	5.7	NW	315
	12	2.14	6.8	1.64	7.5	1.35	7.3	0.83	6.0	NW	319
	14	2.50	6.8	1.73	6.9	1.36	7.2	0.85	5.9	NW	315
	16	1.94	7.4	1.56	7.3	1.25	7.3	0.79	5.7	NNW	327
	18	2.10	6.0	1.71	6.9	1.40	7.1	0.92	6.3	NNW	327
	20	2.41	6.9	1.62	7.4	1.24	6.9	0.77	5.5	NW	323
	22	2.32	6.1	1.65	7.0	1.29	6.5	0.81	5.3	NNW	335
	最大	4.20	7.2	2.83	7.3	2.27	7.1	1.48	5.9		
	平均	2.69	7.0	1.99	7.3	1.58	7.2	1.00	5.8		
	19	1.83	6.8	* 1.50	6.5	* 1.23	6.6	* 0.74	5.0	NW	319
	02	* 2.07	6.4	1.35	6.1	1.08	6.2	0.69	5.1	NW	311
	04	1.98	6.9	1.41	6.1	1.08	6.1	0.66	4.5	NW	319
	06	1.52	6.6	1.23	6.1	0.97	5.8	0.61	4.6	NNW	331
	08	1.55	6.4	1.18	6.0	0.95	6.3	0.59	5.0	NW	323
	10	1.51	6.7	1.16	6.5	0.97	6.2	0.61	4.9	N	356

	12	1.41	6.2	1.15	6.3	0.93	6.4	0.59	5.2	NNW	327
	14	1.48	6.9	1.13	6.3	0.89	6.0	0.53	4.8	NNW	327
	16	1.25	5.5	1.11	6.2	0.87	5.9	0.54	4.9	NW	315
	18	1.23	6.7	0.92	6.0	0.74	6.2	0.46	4.7	NNW	327
	20	1.26	5.3	1.00	6.3	0.78	6.0	0.48	4.9	NNW	335
	22	1.03	5.9	0.88	6.4	0.73	6.3	0.47	5.1	NW	319
	最大										
	平均	2.07	6.4	1.50	6.5	1.23	6.6	0.74	5.0		
		1.51	6.4	1.17	6.2	0.94	6.2	0.58	4.9		
20	00	* 1.11	5.8	* 0.83	6.0	* 0.67	6.0	* 0.42	5.0	NW	319
	02	0.95	6.3	0.70	5.8	0.55	5.7	0.33	4.1	NW	319
	04	0.80	5.8	0.61	5.8	0.50	5.8	0.32	4.2	NW	311
	06	0.91	5.6	0.65	5.7	0.50	5.6	0.31	4.0	NW	307
	08	0.83	4.3	0.60	5.1	0.47	4.9	0.29	3.6	NNW	331
	10	0.71	4.9	0.54	5.1	0.44	4.9	0.28	3.7	NW	315
	12	0.65	4.6	0.54	5.1	0.43	4.9	0.28	3.9	NW	307
	14	0.74	4.9	0.52	5.0	0.42	4.7	0.28	3.8	WNW	290
	16	0.62	5.7	0.49	4.6	0.39	4.3	0.25	3.2	WSW	243
	18	0.66	4.0	0.48	4.9	0.38	4.5	0.24	3.4	NW	307
	20	0.58	4.6	0.42	5.1	0.34	4.9	0.22	3.7	N	352
	22	0.54	4.5	0.38	4.7	0.31	4.6	0.19	3.2	NNW	348
	最大										
	平均	1.11	5.8	0.83	6.0	0.67	6.0	0.42	5.0		
		0.76	5.1	0.56	5.2	0.45	5.1	0.28	3.8		
21	00	0.48	4.8	0.37	4.5	0.30	4.5	0.19	3.1	WNW	299
	02	0.46	4.0	0.35	4.5	0.27	3.9	0.17	2.9	W	263
	04	0.58	3.7	0.45	3.9	0.37	3.9	0.24	3.0	WSW	244
	06	0.59	4.1	0.45	4.1	0.36	3.7	0.23	2.9	NNW	327
	08	0.53	5.0	0.38	3.9	0.31	3.7	0.20	2.8	NNW	348
	10	0.39	5.1	0.31	4.6	0.25	4.0	0.16	3.0	NNE	33
	12	0.54	4.3	0.37	4.0	0.29	4.1	0.19	3.5	WNW	301
	14	0.54	3.7	0.37	3.9	0.29	3.9	0.19	3.2	WSW	244
	16	0.50	3.8	0.39	3.8	0.31	3.6	0.20	2.9	N	354
	18	0.55	3.7	0.36	3.6	0.29	3.7	0.19	2.9	WNW	301
	20	0.44	3.3	0.33	3.5	0.26	3.6	0.17	2.8	NE	46
	22	* 0.98	3.7	* 0.54	4.0	* 0.42	4.0	* 0.26	3.2	W	260
	最大										
	平均	0.98	3.7	0.54	4.0	0.42	4.0	0.26	3.2		
		0.55	4.1	0.39	4.0	0.31	3.9	0.20	3.0		
22	00	0.74	3.7	0.55	4.4	0.45	4.3	0.28	3.3	NW	320
	02	0.81	3.7	0.56	4.3	0.44	4.2	0.29	3.5	—	
	04	0.79	4.1	0.55	4.2	0.44	4.2	0.28	3.3	WSW	241
	06	0.74	3.8	0.55	4.2	0.46	4.1	0.29	3.2	W	261
	08	0.73	3.7	0.56	4.0	0.45	4.1	0.28	3.2	NNW	339
	10	0.89	4.5	0.66	4.4	0.52	4.6	0.33	3.8	N	352
	12	* 1.37	4.6	* 0.87	4.5	* 0.70	4.6	* 0.44	3.9	NW	323
	14	1.36	4.6	0.83	4.6	0.64	4.5	0.40	3.6	NW	311
	16	1.05	4.7	0.81	4.6	0.64	4.6	0.42	3.9	NW	323
	18	0.87	4.6	0.68	4.6	0.55	4.4	0.34	3.6	NW	323
	20	0.86	5.1	0.58	4.8	0.47	4.7	0.30	3.8	NNW	327
	22	0.66	3.7	0.56	4.8	0.45	4.9	0.27	3.8	NW	311
	最大										
	平均	1.37	4.6	0.87	4.5	0.70	4.6	0.44	3.9		
		0.91	4.2	0.65	4.5	0.52	4.4	0.33	3.6		
23	00	0.71	5.7	0.52	5.2	0.42	5.3	0.27	4.1	NW	315
	02	0.66	4.2	0.50	5.3	0.39	5.0	0.24	3.6	NNW	344
	04	0.74	4.2	0.51	4.9	0.40	4.7	0.25	3.3	NNW	327
	06	0.73	3.8	0.56	4.6	0.45	4.4	0.29	3.4	NNW	331
	08	0.88	4.3	0.62	4.4	0.49	4.3	0.30	3.3	NE	49
	10	0.71	4.2	0.56	4.7	0.45	4.7	0.28	3.6	NW	315
	12	* 1.00	4.9	0.66	4.5	0.52	4.5	0.34	3.5	不明	
	14	0.93	4.5	0.71	4.2	0.57	4.1	0.36	3.3	不明	
	16	0.96	3.6	* 0.72	4.0	* 0.59	4.1	* 0.38	3.5	NE	51
	18	0.76	4.3	0.65	4.1	0.52	4.1	0.34	3.4	NW	325
	20	0.71	4.3	0.55	4.2	0.44	4.1	0.27	3.2	WSW	242
	22	0.78	4.4	0.51	4.1	0.40	4.1	0.25	3.3	W	276
	最大										
	平均	1.00	4.9	0.72	4.0	0.59	4.1	0.38	3.5		
		0.80	4.4	0.59	4.5	0.47	4.5	0.30	3.5		
24	00	0.72	3.7	0.48	4.0	0.38	4.1	0.25	3.3	NNE	19
	02	0.61	3.8	0.45	4.2	0.36	3.9	0.23	3.1	W	262

	04	0.76	4.2	0.51	4.3	0.40	4.1	0.25	3.2	NNE	24
	06	0.60	3.8	0.48	4.1	0.38	4.1	0.24	3.3	WNW	295
	08	0.67	4.4	0.49	4.3	0.39	4.1	0.25	3.2	NE	49
	10	0.69	4.1	0.48	4.3	0.38	4.2	0.25	3.1		
	12	0.62	4.2	0.48	4.5	0.39	4.5	0.25	3.7	WNW	295
	14	0.69	4.3	0.54	4.6	0.42	4.6	0.26	3.9	NW	311
	16	0.69	4.6	0.52	4.6	0.43	4.5	0.27	3.9	NW	319
	18	0.79	4.9	0.57	4.9	0.45	5.0	0.29	4.0	NW	307
	20	0.83	6.0	0.65	5.6	0.53	5.5	0.32	4.2	NW	319
	22	* 0.92	6.8	* 0.82	5.8	* 0.68	6.1	* 0.44	5.0	NW	323
	最大	0.92	6.8	0.82	5.8	0.68	6.1	0.44	5.0		
	平均	0.72	4.6	0.54	4.6	0.43	4.6	0.28	3.7		
25	00	1.00	5.6	0.83	6.2	0.68	6.1	0.43	4.9	NW	319
	02	1.04	6.0	0.79	6.1	0.60	6.0	0.36	4.4	NW	323
	04	0.85	6.4	0.71	6.4	0.57	6.1	0.35	4.4	NW	311
	06	1.11	6.5	0.79	6.7	0.61	6.3	0.37	4.4	NW	315
	08	1.63	7.3	1.07	7.5	0.82	7.3	0.48	5.1	NW	323
	10	1.85	6.7	1.43	7.2	1.14	7.0	0.70	5.6	NW	323
	12	2.34	4.7	1.69	6.5	1.36	6.7	0.86	5.2	NW	311
	14	3.05	5.4	2.43	5.8	1.93	5.9	1.20	4.7	NW	307
	16	2.77	5.1	2.24	6.6	1.80	6.3	1.11	4.7	NW	315
	18	* 3.86	6.8	* 2.60	6.4	* 2.03	6.1	* 1.26	4.9	W	266
	20	3.60	6.6	2.31	6.8	1.82	6.7	1.17	5.2	NW	319
	22	2.65	7.2	2.11	6.5	1.68	6.2	1.09	4.9	NW	315
最大	3.86	6.8	2.60	6.4	2.03	6.1	1.26	4.9			
平均	2.15	6.2	1.58	6.6	1.25	6.4	0.78	4.9			
26	00	2.99	6.7	2.11	6.1	1.67	5.9	1.04	4.6	NW	315
	02	2.43	5.8	2.13	6.1	1.74	6.0	1.09	4.8	NW	323
	04	3.12	6.5	2.54	6.5	1.95	6.3	1.23	5.0	NW	311
	06	4.10	8.3	3.13	7.1	2.50	6.9	1.58	5.7	NW	315
	08	3.95	7.2	2.98	7.6	2.41	7.6	1.50	6.1	NW	319
	10	4.63	7.2	2.86	8.1	2.20	8.0	1.41	6.6	NW	315
	12	3.44	7.2	2.67	8.1	2.16	8.1	1.38	6.7	NW	319
	14	3.04	6.7	2.37	8.0	1.93	7.7	1.25	6.7	NW	323
	16	3.05	6.8	2.42	8.2	1.98	7.2	1.25	5.5	NW	315
	18	3.34	7.6	2.39	7.2	1.95	6.8	1.27	5.3	NW	315
	20	3.68	7.0	2.53	6.9	2.07	6.8	1.34	5.3	NW	307
	22	* 5.86	7.8	* 4.27	7.1	* 3.41	7.2	* 2.16	5.9	WNW	303
最大	5.86	7.8	4.27	7.1	3.41	7.2	2.16	5.9			
平均	3.64	7.1	2.70	7.3	2.16	7.0	1.38	5.7			
27	00	4.52	7.1	3.32	7.0	2.73	7.1	1.81	6.0	NNW	340
	02	3.61	6.8	3.29	7.8	2.81	7.8	1.77	6.0	NNW	327
	04	4.76	7.2	* 3.73	8.3	* 2.95	8.1	* 1.83	6.4	NNW	331
	06	4.43	7.6	3.35	8.4	2.59	7.9	1.53	5.8	NNW	331
	08	* 5.10	7.6	3.19	7.9	2.47	7.6	1.51	5.5	NNW	331
	10	3.48	5.3	2.69	7.1	2.13	7.2	1.31	5.3	NW	307
	12	3.25	8.0	2.83	8.0	2.23	7.6	1.41	5.6	NNW	331
	14	3.54	7.9	2.67	6.8	2.26	6.7	1.46	5.3	NW	319
	16	3.61	7.1	2.84	6.6	2.30	6.4	1.45	5.0	NNW	331
	18	3.35	5.5	2.63	6.8	2.07	6.7	1.29	5.1	NNW	331
	20	3.21	7.1	2.79	7.2	2.34	7.0	1.49	5.6	NW	319
	22	3.82	6.4	2.99	5.9	2.29	5.8	1.44	4.9	不明	
最大	5.10	7.6	3.73	8.3	2.95	8.1	1.83	6.4			
平均	3.89	7.0	3.03	7.3	2.43	7.2	1.53	5.5			
28	00	3.71	7.6	2.31	5.9	1.80	6.0	1.13	4.5	NNW	335
	02	3.22	5.9	2.41	6.2	2.02	6.1	1.28	4.9	NNW	331
	04	3.88	6.6	2.90	6.3	2.29	6.1	1.44	5.1	W	274
	06	* 4.61	7.2	* 3.40	6.9	* 2.71	6.6	* 1.69	5.2	NW	311
	08	3.79	6.9	2.85	6.4	2.26	6.6	1.45	5.2	W	278
	10	3.75	7.9	3.19	6.3	2.44	6.3	1.54	5.0	W	278
	12	4.21	5.2	2.77	6.3	2.17	6.0	1.35	4.9	NW	315
	14	4.19	7.0	2.93	6.7	2.27	6.3	1.36	4.9	W	274
	16	3.35	6.9	2.59	6.1	2.05	6.2	1.30	4.8	WNW	286
	18	3.27	4.6	2.49	6.1	1.98	6.2	1.25	5.1	NW	323
	20	2.85	6.7	2.19	6.0	1.70	6.0	1.08	4.7	WNW	299
	22	2.67	6.7	2.04	6.8	1.64	6.5	1.04	5.2	NW	315
最大	4.61	7.2	3.40	6.9	2.71	6.6	1.69	5.2			

	平均	3.63	6.6	2.67	6.3	2.11	6.2	1.33	5.0		
29	00	2.49	5.7	2.05	6.2	1.64	6.2	1.03	5.1	W	270
	02	3.23	5.1	2.59	6.2	2.11	6.4	1.33	5.1	WNW	282
	04	3.33	5.8	2.69	6.1	2.20	6.1	1.41	5.0	W	278
	06	* 3.77	6.6	* 2.82	6.6	* 2.30	6.4	* 1.47	5.2	W	270
	08	3.65	6.0	2.64	5.7	2.07	5.8	1.33	4.7	W	274
	10	3.15	5.2	2.22	5.9	1.74	6.0	1.10	4.7	WNW	299
	12	2.76	6.3	2.02	6.1	1.58	5.6	0.97	4.5	NW	315
	14	2.68	6.6	1.84	6.0	1.46	5.7	0.90	4.3	NW	311
	16	1.89	6.8	1.43	6.7	1.18	6.6	0.73	5.0	NW	307
	18	1.59	7.0	1.25	6.8	1.03	6.6	0.66	5.2	WNW	303
	20	1.49	7.2	1.18	6.7	0.96	6.9	0.60	5.6	NW	315
	22	1.53	8.0	1.23	7.5	1.00	7.5	0.61	5.8	NW	315
	最大	3.77	6.6	2.82	6.6	2.30	6.4	1.47	5.2		
	平均	2.63	6.4	2.00	6.4	1.61	6.3	1.01	5.0		
30	00	1.26	6.8	0.99	7.1	0.79	7.3	0.52	5.7	NW	311
	02	1.35	8.1	1.05	6.7	0.81	6.4	0.52	5.3	NW	323
	04	1.13	7.7	0.93	6.6	0.75	6.8	0.47	5.5	NW	315
	06	1.42	6.1	1.08	5.3	0.86	5.2	0.55	4.0	NW	311
	08	3.29	5.7	2.17	5.2	1.72	5.4	1.09	4.5	NW	323
	10	4.19	6.5	2.91	6.0	2.28	5.9	1.43	4.9	NW	311
	12	4.20	5.4	2.91	6.1	2.37	6.2	1.49	5.0	NNW	335
	14	4.27	7.2	3.25	6.3	2.50	5.9	1.58	5.1	NW	311
	16	* 4.92	6.7	* 3.27	6.6	* 2.67	6.7	* 1.68	5.5	NW	323
	18	3.83	8.0	3.00	6.5	2.36	6.6	1.49	5.4	NW	319
	20	4.07	8.6	3.07	7.7	2.45	7.2	1.52	5.5	NNW	327
	22	4.04	7.1	3.02	7.4	2.49	7.4	1.57	5.9	NW	319
	最大	4.92	6.7	3.27	6.6	2.67	6.7	1.68	5.5		
	平均	3.16	7.0	2.30	6.5	1.84	6.4	1.16	5.2		
	月最大	6.59	7.5	4.58	8.6	3.61	8.4	2.23	6.5		
	起時	0700		0700		0700		0700			
	平均	2.08	6.1	1.54	6.2	1.23	6.1	0.77	4.8		

* は日最大波高を示す

波浪整理表（1）

2001年12月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	372 回
欠測回数	0 回	欠測回数	0 回
欠測率	0.0 %	欠測率	0.0 %

観測所名：|直江津港(直轄) | 機種：|波高 海象計 -32m 波向 海象計 -32m

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	3.57	5.9	* 2.79	7.4	* 2.28	7.4	* 1.49	5.9	NNW	344
	02	* 3.57	6.8	2.41	7.1	1.90	7.0	1.17	5.2	NNW	335
	04	2.90	6.6	2.20	6.9	1.78	6.9	1.13	5.5	NNW	331
	06	2.90	7.0	2.22	7.4	1.80	7.4	1.12	5.7	NNW	335
	08	2.62	7.7	2.12	7.5	1.70	7.3	1.10	5.8	NNW	331
	10	2.97	8.0	2.19	7.5	1.70	7.5	1.06	6.0	NNW	327
	12	2.65	7.4	1.83	7.1	1.48	7.3	0.91	5.5	NNW	331
	14	2.94	7.7	2.10	6.4	1.66	6.4	1.00	4.7	NNW	327
	16	3.29	5.2	2.52	5.7	2.02	5.8	1.30	4.7	W	278
	18	3.37	6.4	2.16	6.2	1.73	6.0	1.10	4.9	W	274
	20	2.87	6.1	2.20	6.4	1.74	6.1	1.10	5.0	NW	323
	22	3.35	6.4	2.10	6.2	1.63	6.1	1.01	5.1	NW	307
	最大	3.57	6.8	2.79	7.4	2.28	7.4	1.49	5.9		
	平均	3.08	6.8	2.24	6.8	1.79	6.8	1.12	5.3		
02	00	2.22	5.9	1.79	6.2	1.41	6.3	0.87	5.1	NW	311
	02	2.12	5.7	1.77	6.0	1.46	6.2	0.93	5.0	WNW	286
	04	* 3.08	5.9	* 2.21	6.2	* 1.79	5.8	* 1.16	4.7	NW	323
	06	2.86	7.0	2.16	6.0	1.74	6.0	1.07	4.5	NW	315
	08	2.49	5.8	2.03	5.9	1.63	6.0	1.05	4.9	NW	319
	10	2.94	5.6	2.18	6.3	1.76	6.3	1.12	5.0	NW	311
	12	2.24	6.1	1.57	6.3	1.25	6.1	0.78	4.7	NW	323
	14	2.48	6.1	1.79	6.1	1.44	6.0	0.91	4.8	NNW	331
	16	2.30	6.8	1.79	6.4	1.40	6.5	0.88	5.3	NNW	331
	18	2.42	6.5	1.70	6.4	1.36	6.8	0.86	5.7	NNE	16
	20	1.85	6.6	1.44	6.3	1.19	6.6	0.78	5.8	NNW	340
	22	1.47	7.6	1.20	6.7	0.98	6.5	0.61	5.2	NNW	327
	最大	3.08	5.9	2.21	6.2	1.79	5.8	1.16	4.7		
	平均	2.37	6.3	1.80	6.2	1.45	6.3	0.92	5.1		
03	00	1.52	7.2	1.22	6.7	0.97	6.8	0.63	5.7	NNW	340
	02	1.43	6.9	1.15	7.0	0.93	7.2	0.55	5.2	NW	323
	04	1.53	6.7	1.21	7.5	0.94	7.1	0.55	5.1	NW	323
	06	1.37	7.3	0.95	7.4	0.75	7.0	0.45	4.6	NW	307
	08	1.39	6.4	1.02	6.5	0.81	6.6	0.51	5.4	NW	319
	10	2.27	4.9	1.83	5.6	1.47	5.5	0.92	4.7	W	278
	12	* 3.84	5.3	* 2.58	5.9	* 2.11	5.9	* 1.35	4.8	W	274
	14	3.12	5.4	2.34	5.6	1.88	5.5	1.19	4.6	W	270
	16	3.69	5.4	2.56	5.8	1.97	5.8	1.22	4.8	NW	315
	18	3.04	4.1	2.41	6.4	1.93	6.1	1.18	4.7	NW	319
	20	3.47	6.1	2.31	6.9	1.83	6.8	1.12	5.2	NW	319
	22	2.76	7.3	2.13	7.0	1.70	7.0	1.07	5.2	NNW	327
	最大	3.84	5.3	2.58	5.9	2.11	5.9	1.35	4.8		
	平均	2.45	6.1	1.81	6.5	1.44	6.4	0.90	5.0		
04	00	* 2.59	5.9	* 1.85	7.2	* 1.49	6.8	* 0.94	5.3	NW	315
	02	2.14	6.1	1.76	6.8	1.44	6.9	0.92	5.3	NW	323
	04	1.99	6.9	1.54	6.3	1.24	6.4	0.75	4.8	NW	319
	06	2.33	7.1	1.49	6.4	1.19	6.1	0.74	4.5	NW	315
	08	2.20	7.2	1.72	7.3	1.38	7.1	0.84	5.2	NW	323
	10	1.90	7.0	1.53	7.4	1.22	7.4	0.75	5.6	不明	
	12	1.72	7.1	1.36	7.1	1.10	7.0	0.69	5.7	NW	315
	14	2.42	6.8	1.32	6.8	1.06	6.9	0.64	5.3	NNW	331
	16	1.71	7.1	1.26	6.9	1.04	6.9	0.64	5.4	NW	319
	18	1.51	5.4	1.15	6.4	0.96	6.4	0.63	5.4	NW	311
	20	1.25	5.9	0.99	6.5	0.80	6.7	0.48	5.0	NW	311
	22	1.50	6.2	1.07	6.3	0.83	6.2	0.51	4.5	NNW	335
	最大	2.59	5.9	1.85	7.2	1.49	6.8	0.94	5.3		

	平均	1.94	6.6	1.42	6.8	1.15	6.7	0.71	5.2		
05	00	1.05	6.0	0.89	6.2	0.73	6.0	0.46	4.8	NNW	327
	02	1.63	5.8	1.00	5.8	0.77	5.9	0.49	4.8	NNW	327
	04	1.89	6.5	1.34	6.7	1.06	6.6	0.67	5.3	NNW	348
	06	* 2.56	6.1	* 1.81	6.6	1.41	6.7	* 0.89	5.6	NNW	340
	08	2.44	6.8	1.72	6.6	* 1.42	6.8	0.89	5.5	NNW	331
	10	2.45	6.3	1.67	6.9	1.34	6.7	0.83	5.6	N	0
	12	2.07	7.9	1.55	6.6	1.22	6.3	0.75	4.6	N	352
	14	1.66	6.8	1.46	6.9	1.23	6.9	0.83	5.8	NW	319
	16	1.69	5.2	1.27	6.4	1.01	5.6	0.63	4.3	NNW	340
	18	1.61	6.1	1.20	6.4	0.98	6.4	0.63	4.7	NNW	327
	20	1.77	6.0	1.30	6.3	1.06	6.2	0.68	4.8	NW	323
	22	1.99	6.9	1.48	6.1	1.21	6.1	0.77	5.1	NNW	340
	最大	2.56	6.1	1.81	6.6	1.42	6.8	0.89	5.6		
	平均	1.90	6.4	1.39	6.5	1.12	6.4	0.71	5.1		
06	00	1.84	6.4	1.52	6.1	1.24	6.0	0.77	4.8	N	352
	02	2.24	6.0	1.71	5.6	1.38	5.5	0.89	4.8	NNE	16
	04	1.93	5.5	1.45	5.4	1.13	5.4	0.71	4.3	N	0
	06	1.63	5.8	1.32	5.6	1.06	5.7	0.65	4.5	N	4
	08	2.68	5.7	2.06	5.4	1.67	5.2	1.07	4.4	W	270
	10	2.12	5.6	1.67	5.1	1.33	5.0	0.84	4.0	不明	
	12	2.05	4.0	1.39	5.0	1.15	4.7	0.76	4.0	W	270
	14	1.88	4.2	1.53	5.2	1.28	5.0	0.81	4.0	WNW	303
	16	2.45	5.1	2.01	5.0	1.64	5.1	1.08	4.4	NW	315
	18	2.85	5.6	2.18	5.7	1.78	5.5	1.10	4.6	NW	319
	20	* 3.89	5.0	* 2.47	5.3	* 1.94	5.3	* 1.25	4.5	NW	323
	22	2.39	4.8	1.73	5.2	1.37	5.3	0.87	4.1	NNW	344
	最大	3.89	5.0	2.47	5.3	1.94	5.3	1.25	4.5		
	平均	2.33	5.3	1.75	5.4	1.41	5.3	0.90	4.4		
07	00	4.36	6.0	3.18	5.9	2.51	6.0	1.62	5.3	N	356
	02	* 6.97	6.6	* 3.63	6.5	* 2.83	6.7	* 1.81	5.7	NNE	16
	04	4.84	7.4	3.54	7.0	2.74	6.8	1.72	5.6	N	4
	06	4.21	7.2	3.32	7.2	2.66	7.0	1.64	5.5	NNW	344
	08	4.58	7.5	3.18	6.9	2.46	6.8	1.51	5.5	NNW	340
	10	4.29	6.4	3.15	7.2	2.48	7.0	1.50	5.5	NNW	335
	12	3.62	9.2	2.90	7.6	2.37	7.2	1.44	5.6	NNW	331
	14	3.05	7.3	2.36	7.1	1.93	7.1	1.24	5.7	NW	323
	16	2.57	6.0	2.08	6.8	1.69	7.0	1.05	5.5	NW	323
	18	3.18	9.0	2.50	7.3	1.98	7.1	1.23	5.4	NW	323
	20	2.65	8.4	2.20	7.1	1.78	7.0	1.12	5.6	NW	323
	22	2.93	7.6	2.20	7.4	1.76	7.3	1.07	5.5	NNW	335
	最大	6.97	6.6	3.63	6.5	2.83	6.7	1.81	5.7		
	平均	3.94	7.4	2.85	7.0	2.27	6.9	1.41	5.5		
08	00	2.59	7.2	2.15	7.4	* 1.78	7.5	1.10	6.0	NNW	335
	02	* 3.41	6.8	2.23	7.4	* 1.78	7.5	* 1.12	6.4	N	4
	04	3.15	7.6	* 2.27	7.5	1.76	7.7	1.10	6.3	NNW	340
	06	2.78	7.9	2.19	7.6	1.71	7.8	1.07	6.3	NNW	331
	08	2.47	7.1	2.11	8.2	1.68	7.9	1.01	6.1	NNW	335
	10	2.54	7.2	2.03	8.1	1.62	7.8	1.02	6.4	NNW	331
	12	2.53	8.0	1.96	7.7	1.57	7.7	0.98	6.3	NNW	344
	14	2.24	7.6	1.75	7.0	1.44	7.4	0.90	6.0	NNW	331
	16	2.23	7.5	1.77	7.4	1.44	7.5	0.91	6.0	NNW	335
	18	2.43	7.3	1.51	7.5	1.22	6.9	0.74	5.5	NNW	327
	20	2.10	7.2	1.57	7.1	1.28	6.7	0.80	5.0	NNW	344
	22	2.01	5.5	1.48	6.4	1.17	6.5	0.72	4.8	NNW	327
	最大	3.41	6.8	2.27	7.5	1.78	7.5	1.12	6.4		
	平均	2.54	7.2	1.92	7.4	1.54	7.4	0.96	5.9		
09	00	2.09	6.5	1.39	6.7	1.12	6.5	0.70	5.2	NNW	344
	02	1.68	7.0	1.27	7.0	1.02	6.6	0.63	5.4	NNW	331
	04	2.41	5.8	1.59	6.3	1.27	6.6	0.79	5.3	NNW	344
	06	4.09	6.7	3.17	6.7	2.42	6.6	1.46	5.3	NNW	344
	08	* 5.17	7.6	* 3.76	7.2	* 3.01	7.0	1.81	5.5	N	352
	10	5.03	6.4	3.57	7.0	2.84	7.1	* 1.82	5.9	N	4
	12	3.66	7.3	3.00	7.4	2.43	7.2	1.52	5.6	NNW	348
	14	3.91	8.3	3.09	7.5	2.50	7.0	1.57	5.4	NNW	340
	16	4.20	6.8	2.92	7.6	2.33	7.5	1.43	5.5	NNW	335
	18	3.34	9.5	2.79	7.6	2.24	7.7	1.40	5.7	N	8
	20	3.53	8.9	2.62	7.1	2.02	7.1	1.24	5.4	N	356
	22	3.81	6.8	2.74	8.1	2.27	7.7	1.45	5.9	NNW	335

		最大	5.17	7.6	3.76	7.2	3.01	7.0	1.82	5.9		
		平均	3.58	7.3	2.66	7.2	2.12	7.1	1.32	5.5		
10	00		4.34	5.4	2.81	6.5	2.27	6.7	1.42	5.0	N	352
	02		3.86	5.6	3.11	6.7	2.44	6.8	1.51	5.4	NNW	331
	04		3.81	6.5	3.04	6.7	2.41	6.7	1.50	5.2	NNW	335
	06		3.49	6.5	2.65	6.7	2.15	6.5	1.35	5.0	NNW	335
	08		3.95	8.1	3.15	6.6	2.48	6.8	1.51	5.5	NNW	340
	10		3.82	7.7	3.09	6.9	2.34	6.8	1.42	5.1	NNW	348
	12		4.00	6.6	3.25	7.3	2.59	7.2	1.63	5.6	NNW	344
	14		5.01	6.5	3.68	6.9	2.88	6.8	1.75	5.4	NNW	348
	16		5.00	7.0	3.82	7.0	3.01	6.9	1.86	5.5	NNW	331
	18		4.91	6.5	4.04	7.7	3.23	7.3	2.00	5.8	NNW	335
	20		4.66	7.9	3.93	7.4	3.18	7.4	2.02	5.8	NNW	327
	22		* 6.22	7.1	* 4.56	7.8	* 3.42	7.7	* 2.09	5.9	NNW	327
		最大	6.22	7.1	4.56	7.8	3.42	7.7	2.09	5.9		
		平均	4.42	6.8	3.43	7.0	2.70	7.0	1.67	5.4		
11	00		5.58	6.6	* 4.41	7.7	* 3.62	7.8	* 2.36	6.5	NNW	327
	02		5.43	7.7	4.34	8.3	3.45	7.9	2.14	6.2	NW	319
	04		5.32	8.6	4.14	7.9	3.25	7.9	2.08	6.3	NNW	327
	06		5.81	8.3	4.33	8.6	3.38	8.1	2.08	6.1	NW	323
	08		* 6.08	8.0	4.21	8.3	3.19	7.6	1.97	5.9	NW	323
	10		5.25	9.6	4.19	9.5	3.56	8.5	2.23	6.5	NNW	335
	12		5.02	8.8	3.61	8.2	2.83	8.0	1.78	6.1	NNW	331
	14		4.27	9.2	3.70	8.5	2.94	7.9	1.88	6.0	NNW	331
	16		3.94	9.5	3.44	8.5	2.86	8.0	1.76	6.1	NW	323
	18		4.09	6.5	3.06	7.0	2.50	6.8	1.55	5.4	NNW	331
	20		4.68	6.5	3.31	7.1	2.53	7.2	1.57	5.6	NNW	331
	22		3.84	6.4	3.18	7.7	2.59	7.3	1.57	5.5	NNW	340
		最大	6.08	8.0	4.41	7.7	3.62	7.8	2.36	6.5		
		平均	4.94	8.0	3.83	8.1	3.06	7.8	1.91	6.0		
12	00		3.52	6.3	2.70	7.0	2.20	7.0	* 1.39	5.6	NNW	344
	02		* 3.83	7.8	* 2.86	7.6	* 2.26	7.3	1.38	5.4	NNW	335
	04		3.20	8.1	2.72	7.9	2.17	7.7	1.35	5.7	NNW	335
	06		3.82	7.5	2.56	7.1	1.93	7.2	1.19	5.4	N	352
	08		2.94	7.9	2.29	7.3	1.81	7.0	1.12	5.3	NNW	344
	10		2.59	8.1	2.00	8.0	1.58	7.4	0.99	5.6	NNW	335
	12		2.08	7.8	1.69	8.0	1.37	7.2	0.86	5.7	NNW	335
	14		2.24	8.2	1.78	7.9	1.45	7.6	0.87	5.7	N	356
	16		2.37	7.3	1.61	7.4	1.28	7.3	0.80	5.9	NNW	331
	18		2.12	7.2	1.46	7.4	1.15	7.1	0.72	5.6	NNW	335
	20		1.67	7.4	1.40	7.3	1.16	7.5	0.74	6.2	NNW	331
	22		1.70	7.3	1.20	7.3	0.98	7.4	0.65	6.0	不明	
		最大	3.83	7.8	2.86	7.6	2.26	7.3	1.39	5.6		
		平均	2.67	7.6	2.02	7.5	1.61	7.3	1.01	5.7		
13	00		1.21	7.3	1.03	7.3	0.85	7.4	0.54	5.6	NNW	335
	02		1.43	7.3	0.95	7.1	0.76	6.7	0.50	5.2	NNW	327
	04		0.98	6.5	0.83	7.1	0.65	6.7	0.40	4.7	N	4
	06		0.97	7.8	0.82	7.8	0.66	7.2	0.40	5.2	NNW	344
	08		1.41	7.1	0.80	7.0	0.63	7.2	0.39	5.3	NNW	327
	10		0.90	5.3	0.69	5.1	0.55	4.1	0.35	3.1	NNE	25
	12		0.84	7.5	0.62	4.8	0.50	4.1	0.33	3.1	NNW	342
	14		0.87	7.2	0.62	5.4	0.49	4.6	0.32	3.3	NNW	335
	16		1.01	5.6	0.64	5.3	0.49	4.9	0.32	3.6	W	274
	18		2.39	5.0	1.90	4.8	1.56	4.8	1.01	4.2	WNW	282
	20		2.93	4.7	2.34	5.7	1.85	5.7	1.15	4.8	WNW	295
	22		* 3.68	6.1	* 2.89	6.5	* 2.30	6.7	* 1.44	5.3	NW	315
		最大	3.68	6.1	2.89	6.5	2.30	6.7	1.44	5.3		
		平均	1.55	6.5	1.18	6.2	0.94	5.8	0.60	4.5		
14	00		3.60	5.7	2.88	7.0	2.25	6.9	1.41	5.5	NNW	327
	02		5.53	7.2	3.64	7.7	2.81	7.5	1.75	5.8	NW	319
	04		6.61	8.0	4.74	7.6	3.81	7.6	2.46	6.2	不明	
	06		5.59	8.1	4.68	8.8	3.81	9.0	2.44	6.8	NW	323
	08		6.50	7.6	5.32	8.6	4.42	8.4	2.89	7.0	NW	319
	10		* 8.45	7.9	5.81	8.2	4.48	8.4	2.74	6.5	NNW	327
	12		5.96	9.7	5.01	8.4	4.04	8.5	2.54	6.4	NW	323
	14		8.39	7.7	5.54	8.7	4.38	8.1	2.67	6.4	NNW	331

	16	6.89	9.4	5.28	8.3	4.26	8.2	2.67	6.6	NNW	331
	18	5.95	9.1	4.99	8.5	3.96	8.0	2.45	6.3	W	274
	20	6.21	7.0	5.13	8.7	4.07	8.3	2.59	6.5	NW	315
	22	6.72	8.9	* 6.08	8.8	* 5.02	8.1	* 3.32	7.1	不明	
	最大	8.45	7.9	6.08	8.8	5.02	8.1	3.32	7.1		
	平均	6.37	8.0	4.93	8.3	3.94	8.1	2.49	6.4		
	15	00	6.64	10.2	5.78	8.9	4.76	9.0	2.96	6.9	不明
		02	7.13	8.1	5.79	9.3	4.78	9.0	3.07	7.3	NW
		04	6.51	8.9	5.45	9.7	4.41	9.2	2.74	7.0	不明
		06	7.90	9.5	6.32	9.8	5.00	9.4	2.99	6.9	NNW
		08	* 9.85	8.9	* 6.54	10.2	5.03	9.3	3.19	7.5	NW
		10	8.08	7.2	6.54	9.2	* 5.29	9.1	* 3.39	7.6	NW
		12	9.56	8.8	6.42	9.6	5.07	9.6	3.05	7.3	NNW
		14	6.54	9.0	5.69	9.8	4.72	9.3	2.93	7.3	NNW
		16	7.28	13.4	5.72	10.6	4.78	9.6	3.02	7.4	NNW
		18	6.93	9.2	5.71	9.9	4.71	9.8	3.13	8.0	NW
		20	8.10	9.0	5.83	9.7	4.54	9.5	2.77	6.9	NNW
		22	7.83	11.6	6.14	10.3	4.73	9.7	2.89	7.2	NNW
	最大	9.85	8.9	6.54	10.2	5.29	9.1	3.39	7.6		
		平均	7.70	9.5	5.99	9.8	4.82	9.4	3.01	7.3	
	16	00	7.17	9.8	5.73	10.2	* 4.60	9.6	* 2.98	7.7	NW
		02	6.65	8.8	5.01	9.8	4.20	9.8	2.65	7.4	NNW
		04	* 9.39	8.8	* 5.90	11.0	4.58	10.6	2.89	8.0	NW
		06	6.54	10.1	4.84	10.3	4.00	9.5	2.42	7.0	NNW
		08	6.91	11.1	5.05	10.2	4.10	9.6	2.57	7.4	NNW
		10	6.11	10.8	5.22	10.8	4.24	9.9	2.73	7.9	NW
		12	5.14	10.9	4.41	10.1	3.35	9.0	2.06	6.6	NW
		14	6.04	10.5	4.47	10.9	3.60	10.4	2.32	7.8	NNW
		16	4.48	8.3	3.67	9.9	2.91	9.2	1.87	7.1	NNW
		18	4.21	9.5	3.31	9.9	2.69	9.8	1.57	6.9	NNW
		20	3.84	10.5	3.08	9.7	2.48	9.6	1.51	6.7	NNW
		22	3.52	8.5	2.97	9.4	2.33	9.2	1.47	7.3	NNW
	最大	9.39	8.8	5.90	11.0	4.60	9.6	2.98	7.7		
		平均	5.83	9.8	4.47	10.2	3.59	9.7	2.25	7.3	
	17	00	3.01	9.6	2.75	9.9	2.14	9.3	1.31	7.1	NNW
		02	3.62	7.6	2.78	8.3	2.22	7.4	1.41	5.6	NNW
		04	3.45	9.1	2.51	7.0	2.02	7.3	1.29	5.3	NNW
		06	2.89	7.6	2.38	6.7	1.89	6.2	1.16	4.7	NNW
		08	3.40	7.9	2.48	6.6	1.92	6.5	1.19	5.0	NNW
		10	2.74	6.0	2.35	6.8	1.92	7.2	1.20	5.3	NNW
		12	2.98	6.6	2.41	7.0	2.01	6.8	1.28	5.0	NNW
		14	* 3.96	8.5	2.98	6.4	2.39	6.3	1.51	5.2	NNW
		16	3.78	7.4	* 3.08	7.0	* 2.44	6.6	* 1.54	5.1	WNW
		18	3.47	4.8	2.38	5.8	1.94	6.1	1.27	4.9	W
		20	2.76	5.1	2.09	6.1	1.69	6.3	1.06	5.1	NW
		22	2.82	5.4	2.37	7.3	1.98	7.0	1.29	5.8	NNW
	最大	3.96	8.5	3.08	7.0	2.44	6.6	1.54	5.1		
		平均	3.24	7.1	2.55	7.1	2.05	6.9	1.29	5.3	
	18	00	2.88	6.9	2.29	7.0	1.88	6.7	1.21	5.8	NNW
		02	3.91	5.7	3.06	6.9	2.43	7.1	1.47	5.5	NNW
		04	3.86	7.5	3.34	7.4	2.72	7.1	1.71	5.7	NNW
		06	4.42	7.8	3.50	7.9	* 2.80	7.4	* 1.79	5.9	NNW
		08	* 5.11	7.4	* 3.56	7.7	2.77	7.4	1.75	6.1	NNW
		10	4.40	7.9	3.25	8.2	2.57	8.0	1.60	5.9	NNW
		12	4.12	7.9	3.10	7.3	2.37	7.4	1.46	5.7	NNW
		14	3.47	7.2	2.61	7.2	2.11	6.8	1.31	5.2	NNW
		16	3.71	6.8	2.69	7.3	2.07	6.9	1.27	5.0	NW
		18	3.08	8.1	2.58	7.4	2.05	7.6	1.27	5.7	NNW
		20	3.82	8.0	2.55	7.7	2.03	7.5	1.22	5.7	NNW
		22	2.76	8.1	2.45	7.9	1.98	7.7	1.26	6.1	NNW
	最大	5.11	7.4	3.56	7.7	2.80	7.4	1.79	5.9		
		平均	3.80	7.4	2.92	7.5	2.32	7.3	1.44	5.7	
	19	00	2.87	6.4	2.30	7.4	1.82	7.2	1.12	5.5	NNW
		02	2.82	9.1	2.26	7.9	1.86	7.3	1.21	5.7	NW
		04	3.39	6.1	2.67	6.7	2.14	6.7	1.33	5.2	NNW
		06	4.30	7.9	3.05	7.2	2.53	7.5	1.58	5.7	N
		08	4.64	7.9	* 4.04	8.5	* 3.20	8.0	* 2.00	6.3	NNW
		10	* 4.78	6.1	3.57	7.6	2.96	7.6	1.88	6.1	NNW

	12	3.71	7.9	3.03	7.6	2.38	7.4	1.50	5.8	NNW	335
	14	3.14	6.0	2.64	7.3	2.18	7.2	1.34	5.4	NNW	331
	16	2.92	7.3	2.31	7.4	1.86	6.8	1.15	5.2	NNW	340
	18	2.96	8.5	2.52	7.5	2.10	7.3	1.31	5.6	NNW	335
	20	3.85	6.5	2.72	7.7	2.13	7.3	1.31	5.9	NNW	335
	22	3.47	7.8	2.53	7.2	1.99	7.2	1.26	5.7	NNW	340
	最大										
	平均	4.78	6.1	4.04	8.5	3.20	8.0	2.00	6.3		
		3.57	7.3	2.80	7.5	2.26	7.3	1.42	5.7		
20	00	3.97	7.7	2.78	7.8	2.20	7.4	1.37	5.7	NNW	344
	02	3.64	6.6	2.96	7.0	2.29	7.0	1.42	5.3	NNW	340
	04	4.17	7.7	3.21	7.2	2.67	6.9	1.68	5.6	NNW	344
	06	4.75	6.3	3.53	6.9	2.77	7.0	1.67	5.5	NNW	335
	08	* 5.00	7.3	* 3.67	7.6	* 2.88	7.4	* 1.82	5.8	NNW	335
	10	4.15	6.2	3.20	7.3	2.62	7.1	1.66	5.5	NNW	335
	12	3.72	8.3	2.86	7.1	2.39	6.8	1.51	5.4	NNW	340
	14	3.74	7.6	2.95	6.8	2.41	6.9	1.57	5.6	NNW	331
	16	3.94	5.4	2.75	6.2	2.18	6.1	1.39	5.1	NNW	335
	18	2.94	6.4	2.30	6.9	1.84	6.7	1.15	5.3	NNW	331
	20	2.53	6.4	2.28	6.8	1.84	6.4	1.16	5.0	NNW	327
	22	2.84	5.0	2.21	7.0	1.79	6.9	1.17	5.4	NNW	327
	最大	5.00	7.3	3.67	7.6	2.88	7.4	1.82	5.8		
	平均	3.78	6.7	2.89	7.1	2.32	6.9	1.46	5.4		
21	00	* 2.97	7.1	* 2.08	7.7	* 1.62	7.3	* 1.03	6.0	NNW	331
	02	2.73	7.5	1.97	7.4	1.55	7.2	0.95	6.0	NNW	327
	04	2.14	7.8	1.70	7.6	1.41	7.7	0.87	6.2	NNW	327
	06	1.87	7.5	1.56	7.8	1.17	7.4	0.69	5.5	NNW	344
	08	1.90	7.9	1.40	7.6	1.09	7.3	0.69	6.0	NNW	331
	10	1.62	7.4	1.24	7.7	1.01	7.6	0.60	5.6	NW	319
	12	1.46	7.1	1.20	7.6	0.96	7.6	0.58	6.0	NNW	327
	14	1.31	7.6	1.05	7.6	0.87	7.4	0.56	6.2	NNW	340
	16	1.19	7.1	0.93	6.9	0.76	7.5	0.48	6.0	NNW	331
	18	1.24	7.2	0.98	7.2	0.81	7.3	0.52	6.1	NNW	327
	20	1.40	6.8	1.00	7.0	0.76	6.9	0.44	5.2	NNW	335
	22	1.38	7.2	1.01	6.4	0.78	5.8	0.48	4.4	NNW	344
	最大	2.97	7.1	2.08	7.7	1.62	7.3	1.03	6.0		
	平均	1.77	7.4	1.34	7.4	1.07	7.3	0.66	5.8		
22	00	3.33	4.6	2.45	5.4	1.87	5.4	1.17	4.9	W	274
	02	2.74	5.0	2.24	5.9	1.84	6.0	1.17	5.1	W	270
	04	3.37	5.7	2.62	6.3	2.04	6.4	1.27	5.3	W	274
	06	3.05	5.7	2.35	5.8	1.87	5.8	1.21	5.1	W	270
	08	6.09	7.4	4.76	7.2	3.68	7.3	2.19	5.7	NNW	327
	10	* 7.78	9.2	* 5.57	9.1	* 4.23	8.4	* 2.52	6.6	NNW	335
	12	6.05	7.9	4.90	8.2	3.85	8.5	2.39	6.6	NNW	340
	14	4.99	7.1	3.55	7.4	2.86	7.3	1.85	6.1	NNW	340
	16	4.70	6.5	3.41	7.0	2.79	7.2	1.78	5.9	NNW	340
	18	3.94	5.6	2.96	6.7	2.39	6.5	1.56	5.3	NNW	344
	20	4.22	6.7	3.02	6.4	2.43	6.2	1.52	5.0	NNW	331
	22	4.29	6.4	3.15	6.3	2.44	6.5	1.56	5.3	W	266
	最大	7.78	9.2	5.57	9.1	4.23	8.4	2.52	6.6		
	平均	4.55	6.5	3.42	6.8	2.69	6.8	1.68	5.6		
23	00	* 4.24	5.3	* 3.38	6.5	* 2.80	6.4	* 1.74	5.2	WSW	258
	02	3.81	6.6	3.11	6.7	2.55	7.0	1.55	5.4	NNW	348
	04	4.05	6.4	3.22	6.8	2.60	6.6	1.63	5.3	NW	323
	06	3.71	6.4	2.79	6.6	2.23	6.4	1.40	5.0	NW	315
	08	3.57	6.0	2.66	6.2	2.14	6.4	1.39	5.2	NNW	335
	10	3.05	7.8	2.31	6.6	1.87	6.6	1.15	4.9	NNW	331
	12	3.12	5.4	2.28	5.9	1.78	5.9	1.13	4.6	W	278
	14	2.56	6.8	1.88	6.5	1.53	6.1	1.00	4.9	NW	315
	16	2.49	6.2	1.87	6.8	1.51	6.4	0.96	5.0	NNW	335
	18	2.13	7.0	1.59	7.0	1.30	6.7	0.80	5.1	NNW	331
	20	2.27	6.9	1.54	7.1	1.23	6.7	0.77	5.2	NW	323
	22	1.82	6.1	1.44	6.7	1.19	6.8	0.74	5.4	NW	323
	最大	4.24	5.3	3.38	6.5	2.80	6.4	1.74	5.2		
	平均	3.07	6.4	2.34	6.6	1.89	6.5	1.19	5.1		
24	00	2.10	6.0	1.47	6.8	1.17	7.0	0.71	5.4	NNW	327
	02	1.52	6.5	1.15	6.5	0.97	6.6	0.60	5.2	NW	319

	04	1.40	6.6	1.10	6.9	0.88	7.1	0.53	5.4	NNW	331
	06	1.54	6.3	1.13	7.2	0.89	6.9	0.53	5.0	NNW	327
	08	1.35	7.1	1.09	7.2	0.87	6.9	0.53	5.2	NW	311
	10	1.85	6.7	1.28	6.4	1.02	6.3	0.65	5.4	NW	307
	12	2.42	5.2	2.00	4.9	1.54	5.1	0.95	4.3	W	270
	14	3.39	6.1	2.15	5.8	1.71	5.7	1.08	4.9	W	274
	16	* 3.50	5.3	* 2.46	5.6	* 1.98	5.8	* 1.25	4.7	W	270
	18	3.06	5.1	2.31	5.9	1.81	5.6	1.10	4.4	NW	311
	20	2.43	6.2	1.82	5.8	1.46	5.7	0.92	4.6	NW	311
	22	2.54	7.0	1.85	5.7	1.40	5.6	0.86	4.3	WNW	299
	最大	3.50	5.3	2.46	5.6	1.98	5.8	1.25	4.7		
	平均	2.26	6.2	1.65	6.2	1.31	6.2	0.81	4.9		
25	00	* 2.34	6.7	* 1.73	6.1	* 1.38	6.2	* 0.89	5.3	NNW	331
	02	2.34	6.2	1.59	6.2	1.25	6.3	0.75	5.0	NNW	327
	04	1.42	5.0	1.05	5.8	0.83	5.9	0.52	4.7	NNW	335
	06	1.30	4.9	0.96	5.7	0.76	5.8	0.48	4.7	NW	323
	08	1.16	5.5	0.92	5.8	0.73	5.8	0.46	4.7	NNW	331
	10	1.08	5.4	0.88	5.4	0.71	5.5	0.44	4.3	NNE	12
	12	1.32	5.0	1.00	5.3	0.77	5.1	0.47	4.1	NNW	331
	14	1.22	4.7	0.89	4.4	0.72	4.3	0.45	3.5	WNW	290
	16	1.19	4.0	0.80	4.5	0.66	4.4	0.43	3.4	NNW	340
	18	1.26	4.1	0.91	4.5	0.71	4.5	0.44	3.7	NNW	344
	20	1.10	4.6	0.89	4.5	0.73	4.7	0.48	4.1	NNE	33
	22	1.21	4.4	1.01	5.0	0.83	5.1	0.54	4.1	NNE	25
	最大	2.34	6.7	1.73	6.1	1.38	6.2	0.89	5.3		
	平均	1.41	5.0	1.05	5.3	0.84	5.3	0.53	4.3		
26	00	1.40	4.7	1.04	5.7	0.82	5.2	0.53	4.3	N	4
	02	1.81	5.6	1.15	5.5	0.93	5.5	0.58	4.4	NNW	327
	04	1.57	6.5	1.17	5.8	0.93	5.6	0.59	4.2	NW	319
	06	2.12	4.4	1.41	5.4	1.15	4.9	0.74	4.0	NNW	331
	08	3.00	4.9	2.07	5.6	1.65	5.4	1.03	4.4	NNW	344
	10	2.56	5.9	2.19	5.8	1.79	5.8	1.11	4.6	NW	315
	12	2.55	5.1	2.07	5.4	1.64	5.3	1.03	4.4	NNW	335
	14	3.46	5.3	2.33	5.3	1.87	5.5	1.18	4.6	NNW	335
	16	4.15	6.4	3.11	6.2	2.46	6.3	* 1.57	5.2	NW	307
	18	4.05	5.9	* 3.16	6.5	* 2.46	6.6	1.54	5.3	NW	319
	20	3.90	6.4	2.95	6.8	2.40	6.8	1.56	5.6	NNW	327
	22	* 4.30	6.0	3.08	7.1	2.39	7.1	1.49	5.6	NW	323
	最大	4.30	6.0	3.16	6.5	2.46	6.6	1.57	5.2		
	平均	2.91	5.6	2.14	5.9	1.71	5.8	1.08	4.7		
27	00	* 5.20	7.0	* 3.24	6.9	* 2.57	6.7	* 1.62	5.3	NW	319
	02	3.76	6.5	3.04	6.7	2.48	6.7	1.53	5.2	NW	323
	04	3.84	6.5	2.55	6.8	2.09	6.7	1.34	5.4	NNW	331
	06	3.47	7.3	2.40	6.7	1.90	6.3	1.19	5.0	WNW	303
	08	2.72	5.5	2.24	6.8	1.74	6.8	1.12	5.3	NW	311
	10	2.72	7.2	2.07	6.6	1.64	6.3	1.02	4.8	NW	323
	12	2.62	7.1	1.96	6.5	1.55	6.4	1.00	4.8	NW	319
	14	2.34	5.7	1.87	6.7	1.48	6.5	0.95	5.0	NW	319
	16	1.86	5.1	1.55	6.1	1.28	6.2	0.81	4.6	NW	323
	18	2.03	5.3	1.69	5.8	1.41	6.1	0.90	5.0	NNW	335
	20	2.38	6.4	1.62	6.5	1.25	6.5	0.74	4.9	NNW	335
	22	1.94	5.7	1.48	6.7	1.21	6.6	0.77	5.5	NNW	340
	最大	5.20	7.0	3.24	6.9	2.57	6.7	1.62	5.3		
	平均	2.91	6.3	2.14	6.6	1.72	6.5	1.08	5.1		
28	00	2.08	6.2	1.56	6.8	1.22	6.8	0.76	5.5	NNW	344
	02	1.74	6.7	1.45	6.9	1.16	6.8	0.73	5.7	NNW	335
	04	1.92	6.8	1.54	6.7	1.22	6.7	0.74	5.4	NNW	331
	06	2.33	7.3	1.45	7.1	1.13	6.8	0.73	5.9	NNW	331
	08	1.31	6.3	1.11	6.5	0.91	6.6	0.58	5.4	N	352
	10	1.92	7.4	1.51	6.6	1.19	6.7	0.76	5.6	NNW	340
	12	2.42	7.1	1.91	6.3	1.58	6.2	1.04	5.1	NNW	340
	14	* 3.83	5.6	* 2.62	6.0	* 2.06	6.0	* 1.28	4.8	NNW	327
	16	3.09	6.0	2.31	6.0	1.82	5.9	1.11	4.6	NNW	327
	18	2.66	7.0	1.98	6.4	1.63	6.3	1.01	5.1	WNW	290
	20	2.24	7.3	1.94	6.7	1.54	6.7	0.97	5.5	NW	323
	22	2.21	7.5	1.84	6.8	1.45	7.0	0.89	5.4	NNW	331
	最大	3.83	5.6	2.62	6.0	2.06	6.0	1.28	4.8		

	平均	2.31	6.8	1.77	6.6	1.41	6.5	0.88	5.3		
29	00	2.66	7.0	1.85	6.9	1.46	6.9	0.92	5.8	NNW	331
	02	2.41	6.6	1.99	7.5	1.59	7.2	0.95	5.8	NNW	335
	04	* 2.72	7.2	* 1.99	7.7	* 1.59	7.5	* 0.95	6.0	NNW	335
	06	2.62	8.0	1.69	7.7	1.37	7.6	0.82	5.6	NNW	327
	08	2.05	8.0	1.66	7.6	1.34	7.5	0.81	6.2	NW	323
	10	1.90	6.4	1.37	7.4	1.07	7.3	0.63	5.3	NNW	327
	12	1.34	7.6	1.13	7.1	0.92	7.1	0.57	5.8	N	356
	14	1.40	7.5	1.13	7.3	0.93	7.2	0.58	6.0	NW	323
	16	1.26	7.0	0.85	6.9	0.71	6.8	0.47	5.8	NNW	348
	18	1.14	7.1	0.83	6.7	0.68	6.7	0.42	5.2	NNW	327
	20	0.92	7.0	0.69	6.5	0.54	6.4	0.32	4.5	N	356
	22	0.91	5.9	0.72	5.7	0.58	5.9	0.35	4.6	NNW	344
	最大	2.72	7.2	1.99	7.7	1.59	7.5	0.95	6.0		
	平均	1.78	7.1	1.33	7.1	1.07	7.0	0.65	5.6		
30	00	1.56	6.0	1.04	5.8	0.82	5.7	0.52	4.4	WNW	299
	02	1.39	6.5	1.11	6.0	0.86	5.8	0.51	4.2	WNW	282
	04	3.12	5.8	2.46	6.4	1.91	6.6	1.14	5.5	WNW	299
	06	3.66	7.0	3.11	6.4	2.47	6.3	1.57	5.3	W	274
	08	4.00	6.4	3.54	7.2	2.92	7.4	1.82	5.7	W	278
	10	5.81	7.0	4.53	7.4	3.53	7.8	2.20	6.1	WNW	299
	12	5.42	8.7	4.84	8.3	4.00	7.9	2.47	6.3	NW	311
	14	5.53	7.9	4.77	8.3	3.72	7.9	2.36	6.4	NW	323
	16	6.86	6.9	4.45	8.2	3.62	7.6	2.30	6.2	NNW	327
	18	6.28	8.2	5.12	8.5	3.97	8.4	2.50	6.6	NW	319
	20	* 8.16	9.1	* 5.72	8.8	* 4.31	8.9	2.54	6.7	NW	319
	22	6.71	9.3	5.26	9.5	4.26	9.5	* 2.69	7.3	NW	319
	最大	8.16	9.1	5.72	8.8	4.31	8.9	2.69	7.3		
	平均	4.88	7.4	3.83	7.6	3.03	7.5	1.89	5.9		
31	00	7.54	8.7	5.14	9.0	4.07	8.7	2.61	7.0	NW	319
	02	7.74	8.2	* 5.45	8.9	* 4.29	8.9	2.70	6.9	NW	323
	04	* 9.11	10.7	5.32	9.3	4.26	9.0	* 2.75	7.2	NNW	335
	06	6.51	7.2	5.21	9.0	4.14	9.1	2.61	7.2	NNW	331
	08	6.60	10.8	5.39	9.3	4.26	9.3	2.73	7.2	NNW	331
	10	6.86	10.2	5.41	9.8	3.74	9.2	2.26	7.1	NNW	327
	12	5.63	9.5	4.02	9.3	3.17	8.8	1.98	6.5	NNW	327
	14	4.52	8.8	3.58	9.2	2.93	9.1	1.82	6.5	NNW	340
	16	5.41	8.7	3.47	9.2	2.78	9.3	1.75	7.0	NNW	340
	18	3.14	7.5	2.60	8.8	2.16	8.5	1.33	6.6	NNW	344
	20	3.27	10.3	2.78	9.3	2.21	9.1	1.36	7.1	NNW	344
	22	3.55	8.8	2.43	9.4	1.94	9.0	1.24	7.5	NNW	340
	最大	9.11	10.7	5.45	8.9	4.29	8.9	2.75	7.2		
	平均	5.82	9.1	4.23	9.2	3.33	9.0	2.10	7.0		
	月最大	9.85	8.9	6.54	10.2	5.29	9.1	3.39	7.6		
	起時	1508		1508		1510		1510			
	平均	3.41	7.0	2.58	7.1	2.06	7.0	1.29	5.5		

* は日最大波高を示す