

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	333 回	測得回数	0 回
欠測回数	39 回	欠測回数	372 回
欠測率	10.5 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.64	6.0	0.50	6.4	0.39	6.6	0.24	5.4		
	02	0.53	7.0	0.48	6.0	0.38	6.5	0.23	5.3		
	04	0.58	5.8	0.45	5.9	0.37	6.0	0.23	4.4		
	06	0.62	6.5	0.48	6.0	0.38	6.1	0.23	4.8		
	08	欠測									
	10	0.62	6.3	0.48	6.0	0.38	6.3	0.23	5.4		
	12	0.73	6.3	0.46	6.2	0.36	6.2	0.23	5.3		
	14	0.58	6.3	0.46	6.4	0.37	6.1	0.23	5.2		
	16	0.71	5.5	0.48	5.6	0.38	5.7	0.23	4.9		
	18	0.48	6.0	0.38	5.7	0.30	5.8	0.18	4.6		
	20	0.48	6.3	0.34	5.8	0.27	5.7	0.16	4.0		
	22	* 1.26	3.5	* 0.86	3.1	* 0.66	3.0	* 0.42	2.8		
	最大	1.26	3.5	0.86	3.1	0.66	3.0	0.42	2.8		
	平均	0.66	6.0	0.49	5.7	0.39	5.8	0.24	4.7		
02	00	1.42	4.8	1.06	5.5	0.86	5.4	0.55	3.9		
	02	1.03	6.8	0.72	6.3	0.55	5.7	0.34	4.0		
	04	欠測									
	06	1.65	3.5	* 1.30	4.3	1.04	4.6	0.67	3.8		
	08	* 1.69	5.8	1.29	5.7	* 1.07	5.3	* 0.69	4.3		
	10	1.49	7.3	1.11	7.0	0.86	6.0	0.52	4.2		
	12	1.03	8.3	0.82	6.3	0.67	5.9	0.43	4.1		
	14	1.22	8.5	0.89	7.3	0.68	6.0	0.43	4.3		
	16	1.36	8.8	0.86	7.0	0.65	6.1	0.40	4.1		
	18	0.93	7.0	0.71	7.6	0.57	6.7	0.34	4.6		
	20	0.92	7.5	0.68	7.5	0.51	7.5	0.31	5.0		
	22	0.76	8.0	0.54	7.2	0.45	7.1	0.27	5.0		
	最大	1.69	5.8	1.30	4.3	1.07	5.3	0.69	4.3		
	平均	1.23	6.9	0.91	6.5	0.72	6.0	0.45	4.3		
03	00	* 0.77	6.5	* 0.55	7.9	0.43	7.4	0.26	5.3		
	02	0.62	7.5	0.53	8.0	* 0.44	7.8	* 0.30	6.5		
	04	0.60	8.3	0.46	7.7	0.37	7.3	0.23	5.8		
	06	0.50	6.5	0.37	7.2	0.30	7.0	0.18	5.1		
	08	0.46	7.5	0.31	6.9	0.23	6.2	0.13	3.6		
	10	0.37	8.0	0.26	7.1	0.19	6.0	0.11	3.4		
	12	欠測									
	14	欠測									
	16	0.28	1.5	0.24	1.7	0.19	2.2	0.12	2.0		
	18	0.17	8.3	0.11	4.9	0.09	3.5	0.06	2.3		
	20	0.12	7.3	0.10	6.6	0.08	4.8	0.05	2.8		
	22	0.14	7.0	0.09	6.2	0.07	4.9	0.04	2.9		
	最大	0.77	6.5	0.55	7.9	0.44	7.8	0.30	6.5		
	平均	0.40	6.8	0.30	6.4	0.24	5.7	0.15	4.0		
04	00	0.12	6.8	0.08	5.8	0.06	4.3	0.03	2.6		
	02	0.58	2.5	0.40	2.2	0.31	2.3	0.19	2.2		
	04	0.93	4.8	0.67	5.6	0.53	4.8	0.34	3.4		
	06	1.07	4.8	0.85	6.7	0.68	5.5	* 0.43	4.0		
	08	0.99	7.5	0.75	7.2	0.58	6.1	0.36	4.1		
	10	0.98	7.3	0.70	7.8	0.55	5.8	0.33	3.8		
	12	0.96	9.3	0.68	8.0	0.55	7.0	0.33	4.4		
	14	1.17	8.3	0.81	8.2	0.63	6.9	0.38	4.5		
	16	1.08	9.0	* 0.90	7.7	* 0.70	7.3	0.42	4.8		
	18	欠測									
	20	* 1.21	7.8	0.89	8.2	0.67	7.9	0.40	5.7		
	22	0.98	5.8	0.77	6.6	0.61	5.9	0.39	4.3		
	最大	1.21	7.8	0.90	7.7	0.70	7.3	0.43	4.0		

	平均	0.92	6.7	0.68	6.7	0.53	5.8	0.33	4.0	
05	00	1.15	8.3	0.83	7.5	0.65	6.5	0.41	4.2	
	02	1.17	8.5	0.86	7.2	0.68	6.3	0.42	4.2	
	04	1.18	9.3	0.86	8.3	0.64	7.1	0.37	4.4	
	06	0.93	9.0	0.75	8.1	0.58	7.1	0.35	4.9	
	08	1.02	8.5	0.78	7.7	0.60	6.6	0.36	4.3	
	10	1.32	9.8	0.86	7.5	0.67	5.5	0.41	3.8	
	12	1.20	6.0	0.99	6.1	0.78	5.2	0.49	3.8	
	14	1.41	8.3	1.09	7.4	0.86	6.3	0.54	4.2	
	16	1.30	8.8	1.10	6.8	0.88	6.1	0.55	4.3	
	18	1.82	4.8	* 1.46	6.0	* 1.20	6.0	0.75	4.5	
	20	* 2.08	8.5	1.43	6.2	1.16	5.6	* 0.78	4.4	
	22	1.91	4.5	* 1.46	6.0	1.18	5.5	0.74	4.2	
	最大	2.08	8.5	1.46	6.0	1.20	6.0	0.78	4.4	
	平均	1.37	7.9	1.04	7.1	0.82	6.2	0.51	4.3	
06	00	* 1.69	6.5	* 1.34	5.5	* 1.07	5.3	* 0.70	4.2	
	02	1.36	8.0	1.16	5.6	0.94	5.1	0.62	4.2	
	04	1.47	4.8	1.11	6.2	0.86	5.5	0.55	4.1	
	06	欠測								
	08	欠測								
	10	1.01	8.8	0.78	8.0	0.60	6.7	0.36	4.4	
	12	1.02	8.0	0.73	8.6	0.56	7.0	0.35	4.4	
	14	1.03	8.5	0.70	8.5	0.52	6.9	0.32	4.4	
	16	0.92	8.5	0.69	8.8	0.55	7.8	0.34	5.1	
	18	0.70	8.8	0.57	7.4	0.46	6.9	0.28	4.5	
	20	0.88	7.3	0.61	7.8	0.48	7.3	0.29	5.1	
	22	0.72	8.5	0.52	7.8	0.42	7.9	0.26	5.7	
	最大	1.69	6.5	1.34	5.5	1.07	5.3	0.70	4.2	
	平均	1.08	7.8	0.82	7.4	0.65	6.6	0.41	4.6	
07	00	0.67	8.0	0.52	7.7	0.42	7.9	0.25	5.7	
	02	0.63	7.0	0.48	8.4	0.37	7.9	0.22	5.8	
	04	0.56	8.0	0.45	8.4	0.38	8.3	0.26	7.5	
	06	0.62	7.5	0.42	7.8	0.34	7.6	0.20	5.5	
	08	0.54	5.8	0.41	7.7	0.33	7.5	0.19	5.4	
	10	0.50	6.0	0.38	6.8	0.30	6.6	0.18	4.7	
	12	0.51	5.8	0.40	6.4	0.31	6.4	0.19	4.9	
	14	0.60	6.0	0.46	6.2	0.36	6.2	0.21	4.6	
	16	0.83	6.0	0.57	5.1	0.45	4.5	0.27	3.1	
	18	0.77	6.0	0.62	4.9	0.51	4.9	0.31	3.5	
	20	* 1.25	4.8	* 0.92	4.8	* 0.73	4.7	* 0.47	3.6	
	22	0.58	6.3	0.47	5.0	0.38	4.6	0.23	3.5	
	最大	1.25	4.8	0.92	4.8	0.73	4.7	0.47	3.6	
	平均	0.67	6.4	0.51	6.6	0.41	6.4	0.25	4.8	
08	00	0.53	6.3	* 0.38	5.8	* 0.30	5.3	* 0.19	3.6	
	02	* 0.53	8.0	0.37	7.0	0.29	6.4	0.17	4.2	
	04	0.42	6.3	0.32	7.0	0.26	6.7	0.15	4.3	
	06	0.36	6.5	0.29	7.3	0.23	7.0	0.14	5.0	
	08	0.35	7.8	0.26	7.3	0.20	7.0	0.12	5.0	
	10	0.46	7.8	0.31	7.4	0.24	7.0	0.14	5.0	
	12	0.45	6.5	0.30	6.6	0.24	6.7	0.14	4.9	
	14	0.35	6.5	0.28	6.3	0.21	6.1	0.13	4.4	
	16	0.36	6.5			0.23	6.5			
	18	0.31	7.0	0.23	6.6	0.18	6.6	0.10	4.4	
	20	0.36	7.5	0.25	7.1	0.19	6.9	0.11	4.5	
	22	0.23	7.0	0.16	6.9	0.13	6.6	0.07	3.8	
	最大	0.53	8.0	0.38	5.8	0.30	5.3	0.19	3.6	
	平均	0.39	7.0	0.29	6.8	0.23	6.6	0.13	4.5	
09	00	0.23	6.5	0.16	6.8	0.12	6.6	0.07	3.8	
	02	0.22	7.5	0.15	7.1	0.12	6.4	0.07	3.8	
	04	0.23	6.8	0.13	6.7	0.10	5.9	0.05	3.3	
	06	0.18	7.3	0.12	6.6	0.09	5.2	0.05	3.1	
	08	0.17	6.3	0.12	5.6	0.09	4.1	0.06	2.5	
	10	0.13	7.0			0.08	7.0			
	12	欠測								
	14	0.16	4.5	0.12	4.7	0.09	4.2	0.06	2.8	
	16	0.13	7.3	0.11	5.1	0.09	4.5	0.05	3.0	
	18	0.14	5.5	0.10	4.7	0.08	3.9	0.04	2.5	
	20	* 0.39	4.3	* 0.24	4.7	* 0.19	4.6	* 0.11	3.6	
	22	0.10	6.3	0.07	4.8	0.06	3.8	0.03	2.3	

		最大	0.39	4.3	0.24	4.7	0.19	4.6	0.11	3.6			
		平均	0.19	6.3	0.13	5.7	0.10	5.1	0.06	3.1			
10	00		0.17	4.8	0.12	5.8	0.09	5.1	0.05	3.2			
	02		0.36	5.5			0.23	5.5					
	04		0.28	6.3	0.22	6.2	0.18	5.9	0.11	4.1			
	06		0.42	6.0	0.26	5.7	0.21	5.3	0.12	3.8			
	08		0.28	6.3	0.21	5.5	0.17	5.3	0.10	3.7			
	10		0.32	6.5	0.24	6.3	0.19	5.9	0.11	4.0			
	12		0.48	6.8	0.32	6.7	0.25	6.4	0.14	4.3			
	14		0.48	6.5			0.30	6.5					
	16		0.56	7.8	0.40	6.9	0.30	6.6	0.17	4.6			
	18		0.49	7.5	0.36	6.2	0.29	5.3	0.18	3.4			
	20	*	0.59	5.8	* 0.42	5.6	* 0.31	5.1	* 0.19	3.6			
	22		0.39	6.0	0.31	6.3	0.24	6.1	0.14	4.0			
	最大		0.59	5.8	0.42	5.6	0.31	5.1	0.19	3.6			
	平均		0.40	6.3	0.29	6.1	0.23	5.8	0.13	3.9			
11	00		0.47	5.5	0.33	6.0	0.25	5.4	0.15	3.6			
	02		0.46	5.8	0.35	6.2	0.27	6.2	0.17	4.7			
	04		0.42	6.8	0.31	6.6	0.25	6.6	0.15	4.9			
	06	*	0.64	6.3	* 0.36	6.2	0.26	5.8	0.15	4.1			
	08		0.44	5.8	0.34	6.2	0.26	5.7	0.16	3.8			
	10		0.53	6.5	0.36	6.1	* 0.28	5.2	* 0.18	3.4			
	12		0.43	5.5	0.30	5.0	0.24	4.4	0.15	3.0			
	14		0.36	6.5	0.28	4.0	0.23	3.6	0.14	2.6			
	16		0.47	6.0	0.28	6.2	0.21	5.1	0.12	3.3			
	18		0.30	6.3	0.23	5.7	0.18	5.7	0.11	3.8			
	20		0.34	6.8	0.26	6.6	0.20	6.1	0.12	4.2			
	22		0.35	6.5			0.22	6.5					
	最大		0.64	6.3	0.36	6.2	0.28	5.2	0.18	3.4			
	平均		0.43	6.2	0.31	5.9	0.24	5.5	0.15	3.8			
12	00		0.30	7.0	0.20	6.5	0.16	6.4	0.09	4.5			
	02		0.29	6.3	0.21	6.4	0.17	6.2	0.10	4.3			
	04		0.39	6.3	0.25	5.7	0.19	5.6	0.11	4.0			
	06		0.49	4.0	0.37	4.8	0.29	4.7	0.18	3.7			
	08		0.53	2.8	0.36	4.1	0.29	3.6	0.18	2.8			
	10		0.47	5.3	0.35	4.8	0.28	4.2	0.18	3.0			
	12		0.43	5.5	0.31	4.3	0.25	3.8	0.16	2.8			
	14		0.52	5.8	0.40	5.2	* 0.32	4.4	* 0.19	2.9			
	16		0.37	6.0	0.27	5.9	0.21	5.2	0.12	3.3			
	18		0.43	6.3	0.30	6.1	0.24	5.5	0.14	3.6			
	20	*	0.53	6.5	* 0.40	5.9	0.31	5.6	0.18	4.4			
	22		0.42	6.5	0.29	6.9	0.21	6.8	0.12	4.6			
	最大		0.53	6.5	0.40	5.9	0.32	4.4	0.19	2.9			
	平均		0.43	5.7	0.31	5.6	0.24	5.2	0.15	3.7			
13	00		0.38	7.0	0.28	6.9	0.21	6.9	0.13	5.3			
	02		0.34	6.8	0.26	6.8	0.21	6.9	0.11	4.5			
	04		0.45	6.5	0.31	7.0	0.24	6.9	0.14	5.0			
	06		0.34	6.5	0.24	7.1	0.19	7.1	0.10	4.8			
	08		0.30	6.3	0.22	6.3	0.17	5.8	0.10	3.9			
	10		0.28	6.8	0.17	6.8	0.13	6.0	0.07	3.4			
	12		0.26	6.8	0.21	7.1	0.17	6.7	0.10	4.2			
	14		0.34	7.3	0.25	7.0	0.19	6.9	0.11	4.5			
	16		0.34	7.0	0.26	7.1	0.20	7.1	0.11	5.0			
	18		0.38	7.8	0.28	7.5	0.21	7.5	0.12	5.0			
	20	*	0.54	8.0	* 0.39	7.0	* 0.31	6.3	* 0.17	4.6			
	22		0.33	8.0	0.26	7.6	0.20	7.4	0.11	4.8			
	最大		0.54	8.0	0.39	7.0	0.31	6.3	0.17	4.6			
	平均		0.36	7.1	0.26	7.0	0.20	6.8	0.11	4.6			
14	00		0.37	7.3	0.28	7.4	0.21	7.1	0.12	4.3			
	02		0.38	7.5	0.26	7.4	0.20	6.4	0.11	3.8			
	04		0.35	8.0	0.27	7.7	0.21	7.4	0.12	4.6			
	06		0.44	8.3	0.32	8.1	0.25	7.7	0.14	5.1			
	08		0.45	7.5	0.27	7.7	0.20	7.0	0.10	4.1			
	10		0.32	7.3	0.27	7.7	0.20	7.2	0.11	4.4			
	12		0.35	7.2			0.22	7.2					
	14		0.40	6.5	0.29	5.6	0.24	4.6	0.15	3.2			

	16	0.71	4.5	0.62	5.3	0.50	4.2	0.34	3.4	
	18	1.11	3.0	0.87	3.3	0.73	3.7	0.51	3.5	
	20	* 1.51	5.5	* 1.07	5.0	0.84	4.6	* 0.53	3.7	
	22	1.30	6.8	1.06	6.9	* 0.84	5.6	0.52	4.0	
	最大	1.51	5.5	1.07	5.0	0.84	5.6	0.53	3.7	
	平均	0.64	6.6	0.51	6.6	0.39	6.1	0.25	4.0	
15	00	1.74	7.5	1.15	7.1	0.90	5.5	0.57	4.1	
	02	1.60	5.3	1.11	6.7	0.90	6.0	0.55	4.2	
	04	1.56	6.3	1.04	6.3	0.83	5.5	0.52	4.0	
	06	1.37	6.3	1.14	6.3	0.91	5.7	0.57	4.1	
	08	1.65	6.0	1.15	6.1	0.91	5.3	0.59	4.1	
	10	1.12	7.5	0.83	7.0	0.65	6.1	0.39	4.3	
	12	1.48	7.0	1.09	5.5	0.92	4.8	0.59	3.8	
	14	* 1.75	6.5	* 1.31	5.5	* 1.08	5.0	* 0.72	4.3	
	16	1.65	4.5	1.08	5.5	0.84	4.8	0.53	3.8	
16	18	1.01	6.8	0.79	6.0	0.62	5.3	0.39	3.8	
	20	0.97	7.3	0.74	6.2	0.58	5.8	0.36	4.0	
	22	0.72	8.0	0.57	7.2	0.44	6.4	0.25	4.1	
	最大	1.75	6.5	1.31	5.5	1.08	5.0	0.72	4.3	
	平均	1.39	6.6	1.00	6.3	0.80	5.5	0.50	4.1	
17	00	0.73	7.5	* 0.53	7.1	* 0.41	6.8	* 0.25	4.6	
	02	0.68	8.3	0.47	7.9	0.37	7.0	0.22	4.7	
	04	* 0.83	7.0	0.48	7.3	0.36	7.4	0.22	5.5	
	06	0.51	6.5	0.40	7.0	0.31	7.0	0.18	5.0	
	08	0.53	7.8	0.37	7.3	0.28	7.3	0.16	5.1	
	10	0.50	7.3	0.33	7.4	0.26	7.2	0.16	5.4	
	12	0.44	7.5	0.28	7.6	0.22	7.5	0.12	4.7	
	14	0.30	7.3	0.23	7.3	0.17	6.9	0.09	3.8	
	16	0.33	7.5			0.21	7.5			
18	18	0.26	7.5	0.19	7.3	0.14	6.5	0.08	3.9	
	20	0.44	4.5	0.35	4.9	0.26	5.8	0.14	4.3	
	22	0.23	7.3	0.16	6.7	0.12	5.3	0.07	3.2	
	最大	0.83	7.0	0.53	7.1	0.41	6.8	0.25	4.6	
	平均	0.48	7.2	0.34	7.1	0.26	6.9	0.15	4.6	
19	00	0.30	7.8	0.18	6.6	0.13	4.6	0.08	2.8	
	02	0.26	7.5	0.18	6.7	0.14	5.6	0.08	3.4	
	04	0.24	6.5	0.18	7.0	0.13	5.7	0.08	3.4	
	06	0.36	7.0			0.23	7.0			
	08	0.30	7.3	0.24	6.8	0.18	6.2	0.10	3.7	
	10	0.36	6.5	0.26	6.8	0.20	6.3	0.11	4.0	
	12	0.30	7.0	0.25	6.9	0.20	6.6	0.12	4.5	
	14	0.43	6.3	0.33	7.1	0.26	6.7	0.16	4.4	
	16	0.50	5.3	0.35	6.3	0.27	6.4	0.16	4.6	
20	18	0.54	6.8	0.40	5.8	0.32	6.0	0.19	4.3	
	20	* 0.93	4.5	* 0.59	4.9	* 0.48	4.5	* 0.30	3.4	
	22	0.63	7.0	0.48	6.7	0.39	6.2	0.26	5.1	
	最大	0.93	4.5	0.59	4.9	0.48	4.5	0.30	3.4	
	平均	0.43	6.6	0.31	6.5	0.24	6.0	0.15	4.0	
21	00	0.64	7.5	0.50	7.1	0.39	6.9	0.23	4.9	
	02	0.61	7.3	0.47	7.4	0.37	7.4	0.23	5.4	
	04	0.53	7.3	0.43	7.5	0.34	7.3	0.20	5.5	
	06	0.49	7.3	0.38	7.2	0.31	7.0	0.18	5.3	
	08	0.49	6.5	0.37	6.9	0.29	6.7	0.18	5.1	
	10	0.55	6.5	0.37	6.6	0.29	6.5	0.16	4.5	
	12	0.56	6.5	0.42	6.6	0.34	6.5	0.20	5.0	
	14	0.54	6.3	0.43	6.5	0.35	6.6	0.22	5.4	
	16	* 0.77	6.3	* 0.51	6.2	* 0.41	5.3	* 0.26	3.6	
22	18	0.58	6.3	0.40	6.2	0.31	5.2	0.19	3.4	
	20	0.67	6.8	0.48	5.9	0.36	5.5	0.22	3.5	
	22	0.57	6.0	0.40	6.1	0.33	6.1	0.21	4.3	
	最大	0.77	6.3	0.51	6.2	0.41	5.3	0.26	3.6	
	平均	0.58	6.7	0.43	6.7	0.34	6.4	0.21	4.7	
23	00	0.39	5.5	0.31	6.3	0.25	6.2	* 0.15	4.6	
	02	0.35	6.5	0.28	6.6	0.21	6.3	0.13	4.4	
	04	0.37	7.3	0.26	6.4	0.20	5.9	0.12	4.5	
	06	0.38	5.5	0.26	6.2	0.20	6.0	0.12	4.4	
	08	0.33	5.5	0.23	6.2	0.19	6.3	0.11	4.6	
	10	0.33	6.3	0.24	6.5	0.19	6.1	0.11	4.0	

	12	0.38	6.8	0.29	6.3	0.22	6.1	0.12	3.9		
	14	0.35	6.3	0.26	6.2	0.20	6.0	0.12	4.3		
	16	0.37	6.5	0.27	6.3	0.22	6.1	0.13	4.4		
	18	0.36	6.8	0.28	6.2	0.22	6.3	0.12	4.3		
	20	* 0.51	6.5	* 0.34	6.1	* 0.26	6.0	* 0.15	4.6		
	22	0.38	6.8	0.29	6.0	0.23	5.9	0.14	4.5		
	最大										
	平均	0.51	6.5	0.34	6.1	0.26	6.0	0.15	4.6		
		0.38	6.4	0.28	6.3	0.22	6.1	0.13	4.4		
20	00	0.33	8.8	0.27	6.2	0.21	6.3	0.12	4.6		
	02	0.39	6.0	0.25	6.1	0.20	6.1	0.11	4.3		
	04	0.47	5.5	0.30	6.2	0.23	5.6	0.13	3.6		
	06	0.58	6.0	0.40	6.1	0.32	5.8	0.19	3.9		
	08	0.69	7.0	0.60	6.7	* 0.48	6.7	* 0.31	5.8		
	10	0.77	6.0	0.54	6.3	0.42	6.2	0.24	4.6		
	12	0.70	5.8	0.55	6.1	0.43	6.1	0.27	5.0		
	14	0.64	6.0	0.51	6.1	0.43	6.0	0.27	4.9		
	16	0.72	5.8	0.56	5.8	0.42	5.6	0.25	3.9		
	18	0.61	4.0	0.44	5.6	0.35	5.0	0.22	3.7		
	20	0.64	6.0	0.51	5.6	0.41	5.1	0.25	3.6		
	22	* 0.95	4.5	* 0.62	5.4	0.48	4.9	0.30	3.6		
	最大	0.95	4.5	0.62	5.4	0.48	6.7	0.31	5.8		
	平均	0.62	6.0	0.46	6.0	0.37	5.8	0.22	4.3		
	21	00	1.01	4.0	0.77	3.8	0.64	3.8	0.40	3.1	
		02	0.81	5.8	0.64	4.6	0.52	4.2	0.33	3.2	
		04	0.77	5.5	0.56	4.7	0.45	4.2	0.29	3.1	
06		0.64	3.3	0.55	4.5	0.44	4.2	0.28	3.1		
08		1.00	7.3	0.78	5.7	0.61	4.8	0.38	3.6		
10		0.90	4.5	0.73	6.0	0.58	5.4	0.37	3.9		
12		0.99	7.0	0.79	6.1	0.62	5.2	0.38	3.6		
14		0.99	3.3	0.76	5.3	0.63	4.5	0.41	3.4		
16		1.07	4.5	0.86	5.3	0.69	4.7	0.44	3.5		
	18	0.95	6.3	0.84	5.6	0.66	5.3	0.41	3.8		
	20	* 1.40	7.3	* 0.98	7.2	* 0.78	6.7	* 0.48	4.6		
	22	1.12	5.8	0.80	6.7	0.62	6.5	0.38	4.4		
	最大	1.40	7.3	0.98	7.2	0.78	6.7	0.48	4.6		
	平均	0.97	5.4	0.76	5.5	0.60	5.0	0.38	3.6		
	22	00	* 0.99	8.3	* 0.77	6.8	* 0.62	6.7	* 0.40	5.0	
		02	0.98	5.0	0.71	6.8	0.56	6.0	0.34	4.2	
		04	0.61	6.8	0.55	6.5	0.44	6.0	0.26	4.2	
06		0.59	7.5	0.46	6.7	0.35	6.1	0.20	4.1		
08		0.54	6.3	0.43	6.8	0.34	6.7	0.22	5.4		
10		0.41	7.3	0.33	6.4	0.25	6.6	0.14	4.5		
12		0.39	7.0	0.32	6.5	0.26	6.5	0.15	4.9		
14		0.46	6.8			0.29	6.8				
16		0.39	7.3	0.30	7.2	0.24	7.3	0.14	5.4		
	18	0.44	6.3	0.27	6.9	0.21	6.7	0.12	4.2		
	20	0.40	6.8			0.25	6.8				
	22	0.33	7.0			0.21	7.0				
	最大	0.99	8.3	0.77	6.8	0.62	6.7	0.40	5.0		
	平均	0.54	6.9	0.46	6.7	0.34	6.6	0.22	4.7		
	23	00	0.31	7.3	0.21	7.1	0.15	5.9	0.09	3.3	
		02	0.26	6.3	0.17	6.1	0.13	4.9	0.08	2.9	
		04	0.28	7.3	0.18	6.0	0.14	4.5	0.08	2.8	
06		0.29	7.8	0.20	6.7	0.15	5.5	0.09	3.3		
08		0.27	7.0	0.19	6.1	0.14	4.2	0.08	2.7		
10		0.35	6.5	0.26	4.0	0.21	3.2	0.14	2.4		
12		0.43	6.8			0.27	6.8				
14		0.34	6.8	0.23	6.4	0.17	5.6	0.10	3.4		
16		0.62	2.3	0.40	3.1	0.30	3.0	0.18	2.3		
	18	0.85	4.3	0.57	3.3	0.45	3.3	0.28	2.7		
	20	* 2.41	6.8	* 1.98	5.6	* 1.57	5.5	* 1.01	4.5		
	22	2.06	5.3	1.57	5.5	1.23	5.4	0.78	4.2		
	最大	2.41	6.8	1.98	5.6	1.57	5.5	1.01	4.5		
	平均	0.71	6.2	0.54	5.4	0.41	4.8	0.26	3.1		
	24	00	1.50	6.3	1.28	5.3	1.00	5.2	0.61	3.8	
		02	1.47	3.5	1.06	4.6	0.84	4.5	0.55	3.8	

	04	1.28	4.3	0.93	4.6	0.73	4.4	0.46	3.4	
	06	1.24	6.5	0.98	5.3	0.76	5.1	0.48	3.6	
	08	1.17	7.3	0.92	5.2	0.75	4.8	0.48	3.7	
	10	1.01	6.8	0.76	5.1	0.61	4.7	0.40	3.6	
	12	0.78	7.3	0.62	5.1	0.50	5.0	0.32	3.5	
	14	1.19	3.0	0.78	4.4	0.65	3.9	0.47	3.4	
	16	0.99	3.8	0.73	3.8	0.59	3.8	0.38	3.1	
	18	0.94	3.3	0.65	5.5	0.51	4.5	0.33	3.2	
	20	* 1.66	6.3	* 1.33	4.7	* 1.09	4.6	* 0.71	3.8	
	22	1.25	3.5	0.89	5.1	0.71	5.2	0.49	4.2	
	最大	1.66	6.3	1.33	4.7	1.09	4.6	0.71	3.8	
	平均	1.21	5.2	0.91	4.9	0.73	4.6	0.47	3.6	
25	00	* 1.28	6.0	0.76	5.5	0.60	4.9	0.38	3.5	
	02	1.06	2.8	0.74	4.4	0.60	4.2	0.38	3.1	
	04	0.94	6.5	0.69	4.5	0.55	4.1	0.37	3.3	
	06	1.01	2.5	* 0.79	3.2	* 0.65	3.5	* 0.46	3.1	
	08	0.69	6.0	0.49	6.0	0.39	4.9	0.25	3.5	
	10	0.70	5.0	0.53	4.9	0.42	4.1	0.27	3.1	
	12	0.73	6.0	0.53	5.7	0.43	5.0	0.27	3.4	
	14	0.90	6.0	0.54	5.1	0.43	4.5	0.28	3.3	
	16	0.91	6.8	0.56	5.4	0.44	4.8	0.27	3.4	
	18	0.81	5.8	0.53	4.9	0.42	4.3	0.27	3.1	
	20	0.70	5.3	0.53	5.4	0.43	4.8	0.28	3.4	
	22	0.83	6.0	0.63	4.8	0.50	4.8	0.33	4.0	
	最大	1.28	6.0	0.79	3.2	0.65	3.5	0.46	3.1	
	平均	0.88	5.4	0.61	5.0	0.49	4.5	0.32	3.4	
26	00	* 0.72	6.5	0.53	5.2	0.42	4.5	0.27	3.3	
	02	0.64	4.5	* 0.55	5.2	* 0.45	4.8	* 0.32	3.8	
	04	0.60	5.5	0.41	5.4	0.34	4.8	0.21	3.3	
	06	0.54	6.0	0.38	5.7	0.28	4.9	0.17	3.2	
	08	0.44	5.5	0.36	6.4	0.27	6.4	0.16	4.6	
	10	0.52	5.5	0.35	6.2	0.27	6.1	0.16	4.6	
	12	0.37	6.0	0.30	5.8	0.24	5.7	0.14	4.2	
	14	0.48	5.0	0.34	5.9	0.26	5.5	0.15	3.9	
	16	0.43	6.8	0.31	5.6	0.25	5.7	0.14	4.1	
	18	0.43	4.8	0.28	6.3	0.22	5.8	0.13	4.3	
	20	0.33	6.3	0.23	6.4	0.18	6.1	0.11	4.2	
	22	0.27	6.3	0.22	6.6	0.18	6.1	0.10	3.8	
	最大	0.72	6.5	0.55	5.2	0.45	4.8	0.32	3.8	
	平均	0.48	5.7	0.36	5.9	0.28	5.5	0.17	3.9	
27	00	0.35	7.0			0.22	7.0			
	02	0.24	7.5			0.15	7.5			
	04	0.36	1.8			0.23	1.8			
	06	0.30	8.0			0.19	8.0			
	08	0.46	1.5			0.29	1.5			
	10	0.26	1.5			0.16	1.5			
	12	0.23	1.5			0.15	1.5			
	14	0.25	2.0			0.16	2.0			
	16	0.20	7.0			0.12	7.0			
	18	0.15	7.8			0.09	7.8			
	20	0.13	6.5			0.08	6.5			
	22	* 0.79	2.0	* 0.52	2.1	* 0.40	2.3	* 0.27	2.4	
	最大	0.79	2.0	0.52	2.1	0.40	2.3	0.27	2.4	
	平均	0.31	4.5	0.52	2.1	0.19	4.5	0.27	2.4	
28	00	0.86	7.0	0.66	6.4	0.55	5.7	0.37	4.6	
	02	1.06	6.0	0.76	6.4	0.63	7.1	0.42	5.6	
	04	1.25	10.0	1.09	7.5	0.89	6.2	* 0.60	4.6	
	06	* 1.65	7.0	* 1.11	7.7	* 0.89	7.0	0.58	4.8	
	08	1.19	10.0	0.99	8.8	0.82	8.2	0.54	5.6	
	10	1.22	7.0	1.01	8.4	0.82	7.8	0.54	5.5	
	12	1.32	8.0	0.94	9.3	0.75	8.0	0.49	5.7	
	14	1.16	9.0	0.88	9.1	0.71	7.8	0.45	5.2	
	16	1.22	8.0	1.07	7.3	0.87	7.5	0.57	5.2	
	18	1.42	8.0	1.06	8.2	0.82	7.6	0.52	5.2	
	20	1.35	7.0	0.99	8.1	0.76	6.9	0.48	4.8	
	22	1.42	9.0	0.96	8.9	0.76	7.6	0.48	5.1	
	最大	1.65	7.0	1.11	7.7	0.89	7.0	0.60	4.6	

	平均	1.26	8.0	0.96	8.0	0.77	7.3	0.50	5.2	
29	00	0.99	8.0	0.82	8.8	0.64	8.5	0.40	6.1	
	02	0.96	10.0	0.80	10.0	0.63	8.8	0.39	6.8	
	04	1.22	9.0	0.85	9.1	0.70	9.4	0.46	7.7	
	06	1.25	12.0	1.07	9.9	0.88	10.0	0.57	8.2	
	08	* 1.75	11.0	* 1.36	9.5	* 1.11	8.5	* 0.68	5.8	
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大	1.75	11.0	1.36	9.5	1.11	8.5	0.68	5.8	
	平均	1.23	10.0	0.98	9.5	0.79	9.0	0.50	6.9	
30	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
31	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
	月最大	2.41	6.8	1.98	5.6	1.57	5.5	1.01	4.5	
	起時	2320		2320		2320		2320		
	平均	0.70	6.5	0.54	6.3	0.41	5.9	0.27	4.2	

* は日最大波高を示す

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	251 回	測得回数	0 回
欠測回数	85 回	欠測回数	336 回
欠測率	25.3 %	欠測率	100.0 %

機種：波高 USW - 19 m 波向

[illegible]

	平均												
05	00	欠测											
	02	欠测											
	04	欠测											
	06	欠测											
	08	欠测											
	10	0.28	6.2				0.18	6.2					
	12	0.40	6.0				0.25	6.0					
	14	0.30	6.5				0.19	6.5					
	16	0.66	3.0	0.50	3.1		0.40	2.9	0.27	3.0			
	18	0.73	3.0	0.56	3.3		0.43	3.7	0.30	3.4			
	20	* 0.79	2.0	* 0.61	4.6		* 0.49	4.4	* 0.31	3.4			
	22	0.76	4.0	0.52	4.8		0.42	4.7	0.29	3.6			
	最大	0.79	2.0	0.61	4.6		0.49	4.4	0.31	3.4			
	平均	0.56	4.4	0.55	4.0		0.34	4.9	0.29	3.4			
06	00	0.69	4.0	0.58	4.6		0.48	4.5	0.33	3.8			
	02	0.76	3.0	0.57	3.7		0.45	3.5	0.30	3.4			
	04	0.73	2.0	0.53	3.2		0.42	2.9	0.27	2.8			
	06	0.79	3.0	0.66	3.8		0.53	3.6	0.36	3.1			
	08	0.73	3.0	0.56	4.7		0.47	4.4	0.32	3.6			
	10	0.92	6.0	0.72	6.5		0.58	5.3	0.38	4.1			
	12	0.79	8.0	0.72	6.1		0.59	6.0	0.39	4.2			
	14	* 0.96	3.0	* 0.81	5.0		* 0.69	4.9	* 0.47	4.1			
	16	0.76	6.0	0.63	6.3		0.53	5.5	0.37	4.1			
	18	0.69	6.0	0.57	6.3		0.48	5.9	0.32	4.7			
	20	0.61	6.0	0.49	6.8		0.39	6.7	0.27	5.7			
	22	0.46	6.5				0.29	6.5					
	最大	0.96	3.0	0.81	5.0		0.69	4.9	0.47	4.1			
	平均	0.74	4.7	0.62	5.2		0.49	5.0	0.34	4.0			
07	00	0.37	6.0				0.23	6.0					
	02	0.40	6.5				0.25	6.5					
	04	0.38	7.0				0.24	7.0					
	06	0.30	6.5				0.19	6.5					
	08	0.32	6.2				0.20	6.2					
	10	0.36	6.0				0.23	6.0					
	12	0.35	7.8				0.22	7.8					
	14	0.40	7.5				0.25	7.5					
	16	0.40	7.0				0.25	7.0					
	18	0.41	8.0				0.26	8.0					
	20	* 0.50	6.2				* 0.32	6.2					
	22	0.39	6.7				0.25	6.7					
	最大	0.50	6.2				0.32	6.2					
	平均	0.38	6.8				0.24	6.8					
08	00	0.40	7.0				0.25	7.0					
	02	0.35	8.5				0.22	8.5					
	04	* 0.53	7.5	* 0.38	7.6		0.30	7.6	* 0.21	6.8			
	06	0.47	7.8				* 0.30	7.8					
	08	0.46	7.5				0.29	7.5					
	10	0.40	8.0				0.25	8.0					
	12	0.41	7.5				0.26	7.5					
	14	0.30	8.0				0.19	8.0					
	16	0.28	7.0				0.18	7.0					
	18	0.23	7.8				0.15	7.8					
	20	0.30	7.3				0.19	7.3					
	22	0.31	1.8				0.20	1.8					
	最大	0.53	7.5	0.38	7.6		0.30	7.8	0.21	6.8			
	平均	0.37	7.1	0.38	7.6		0.23	7.2	0.21	6.8			
09	00	0.20	6.0				0.12	6.0					
	02	0.33	2.0				0.21	2.0					
	04	0.13	8.0				0.08	8.0					
	06	0.17	7.5				0.10	7.5					
	08	* 0.89	2.5	* 0.65	2.6		* 0.50	2.7	* 0.34	2.7			
	10	0.53	4.5	0.41	3.6		0.33	10.9	0.24	5.4			
	12	0.59	5.0	0.45	5.5		0.37	5.4	0.25	4.3			
	14	0.78	2.5	0.51	4.2		0.41	4.0	0.27	3.1			
	16	0.49	2.8				0.31	2.8					
	18	0.49	2.8				0.31	2.8					
	20	0.50	4.0				0.31	4.0					
	22	0.21	5.0				0.13	5.0					

		最大	0.89	2.5	0.65	2.6	0.50	2.7	0.34	2.7	
		平均	0.44	4.4	0.51	4.0	0.27	5.1	0.28	3.9	
10	00		0.21	5.0			0.14	5.0			
	02		0.21	4.5			0.14	4.5			
	04		0.26	5.0			0.16	5.0			
	06		0.20	5.0			0.12	5.0			
	08		0.20	4.5			0.12	4.5			
	10		0.20	5.0			0.12	5.0			
	12		0.17	4.3	0.12	4.4	0.10	4.4	0.06	3.1	
	14		0.30	2.0	0.22	1.9	0.18	2.0	0.11	2.0	
	16		0.20	5.0			0.12	5.0			
	18		0.21	4.0	0.15	3.6	0.12	3.6	0.08	2.7	
	20	* 0.64	5.3	* 0.33	4.3	* 0.22	4.3	* 0.12	3.4		
	22	0.15	4.3	0.11	3.8	0.09	3.8	0.05	2.5		
	最大										
		平均	0.64	5.3	0.33	4.3	0.22	4.3	0.12	3.4	
			0.25	4.5	0.19	3.6	0.14	4.3	0.08	2.7	
11	00		0.14	3.5	0.11	4.2	0.08	3.8	0.05	2.6	
	02		0.32	7.8	0.25	7.3	0.19	6.5	0.11	4.3	
	04		0.51	7.3	0.41	7.1	0.31	7.4	0.18	5.5	
	06		0.49	5.8	0.37	7.1	0.29	6.7	0.17	5.1	
	08		0.50	8.3	0.39	6.9	0.31	7.0	0.18	5.0	
	10		0.47	6.0	0.36	6.5	0.30	6.5	0.17	4.5	
	12		0.38	6.3	0.30	6.9	0.24	6.7	0.15	4.8	
	14		0.53	6.5	0.34	7.0	0.25	6.3	0.14	3.8	
	16		0.43	6.5	0.32	6.3	0.24	6.0	0.13	3.8	
	18	* 0.63	5.3	* 0.45	3.6	* 0.36	3.6	* 0.23	2.9		
	20	欠測									
	22	0.38	5.3	0.29	6.1	0.23	5.8	0.13	3.9		
	最大										
		平均	0.63	5.3	0.45	3.6	0.36	3.6	0.23	2.9	
			0.43	6.2	0.33	6.3	0.25	6.0	0.15	4.2	
12	00		1.17	3.3	0.96	3.9	0.76	3.9	0.49	3.4	
	02		1.19	5.5	0.89	5.3	0.75	5.1	0.46	3.8	
	04	* 1.35	4.5	* 0.97	5.1	* 0.79	5.0	* 0.50	3.7		
	06		1.13	6.5	0.92	6.1	0.74	5.1	0.47	3.9	
	08		0.88	7.5	0.66	5.4	0.53	4.7	0.33	3.4	
	10		0.87	2.8	0.64	4.8	0.52	4.3	0.34	3.3	
	12		0.82	7.5	0.60	5.6	0.47	4.8	0.30	3.3	
	14		0.67	5.5	0.51	5.3	0.40	4.6	0.25	3.2	
	16		0.70	6.0	0.55	6.3	0.41	5.7	0.24	3.7	
	18		0.65	6.3	0.43	6.2	0.33	5.7	0.19	3.9	
	20		0.80	4.5	0.50	5.2	0.38	5.5	0.23	4.4	
	22		0.51	7.3	0.41	6.7	0.33	6.5	0.20	5.1	
	最大										
		平均	1.35	4.5	0.97	5.1	0.79	5.0	0.50	3.7	
			0.90	5.6	0.67	5.5	0.53	5.1	0.33	3.8	
13	00		0.51	5.8	0.37	6.5	0.31	6.3	0.19	5.0	
	02		0.51	6.0	0.35	6.4	0.28	6.2	0.16	4.5	
	04		0.42	6.0	0.34	6.8	0.26	6.7	0.15	4.6	
	06		0.47	8.0	0.39	7.2	0.32	6.6	0.19	5.2	
	08		0.59	6.0	0.42	6.0	0.33	5.7	0.20	4.3	
	10		0.52	7.3	0.42	6.7	0.32	6.1	0.18	4.1	
	12		0.56	6.8	0.45	6.9	0.35	6.3	0.21	4.4	
	14		0.68	7.3	0.52	6.6	0.39	5.8	0.23	3.8	
	16	* 0.95	6.8	0.62	6.6	0.48	5.9	0.29	4.0		
	18	欠測									
	20	0.88	7.5	* 0.64	6.7	* 0.52	6.4	* 0.33	4.6		
	22	欠測									
	最大										
		平均	0.95	6.8	0.64	6.7	0.52	6.4	0.33	4.6	
			0.61	6.8	0.45	6.6	0.36	6.2	0.21	4.5	
14	00	欠測									
	02	0.95	8.3	* 0.74	7.6	* 0.58	7.0	0.34	4.7		
	04	* 1.02	7.0	0.66	7.3	0.55	7.0	0.35	5.0		
	06	0.86	5.5	0.62	6.4	0.50	6.1	0.31	4.4		
	08	0.77	7.0	0.52	6.3	0.39	5.6	0.24	3.9		
	10	0.65	6.0	0.49	6.6	0.39	5.9	0.25	4.1		
	12		0.84	7.3	0.65	6.9	0.50	6.6	0.29	4.5	
	14		1.00	6.0	0.70	6.4	0.54	5.5	0.34	3.6	

	16	0.98	4.8	0.72	5.4	0.58	4.7	* 0.37	3.5							
	18	0.82	7.5	0.59	5.9	0.48	5.4	0.31	4.0							
	20	0.74	8.0	0.50	7.3	0.40	6.6	0.24	4.2							
	22	0.51	5.8	0.43	7.1	0.33	6.3	0.20	4.1							
	最大	1.02	7.0	0.74	7.6	0.58	7.0	0.37	3.5							
		0.83	6.7	0.60	6.7	0.48	6.1	0.29	4.2							
	15	00	0.55	6.5	* 0.42	7.4	* 0.35	6.9	* 0.22		5.1					
		02	0.48	6.0	0.34	6.4	0.26	6.2	0.16		4.3					
		04	0.47	6.0	0.38	6.8	0.31	6.5	0.18		4.7					
		06	0.49	6.5	0.39	6.6	0.32	6.6	0.19	4.8						
		08	* 0.57	6.3	0.39	6.3	0.31	6.4	0.19	4.9						
		10	0.43	6.0	0.31	6.4	0.26	6.4	0.16	4.9						
	最大	0.37	7.3	0.29	6.5	0.24	6.4	0.14	4.2							
		0.40	6.3	0.25	6.3	0.20	6.0	0.12	4.1							
		0.36	10.0	0.25	5.9	0.20	5.7	0.12	3.7							
		0.34	6.5	0.23	6.3	0.19	6.2	0.11	4.2							
		0.32	6.3	0.22	5.9	0.17	5.5	0.10	3.6							
		0.23	6.0	0.18	6.2	0.14	5.7	0.08	3.9							
	最大	0.57	6.3	0.42	7.4	0.35	6.9	0.22	5.1							
		0.42	6.6	0.30	6.4	0.25	6.2	0.15	4.4							
16	00	0.25	5.3	0.17	6.0	0.13	5.8	0.08	4.1							
	02	0.19	6.3	0.17	6.1	0.12	5.7	0.06	3.7							
	04	0.20	6.0	0.14	6.2	0.11	5.7	0.06	3.4							
	06	0.19	6.5	0.15	6.0	0.11	5.7	0.06	3.6							
	08	0.16	6.0	0.11	6.1	0.08	5.2	0.04	3.0							
	10	0.21	5.8	0.15	6.1	0.11	5.7	0.06	3.5							
	最大	0.23	7.3	0.16	5.5	0.12	4.4	0.08	2.8							
		0.37	2.0	0.29	2.2	0.22	2.4	0.14	2.1							
		0.38	2.0	0.23	2.6	0.19	2.5	0.12	2.2							
		0.28	1.8	0.22	2.9	0.18	2.8	0.12	2.4							
		0.48	2.0	0.30	2.7	0.24	2.6	0.15	2.2							
		* 0.56	2.8	* 0.39	2.6	* 0.31	2.6	* 0.20	2.4							
	0.56	2.8	0.39	2.6	0.31	2.6	0.20	2.4								
	0.29	4.5	0.21	4.6	0.16	4.3	0.10	3.0								
	17	00	0.78	3.8	0.60	4.4	0.49	4.0	0.31	3.2						
	02	0.81	4.3	0.65	4.5	0.50	4.2	0.32	3.2							
	04	0.76	5.3	0.57	4.3	0.45	4.0	0.29	3.1							
	06	0.65	4.8	0.50	4.4	0.41	4.0	0.26	3.0							
	08	0.75	5.3	0.58	3.9	0.45	3.6	0.29	2.9							
	10	0.83	3.8	0.62	4.1	0.49	3.7	0.31	3.0							
	最大	欠测	3.5	0.81	3.9	0.66	3.8	0.42	3.1							
		14														
		* 1.14								4.3	* 0.86	3.5	* 0.68	3.6	* 0.43	3.2
		1.03								2.8	0.73	3.5	0.56	3.5	0.36	3.0
		1.06								4.5	0.31	4.3	0.25	3.8	0.16	2.9
		0.46								5.8	0.25	5.9	0.20	5.7	0.12	3.8
	最大	1.14	3.5	0.86	3.5	0.68	3.6	0.43	3.2							
		0.78	4.4	0.59	4.2	0.47	4.0	0.30	3.1							
	18	00	* 0.40	4.8	* 0.28	5.0	* 0.23	5.2	* 0.15	4.2						
	02	0.38	5.3	0.27	5.2	0.22	5.1	0.13	3.9							
	04	0.38	5.3	0.27	5.0	0.21	5.1	0.13	4.0							
	06	0.31	4.8	0.23	5.0	0.18	4.9	0.10	3.6							
	08	0.27	4.8	0.19	4.8	0.14	4.8	0.08	3.3							
	10	0.21	5.5	0.16	5.0	0.12	4.9	0.07	3.6							
	最大	0.19	4.8	0.14	4.6	0.11	4.2	0.07	2.7							
		0.17	5.3	0.13	4.6	0.10	3.8	0.06	2.5							
		0.34	3.8	0.20	3.5	0.13	3.9	0.07	2.8							
		0.16	4.0	0.12	3.1	0.10	2.7	0.06	2.0							
		0.26	5.5	0.19	5.9	0.13	5.3	0.07	3.4							
		0.17	5.5	0.13	5.0	0.11	4.7	0.06	3.5							
	0.40	4.8	0.28	5.0	0.23	5.2	0.15	4.2								
	0.27	5.0	0.19	4.7	0.15	4.6	0.09	3.3								
	19	00	0.18	5.5	0.13	5.1	0.10	4.8	0.06	3.1						
	02	0.18	5.8	0.13	5.0	0.10	4.8	0.06	3.1							
	04	0.22	6.5	0.16	5.6	0.12	5.1	0.06	3.1							
	06	0.19	6.0	0.14	5.2	0.11	4.9	0.07	3.3							
	08	0.16	5.5	0.12	5.1	0.09	4.5	0.05	2.9							
	10	0.17	4.8	0.13	5.0	0.10	4.7	0.06	3.1							

20	12	0.19	5.3	0.12	5.2	0.09	4.8	0.05	3.1	
	14	* 0.26	1.5	* 0.17	2.0	* 0.13	2.2	* 0.08	1.9	
	16	0.14	5.0	0.10	3.3	0.08	2.9	0.05	2.1	
	18	0.12	6.3	0.10	5.1	0.07	4.3	0.04	2.7	
	20	0.15	4.5	0.10	5.0	0.08	4.1	0.05	2.6	
	22	0.13	6.8	0.10	5.7	0.07	4.8	0.04	2.9	
	最大									
		0.26	1.5	0.17	2.0	0.13	2.2	0.08	1.9	
	平均									
		0.17	5.3	0.13	4.8	0.10	4.3	0.06	2.8	
	00	0.14	4.5	0.11	5.7	0.09	4.9	0.05	2.9	
	02	欠測								
	04	0.26	4.8	0.18	4.7	0.14	4.2	0.09	2.9	
	06	0.25	6.0	0.18	5.2	0.14	4.5	0.08	2.9	
	08	0.47	5.3	0.39	6.0	0.31	6.0	0.19	4.5	
	10	* 1.64	6.0	* 1.26	5.3	* 1.03	4.8	* 0.68	3.9	
21	12	欠測								
	14	欠測								
	16	1.52	6.5	1.19	4.8	0.99	4.8	0.65	4.0	
	18	1.51	5.0	1.21	5.3	0.93	4.8	0.59	3.8	
	20	欠測								
	22	1.27	4.8	1.01	4.0	0.78	4.0	0.49	3.4	
	最大									
		1.64	6.0	1.26	5.3	1.03	4.8	0.68	3.9	
	平均									
		0.88	5.4	0.69	5.1	0.55	4.8	0.35	3.5	
	00	欠測								
	02	欠測								
	04	欠測								
	06	* 0.85	3.5	* 0.64	4.7	* 0.52	4.3	* 0.34	3.2	
	08	0.74	3.8	0.60	4.4	0.48	4.1	0.30	3.1	
	10	0.66	5.3	0.52	5.2	0.43	4.7	0.26	3.4	
22	12	0.72	4.5	0.49	5.4	0.38	5.0	0.23	3.5	
	14	0.58	5.3	0.46	4.3	0.37	3.9	0.24	3.1	
	16	0.54	7.5	0.42	4.7	0.33	3.8	0.21	2.9	
	18	0.57	4.8	0.38	5.3	0.29	4.5	0.18	3.2	
	20	0.56	6.5	0.35	6.5	0.27	6.0	0.16	4.2	
	22	0.35	6.0	0.25	6.2	0.19	6.1	0.11	4.1	
	最大									
		0.85	3.5	0.64	4.7	0.52	4.3	0.34	3.2	
	平均									
		0.62	5.2	0.46	5.2	0.36	4.7	0.23	3.4	
	00	0.38	6.3	0.27	6.1	0.20	6.2	0.12	4.6	
	02	* 0.43	5.3	* 0.31	6.0	* 0.25	6.1	* 0.15	4.9	
	04	0.34	6.3	0.26	5.8	0.21	5.8	0.13	4.6	
	06	0.36	6.5	0.28	5.5	0.21	5.6	0.12	4.0	
	08	0.34	5.8	0.23	5.9	0.18	6.0	0.11	4.6	
	10	0.28	6.0	0.21	6.0	0.17	6.0	0.10	4.3	
23	12	欠測								
	14	欠測								
	16	0.16	6.3	0.12	6.3	0.09	5.9	0.05	3.4	
	18	0.20	6.5	0.12	6.5	0.09	5.8	0.05	3.5	
	20	欠測								
	22	0.15	6.5	0.09	5.8	0.07	4.6	0.04	2.7	
	最大									
		0.43	5.3	0.31	6.0	0.25	6.1	0.15	4.9	
	平均									
		0.29	6.2	0.21	6.0	0.16	5.8	0.10	4.1	
	00	0.35	2.0	0.26	2.3	0.21	2.4	0.13	2.3	
	02	欠測								
	04	0.39	2.3	0.28	3.2	0.22	2.9	0.14	2.3	
	06	0.49	3.5	0.35	2.7	0.28	2.9	0.19	2.5	
	08	0.46	2.8	0.36	2.6	0.29	2.7	0.19	2.4	
	10	0.76	2.8	0.56	3.5	0.45	3.2	0.29	2.7	
24	12	* 0.93	4.5	* 0.73	5.5	* 0.60	4.8	* 0.38	3.6	
	14	0.91	7.3	0.67	5.5	0.54	4.6	0.34	3.4	
	16	0.80	5.5	0.59	5.3	0.47	4.8	0.29	3.4	
	18	0.78	5.8	0.55	4.7	0.43	4.2	0.28	3.2	
	20	0.64	5.8	0.52	5.8	0.42	5.6	0.25	3.7	
	22	0.64	7.3	0.47	5.5	0.37	5.1	0.23	3.5	
	最大									
		0.93	4.5	0.73	5.5	0.60	4.8	0.38	3.6	
	平均									
		0.65	4.5	0.49	4.2	0.39	3.9	0.25	3.0	
	00	0.51	5.5	0.38	5.5	0.29	4.6	0.18	3.2	
	02	0.54	7.3	0.39	6.2	0.31	5.7	0.19	4.4	

	04	0.56	6.3	0.41	6.5	0.33	6.3	0.20	4.6	
	06	0.48	6.3	0.36	6.1	0.28	5.8	0.17	4.1	
	08	0.39	5.5	0.28	6.0	0.22	5.6	0.12	3.8	
	10	0.60	5.5	0.32	5.4	0.24	5.0	0.14	3.3	
	12	0.38	6.5	0.30	5.6	0.23	4.7	0.14	3.1	
	14	0.51	5.3	0.40	3.8	0.33	3.6	0.22	2.8	
	16	* 0.87	3.3	* 0.69	3.5	* 0.54	3.6	* 0.33	3.0	
	18	0.76	2.8	0.60	3.0	0.47	3.1	0.31	2.7	
	20	0.57	2.8	0.43	3.0	0.35	3.2	0.22	2.7	
	22	0.78	5.0	0.57	5.0	0.45	4.5	0.28	3.4	
	最大	0.87	3.3	0.69	3.5	0.54	3.6	0.33	3.0	
	平均	0.58	5.2	0.43	5.0	0.34	4.6	0.21	3.4	
25	00	0.57	5.5	0.45	4.9	0.34	4.5	0.21	3.2	
	02	0.62	4.5	0.41	4.8	0.32	4.3	0.20	3.0	
	04	0.51	4.8	0.40	4.5	0.31	4.0	0.20	2.9	
	06	0.52	5.0	0.38	4.0	0.30	3.9	0.20	2.9	
	08	0.38	4.0	0.32	4.7	0.26	4.2	0.15	3.0	
	10	0.43	4.5	0.32	3.8	0.25	3.2	0.16	2.5	
	12	0.37	4.5	0.26	4.6	0.20	4.0	0.13	2.8	
	14	0.43	2.5	0.28	3.4	0.22	3.1	0.14	2.5	
	16	* 0.66	2.8	* 0.51	2.9	* 0.41	3.0	* 0.25	2.5	
	18	0.47	3.0	0.35	3.9	0.28	3.5	0.18	2.6	
	最大	0.66	2.8	0.51	2.9	0.41	3.0	0.25	2.5	
	平均	0.50	4.1	0.37	4.2	0.29	3.8	0.18	2.8	
26	00	欠测								
	02	0.18	5.3	0.12	5.9	0.10	5.6	0.06	3.5	
	04	欠测								
	06	欠测								
	08	欠测								
	10	欠测								
	12	欠测								
	14	0.12	4.0	0.09	5.4	0.07	4.6	0.04	2.7	
	16	欠测								
	18	0.10	5.8	0.08	5.2	0.06	4.2	0.04	2.6	
	最大	0.26	5.5	0.12	5.2	0.08	4.6	0.04	2.7	
	平均	0.23	1.8	* 0.17	2.0	* 0.13	2.0	* 0.09	1.9	
27	00	1.00	2.8	0.62	3.0	0.50	3.0	0.33	2.7	
	02	0.76	2.8	0.52	3.1	0.42	3.0	0.27	2.7	
	04	0.86	3.5	0.66	3.8	0.55	3.6	0.35	3.1	
	06	1.05	5.8	0.71	4.5	0.57	4.3	0.37	3.3	
	08	0.96	3.3	0.69	4.9	0.57	4.7	0.37	3.4	
	10	1.04	7.3	0.80	6.0	0.65	5.6	0.39	3.7	
	12	* 1.29	4.8	* 0.90	4.7	* 0.73	4.0	* 0.46	3.3	
	14	1.28	3.8	0.84	3.9	0.68	3.8	0.43	3.1	
	16	0.98	5.3	0.83	3.7	0.66	3.7	0.43	3.3	
	18	0.86	5.0	0.67	4.0	0.55	3.8	0.36	3.2	
	最大	0.77	3.5	0.53	3.7	0.43	3.4	0.28	2.8	
	平均	1.29	4.8	0.90	4.7	0.73	4.0	0.46	3.3	
28	00	* 0.57	6.8	* 0.48	6.3	* 0.39	6.5	* 0.23	4.2	
	02	0.50	7.8	0.42	6.9	0.32	5.7	0.19	3.8	
	04	欠测								
	06	欠测								
	08	欠测								
	10	欠测								
	12	0.52	6.8	0.37	6.5	0.28	6.4	0.17	4.6	
	14	0.54	7.5	0.38	6.5	0.30	5.3	0.18	3.4	
	16	0.37	6.5	0.34	6.6	0.26	5.7	0.15	3.7	
	18	0.46	6.5	0.37	6.5	0.29	6.4	0.18	4.8	
	最大	0.57	6.8	0.48	6.3	0.39	6.5	0.23	4.2	

	平均	0.49	7.0	0.39	6.6	0.31	6.0	0.18	4.1	
月最大		1.64	6.0	1.26	5.3	1.03	4.8	0.68	3.9	
起時		2010		2010		2010		2010		
平均		0.53	5.4	0.42	5.2	0.31	5.1	0.21	3.5	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	360 回	測得回数	0 回
欠測回数	12 回	欠測回数	372 回
欠測率	3.2 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度
01	00	欠測									
	02	0.24	6.5	0.16	6.3	0.11	5.1	0.06	3.0		
	04	0.18	6.8	0.13	5.7	0.10	4.4	0.06	2.6		
	06	0.16	6.0	0.10	3.4	0.08	2.9	0.05	2.0		
	08	0.16	5.0	0.09	3.9	0.07	3.1	0.05	2.1		
	10	0.17	3.3	0.11	2.9	0.09	2.6	0.06	2.0		
	12	欠測									
	14	0.18	1.3	0.12	2.3	0.10	2.4	0.07	2.0		
	16	0.15	1.5	0.10	2.4	0.08	2.1	0.05	1.8		
	18	0.10	5.0	0.07	4.4	0.06	3.4	0.04	2.3		
	20	0.28	4.0	0.17	3.7	0.13	2.9	0.08	2.3		
	22	* 0.41	4.3	* 0.28	3.9	* 0.22	3.9	* 0.13	2.9		
	最大	0.41	4.3	0.28	3.9	0.22	3.9	0.13	2.9		
	平均	0.20	4.4	0.13	3.9	0.10	3.3	0.07	2.3		
02	00	* 1.31	3.3	1.05	3.5	0.84	3.6	0.52	3.1		
	02	欠測									
	04	欠測									
	06	欠測									
	08	1.29	3.8	* 1.05	5.1	* 0.85	4.7	* 0.55	3.6		
	10	0.98	3.3	0.76	5.3	0.61	5.0	0.39	3.7		
	12	0.91	6.0	0.64	4.9	0.52	4.3	0.33	3.3		
	14	0.71	8.0	0.53	5.0	0.42	4.3	0.26	3.1		
	16	0.68	5.5	0.49	5.5	0.37	4.7	0.23	3.3		
	18	0.68	6.3	0.52	6.4	0.41	6.2	0.25	4.6		
	20	0.58	5.8	0.48	5.9	0.38	5.8	0.24	4.8		
	22	0.48	6.3	0.37	6.5	0.29	6.5	0.17	4.9		
	最大	1.31	3.3	1.05	5.1	0.85	4.7	0.55	3.6		
	平均	0.85	5.4	0.65	5.3	0.52	5.0	0.33	3.8		
03	00	0.47	6.5	0.36	7.1	0.27	6.9	0.15	4.8		
	02	0.44	6.5	0.28	6.7	0.22	6.7	0.13	5.0		
	04	0.37	6.8	0.27	6.6	0.22	6.7	0.13	5.0		
	06	0.30	7.0	0.23	6.7	0.18	6.5	0.10	4.4		
	08	0.24	6.8	0.20	6.2	0.15	5.2	0.09	3.1		
	10	0.25	7.0	0.17	4.5	0.14	3.8	0.09	2.9		
	12	0.17	7.3	0.12	4.7	0.10	3.6	0.06	2.4		
	14	0.16	7.0	0.12	7.0	0.09	6.0	0.05	3.6		
	16	0.60	2.3	0.39	2.8	0.32	2.8	0.20	2.4		
	18	0.80	2.8	0.60	2.9	0.48	2.9	0.31	2.6		
	20	0.94	3.3	0.68	3.1	0.54	3.2	0.35	2.9		
	22	* 1.47	5.8	* 1.13	5.9	* 0.90	5.2	* 0.57	3.9		
	最大	1.47	5.8	1.13	5.9	0.90	5.2	0.57	3.9		
	平均	0.52	5.8	0.38	5.4	0.30	5.0	0.19	3.6		
04	00	欠測									
	02	欠測									
	04	欠測									
	06	1.58	9.0	1.29	6.9	1.03	5.7	0.64	4.1		
	08	1.54	8.0	1.28	6.0	* 1.05	5.3	* 0.67	4.0		
	10	1.46	9.3	1.17	6.8	0.93	6.0	0.59	4.2		
	12	1.49	6.8	1.21	5.6	0.97	5.2	0.62	3.8		
	14	1.58	3.5	1.27	5.3	1.05	5.2	0.66	3.9		
	16	* 1.68	5.5	* 1.30	5.9	1.04	5.2	0.67	3.9		
	18	0.97	7.3	0.84	7.1	0.67	6.3	0.40	4.3		
	20	1.27	7.0	0.75	6.0	0.58	5.3	0.36	3.8		
	22	1.00	6.0	0.82	7.2	0.63	6.8	0.38	4.4		
	最大	1.68	5.5	1.30	5.9	1.05	5.3	0.67	4.0		

	平均	1.40	6.9	1.10	6.3	0.88	5.7	0.55	4.0		
05	00	* 0.95	7.5	* 0.70	7.0	* 0.53	6.4	* 0.31	4.2		
	02	欠测									
	04	欠测									
	06	欠测									
	08	欠测									
	10	0.75	5.8	0.61	6.3	0.47	5.6	0.29	3.9		
	12	0.88	7.0	0.56	6.8	0.44	5.7	0.28	3.9		
	14	0.64	7.3	0.51	6.7	0.40	6.5	0.24	4.6		
	16	0.46	4.5	0.36	6.1	0.28	5.8	0.16	3.7		
	18	0.65	6.0	0.44	5.2	0.34	4.7	0.21	3.2		
	20	0.60	5.8	0.44	5.6	0.34	4.3	0.21	3.1		
	22	0.41	7.3	0.35	6.5	0.28	6.1	0.17	4.2		
	最大	0.95	7.5	0.70	7.0	0.53	6.4	0.31	4.2		
	平均	0.67	6.4	0.50	6.3	0.39	5.6	0.23	3.9		
06	00	0.45	6.5	0.33	6.6	0.27	6.4	0.16	4.6		
	02	0.45	5.8	0.29	6.3	0.23	6.2	0.14	4.5		
	04	0.49	6.3	0.30	6.7	0.24	6.2	0.15	4.7		
	06	0.35	5.5	0.28	6.2	0.22	6.1	0.14	4.7		
	08	0.42	6.5	0.28	6.5	0.22	6.1	0.12	4.2		
	10	0.38	5.3	0.28	6.0	0.22	6.0	0.13	4.2		
	12	0.41	6.0	0.30	5.6	0.25	5.7	0.14	4.3		
	14	0.42	5.8	0.32	5.5	0.25	5.3	0.14	3.7		
	16	0.50	5.5			* 0.32	5.5				
	18	0.34	6.3	0.24	5.1	0.19	4.9	0.11	3.2		
	20	* 0.62	5.5	* 0.38	5.7	0.30	5.4	* 0.18	4.1		
	22	0.41	5.8	0.31	5.7	0.25	5.8	0.15	4.7		
	最大	0.62	5.5	0.38	5.7	0.32	5.5	0.18	4.1		
	平均	0.44	5.9	0.30	6.0	0.25	5.8	0.14	4.3		
07	00	0.50	6.0	0.35	5.7	0.28	5.7	0.17	4.6		
	02	0.51	5.5	0.37	5.3	0.29	5.1	0.17	4.0		
	04	0.44	5.8	0.33	5.7	0.26	5.7	0.15	4.0		
	06	0.53	5.8	0.41	5.8	0.33	5.8	0.19	4.6		
	08	0.56	5.5	0.40	5.4	0.31	5.2	0.19	4.4		
	10	0.44	5.8	0.30	5.6	0.24	5.1	0.15	3.8		
	12	0.42	6.5	0.28	5.5	0.22	5.4	0.14	3.6		
	14	0.36	6.8	0.24	4.9	0.19	3.6	0.12	2.6		
	16	0.26	7.0	0.19	4.3	0.15	3.7	0.09	2.5		
	18	0.91	2.5	0.64	2.7	0.49	2.7	0.31	2.5		
	20	0.94	2.8	0.73	3.5	0.59	3.3	0.38	2.8		
	22	* 1.32	4.3	* 1.05	4.1	* 0.82	4.1	* 0.52	3.4		
	最大	1.32	4.3	1.05	4.1	0.82	4.1	0.52	3.4		
	平均	0.60	5.4	0.44	4.9	0.35	4.6	0.22	3.6		
08	00	1.41	4.8	1.10	4.8	0.87	4.7	0.53	3.6		
	02	1.54	3.5	1.17	4.2	0.92	4.4	0.59	3.7		
	04	1.69	5.8	1.38	5.5	1.11	5.3	0.73	4.2		
	06	1.62	5.5	1.32	5.2	1.05	5.1	0.67	4.1		
	08	1.70	3.8	1.21	4.9	0.97	4.8	0.62	3.9		
	10	1.84	7.0	1.36	5.1	1.08	5.0	0.69	4.0		
	12	1.90	7.0	1.38	5.5	1.12	4.9	0.71	3.9		
	14	* 2.10	6.5	* 1.49	5.2	* 1.20	5.1	* 0.75	4.0		
	16	1.59	4.3	1.23	5.4	1.01	4.9	0.66	3.9		
	18	1.50	6.8	1.12	5.8	0.89	5.0	0.55	3.7		
	20	1.05	3.8	0.75	3.7	0.60	3.9	0.39	3.2		
	22	0.93	3.0	0.72	4.6	0.57	4.0	0.37	3.1		
	最大	2.10	6.5	1.49	5.2	1.20	5.1	0.75	4.0		
	平均	1.57	5.2	1.19	5.0	0.95	4.8	0.61	3.8		
09	00	0.78	6.5	0.68	4.9	0.55	4.5	0.35	3.4		
	02	1.01	3.0	0.79	4.9	0.63	4.3	0.41	3.4		
	04	0.98	3.8	0.72	5.3	0.58	4.7	0.37	3.6		
	06	1.04	4.0	0.74	5.2	0.61	4.7	0.41	3.5		
	08	1.17	6.5	0.84	5.8	0.67	5.0	0.42	3.7		
	10	1.02	6.8	0.78	5.6	0.61	4.7	0.39	3.6		
	12	1.16	5.8	* 0.95	5.4	* 0.77	4.8	* 0.51	3.7		
	14	1.11	3.5	0.88	4.4	0.72	4.4	0.46	3.5		
	16	* 1.22	6.3	0.93	4.6	0.74	4.3	0.48	3.5		
	18	0.95	6.3	0.77	4.8	0.61	4.2	0.39	3.3		
	20	1.14	5.0	0.70	4.9	0.58	4.4	0.36	3.3		
	22	0.82	5.8	0.67	4.4	0.54	4.1	0.34	3.2		

			最大	1.22	6.3	0.95	5.4	0.77	4.8	0.51	3.7			
			平均	1.03	5.3	0.79	5.0	0.63	4.5	0.41	3.5			
10	00		0.88	5.3	0.67	4.4	0.55	4.4	0.35	3.3				
	02		1.17	3.4	0.75	4.4	0.62	4.0	0.42	3.5				
	04		1.00	4.0	0.72	4.3	0.56	4.1	0.36	3.3				
	06		0.81	4.8	0.65	4.5	0.52	4.0	0.34	3.2				
	08		0.86	5.0	0.71	4.4	0.57	4.0	0.38	3.3				
	10		1.09	5.8	0.74	4.2	0.61	4.1	0.39	3.3				
	12		1.23	5.3	0.79	4.4	0.64	4.4	0.41	3.3				
	14		1.17	3.5	0.85	4.2	0.68	3.9	0.46	3.5				
	16		1.06	4.3	0.88	4.6	0.70	4.2	0.45	3.5				
18	* 1.47	5.3	* 0.95	4.5	* 0.74	4.2	* 0.47	3.5						
20		1.06	5.5	0.80	4.5	0.64	4.2	0.42	3.4					
22		0.91	4.5	0.73	4.8	0.60	4.4	0.38	3.4					
			最大	1.47	5.3	0.95	4.5	0.74	4.2	0.47	3.5			
			平均	1.06	4.7	0.77	4.4	0.62	4.2	0.40	3.4			
11	00		0.90	6.3	0.67	4.7	0.54	4.7	0.34	3.4				
	02		1.07	4.5	0.76	4.7	0.62	4.9	0.41	4.0				
	04		0.78	2.8	0.64	4.2	0.53	4.2	0.34	3.2				
	06	* 1.23	4.7	0.77	5.3	0.60	4.5	0.40	3.6					
	08		0.83	5.8	0.63	4.6	0.51	4.3	0.33	3.2				
	10		0.97	5.5	0.62	5.0	0.50	4.6	0.30	3.3				
	12		0.79	4.5	0.58	4.9	0.48	5.2	0.32	4.2				
	14		1.12	5.3	0.76	4.3	0.62	4.0	0.42	3.5				
	16		1.18	3.9	* 0.85	4.0	* 0.68	3.8	* 0.48	3.5				
18		0.95	3.3	0.73	4.0	0.59	4.1	0.37	3.3					
20		0.72	7.8	0.61	4.6	0.50	4.3	0.32	3.7					
22		0.80	6.0	0.59	4.3	0.47	4.0	0.30	3.1					
			最大	1.23	4.7	0.85	4.0	0.68	3.8	0.48	3.5			
			平均	0.95	5.0	0.68	4.6	0.55	4.4	0.36	3.5			
12	00		0.96	6.0	0.74	4.3	0.59	4.1	0.37	3.4				
	02		0.76	5.8	0.61	5.1	0.50	4.7	0.32	3.4				
	04		0.99	3.5	0.71	5.0	0.58	4.4	0.37	3.5				
	06		0.98	6.3	* 0.77	4.7	* 0.62	4.6	0.39	3.4				
	08		0.82	3.0	0.64	4.2	0.53	3.9	0.35	3.2				
	10		0.71	5.5	0.55	4.9	0.44	4.6	0.28	3.3				
	12	* 1.26	3.0	0.74	3.4	0.57	3.3	0.37	3.0					
	14		0.73	3.3	0.55	3.4	0.44	3.4	0.29	2.9				
	16		0.92	3.0	0.74	3.7	0.61	3.7	* 0.40	3.1				
18		1.00	2.8	0.73	3.2	0.59	3.1	0.38	2.9					
20		0.70	3.0	0.53	4.5	0.42	4.0	0.27	3.0					
22		0.50	6.5	0.32	6.2	0.25	5.0	0.15	3.3					
			最大	1.26	3.0	0.77	4.7	0.62	4.6	0.40	3.1			
			平均	0.86	4.3	0.64	4.4	0.51	4.1	0.33	3.2			
13	00		0.46	5.0	0.34	6.1	0.27	5.8	0.16	4.0				
	02		0.39	6.3	0.31	6.1	0.25	6.1	0.15	4.3				
	04		0.46	6.0	0.32	5.7	0.25	5.7	0.15	4.6				
	06		0.51	6.0	0.32	5.7	0.25	5.5	0.15	3.8				
	08		0.41	5.3	0.32	5.6	0.26	4.9	0.16	3.5				
	10		0.36	6.0	0.29	5.3	0.23	4.4	0.14	3.0				
	12		0.46	2.8	0.36	3.8	0.28	3.3	0.17	2.5				
	14		0.46	3.0			0.29	3.0						
	16		0.43	3.0			0.27	3.0						
18	* 0.53	2.5	* 0.41	2.9	* 0.33	3.0	* 0.21	2.5						
20		0.50	7.0	0.32	4.4	0.25	4.2	0.16	3.0					
22		0.30	7.3	0.22	5.7	0.18	5.2	0.11	3.5					
			最大	0.53	2.5	0.41	2.9	0.33	3.0	0.21	2.5			
			平均	0.44	5.0	0.32	5.1	0.26	4.5	0.16	3.5			
14	00		0.29	6.3	0.20	5.8	* 0.16	5.4	0.09	3.6				
	02		0.24	6.3	0.18	5.9	0.14	5.2	0.08	3.4				
	04		0.17	7.0	0.13	5.7	0.10	5.5	0.06	3.5				
	06		0.21	5.5			0.14	5.5						
	08		0.30	5.8	0.20	5.4	0.15	4.9	0.09	3.2				
	10		0.23	5.0			0.15	5.0						
	12		0.24	5.3	0.19	5.4	0.15	5.1	0.08	3.5				
	14	* 0.33	5.8	* 0.21	3.0	0.16	2.8	* 0.11	2.3					

	16		0.27	2.0	0.20	2.6	0.16	2.5	0.11	2.2	
	18		0.24	1.8	0.15	3.4	0.12	3.1	0.08	2.4	
	20		0.26	3.8	0.20	4.8	0.15	4.5	0.09	3.2	
	22		0.14	8.8	0.10	6.5	0.08	5.0	0.05	2.9	
最大											
	平均		0.33	5.8	0.21	3.0	0.16	5.4	0.11	2.3	
			0.24	5.3	0.18	4.9	0.14	4.5	0.08	3.0	
	15	00	0.16	6.3	0.11	6.2	0.09	5.8	0.05	3.6	
		02	0.18	5.3	0.13	5.2	0.10	4.9	0.06	3.4	
04		0.14	5.3	0.11	5.6	0.09	5.4	0.06	3.8		
06		0.15	5.3	0.12	5.4	0.09	5.1	0.05	3.3		
08		0.18	7.3	0.13	5.7	0.10	4.9	0.06	3.0		
10		0.16	5.5	0.13	5.7	0.10	5.1	0.06	3.6		
	12	0.22	6.8	0.15	4.6	0.11	4.2	0.07	2.9		
	14	0.22	4.5	0.15	5.7	0.12	5.2	* 0.07	3.4		
	16	0.21	5.0	0.15	4.7	0.11	3.9	0.07	2.6		
	18	* 0.26	4.8			* 0.17	4.8				
	20	0.24	3.5	* 0.16	3.9	0.12	3.9	0.07	3.1		
	22	0.15	3.3	0.11	4.0	0.09	3.8	0.06	2.9		
最大											
	平均		0.26	4.8	0.16	3.9	0.17	4.8	0.07		3.4
			0.19	5.2	0.13	5.2	0.11	4.8	0.06	3.2	
	16	00	0.14	5.5	0.09	4.7	0.08	4.6	0.04	2.9	
		02	0.18	4.0	0.11	4.3	0.08	3.9	0.05	2.7	
04		0.16	4.3	0.12	5.4	0.10	5.3	0.06	3.8		
06		0.20	4.0	0.13	4.3	0.10	4.3	0.06	3.0		
08		0.26	3.9			0.17	3.9				
10		0.16	3.8	0.12	4.8	0.09	4.7	0.06	3.3		
	12	0.28	2.0	0.17	2.7	0.13	2.6	0.09	2.1		
	14	0.16	3.5	0.12	3.8	0.10	3.3	0.06	2.3		
	16	0.18	3.0	0.14	3.0	0.11	2.9	0.07	2.4		
	18	0.12	3.8	0.08	3.8	0.07	3.5	0.04	2.4		
	20	* 0.37	3.8	* 0.24	3.8	0.18	3.8	* 0.10	2.6		
	22	0.33	5.2			* 0.21	5.2				
最大											
	平均		0.37	3.8	0.24	3.8	0.21	5.2	0.10		2.6
			0.21	3.9	0.13	4.1	0.12	4.0	0.06	2.8	
	17	00	0.22	4.5	0.16	4.6	0.13	4.5	0.08	3.4	
		02	0.30	2.3			0.19	2.3			
04		0.18	5.0	0.14	5.0	0.11	5.1	0.07	3.8		
06		0.41	4.8	0.27	4.5	0.20	4.0	0.12	2.6		
08		0.55	5.3	0.40	4.5	0.32	4.1	0.21	3.1		
10		0.66	4.0	0.49	2.9	0.39	3.1	0.25	2.6		
	12	0.62	2.8	0.40	2.7	0.32	2.7	0.20	2.4		
	14	* 0.95	3.1	* 0.63	3.5	* 0.51	3.2	* 0.35	3.0		
	16	0.84	2.8	0.52	2.8	0.40	2.8	0.26	2.5		
	18	0.71	2.3	0.56	3.0	0.44	3.0	0.29	2.7		
	20	0.52	4.3	0.32	3.3	0.24	2.9	0.15	2.4		
	22	0.26	3.8	0.16	3.3	0.13	3.2	0.09	2.4		
最大											
	平均		0.95	3.1	0.63	3.5	0.51	3.2	0.35		3.0
			0.52	3.8	0.37	3.6	0.28	3.4	0.19	2.8	
	18	00	0.33	2.0			0.21	2.0			
		02	0.48	2.6			0.30	2.6			
04		0.50	3.0			0.31	3.0				
06		0.66	2.7	0.48	4.0	0.38	3.9	0.25	3.2		
08		0.47	5.5	0.35	4.2	0.29	3.7	0.19	2.8		
10		0.70	5.0	0.50	3.8	0.41	3.7	0.26	2.9		
	12	0.74	2.5	0.49	3.2	0.40	3.0	0.26	2.6		
	14	0.85	2.8	0.64	2.9	0.51	2.9	0.33	2.7		
	16	* 0.85	3.0	* 0.66	3.0	* 0.53	3.1	* 0.35	2.7		
	18	0.80	2.8	0.61	3.0	0.49	3.0	0.31	2.8		
	20	0.52	2.5	0.36	3.1	0.28	3.1	0.17	2.6		
	22	0.25	3.8	0.17	3.3	0.14	3.0	0.10	2.5		
最大											
	平均		0.85	3.0	0.66	3.0	0.53	3.1	0.35		2.7
			0.60	3.2	0.47	3.4	0.35	3.1	0.25	2.8	
	19	00	0.19	4.5	0.12	4.2	0.09	3.4	0.06	2.4	
		02	0.24	4.8	0.15	4.2	0.11	3.8	0.07	2.7	
04		0.26	4.3	0.18	4.3	0.14	4.3	0.09	3.2		
06		0.27	4.3	0.20	4.1	0.16	4.0	0.10	3.1		
08		0.25	5.0	0.18	5.0	0.14	4.9	0.09	3.7		
10		0.30	5.3	0.23	5.4	0.18	5.1	0.10	3.7		

	12	0.46	5.0			0.29	5.0			
	14	* 1.19	3.0	* 0.73	3.0	0.54	3.1	* 0.36	3.0	
	16	1.13	4.3	0.68	3.6	* 0.54	3.6	0.34	3.0	
	18	0.60	3.0	0.49	4.1	0.39	3.8	0.25	3.0	
	20	0.73	3.8	0.50	2.9	0.39	3.0	0.24	2.6	
	22	0.59	5.1	0.42	5.1	0.32	4.8	0.21	4.1	
	最大									
	平均	1.19	3.0	0.73	3.0	0.54	3.6	0.36	3.0	
		0.52	4.4	0.35	4.2	0.27	4.1	0.17	3.1	
20	00	0.68	5.5	0.48	5.9	0.39	4.9	0.29	3.9	
	02	0.71	5.3	0.53	5.5	0.42	4.8	0.26	3.3	
	04	0.89	6.0	0.67	5.3	0.55	5.7	0.39	5.1	
	06	0.78	6.5	0.65	6.1	0.54	5.4	0.37	4.5	
	08	0.73	5.0	0.56	6.2	0.45	6.0	0.30	4.5	
	10	0.64	5.5	0.58	5.7	0.48	5.3	0.33	4.4	
	12	* 1.07	5.0	0.77	4.7	0.64	4.1	0.44	3.5	
	14	1.01	3.0	0.82	3.3	* 0.66	4.1	* 0.46	3.6	
	16	0.99	3.5	* 0.83	3.4	0.65	3.4	0.44	3.4	
	18	0.87	3.0	0.71	4.3	0.58	4.2	0.40	3.4	
	20	0.51	5.8	0.42	4.2	0.34	3.6	0.22	2.9	
	22	0.54	6.5	0.43	4.2	0.34	4.5	0.24	3.6	
	最大									
	平均	1.07	5.0	0.83	3.4	0.66	4.1	0.46	3.6	
		0.79	5.1	0.62	4.9	0.50	4.7	0.35	3.8	
21	00	0.45	5.8			0.28	5.8			
	02	0.46	5.0	0.31	5.0	0.25	4.6	0.15	3.1	
	04	0.49	5.8	0.32	4.9	0.25	4.6	0.15	3.2	
	06	0.41	5.0	0.29	5.1	0.23	4.6	0.14	3.2	
	08	0.38	5.5			0.24	5.5			
	10	0.35	5.5			0.22	5.5			
	12	0.30	6.5	0.24	4.9	0.19	4.4	0.11	3.0	
	14	0.37	4.3	0.28	4.7	0.21	4.1	0.12	2.9	
	16	* 0.64	3.5	* 0.47	3.2	* 0.39	3.2	* 0.27	3.0	
	18	0.51	3.5	0.33	3.8	0.26	3.7	0.17	3.0	
	20	0.51	4.0	0.41	4.3	0.31	4.3	0.19	3.5	
	22	0.23	5.5	0.16	5.7	0.13	5.2	0.08	3.4	
	最大									
	平均	0.64	3.5	0.47	3.2	0.39	3.2	0.27	3.0	
		0.43	5.0	0.31	4.6	0.25	4.6	0.15	3.1	
22	00	0.25	5.8	0.17	5.9	0.14	5.5	0.08	3.6	
	02	0.29	5.3	0.21	5.3	0.16	5.5	0.09	3.8	
	04	0.25	5.5	0.20	5.2	0.17	5.2	0.10	4.0	
	06	0.25	6.0	0.20	5.6	0.15	5.2	0.09	4.0	
	08	0.22	6.8	0.16	5.7	0.13	5.1	0.07	3.2	
	10	0.21	6.0			0.14	6.0			
	12	0.26	5.5	0.21	5.6	0.17	5.4	0.10	3.8	
	14	0.30	5.5			0.19	5.5			
	16	0.26	5.5	0.23	5.0	0.18	5.2	0.11	3.5	
	18	* 0.36	5.2			* 0.23	5.2			
	20	0.33	5.5	0.23	5.2	0.18	4.9	0.11	3.6	
	22	0.30	5.3	* 0.23	5.3	0.18	5.2	* 0.11	3.9	
	最大									
	平均	0.36	5.2	0.23	5.3	0.23	5.2	0.11	3.9	
		0.27	5.7	0.20	5.4	0.17	5.3	0.10	3.7	
23	00	0.25	5.5			0.16	5.5			
	02	0.21	4.5	0.17	5.3	0.13	5.0	0.08	3.3	
	04	* 0.26	6.5			* 0.17	6.5			
	06	0.19	4.8	0.12	5.1	0.10	4.7	0.06	3.2	
	08	0.20	4.8			0.12	4.8			
	10	0.20	5.5			0.12	5.5			
	12	0.20	4.5	0.15	3.9	0.12	3.7	0.08	2.4	
	14	0.25	2.5	* 0.19	2.5	0.15	2.4	* 0.10	2.1	
	16	0.16	3.8	0.12	3.4	0.10	2.8	0.06	2.1	
	18	0.23	2.5	0.12	3.2	0.10	3.2	0.06	2.4	
	20	0.26	4.0	0.15	5.4	0.10	5.0	0.06	3.2	
	22	0.08	5.3	0.06	3.6	0.05	3.2	0.03	2.1	
	最大									
	平均	0.26	6.5	0.19	2.5	0.17	6.5	0.10	2.1	
		0.21	4.5	0.14	4.1	0.12	4.4	0.07	2.6	
24	00	0.09	4.3	0.06	3.4	0.04	3.2	* 0.03	2.1	
	02	0.12	2.3	* 0.06	3.7	0.04	3.1	0.03	2.0	

	04		0.33	5.5			0.21	5.5				
	06		0.09	3.5	0.05	3.2	0.04	2.6	0.03	1.8		
	08		0.15	3.0			0.09	3.0				
	10		0.09	2.8	0.06	3.2	0.05	2.9	0.03	2.0		
	12		0.13	2.5			0.08	2.5				
	14		0.20	1.8			0.12	1.8				
	16	* 0.41	4.2				* 0.26	4.2				
	18		0.13	5.5			0.08	5.5				
	20		0.40	5.8			0.25	5.8				
	22		0.09	5.3	0.06	3.6	0.05	3.1	* 0.03	2.1		
	最大		0.41	4.2	0.06	3.7	0.26	4.2	0.03	2.1		
	平均		0.19	3.9	0.06	3.4	0.11	3.6	0.03	2.0		
25	00		0.08	4.3	0.06	4.8	0.05	3.4	0.03	2.2		
	02		0.20	2.0			0.12	2.0				
	04		0.10	4.5			0.06	4.5				
	06		0.10	3.5	0.07	4.2	0.05	4.3	0.04	3.1		
	08		0.18	3.5			0.11	3.5				
	10		0.20	2.9			0.12	2.9				
	12		0.09	3.8	0.06	4.6	0.05	3.8	0.03	2.4		
	14		0.17	1.8	0.12	2.1	0.09	2.0	0.06	1.7		
	16		0.35	1.8	0.25	2.0	0.20	2.0	0.13	1.9		
	18		0.55	3.0	* 0.44	3.0	* 0.35	2.9	* 0.23	2.6		
	20		0.48	3.8	0.32	3.2	0.25	3.0	0.15	2.6		
	22	* 0.60	2.5	0.42	2.6	2.6	0.33	2.6	0.21	2.3		
	最大		0.60	2.5	0.44	3.0	0.35	2.9	0.23	2.6		
	平均		0.26	3.1	0.22	3.3	0.15	3.1	0.11	2.4		
26	00		0.30	3.0	0.24	3.0	0.19	3.0	0.12	2.4		
	02		0.27	4.0	0.21	3.5	0.17	3.0	0.10	2.3		
	04	* 0.40	3.5	* 0.27	4.4	4.4	0.20	4.0	* 0.12	3.2		
	06		0.23	4.0	0.15	4.0	0.12	3.7	0.08	2.8		
	08		0.25	3.8	0.15	4.0	0.12	3.7	0.07	2.7		
	10		0.26	3.5			0.17	3.5				
	12		0.20	3.5			0.12	3.5				
	14		0.26	3.0	0.17	3.1	0.13	2.8	0.08	2.2		
	16		0.20	3.0	0.13	3.7	0.11	3.6	0.07	2.6		
	18		0.13	2.8			0.08	2.8				
	20		0.33	3.5			* 0.21	3.5				
	22		0.13	5.5			0.08	5.5				
	最大		0.40	3.5	0.27	4.4	0.21	3.5	0.12	3.2		
	平均		0.25	3.6	0.19	3.7	0.14	3.6	0.09	2.6		
27	00		0.10	3.5			0.06	3.5				
	02		0.13	4.0			0.08	4.0				
	04		0.19	6.2			0.12	6.2				
	06		0.12	2.0	0.09	2.2	0.07	2.2	0.05	1.7		
	08		0.10	1.5	0.07	3.4	0.06	3.4	0.04	2.3		
	10		0.23	1.5			0.15	1.5				
	12		0.26	1.5			0.17	1.5				
	14		0.20	1.5			0.12	1.5				
	16		0.10	4.5	0.07	3.5	0.05	3.0	0.03	2.0		
	18		0.09	3.3	0.08	5.8	0.06	4.9	0.04	3.2		
	20		0.34	6.5	0.22	4.5	0.15	3.7	0.09	2.5		
	22	* 0.67	3.0	* 0.47	2.8	2.8	* 0.37	2.8	* 0.25	2.5		
	最大		0.67	3.0	0.47	2.8	0.37	2.8	0.25	2.5		
	平均		0.21	3.3	0.17	3.7	0.12	3.2	0.08	2.4		
28	00		0.71	3.0	0.47	3.1	0.38	3.1	0.25	2.7		
	02	* 0.76	3.0	* 0.56	3.2	3.2	* 0.47	3.4	* 0.33	3.2		
	04		0.47	2.5	0.34	3.9	0.28	3.9	0.18	3.0		
	06		0.56	5.8	0.38	5.6	0.29	4.8	0.18	3.2		
	08		0.46	7.3	0.36	5.3	0.29	5.0	0.18	3.8		
	10		0.59	5.0	0.43	5.8	0.36	5.7	0.25	5.2		
	12		0.60	4.8	0.45	4.7	0.35	3.9	0.22	2.9		
	14		0.57	4.8	0.46	3.9	0.37	3.7	0.24	2.9		
	16		0.56	4.5	0.43	3.6	0.34	3.4	0.22	2.7		
	18		0.44	5.0	0.33	4.9	0.26	4.1	0.17	2.8		
	20		0.48	4.8	0.39	5.4	0.31	5.1	0.19	3.6		
	22		0.66	5.8	0.44	6.2	0.34	6.1	0.20	4.5		
	最大		0.76	3.0	0.56	3.2	0.47	3.4	0.33	3.2		

	平均	0.57	4.7	0.42	4.6	0.34	4.4	0.22	3.4	
29	00	0.59	5.3	0.44	6.0	0.34	6.0	0.19	3.9	
	02	0.63	6.3	0.43	4.0	0.34	3.4	0.23	2.7	
	04	0.77	5.3	0.51	4.1	0.42	3.8	0.27	2.9	
	06	0.76	5.0	0.54	5.0	0.43	4.2	0.27	3.1	
	08	0.70	5.3	0.54	4.8	0.44	4.3	0.28	3.1	
	10	0.78	6.3	0.53	4.9	0.42	4.4	0.26	3.2	
	12	1.05	4.8	0.77	4.0	0.61	3.7	0.41	3.2	
	14	1.31	3.0	0.94	3.8	0.75	3.7	0.48	3.3	
	16	* 1.32	4.0	* 0.99	3.8	* 0.80	3.9	* 0.51	3.3	
	18	1.02	3.3	0.71	3.5	0.58	3.5	0.36	2.9	
	20	0.74	4.0	0.49	4.2	0.36	4.1	0.22	3.0	
	22	0.49	5.0			0.31	5.0			
	最大	1.32	4.0	0.99	3.8	0.80	3.9	0.51	3.3	
	平均	0.85	4.8	0.63	4.4	0.48	4.2	0.32	3.1	
30	00	* 0.36	5.5			* 0.23	5.5			
	02	0.34	4.8	0.22	5.5	0.18	5.3	0.10	3.6	
	04	0.34	6.0	* 0.25	5.7	0.20	5.6	* 0.12	4.1	
	06	0.33	6.3	0.24	5.7	0.18	5.7	0.11	4.0	
	08	0.23	5.3	0.18	4.6	0.14	4.5	0.08	3.4	
	10	0.21	6.8	0.14	5.4	0.10	4.4	0.06	2.8	
	12	0.21	7.3	0.14	6.0	0.10	4.6	0.05	2.7	
	14	0.19	7.0	0.13	4.4	0.10	3.3	0.06	2.3	
	16	0.15	7.0	0.11	5.5	0.08	4.4	0.05	2.8	
	18	0.14	7.0	0.10	5.7	0.07	4.5	0.04	2.7	
	20	0.36	4.3	0.25	4.5	0.18	4.7	0.10	3.4	
	22	0.12	8.0	0.07	5.3	0.06	4.2	0.03	2.5	
	最大	0.36	5.5	0.25	5.7	0.23	5.5	0.12	4.1	
	平均	0.25	6.3	0.17	5.3	0.14	4.7	0.07	3.1	
31	00	0.13	7.0			0.08	7.0			
	02	0.13	7.5			0.08	7.5			
	04	0.22	4.5	0.15	5.4	0.10	5.6	0.05	3.4	
	06	0.19	6.0	0.13	6.7	0.10	6.1	0.06	3.7	
	08	0.24	5.5	0.13	5.2	0.10	4.7	0.06	2.9	
	10	0.24	5.3	* 0.17	4.3	0.12	4.4	* 0.07	3.2	
	12	0.17	5.0	0.13	4.8	0.10	4.3	0.06	2.8	
	14	0.16	7.5			0.10	7.5			
	16	0.16	5.0	0.10	5.4	0.08	4.4	0.04	2.8	
	18	0.14	7.5	0.10	5.6	0.08	4.7	0.04	2.7	
	20	* 0.50	4.5			* 0.31	4.5			
	22	0.15	6.5	0.10	5.9	0.08	5.3	0.04	3.4	
	最大	0.50	4.5	0.17	4.3	0.31	4.5	0.07	3.2	
	平均	0.20	6.0	0.13	5.4	0.11	5.5	0.05	3.1	
	月最大	2.10	6.5	1.49	5.2	1.20	5.1	0.75	4.0	
	起時	0814		0814		0814		0814		
	平均	0.55	4.8	0.44	4.7	0.32	4.4	0.22	3.3	

* は日最大波高を示す

波浪整理表（1）

2003年 4月

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	341 回	測得回数	0 回
欠測回数	19 回	欠測回数	360 回
欠測率	5.3 %	欠測率	100.0 %

観測所名： 敦賀港本港地区 | 機種： 波高 USW - 19 m 波向

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度
01	00	0.17	7.0			0.10	7.0				
	02	0.20	6.5	0.17	3.5	0.13	3.2	0.08	2.2		
	04	0.17	6.8			0.10	6.8				
	06	0.40	4.0			0.25	4.0				
	08	0.38	5.5	0.31	4.8	0.24	4.5	0.15	3.4		
	10	0.37	5.3	0.27	5.2	0.21	4.9	0.13	3.5		
	12	0.44	4.3	0.27	4.9	0.22	4.6	0.13	3.1		
	14	0.41	4.5	0.31	5.0	0.24	4.5	0.15	3.2		
	16	0.42	5.3	0.30	5.0	0.23	4.8	0.14	3.4		
	18	0.40	4.3	0.32	4.7	0.26	4.4	0.16	3.1		
	20	* 0.46	4.8	* 0.33	4.8	0.26	4.6	0.15	3.6		
	22	0.41	5.3	0.32	5.3	* 0.26	5.3	* 0.16	4.4		
	最大	0.46	4.8	0.33	4.8	0.26	5.3	0.16	4.4		
	平均	0.35	5.3	0.29	4.8	0.21	4.9	0.14	3.3		
02	00	0.26	5.8	0.21	5.6	0.17	5.5	0.09	3.7		
	02	0.28	5.8	0.19	5.2	0.14	4.6	0.08	2.9		
	04	0.29	6.0	0.19	5.4	0.14	5.0	0.08	3.2		
	06	0.33	5.8	0.22	5.2	0.17	5.2	0.10	3.9		
	08	0.26	3.0	0.17	4.2	0.13	4.2	0.08	3.0		
	10	0.33	3.5	0.18	4.0	0.14	3.7	0.09	2.6		
	12	0.25	4.5	0.18	4.9	0.14	4.7	0.08	3.3		
	14	0.18	5.5	0.15	4.8	0.12	4.5	0.07	3.3		
	16	0.23	6.0			0.15	6.0				
	18	0.52	3.8	0.36	3.8	0.30	3.6	0.19	2.7		
	20	* 0.56	6.3	* 0.41	4.5	* 0.34	4.1	* 0.21	2.9		
	22	0.54	5.8	0.37	4.7	0.28	4.3	0.17	3.0		
	最大	0.56	6.3	0.41	4.5	0.34	4.1	0.21	2.9		
	平均	0.34	5.2	0.24	4.8	0.19	4.6	0.11	3.1		
03	00	* 0.74	5.0	0.39	5.2	0.31	4.8	0.19	3.4		
	02	0.58	5.0	0.39	4.7	0.32	4.3	0.20	3.1		
	04	0.43	5.5			0.27	5.5				
	06	0.50	6.0			0.31	6.0				
	08	0.73	4.5	* 0.44	4.7	* 0.35	4.4	* 0.21	3.3		
	10	0.54	4.5	0.41	4.7	0.32	4.7	0.19	3.6		
	12	0.51	5.3	0.37	4.9	0.30	4.9	0.19	4.0		
	14	0.59	4.8	0.41	4.7	0.32	4.5	0.20	3.4		
	16	0.52	4.3	0.37	4.5	0.30	4.2	0.18	3.0		
	18	0.35	5.0	0.29	4.5	0.24	4.5	0.15	3.2		
	20	0.39	4.8	0.32	4.8	0.27	5.0	0.17	4.0		
	22	0.38	5.5	0.28	5.3	0.22	5.3	0.13	4.0		
	最大	0.74	5.0	0.44	4.7	0.35	4.4	0.21	3.3		
	平均	0.52	5.0	0.37	4.8	0.29	4.8	0.18	3.5		
04	00	0.30	4.8	* 0.22	5.2	* 0.17	5.2	* 0.10	3.8		
	02	0.25	4.8	0.16	5.5	0.12	4.8	0.07	3.1		
	04	0.30	5.3	0.20	5.5	0.16	5.4	0.09	4.0		
	06	0.20	4.8	0.16	5.1	0.13	4.5	0.07	2.8		
	08	0.25	5.5	0.19	5.4	0.16	5.3	0.09	3.5		
	10	0.21	6.0	0.17	4.9	0.13	4.3	0.07	2.8		
	12	0.23	5.0	0.16	4.8	0.12	4.2	0.07	2.6		
	14	0.15	5.3	0.12	4.8	0.09	4.4	0.05	2.9		
	16	0.12	5.0	0.09	4.0	0.07	3.5	0.04	2.4		
	18	0.09	3.8	0.06	3.5	0.05	3.1	0.03	2.0		
	20	* 0.34	4.0	0.21	4.3	0.16	4.5	0.09	3.2		
	22	0.14	4.3	0.10	4.2	0.07	3.3	0.04	2.1		
	最大	0.34	4.0	0.22	5.2	0.17	5.2	0.10	3.8		

	平均	0.22	4.9	0.15	4.8	0.12	4.4	0.07	2.9	
05	00	0.19	4.0	0.14	4.2	0.11	4.0	0.07	3.0	
	02	0.33	5.8	0.22	4.8	0.18	4.3	0.11	3.0	
	04	0.51	4.8	0.33	4.0	0.26	3.3	0.17	2.5	
	06	1.01	4.5	0.64	3.9	0.51	3.7	0.33	3.0	
	08	1.46	3.5	0.99	4.1	0.78	4.0	0.51	3.3	
	10	1.11	4.8	0.85	4.0	0.69	3.7	0.45	3.2	
	12	1.18	3.3	0.84	3.4	0.66	3.5	0.42	3.1	
	14	1.59	3.8	1.12	4.0	0.91	3.9	0.58	3.5	
	16	1.58	3.3	1.19	4.3	1.00	4.5	0.65	3.8	
	18	1.47	6.5	1.14	5.0	0.92	4.8	0.58	3.8	
20	* 1.70	6.0	* 1.31	4.8	* 1.04	4.8	* 0.66	3.8		
22	1.35	4.3	1.12	4.6	0.92	4.6	0.61	3.8		
最大平均	1.70	6.0	1.31	4.8	1.04	4.8	0.66	3.8		
	1.12	4.6	0.82	4.3	0.67	4.1	0.43	3.3		
06	00	* 1.28	3.8	* 0.93	3.8	* 0.75	3.9	0.50	3.4	
	02	1.07	6.0	0.89	4.3	0.73	4.6	* 0.50	3.9	
	04	0.62	4.5	0.52	4.2	0.43	3.8	0.31	3.4	
	06	0.58	6.5	0.43	4.9	0.35	4.0	0.23	3.1	
	08	0.69	4.8	0.51	4.4	0.41	3.9	0.26	2.9	
	10	0.73	3.0	0.61	4.7	0.50	4.5	0.35	3.3	
	12	0.82	3.3	0.53	3.4	0.43	3.3	0.27	2.7	
	14	0.61	5.3	0.47	3.2	0.38	3.5	0.25	2.8	
	16	0.33	5.3	0.27	4.7	0.22	4.0	0.14	2.8	
	18	0.26	6.0	0.19	5.5	0.14	4.7	0.08	3.1	
20	0.27	4.5	0.19	5.1	0.14	5.0	0.08	3.4		
22	0.15	6.0	0.11	6.3	0.09	5.6	0.05	3.4		
最大平均	1.28	3.8	0.93	3.8	0.75	3.9	0.50	3.9		
	0.62	4.9	0.47	4.5	0.38	4.2	0.25	3.2		
07	00	0.16	6.8	0.09	5.1	0.07	4.1	0.04	2.4	
	02	0.13	5.0	0.09	5.1	0.07	3.9	0.04	2.4	
	04	0.21	5.0	0.10	5.4	0.07	4.4	0.04	2.6	
	06	0.14	4.0	0.10	4.5	0.08	3.9	0.05	2.6	
	08	0.13	4.0	0.10	4.9	0.08	4.5	0.04	2.7	
	10	0.15	4.5	0.12	4.7	0.09	4.3	0.06	2.8	
	12	0.15	5.3	0.11	4.4	0.08	3.8	0.05	2.4	
	14	0.16	4.8	0.11	4.0	0.09	3.0	0.05	2.1	
	16	0.15	4.5	0.11	4.1	0.09	3.5	0.05	2.2	
	18	0.14	6.0	0.09	4.7	0.07	4.3	0.05	2.7	
20	* 0.44	7.0	* 0.27	4.8	* 0.19	4.3	* 0.10	2.9		
22	0.13	2.0	0.09	2.8	0.07	2.6	0.05	2.0		
最大平均	0.44	7.0	0.27	4.8	0.19	4.3	0.10	2.9		
	0.17	4.9	0.12	4.5	0.09	3.9	0.05	2.5		
08	00	0.14	1.5	0.10	1.8	0.08	2.0	0.05	1.7	
	02	0.15	1.8	0.08	3.2	0.06	2.9	0.04	2.1	
	04	0.09	5.5	0.06	3.7	0.05	3.1	0.03	2.1	
	06	0.27	1.8	0.19	2.0	0.15	1.9	0.10	1.8	
	08	0.33	1.8	0.24	1.8	0.18	1.8	0.11	1.8	
	10	0.20	3.0			0.12	3.0			
	12	0.30	1.5	0.20	1.9	0.15	2.0	0.09	1.9	
	14	0.12	2.0	0.08	3.8	0.06	3.3	0.04	2.3	
	16	0.66	2.0	0.40	2.2	0.31	2.4	0.22	2.4	
	18	0.78	2.5	0.53	2.4	0.41	2.6	0.27	2.4	
20	* 0.93	6.5	0.63	4.6	* 0.53	5.0	* 0.36	3.9		
22	0.90	8.0	* 0.64	7.5	0.51	5.5	0.31	3.6		
最大平均	0.93	6.5	0.64	7.5	0.53	5.0	0.36	3.9		
	0.41	3.2	0.29	3.2	0.22	3.0	0.15	2.4		
09	00	0.86	3.0	0.63	3.7	0.49	3.6	0.31	2.9	
	02	0.83	5.0	0.63	5.0	0.52	4.4	0.35	3.5	
	04	0.86	7.5	0.75	4.7	0.60	4.5	* 0.42	3.7	
	06	1.00	6.0	0.73	6.3	0.58	5.7	0.37	4.0	
	08	* 1.11	6.0	* 0.79	6.6	* 0.61	5.7	0.38	3.9	
	10	0.93	3.8	0.71	5.7	0.59	4.9	0.38	3.6	
	12	0.79	7.0	0.59	5.4	0.47	4.4	0.30	3.3	
	14	0.95	8.5	0.76	7.0	0.58	5.0	0.37	3.5	
	16	0.86	4.3	0.67	5.5	0.54	4.8	0.35	3.4	
	18	0.91	8.0	0.65	6.2	0.52	5.0	0.33	3.6	
20	0.96	5.5	0.65	6.0	0.51	5.4	0.32	3.8		
22	0.83	6.5	0.60	5.7	0.49	5.0	0.31	3.5		

		Case 10		Case 11		Case 12		Case 13		Case 14	
		Max	Avg	Max	Avg	Max	Avg	Max	Avg	Max	Avg
10	00	1.11	6.0	0.79	6.6	0.61	5.7	0.42	3.7		
	02	0.91	5.9	0.68	5.7	0.54	4.9	0.35	3.6		
	04	0.79	7.3	0.51	5.5	0.40	4.7	0.24	3.2		
	06	0.76	5.3	0.51	5.8	0.39	5.0	0.24	3.4		
	08	0.68	6.3	0.52	5.3	0.40	4.5	0.25	3.3		
	10	0.57	6.3	0.42	5.7	0.32	4.8	0.19	3.3		
	12	0.46	5.3			0.29	5.3				
	14	0.53	4.8	0.38	5.6	0.29	4.6	0.18	3.2		
	16	0.68	5.5	0.50	4.2	0.38	3.8	0.24	2.9		
	18	0.79	2.5	* 0.53	4.5	* 0.42	4.4	* 0.28	3.7		
11	00	0.50	5.5	0.39	5.4	0.32	4.8	0.20	3.4		
	02	0.47	5.8	0.40	5.5	0.32	4.9	0.21	3.5		
	04	* 0.92	4.8	0.46	4.8	0.35	5.2	0.21	4.1		
	06	0.42	4.5	0.29	5.9	0.23	5.8	0.14	4.2		
	08	0.92	4.8	0.53	4.5	0.42	4.4	0.28	3.7		
	10	0.63	5.3	0.45	5.3	0.34	4.8	0.22	3.5		
	12	0.40	5.5	0.28	5.6	0.22	5.6	0.13	4.3		
	14	0.28	4.2	0.21	4.0	0.16	3.6	0.10	2.7		
	16	0.31	5.0	0.24	5.6	0.18	5.5	0.10	3.8		
	18	0.28	5.8	0.22	5.9	0.17	5.4	0.10	3.5		
12	00	0.25	5.8	0.18	5.3	0.14	4.1	0.08	2.7		
	02	0.23	4.5	0.16	3.3	0.13	2.8	0.08	2.1		
	04	0.25	1.5	0.18	2.5	0.14	2.2	0.09	2.0		
	06	0.32	4.5	0.24	3.6	0.18	2.7	0.11	2.2		
	08	0.17	1.3	0.13	2.4	0.11	2.2	0.07	1.8		
	10	0.25	1.8	0.16	1.9	0.13	1.9	0.08	1.8		
	12	0.35	7.3	0.28	4.6	0.21	3.9	0.12	2.6		
	14	0.28	1.5	0.20	1.7	0.15	1.7	0.09	1.7		
	16	0.40	5.5	0.28	5.6	0.22	5.6	0.13	4.3		
	18	0.28	4.2	0.21	4.0	0.16	3.6	0.10	2.7		
13	00	0.29	1.5	0.18	1.6	0.14	1.7	0.09	1.7		
	02	0.15	3.3	0.10	2.8	0.08	2.5	0.05	2.0		
	04	0.14	1.8	0.09	2.3	0.07	2.1	0.05	1.8		
	06	0.13	2.0	0.09	2.2	0.07	2.4	0.04	1.9		
	08	0.10	1.8	0.08	3.5	0.06	2.9	0.04	2.0		
	10	0.10	2.5	0.08	3.9	0.07	3.7	0.04	2.6		
	12	0.10	3.5	0.06	3.0	0.05	3.0	0.03	2.0		
	14	0.20	2.3	0.13	2.8	0.10	2.7	0.06	2.2		
	16	0.10	2.0	0.07	2.7	0.06	2.3	0.04	1.7		
	18	0.09	2.8	0.06	3.4	0.04	2.9	0.03	2.0		
14	00	* 0.34	3.8	* 0.24	4.0	* 0.17	4.2	* 0.09	3.2		
	02	0.15	1.8	0.10	3.0	0.08	2.8	0.05	2.2		
	04	0.34	3.8	0.24	4.0	0.17	4.2	0.09	3.2		
	06	0.16	2.4	0.11	2.9	0.08	2.8	0.05	2.1		
	08	0.10	5.5	0.08	3.4	0.06	2.6	0.04	1.9		
	10	0.13	2.0	0.07	3.4	0.05	3.1	0.03	2.3		
	12	0.12	5.0			0.07	5.0				
	14	0.13	3.5			0.08	3.5				
	16	* 0.47	1.8			* 0.30	1.8				
	18	0.30	5.8			0.19	5.8				

	16	0.23	4.5	0.18	5.8	0.14	5.2	0.08	3.2		
	18	0.26	5.5	0.18	5.7	0.14	5.0	0.08	3.1		
	20	0.34	4.5	0.28	4.6	0.23	4.5	* 0.15	3.9		
	22	0.20	5.0			0.12	5.0				
	最大										
	平均	0.40	7.3	0.30	6.8	0.24	6.7	0.15	3.9		
		0.28	6.0	0.22	5.8	0.16	5.6	0.10	3.6		
	15	00	0.19	5.5	0.13	5.3	0.10	4.7	0.06		3.1
	02	0.14	5.8	0.10	4.9	0.08	4.7	0.05	3.1		
	04	0.16	5.3	0.11	5.1	0.09	4.8	0.05	3.0		
	06	0.16	4.5	0.11	4.8	0.08	4.4	0.05	2.8		
	08	0.17	4.5	0.12	5.2	0.10	5.1	0.06	3.5		
	10	0.17	5.5	0.11	4.6	0.08	3.8	0.05	2.4		
	12	0.21	3.8			0.14	3.8				
	14	0.18	4.8	0.13	3.7	0.10	3.4	0.06	2.3		
	16	0.23	1.8			0.15	3.8				
	18	0.17	4.3	0.12	3.3	0.10	3.0	0.06	2.2		
	20	* 0.53	5.5	* 0.29	4.2	* 0.19	4.1	* 0.11	3.2		
	22	0.13	5.5	0.08	4.0	0.07	3.3	0.04	2.3		
	最大										
	平均	0.53	5.5	0.29	4.2	0.19	4.1	0.11	3.2		
		0.20	4.7	0.13	4.5	0.11	4.1	0.06	2.8		
	16	00	0.12	5.5	0.09	4.9	0.07	4.0	0.04		2.5
	02	0.13	4.3	0.10	4.0	0.08	4.0	0.05	2.7		
	04	0.14	7.5	0.09	5.9	0.07	4.6	0.04	2.9		
	06	0.16	4.3	0.12	4.8	0.09	4.4	0.05	2.7		
	08	0.13	5.5	0.09	4.4	0.07	3.5	0.04	2.2		
	10	0.16	6.0	0.12	5.6	0.10	5.2	0.06	3.4		
	12	0.27	5.3	0.18	2.7	0.14	2.6	0.09	2.1		
	14	0.19	3.0	0.14	2.8	0.11	2.6	0.08	2.1		
	16	0.17	4.8	0.13	3.7	0.10	3.0	0.07	2.2		
	18	0.23	2.0			0.15	2.0				
	20	* 0.60	5.3	* 0.31	4.3	* 0.19	4.5	* 0.10	3.4		
	22	0.09	5.5			0.06	5.5				
	最大										
	平均	0.60	5.3	0.31	4.3	0.19	4.5	0.10	3.4		
		0.20	4.9	0.14	4.3	0.10	3.8	0.06	2.6		
	17	00	0.08	6.0	0.06	3.7	0.04	3.0	0.03		1.9
	02	0.10	3.8	0.07	2.5	0.06	2.2	0.04	1.7		
	04	0.27	6.0	0.14	2.6	0.10	2.2	0.06	1.8		
	06	0.17	2.1			0.11	2.1				
	08	0.13	2.0	0.09	2.1	0.08	2.1	0.05	1.8		
	10	0.12	3.3	0.08	2.3	0.07	2.3	0.04	1.8		
	12	0.10	4.3	0.07	2.5	0.06	2.2	0.03	1.7		
	14	0.08	4.0	0.06	2.6	0.05	2.4	0.03	1.8		
	16	0.13	2.8	0.09	3.1	0.07	2.8	0.04	2.0		
	18	0.19	2.3	0.15	2.3	0.12	2.3	0.08	2.1		
	20	* 0.28	6.0	* 0.18	4.1	* 0.14	3.5	* 0.08	2.5		
	22	0.07	4.8	0.06	4.0	0.05	3.5	0.03	2.5		
	最大										
	平均	0.28	6.0	0.18	4.1	0.14	3.5	0.08	2.5		
		0.14	4.0	0.10	2.9	0.08	2.6	0.05	2.0		
	18	00	0.11	7.8	0.07	6.4	0.05	5.0	0.03		2.8
	02	0.40	1.8			0.25	1.8				
	04	0.15	7.5			0.09	7.5				
	06	0.19	4.5	0.13	5.0	0.10	4.7	0.06	3.1		
	08	0.17	4.5	0.13	4.5	0.10	4.3	0.06	3.1		
	10	0.18	4.5	0.12	4.4	0.09	4.5	0.05	3.2		
	12	0.30	3.5			0.19	3.5				
	14	0.14	6.0	0.11	5.6	0.09	4.8	0.05	2.9		
	16	0.20	8.0	0.16	6.7	0.12	5.3	0.07	3.4		
	18	0.15	6.5	0.11	6.0	0.08	5.0	0.05	3.0		
	20	* 0.59	5.3	* 0.40	4.6	* 0.27	4.5	* 0.15	3.7		
	22	0.20	6.5	0.16	6.0	0.12	5.7	0.07	3.6		
	最大										
	平均	0.59	5.3	0.40	4.6	0.27	4.5	0.15	3.7		
		0.23	5.5	0.15	5.5	0.13	4.7	0.07	3.2		
	19	00	0.22	5.8	0.15	5.5	0.11	4.2	0.07		2.6
	02	0.18	6.0	0.12	4.4	0.09	3.6	0.05	2.4		
	04	0.15	6.3	0.10	3.8	0.08	3.0	0.05	2.0		
	06	0.12	5.5	0.08	3.5	0.07	2.9	0.04	2.1		
	08	0.17	4.0			0.10	4.0				
	10	0.12	2.3	0.09	2.8	0.07	2.6	0.04	1.9		
	最大										
	平均	0.22	5.8	0.15	5.5	0.11	4.2	0.07	2.6		

	12	0.17	1.5			0.10	1.5			
	14	0.26	2.5			* 0.17	2.5			
	16	0.13	2.8	0.09	2.9	0.07	2.7	0.04	2.0	
	18	* 0.29	2.0	* 0.21	2.1	0.16	2.1	* 0.10	1.9	
	20	0.26	5.5			0.16	5.5			
	22	0.17	4.5	0.11	3.6	0.09	3.2	0.06	2.2	
	最大									
	平均	0.29	2.0	0.21	2.1	0.17	2.5	0.10	1.9	
		0.19	4.1	0.12	3.6	0.11	3.2	0.06	2.1	
20	00	0.19	5.3	0.13	4.4	0.10	3.8	0.06	2.8	
	02	0.31	4.8	0.22	5.0	0.18	4.8	0.11	3.6	
	04	0.50	8.3	0.35	8.5	0.26	7.1	0.15	4.3	
	06	0.52	7.3	0.40	6.9	0.33	6.7	0.19	4.7	
	08	0.45	8.5	0.33	6.1	0.27	6.0	0.17	4.0	
	10	0.56	6.5	0.42	6.4	0.33	6.4	0.21	5.0	
	12	0.47	5.8	0.39	5.8	0.32	5.8	0.19	4.4	
	14	* 0.69	5.3	* 0.47	5.7	* 0.37	5.9	* 0.22	4.6	
	16	0.46	6.0	0.38	6.1	0.30	5.9	0.18	4.3	
	18	0.50	6.3	0.42	5.6	0.33	5.7	0.20	4.4	
	20	0.55	5.5	0.38	5.7	0.29	5.5	0.18	4.2	
	22	0.45	5.3	0.30	5.2	0.24	5.4	0.15	4.1	
	最大									
	平均	0.69	5.3	0.47	5.7	0.37	5.9	0.22	4.6	
		0.47	6.2	0.35	6.0	0.28	5.8	0.17	4.2	
21	00	0.32	5.8	0.25	5.3	0.20	5.3	0.12	4.1	
	02	0.33	5.5	0.23	4.9	0.18	5.0	0.11	3.4	
	04	0.46	5.5			0.29	5.5			
	06	0.47	3.0	0.32	2.7	0.26	2.6	0.17	2.3	
	08	0.64	2.8	0.46	3.0	0.37	3.0	0.24	2.6	
	10	* 1.20	2.8	0.79	3.1	0.61	3.1	0.39	2.8	
	12	0.85	4.0	0.62	3.1	0.49	3.1	0.32	2.7	
	14	1.17	3.8	0.84	3.8	0.69	3.6	0.45	3.0	
	16	1.03	4.0	0.82	4.0	0.67	4.0	0.43	3.3	
	18	1.15	4.0	* 0.91	5.1	* 0.73	4.4	* 0.47	3.5	
	20	1.13	3.5	0.83	4.3	0.66	4.2	0.41	3.3	
	22	1.06	6.5	0.75	4.9	0.60	4.3	0.38	3.3	
	最大									
	平均	1.20	2.8	0.91	5.1	0.73	4.4	0.47	3.5	
		0.82	4.3	0.62	4.0	0.48	4.0	0.32	3.1	
22	00	* 0.86	5.5	* 0.63	4.2	* 0.50	3.8	* 0.33	3.0	
	02	0.70	6.5	0.55	5.0	0.43	4.5	0.27	3.3	
	04	0.66	6.0	0.45	5.5	0.37	4.9	0.23	3.6	
	06	0.67	5.5	0.52	6.0	0.43	5.8	0.27	4.6	
	08	0.65	5.3	0.47	5.8	0.39	5.5	0.24	4.2	
	10	0.72	6.0	0.44	5.7	0.33	5.8	0.20	4.5	
	12	0.64	5.8	0.52	6.2	0.38	5.7	0.22	3.9	
	14	0.56	5.0	0.41	5.5	0.34	5.8	0.24	5.0	
	16	0.33	5.3	0.25	5.4	0.19	4.9	0.12	3.2	
	18	0.20	7.3	0.15	6.2	0.12	5.2	0.07	3.2	
	20	0.29	4.0	0.20	5.3	0.15	4.9	0.08	3.2	
	22	0.20	5.8	0.14	5.9	0.11	4.4	0.06	2.7	
	最大									
	平均	0.86	5.5	0.63	4.2	0.50	3.8	0.33	3.0	
		0.54	5.7	0.39	5.6	0.31	5.1	0.19	3.7	
23	00	0.18	6.0	0.13	5.7	0.10	4.3	0.06	2.7	
	02	0.21	6.3	0.12	4.8	0.09	3.6	0.05	2.3	
	04	0.19	7.3	0.14	2.8	0.12	2.5	0.07	2.0	
	06	0.30	1.5			* 0.19	1.5			
	08	0.23	1.8	0.16	1.9	0.13	2.0	0.08	1.9	
	10	0.31	2.5	0.18	2.4	0.13	2.3	0.08	2.0	
	12	0.21	1.8	0.14	2.5	0.11	2.3	0.07	1.9	
	14	0.23	1.8			0.15	1.8			
	16	0.13	1.5			0.08	1.5			
	18	0.23	1.5			0.15	1.5			
	20	* 0.39	4.3	* 0.22	4.0	0.15	3.8	* 0.08	2.7	
	22	0.13	4.5			0.08	4.5			
	最大									
	平均	0.39	4.3	0.22	4.0	0.19	1.5	0.08	2.7	
		0.23	3.4	0.16	3.4	0.12	2.6	0.07	2.2	
24	00	0.10	4.0			0.06	4.0			
	02	0.10	3.8	0.07	3.6	0.05	2.9	0.03	1.9	

	04	0.23	5.3	0.12	4.1	0.08	3.4	0.04	2.3	
	06	0.10	5.0	0.07	4.1	0.06	3.4	0.04	2.3	
	08	0.09	6.0	0.07	3.7	0.05	3.4	0.03	2.3	
	10	0.10	4.8	0.06	5.4	0.05	4.7	0.03	2.8	
	12	0.11	2.0	0.09	3.8	0.07	4.1	0.04	2.6	
	14	0.13	6.0	0.08	3.2	0.06	2.6	0.04	1.9	
	16	0.13	6.0	0.08	4.2	0.06	3.5	0.04	2.4	
	18	0.08	4.8	0.06	4.1	0.05	3.8	0.03	2.6	
	20	* 0.48	3.8	* 0.25	4.0	* 0.19	4.2	* 0.12	3.4	
	22	0.24	3.5	0.18	4.0	0.14	3.9	0.09	3.2	
	最大	0.48	3.8	0.25	4.0	0.19	4.2	0.12	3.4	
	平均	0.16	4.6	0.10	4.0	0.08	3.7	0.05	2.5	
25	00	0.24	4.5	* 0.19	4.2	* 0.15	4.2	* 0.10	3.4	
	02	0.24	4.0	0.18	4.2	0.14	4.2	0.09	3.5	
	04	0.17	4.5	0.13	5.6	0.11	5.1	0.07	4.0	
	06	0.15	4.0	0.12	4.2	0.10	4.4	0.06	3.3	
	08	0.24	5.8	0.15	3.4	0.11	3.6	0.07	3.2	
	10	0.16	3.0	0.10	3.4	0.08	3.1	0.05	2.3	
	12	* 0.26	11.3	0.13	3.4	0.10	2.9	0.06	2.1	
	14	0.15	3.8	0.12	3.4	0.10	3.6	0.06	2.6	
	16	0.12	2.8	0.08	2.7	0.07	2.9	0.04	2.1	
	18	0.13	3.3	0.09	2.7	0.07	2.5	0.05	1.9	
	欠测	0.23	1.8	0.16	1.7	0.12	1.7	0.07	1.7	
	最大	0.26	11.3	0.19	4.2	0.15	4.2	0.10	3.4	
平均	0.19	4.4	0.13	3.5	0.10	3.5	0.07	2.7		
26	00	0.25	2.0	0.17	1.8	0.13	1.8	0.09	1.7	
	02	0.12	5.3	0.09	4.8	0.07	4.6	0.04	2.8	
	04	0.14	6.0	0.10	5.7	0.08	5.5	0.05	3.4	
	06	0.23	2.0	0.17	2.4	0.14	2.7	0.09	2.3	
	08	0.40	2.5	0.25	2.8	0.21	2.7	0.13	2.2	
	10	欠测								
	12	欠测								
	14	* 0.48	3.0	* 0.38	3.3	* 0.31	3.0	* 0.20	2.5	
	16	0.43	1.8	0.34	3.3	0.27	3.0	0.17	2.5	
	18	0.37	2.0	0.29	3.3	0.23	3.0	0.14	2.4	
	欠测									
	最大	0.48	3.0	0.38	3.3	0.31	3.0	0.20	2.5	
平均	0.30	3.1	0.22	3.4	0.18	3.3	0.11	2.5		
27	00	欠测								
	02	0.55	3.3	0.41	3.5	0.34	3.4	* 0.23	2.8	
	04	0.46	4.8	0.39	3.5	0.32	3.3	0.21	2.6	
	06	0.52	4.5	0.37	5.4	0.31	5.1	0.18	3.6	
	08	* 0.63	4.8	* 0.44	4.6	* 0.35	4.4	0.21	3.2	
	10	0.57	5.8	0.36	4.8	0.28	4.5	0.17	3.3	
	12	0.55	2.8	0.36	3.3	0.29	3.2	0.19	2.6	
	14	0.33	3.3	0.27	4.0	0.22	3.9	0.13	2.8	
	16	0.33	3.8	0.25	4.2	0.20	3.8	0.12	2.7	
	18	0.28	4.5	0.22	4.3	0.17	4.2	0.10	3.2	
	20	0.51	4.3	0.30	4.4	0.22	4.3	0.13	3.5	
	22	0.15	4.0	0.12	4.0	0.09	4.0	0.06	2.9	
	最大	0.63	4.8	0.44	4.6	0.35	4.4	0.23	2.8	
	平均	0.44	4.2	0.32	4.2	0.25	4.0	0.16	3.0	
28	00	0.12	4.8	0.10	4.4	0.08	4.0	0.05	2.7	
	02	0.16	4.3	0.10	4.5	0.08	4.0	0.04	2.4	
	04	欠测								
	06	0.12	4.5	0.07	3.7	0.06	3.1	0.04	2.1	
	08	0.13	3.0	0.09	3.6	0.07	3.4	0.04	2.4	
	10	0.10	4.8	0.07	3.2	0.05	3.0	0.03	2.1	
	12	0.08	3.3	0.07	3.8	0.05	3.3	0.03	2.1	
	14	0.09	6.0	0.07	3.6	0.05	2.8	0.03	2.0	
	16	0.16	7.0	0.08	2.8	0.06	2.5	0.04	1.8	
	18	* 0.19	1.8	* 0.12	2.2	* 0.09	2.3	* 0.06	2.0	
	欠测									
	最大	0.19	1.8	0.12	2.2	0.09	2.3	0.06	2.0	

29	平均	0.13	4.4	0.09	3.5	0.07	3.2	0.04	2.2	
	00	0.08	5.3	0.06	4.1	0.04	3.7	0.03	2.2	
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	0.11	3.0	0.09	2.8	0.07	2.8	0.05	2.0	
	20	欠測								
	22	* 0.27	1.3	* 0.22	1.6	* 0.16	1.7	* 0.10	1.7	
	最大	0.27	1.3	0.22	1.6	0.16	1.7	0.10	1.7	
	平均	0.15	3.2	0.12	2.8	0.09	2.7	0.06	2.0	
30	00	0.12	3.3	0.10	4.2	0.08	3.6	0.05	2.4	
	02	0.20	1.5	0.14	2.2	0.11	2.3	0.07	2.0	
	04	欠測								
	06	0.56	2.0	0.39	2.2	0.30	2.3	0.19	2.2	
	08	0.58	3.0	0.47	2.8	0.38	2.9	0.24	2.5	
	10	0.63	2.8	0.46	3.1	0.37	3.1	0.24	2.7	
	12	0.57	2.8	0.42	2.9	0.34	2.9	0.22	2.5	
	14	0.74	2.8	0.42	2.6	0.33	2.6	0.22	2.5	
	16	0.79	2.8	0.52	3.2	0.41	3.1	0.26	2.7	
	18	* 0.86	6.0	* 0.55	6.3	* 0.42	7.0	0.28	5.4	
	20	0.68	6.5	0.49	7.6	0.41	7.4	* 0.28	5.7	
	22	0.58	6.5	0.52	7.2	0.41	6.5	0.28	5.6	
	最大	0.86	6.0	0.55	6.3	0.42	7.0	0.28	5.7	
	平均	0.57	3.6	0.41	4.0	0.32	4.0	0.21	3.3	
	月最大	1.70	6.0	1.31	4.8	1.04	4.8	0.66	3.8	
	起時	0520		0520		0520		0520		
	平均	0.38	4.6	0.29	4.3	0.22	4.0	0.14	2.9	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	362 回	測得回数	0 回
欠測回数	10 回	欠測回数	372 回
欠測率	2.7 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.64	6.5	* 0.55	7.1	* 0.44	6.8	* 0.29	5.2		
	02	0.58	6.3	0.44	6.3	0.34	5.9	0.21	4.0		
	04	0.62	6.3	0.45	6.2	0.37	6.2	0.22	4.4		
	06	* 0.71	5.8	0.49	6.5	0.37	5.9	0.22	4.0		
	08	0.63	6.3	0.47	6.3	0.38	5.8	0.23	4.1		
	10	0.54	6.3	0.41	6.0	0.32	5.9	0.19	4.3		
	12	0.53	6.0	0.36	5.2	0.28	5.0	0.17	3.3		
	14	0.60	6.0	0.37	5.7	0.29	5.3	0.18	3.5		
	16	0.36	5.0	0.29	5.3	0.24	5.4	0.14	3.8		
	18	0.35	5.5	0.30	5.5	0.24	5.5	0.14	3.9		
	20	0.61	6.0	0.41	4.8	0.32	4.8	0.21	4.8		
	22	0.25	6.8	0.20	5.7	0.15	4.9	0.09	2.9		
	最大	0.71	5.8	0.55	7.1	0.44	6.8	0.29	5.2		
	平均	0.54	6.1	0.40	5.9	0.31	5.6	0.19	4.0		
02	00	0.18	7.5	0.14	6.4	0.11	5.7	0.06	3.3		
	02	0.15	6.5	0.11	5.7	0.09	4.1	0.05	2.6		
	04	0.23	6.0	0.13	4.6	0.10	3.3	0.06	2.2		
	06	0.14	5.0	0.10	3.7	0.08	3.0	0.05	2.1		
	08	0.13	5.8	0.09	3.9	0.07	2.9	0.04	2.0		
	10	0.12	2.3	0.09	2.3	0.07	2.1	0.05	1.8		
	12	0.11	3.5	0.07	3.4	0.06	2.9	0.03	2.0		
	14	0.13	3.8	0.08	3.5	0.06	3.2	0.04	2.2		
	16	0.12	1.8	0.08	3.0	0.06	2.7	0.04	2.1		
	18	0.09	2.5			0.06	2.5				
	20	* 0.29	5.8	* 0.19	4.7	* 0.13	4.1	* 0.07	2.8		
	22	0.09	3.8	0.06	4.4	0.05	3.9	0.03	2.4		
	最大	0.29	5.8	0.19	4.7	0.13	4.1	0.07	2.8		
	平均	0.15	4.5	0.10	4.1	0.08	3.4	0.05	2.3		
03	00	0.08	6.8	0.05	3.3	0.04	2.6	0.03	1.9		
	02	0.13	4.3	0.07	3.4	0.05	2.6	0.03	1.9		
	04	0.16	5.8	0.09	4.6	0.07	3.1	0.04	2.1		
	06	0.13	6.5	0.09	4.5	0.07	3.6	0.04	2.3		
	08	0.13	5.0	0.10	3.3	0.08	3.0	0.05	2.2		
	10	0.10	2.3	0.07	3.9	0.06	3.1	0.04	2.2		
	12	0.16	4.5	* 0.12	3.7	0.10	3.4	* 0.06	2.4		
	14	0.26	1.8			0.17	1.8				
	16	0.30	1.8			0.19	1.8				
	18	0.30	4.9			0.19	4.9				
	20	* 0.50	6.5			* 0.31	6.5				
	22	0.14	7.5	0.09	4.7	0.07	3.9	0.04	2.5		
	最大	0.50	6.5	0.12	3.7	0.31	6.5	0.06	2.4		
	平均	0.20	4.8	0.09	3.9	0.12	3.4	0.04	2.2		
04	00	0.17	5.5	0.11	5.5	0.08	5.3	0.04	3.1		
	02	0.18	5.0	0.12	4.7	0.08	4.2	0.05	2.5		
	04	0.12	5.8	0.09	5.1	0.07	4.6	0.04	2.8		
	06	0.14	4.3	0.10	4.2	0.08	3.7	0.05	2.5		
	08	0.13	3.8	0.10	4.5	0.08	4.2	0.04	2.8		
	10	0.18	5.0			0.11	5.0				
	12	0.18	5.5			0.11	5.5				
	14	0.29	5.5	0.18	3.7	0.14	3.1	0.09	2.3		
	16	0.28	4.3	0.20	4.0	0.16	3.5	0.10	2.5		
	18	0.34	2.5	* 0.24	3.8	0.19	3.4	* 0.12	2.7		
	20	* 0.36	5.0			* 0.23	5.0				
	22	0.26	3.5			0.17	3.5				
	最大	0.36	5.0	0.24	3.8	0.23	5.0	0.12	2.7		

	平均	0.22	4.6	0.14	4.4	0.13	4.3	0.07	2.7		
05	00	0.26	5.5			0.17	5.5				
	02	0.25	6.0			0.16	6.0				
	04	0.38	5.5			0.24	5.5				
	06	0.36	6.0			0.23	6.0				
	08	0.41	5.8	0.30	5.4	0.24	5.5	0.15	4.3		
	10	0.40	5.8			0.25	5.8				
	12	0.50	5.5			0.31	5.5				
	14	* 0.53	5.5	* 0.44	5.6	* 0.35	5.4	* 0.22	4.1		
	16	0.42	5.0	0.32	5.1	0.26	4.7	0.16	3.2		
	18	0.43	5.0			0.27	5.0				
	20	0.45	4.2			0.28	4.2				
	22	0.30	5.0			0.19	5.0				
	最大										
	平均	0.53	5.5	0.44	5.6	0.35	5.4	0.22	4.1		
	0.39	5.4	0.35	5.4	0.25	5.3	0.18	3.9			
06	00	* 0.30	4.5			* 0.19	4.5				
	02	0.23	5.5			0.15	5.5				
	04	0.26	4.5	* 0.19	4.9	0.15	4.8	* 0.09	3.7		
	06	0.24	4.5	0.16	4.6	0.13	4.7	0.08	3.3		
	08	0.20	5.8	0.15	4.7	0.11	4.2	0.06	2.6		
	10	0.19	5.8	0.13	4.6	0.10	4.0	0.06	2.5		
	12	0.17	2.8	0.11	3.3	0.09	2.9	0.05	2.1		
	14	0.15	1.8	0.11	2.3	0.09	2.2	0.06	1.9		
	16	欠測									
	18	0.10	1.5	0.07	3.0	0.06	2.5	0.03	1.8		
	20	0.18	3.8	0.10	3.8	0.07	3.0	0.04	2.1		
	22	欠測									
	最大										
	平均	0.30	4.5	0.19	4.9	0.19	4.5	0.09	3.7		
	0.20	4.1	0.13	3.9	0.11	3.8	0.06	2.5			
07	00	0.09	3.0	0.06	2.3	0.05	2.2	0.03	1.7		
	02	0.13	2.0	0.08	2.5	0.06	2.3	0.03	1.8		
	04	0.08	2.8	0.06	2.8	0.05	2.5	0.03	1.9		
	06	0.12	1.5	0.07	2.0	0.06	2.1	0.04	1.7		
	08	0.19	5.8	0.12	2.6	0.09	2.3	0.06	1.9		
	10	0.20	3.0	0.08	2.6	0.07	2.5	0.04	2.0		
	12	0.14	1.5	0.10	1.8	0.07	2.0	0.05	1.7		
	14	0.12	5.5	0.09	3.3	0.08	2.7	0.05	2.0		
	16	0.19	1.5	0.13	1.9	0.10	1.9	0.06	1.7		
	18	0.13	1.5	0.10	2.1	0.08	2.0	0.05	1.8		
	20	* 0.30	4.5	* 0.21	4.3	0.14	3.6	* 0.08	2.5		
	22	0.30	1.5			* 0.19	1.5				
	最大										
	平均	0.30	4.5	0.21	4.3	0.19	1.5	0.08	2.5		
	0.17	2.8	0.10	2.6	0.09	2.3	0.05	1.9			
08	00	0.17	1.5			0.10	1.5				
	02	0.20	2.0			0.12	2.0				
	04	0.22	4.8	0.12	4.8	0.09	3.9	0.06	2.5		
	06	0.43	2.0	0.30	2.1	0.23	2.2	0.14	2.0		
	08	0.50	2.3	0.37	2.3	0.30	2.4	0.19	2.4		
	10	0.76	2.8	0.56	3.3	0.45	3.2	0.29	2.7		
	12	0.89	2.5	0.66	4.3	0.53	3.9	0.35	3.1		
	14	* 1.22	7.5	0.83	6.7	0.65	5.8	0.43	4.1		
	16	1.00	6.5	0.78	4.8	0.63	4.1	0.41	3.3		
	18	1.16	6.8	0.89	4.4	0.71	4.3	* 0.46	3.5		
	20	1.14	5.5	* 0.94	4.2	* 0.75	4.2	0.46	3.4		
	22	1.20	6.8	0.88	4.7	0.69	4.2	0.45	3.4		
	最大										
	平均	1.22	7.5	0.94	4.2	0.75	4.2	0.46	3.5		
	0.74	4.3	0.63	4.2	0.44	3.5	0.32	3.0			
09	00	* 1.10	5.3	* 0.86	4.9	* 0.68	4.3	0.43	3.4		
	02	0.98	6.0	0.81	5.2	0.63	4.5	0.41	3.5		
	04	0.76	5.5	0.61	5.2	0.49	4.8	0.34	3.8		
	06	0.53	6.0	0.38	4.5	0.31	3.9	0.20	2.9		
	08	0.64	6.0	0.53	6.0	0.41	6.2	0.28	4.4		
	10	0.61	5.5	0.53	5.9	0.45	5.6	0.33	5.5		
	12	1.04	4.5	0.79	4.7	0.63	5.0	* 0.43	4.2		
	14	0.99	4.5	0.80	4.4	0.65	4.4	0.43	3.7		
	16	0.75	3.3	0.54	3.9	0.44	4.0	0.29	3.2		
	18	0.50	5.0			0.31	5.0				
	20	0.63	5.5	0.46	4.6	0.37	4.5	0.25	4.4		
	22	0.36	6.0			0.23	6.0				

	最大	1.10	5.3	0.86	4.9	0.68	4.3	0.43	4.2			
	平均	0.74	5.3	0.63	4.9	0.47	4.9	0.34	3.9			
10	00	0.34	6.0	0.25	5.8	0.20	5.7	0.12	4.0			
	02	* 0.41	6.0	* 0.33	5.4	* 0.27	5.2	* 0.16	4.3			
	04	0.23	4.8	0.20	5.6	0.17	5.5	0.10	4.0			
	06	0.23	6.0			0.15	6.0					
	08	0.16	4.0	0.12	5.0	0.10	4.4	0.06	2.9			
	10	0.17	6.0			0.10	6.0					
	12	0.15	4.8	0.10	2.8	0.08	2.5	0.05	1.9			
	14	0.15	3.8	0.10	3.5	0.08	3.1	0.05	2.2			
	16	0.14	5.8	0.10	3.7	0.08	3.3	0.05	2.4			
	18	0.14	5.3	0.09	4.5	0.07	3.6	0.04	2.3			
	20	0.30	6.3	0.15	5.4	0.10	4.4	0.06	2.7			
	22	0.12	5.3	0.09	3.9	0.07	3.7	0.05	2.4			
	最大	0.41	6.0	0.33	5.4	0.27	5.2	0.16	4.3			
	平均	0.21	5.3	0.15	4.6	0.12	4.5	0.07	2.9			
11	00	0.12	5.8	0.08	4.3	0.06	3.6	0.04	2.3			
	02	* 0.31	2.0			* 0.20	2.0					
	04	0.10	5.0	0.07	4.3	0.05	3.5	0.03	2.3			
	06	0.13	4.3	0.08	3.7	0.07	3.0	0.04	2.1			
	08	0.13	2.5	* 0.10	4.3	0.08	4.1	* 0.05	2.8			
	10	0.10	4.3	0.08	4.3	0.06	3.5	0.03	2.3			
	12	0.11	5.0	0.07	3.8	0.06	3.2	0.04	2.2			
	14	0.14	9.3	0.09	4.2	0.07	3.6	0.04	2.4			
	16	0.11	6.8	0.08	4.7	0.06	4.3	0.04	2.9			
	18	0.12	6.5	0.08	5.5	0.06	4.2	0.03	2.5			
	20	欠测										
	22	0.12	6.8	0.07	4.0	0.06	3.1	0.04	2.1			
	最大	0.31	2.0	0.10	4.3	0.20	2.0	0.05	2.8			
	平均	0.14	5.3	0.08	4.3	0.08	3.5	0.04	2.4			
12	00	0.13	7.3	0.08	3.2	0.07	2.7	0.04	2.1			
	02	0.13	4.8	0.08	2.7	0.07	2.4	0.04	1.8			
	04	* 0.21	5.8	* 0.12	3.1	0.09	2.5	* 0.06	2.0			
	06	0.12	5.5	0.08	3.5	0.06	2.8	0.04	1.9			
	08	0.11	6.5	0.07	3.5	0.06	2.8	0.04	2.0			
	10	0.15	4.0	0.11	3.1	* 0.09	2.8	0.05	2.1			
	12	0.11	3.5	0.08	3.4	0.06	3.1	0.04	2.1			
	14	0.15	2.3	0.10	2.8	0.08	2.6	0.05	2.0			
	16	0.12	5.0	0.09	4.2	0.07	3.5	0.05	2.3			
	18	0.12	4.3	0.08	4.1	0.07	3.2	0.04	2.2			
	20	欠测										
	22	0.10	6.3	0.06	4.7	0.05	3.5	0.03	2.3			
	最大	0.21	5.8	0.12	3.1	0.09	2.8	0.06	2.0			
	平均	0.13	5.0	0.09	3.5	0.07	2.9	0.04	2.1			
13	00	0.08	2.8	0.06	3.6	0.05	3.2	0.03	2.1			
	02	0.15	2.3	0.07	3.4	0.06	3.2	0.03	2.3			
	04	* 0.16	2.8	* 0.10	3.2	* 0.08	2.9	* 0.05	2.3			
	06	0.10	1.3	0.06	3.0	0.05	2.6	0.03	1.9			
	08	0.15	2.3	0.07	3.4	0.05	2.8	0.03	1.9			
	10	0.12	7.0	0.08	3.8	0.06	3.1	0.04	2.1			
	12	0.14	3.3	0.09	2.7	0.07	2.4	0.05	1.9			
	14	欠测										
	16	0.11	1.5	0.07	1.8	0.05	1.9	0.03	1.6			
	18	0.10	2.0	0.06	2.8	0.05	2.7	0.03	2.0			
	20	欠测										
	22	0.07	1.8	0.05	3.4	0.04	2.7	0.02	1.9			
	最大	0.16	2.8	0.10	3.2	0.08	2.9	0.05	2.3			
	平均	0.12	2.7	0.07	3.1	0.06	2.8	0.03	2.0			
14	00	0.07	4.3	0.05	3.9	0.04	3.3	0.03	2.2			
	02	欠测										
	04	0.09	1.8	0.06	2.0	0.05	2.0	0.03	1.7			
	06	欠测										
	08	欠测										
	10	0.16	2.5	0.09	2.7	0.06	2.6	0.04	2.1			
	12	0.10	2.3	0.06	2.9	0.05	2.7	0.03	2.0			
	14	欠测										

15	16	0.26	2.0			0.17	2.0			
	18	0.08	5.5			0.05	5.5			
	20	* 0.39	4.0	* 0.27	4.3	* 0.17	4.0	* 0.09	3.0	
	22	0.09	4.0	0.07	3.0	0.05	2.5	0.03	2.0	
	最大	0.39	4.0	0.27	4.3	0.17	4.0	0.09	3.0	
	平均	0.16	3.3	0.10	3.1	0.08	3.1	0.04	2.2	
	00	0.09	6.8	0.06	3.8	0.05	3.3	0.03	2.1	
	02	0.11	2.3	0.08	3.2	0.06	3.2	0.04	2.2	
	04	0.23	5.0			0.15	5.0			
	06	0.14	3.0	0.11	3.6	0.08	3.4	0.05	2.3	
	08	0.31	3.5	0.17	3.6	0.13	3.9	0.08	3.4	
	10	0.28	2.8	0.14	3.3	0.11	3.3	0.07	2.6	
16	12	0.16	3.5	0.11	3.5	0.09	3.1	0.05	2.5	
	14	0.26	4.0			0.17	4.0			
	16	0.30	3.5	0.22	4.4	* 0.18	4.3	* 0.11	3.4	
	18	0.30	4.0	0.21	4.2	0.16	3.9	0.10	3.3	
	20	* 0.44	5.5	* 0.24	4.4	0.18	4.0	0.10	3.0	
	22	0.32	3.5	0.22	3.5	0.17	3.6	0.11	3.1	
	最大	0.44	5.5	0.24	4.4	0.18	4.3	0.11	3.4	
	平均	0.25	4.0	0.16	3.8	0.13	3.8	0.07	2.8	
	00	0.42	3.5	0.32	3.9	0.26	3.9	0.16	3.2	
	02	0.67	3.3	0.55	3.4	0.44	3.4	0.30	3.3	
	04	0.89	4.0	0.58	3.6	0.47	3.4	0.30	2.9	
	06	* 0.91	4.0	0.61	4.0	0.49	4.2	* 0.33	3.7	
17	08	0.52	5.3	0.43	5.2	0.35	4.9	0.22	3.5	
	10	0.50	5.0	0.35	5.2	0.27	4.8	0.16	3.3	
	12	0.63	3.8	0.49	4.0	0.37	3.6	0.25	2.7	
	14	0.76	5.0	0.53	4.4	0.42	4.0	0.27	3.1	
	16	0.68	5.0	0.56	4.0	0.45	3.6	0.28	2.8	
	18	0.85	2.8	* 0.62	3.7	* 0.50	3.6	0.32	3.0	
	20	0.67	4.0	0.50	4.0	0.39	3.8	0.24	2.9	
	22	0.46	5.8	0.32	5.4	0.25	4.3	0.16	3.1	
	最大	0.91	4.0	0.62	3.7	0.50	3.6	0.33	3.7	
	平均	0.66	4.3	0.49	4.2	0.39	4.0	0.25	3.1	
	00	0.32	6.0	0.26	5.6	0.20	5.4	0.12	3.7	
	02	0.30	5.5			0.19	5.5			
18	04	0.32	4.5	0.23	5.1	0.18	4.7	0.11	3.5	
	06	0.36	5.8	0.23	5.2	0.18	4.7	0.11	3.2	
	08	0.31	5.3	0.21	5.8	0.16	5.4	0.09	3.7	
	10	0.30	6.5			0.19	6.5			
	12	0.28	6.0	0.19	5.7	0.14	4.6	0.08	2.9	
	14	0.30	2.0	0.21	3.3	0.17	3.0	0.11	2.4	
	16	0.28	6.0	0.20	4.7	0.16	3.9	0.10	2.8	
	18	0.27	6.0	0.20	4.9	0.15	4.2	0.09	2.9	
	20	* 0.59	4.0	* 0.40	4.2	* 0.30	4.5	* 0.20	4.3	
	22	0.24	5.3	0.19	5.5	0.15	5.6	0.09	4.0	
	最大	0.59	4.0	0.40	4.2	0.30	4.5	0.20	4.3	
	平均	0.32	5.2	0.23	5.0	0.18	4.8	0.11	3.3	
19	00	0.22	6.0	0.17	5.4	0.14	5.3	0.08	3.7	
	02	0.23	6.8			0.15	6.8			
	04	0.26	5.8	0.17	5.9	0.14	5.7	0.08	4.0	
	06	0.28	5.8	0.19	5.4	0.15	5.1	0.09	3.6	
	08	0.24	6.3	0.19	5.4	0.15	5.3	0.09	4.1	
	10	* 0.39	4.0	* 0.20	3.8	* 0.16	3.6	* 0.11	2.6	
	12	0.22	5.5	0.16	4.4	0.12	3.7	0.08	2.5	
	14	0.25	1.5	0.19	2.5	0.16	2.5	0.10	2.1	
	16	0.24	3.3	0.16	3.6	0.13	3.4	0.08	2.7	
	18	0.19	3.5	0.12	4.1	0.09	3.8	0.06	2.6	
	20	0.24	6.0	0.15	5.2	0.12	4.8	0.07	3.3	
	22	0.13	4.8	0.09	4.4	0.06	3.7	0.04	2.3	
19	最大	0.39	4.0	0.20	3.8	0.16	3.6	0.11	2.6	
	平均	0.24	4.9	0.16	4.6	0.13	4.5	0.08	3.0	
	00	0.10	5.0	0.08	4.5	0.06	4.1	0.04	2.6	
	02	0.14	5.3	0.10	3.8	0.08	3.4	0.05	2.3	
	04	0.21	4.5	0.15	4.8	0.11	4.4	0.06	3.0	
	06	0.19	4.8	0.12	4.4	0.09	4.2	0.05	2.7	
	08	0.13	4.0	0.09	4.2	0.07	3.6	0.04	2.4	
	10	0.19	2.8	0.12	3.3	0.10	3.4	0.06	2.8	

	12	0.11	6.8	0.09	4.4	0.07	3.6	0.04	2.4	
	14	0.13	3.5	0.09	3.5	0.07	3.2	0.04	2.3	
	16	0.22	2.3	0.17	2.4	0.13	2.5	0.08	2.1	
	18	0.27	2.3	0.18	2.3	0.14	2.4	0.09	2.1	
	20	* 0.49	4.5	* 0.29	4.4	* 0.20	3.7	* 0.11	2.7	
	22	0.18	2.5	0.12	2.8	0.10	2.6	0.06	2.2	
	最大									
		0.49	4.5	0.29	4.4	0.20	3.7	0.11	2.7	
	平均									
		0.20	4.0	0.13	3.7	0.10	3.4	0.06	2.5	
20	00	0.18	3.0	0.11	2.9	0.09	2.9	0.06	2.4	
	02	0.18	3.0	0.12	2.8	0.10	2.8	0.06	2.3	
	04	0.12	2.8	0.09	3.2	0.07	3.2	0.04	2.4	
	06	0.10	3.5	0.07	3.3	0.06	3.1	0.03	2.2	
	08	0.14	2.0	0.10	2.4	0.08	2.5	0.05	2.0	
	10	0.19	3.3	0.12	2.9	0.09	2.8	0.06	2.2	
	12	0.30	2.0			0.19	2.0			
	14	0.37	3.0	0.24	2.3	0.19	2.3	0.12	2.0	
	16	0.40	2.2			0.25	2.2			
	18	0.41	2.3	* 0.27	2.2	0.21	2.2	* 0.13	2.1	
	20	* 0.43	3.0			* 0.27	3.0			
	22	0.30	2.9			0.19	2.9			
	最大									
		0.43	3.0	0.27	2.2	0.27	3.0	0.13	2.1	
	平均									
		0.26	2.8	0.14	2.8	0.15	2.7	0.07	2.2	
21	00	0.16	2.8	0.12	2.7	0.09	2.6	0.06	2.2	
	02	0.27	2.0	0.20	1.9	0.15	2.0	0.09	1.9	
	04	0.38	2.0	0.27	2.3	0.21	2.3	0.13	2.1	
	06	0.31	2.0	0.23	2.2	0.18	2.2	0.12	2.0	
	08	0.32	2.5	0.19	2.5	0.15	2.5	0.10	2.1	
	10	0.54	2.0	0.31	2.2	0.24	2.2	0.15	2.1	
	12	0.56	2.3	0.38	2.5	0.30	2.5	0.19	2.3	
	14	0.50	2.9			0.31	2.9			
	16	0.39	2.3	0.29	2.4	0.24	2.5	0.15	2.2	
	18	0.31	2.3	0.22	2.4	0.18	2.3	0.11	2.1	
	20	* 0.68	3.6	* 0.47	4.3	* 0.35	4.4	* 0.23	3.8	
	22	0.23	3.3	0.16	3.3	0.13	3.2	0.08	2.6	
	最大									
		0.68	3.6	0.47	4.3	0.35	4.4	0.23	3.8	
	平均									
		0.39	2.5	0.26	2.6	0.21	2.6	0.13	2.3	
22	00	0.16	3.0	0.11	3.0	0.09	2.8	0.05	2.2	
	02	0.18	2.5			0.11	2.5			
	04	0.23	4.5	0.15	4.7	0.10	4.0	0.05	2.9	
	06	0.12	3.5	0.09	3.7	0.07	3.5	0.04	2.6	
	08	0.13	3.5	0.10	3.6	0.08	3.5	0.05	2.9	
	10	0.12	3.5	0.09	4.0	0.08	3.4	0.05	2.5	
	12	0.26	2.0	0.17	2.0	0.13	2.1	0.09	1.9	
	14	0.30	4.5	0.19	2.3	0.15	2.2	0.09	2.0	
	16	0.22	5.8	0.16	4.3	0.12	3.6	0.08	2.6	
	18	0.28	5.3	0.21	4.6	0.17	4.2	0.11	3.1	
	20	* 0.35	5.5	* 0.27	5.7	* 0.21	5.4	* 0.13	3.9	
	22	0.35	4.8	0.21	4.8	0.16	4.8	0.09	3.5	
	最大									
		0.35	5.5	0.27	5.7	0.21	5.4	0.13	3.9	
	平均									
		0.23	4.0	0.16	3.9	0.12	3.5	0.08	2.7	
23	00	0.25	4.8	0.19	5.5	0.15	5.5	* 0.09	3.9	
	02	0.30	4.8			0.19	4.8			
	04	0.19	5.5	0.15	5.4	0.12	5.1	0.07	3.6	
	06	0.22	4.5	0.16	5.5	0.13	5.2	0.08	3.6	
	08	0.26	6.3	0.18	5.5	0.13	5.2	0.07	3.3	
	10	* 0.35	3.0			* 0.22	3.0			
	12	0.22	5.3	0.15	5.7	0.12	5.2	0.07	3.5	
	14	0.21	5.0	0.16	5.3	0.12	5.2	0.07	3.6	
	16	0.22	5.5	0.18	5.3	0.14	5.3	0.08	4.1	
	18	0.17	5.0	0.15	5.0	0.12	4.9	0.07	3.6	
	20	0.26	6.3	* 0.20	5.2	0.15	4.8	0.09	3.5	
	22	0.15	5.0	0.10	4.9	0.07	4.4	0.04	2.9	
	最大									
		0.35	3.0	0.20	5.2	0.22	3.0	0.09	3.9	
	平均									
		0.23	5.1	0.16	5.3	0.14	4.9	0.07	3.6	
24	00	0.12	4.3	0.09	4.4	0.07	3.6	0.04	2.4	
	02	0.13	4.3	0.08	4.0	0.06	3.4	0.04	2.3	

	04		0.24	5.5	0.11	5.2	0.07	3.9	0.04	2.4	
	06		0.11	4.3	0.08	4.0	0.07	3.5	0.04	2.5	
	08		0.12	5.3	0.08	3.1	0.06	2.9	0.04	2.1	
	10		0.14	1.5	0.09	2.6	0.07	2.2	0.04	1.8	
	12		0.12	3.5	0.08	3.1	0.07	2.6	0.04	1.9	
	14		0.11	3.8	0.09	2.7	0.07	2.8	0.05	2.2	
	16		0.11	2.8	0.08	2.7	0.06	2.4	0.04	1.9	
	18		0.11	5.0	0.08	3.2	0.07	3.0	0.04	2.1	
	20	* 0.41	5.3	* 0.26	4.2	* 0.16	4.0	* 0.08	3.0		
	22	0.09	5.3	0.06	4.1	0.05	3.6	0.03	2.5		
	最大		0.41	5.3	0.26	4.2	0.16	4.0	0.08	3.0	
	平均		0.15	4.2	0.10	3.6	0.07	3.2	0.04	2.3	
25	00		0.08	2.7			0.05	2.7			
	02		0.10	3.0			0.06	3.0			
	04		0.10	3.0			0.06	3.0			
	06		0.07	1.5	0.05	4.3	0.04	3.4	0.02	2.2	
	08		0.20	1.5			0.12	1.5			
	10		0.13	2.0			0.08	2.0			
	12		0.13	3.8	0.09	2.4	0.06	2.5	0.04	2.1	
	14		0.21	2.8	0.10	2.9	0.07	2.7	0.05	2.1	
	16		0.17	2.3	0.10	2.7	0.07	2.6	0.05	2.1	
	18		0.14	2.0	0.08	3.0	0.06	3.0	0.04	2.3	
20	* 0.32	4.5	* 0.22	4.5	* 0.15	4.2	* 0.09	3.1			
22	0.09	2.3	0.05	3.6	0.04	3.4	0.03	2.4			
	最大		0.32	4.5	0.22	4.5	0.15	4.2	0.09	3.1	
	平均		0.15	2.6	0.10	3.3	0.07	2.8	0.05	2.3	
26	00		0.09	3.8	0.06	3.6	0.04	2.8	0.02	1.9	
	02		0.07	5.3	0.05	3.4	0.04	3.0	0.03	2.2	
	04	* 0.23	4.5			* 0.15	4.5				
	06	0.14	1.5	* 0.10	2.1	0.07	2.1	* 0.05	1.8		
	08	0.12	1.8	0.08	2.3	0.06	2.1	0.04	1.9		
	10	0.09	3.0	0.06	2.8	0.05	2.4	0.03	1.9		
	12		0.10	5.5	0.08	3.9	0.06	3.6	0.04	2.5	
	14		0.10	6.0	0.07	3.3	0.05	3.1	0.03	2.2	
	16		0.11	5.3	0.08	3.3	0.06	3.0	0.04	2.2	
	18		0.12	2.8	0.09	2.5	0.07	2.6	0.04	2.1	
20		0.08	3.3	0.06	3.5	0.04	3.3	0.03	2.2		
22		0.08	2.5	0.06	2.6	0.05	2.9	0.03	2.2		
	最大		0.23	4.5	0.10	2.1	0.15	4.5	0.05	1.8	
	平均		0.11	3.8	0.07	3.0	0.06	3.0	0.03	2.1	
27	00		0.07	4.0	0.05	2.6	0.04	2.4	0.03	1.9	
	02		0.12	2.0	0.07	2.7	0.05	2.6	0.03	1.9	
	04		0.09	4.3	0.05	3.2	0.04	2.9	0.02	2.0	
	06		0.07	3.5	0.05	3.8	0.04	2.9	0.03	2.0	
	08	* 0.17	4.0			* 0.10	4.0				
	10	0.09	3.0	0.06	3.1	0.04	2.7	0.02	2.0		
	12		0.09	3.8	0.06	3.7	0.05	3.6	* 0.03	2.6	
	14		0.07	4.8	0.06	3.2	0.05	2.8	0.03	1.9	
	16		0.07	6.5	0.05	3.1	0.04	2.7	0.02	1.9	
	18		0.07	1.8	0.05	2.8	0.04	2.3	0.02	1.7	
20		0.11	3.8	0.07	3.9	0.06	3.4	0.03	2.4		
22		0.10	5.8	* 0.07	4.6	0.06	4.2	0.03	2.5		
	最大		0.17	4.0	0.07	4.6	0.10	4.0	0.03	2.6	
	平均		0.09	3.9	0.06	3.3	0.05	3.0	0.03	2.1	
28	00		0.07	4.8			0.04	4.8			
	02		0.13	5.3	0.08	2.6	0.06	2.6	0.04	2.1	
	04		0.09	4.0	0.06	2.7	0.05	2.5	0.03	1.8	
	06		0.12	2.0	0.07	3.3	0.06	3.2	0.04	2.4	
	08		0.09	2.8	0.06	4.5	0.05	3.9	0.03	2.9	
	10		0.33	3.0			* 0.21	3.0			
	12		0.15	4.3	0.10	2.7	0.08	2.5	0.05	2.0	
	14		0.22	1.8			0.14	1.8			
	16		0.16	3.0	0.08	3.5	0.06	2.7	0.04	1.9	
	18		0.12	4.3	0.08	3.8	0.06	3.2	0.04	2.2	
20	* 0.49	5.3	* 0.30	4.9	0.20	4.7	* 0.11	3.7			
22	0.13	4.8	0.08	3.3	0.06	3.0	0.03	2.1			
	最大		0.49	5.3	0.30	4.9	0.21	3.0	0.11	3.7	

	平均	0.18	3.8	0.10	3.5	0.09	3.2	0.05	2.3	
29	00	0.09	2.3	0.06	4.2	0.04	3.3	0.03	2.1	
	02	0.14	1.8	0.07	2.5	0.05	2.5	0.03	1.9	
	04	0.21	5.3			0.13	5.3			
	06	0.11	2.0			0.07	2.0			
	08	0.08	1.2			0.05	1.2			
	10	0.22	2.8			0.14	2.8			
	12	* 0.33	1.6			* 0.21	1.6			
	14	0.16	2.0	0.10	2.6	0.08	2.4	0.05	2.1	
	16	0.19	2.0	* 0.12	1.8	0.09	1.9	* 0.06	1.7	
	18	0.15	3.0	0.11	2.9	0.09	3.0	0.05	2.6	
	20	0.17	3.3			0.11	3.3			
	22	0.08	2.0	0.06	2.4	0.05	2.4	0.03	1.8	
	最大	0.33	1.6	0.12	1.8	0.21	1.6	0.06	1.7	
	平均	0.16	2.4	0.09	2.7	0.09	2.6	0.04	2.0	
30	00	0.10	1.4			0.06	1.4			
	02	0.12	1.5	0.07	2.9	0.05	2.7	0.03	2.0	
	04	0.08	4.3	0.06	3.3	0.05	3.2	0.03	2.3	
	06	0.10	2.0	0.07	2.0	0.06	2.0	0.04	1.7	
	08	0.11	1.5	0.08	2.3	0.06	2.2	0.04	1.8	
	10	* 0.35	1.7			* 0.22	1.7			
	12	0.28	1.8			0.18	1.8			
	14	0.17	2.8	* 0.12	2.6	0.09	2.5	* 0.06	2.1	
	16	0.32	2.0			0.20	2.0			
	18	0.20	2.5	0.11	2.8	0.08	2.7	0.05	2.2	
	20	0.19	9.0			0.12	9.0			
	22	0.12	2.5			0.07	2.5			
	最大	0.35	1.7	0.12	2.6	0.22	1.7	0.06	2.1	
	平均	0.18	2.8	0.09	2.7	0.10	2.8	0.04	2.0	
31	00	0.10	3.0			0.06	3.0			
	02	0.07	2.8			0.04	2.8			
	04	0.13	6.0			0.08	6.0			
	06	0.15	2.0	0.10	3.6	0.08	3.4	0.06	2.5	
	08	0.16	3.5	0.10	3.3	0.09	3.0	0.05	2.1	
	10	0.16	4.0			0.10	4.0			
	12	0.28	2.0			0.18	2.0			
	14	0.20	4.8	0.15	3.5	0.11	2.7	0.07	2.1	
	16	0.20	5.8	0.15	5.2	0.12	4.5	0.07	2.9	
	18	0.21	6.8	0.15	5.5	0.12	4.2	0.07	2.6	
	20	* 0.42	6.2			* 0.26	6.2			
	22	0.41	5.5	* 0.33	5.6	0.26	5.7	* 0.15	4.7	
	最大	0.42	6.2	0.33	5.6	0.26	6.2	0.15	4.7	
	平均	0.21	4.4	0.16	4.5	0.13	4.0	0.08	2.8	
	月最大	1.22	7.5	0.94	4.2	0.75	4.2	0.46	3.5	
	起時	0814		0820		0820		0818		
	平均	0.26	4.1	0.19	3.9	0.15	3.6	0.09	2.6	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	358 回	測得回数	0 回
欠測回数	2 回	欠測回数	360 回
欠測率	0.6 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.58	5.0	0.46	5.1	0.36	5.0	0.22	4.4		
	02	0.60	4.8	0.43	4.1	0.35	4.1	0.23	3.1		
	04	0.40	4.0	0.33	5.0	0.28	5.0	0.18	3.9		
	06	0.70	4.8	0.47	5.1	0.38	5.1	0.24	4.1		
	08	1.33	3.5	1.06	3.9	0.85	4.1	0.53	3.3		
	10	1.21	4.3	0.98	4.4	0.78	4.1	0.51	3.5		
	12	1.33	3.8	1.02	4.0	0.80	3.9	0.50	3.4		
	14	1.33	4.5	0.94	3.9	0.75	3.8	0.48	3.2		
	16	1.43	3.0	1.00	4.0	0.82	3.9	0.53	3.4		
	18	* 1.61	4.3	* 1.13	4.2	* 0.88	4.1	* 0.56	3.5		
	20	0.98	3.8	0.72	4.0	0.56	3.8	0.35	2.9		
	22	0.76	4.3	0.51	3.6	0.42	3.3	0.27	2.8		
	最大	1.61	4.3	1.13	4.2	0.88	4.1	0.56	3.5		
	平均	1.02	4.2	0.75	4.3	0.60	4.2	0.38	3.5		
02	00	* 0.53	4.0	* 0.40	3.6	* 0.31	3.3	* 0.20	2.6		
	02	0.40	4.0	0.29	4.3	0.23	3.9	0.14	2.9		
	04	0.39	5.5	0.28	4.9	0.22	4.7	0.13	3.6		
	06	0.22	4.8			0.14	4.8				
	08	0.44	2.5	0.38	2.7	0.30	2.6	0.19	2.4		
	10	0.38	2.3	0.27	3.4	0.22	3.0	0.14	2.4		
	12	0.33	4.0	0.23	4.0	0.19	3.5	0.12	2.6		
	14	0.30	2.3	0.20	2.8	0.15	2.6	0.10	2.2		
	16	0.18	4.3	0.13	3.8	0.10	3.1	0.07	2.2		
	18	0.22	5.3	0.16	4.3	0.12	3.4	0.07	2.5		
	20	0.44	4.5	0.28	4.5	0.20	4.4	0.11	3.7		
	22	0.21	5.3	0.16	5.6	0.12	5.3	0.07	3.7		
	最大	0.53	4.0	0.40	3.6	0.31	3.3	0.20	2.6		
	平均	0.34	4.1	0.25	4.0	0.19	3.7	0.12	2.8		
03	00	0.25	5.8	0.19	5.8	0.15	5.6	0.09	4.5		
	02	0.31	5.0	0.21	5.6	0.17	5.5	0.10	4.0		
	04	0.38	5.5	0.27	5.7	0.21	5.7	* 0.13	4.6		
	06	0.32	5.3	0.25	5.7	0.20	5.6	0.12	4.1		
	08	0.27	5.0	0.21	5.1	0.17	4.9	0.10	3.4		
	10	0.25	6.0			0.16	6.0				
	12	0.32	1.8	0.24	3.0	0.20	3.0	0.13	2.4		
	14	0.31	2.0			0.20	2.0				
	16	0.25	2.3	0.18	3.5	0.15	3.1	0.10	2.4		
	18	0.30	3.0	0.21	2.9	0.17	3.1	0.11	2.5		
	20	* 0.43	4.0	* 0.29	4.6	* 0.22	4.5	0.13	3.7		
	22	0.15	4.5	0.12	4.7	0.09	4.6	0.05	3.4		
	最大	0.43	4.0	0.29	4.6	0.22	4.5	0.13	4.6		
	平均	0.30	4.2	0.22	4.7	0.17	4.5	0.11	3.5		
04	00	0.15	4.8	0.12	4.9	0.10	4.7	0.06	3.4		
	02	0.14	4.5	0.10	4.6	0.07	4.2	0.04	2.9		
	04	0.15	5.0	0.10	5.3	0.08	5.0	0.04	3.3		
	06	0.18	4.8	0.13	5.1	0.10	4.6	0.06	2.9		
	08	0.15	5.5	0.12	5.8	0.09	5.3	0.05	3.2		
	10	0.12	6.0	0.09	4.6	0.07	3.6	0.04	2.5		
	12	0.10	5.0	0.08	5.3	0.06	4.6	0.04	2.9		
	14	0.15	5.8	0.10	4.9	0.08	4.0	0.05	2.7		
	16	0.15	5.8	0.08	3.9	0.06	3.4	0.04	2.3		
	18	0.13	4.8	0.08	4.6	0.06	3.8	0.04	2.4		
	20	* 0.44	4.3	* 0.27	4.3	* 0.18	4.5	* 0.09	3.6		
	22	0.11	5.0	0.07	5.4	0.06	5.3	0.03	3.4		
	最大	0.44	4.3	0.27	4.3	0.18	4.5	0.09	3.6		

	平均	0.16	5.1	0.11	4.9	0.08	4.4	0.05	3.0	
05	00	0.10	4.0			0.06	4.0			
	02	0.16	2.3	0.07	3.2	0.05	3.2	0.03	2.2	
	04	0.22	5.5			0.14	5.5			
	06	0.12	1.5	0.07	3.1	0.06	3.0	0.04	2.4	
	08	0.07	1.8			0.04	1.8			
	10	0.08	3.3	0.06	3.6	0.05	3.5	0.03	2.5	
	12	0.27	2.2			0.17	2.2			
	14	0.23	2.0			0.15	2.0			
	16	0.20	1.5	0.12	2.2	0.10	2.1	0.06	1.9	
	18	0.17	3.0			0.11	3.0			
	20	* 0.59	5.2	* 0.35	4.9	* 0.26	4.4	* 0.18	4.0	
	22	0.13	3.0	0.09	3.1	0.07	3.0	0.05	2.5	
最大平均	0.59	5.2	0.35	4.9	0.26	4.4	0.18	4.0		
	0.20	2.9	0.13	3.4	0.11	3.1	0.07	2.6		
06	00	0.09	3.0			0.06	3.0			
	02	0.15	2.3	0.09	3.3	0.07	3.6	0.04	2.6	
	04	0.11	8.0	0.08	5.8	0.06	4.5	0.03	2.7	
	06	0.10	6.8			0.06	6.8			
	08	0.11	7.0			0.07	7.0			
	10	0.17	6.8	0.12	5.1	0.09	4.7	0.05	2.9	
	12	0.23	6.3	0.15	6.1	0.11	4.7	0.07	3.0	
	14	0.20	5.3	0.13	6.1	0.10	5.0	0.06	3.0	
	16	0.18	6.5	0.12	6.5	0.09	5.6	0.05	3.3	
	18	0.20	6.2			0.13	6.2			
	20	* 0.47	6.0			* 0.30	6.0			
	22	0.22	5.8	* 0.17	6.2	0.13	5.7	* 0.07	3.6	
最大平均	0.47	6.0	0.17	6.2	0.30	6.0	0.07	3.6		
	0.19	5.8	0.12	5.6	0.11	5.2	0.05	3.0		
07	00	0.23	6.0	0.16	5.8	0.13	5.8	0.07	4.0	
	02	0.21	5.8			0.13	5.8			
	04	0.20	6.2			0.13	6.2			
	06	0.20	5.3	0.15	5.7	0.12	5.6	0.07	3.6	
	08	0.24	5.8			0.15	5.8			
	10	0.32	2.2			0.20	2.2			
	12	0.13	5.0			0.08	5.0			
	14	0.16	1.8			0.10	1.8			
	16	0.22	2.2			0.14	2.2			
	18	* 0.46	2.2			* 0.29	2.2			
	20	0.37	3.3	* 0.28	3.2	0.23	3.0	* 0.15	2.6	
	22	0.20	3.0	0.15	3.3	0.12	3.3	0.07	2.8	
最大平均	0.46	2.2	0.28	3.2	0.29	2.2	0.15	2.6		
	0.25	4.1	0.19	4.5	0.15	4.1	0.09	3.3		
08	00	0.09	3.8	0.07	4.1	0.06	4.1	0.04	2.9	
	02	0.12	2.5			0.07	2.5			
	04	0.10	3.5	0.06	3.5	0.05	3.0	0.03	2.2	
	06	0.13	2.2			0.08	2.2			
	08	0.20	1.7			0.13	1.7			
	10	0.19	1.8	0.14	2.0	0.11	1.9	0.07	1.8	
	12	0.35	2.3	* 0.22	2.0	0.17	2.1	* 0.11	2.0	
	14	0.24	2.3	0.18	2.0	0.14	2.0	0.09	1.9	
	16	0.20	2.0	0.14	2.0	0.11	2.2	0.07	2.0	
	18	0.18	2.0	0.12	2.1	0.09	2.1	0.06	1.8	
	20	* 0.46	5.4			* 0.29	5.4			
	22	0.12	2.3			0.07	2.3			
最大平均	0.46	5.4	0.22	2.0	0.29	5.4	0.11	2.0		
	0.20	2.7	0.13	2.5	0.11	2.6	0.07	2.1		
09	00	0.10	2.8	0.07	3.5	0.05	3.3	0.03	2.4	
	02	0.22	2.0			0.14	2.0			
	04	0.26	5.5			0.16	5.5			
	06	0.10	3.2			0.06	3.2			
	08	0.09	3.4			0.06	3.4			
	10	0.14	5.3			0.09	5.3			
	12	0.13	3.8			0.08	3.8			
	14	0.12	3.3	* 0.10	3.8	0.08	3.1	* 0.05	2.3	
	16	0.22	1.5			0.14	1.5			
	18	0.08	1.2			0.05	1.2			
	20	* 0.50	5.7			* 0.32	5.7			
	22	0.09	4.0	0.06	4.8	0.05	4.0	0.03	2.6	

组别	项目	男		女		男		女		备注
		成绩	标准差	成绩	标准差	成绩	标准差	成绩	标准差	
10	最大	0.50	5.7	0.10	3.8	0.32	5.7	0.05	2.3	
	平均	0.17	3.5	0.08	4.0	0.11	3.5	0.04	2.4	
	00	0.07	4.8			0.04	4.8			
	02	0.10	4.3	0.07	3.5	0.05	3.1	0.03	2.3	
	04	0.12	1.8			0.07	1.8			
	06	0.09	2.2			0.06	2.2			
	08	0.13	2.0	0.08	2.5	0.06	2.4	0.04	1.8	
	10	0.19	2.8	0.14	2.8	0.11	2.6	0.06	2.0	
	12	0.21	2.3			0.13	2.3			
	14	0.10	4.5	0.07	4.2	0.06	3.7	0.03	2.5	
11	16	0.11	4.8	0.08	4.4	0.06	4.0	0.04	2.6	
	18	0.10	4.5	0.07	4.1	0.06	3.6	0.03	2.4	
	20	* 0.29	4.0	* 0.19	3.9	* 0.15	4.2	* 0.08	3.0	
	22	0.09	5.0	0.07	4.1	0.05	3.2	0.03	2.2	
	最大	0.29	4.0	0.19	3.9	0.15	4.2	0.08	3.0	
	平均	0.13	3.6	0.10	3.7	0.08	3.2	0.04	2.4	
	00	0.11	5.0	0.07	4.0	0.06	3.4	0.04	2.3	
	02	0.17	1.8			0.11	1.8			
	04	0.11	2.0			0.07	2.0			
	06	0.20	2.0			0.13	2.0			
12	08	0.10	5.0			0.06	5.0			
	10	0.17	1.5			0.11	1.5			
	12	0.13	3.3	0.09	3.4	0.07	3.3	0.04	2.3	
	14	0.15	3.8	0.10	4.4	0.08	3.8	0.05	2.5	
	16	0.15	5.8			0.09	5.8			
	18	0.15	5.8	0.10	5.4	0.08	4.7	0.05	2.9	
	20	* 0.41	5.8	* 0.20	5.3	* 0.14	4.7	* 0.08	3.1	
	22	0.11	4.8	0.08	4.0	0.06	3.6	0.04	2.5	
	最大	0.41	5.8	0.20	5.3	0.14	4.7	0.08	3.1	
	平均	0.16	3.9	0.11	4.4	0.09	3.5	0.05	2.6	
13	00	0.10	4.3	0.07	4.2	0.05	3.5	0.03	2.4	
	02	0.23	2.2			* 0.15	2.2			
	04	0.18	5.5	0.07	4.2	0.05	3.2	0.03	2.1	
	06	0.10	4.3			0.06	4.3			
	08	0.15	2.8	0.11	3.0	0.08	3.0	0.05	2.4	
	10	0.08	3.3	0.07	3.3	0.05	3.2	0.03	2.4	
	12	0.09	2.0	0.06	2.3	0.05	2.3	0.03	1.9	
	14	0.17	1.2			0.11	1.2			
	16	0.10	2.0	0.06	3.1	0.05	2.6	0.03	1.9	
	18	0.09	4.3	0.06	3.2	0.05	2.8	0.03	2.1	
14	20	* 0.32	5.8	* 0.16	5.2	0.11	4.7	* 0.07	3.1	
	22	0.15	1.3			0.09	1.3			
	最大	0.32	5.8	0.16	5.2	0.15	2.2	0.07	3.1	
	平均	0.15	3.3	0.08	3.6	0.08	2.9	0.04	2.3	
	00	0.22	1.5			0.14	1.5			
	02	* 0.30	1.5			* 0.19	1.5			
	04	0.20	1.4			0.13	1.4			
	06	0.13	1.8			0.08	1.8			
	08	0.13	2.3	0.08	2.4	0.06	2.4	0.04	1.9	
	10	0.19	3.0			0.12	3.0			
15	12	0.19	2.0	0.14	2.1	0.11	2.1	0.07	1.9	
	14	0.21	2.8	0.12	3.0	0.09	3.2	0.06	2.6	
	16	0.14	3.3	0.07	3.6	0.06	3.3	0.04	2.4	
	18	0.13	3.5			0.08	3.5			
	20	0.26	3.5	* 0.19	3.9	0.15	3.9	* 0.09	2.9	
	22	0.12	4.5	0.09	4.7	0.08	4.4	0.04	3.1	
	最大	0.30	1.5	0.19	3.9	0.19	1.5	0.09	2.9	
	平均	0.19	2.6	0.12	3.3	0.11	2.7	0.06	2.5	
	00	0.20	2.3	0.11	3.8	0.09	3.7	0.06	2.9	
	02	0.14	2.3	0.09	3.2	0.07	3.3	0.04	2.7	
16	04	0.14	4.3	0.09	4.0	0.07	3.9	0.04	3.0	
	06	0.17	4.0	0.11	3.8	0.09	3.8	0.05	2.9	
	08	0.13	4.0			0.08	4.0			
	10	0.14	3.5	0.10	2.8	0.08	2.7	0.05	2.2	
	12	0.15	3.0	0.11	3.5	0.09	3.4	0.06	2.6	
	14	0.20	2.5	0.13	2.9	0.10	3.0	0.06	2.3	

	16		0.11	5.0			0.07	5.0				
	18		0.15	3.8	0.11	5.4	0.09	4.9	0.06	3.8		
	20	* 0.31	2.3		* 0.23	4.5	* 0.19	4.6	* 0.12	3.9		
	22		0.15	3.8	0.11	4.1	0.09	4.0	0.06	3.1		
	最大		0.31	2.3	0.23	4.5	0.19	4.6	0.12	3.9		
	平均		0.17	3.4	0.12	3.8	0.09	3.9	0.06	2.9		
15	00		0.19	4.3	0.13	3.6	0.10	3.7	0.06	3.1		
	02		0.11	3.8			0.07	3.8				
	04		0.12	5.0	0.08	4.8	0.06	4.6	0.04	3.2		
	06		0.13	4.3			0.08	4.3				
	08		0.19	7.5			0.12	7.5				
	10		0.42	7.4			* 0.26	7.4				
	12		0.35	6.3	0.31	6.4	0.25	6.4	* 0.14	4.5		
	14		0.39	5.5	0.27	5.8	0.21	5.9	0.12	4.3		
	16		0.29	6.0	0.23	6.0	0.18	6.1	0.10	4.2		
	18		0.26	6.3	0.18	6.1	0.15	6.1	0.09	4.0		
	20	* 0.44	5.3		* 0.32	5.2	0.23	5.0	0.13	4.2		
	22		0.35	6.8	0.24	6.8	0.19	6.7	0.11	5.3		
	最大		0.44	5.3	0.32	5.2	0.26	7.4	0.14	4.5		
	平均		0.27	5.7	0.22	5.6	0.16	5.6	0.10	4.1		
16	00		0.22	6.0	0.18	6.3	0.14	6.2	0.08	4.3		
	02		0.22	6.5	0.17	6.5	0.13	5.9	0.08	4.4		
	04		0.28	6.0	0.19	6.4	0.15	6.5	0.08	4.6		
	06		0.33	5.3	0.22	5.3	0.17	5.2	0.10	3.7		
	08		0.24	5.5	0.18	6.2	0.13	6.0	0.08	3.8		
	10		0.30	6.5	0.25	6.2	* 0.20	6.2	* 0.11	4.7		
	12		0.29	6.8	0.24	6.3	0.19	6.2	0.10	3.9		
	14		0.26	6.5	0.19	5.9	0.14	5.2	0.09	3.3		
	16		0.26	6.0			0.16	6.0				
	18		0.20	6.0	0.15	6.3	0.12	6.0	0.07	3.7		
	20	* 0.41	4.5		* 0.29	4.4	0.18	4.7	0.09	3.6		
	22		0.16	6.3	0.11	6.1	0.08	5.1	0.05	3.0		
	最大		0.41	4.5	0.29	4.4	0.20	6.2	0.11	4.7		
	平均		0.26	6.0	0.20	6.0	0.15	5.8	0.08	3.9		
17	00		0.21	6.0	0.13	6.0	0.10	5.4	* 0.06	3.3		
	02		0.20	6.3	* 0.13	6.6	0.10	6.2	0.05	4.0		
	04		0.17	6.8	0.12	6.3	0.09	4.7	0.05	2.9		
	06		0.14	6.8	0.10	6.0	0.08	4.7	0.05	3.1		
	08		0.14	7.5	0.09	6.4	0.07	5.3	0.04	3.1		
	10		0.15	3.0	0.09	3.9	0.07	3.4	0.04	2.3		
	12		0.10	5.2			0.06	5.2				
	14		0.15	6.0	0.11	4.5	0.09	4.1	0.05	2.7		
	16		0.13	5.5	0.09	4.9	0.08	4.7	0.05	3.0		
	18		0.16	3.3	0.12	4.0	0.09	4.3	0.05	3.3		
	20	* 0.36	4.8				* 0.23	4.8				
	22		0.10	5.5	0.08	5.2	0.06	4.8	0.03	2.8		
	最大		0.36	4.8	0.13	6.6	0.23	4.8	0.06	3.3		
	平均		0.17	5.6	0.11	5.4	0.09	4.8	0.05	3.1		
18	00		0.08	5.8	0.06	5.1	0.05	5.1	0.03	3.2		
	02	* 0.14	2.3		* 0.09	4.0	0.07	3.5	* 0.04	2.5		
	04		0.10	2.2			0.06	2.2				
	06		0.08	3.0	0.05	2.9	0.04	2.8	0.03	2.1		
	08		0.10	2.0			0.06	2.0				
	10		0.07	1.5			0.04	1.5				
	12		0.09	2.0			0.06	2.0				
	14		0.08	3.3	0.05	3.5	0.04	3.2	0.03	2.2		
	16		0.09	2.1			0.05	2.1				
	18		0.08	4.0	0.06	4.1	0.05	3.5	0.03	2.2		
	20		0.13	3.7			* 0.08	3.7				
	22		0.10	7.8	0.07	3.8	0.06	3.3	0.04	2.3		
	最大		0.14	2.3	0.09	4.0	0.08	3.7	0.04	2.5		
	平均		0.10	3.3	0.06	3.9	0.06	2.9	0.03	2.4		
19	00		0.05	2.1			0.03	2.1				
	02		0.18	2.0			0.11	2.0				
	04		0.29	6.0	0.15	4.7	0.08	3.7	0.04	2.4		
	06		0.10	1.8			0.06	1.8				
	08		0.09	4.0	0.06	4.3	0.05	3.5	0.03	2.4		
	10		0.10	1.5	0.07	3.6	0.06	2.9	0.03	2.0		

	12	0.11	3.0	0.08	2.8	0.06	2.5	0.04	1.9	
	14	0.13	1.5	0.10	2.6	0.08	2.6	0.05	2.2	
	16	0.11	3.3	0.08	4.4	0.07	3.8	0.04	2.4	
	18	0.23	1.8	0.16	1.6	0.13	2.0	0.08	1.9	
	20	* 0.32	1.8	* 0.21	1.9	* 0.17	2.0	* 0.11	1.9	
	22	0.26	1.5	0.19	1.9	0.15	2.0	0.09	1.9	
	最大									
	平均	0.32	1.8	0.21	1.9	0.17	2.0	0.11	1.9	
		0.16	2.5	0.12	3.1	0.09	2.6	0.06	2.1	
20	00	0.28	1.5			0.18	1.5			
	02	0.13	1.6			0.08	1.6			
	04	0.09	3.8			0.06	3.8			
	06	0.18	2.4			0.11	2.4			
	08	* 0.69	7.8	0.48	7.2	* 0.40	6.6	0.23	4.6	
	10	0.63	6.3	* 0.50	7.1	0.40	6.0	* 0.25	4.3	
	12	0.58	5.3	0.46	6.2	0.34	5.2	0.21	3.9	
	14	0.63	5.2	0.44	5.6	0.35	5.3	0.21	3.8	
	16	0.50	5.0			0.31	5.0			
	18	0.56	5.5	0.37	6.7	0.29	6.4	0.18	4.5	
	20	0.66	5.5	0.48	6.5	0.37	6.5	0.23	5.3	
	22	0.48	6.3	0.33	6.5	0.26	6.4	0.16	4.8	
	最大	0.69	7.8	0.50	7.1	0.40	6.6	0.25	4.3	
	平均	0.45	4.7	0.44	6.5	0.26	4.7	0.21	4.5	
	20	0.28	1.5			0.18	1.5			
	02	0.13	1.6			0.08	1.6			
	04	0.09	3.8			0.06	3.8			
21	06	0.18	2.4			0.11	2.4			
	08	* 0.69	7.8	0.48	7.2	* 0.40	6.6	0.23	4.6	
	10	0.63	6.3	* 0.50	7.1	0.40	6.0	* 0.25	4.3	
	12	0.58	5.3	0.46	6.2	0.34	5.2	0.21	3.9	
	14	0.63	5.2	0.44	5.6	0.35	5.3	0.21	3.8	
	16	0.50	5.0			0.31	5.0			
	18	0.56	5.5	0.37	6.7	0.29	6.4	0.18	4.5	
	20	0.66	5.5	0.48	6.5	0.37	6.5	0.23	5.3	
	22	0.48	6.3	0.33	6.5	0.26	6.4	0.16	4.8	
	最大	0.69	7.8	0.50	7.1	0.40	6.6	0.25	4.3	
	平均	0.45	4.7	0.44	6.5	0.26	4.7	0.21	4.5	
	20	0.28	1.5			0.18	1.5			
	02	0.13	1.6			0.08	1.6			
	04	0.09	3.8			0.06	3.8			
	06	0.18	2.4			0.11	2.4			
	08	* 0.69	7.8	0.48	7.2	* 0.40	6.6	0.23	4.6	
	10	0.63	6.3	* 0.50	7.1	0.40	6.0	* 0.25	4.3	
22	12	0.58	5.3	0.46	6.2	0.34	5.2	0.21	3.9	
	14	0.63	5.2	0.44	5.6	0.35	5.3	0.21	3.8	
	16	0.50	5.0			0.31	5.0			
	18	0.56	5.5	0.37	6.7	0.29	6.4	0.18	4.5	
	20	0.66	5.5	0.48	6.5	0.37	6.5	0.23	5.3	
	22	0.48	6.3	0.33	6.5	0.26	6.4	0.16	4.8	
	最大	0.69	7.8	0.50	7.1	0.40	6.6	0.25	4.3	
	平均	0.45	4.7	0.44	6.5	0.26	4.7	0.21	4.5	
23	00	0.43	6.3	* 0.31	6.5	0.25	6.5	* 0.15	4.8	
	02	0.38	5.5			0.24	5.5			
	04	0.28	5.5	0.18	5.8	0.15	5.7	0.09	4.0	
	06	0.29	5.5	0.23	5.2	0.18	5.4	0.11	4.2	
	08	0.25	5.3	0.20	5.5	0.17	5.5	0.10	4.3	
	10	0.34	5.5	0.24	5.4	0.18	5.4	0.11	4.1	
	12	0.35	4.8	0.26	5.2	0.20	4.7	0.12	3.0	
	14	0.36	4.5			0.23	4.5			
	16	0.31	4.5	0.24	4.2	0.20	3.8	0.12	2.8	
	18	0.26	5.3	0.20	3.8	0.16	3.5	0.10	2.6	
	20	* 0.50	5.5			* 0.31	5.5			
	22	0.23	4.3	0.16	3.8	0.13	3.7	0.08	2.8	
	最大	0.50	5.5	0.31	6.5	0.31	5.5	0.15	4.8	
	平均	0.33	5.2	0.22	5.0	0.20	5.0	0.11	3.6	
	20	0.28	1.5			0.18	1.5			
	02	0.13	1.6			0.08	1.6			
	04	0.09	3.8			0.06	3.8			
24	06	0.18	2.4			0.11	2.4			
	08	* 0.69	7.8	0.48	7.2	* 0.40	6.6	0.23	4.6	
	10	0.63	6.3	* 0.50	7.1	0.40	6.0	* 0.25	4.3	
	12	0.58	5.3	0.46	6.2	0.34	5.2	0.21	3.9	
	14	0.63	5.2	0.44	5.6	0.35	5.3	0.21	3.8	
	16	0.50	5.0			0.31	5.0			
	18	0.56	5.5	0.37	6.7	0.29	6.4	0.18	4.5	
	20	0.66	5.5	0.48	6.5	0.37	6.5	0.23	5.3	
	22	0.48	6.3	0.33	6.5	0.26	6.4	0.16	4.8	
	最大	0.69	7.8	0.50	7.1	0.40	6.6	0.25	4.3	
	平均	0.45	4.7	0.44	6.5	0.26	4.7	0.21	4.5	
	20	0.28	1.5			0.18	1.5			
	02	0.13	1.6			0.08	1.6			
	04	0.09	3.8			0.06	3.8			
	06	0.18	2.4			0.11	2.4			
	08	* 0.69	7.8	0.48	7.2	* 0.40	6.6	0.23	4.6	
	10	0.63	6.3	* 0.50	7.1	0.40	6.0	* 0.25	4.3	

	04	0.09	4.3	0.07	2.9	0.05	2.4	0.03	1.8	
	06	0.11	2.0	0.07	2.5	0.06	2.4	0.04	1.9	
	08	0.11	1.5	0.08	1.8	0.06	1.9	0.04	1.7	
	10	0.13	1.5			0.08	1.5			
	12	0.19	1.8	0.12	1.9	0.09	2.0	0.06	1.8	
	14	0.21	5.3	0.13	4.7	0.10	3.6	0.06	2.3	
	16	0.13	4.3	0.08	3.2	0.07	2.7	0.04	2.0	
	18	0.11	5.5	0.07	3.9	0.06	3.3	0.04	2.3	
	20	* 0.45	3.5	* 0.23	4.4	* 0.15	4.6	* 0.09	3.0	
	22	0.12	3.0	0.08	2.4	0.07	2.3	0.04	1.8	
	最大	0.45	3.5	0.23	4.4	0.15	4.6	0.09	3.0	
	平均	0.16	3.2	0.10	3.0	0.08	2.6	0.05	2.0	
	00	0.08	3.5	0.06	3.4	0.05	3.1	0.03	2.1	
	02	0.23	2.0			0.15	2.0			
	04	0.08	5.0	0.06	4.3	0.05	3.6	0.03	2.3	
	06	0.09	4.5	0.07	5.6	0.05	4.8	0.03	3.1	
	08	0.13	2.0			0.08	2.0			
	10	0.12	5.8	0.09	4.2	0.08	4.1	0.05	2.9	
	12	0.15	2.3	0.10	3.2	0.08	3.2	0.05	2.6	
	14	0.35	3.0			0.22	3.0			
	16	0.20	3.0			0.12	3.0			
	18	* 0.62	2.5	0.33	2.4	0.25	2.3	0.15	2.1	
	20	0.57	6.3	* 0.40	4.0	* 0.31	3.8	* 0.20	3.1	
	22	0.38	2.0	0.24	2.1	0.18	2.2	0.12	2.0	
	最大	0.62	2.5	0.40	4.0	0.31	3.8	0.20	3.1	
	平均	0.25	3.5	0.17	3.7	0.14	3.1	0.08	2.5	
	00	0.34	2.3	0.22	2.8	0.18	2.7	0.11	2.3	
	02	0.23	4.0			0.14	4.0			
	04	0.32	6.3	0.18	5.5	0.12	4.9	0.07	3.3	
	06	0.15	6.5	0.11	5.9	0.08	5.2	0.05	3.3	
	08	0.19	6.5	0.13	5.1	0.10	4.6	0.06	3.1	
	10	0.17	6.0	0.11	6.6	0.08	5.4	0.04	3.3	
	12	0.22	2.8	0.17	2.6	0.14	2.5	0.09	2.2	
	14	0.14	6.8	0.10	5.2	0.08	3.8	0.05	2.5	
	16	0.22	3.0	0.16	3.1	0.11	3.2	0.07	2.6	
	18	0.21	4.5	0.15	5.6	0.11	4.5	0.07	2.8	
	20	* 0.40	1.5			* 0.25	1.5			
	22	0.38	1.8	* 0.30	2.3	0.24	2.4	* 0.15	2.2	
	最大	0.40	1.5	0.30	2.3	0.25	1.5	0.15	2.2	
	平均	0.25	4.3	0.16	4.5	0.14	3.7	0.08	2.8	
	00	0.33	6.8			0.21	6.8			
	02	* 0.35	5.8	* 0.23	6.1	0.18	5.4	* 0.11	3.6	
	04	0.25	5.3	0.20	6.0	0.16	5.6	0.10	3.8	
	06	0.27	5.8	0.21	6.5	0.17	6.0	0.10	4.3	
	08	0.31	7.0	0.19	6.3	0.15	5.9	0.09	3.8	
	10	0.33	7.0			* 0.21	7.0			
	12	0.26	5.5			0.17	5.5			
	14	0.27	6.0	0.19	6.0	0.15	5.3	0.09	3.6	
	16	0.22	6.5	0.17	6.2	0.12	6.0	0.07	3.7	
	18	0.17	6.5			0.11	6.5			
	20	0.18	7.8	0.13	4.9	0.10	4.2	0.06	2.8	
	22	0.13	5.3	0.09	4.0	0.07	3.1	0.04	2.2	
	最大	0.35	5.8	0.23	6.1	0.21	7.0	0.11	3.6	
	平均	0.26	6.3	0.18	5.8	0.15	5.6	0.08	3.5	
	00	0.12	6.0	0.09	4.3	0.08	3.7	0.05	2.6	
	02	0.14	6.3	0.10	3.9	0.08	3.3	0.05	2.3	
	04	0.17	3.0	0.11	4.0	0.09	3.2	0.06	2.1	
	06	0.15	4.3	0.11	3.3	0.09	2.6	0.06	1.9	
	08	0.13	2.5	0.09	2.6	0.07	2.7	0.04	2.0	
	10	欠測								
	12	0.10	4.5	0.08	3.9	0.06	3.3	0.04	2.2	
	14	0.14	3.8	0.10	3.8	0.08	3.2	0.05	2.2	
	16	0.27	2.5	0.19	3.0	0.15	3.0	0.10	2.4	
	18	0.52	5.8	0.37	5.9	0.29	4.9	0.18	3.4	
	20	* 0.63	4.0	* 0.43	4.6	* 0.34	4.3	* 0.21	3.2	
	22	0.37	4.0	0.27	4.6	0.21	4.1	0.14	3.1	
	最大	0.63	4.0	0.43	4.6	0.34	4.3	0.21	3.2	

	平均	0.25	4.2	0.18	4.0	0.14	3.5	0.09	2.5	
29	00	欠測								
	02	0.32	3.3	0.25	4.0	0.21	3.9	0.13	2.9	
	04	0.35	3.8	0.25	3.3	0.20	3.1	0.13	2.4	
	06	0.33	1.8	0.26	3.2	0.21	3.1	0.14	2.5	
	08	0.29	2.0	0.22	4.3	0.18	3.8	0.12	2.8	
	10	0.39	4.0	0.28	4.0	0.23	3.7	0.15	2.7	
	12	0.44	1.8	0.30	3.8	0.24	3.3	0.15	2.7	
	14	0.42	4.3	0.30	4.8	0.24	4.1	0.16	3.0	
	16	0.47	5.5	0.33	5.1	0.25	4.6	0.15	3.1	
	18	0.34	6.0	0.28	5.4	0.23	5.5	0.14	4.4	
	20	* 0.59	4.5	* 0.39	5.2	* 0.31	5.4	* 0.19	4.3	
	22	0.26	6.0			0.17	6.0			
	最大	0.59	4.5	0.39	5.2	0.31	5.4	0.19	4.3	
	平均	0.38	3.9	0.29	4.3	0.22	4.2	0.15	3.1	
30	00	0.27	6.3	0.20	6.1	0.16	6.0	0.09	4.6	
	02	0.29	6.5			0.18	6.5			
	04	* 0.35	6.0	* 0.27	6.6	* 0.20	6.2	* 0.12	4.5	
	06	0.30	6.8	0.22	6.7	0.16	6.2	0.09	4.2	
	08	0.27	5.5	0.21	6.2	0.17	6.0	0.10	4.1	
	10	0.30	6.0			0.19	6.0			
	12	0.32	6.0	0.24	6.3	0.19	6.2	0.10	4.1	
	14	0.25	6.0	0.19	6.0	0.15	5.9	0.09	3.8	
	16	0.30	5.5			0.19	5.5			
	18	0.27	5.8	0.19	4.9	0.15	3.7	0.09	2.5	
	20	0.26	6.0			0.17	6.0			
	22	0.20	4.5			0.12	4.5			
	最大	0.35	6.0	0.27	6.6	0.20	6.2	0.12	4.5	
	平均	0.28	5.9	0.22	6.1	0.17	5.7	0.10	4.0	
	月最大	1.61	4.3	1.13	4.2	0.88	4.1	0.56	3.5	
	起時	0118		0118		0118		0118		
	平均	0.25	4.2	0.19	4.4	0.14	4.0	0.09	2.9	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	362 回	測得回数	0 回
欠測回数	10 回	欠測回数	372 回
欠測率	2.7 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.17	4.5	0.14	4.2	0.11	3.9	0.06	3.0		
	02	0.17	7.5	0.12	4.7	0.10	4.3	0.06	3.2		
	04	0.15	4.5	0.12	5.1	0.09	4.4	0.05	2.9		
	06	0.15	8.3	0.12	5.0	0.09	4.5	0.05	3.0		
	08	0.20	5.0	0.15	5.2	0.12	5.1	0.07	3.6		
	10	0.24	4.5	0.18	5.1	0.14	5.0	0.08	3.6		
	12	0.21	5.8	0.15	5.5	0.12	5.2	0.07	3.8		
	14	0.17	5.8	0.14	4.9	0.11	4.5	0.06	2.9		
	16	0.18	5.3	0.13	4.8	0.11	4.0	0.07	2.6		
	18	0.27	2.0	0.20	2.3	0.16	2.5	0.10	2.1		
	20	* 0.30	5.0	* 0.25	3.7	* 0.19	3.7	* 0.12	2.7		
	22	0.19	6.5	0.15	4.9	0.12	4.3	0.07	3.1		
	最大	0.30	5.0	0.25	3.7	0.19	3.7	0.12	2.7		
	平均	0.20	5.4	0.15	4.6	0.12	4.3	0.07	3.0		
02	00	0.10	5.0	0.09	3.9	0.08	3.8	0.05	2.9		
	02	0.14	4.3	0.09	3.6	0.07	3.5	0.04	2.7		
	04	0.11	5.3	0.07	5.2	0.06	4.7	0.03	3.3		
	06	0.21	4.0	0.15	3.4	0.12	3.4	0.07	2.6		
	08	0.15	3.0	0.12	2.8	0.10	2.7	0.06	2.0		
	10	0.26	3.3	0.19	3.2	0.15	3.2	0.10	2.4		
	12	0.48	2.3	0.33	2.8	0.27	2.8	0.18	2.4		
	14	* 0.93	2.8	* 0.57	3.1	* 0.45	3.0	* 0.29	2.8		
	16	0.76	2.5	0.53	3.0	0.40	3.0	0.25	2.6		
	18	0.42	2.5	0.29	3.0	0.24	2.9	0.16	2.5		
	20	0.53	4.0	0.37	3.7	0.28	3.6	0.17	2.9		
	22	0.27	2.8			0.17	2.8				
	最大	0.93	2.8	0.57	3.1	0.45	3.0	0.29	2.8		
	平均	0.36	3.5	0.25	3.4	0.20	3.3	0.13	2.6		
03	00	0.19	4.3	0.14	4.8	0.11	4.7	0.06	3.4		
	02	0.21	2.3	0.17	4.8	0.13	4.8	0.08	3.5		
	04	0.24	5.0	0.18	5.0	0.14	5.1	0.08	3.7		
	06	0.17	5.8	0.14	5.1	0.11	4.5	0.06	2.9		
	08	0.23	1.6			0.15	1.6				
	10	0.19	1.7			0.12	1.7				
	12	0.23	1.5	0.11	2.3	0.09	2.2	0.06	1.9		
	14	0.20	4.8	0.13	3.3	0.11	3.0	0.07	2.2		
	16	0.16	1.5	0.10	2.1	0.08	2.3	0.05	1.8		
	18	0.33	1.8			* 0.21	1.8				
	20	* 0.49	4.0	* 0.25	3.2	0.17	3.1	* 0.10	2.2		
	22	0.12	3.0	0.09	3.5	0.07	3.1	0.05	2.1		
	最大	0.49	4.0	0.25	3.2	0.21	1.8	0.10	2.2		
	平均	0.23	3.1	0.15	3.8	0.12	3.2	0.07	2.6		
04	00	0.12	1.8	0.09	2.0	0.07	2.1	0.05	1.8		
	02	0.10	2.0			0.06	2.0				
	04	0.13	1.8	0.10	3.0	0.08	2.8	0.05	2.3		
	06	0.50	6.0			0.31	6.0				
	08	0.64	8.5	0.52	8.2	0.42	7.1	0.28	5.4		
	10	0.56	4.8	0.46	7.0	0.40	5.7	0.26	4.2		
	12	0.67	8.5	0.54	7.1	0.44	5.7	0.30	4.3		
	14	0.71	8.7	* 0.61	4.5	* 0.53	5.0	* 0.36	4.4		
	16	* 0.81	4.8	0.58	4.0	0.46	3.9	0.29	3.0		
	18	0.78	4.0	0.61	4.4	0.48	4.0	0.30	3.1		
	20	0.78	4.0	0.58	4.4	0.45	4.1	0.28	3.2		
	22	0.56	6.5	0.38	5.5	0.31	5.1	0.19	3.7		
	最大	0.81	4.8	0.61	4.5	0.53	5.0	0.36	4.4		

	平均	0.53	5.1	0.45	5.0	0.33	4.5	0.24	3.5	
05	00	* 0.59	5.5	* 0.44	6.0	* 0.35	5.7	* 0.22	4.1	
	02	0.53	6.3	0.40	5.4	0.32	5.3	0.20	4.3	
	04	0.39	5.8	0.29	5.7	0.22	5.6	0.13	4.3	
	06	0.34	5.5			0.21	5.5			
	08	0.44	5.5			0.28	5.5			
	10	0.33	5.5	0.26	5.7	0.21	5.3	0.13	3.9	
	12	0.42	4.5	0.29	5.1	0.22	5.1	0.13	3.8	
	14	0.28	5.3	0.24	5.1	0.20	5.1	0.12	4.2	
	16	0.29	6.3	0.20	5.3	0.16	4.9	0.09	3.5	
	18	0.25	4.5	0.18	4.8	0.14	4.6	0.08	3.2	
20	0.45	4.0			0.28	4.0				
22	0.14	8.0	0.11	4.9	0.09	4.6	0.05	3.1		
最大平均	0.59	5.5	0.44	6.0	0.35	5.7	0.22	4.1		
	0.37	5.6	0.27	5.3	0.22	5.1	0.13	3.8		
06	00	0.19	4.5	0.13	4.4	0.10	4.1	0.06	2.9	
	02	0.20	4.5	0.12	4.0	0.10	3.8	0.06	3.1	
	04	0.14	1.8	0.09	5.4	0.08	4.2	0.05	2.7	
	06	0.13	7.3	0.10	5.0	0.08	4.5	0.05	3.0	
	08	0.15	1.8	0.10	3.7	0.08	3.3	0.05	2.3	
	10	0.19	3.8	0.14	3.3	0.11	3.1	0.07	2.3	
	12	0.17	4.0	0.11	3.7	0.09	3.6	0.05	2.6	
	14	0.18	1.8	0.11	3.1	0.08	2.9	0.05	2.2	
	16	0.12	6.5	0.09	4.1	0.07	3.7	0.04	2.6	
	18	0.12	4.3	0.09	4.5	0.07	4.2	0.04	2.9	
20	* 0.30	4.5	* 0.20	4.6	* 0.15	4.2	* 0.08	3.0		
22	0.17	4.8	0.10	4.6	0.07	4.3	0.04	2.9		
最大平均	0.30	4.5	0.20	4.6	0.15	4.2	0.08	3.0		
	0.17	4.1	0.12	4.2	0.09	3.8	0.05	2.7		
07	00	0.13	4.3	0.10	4.5	0.08	3.9	0.04	2.6	
	02	0.15	2.5	0.09	4.1	0.07	3.6	0.04	2.5	
	04	0.13	5.8	0.09	3.9	0.07	3.2	0.04	2.2	
	06	0.21	1.5			0.14	1.5			
	08	0.13	5.5	0.10	2.6	0.08	2.2	0.05	1.9	
	10	0.20	1.5			0.12	1.5			
	12	0.14	1.5	0.08	2.6	0.06	2.4	0.04	1.9	
	14	0.26	3.0			0.17	3.0			
	16	0.42	3.0	* 0.29	3.8	* 0.23	3.5	* 0.14	2.6	
	18	0.30	3.5	0.23	4.3	0.18	4.0	0.11	2.8	
20	* 0.48	5.5	0.24	5.1	0.19	4.2	0.11	3.1		
22	0.23	4.3	0.17	4.4	0.14	4.1	0.09	3.1		
最大平均	0.48	5.5	0.29	3.8	0.23	3.5	0.14	2.6		
	0.23	3.5	0.15	3.9	0.13	3.1	0.07	2.5		
08	00	0.26	4.3	0.20	5.0	0.16	4.6	0.09	3.3	
	02	0.28	5.0			0.18	5.0			
	04	0.33	5.3	0.21	5.4	0.17	5.1	0.10	3.6	
	06	0.23	5.0	0.18	5.0	0.14	4.9	0.08	3.6	
	08	0.24	5.0	0.17	4.9	0.13	5.0	0.08	3.5	
	10	0.33	4.0	0.21	2.9	0.17	2.8	0.11	2.2	
	12	0.32	2.5	* 0.26	3.9	* 0.22	3.3	* 0.14	2.5	
	14	0.28	4.5	0.19	4.3	0.16	4.2	0.10	3.1	
	16	0.23	4.3	0.17	3.9	0.14	3.6	0.09	2.6	
	18	0.26	2.0	0.18	3.1	0.14	3.0	0.09	2.2	
20	* 0.35	3.5	0.25	4.2	0.19	4.3	0.12	3.3		
22	0.18	3.0			0.11	3.0				
最大平均	0.35	3.5	0.26	3.9	0.22	3.3	0.14	2.5		
	0.27	4.0	0.20	4.3	0.16	4.1	0.10	3.0		
09	00	0.12	4.0	0.08	4.6	0.06	4.1	0.04	2.9	
	02	0.16	3.8	0.12	3.3	0.09	3.5	0.06	3.1	
	04	0.07	2.8	0.05	4.4	0.04	3.8	0.03	2.5	
	06	0.09	2.8	0.06	3.2	0.05	3.3	0.03	2.2	
	08	0.09	5.3	0.07	3.5	0.05	3.1	0.03	2.0	
	10	0.11	5.0	0.08	4.1	0.06	3.3	0.04	2.2	
	12	0.16	3.5	0.10	4.0	0.08	3.6	0.05	2.4	
	14	0.11	2.3	0.08	3.4	0.06	2.7	0.04	2.0	
	16	0.12	2.0	0.07	3.0	0.05	2.8	0.03	2.0	
	18	0.17	1.5			0.10	1.5			
20	* 0.30	3.8	* 0.18	3.6	* 0.13	2.8	* 0.08	2.1		
22	0.16	3.3	0.11	1.9	0.09	1.9	0.05	1.7		

			最大										
			平均										
			0.30	3.8	0.18	3.6	0.13	2.8	0.08	2.1			
			0.14	3.3	0.09	3.5	0.07	3.0	0.04	2.3			
10	00		0.12	2.0	0.08	2.6	0.06	2.4	0.04	1.9			
	02		0.14	1.8	0.10	2.4	0.07	2.2	0.05	1.8			
	04		0.13	2.0	0.09	2.9	0.07	2.8	0.05	2.1			
	06		0.12	1.5	0.08	2.3	0.07	2.3	0.04	2.0			
	08		0.23	1.5			0.15	1.5					
	10		0.14	3.8	0.11	2.3	0.09	2.2	0.06	1.9			
	12		0.12	3.0			0.07	3.0					
	14		0.12	5.0			0.07	5.0					
	16		0.14	1.8	0.08	2.4	0.07	2.2	0.04	1.8			
	18	* 0.40	2.0		* 0.26	2.1	* 0.20	2.1	* 0.13	2.0			
	20		0.37	4.5	0.24	4.4	0.19	4.0	0.12	3.2			
	22		0.16	7.0	0.12	5.3	0.09	4.6	0.06	3.3			
	最大		0.40	2.0	0.26	2.1	0.20	2.1	0.13	2.0			
	平均		0.18	3.0	0.13	3.0	0.10	2.9	0.07	2.2			
11	00		0.18	6.0			0.11	6.0					
	02		0.23	4.0	0.17	4.7	0.14	4.3	* 0.09	3.2			
	04		0.23	4.8	0.17	4.1	0.14	4.0	0.09	3.1			
	06		0.22	4.5	0.15	4.0	0.12	4.0	0.08	3.3			
	08		0.25	5.0	0.16	3.5	0.13	3.5	0.08	2.5			
	10		0.23	4.8	* 0.19	3.7	0.15	3.6	0.09	3.0			
	12		0.22	3.8	0.16	3.0	0.13	2.7	0.08	2.2			
	14		0.19	3.3	0.15	3.5	0.11	3.5	0.07	2.6			
	16		0.13	5.5			0.08	5.5					
	18		0.13	2.8	0.10	4.1	0.08	3.5	0.05	2.4			
	20	* 0.40	5.0				* 0.25	5.0					
	22		0.10	4.0	0.09	4.8	0.07	4.2	0.04	2.7			
	最大		0.40	5.0	0.19	3.7	0.25	5.0	0.09	3.2			
	平均		0.21	4.5	0.15	3.9	0.13	4.2	0.07	2.8			
12	00		0.14	4.8	0.11	3.8	0.09	3.5	0.05	2.6			
	02		0.13	4.0			0.08	4.0					
	04		0.11	5.8	0.07	4.3	0.05	3.4	0.03	2.3			
	06		0.12	3.3	0.09	3.8	0.07	3.4	0.04	2.4			
	08		0.14	2.3	0.09	3.2	0.08	2.7	0.05	2.1			
	10		0.14	2.5	0.09	3.5	0.07	3.3	0.04	2.3			
	12		0.23	2.0	0.17	2.5	0.13	2.7	0.09	2.2			
	14		0.22	3.5	0.18	2.7	0.14	2.6	0.09	2.1			
	16		0.38	5.0	0.30	4.6	0.23	4.4	0.14	3.4			
	18		0.40	6.0			0.25	6.0					
	20	* 0.58	5.3		* 0.38	4.7	* 0.29	4.8	* 0.17	3.7			
	22		0.42	4.3	0.31	5.2	0.25	5.2	0.15	3.9			
	最大		0.58	5.3	0.38	4.7	0.29	4.8	0.17	3.7			
	平均		0.25	4.1	0.18	3.8	0.14	3.8	0.09	2.7			
13	00		0.33	5.5	0.27	5.0	0.22	5.0	0.14	3.7			
	02		0.42	6.0	* 0.31	5.7	* 0.24	5.5	* 0.15	3.9			
	04		0.38	5.3	0.26	5.0	0.21	5.0	0.13	3.8			
	06		0.35	5.0	0.28	5.4	0.23	5.2	0.13	4.0			
	08		0.34	4.3	0.26	5.6	0.20	5.4	0.12	4.0			
	10		0.35	6.3	0.27	5.1	0.21	5.0	0.13	3.5			
	12		0.40	5.3	0.30	5.2	0.23	5.1	0.14	3.5			
	14		0.33	4.5	0.24	4.9	0.19	4.6	0.12	3.3			
	16		0.28	5.0	0.20	5.6	0.16	5.0	0.10	3.6			
	18		0.23	5.8	0.15	5.3	0.11	5.2	0.06	3.4			
	20	* 0.45	6.0		0.27	5.6	0.18	5.1	0.11	3.6			
	22		0.15	5.5	0.11	4.8	0.09	4.5	0.05	3.1			
	最大		0.45	6.0	0.31	5.7	0.24	5.5	0.15	3.9			
	平均		0.33	5.4	0.24	5.3	0.19	5.1	0.12	3.6			
14	00		0.24	1.8	0.16	3.0	0.13	2.7	0.08	2.1			
	02		0.19	5.5	0.13	4.5	0.10	3.8	0.06	2.7			
	04		0.44	2.8	0.29	2.6	0.22	2.6	0.14	2.2			
	06		0.44	2.0	0.33	2.7	0.27	2.7	0.17	2.3			
	08		0.49	2.3	0.28	2.4	0.23	2.6	0.15	2.3			
	10		0.65	7.0	0.42	3.9	0.34	3.5	0.22	2.7			
	12	* 0.84	6.3		0.52	4.0	0.41	3.6	0.27	2.8			
	14		0.70	2.5	0.47	3.1	0.38	3.0	0.25	2.6			

	16		0.77	3.3	* 0.57	3.1	* 0.46	3.2	* 0.29	2.7	
	18		0.62	3.0	0.44	2.9	0.34	3.0	0.22	2.6	
	20		0.65	4.0	0.42	3.6	0.31	3.3	0.19	2.6	
	22		0.43	4.0			0.27	4.0			
	最大		0.84	6.3	0.57	3.1	0.46	3.2	0.29	2.7	
	平均		0.54	3.7	0.37	3.3	0.29	3.2	0.19	2.5	
	15	00	0.39	4.8	0.32	5.2	0.26	4.8	0.16	3.3	
		02	0.45	5.0	0.34	3.7	0.28	3.1	0.18	2.5	
		04	0.39	6.5	0.29	4.5	0.22	3.8	0.14	2.6	
		06	0.51	6.3	0.33	5.5	0.26	4.5	0.16	3.1	
		08	0.37	6.8	0.24	5.1	0.19	3.8	0.13	2.7	
		10	0.42	2.3	0.29	3.6	0.23	2.9	0.15	2.4	
		12	0.54	2.5	* 0.40	2.9	* 0.33	3.1	* 0.21	2.7	
		14	0.49	1.9			0.31	1.9			
		16	0.58	7.0	0.35	4.6	0.27	3.8	0.17	2.8	
		18	* 0.60	5.8	0.36	4.2	0.29	3.7	0.19	2.8	
		20	0.45	5.0	0.30	4.8	0.24	4.3	0.16	3.2	
		22	0.28	7.5	0.18	6.6	0.13	5.7	0.07	3.5	
	最大		0.60	5.8	0.40	2.9	0.33	3.1	0.21	2.7	
		平均	0.46	5.1	0.31	4.6	0.25	3.8	0.16	2.9	
	16	00	0.25	5.4			0.16	5.4			
		02	0.21	7.3	0.14	5.1	0.11	4.0	0.06	2.6	
		04	0.17	7.5	0.12	6.6	0.09	5.9	0.05	3.6	
		06	0.17	6.3	0.13	5.7	0.10	5.2	0.06	3.5	
		08	0.18	7.3	0.13	5.3	0.10	4.3	0.06	2.9	
		10	* 3.04	14.5	* 2.29	6.8	* 1.43	5.0	* 0.66	3.3	
		12	0.16	5.8	0.13	5.7	0.10	4.7	0.06	2.9	
		14	0.21	5.5	0.15	4.7	0.12	3.9	0.07	2.6	
		16	0.34	3.5	0.25	3.7	0.20	3.2	0.13	2.5	
		18	0.23	3.0	0.17	4.2	0.13	3.9	0.08	2.8	
		20	0.47	5.3	0.30	4.8	0.23	4.9	0.14	3.8	
		22	0.17	6.5	0.12	5.1	0.10	4.3	0.06	3.0	
	最大		3.04	14.5	2.29	6.8	1.43	5.0	0.66	3.3	
		平均	0.47	6.5	0.36	5.2	0.24	4.6	0.13	3.0	
	17	00	0.18	5.5	0.14	4.8	0.10	4.5	0.06	3.1	
		02	0.21	5.0	0.17	5.5	0.13	5.1	0.08	3.4	
		04	0.27	5.5	0.16	5.3	0.12	5.2	0.07	3.4	
		06	0.17	5.3	0.12	5.9	0.10	5.4	0.05	3.4	
		08	0.22	4.8	0.14	5.6	0.11	4.6	0.06	3.1	
		10	* 0.30	2.5			* 0.19	2.5			
		12	0.20	4.5	0.17	3.7	0.14	3.2	0.09	2.3	
		14	0.26	4.0			0.17	4.0			
		16	* 0.30	2.5			* 0.19	2.5			
		18	0.19	3.0	0.15	3.6	0.12	3.2	0.08	2.5	
		20	0.24	5.0	* 0.18	4.6	0.15	4.2	* 0.09	2.9	
		22	0.20	6.3	0.14	5.2	0.10	4.8	0.06	3.2	
	最大		0.30	2.5	0.18	4.6	0.19	2.5	0.09	2.9	
		平均	0.23	4.5	0.15	4.9	0.14	4.1	0.07	3.0	
	18	00	0.17	7.3	0.13	6.0	0.09	5.3	0.05	3.4	
		02	0.18	5.8	0.13	5.7	0.11	5.0	* 0.06	3.3	
		04	0.17	7.5			0.10	7.5			
		06	0.16	6.8	0.12	6.5	0.10	5.8	0.05	3.6	
		08	* 0.33	3.0			* 0.21	3.0			
		10	0.16	7.0	0.10	5.0	0.08	4.0	0.05	2.6	
		12	0.18	6.3	* 0.13	6.3	0.09	5.1	0.05	3.2	
		14	0.13	5.3	0.10	5.5	0.07	4.8	0.04	2.9	
		16	0.20	5.0			0.12	5.0			
		18	0.19	2.0	0.12	2.3	0.09	2.3	0.06	1.9	
		20	欠測								
		22	0.15	5.0	0.10	2.2	0.08	2.2	0.05	1.8	
	最大		0.33	3.0	0.13	6.3	0.21	3.0	0.06	3.3	
		平均	0.18	5.5	0.12	4.9	0.10	4.5	0.05	2.8	
	19	00	0.13	6.0	0.09	4.5	0.07	3.7	0.05	2.3	
		02	0.20	3.0	0.13	2.6	0.10	2.5	0.06	2.0	
		04	0.21	1.5	0.14	2.0	0.11	2.3	0.07	1.9	
		06	0.13	4.0	0.09	2.9	0.07	2.8	0.05	2.1	
		08	0.21	1.5	0.13	2.1	0.10	2.1	0.06	1.8	
		10	* 0.25	1.5	* 0.17	1.6	* 0.13	1.7	* 0.08	1.7	

	12		欠测									
	14		欠测									
	16		0.19	2.5	0.13	2.1	0.10	2.1	0.07	1.8		
	18		0.17	5.8	0.11	2.1	0.09	2.1	0.05	1.8		
	20		欠测									
	22		0.11	2.8	0.08	3.8	0.06	3.1	0.04	2.2		
	最大		0.25	1.5	0.17	1.6	0.13	1.7	0.08	1.7		
	平均		0.18	3.2	0.12	2.6	0.09	2.5	0.06	2.0		
20	00		0.13	8.3	0.09	3.8	0.07	3.4	0.04	2.3		
	02		0.13	4.3	0.09	3.5	0.07	3.3	0.05	2.5		
	04		欠测									
	06		0.15	6.8	0.10	4.3	0.08	3.7	0.05	2.5		
	08		0.17	6.0	0.11	6.1	0.08	4.6	0.05	2.8		
	10		0.22	1.8	0.15	3.6	0.12	3.4	0.08	2.5		
	12		0.22	2.8	0.15	3.9	0.12	3.3	0.07	2.5		
	14		* 0.29	2.8	* 0.17	3.8	* 0.13	3.6	* 0.08	2.7		
	16		0.21	4.0	0.15	4.2	0.12	3.7	* 0.08	2.7		
	18		0.20	2.3	0.13	3.9	0.10	3.3	0.06	2.3		
	20		欠测									
	22		0.19	4.3	0.13	5.6	0.10	4.4	0.06	2.9		
	最大		0.29	2.8	0.17	3.8	0.13	3.6	0.08	2.7		
	平均		0.19	4.3	0.13	4.3	0.10	3.7	0.06	2.6		
21	00		0.18	7.0	0.13	6.2	0.10	5.6	0.06	3.8		
	02		0.19	5.5	0.13	5.0	0.10	4.8	0.06	3.4		
	04		0.42	2.3	0.29	2.5	* 0.23	2.6	* 0.15	2.2		
	06		0.26	4.3	0.16	3.3	0.13	3.3	0.08	2.6		
	08		0.16	6.0	0.12	5.9	0.09	5.2	0.05	3.5		
	10		0.22	5.5	0.14	4.1	0.11	3.8	0.07	2.8		
	12		0.19	5.3	0.14	4.9	0.10	4.1	0.06	2.9		
	14		0.33	3.5	0.21	3.8	0.15	3.7	0.09	2.6		
	16		0.29	7.0	0.17	5.8	0.13	4.8	0.07	2.9		
	18		0.31	5.5	0.19	4.2	0.14	3.5	0.09	2.5		
	20		* 0.56	5.3	* 0.31	4.2	0.22	3.8	0.13	2.7		
	22		0.24	4.5	0.17	5.1	0.13	4.4	0.08	2.9		
	最大		0.56	5.3	0.31	4.2	0.23	2.6	0.15	2.2		
	平均		0.28	5.1	0.18	4.6	0.14	4.1	0.08	2.9		
22	00		0.19	6.8	0.15	5.4	0.12	4.3	0.07	2.7		
	02		0.24	6.0	0.17	6.2	0.12	4.8	0.07	3.0		
	04		0.23	6.5	0.16	6.5	0.12	5.7	0.07	3.5		
	06		0.22	7.0	0.16	6.4	0.12	5.4	0.07	3.3		
	08		0.22	6.3	0.16	6.4	0.12	6.2	0.07	3.7		
	10		0.21	5.8	0.16	6.2	0.12	5.5	0.07	3.5		
	12		0.25	6.5	0.18	5.9	0.13	4.9	0.07	2.9		
	14		0.30	6.0	0.21	6.3	0.15	6.1	0.08	3.6		
	16		0.29	6.3	0.19	5.9	0.15	5.0	0.09	3.1		
	18		0.34	6.5	0.23	6.3	0.18	6.1	0.10	3.8		
	20		* 0.63	5.8	* 0.34	5.2	* 0.25	5.2	* 0.15	3.9		
	22		0.36	6.0	0.21	6.1	0.17	6.0	0.10	4.3		
	最大		0.63	5.8	0.34	5.2	0.25	5.2	0.15	3.9		
	平均		0.29	6.3	0.19	6.1	0.15	5.4	0.08	3.4		
23	00		0.25	5.8	0.17	5.9	0.13	5.3	0.07	3.1		
	02		0.21	6.0	0.14	6.0	0.11	5.6	0.06	3.4		
	04		0.22	7.0	0.16	7.0	0.12	6.5	0.06	4.0		
	06		0.24	6.5	0.18	6.7	0.14	6.6	0.08	3.9		
	08		0.21	6.0	0.15	7.0	0.12	6.3	0.07	3.8		
	10		0.23	6.0	0.15	6.3	0.11	5.0	0.06	3.0		
	12		0.17	6.3	0.13	6.5	0.10	5.1	0.06	3.1		
	14		0.19	6.8	0.11	6.3	0.08	4.7	0.05	2.8		
	16		0.15	6.8	0.11	5.3	0.08	4.0	0.05	2.4		
	18		0.17	3.3	0.12	3.1	0.09	2.5	0.06	2.0		
	20		* 0.56	3.7	* 0.45	4.0	* 0.31	4.3	* 0.18	4.2		
	22		0.13	2.5	0.08	3.5	0.07	3.1	0.04	2.1		
	最大		0.56	3.7	0.45	4.0	0.31	4.3	0.18	4.2		
	平均		0.23	5.6	0.16	5.6	0.12	4.9	0.07	3.2		
24	00		0.09	5.3	0.08	3.6	0.06	3.7	0.04	2.6		
	02		0.10	2.0	0.06	3.3	0.05	3.1	0.03	2.2		

25	04	0.22	5.8	0.15	5.5	0.10	4.8	0.05	3.0	
	06	0.11	3.8	0.07	4.4	0.06	4.1	0.04	2.8	
	08	0.13	5.0	0.10	5.0	0.07	4.2	0.04	2.8	
	10	0.17	3.5	0.12	4.1	0.10	3.3	0.06	2.3	
	12	0.27	3.3	0.17	2.3	0.14	2.3	0.09	1.9	
	14	0.27	2.5	0.20	2.7	0.15	2.7	0.10	2.2	
	16	0.35	2.3	0.23	2.7	0.18	2.6	0.12	2.2	
	18	0.36	2.8	0.29	2.8	0.23	2.7	0.15	2.3	
	20	0.47	3.5	* 0.36	3.4	* 0.29	3.3	* 0.18	2.6	
	22	* 0.55	6.8	0.34	3.4	0.27	3.3	0.17	2.6	
	最大	0.55	6.8	0.36	3.4	0.29	3.3	0.18	2.6	
	平均	0.26	3.9	0.18	3.6	0.14	3.3	0.09	2.5	
	00	0.62	5.3	0.46	3.0	0.37	2.9	0.24	2.5	
	02	0.52	2.5	0.40	2.7	0.32	2.8	0.21	2.5	
	04	0.79	2.5	0.50	2.6	0.41	2.7	* 0.27	2.5	
	06	* 0.86	2.5	* 0.54	3.1	* 0.42	3.2	0.26	2.7	
	08	0.43	4.3	0.35	3.8	0.29	3.3	0.18	2.6	
	10	0.60	4.3	0.42	3.2	0.33	3.2	0.22	2.7	
	12	0.50	4.0	0.37	3.5	0.30	3.2	0.20	2.7	
	14	0.58	2.8	0.43	3.5	0.34	3.3	0.21	2.7	
	16	0.57	3.3	0.42	3.3	0.34	3.3	0.22	2.8	
	18	0.57	2.5	0.36	2.5	0.28	2.7	0.18	2.4	
20	0.67	5.0	0.49	3.4	0.38	3.3	0.24	2.7		
22	0.48	2.3	0.33	2.8	0.26	2.8	0.17	2.4		
最大	0.86	2.5	0.54	3.1	0.42	3.2	0.27	2.5		
平均	0.60	3.4	0.42	3.1	0.34	3.1	0.22	2.6		
26	00	0.37	1.8	0.28	2.1	0.21	2.3	0.14	2.1	
	02	0.28	2.3	0.17	3.2	0.13	2.9	0.09	2.3	
	04	0.34	2.0	0.22	2.2	0.18	2.3	0.12	2.0	
	06	0.22	2.3	0.16	2.8	0.13	2.8	0.08	2.3	
	08	0.35	3.0	0.23	2.8	0.19	2.5	0.12	2.2	
	10	0.49	2.3	0.30	2.4	0.23	2.5	0.15	2.2	
	12	0.45	2.5	0.31	2.4	0.25	2.6	0.16	2.2	
	14	0.44	3.8	0.34	2.9	0.27	3.0	0.17	2.5	
	16	0.53	2.5	0.32	3.3	0.25	3.0	0.16	2.4	
	18	* 0.53	3.8	* 0.37	4.2	* 0.29	3.8	* 0.19	2.9	
	20	0.48	3.8	0.36	4.0	0.27	3.9	0.17	2.9	
	22	0.42	4.8	0.25	4.1	0.20	3.8	0.12	2.8	
	最大	0.53	3.8	0.37	4.2	0.29	3.8	0.19	2.9	
	平均	0.41	2.9	0.28	3.0	0.22	3.0	0.14	2.4	
	27	00	0.33	4.5	0.23	4.5	0.18	4.2	0.11	3.0
		02	0.32	5.0	0.26	4.7	0.21	4.7	0.13	3.7
		04	0.43	4.5	0.28	5.0	0.22	5.0	0.14	4.1
		06	0.31	5.8	0.25	5.3	0.19	5.1	0.11	3.7
		08	0.34	5.3	0.25	5.0	0.20	4.7	0.12	3.5
		10	0.40	4.8	0.29	5.1	* 0.24	5.0	* 0.15	4.0
		12	0.43	4.5	* 0.30	5.3	0.23	5.1	0.14	3.5
		14	0.40	4.5	0.27	4.8	0.21	4.2	0.12	2.8
16		0.34	4.5	0.26	4.4	0.21	3.8	0.13	2.7	
18		0.31	4.8	0.22	4.3	0.17	3.9	0.11	2.8	
20		* 0.45	4.5	0.30	4.2	0.22	4.1	0.13	3.1	
22		0.24	5.5	0.18	4.9	0.14	4.7	0.09	3.3	
最大		0.45	4.5	0.30	5.3	0.24	5.0	0.15	4.0	
平均		0.36	4.9	0.26	4.8	0.20	4.5	0.12	3.4	
28		00	0.32	4.8	0.21	5.3	0.16	4.9	0.10	3.8
		02	0.29	5.0	0.22	5.5	0.17	5.3	0.10	4.1
		04	0.36	5.3	0.25	5.1	0.21	5.4	0.13	4.4
		06	欠測							
		08	* 0.40	5.3	* 0.31	5.4	* 0.25	5.5	* 0.15	4.4
		10	欠測							
		12	0.28	5.8	0.22	5.6	0.16	5.2	0.09	3.6
		14	0.24	5.0	0.18	5.5	0.14	5.3	0.08	3.3
	16	0.22	5.5	0.17	5.6	0.14	5.6	0.08	3.6	
	18	0.23	6.3	0.18	6.0	0.13	5.8	0.07	3.7	
	20	0.34	7.0	0.22	6.0	0.17	5.8	0.10	3.6	
	22	0.20	5.8	0.15	5.6	0.12	5.5	0.07	3.6	
	最大	0.40	5.3	0.31	5.4	0.25	5.5	0.15	4.4	

	平均	0.29	5.6	0.21	5.6	0.17	5.4	0.10	3.8	
29	00	* 0.22	5.8	0.13	5.8	0.10	5.1	0.05	3.1	
	02	0.19	5.5	* 0.15	5.6	* 0.12	5.4	* 0.07	3.3	
	04	0.18	5.5	0.12	5.7	0.09	5.0	0.05	3.0	
	06	0.16	6.0	0.10	5.7	0.08	4.7	0.04	2.8	
	08	0.16	6.0	0.10	5.6	0.08	4.8	0.05	3.0	
	10	0.11	5.8	0.08	3.6	0.06	3.1	0.04	2.2	
	12	0.12	2.5	0.08	2.6	0.07	2.5	0.04	1.9	
	14	0.21	5.3	0.09	3.7	0.07	2.8	0.05	2.0	
	16	0.11	3.3	0.08	3.2	0.06	2.8	0.04	2.1	
	18	0.12	5.0	0.07	3.9	0.06	3.0	0.04	2.1	
	20	欠測								
	22	0.11	5.0	0.08	4.2	0.06	3.6	0.04	2.4	
	最大	0.22	5.8	0.15	5.6	0.12	5.4	0.07	3.3	
	平均	0.15	5.1	0.10	4.5	0.08	3.9	0.05	2.5	
30	00	0.15	5.5	0.10	3.6	0.08	3.0	0.05	2.2	
	02	0.09	5.0	0.06	4.7	0.05	4.1	0.03	2.7	
	04	0.13	5.3	0.07	3.3	0.06	3.6	0.04	2.5	
	06	0.11	2.8	0.07	3.8	0.06	3.5	0.04	2.4	
	08	0.10	4.0	0.07	4.1	0.06	3.4	0.03	2.2	
	10	0.37	2.5	0.21	2.2	0.16	2.2	0.10	1.9	
	12	0.60	5.0	0.26	3.2	0.21	3.0	0.13	2.4	
	14	0.33	3.8	0.24	3.6	0.20	3.4	0.12	2.8	
	16	0.43	3.3	0.25	3.3	0.20	3.3	0.13	2.7	
	18	0.28	4.3	0.22	3.8	0.17	3.7	0.11	2.8	
	20	0.51	3.8	0.35	4.1	0.26	4.3	0.15	3.4	
	22	* 0.61	5.8	* 0.41	5.0	* 0.32	4.6	* 0.20	3.2	
	最大	0.61	5.8	0.41	5.0	0.32	4.6	0.20	3.2	
	平均	0.31	4.3	0.19	3.7	0.15	3.5	0.09	2.6	
31	00	0.66	5.3	0.46	5.8	0.37	5.6	0.23	4.3	
	02	0.57	5.5	0.46	5.5	0.37	5.5	0.23	4.1	
	04	0.54	5.5	0.43	5.5	0.34	5.4	0.21	4.4	
	06	* 0.75	4.5	* 0.56	4.1	* 0.44	3.7	* 0.28	2.9	
	08	0.58	4.0	0.48	3.9	0.38	3.8	0.24	3.0	
	10	0.51	5.3	0.36	4.8	0.29	4.7	0.18	3.6	
	12	0.74								
	14	欠測	5.3	0.45	3.7	0.37	3.6	0.24	2.8	
	16	0.43	3.8	0.28	3.6	0.22	3.4	0.14	2.6	
	18	0.51	8.5	0.35	6.8	0.28	5.2	0.18	3.2	
	20	0.34	3.5	0.27	3.6	0.21	3.5	0.13	2.8	
	22	0.18	6.0	0.15	4.0	0.12	3.4	0.07	2.5	
	最大	0.75	4.5	0.56	4.1	0.44	3.7	0.28	2.9	
	平均	0.53	5.2	0.39	4.7	0.31	4.3	0.19	3.3	
	月最大	3.04	14.5	2.29	6.8	1.43	5.0	0.66	3.3	
	起時	1610		1610		1610		1610		
	平均	0.31	4.5	0.22	4.3	0.17	3.9	0.10	2.9	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	317 回	測得回数	0 回
欠測回数	55 回	欠測回数	372 回
欠測率	14.8 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.22	4.8	0.17	4.2	0.13	4.1	0.08	3.2		
	02	0.22	5.5	0.17	4.6	0.14	4.3	0.08	3.0		
	04	0.18	5.5	0.13	5.5	0.11	5.1	0.06	3.5		
	06	0.19	6.3	0.14	5.5	0.10	5.0	0.06	3.4		
	08	0.15	4.0	0.10	4.3	0.08	3.8	0.05	2.6		
	10	0.13	2.5	0.10	3.7	0.08	3.6	0.05	2.7		
	12	* 0.36	2.0	* 0.24	2.4	* 0.19	2.4	* 0.13	2.2		
	14	欠測									
	16	0.18	5.5	0.14	3.8	0.12	3.5	0.07	2.6		
	18	0.18	5.0	0.13	4.9	0.11	4.5	0.07	3.0		
	20	欠測									
	22	0.14	6.0	0.09	5.6	0.07	4.9	0.04	3.1		
	最大	0.36	2.0	0.24	2.4	0.19	2.4	0.13	2.2		
	平均	0.20	4.7	0.14	4.5	0.11	4.1	0.07	2.9		
02	00	0.16	6.5	* 0.13	5.4	* 0.10	5.2	* 0.06	3.3		
	02	0.15	5.5	0.10	5.0	0.08	4.0	0.04	2.6		
	04	0.15	5.8	0.09	5.3	0.07	4.7	0.04	3.0		
	06	0.12	4.8	0.08	4.3	0.07	3.4	0.04	2.3		
	08	0.10	2.0	0.06	2.8	0.05	2.7	0.03	1.9		
	10	0.17	2.5	0.10	2.6	0.08	2.5	0.05	2.0		
	12	0.12	5.5	0.08	2.6	0.07	2.6	0.04	2.0		
	14	* 0.29	7.8	0.13	3.2	0.10	3.0	0.06	2.4		
	16	0.19	2.3	0.12	2.6	0.09	2.7	0.06	2.3		
	18	0.15	1.8	0.09	2.5	0.07	2.3	0.04	1.9		
	20	欠測									
	22	0.10	2.3	0.07	2.7	0.06	2.5	0.04	1.9		
	最大	0.29	7.8	0.13	5.4	0.10	5.2	0.06	3.3		
	平均	0.15	4.3	0.10	3.5	0.08	3.2	0.05	2.3		
03	00	0.11	4.0	0.08	4.7	0.06	3.6	0.04	2.4		
	02	0.15	2.0	0.07	3.0	0.06	2.9	0.03	2.2		
	04	0.09	5.0	0.06	2.7	0.04	2.4	0.03	1.8		
	06	0.13	2.8	0.08	2.3	0.07	2.2	0.04	1.8		
	08	0.10	3.0	0.06	2.5	0.05	2.3	0.03	1.8		
	10	* 0.19	1.8	* 0.12	2.1	0.09	2.2	0.06	1.9		
	12	0.17	2.0	0.10	2.2	0.08	2.3	0.05	1.9		
	14	0.12	3.0	0.09	2.8	0.07	2.6	0.05	2.0		
	16	0.16	2.5	0.11	2.6	* 0.09	2.6	* 0.06	2.2		
	18	0.14	1.8	0.08	2.5	0.06	2.4	0.04	1.9		
	20	欠測									
	22	欠測									
	最大	0.19	1.8	0.12	2.1	0.09	2.6	0.06	2.2		
	平均	0.14	2.8	0.09	2.7	0.07	2.6	0.04	2.0		
04	00	欠測									
	02	欠測									
	04	0.08	2.5	0.05	3.0	0.04	2.8	0.03	2.0		
	06	欠測									
	08	欠測									
	10	0.11	3.0	0.08	3.3	0.06	3.1	0.04	2.2		
	12	0.08	2.3	0.06	4.5	0.05	3.6	0.03	2.7		
	14	欠測									
	16	* 0.15	3.3	* 0.10	2.4	* 0.08	2.5	* 0.05	2.0		
	18	0.10	2.0	0.07	2.6	0.06	2.4	0.04	1.9		
	20	欠測									
	22	0.14	2.0	0.09	2.3	0.07	2.3	0.04	1.9		
	最大	0.15	3.3	0.10	2.4	0.08	2.5	0.05	2.0		

	平均	0.11	2.5	0.08	3.0	0.06	2.8	0.04	2.1	
05	00	0.07	1.8	0.05	2.9	0.04	2.6	0.03	1.9	
	02	0.13	2.0	0.07	2.8	0.06	2.5	0.03	2.0	
	04	欠測								
	06	0.09	2.0	0.06	2.9	0.04	2.8	0.03	2.1	
	08	0.13	2.3	0.08	2.6	0.06	2.7	0.04	2.3	
	10	0.13	2.8	0.08	2.9	0.06	2.8	0.04	2.1	
	12	0.31	2.0	0.19	2.1	0.14	2.1	0.09	2.0	
	14	* 0.34	2.8	* 0.21	2.5	* 0.17	2.5	* 0.11	2.2	
	16	0.29	2.5	0.16	2.4	0.12	2.4	0.08	2.0	
18	0.21	3.0	0.16	2.7	0.12	2.7	0.08	2.3		
20	欠測									
22	欠測									
最大平均		0.34	2.8	0.21	2.5	0.17	2.5	0.11	2.2	
		0.19	2.4	0.12	2.6	0.09	2.6	0.06	2.1	
06	00	欠測								
	02	0.15	6.3	0.11	4.3	0.09	3.9	0.05	2.7	
	04	* 0.23	4.0	* 0.14	4.3	* 0.11	3.9	* 0.06	2.9	
	06	0.16	3.8	0.13	4.0	0.10	3.8	* 0.06	2.9	
	08	0.16	4.0	0.11	4.2	0.09	4.0	0.05	3.0	
	10	0.21	4.8	0.12	4.5	0.09	4.2	0.05	2.6	
	12	0.18	3.8	0.11	4.4	0.09	3.6	0.05	2.4	
	14	0.10	3.0	0.07	3.2	0.05	2.9	0.03	2.0	
	16	0.09	2.3	0.06	3.6	0.05	3.1	0.03	2.2	
18	欠測									
20	欠測									
22	0.12	6.0	0.08	3.4	0.07	2.8	0.04	2.0		
最大平均		0.23	4.0	0.14	4.3	0.11	3.9	0.06	2.9	
		0.16	4.2	0.10	4.0	0.08	3.6	0.05	2.5	
07	00	* 0.12	4.8	* 0.08	3.9	0.06	3.4	0.03	2.2	
	02	0.09	6.3	0.07	4.3	0.05	3.6	0.03	2.2	
	04	0.08	7.0	0.06	5.0	0.04	3.8	0.03	2.4	
	06	欠測								
	08	0.08	7.0	0.05	3.1	0.05	3.2	0.03	2.2	
	10	欠測								
	12	0.12	3.0	0.08	2.6	* 0.07	2.3	0.04	1.8	
	14	0.11	3.3	0.08	3.2	0.06	2.5	0.04	1.9	
	16	0.09	1.8	0.07	5.0	0.06	4.1	* 0.04	2.5	
18	0.08	2.8	0.06	3.0	0.05	2.5	0.03	1.9		
20	欠測									
22	欠測									
最大平均		0.12	4.8	0.08	3.9	0.07	2.3	0.04	2.5	
		0.10	4.5	0.07	3.8	0.06	3.2	0.03	2.1	
08	00	欠測								
	02	0.14	3.0	0.10	2.6	0.08	2.5	0.05	1.9	
	04	0.11	1.8	0.08	3.4	0.06	3.2	0.04	2.3	
	06	0.14	1.5	0.09	2.2	0.07	2.3	0.05	1.9	
	08	0.16	4.5	0.10	3.7	0.08	3.4	0.05	2.4	
	10	欠測								
	12	0.13	3.8	0.08	2.8	0.07	2.7	0.04	2.0	
	14	0.13	5.5	0.09	4.4	0.07	3.9	0.04	2.5	
	16	0.16	4.3	0.11	4.0	0.09	3.8	0.05	2.6	
18	0.16	3.3	0.11	3.7	0.09	3.3	0.06	2.3		
20	* 0.20	5.8	* 0.15	5.5	* 0.12	5.2	* 0.07	3.5		
22	0.19	5.3	0.13	4.5	0.10	3.2	0.06	2.3		
最大平均		0.20	5.8	0.15	5.5	0.12	5.2	0.07	3.5	
		0.15	3.9	0.10	3.7	0.08	3.4	0.05	2.4	
09	00	欠測								
	02	0.17	4.0	0.13	3.7	0.11	3.3	0.07	2.3	
	04	欠測								
	06	0.15	5.0	0.09	4.2	0.07	3.7	0.04	2.5	
	08	0.14	5.5	0.11	4.6	0.09	4.7	0.05	3.4	
	10	0.24	2.3	0.16	3.3	0.13	3.0	0.08	2.3	
	12	0.33	5.8	0.27	5.7	0.22	5.2	0.13	3.6	
	14	0.58	2.5	0.45	2.8	0.37	2.7	0.24	2.4	
	16	0.60	4.3	0.48	3.6	0.40	3.4	0.26	2.8	
18	0.72	3.8	* 0.57	3.8	* 0.46	3.9	* 0.29	3.1		
20	* 0.82	3.5	0.57	3.7	0.46	3.5	0.29	2.8		
22	0.65	4.3	0.48	4.8	0.38	4.3	0.24	3.2		

	最大	0.82	3.5	0.57	3.8	0.46	3.9	0.29	3.1			
	平均	0.44	4.1	0.33	4.0	0.27	3.8	0.17	2.8			
10	00	* 0.55	3.5	* 0.43	4.0	* 0.34	3.8	* 0.22	3.1			
	02	0.36	5.3	0.26	4.4	0.21	4.2	0.13	3.2			
	04	0.34	4.8	0.23	4.6	0.18	4.2	0.11	3.1			
	06	0.39	4.8	0.24	4.7	0.18	4.4	0.11	3.1			
	08	0.29	5.3	0.19	4.5	0.15	4.0	0.09	2.8			
	10	0.27	5.0	0.21	4.9	0.17	4.3	0.10	2.9			
	12	0.32	6.3	0.22	4.0	0.16	3.5	0.10	2.5			
	14	0.30	4.3	0.21	5.3	0.16	4.0	0.10	2.6			
	16	0.35	2.8	0.29	4.6	0.23	4.0	0.15	3.0			
	18	0.43	5.8	0.30	5.3	0.23	5.1	0.14	3.5			
	20	0.46	5.8	0.30	5.0	0.22	5.0	0.13	3.8			
	22	0.25	5.5	0.18	5.2	0.14	5.2	0.08	3.7			
	最大	0.55	3.5	0.43	4.0	0.34	3.8	0.22	3.1			
	平均	0.36	4.9	0.26	4.7	0.20	4.3	0.12	3.1			
	11	00	欠測									
		02	* 0.18	4.8	* 0.12	5.0	0.09	4.5	* 0.06	3.2		
		04	0.13	4.8	0.09	5.0	0.07	4.4	0.04	2.8		
		06	0.11	6.0	0.09	4.5	0.07	4.3	0.04	2.8		
		08	0.13	5.3	0.09	5.1	0.07	4.3	0.04	2.8		
		10	0.16	5.8	0.11	5.0	* 0.09	4.8	0.05	3.0		
12		0.18	4.3	0.12	4.4	0.09	3.7	0.06	2.6			
14		0.14	4.3	0.08	4.9	0.07	4.4	0.04	2.9			
16		0.13	4.3	0.09	3.3	0.07	3.2	0.04	2.3			
18		0.11	5.0	0.08	4.1	0.06	3.5	0.04	2.4			
20		欠測										
22		0.14	5.5	0.09	4.6	0.07	4.6	0.04	3.0			
最大		0.18	4.8	0.12	5.0	0.09	4.8	0.06	3.2			
平均		0.14	5.0	0.10	4.6	0.08	4.2	0.05	2.8			
12		00	0.16	4.3	0.13	4.6	0.10	4.4	0.06	3.2		
		02	0.15	5.8	0.11	5.1	0.09	4.2	0.05	2.6		
		04	0.51	3.3	* 0.40	2.8	* 0.32	2.9	* 0.21	2.5		
		06	0.20	3.3	0.15	3.2	0.12	3.1	0.07	2.5		
		08	0.14	3.5	0.10	3.2	0.08	2.8	0.05	2.1		
		10	0.39	2.3	0.24	2.2	0.19	2.2	0.12	1.9		
	12	* 0.53	2.5	0.35	2.7	0.28	2.7	0.18	2.4			
	14	0.37	2.8	0.27	2.8	0.22	2.7	0.14	2.3			
	16	0.44	2.5	0.27	2.4	0.21	2.5	0.14	2.2			
	18	0.31	2.3	0.21	2.5	0.17	2.5	0.11	2.2			
	20	0.42	3.0	0.27	2.9	0.21	3.1	0.13	2.5			
	22	0.24	3.0	0.17	2.5	0.13	2.5	0.09	2.1			
	最大	0.53	2.5	0.40	2.8	0.32	2.9	0.21	2.5			
	平均	0.32	3.2	0.22	3.1	0.18	3.0	0.11	2.4			
	13	00	0.33	2.3	0.20	2.2	0.16	2.1	0.10	1.9		
		02	0.22	2.0	0.16	2.9	0.13	2.9	0.08	2.4		
		04	欠測									
		06	0.23	2.5	0.16	2.7	0.12	2.6	0.08	2.2		
		08	0.19	1.8	0.13	2.8	0.11	2.7	0.07	2.2		
		10	0.22	3.5	0.15	2.6	0.12	2.4	0.08	2.0		
12		0.27	3.8	0.19	3.5	0.15	3.4	0.09	2.7			
14		* 0.40	3.0	* 0.26	3.2	* 0.20	3.2	* 0.13	2.7			
16		0.26	4.5	0.19	3.0	0.15	3.1	0.09	2.5			
18		0.20	3.0	0.14	3.2	0.11	3.0	0.07	2.4			
20		欠測										
22		0.17	4.0	0.10	4.3	0.08	4.1	0.04	3.0			
最大		0.40	3.0	0.26	3.2	0.20	3.2	0.13	2.7			
平均		0.25	3.0	0.17	3.0	0.13	3.0	0.08	2.4			
14		00	0.16	4.3	0.10	4.4	0.09	4.2	0.05	3.0		
		02	0.19	5.0	0.12	4.4	0.09	4.1	0.06	3.1		
		04	0.19	4.3	0.14	4.9	0.11	4.7	0.06	3.4		
		06	0.17	4.5	0.12	4.8	0.09	4.6	0.06	3.2		
		08	0.14	5.3	0.10	4.8	0.08	4.7	0.05	3.2		
		10	* 0.26	2.0	* 0.15	2.5	* 0.12	2.4	* 0.08	2.0		
	12	0.16	2.3	0.12	3.4	0.10	2.9	0.06	2.1			
	14	欠測										

	16	0.18	4.3	0.13	4.1	0.10	3.9	0.06	2.6			
	18	0.19	5.5	0.11	4.7	0.09	4.5	0.05	3.0			
	20	0.19	3.8	0.13	4.5	0.10	4.6	0.06	3.5			
	22	欠測										
	最大	0.26	2.0	0.15	2.5	0.12	2.4	0.08	2.0			
	平均	0.18	4.1	0.12	4.3	0.10	4.1	0.06	2.9			
15	00	0.17	3.3	0.12	4.2	0.10	4.0	0.06	3.0			
	02	0.25	2.8	0.15	3.7	0.11	3.9	0.07	2.8			
	04	0.24	4.3	0.17	4.9	0.13	4.9	0.08	3.8			
	06	0.35	5.0	0.24	5.1	0.20	5.1	0.12	3.9			
	08	0.30	5.0	0.22	4.9	0.17	4.9	0.10	3.7			
	10	0.34	5.0	0.26	5.0	0.20	4.9	0.12	3.7			
	12	0.32	5.0	0.26	5.1	0.21	5.0	0.13	3.7			
	14	0.39	5.3	0.28	5.3	0.22	5.3	0.13	3.6			
	16	0.40	4.5	0.29	5.2	0.22	4.8	0.13	3.4			
	18	0.32	5.3	0.25	4.9	0.20	4.7	0.12	3.3			
	20	0.47	4.5	0.34	5.3	0.26	5.3	* 0.16	4.3			
	22	* 0.47	6.0	* 0.34	5.6	* 0.26	5.7	0.15	4.5			
	最大	0.47	6.0	0.34	5.6	0.26	5.7	0.16	4.3			
	平均	0.34	4.7	0.24	4.9	0.19	4.9	0.11	3.6			
	16	00	* 0.59	5.5	* 0.35	5.8	0.27	5.6	0.16		4.6	
		02	0.47	5.3	0.32	5.6	0.25	5.5	0.15		4.2	
		04	0.43	5.8	0.34	5.7	* 0.27	5.8	* 0.16		4.8	
		06	0.38	5.8	0.31	5.5	0.25	5.4	0.16		4.4	
		08	0.33	5.8	0.27	5.9	0.22	5.8	0.13		4.3	
		10	0.45	5.8	0.31	5.7	0.24	5.5	0.15		4.0	
12		0.37	6.3	0.26	5.7	0.20	5.6	0.12	3.8			
14		0.36	5.0	0.28	5.4	0.22	5.1	0.13	3.6			
16		0.32	5.8	0.28	5.3	0.22	5.3	0.13	3.9			
18		0.36	5.8	0.25	5.3	0.19	5.2	0.11	3.6			
20		0.35	5.3	0.26	4.7	0.20	4.7	0.12	3.6			
22		0.26	5.0	0.20	5.0	0.15	5.1	0.09	3.6			
最大		0.59	5.5	0.35	5.8	0.27	5.8	0.16	4.8			
平均		0.39	5.6	0.29	5.5	0.22	5.4	0.13	4.0			
17		00	0.24	5.3	0.17	5.3	0.13	5.0	0.08	3.2		
		02	* 0.31	7.0	0.18	5.1	0.14	4.3	0.08	2.8		
		04	0.23	5.5	0.16	6.1	0.12	5.8	0.07	3.5		
		06	0.17	5.5	0.13	6.0	0.10	5.4	0.06	3.2		
		08	0.21	5.5	0.14	5.8	0.11	4.9	0.06	2.9		
		10	0.25	3.0	0.16	4.2	0.12	3.7	0.07	2.6		
	12	0.23	5.8	0.14	4.9	0.11	4.2	0.06	2.8			
	14	0.17	6.5	0.12	5.7	0.09	4.6	0.05	2.8			
	16	0.16	6.0	0.10	5.1	0.08	4.1	0.05	2.5			
	18	0.17	6.3	0.13	5.9	0.09	5.4	0.05	3.1			
	20	0.29	4.5	* 0.22	5.0	* 0.17	5.0	* 0.10	3.8			
	22	0.16	11.8	0.10	6.0	0.08	5.5	0.05	3.6			
	最大	0.31	7.0	0.22	5.0	0.17	5.0	0.10	3.8			
	平均	0.22	6.1	0.15	5.4	0.11	4.8	0.07	3.1			
	18	00	欠測									
		02	0.19	5.0	0.13	4.7	0.10	4.5	0.06	3.0		
		04	欠測									
		06	0.17	3.3	0.13	3.7	0.11	3.6	0.07	2.5		
		08	0.23	4.5	0.17	4.3	0.13	4.1	0.07	2.9		
		10	0.21	4.8	0.15	4.6	0.12	4.3	0.07	3.0		
12		0.21	3.5	0.15	4.3	0.12	3.9	0.07	2.9			
14		0.20	5.0	0.15	3.3	0.12	2.9	0.07	2.1			
16		0.33	3.0	0.21	3.1	0.17	3.0	0.11	2.7			
18		0.20	4.5	0.14	3.6	0.11	3.3	0.07	2.5			
20		* 0.50	5.5	* 0.32	4.5	* 0.23	4.3	* 0.13	3.5			
22		0.18	5.0	0.12	4.4	0.09	4.1	0.06	3.0			
最大		0.50	5.5	0.32	4.5	0.23	4.3	0.13	3.5			
平均		0.24	4.4	0.17	4.1	0.13	3.8	0.08	2.8			
19		00	0.14	3.5	0.10	3.9	0.08	4.1	0.05	3.3		
		02	0.15	3.0	0.11	3.9	0.09	3.9	0.05	3.0		
		04	0.17	3.5	0.11	4.4	0.08	4.2	0.05	3.1		
		06	0.13	4.5	0.09	4.5	0.07	4.2	0.04	2.9		
		08	欠測									
		10	0.11	5.3	0.08	4.6	0.06	4.2	0.04	2.9		

	12	0.15	3.3	0.10	3.8	0.08	3.2	0.05	2.3		
	14	0.10	5.5	0.07	4.3	0.06	3.5	0.04	2.3		
	16	0.18	1.8	0.13	2.1	0.11	2.1	0.07	1.9		
	18	0.13	4.5	0.09	2.9	0.07	2.8	0.05	2.2		
	20	* 0.31	4.3	* 0.24	4.4	* 0.17	4.0	* 0.09	2.9		
	22	0.11	3.5	0.08	4.5	0.06	4.4	0.04	3.1		
	最大	0.31	4.3	0.24	4.4	0.17	4.0	0.09	2.9		
	平均	0.15	3.9	0.11	3.9	0.08	3.7	0.05	2.7		
20	00	0.10	4.0	0.07	4.4	0.06	3.9	0.04	2.9		
	02	0.13	3.8	0.08	4.1	0.06	3.7	0.04	2.5		
	04	0.13	8.3	0.09	4.0	0.07	3.8	0.04	2.7		
	06	0.18	7.3	0.10	4.5	0.08	4.4	0.05	3.5		
	08	0.11	3.5	0.07	4.3	0.06	3.8	0.04	2.7		
	10	0.14	3.0	0.08	3.0	0.06	2.9	0.04	2.2		
	12	0.18	2.0	0.12	2.4	0.09	2.3	0.06	1.9		
14	* 0.25	4.8	* 0.15	2.6	* 0.11	2.4	* 0.07	2.0			
16	0.15	5.5	0.11	4.2	0.09	3.6	0.06	2.5			
18	欠测										
20	欠测										
22	0.10	6.0	0.07	4.4	0.05	3.7	0.03	2.5			
最大	0.25	4.8	0.15	2.6	0.11	2.4	0.07	2.0			
平均	0.15	4.8	0.09	3.8	0.07	3.5	0.05	2.5			
21	00	0.09	6.3	0.06	4.5	0.05	3.7	0.03	2.4		
	02	0.11	4.8	0.08	4.6	0.06	4.3	0.04	2.8		
	04	欠测									
	06	0.14	4.8	0.11	4.7	0.08	4.3	0.05	2.7		
	08	0.08	7.3	0.06	5.1	0.04	4.3	0.03	2.6		
	10	0.13	2.5	0.08	3.6	0.06	3.5	0.03	2.5		
	12	0.17	4.5	0.10	4.4	0.08	3.8	0.05	2.5		
14	0.19	4.3	0.13	4.3	0.10	3.8	0.06	2.6			
16	0.11	5.8	0.09	4.7	0.07	4.0	0.04	2.6			
18	0.09	5.5	0.07	3.9	0.05	3.2	0.03	2.2			
20	* 0.37	6.5	* 0.26	5.6	* 0.19	4.9	* 0.12	3.8			
22	0.09	1.8	0.06	3.2	0.05	2.7	0.03	1.9			
最大	0.37	6.5	0.26	5.6	0.19	4.9	0.12	3.8			
平均	0.14	4.9	0.10	4.4	0.08	3.9	0.05	2.6			
22	00	欠测									
	02	欠测									
	04	0.09	3.0	0.07	3.2	0.06	2.9	0.03	2.1		
	06	0.08	3.0	0.06	3.4	0.05	3.2	0.03	2.3		
	08	欠测									
	10	0.10	4.0	0.08	2.8	0.06	2.6	0.04	2.0		
	12	* 0.20	1.8	* 0.14	1.9	* 0.11	2.1	* 0.07	1.8		
14	0.18	2.0	0.12	2.2	0.09	2.1	0.06	1.9			
16	0.16	3.0	0.10	2.6	0.08	2.5	0.05	2.0			
18	欠测										
20	欠测										
22	0.07	6.8	0.05	4.6	0.04	4.6	0.02	3.1			
最大	0.20	1.8	0.14	1.9	0.11	2.1	0.07	1.8			
平均	0.13	3.4	0.09	3.0	0.07	2.9	0.04	2.2			
23	00	0.08	5.5	0.06	3.4	0.04	2.9	0.03	2.0		
	02	0.10	4.0	0.07	3.3	0.06	3.0	0.03	2.1		
	04	0.09	2.0	0.06	3.2	0.05	3.0	0.03	2.1		
	06	欠测									
	08	0.09	2.5	0.07	2.7	0.05	2.6	0.03	2.0		
	10	0.19	6.0	0.10	3.4	0.08	3.0	0.05	2.3		
	12	0.14	2.5	0.10	2.2	0.08	2.4	0.05	2.1		
14	0.23	2.0	0.16	2.0	0.13	2.1	0.08	1.8			
16	0.27	1.5	0.19	1.9	0.15	2.0	0.10	1.8			
18	0.33	2.0	0.20	1.9	0.15	1.9	0.10	1.8			
20	* 0.38	5.5	* 0.23	4.1	* 0.16	4.0	* 0.10	2.9			
22	0.20	4.8	0.14	4.6	0.11	4.4	0.07	3.2			
最大	0.38	5.5	0.23	4.1	0.16	4.0	0.10	2.9			
平均	0.19	3.5	0.13	3.0	0.10	2.8	0.06	2.2			
24	00	0.20	2.8	0.14	3.9	0.11	3.7	0.07	2.7		
	02	0.20	5.5	0.13	3.7	0.10	3.5	0.06	2.6		

25	04	0.16	4.3	0.10	4.5	0.08	4.1	0.05	2.8			
	06	0.13	5.3	0.09	4.7	0.07	4.2	0.04	2.9			
	08	欠測										
	10	0.13	4.5	0.10	3.4	0.08	3.0	0.05	2.3			
	12	0.18	4.0	0.13	3.6	0.10	3.2	0.06	2.4			
	14	* 0.32	3.3	* 0.20	3.0	* 0.16	2.9	* 0.10	2.2			
	16	0.24	3.5	0.15	3.5	0.12	3.3	0.08	2.4			
	18	0.16	4.3	0.11	4.3	0.08	3.5	0.05	2.5			
	20	欠測										
	22	0.10	5.8	0.07	4.5	0.06	3.9	0.03	2.8			
	最大	0.32	3.3	0.20	3.0	0.16	2.9	0.10	2.2			
	平均	0.18	4.3	0.12	3.9	0.10	3.5	0.06	2.6			
	26	00	欠測									
		02	0.11	3.8	0.08	4.6	0.06	4.0	0.03		2.7	
		04	0.12	6.8	0.09	5.8	0.07	4.8	0.04		2.9	
		06	0.13	3.8	0.09	5.3	0.07	4.4	0.04		2.6	
		08	0.12	8.3	0.07	5.0	0.06	3.8	0.03		2.4	
		10	0.11	6.8	0.09	5.6	0.07	4.0	0.04		2.5	
12		0.20	4.0	0.11	5.1	0.08	4.0	0.04	2.5			
14		0.14	3.8	0.10	4.3	0.08	3.8	0.05	2.5			
16		0.28	2.5	0.18	2.6	0.14	2.7	0.09	2.3			
18		* 0.38	2.0	* 0.28	2.4	* 0.22	2.3	* 0.14	2.3			
20		欠測										
22		0.14	7.5	0.11	6.1	0.08	5.9	0.05	3.9			
最大		0.38	2.0	0.28	2.4	0.22	2.3	0.14	2.3			
平均		0.17	4.9	0.12	4.7	0.09	4.0	0.06	2.7			
27		00	0.21	6.5	0.15	5.8	0.11	5.5	0.07	3.8		
		02	0.22	6.0	0.14	5.6	0.11	5.1	0.06	3.3		
		04	0.12	6.3	0.10	5.9	0.08	5.2	0.04	3.1		
		06	0.12	6.8	0.08	5.7	0.06	5.3	0.04	3.4		
	08	0.12	5.0	0.09	4.4	0.07	3.6	0.05	2.6			
	10	0.16	5.5	0.09	4.3	0.07	3.8	0.04	2.6			
	12	欠測										
	14	0.14	6.3	0.09	5.0	0.07	4.0	0.04	2.8			
	16	0.21	4.5	0.13	3.5	0.10	3.2	0.06	2.3			
	18	0.11	4.8	0.08	4.7	0.07	4.3	0.04	2.9			
	20	* 0.35	4.3	* 0.25	3.9	* 0.18	3.5	* 0.11	2.6			
	22	欠測										
	最大	0.35	4.3	0.25	3.9	0.18	3.5	0.11	2.6			
	平均	0.18	5.6	0.12	4.9	0.09	4.4	0.06	2.9			
	28	00	0.13	5.3	0.09	4.3	0.07	4.2	0.04	2.9		
		02	0.11	4.5	0.08	4.6	0.06	4.3	0.04	2.9		
		04	欠測									
		06	0.12	5.3	0.08	4.7	0.07	4.1	0.04	2.8		
08		0.22	5.3	0.12	3.4	0.09	3.3	0.06	2.5			
10		0.27	3.5	0.16	3.2	0.13	3.4	0.08	2.8			
12		0.36	2.0	0.23	2.3	0.19	2.3	0.12	2.1			
14		* 0.44	3.5	0.28	3.2	0.22	3.0	0.14	2.4			
16		0.34	4.0	0.28	3.9	0.23	3.8	* 0.15	2.9			
18		0.30	3.5	0.22	3.7	0.18	3.7	0.11	2.8			
20		0.40	6.3	* 0.29	4.9	* 0.23	4.5	0.14	3.6			
22		0.27	5.3	0.18	4.5	0.15	4.6	0.09	3.7			
最大		0.44	3.5	0.29	4.9	0.23	4.5	0.15	2.9			
平均		0.27	4.4	0.18	3.9	0.15	3.7	0.09	2.9			
29		00	* 0.28	4.8	* 0.16	4.8	* 0.13	4.8	* 0.07	3.3		
		02	0.20	5.8	0.15	4.8	0.11	4.2	0.07	2.7		
		04	0.20	6.0	0.12	5.0	0.09	3.6	0.05	2.4		
		06	0.14	1.5	0.11	2.0	0.09	2.1	0.06	1.8		
	08	0.16	3.0	0.10	2.8	0.08	2.7	0.05	2.0			
	10	0.12	4.3	0.08	4.8	0.07	3.5	0.05	2.3			
	12	0.10	3.8	0.07	3.0	0.06	2.6	0.04	1.9			
	14	0.11	2.0	0.07	3.0	0.06	2.5	0.04	2.0			
	16	欠測										
	18	0.11	5.0	0.07	3.5	0.06	2.9	0.04	2.1			
	20	欠測										
	22	0.11	7.5	0.09	6.1	0.07	4.9	0.04	3.1			
	最大	0.28	4.8	0.16	4.8	0.13	4.8	0.07	3.3			

	平均	0.15	4.4	0.10	4.0	0.08	3.4	0.05	2.4	
29	00	0.15	6.0	0.12	6.2	0.09	4.9	0.05	3.0	
	02	0.21	7.3	0.15	5.0	0.12	4.7	0.07	3.3	
	04	0.22	7.5	0.16	5.3	0.13	4.9	0.08	3.5	
	06	0.26	3.8	0.18	4.8	0.15	4.7	0.09	3.5	
	08	0.27	3.5	0.20	3.9	0.15	3.8	0.10	2.9	
	10	0.24	4.8	0.18	4.3	0.14	3.9	0.09	2.8	
	12	0.25	5.0	0.18	4.5	0.14	4.1	0.09	2.7	
	14	0.38	3.0	0.24	3.2	0.19	2.9	0.12	2.3	
	16	0.34	5.3	0.20	4.1	0.16	3.4	0.10	2.6	
	18	0.29	4.8	0.21	4.3	0.17	4.0	0.10	2.9	
	20	* 0.41	4.0	* 0.30	4.2	* 0.23	4.5	* 0.13	3.7	
	22	0.39	2.5	0.26	2.8	0.21	2.6	0.13	2.2	
	最大	0.41	4.0	0.30	4.2	0.23	4.5	0.13	3.7	
	平均	0.28	4.8	0.20	4.4	0.16	4.0	0.10	3.0	
30	00	0.26	4.5	0.19	4.0	0.15	3.3	0.09	2.4	
	02	0.31	2.0	0.20	2.8	0.16	2.7	0.10	2.2	
	04	欠測								
	06	0.33	2.8	0.22	2.3	0.19	2.4	0.12	2.1	
	08	0.49	4.5	0.36	4.4	0.29	4.2	0.18	3.1	
	10	* 0.77	7.3	0.51	6.0	0.40	6.0	0.24	4.4	
	12	0.75	5.8	* 0.56	6.8	* 0.43	6.5	* 0.25	4.8	
	14	0.68	6.0	0.50	6.0	0.38	5.9	0.23	4.4	
	16	0.54	5.8	0.41	5.9	0.33	5.9	0.19	4.4	
	18	0.57	6.0	0.37	5.9	0.30	5.7	0.19	4.4	
	20	0.42	5.5	0.32	5.8	0.24	5.2	0.14	4.0	
	22	0.33	4.8	0.25	5.3	0.20	5.2	0.12	3.8	
	最大	0.77	7.3	0.56	6.8	0.43	6.5	0.25	4.8	
	平均	0.50	5.0	0.35	5.0	0.28	4.8	0.17	3.6	
31	00	欠測								
	02	欠測								
	04	0.17	6.5	0.13	6.1	0.10	5.5	0.05	3.2	
	06	0.21	6.5	0.16	6.1	0.12	5.8	0.07	3.6	
	08	0.21	5.8	0.16	6.1	0.13	5.5	0.07	3.7	
	10	0.32	5.5	0.24	5.5	0.18	5.7	0.11	3.8	
	12	* 0.40	4.8	* 0.31	5.0	* 0.24	4.7	* 0.15	3.2	
	14	0.31	4.8	0.21	4.9	0.16	4.4	0.09	3.0	
	16	0.19	4.5	0.15	5.0	0.12	4.5	0.07	3.1	
	18	0.18	5.3	0.13	4.0	0.10	3.4	0.07	2.4	
	20	0.35	5.5	0.28	4.7	0.22	4.4	0.13	3.3	
	22	0.16	5.3	0.13	4.8	0.10	4.6	0.06	3.2	
	最大	0.40	4.8	0.31	5.0	0.24	4.7	0.15	3.2	
	平均	0.25	5.5	0.19	5.2	0.15	4.9	0.09	3.3	
	月最大	0.82	3.5	0.57	3.8	0.46	3.9	0.29	3.1	
	起時	0920		0918		0918		0918		
	平均	0.23	4.4	0.16	4.1	0.12	3.8	0.08	2.7	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	327 回	測得回数	0 回
欠測回数	33 回	欠測回数	360 回
欠測率	9.2 %	欠測率	100.0 %

観測所名：| 敦賀港本港地区 | 機種：| 波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.28	4.5	0.16	4.7	0.13	4.5	0.08	3.5		
	02	0.23	4.3	0.16	4.2	0.12	4.3	0.07	3.1		
	04	欠測									
	06	0.18	3.8	0.13	4.1	0.10	4.3	0.06	3.1		
	08	0.18	4.3	0.12	4.2	0.09	4.0	0.06	3.0		
	10	0.18	3.5	0.13	4.0	0.10	4.0	0.06	2.8		
	12	0.29	3.5	0.19	2.3	0.15	2.4	0.10	2.1		
	14	0.30	3.8	0.21	2.0	0.17	2.1	0.11	1.9		
	16	0.33	2.8	0.24	2.7	0.19	2.9	0.12	2.5		
	18	* 0.33	3.3	* 0.24	3.4	* 0.19	3.3	* 0.12	2.7		
	20	欠測									
	22	0.27	3.0	0.16	3.7	0.12	3.6	0.08	3.0		
	最大										
	平均	0.33	3.3	0.24	3.4	0.19	3.3	0.12	2.7		
		0.26	3.7	0.17	3.5	0.14	3.5	0.09	2.8		
02	00	0.25	4.3	* 0.16	4.1	0.12	3.9	0.07	3.3		
	02	0.21	4.5	0.14	3.8	0.12	3.8	* 0.08	3.0		
	04	0.18	4.3	0.12	4.1	0.09	4.2	0.06	3.1		
	06	0.18	4.0	0.13	4.2	0.10	4.1	0.06	3.3		
	08	* 0.26	4.0	0.16	4.0	* 0.13	3.9	0.07	3.0		
	10	0.15	4.0	0.11	3.8	0.09	3.8	0.05	2.8		
	12	欠測									
	14	0.14	5.3	0.10	3.8	0.08	3.2	0.05	2.2		
	16	0.11	4.3	0.08	3.7	0.06	3.4	0.04	2.3		
	18	0.10	3.8	0.07	3.3	0.05	3.2	0.03	2.3		
	20	欠測									
	22	0.14	4.3	0.10	3.5	0.08	3.2	0.05	2.3		
	最大										
	平均	0.26	4.0	0.16	4.1	0.13	3.9	0.08	3.0		
		0.17	4.3	0.12	3.8	0.09	3.7	0.06	2.8		
03	00	* 0.23	2.3	* 0.15	2.4	* 0.12	2.6	* 0.08	2.4		
	02	0.14	3.8	0.09	2.9	0.07	2.9	0.04	2.3		
	04	0.08	4.0	0.06	3.7	0.05	3.5	0.03	2.5		
	06	0.07	5.0	0.05	3.9	0.04	3.5	0.02	2.4		
	08	0.08	2.3	0.05	4.3	0.04	4.2	0.02	2.8		
	10	0.09	5.5	0.07	3.0	0.06	2.9	0.03	2.1		
	12	0.11	2.8	0.07	3.1	0.06	2.8	0.04	2.1		
	14	0.15	2.8	0.09	2.3	0.07	2.3	0.05	1.8		
	16	0.20	2.8	0.15	2.1	0.11	2.1	0.07	1.9		
	18	0.20	2.8	0.14	2.2	0.11	2.2	0.06	1.8		
	20	欠測									
	22	0.11	1.8	0.07	2.8	0.06	2.5	0.04	1.9		
	最大										
	平均	0.23	2.3	0.15	2.4	0.12	2.6	0.08	2.4		
		0.13	3.3	0.09	3.0	0.07	2.9	0.04	2.2		
04	00	欠測									
	02	0.19	4.5	0.14	4.5	0.11	4.2	0.07	2.9		
	04	欠測									
	06	0.31	3.8	0.19	2.5	0.15	2.6	0.10	2.1		
	08	0.47	2.0	0.32	2.2	0.26	2.3	0.16	2.1		
	10	0.23	3.3	0.17	2.9	0.14	2.8	0.09	2.2		
	12	0.56	2.5	0.41	2.5	0.32	2.5	0.20	2.3		
	14	* 0.70	3.3	* 0.51	3.3	* 0.40	3.3	* 0.26	2.8		
	16	0.63	3.5	0.46	3.6	0.38	3.4	0.24	2.8		
	18	0.39	2.8	0.28	3.3	0.22	3.3	0.14	2.7		
	20	0.39	4.8	0.29	4.1	0.22	4.0	0.13	3.3		
	22	0.19	3.5	0.14	3.7	0.11	3.6	0.06	2.8		
	最大										
		0.70	3.3	0.51	3.3	0.40	3.3	0.26	2.8		

	平均	0.41	3.4	0.29	3.3	0.23	3.2	0.15	2.6	
05	00	0.14	3.8	0.11	4.0	0.09	3.9	0.06	3.1	
	02	0.13	4.5	0.09	4.1	0.07	3.8	0.04	2.6	
	04	0.09	5.5	0.07	4.3	0.05	4.1	0.03	2.7	
	06	0.12	4.0	0.09	3.6	0.07	3.6	0.04	2.7	
	08	0.12	5.0	0.08	4.0	0.06	3.3	0.03	2.2	
	10	0.22	9.5	0.11	3.0	0.08	3.0	0.05	2.2	
	12	0.14	3.0	0.08	2.9	0.06	2.6	0.04	1.9	
	14	0.13	1.5	0.09	2.5	0.07	2.3	0.04	1.8	
	16	0.09	4.8	0.06	2.5	0.05	2.4	0.03	1.9	
	18	0.09	3.8	0.05	3.4	0.04	3.0	0.03	2.1	
20	* 0.27	5.0	* 0.19	4.1	* 0.14	4.2	* 0.08	3.1		
22	0.09	2.0	0.06	2.9	0.05	2.5	0.03	1.9		
最大平均	0.27	5.0	0.19	4.1	0.14	4.2	0.08	3.1		
	0.14	4.4	0.09	3.4	0.07	3.2	0.04	2.4		
06	00	0.11	1.5	0.08	2.0	0.06	2.0	0.04	1.7	
	02	0.12	2.5	0.07	2.5	0.05	2.3	0.03	1.8	
	04	0.11	4.3	0.08	3.7	0.06	3.3	0.03	2.5	
	06	欠測								
	08	0.08	2.3	0.05	3.4	0.04	3.1	0.02	2.2	
	10	0.12	3.3	0.08	3.1	0.06	2.8	0.03	2.1	
	12	0.47	2.3	0.34	2.4	0.27	2.4	0.17	2.2	
	14	0.25	7.0	0.16	2.8	0.13	2.8	0.08	2.1	
	16	0.35	2.0	0.21	2.6	0.17	2.5	0.11	2.1	
	18	0.36	2.3	0.25	2.5	0.20	2.6	0.13	2.2	
20	* 0.55	4.8	* 0.39	3.0	* 0.30	2.9	* 0.19	2.4		
22	欠測									
最大平均	0.55	4.8	0.39	3.0	0.30	2.9	0.19	2.4		
	0.25	3.2	0.17	2.8	0.13	2.7	0.08	2.1		
07	00	0.58	5.5	0.41	6.7	0.32	6.1	0.19	4.0	
	02	0.55	6.5	0.42	6.6	0.33	6.6	0.20	4.8	
	04	0.65	6.3	0.46	6.8	0.36	6.5	0.21	4.8	
	06	* 0.76	6.8	* 0.50	6.7	* 0.39	6.4	* 0.23	4.9	
	08	0.58	6.5	0.43	6.3	0.34	6.1	0.20	4.4	
	10	0.48	6.8	0.33	6.2	0.26	6.0	0.15	4.3	
	12	0.39	5.8	0.32	5.9	0.25	5.7	0.15	4.0	
	14	0.40	4.8	0.30	5.4	0.24	5.0	0.14	3.4	
	16	0.36	6.0	0.24	5.1	0.18	4.5	0.11	2.9	
	18	0.27	5.5	0.21	5.5	0.17	5.2	0.10	3.6	
20	欠測									
22	0.20	6.5	0.16	5.9	0.13	5.5	0.08	4.1		
最大平均	0.76	6.8	0.50	6.7	0.39	6.4	0.23	4.9		
	0.47	6.1	0.34	6.1	0.27	5.8	0.16	4.1		
08	00	* 0.28	6.0	* 0.17	5.8	* 0.13	5.2	* 0.07	3.2	
	02	0.21	5.8	0.15	5.4	0.11	4.8	0.06	3.0	
	04	0.23	4.8	0.13	5.6	0.10	4.9	0.06	3.1	
	06	0.15	6.3	0.10	5.2	0.07	3.8	0.04	2.5	
	08	0.15	5.5	0.09	4.4	0.07	3.4	0.04	2.3	
	10	0.14	4.8	0.10	2.9	0.08	2.6	0.05	1.9	
	12	0.11	2.5	0.09	3.7	0.07	2.9	0.04	2.2	
	14	0.10	6.0	0.07	3.2	0.05	2.8	0.03	1.9	
	16	0.11	1.5	0.07	2.6	0.06	2.4	0.04	1.8	
	18	欠測								
20	欠測									
22	欠測									
最大平均	0.28	6.0	0.17	5.8	0.13	5.2	0.07	3.2		
	0.16	4.8	0.11	4.3	0.08	3.6	0.05	2.4		
09	00	欠測								
	02	0.08	3.0	0.06	4.1	0.05	3.5	0.03	2.3	
	04	0.07	3.5	0.05	3.0	0.04	2.5	0.03	1.8	
	06	0.09	3.3	0.06	3.8	0.04	3.0	0.03	2.1	
	08	0.12	5.8	0.06	3.5	0.05	2.9	0.03	2.0	
	10	0.14	5.5	0.09	4.2	0.06	3.7	0.04	2.4	
	12	0.13	5.3	0.09	5.0	0.07	4.0	0.04	2.6	
	14	0.18	6.8	0.14	5.6	0.11	5.3	0.06	3.5	
	16	0.21	5.5	0.16	6.3	0.12	5.9	0.07	3.8	
	18	0.25	6.5	0.18	6.4	0.13	6.1	0.07	4.1	
20	* 0.31	4.5	* 0.19	4.3	* 0.15	4.2	* 0.09	3.0		
22	欠測									

		最大 平均	0.31	4.5	0.19	4.3	0.15	4.2	0.09	3.0		
			0.16	5.0	0.11	4.6	0.08	4.1	0.05	2.8		
10	00		0.17	5.5	0.12	5.4	0.10	4.9	0.06	3.2		
	02		0.20	5.8	0.13	3.2	0.10	3.1	0.06	2.1		
	04		0.16	5.5	0.11	4.9	0.09	3.7	0.05	2.4		
	06		0.14	6.8	0.09	4.9	0.07	3.9	0.04	2.4		
	08		0.13	1.8	0.08	4.0	0.07	3.5	0.04	2.3		
	10		0.15	3.0	0.10	3.0	0.08	2.7	0.04	2.0		
	12		0.14	2.3	0.08	3.0	0.07	2.6	0.04	1.9		
	14		0.14	2.5	0.08	3.4	0.06	3.1	0.04	2.2		
	16		0.19	3.5	0.09	3.2	0.07	2.7	0.04	2.1		
	18		0.11	3.3	0.07	3.5	0.06	3.0	0.03	2.1		
	20	* 0.36	6.0	* 0.22	5.0	* 0.16	4.8	* 0.09	3.8	3.8		
	22	0.12	5.3	0.08	5.4	0.06	4.7	0.03	2.9	2.9		
	最大 平均		0.36	6.0	0.22	5.0	0.16	4.8	0.09	3.8		
			0.17	4.3	0.10	4.1	0.08	3.6	0.05	2.5		
11	00		0.13	4.0	0.08	4.9	0.06	4.6	0.04	2.9		
	02		0.18	2.5	0.11	3.5	0.09	3.5	0.05	2.7		
	04	欠测										
	06		0.15	4.5	0.10	5.0	0.08	4.6	0.04	3.0		
	08		0.14	6.8	0.10	5.5	0.08	4.7	0.04	3.0		
	10		0.15	5.5	0.09	4.9	0.07	4.2	0.04	2.5		
	12		0.13	5.0	0.09	4.7	0.07	3.9	0.04	2.5		
	14		0.16	2.5	0.10	4.1	0.08	3.9	0.05	2.7		
	16	* 0.19	4.3	* 0.14	2.9	* 0.11	2.6	* 0.07	2.1	2.1		
	18		0.17	3.3	0.12	3.3	0.10	3.1	0.06	2.4		
	20	欠测										
	22	0.17	4.5	0.12	3.9	0.09	3.7	0.06	2.8	2.8		
	最大 平均		0.19	4.3	0.14	2.9	0.11	2.6	0.07	2.1		
			0.16	4.3	0.11	4.3	0.08	3.9	0.05	2.7		
12	00		0.15	3.8	0.11	3.9	* 0.09	3.8	0.05	3.0		
	02		0.13	4.8	0.10	3.9	0.08	3.7	0.05	2.7		
	04		0.20	4.3	0.10	4.3	0.08	4.2	0.05	3.0		
	06		0.16	4.3	0.11	4.5	0.08	4.2	0.05	2.9		
	08		0.15	4.0	0.10	4.2	0.08	4.0	0.04	2.6		
	10	* 0.22	3.3	* 0.12	3.6	0.09	3.6	* 0.06	2.5	2.5		
	12		0.11	2.3	0.09	3.9	0.07	3.6	0.04	2.3		
	14		0.17	4.5	0.10	3.8	0.07	3.2	0.04	2.1		
	16		0.12	2.3	0.08	4.7	0.07	4.0	0.04	2.7		
	18		0.15	2.8	0.11	3.1	0.08	2.9	0.05	2.2		
	20	欠测										
	22	0.15	1.5	0.10	1.6	0.08	1.9	0.05	1.7	1.7		
	最大 平均		0.22	3.3	0.12	3.6	0.09	3.8	0.06	2.5		
			0.16	3.4	0.10	3.8	0.08	3.6	0.05	2.5		
13	00	欠测										
	02	0.19	1.5	0.13	1.9	0.10	2.1	0.07	1.9	1.9		
	04	欠测										
	06	0.27	1.5	0.17	1.8	0.13	1.9	0.08	1.8	1.8		
	08	欠测										
	10	0.17	10.3	0.11	3.6	0.09	2.9	0.06	2.1	2.1		
	12		0.16	2.5	0.11	3.1	0.09	2.9	0.06	2.0		
	14		0.21	1.5	0.15	2.2	0.11	2.3	0.07	2.0		
	16		0.22	9.3	0.12	4.7	0.10	3.8	0.06	2.5		
	18		0.50	2.3	0.37	3.2	0.30	3.2	0.20	2.7		
	20	* 0.81	5.5	* 0.59	3.9	* 0.48	3.7	* 0.31	2.9	2.9		
	22	0.65	6.5	0.55	4.9	0.45	4.3	0.29	3.2	3.2		
	最大 平均		0.81	5.5	0.59	3.9	0.48	3.7	0.31	2.9		
			0.35	4.5	0.26	3.3	0.21	3.0	0.13	2.3		
14	00	* 0.70	8.5	* 0.57	6.7	* 0.44	5.5	* 0.27	3.7	3.7		
	02	0.64	7.0	0.47	7.5	0.38	7.1	0.23	4.7	4.7		
	04	0.56	7.0	0.41	6.8	0.33	6.6	0.21	4.7	4.7		
	06	0.69	11.3	0.51	7.7	0.39	6.6	0.23	4.3	4.3		
	08	0.56	10.8	0.42	8.3	0.31	6.8	0.18	4.1	4.1		
	10	0.67	8.5	0.41	9.2	0.31	7.9	0.19	4.9	4.9		
	12		0.50	10.0	0.37	8.1	0.29	6.3	0.18	4.0		
	14		0.55	7.5	0.37	5.8	0.28	4.4	0.19	3.1		

	16	0.50	8.5	0.37	7.1	0.28	6.1	0.17	3.8	
	18	0.62	7.8	0.41	5.6	0.32	4.3	0.20	3.1	
	20	0.61	7.5	0.38	6.4	0.29	5.6	0.18	3.6	
	22	0.51	8.5	0.41	8.1	0.32	7.6	0.19	5.0	
最大										
	平均	0.70	8.5	0.57	6.7	0.44	5.5	0.27	3.7	
15		0.59	8.6	0.43	7.3	0.33	6.2	0.20	4.1	
	00	0.46	8.3	0.35	7.8	0.26	7.2	0.15	4.5	
	02	0.49	4.3	0.39	4.4	0.32	3.8	0.21	2.9	
	04	0.57	3.5	0.39	3.8	0.31	3.4	0.20	2.8	
	06	0.37	8.3	0.27	6.3	0.21	4.9	0.13	3.4	
	08	0.29	8.0	0.22	6.3	0.17	5.2	0.10	3.3	
	10	0.30	6.0	0.23	4.9	0.18	4.0	0.11	2.7	
	12	0.57	3.0	0.44	2.8	0.36	2.9	0.23	2.6	
	14	0.64	2.5	0.42	3.4	0.34	3.2	0.22	2.6	
	16	* 0.64	3.5	* 0.47	4.1	* 0.38	3.7	* 0.24	2.9	
	18	0.57	4.3	0.42	4.4	0.34	3.7	0.22	2.9	
	20	0.50	5.3	0.38	5.6	0.30	5.1	0.18	3.5	
	22	0.33	8.5	0.24	6.3	0.17	4.6	0.11	3.1	
最大		0.64	3.5	0.47	4.1	0.38	3.7	0.24	2.9	
	平均	0.48	5.5	0.35	5.0	0.28	4.3	0.18	3.1	
16	00	0.27	7.3	0.21	7.1	0.16	6.0	0.09	3.9	
	02	0.21	7.5	0.16	5.3	0.13	5.0	0.08	3.6	
	04	0.23	7.3	0.17	7.7	0.13	6.6	0.07	4.1	
	06	0.26	7.8	0.18	7.1	0.14	6.9	0.08	4.3	
	08	0.29	7.0	0.21	6.9	0.17	6.8	0.10	5.0	
	10	0.32	6.5	0.24	7.2	0.19	7.1	0.11	5.1	
	12	0.35	7.3	0.27	7.4	0.20	5.9	0.12	3.6	
	14	* 0.48	3.5	* 0.33	5.7	* 0.26	5.4	* 0.15	3.5	
	16	0.40	7.8	0.27	7.0	0.21	6.5	0.12	3.8	
	18	0.39	6.5	0.25	6.9	0.20	6.3	0.12	4.2	
	20	0.35	6.3	0.27	5.7	0.22	5.3	0.14	4.2	
	22	0.23	6.8	0.16	6.5	0.12	6.1	0.07	4.0	
	最大	0.48	3.5	0.33	5.7	0.26	5.4	0.15	3.5	
	平均	0.32	6.8	0.23	6.7	0.18	6.2	0.10	4.1	
17	00	0.22	6.0	0.15	6.3	0.12	6.0	0.07	4.0	
	02	0.16	6.3	0.12	6.2	0.10	5.8	0.06	3.7	
	04	0.17	7.0	0.13	6.9	0.10	6.4	0.06	3.9	
	06	0.23	6.3	0.16	6.1	0.13	5.9	0.07	4.1	
	08	0.14	6.0	0.10	5.1	0.08	4.7	0.05	2.9	
	10	0.12	5.8	0.09	4.8	0.07	4.3	0.04	2.7	
	12	0.17	4.0	0.11	3.9	0.09	3.4	0.05	2.4	
	14	0.25	1.8	0.17	2.0	0.13	2.1	0.09	1.9	
	16	* 0.28	2.0	* 0.21	2.3	* 0.17	2.3	* 0.11	2.1	
	18	0.24	3.3	0.14	3.0	0.11	3.0	0.07	2.4	
	20	欠测								
	22	0.10	7.3	0.08	5.0	0.06	3.9	0.04	2.5	
	最大	0.28	2.0	0.21	2.3	0.17	2.3	0.11	2.1	
	平均	0.19	5.1	0.13	4.7	0.11	4.3	0.06	3.0	
18	00	0.07	5.8	0.05	4.5	0.04	3.8	0.03	2.6	
	02	欠测								
	04	欠测								
	06	0.09	5.3	0.07	4.3	0.05	4.3	0.03	2.9	
	08	欠测								
	10	0.17	3.0	0.13	3.4	0.10	3.5	0.06	2.7	
	12	0.19	4.5	0.11	3.9	0.08	3.5	0.05	2.6	
	14	0.24	2.3	0.15	1.9	0.11	1.9	0.07	1.8	
	16	0.23	2.5	0.14	2.3	0.10	2.3	0.06	1.9	
	18	0.17	4.5	0.10	3.4	0.08	3.0	0.05	2.3	
	20	* 0.32	5.5	* 0.19	4.1	* 0.14	3.8	* 0.09	3.1	
	22	0.12	2.5	0.08	3.8	0.07	3.7	0.04	2.6	
	最大	0.32	5.5	0.19	4.1	0.14	3.8	0.09	3.1	
	平均	0.18	4.0	0.11	3.5	0.09	3.3	0.05	2.5	
19	00	0.06	6.3	0.05	4.6	0.04	3.5	0.02	2.3	
	02	0.15	2.3	0.07	3.4	0.05	3.1	0.03	2.1	
	04	0.08	3.3	0.06	7.2	0.05	5.5	0.03	3.1	
	06	0.09	3.3	0.06	3.5	0.05	3.0	0.03	2.1	
	08	0.10	1.5	0.07	3.1	0.05	2.7	0.03	1.9	
	10	0.10	3.5	0.08	5.2	0.06	4.4	0.04	2.9	

	12	0.12	3.5	0.08	3.1	0.06	3.1	0.04	2.3	
	14	0.44	2.3	0.26	2.2	0.20	2.2	0.12	2.1	
	16	0.70	3.5	0.48	3.6	0.37	3.7	0.23	2.9	
	18	* 1.05	3.5	* 0.68	3.8	* 0.55	3.7	* 0.34	3.1	
	20	0.70	3.8	0.40	4.6	0.32	4.4	0.20	3.6	
	22	0.64	6.0	0.46	5.5	0.36	5.0	0.22	3.7	
	最大									
		1.05	3.5	0.68	3.8	0.55	3.7	0.34	3.1	
	平均									
		0.35	3.6	0.23	4.2	0.18	3.7	0.11	2.7	
20	00	* 0.76	6.8	* 0.55	5.9	* 0.43	5.4	* 0.26	3.5	
	02	0.62	5.5	0.49	4.4	0.38	4.0	0.25	3.0	
	04	0.68	4.0	0.50	4.8	0.40	4.2	0.25	3.1	
	06	0.49	6.0	0.38	5.9	0.30	4.7	0.18	3.1	
	08	0.45	7.3	0.36	6.8	0.27	5.6	0.17	3.7	
	10	0.51	6.0	0.42	6.3	0.33	6.3	0.20	4.6	
	12	0.61	6.8	0.46	7.0	0.37	6.7	0.23	4.9	
	14	0.64	7.3	0.49	7.1	0.38	7.0	0.22	5.5	
	16	0.55	7.3	0.44	6.9	0.36	6.8	0.22	5.1	
	18	0.59	7.5	0.46	7.0	0.34	7.1	0.20	5.3	
	20	欠测								
	22	0.55	6.3	0.43	6.7	0.33	6.1	0.20	3.8	
	最大									
		0.76	6.8	0.55	5.9	0.43	5.4	0.26	3.5	
	平均									
		0.59	6.4	0.45	6.3	0.35	5.8	0.22	4.1	
21	00	0.56	5.8	0.43	5.2	0.34	4.1	0.22	2.9	
	02	0.47	2.5	0.37	3.9	0.30	3.5	0.19	2.6	
	04	0.65	2.8	0.50	3.1	0.38	3.2	0.25	2.7	
	06	0.71	3.3	0.53	5.3	0.42	4.3	0.27	3.1	
	08	0.63	4.8	0.50	4.2	0.40	4.0	0.26	3.1	
	10	0.69	3.8	0.52	4.8	0.42	4.2	0.26	3.1	
	12	0.85	2.8	0.61	4.1	0.50	4.1	0.32	3.2	
	14	1.17	3.3	0.79	4.2	0.64	4.0	0.42	3.4	
	16	* 1.43	5.3	0.78	4.7	0.61	4.6	0.37	3.5	
	18	0.90	5.0	0.72	4.8	0.58	4.5	0.37	3.5	
	20	1.05	5.0	0.78	4.3	0.63	4.2	0.40	3.4	
	22	1.06	5.0	* 0.86	4.8	* 0.70	4.5	* 0.45	3.6	
	最大									
		1.43	5.3	0.86	4.8	0.70	4.5	0.45	3.6	
	平均									
		0.85	4.1	0.62	4.5	0.49	4.1	0.32	3.2	
22	00	1.24	5.0	0.87	4.4	0.71	4.3	0.44	3.4	
	02	1.37	3.8	1.01	4.8	0.79	4.6	0.51	3.7	
	04	* 1.59	5.3	* 1.16	4.4	* 0.94	4.3	* 0.61	3.8	
	06	1.56	4.5	1.13	4.6	0.88	4.7	0.56	3.7	
	08	欠测								
	10	1.53	3.3	1.02	4.4	0.84	4.1	0.54	3.5	
	12	1.28	5.0	0.96	4.7	0.77	4.4	0.50	3.5	
	14	1.28	4.5	0.95	4.5	0.76	4.4	0.49	3.6	
	16	1.19	5.8	0.92	5.0	0.74	5.0	0.47	3.9	
	18	1.00	6.8	0.63	5.3	0.50	4.8	0.32	3.6	
	20	0.62	5.5	0.46	5.6	0.36	5.3	0.22	3.9	
	22	欠测								
	最大									
		1.59	5.3	1.16	4.4	0.94	4.3	0.61	3.8	
	平均									
		1.27	5.0	0.91	4.8	0.73	4.6	0.47	3.7	
23	00	0.50	6.3	0.38	6.0	0.30	5.8	0.18	4.5	
	02	0.41	5.8	0.35	5.9	0.28	5.8	0.18	4.7	
	04	* 0.58	5.0	* 0.41	6.2	* 0.32	6.1	* 0.20	4.9	
	06	0.57	5.3	0.36	6.0	0.28	5.7	0.17	4.5	
	08	0.41	5.3	0.28	5.8	0.23	5.6	0.14	4.2	
	10	0.28	5.3	0.20	6.0	0.16	6.1	0.09	4.3	
	12	0.42	6.0	0.30	6.0	0.23	6.1	0.14	4.6	
	14	0.32	5.5	0.21	5.6	0.17	5.5	0.09	3.7	
	16	0.44	4.8	0.25	5.3	0.19	4.8	0.11	3.3	
	18	0.29	6.3	0.21	5.5	0.17	5.3	0.10	4.4	
	20	0.33	4.3	0.24	5.0	0.19	4.9	0.11	3.7	
	22	0.37	6.0	0.21	6.2	0.16	6.0	0.09	4.2	
	最大									
		0.58	5.0	0.41	6.2	0.32	6.1	0.20	4.9	
	平均									
		0.41	5.5	0.28	5.8	0.22	5.6	0.13	4.3	
24	00	0.25	5.8	0.19	5.9	0.14	5.7	0.08	4.1	
	02	* 0.32	5.5	* 0.20	5.4	* 0.16	5.3	* 0.09	3.9	

	04		0.19	5.3	0.15	5.5	0.11	5.2	0.07	3.7	
	06		0.18	5.0	0.14	5.3	0.11	5.0	0.06	3.5	
	08		0.18	6.5	0.13	5.6	0.10	5.2	0.06	3.4	
	10		0.27	5.5	0.15	5.0	0.12	4.7	0.07	3.4	
	12		0.19	6.3	0.14	5.2	0.11	4.4	0.06	3.0	
	14		0.18	5.3	0.12	5.2	0.10	4.5	0.06	3.1	
	16		0.24	5.3	0.15	5.1	0.12	4.6	0.07	3.0	
	18		0.15	4.8	0.11	5.0	0.08	4.6	0.05	3.2	
	20		0.23	3.5	0.14	3.9	0.10	3.9	0.06	2.9	
	22		0.13	6.0	0.09	4.2	0.07	3.5	0.04	2.3	
	最大		0.32	5.5	0.20	5.4	0.16	5.3	0.09	3.9	
	平均		0.21	5.4	0.14	5.1	0.11	4.7	0.06	3.3	
25	00		0.11	4.8	0.09	2.9	0.07	2.7	0.04	2.0	
	02		0.11	2.3	0.08	2.5	0.06	2.6	0.04	2.0	
	04	欠测									
	06	欠测									
	08		0.10	2.3	0.07	2.8	0.06	2.6	0.04	2.0	
	10		0.09	6.3	0.06	3.1	0.05	3.0	0.03	2.1	
	12		0.08	1.5	0.05	3.0	0.04	2.9	0.03	2.1	
	14	欠测									
	16		0.17	2.8	0.12	2.2	0.10	2.2	0.06	1.9	
	18		0.16	2.3	0.10	3.0	0.08	2.8	0.05	2.2	
20	* 0.43	4.8	* 0.35	4.6	* 0.26	4.8	* 0.14	3.9			
22	欠测										
	最大		0.43	4.8	0.35	4.6	0.26	4.8	0.14	3.9	
	平均		0.16	3.4	0.12	3.0	0.09	3.0	0.05	2.3	
26	00		0.20	4.8	0.14	5.3	0.11	5.0	0.07	3.6	
	02		0.23	5.3	0.19	4.5	0.15	4.4	0.09	3.3	
	04		0.42	4.0	0.27	4.2	0.21	4.1	0.13	3.3	
	06		0.38	3.8	0.28	3.9	0.23	3.5	0.14	2.8	
	08		0.34	3.3	0.24	3.4	0.19	3.1	0.12	2.4	
	10		0.31	2.8	0.24	3.6	0.19	3.4	0.12	2.7	
	12		0.42	2.0	0.29	2.6	0.23	2.4	0.15	2.2	
	14		0.59	2.3	* 0.39	2.5	0.30	2.5	0.19	2.3	
	16	* 0.66	2.5	* 0.39	2.5	* 0.31	2.7	* 0.19	2.4		
	18		0.39	3.0	0.29	3.0	0.23	3.0	0.15	2.5	
20		0.56	2.5	0.32	3.0	0.26	3.1	0.17	2.6		
22		0.24	3.5	0.18	2.9	0.14	2.8	0.09	2.3		
	最大		0.66	2.5	0.39	2.5	0.31	2.7	0.19	2.4	
	平均		0.40	3.3	0.27	3.5	0.21	3.3	0.13	2.7	
27	00		0.29	2.8	0.18	3.3	0.15	3.2	0.09	2.5	
	02		0.20	2.0	0.12	3.4	0.09	3.4	0.06	2.6	
	04		0.12	4.3	0.09	3.5	0.07	3.3	0.04	2.4	
	06		0.28	1.8	0.21	2.4	0.17	2.5	0.11	2.2	
	08		0.40	3.5	0.30	3.0	0.24	3.0	0.15	2.4	
	10		0.49	2.0	0.34	3.4	0.27	3.3	0.17	2.6	
	12		0.82	2.5	0.55	3.1	0.44	3.1	0.27	2.6	
	14	* 1.02	3.0	0.74	3.3	0.58	3.4	0.37	2.9		
	16		0.99	3.0	* 0.80	3.8	* 0.66	3.7	* 0.42	3.1	
	18		0.86	5.8	0.59	4.4	0.47	3.9	0.30	3.1	
20		0.49	5.0	0.36	4.1	0.28	3.9	0.18	2.8		
22		0.40	6.0	0.28	5.3	0.22	4.8	0.13	3.1		
	最大		1.02	3.0	0.80	3.8	0.66	3.7	0.42	3.1	
	平均		0.53	3.5	0.38	3.6	0.30	3.5	0.19	2.7	
28	00		0.42	5.5	0.30	5.8	0.24	5.3	0.14	3.5	
	02		0.55	6.5	0.43	6.4	0.33	6.0	0.20	3.9	
	04		0.72	6.8	0.52	6.3	0.41	6.3	0.25	4.4	
	06		0.64	6.3	0.47	6.0	0.39	5.7	0.25	4.1	
	08		0.66	6.5	0.44	6.2	0.35	6.2	0.21	4.5	
	10		0.49	5.5	0.37	6.3	0.28	5.1	0.17	3.3	
	12		0.50	7.0	0.35	6.0	0.28	5.4	0.16	3.5	
	14	* 1.17	3.3	* 0.72	3.6	* 0.59	3.6	* 0.38	3.1		
	16		0.98	3.0	0.67	3.3	0.56	3.3	0.36	2.9	
	18		0.59	2.8	0.37	3.4	0.30	3.2	0.20	2.7	
20		0.51	4.0	0.36	4.0	0.28	3.6	0.17	2.7		
22		0.28	5.8	0.22	4.0	0.18	3.8	0.11	2.7		
	最大		1.17	3.3	0.72	3.6	0.59	3.6	0.38	3.1	

	平均	0.63	5.3	0.44	5.1	0.35	4.8	0.22	3.4	
29	00	0.38	4.8	0.26	3.9	0.21	3.5	0.14	2.7	
	02	0.33	4.8	0.24	4.7	0.19	4.1	0.12	2.9	
	04	0.46	5.3	0.34	3.5	0.27	3.2	0.17	2.6	
	06	0.51	1.8	0.35	2.9	0.28	2.9	0.18	2.4	
	08	0.49	2.8	0.38	3.6	0.31	3.5	0.20	2.7	
	10	欠測								
	12	0.89	5.0	0.60	3.4	0.48	3.4	0.30	2.7	
	14	* 1.36	3.8	* 1.02	3.7	* 0.81	3.8	* 0.51	3.2	
	16	0.87	3.5	0.60	3.2	0.49	3.3	0.32	2.9	
	18	0.84	3.5	0.67	3.7	0.52	3.5	0.32	2.9	
	20	1.02	4.8	0.76	3.7	0.62	3.5	0.40	3.0	
	22	0.96	6.5	0.76	4.5	0.62	4.1	0.39	3.2	
	最大	1.36	3.8	1.02	3.7	0.81	3.8	0.51	3.2	
	平均	0.74	4.2	0.54	3.7	0.44	3.5	0.28	2.8	
30	00	0.75	5.5	0.63	4.6	0.52	4.5	0.35	3.4	
	02	1.03	6.5	0.71	5.7	0.57	5.0	0.36	3.7	
	04	1.10	6.5	0.72	5.8	0.57	5.1	0.37	3.6	
	06	0.99	6.3	0.68	5.8	0.53	4.9	0.34	3.6	
	08	0.79	6.5	0.65	6.5	0.52	5.2	0.32	3.6	
	10	* 1.12	3.0	0.78	4.4	0.62	4.0	0.40	3.2	
	12	1.10	3.3	* 0.89	4.3	* 0.73	4.0	* 0.47	3.3	
	14	1.09	4.8	0.77	4.4	0.62	4.3	0.40	3.3	
	16	0.93	7.0	0.69	4.8	0.56	4.6	0.35	3.4	
	18	0.74	8.8	0.57	5.6	0.46	4.7	0.29	3.3	
	20	0.74	7.5	0.56	7.1	0.43	6.3	0.25	4.0	
	22	0.61	7.8	0.46	7.2	0.36	6.9	0.21	4.3	
	最大	1.12	3.0	0.89	4.3	0.73	4.0	0.47	3.3	
	平均	0.92	6.1	0.68	5.5	0.54	5.0	0.34	3.6	
	月最大	1.59	5.3	1.16	4.4	0.94	4.3	0.61	3.8	
	起時	2204		2204		2204		2204		
	平均	0.40	4.7	0.28	4.5	0.23	4.1	0.14	3.0	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	349 回	測得回数	0 回
欠測回数	23 回	欠測回数	372 回
欠測率	6.2 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.60	7.3	0.41	7.4	0.31	7.2	0.18	5.0		
	02	0.58	7.8	* 0.43	7.8	* 0.33	7.6	* 0.19	5.5		
	04	0.42	7.8	0.33	7.5	0.26	7.3	0.16	5.0		
	06	0.42	8.0	0.31	7.5	0.24	7.4	0.14	5.1		
	08	0.41	7.3	0.31	7.2	0.25	7.1	0.14	5.2		
	10	0.42	6.8	0.31	7.1	0.24	7.1	0.14	5.0		
	12	0.41	7.5	0.30	7.1	0.23	7.0	0.13	5.3		
	14	0.48	7.3	0.35	7.1	0.28	7.0	0.16	5.5		
	16	0.41	6.5	0.31	6.6	0.24	6.7	0.15	4.8		
	18	0.46	5.8	0.33	6.3	0.27	6.3	0.16	4.9		
	20	0.56	5.0	0.35	5.5	0.26	5.4	0.16	4.8		
	22	0.31	6.3	0.24	6.2	0.19	6.3	0.12	5.1		
	最大	0.60	7.3	0.43	7.8	0.33	7.6	0.19	5.5		
	平均	0.46	7.0	0.33	6.9	0.26	6.9	0.15	5.1		
02	00	0.36	6.0	0.23	6.2	0.18	6.0	0.11	4.3		
	02	0.23	6.3	0.15	6.3	0.12	6.1	0.07	3.8		
	04	0.22	5.8	0.14	5.9	0.10	5.4	0.06	3.4		
	06	0.15	5.5	0.12	6.3	0.09	5.3	0.06	3.1		
	08	0.24	7.8	0.18	7.7	0.13	6.7	0.07	3.9		
	10	0.31	8.3	0.26	7.7	0.19	7.0	0.11	4.6		
	12	欠測									
	14	* 1.03	3.5	0.58	3.6	0.47	3.6	0.29	2.9		
	16	0.75	6.0	0.54	5.0	0.43	4.4	0.28	3.2		
	18	0.63	6.5	0.53	7.2	0.44	7.2	0.27	5.3		
	20	0.88	8.3	* 0.62	8.2	* 0.50	7.5	* 0.29	5.0		
	22	0.73	7.0	0.52	7.2	0.41	6.7	0.23	4.7		
	最大	1.03	3.5	0.62	8.2	0.50	7.5	0.29	5.0		
	平均	0.50	6.5	0.35	6.5	0.28	6.0	0.17	4.0		
03	00	0.79	8.0	0.53	7.8	0.42	7.5	0.25	5.3		
	02	0.63	6.0	0.45	7.2	0.37	6.3	0.23	4.2		
	04	0.63	6.8	0.48	7.2	0.39	6.8	0.24	4.8		
	06	0.58	6.8	0.46	5.8	0.37	4.9	0.23	3.5		
	08	0.62	7.0	0.45	5.4	0.36	5.0	0.22	3.6		
	10	0.69	6.0	0.56	5.6	0.44	4.5	0.27	3.3		
	12	0.61	7.3	0.49	6.5	0.38	5.6	0.22	3.7		
	14	0.80	3.5	* 0.65	3.6	* 0.53	3.7	* 0.35	3.0		
	16	0.77	3.5	0.55	3.8	0.45	3.6	0.29	2.9		
	18	* 0.83	2.5	0.50	3.2	0.40	3.3	0.25	2.8		
	20	0.58	5.8	0.47	6.1	0.37	5.8	0.22	3.9		
	22	0.57	7.5	0.41	7.3	0.32	6.8	0.19	4.6		
	最大	0.83	2.5	0.65	3.6	0.53	3.7	0.35	3.0		
	平均	0.68	5.9	0.50	5.8	0.40	5.3	0.25	3.8		
04	00	0.64	7.3	0.43	7.0	0.33	6.7	0.20	5.1		
	02	0.60	7.0	0.43	6.5	0.35	6.7	0.21	5.1		
	04	0.67	6.3	0.41	6.4	0.33	6.4	0.20	4.9		
	06	0.43	5.8	0.35	6.3	0.28	6.4	0.17	4.7		
	08	0.47	6.8	0.32	6.3	0.25	6.3	0.15	4.5		
	10	0.43	6.8	0.30	6.4	0.24	5.8	0.14	3.6		
	12	0.40	5.8	0.28	4.5	0.22	4.0	0.14	2.7		
	14	0.49	2.5	0.38	3.3	0.32	3.4	0.21	2.7		
	16	* 1.01	3.5	* 0.71	3.6	* 0.55	3.5	* 0.35	3.0		
	18	0.51	5.5	0.37	5.3	0.28	4.5	0.17	3.1		
	20	0.53	4.5	0.38	5.0	0.29	5.0	0.18	3.5		
	22	欠測									
	最大	1.01	3.5	0.71	3.6	0.55	3.5	0.35	3.0		

	平均	0.56	5.6	0.40	5.5	0.31	5.3	0.19	3.9	
05	00	0.41	4.8	0.30	6.1	0.24	5.9	0.15	4.3	
	02	0.41	6.3	0.30	6.0	0.23	5.5	0.14	3.8	
	04	0.39	6.3	0.25	5.5	0.20	4.9	0.12	3.3	
	06	0.34	4.5	0.24	4.4	0.19	4.0	0.12	2.9	
	08	0.43	4.8	0.28	4.3	0.22	3.8	0.15	2.8	
	10	0.40	5.3	0.26	5.0	0.21	4.4	0.13	3.1	
	12	0.38	4.3	0.27	4.5	0.22	3.9	0.14	2.7	
	14	* 0.45	5.3	* 0.34	3.8	* 0.28	3.4	* 0.18	2.7	
	16	欠測								
	18	0.40	3.5	0.31	4.7	0.25	4.0	0.15	2.9	
20	0.36	5.8	0.24	5.4	0.18	5.0	0.11	3.4		
22	0.27	5.8	0.19	6.1	0.15	5.7	0.09	3.8		
最大平均	0.45	5.3	0.34	3.8	0.28	3.4	0.18	2.7		
	0.39	5.2	0.27	5.1	0.22	4.6	0.13	3.2		
06	00	* 0.29	6.3	* 0.20	6.3	* 0.16	6.1	0.09	4.0	
	02	0.27	6.0	0.18	6.3	0.15	5.9	0.08	4.0	
	04	0.26	7.0	0.20	6.0	0.15	5.9	* 0.09	4.3	
	06	0.25	7.0	0.19	5.8	0.15	5.8	0.09	4.1	
	08	0.29	5.0	0.20	5.0	0.15	4.6	0.09	3.2	
	10	0.25	5.5	0.17	5.1	0.13	4.5	0.08	2.9	
	12	0.22	5.0	0.15	4.8	0.12	4.7	0.07	3.2	
	14	0.21	6.0	0.13	5.4	0.11	5.1	0.06	3.5	
	16	0.22	4.3	0.16	5.1	0.12	4.8	0.07	3.5	
	18	0.17	6.3	0.11	5.1	0.09	4.5	0.05	3.2	
20	欠測									
22	0.15	6.0	0.11	5.0	0.08	4.4	0.05	2.9		
最大平均	0.29	6.3	0.20	6.3	0.16	6.1	0.09	4.3		
	0.23	5.9	0.16	5.4	0.13	5.1	0.07	3.5		
07	00	0.15	4.5	0.11	4.9	0.08	4.6	0.05	3.0	
	02	0.17	5.3	0.12	4.7	0.09	4.5	0.05	3.1	
	04	0.17	6.5	0.13	4.7	0.10	5.0	0.06	3.8	
	06	0.17	5.8	0.12	4.6	0.10	4.7	0.06	3.2	
	08	0.19	5.3	0.13	4.8	0.10	4.6	0.06	3.3	
	10	0.20	5.5	0.15	4.4	0.12	4.3	0.07	3.2	
	12	0.21	4.3	0.15	5.0	0.12	4.8	0.08	3.6	
	14	欠測								
	16	0.27	5.0	0.21	4.8	0.17	4.7	0.10	3.7	
	18	0.34	4.5	0.22	4.7	0.18	4.7	0.11	3.7	
20	* 0.40	6.8	* 0.31	5.3	* 0.23	5.0	* 0.13	3.9		
22	0.25	5.0	0.20	4.5	0.16	4.6	0.09	3.5		
最大平均	0.40	6.8	0.31	5.3	0.23	5.0	0.13	3.9		
	0.23	5.3	0.17	4.8	0.13	4.7	0.08	3.5		
08	00	0.26	5.0	0.17	4.4	0.13	4.4	0.08	3.5	
	02	0.21	4.8	0.15	4.8	0.13	4.8	0.08	3.7	
	04	0.19	4.0	0.13	4.4	0.10	4.4	0.06	3.1	
	06	0.19	3.3	0.14	4.1	0.11	4.1	0.07	3.1	
	08	0.14	5.5	0.10	5.4	0.09	4.8	0.05	3.4	
	10	0.21	6.5	0.14	4.3	0.11	4.5	0.06	3.4	
	12	0.19	4.5	0.13	4.2	0.10	4.2	0.06	3.2	
	14	0.20	6.5	0.13	4.2	0.10	4.2	0.06	3.1	
	16	0.18	3.3	0.13	3.6	0.10	3.2	0.06	2.3	
	18	0.19	4.0	0.14	4.3	0.11	4.2	0.07	3.1	
20	* 0.29	4.3	* 0.22	4.3	* 0.17	4.3	* 0.10	3.5		
22	0.17	4.5	0.12	4.4	0.09	4.3	0.05	3.0		
最大平均	0.29	4.3	0.22	4.3	0.17	4.3	0.10	3.5		
	0.20	4.7	0.14	4.4	0.11	4.3	0.07	3.2		
09	00	0.19	4.5	0.14	4.3	0.11	4.1	0.06	3.0	
	02	0.20	4.3	0.15	4.2	0.12	4.3	0.07	3.1	
	04	0.17	6.0	0.11	4.7	0.08	4.3	0.05	3.0	
	06	0.17	4.3	0.12	4.2	0.09	3.9	0.05	2.7	
	08	0.14	4.3	0.12	3.9	0.09	3.5	0.05	2.6	
	10	0.16	4.8	0.11	4.4	0.09	4.3	0.05	2.9	
	12	0.18	3.5	0.12	3.3	0.10	2.7	0.06	2.1	
	14	0.24	3.5	0.17	2.8	0.13	2.5	0.09	2.1	
	16	0.36	2.5	0.23	2.5	0.18	2.6	* 0.12	2.3	
	18	0.29	3.0	0.21	2.8	0.17	2.8	0.11	2.5	
20	* 0.42	5.8	* 0.26	4.7	* 0.19	4.2	0.11	3.1		
22	0.14	5.3	0.09	4.7	0.07	4.3	0.04	2.8		

	最大		0.42	5.8	0.26	4.7	0.19	4.2	0.12	2.3			
	平均		0.22	4.3	0.15	3.9	0.12	3.6	0.07	2.7			
10	00		* 0.23	6.5	0.12	4.0	0.09	3.6	0.05	2.6			
	02		0.12	4.5	0.08	4.6	0.06	3.7	0.03	2.4			
	04		欠测										
	06		0.10	5.5	0.07	4.4	0.05	3.8	0.03	2.5			
	08		0.13	4.3	0.09	3.4	0.07	3.4	0.04	2.4			
	10		0.10	4.3	0.07	4.5	0.06	4.4	0.03	2.9			
	12		0.11	5.0	0.08	4.0	0.06	3.8	0.03	2.5			
	14		0.12	4.3	0.10	2.8	0.08	2.7	0.05	2.0			
	16		欠测										
	18		欠测										
	20		0.22	3.8	* 0.16	4.0	* 0.12	3.9	* 0.07	2.9			
	22		0.17	4.3	0.11	4.3	0.09	4.2	0.05	2.8			
	最大		0.23	6.5	0.16	4.0	0.12	3.9	0.07	2.9			
	平均		0.14	4.7	0.10	4.0	0.08	3.7	0.04	2.6			
11	00		0.11	4.0	0.07	4.5	0.06	3.7	0.03	2.6			
	02		0.12	2.0	0.07	3.2	0.05	3.0	0.03	2.2			
	04		欠测										
	06		0.11	2.3	0.08	3.0	0.06	3.0	0.04	2.2			
	08		0.14	2.3	0.09	2.2	0.07	2.3	0.04	1.9			
	10		0.15	1.8	0.09	2.8	0.07	2.8	0.04	2.1			
	12		0.10	4.5	0.07	3.7	0.06	3.4	0.04	2.3			
	14		0.13	3.3	0.09	3.5	0.07	3.2	0.04	2.4			
	16		0.17	7.0	0.11	3.6	0.09	3.4	0.06	2.6			
	18		0.11	3.5	0.08	3.3	0.07	3.1	0.04	2.2			
	20		欠测										
	22		* 0.20	5.0	* 0.13	3.5	* 0.10	3.5	* 0.06	2.7			
	最大		0.20	5.0	0.13	3.5	0.10	3.5	0.06	2.7			
	平均		0.13	3.6	0.09	3.3	0.07	3.1	0.04	2.3			
12	00		0.13	4.8	0.10	3.7	0.08	3.4	0.05	2.4			
	02		0.12	7.3	0.09	3.8	0.07	3.6	0.04	2.6			
	04		0.18	5.5	0.10	4.2	0.08	3.7	0.04	2.5			
	06		0.14	4.0	0.10	3.8	0.08	3.5	0.05	2.5			
	08		0.19	5.3	0.12	3.0	0.09	2.8	0.06	2.1			
	10		0.17	3.5	0.12	3.5	0.10	3.2	0.06	2.3			
	12		0.13	2.8	0.10	2.8	0.08	2.9	0.05	2.2			
	14		0.20	2.0	0.14	3.1	0.11	2.9	0.07	2.3			
	16		0.17	4.8	0.13	3.4	0.10	3.1	0.06	2.2			
	18		0.15	3.0	0.11	3.2	0.09	2.9	0.05	2.1			
	20		* 0.29	4.3	* 0.21	4.4	* 0.16	3.7	* 0.09	2.5			
	22		0.21	2.8	0.14	1.9	0.11	2.1	0.07	1.8			
	最大		0.29	4.3	0.21	4.4	0.16	3.7	0.09	2.5			
	平均		0.17	4.2	0.12	3.4	0.10	3.2	0.06	2.3			
13	00		0.14	3.0	0.10	2.4	0.08	2.3	0.05	1.8			
	02		0.17	3.3	0.13	2.0	0.10	2.0	0.07	2.0			
	04		欠测										
	06		0.14	8.5	0.11	7.7	0.08	5.9	0.05	3.4			
	08		0.91	3.0	0.65	3.7	0.52	3.6	0.35	3.1			
	10		1.24	6.5	1.02	5.7	0.83	5.5	0.52	4.0			
	12		欠测										
	14		* 1.58	5.0	1.14	5.2	0.90	4.8	0.57	3.8			
	16		1.56	6.5	* 1.24	6.1	* 0.96	5.4	* 0.60	4.0			
	18		1.40	6.8	1.14	7.0	0.89	5.9	0.56	4.2			
	20		1.53	8.5	1.02	6.8	0.80	6.1	0.49	4.1			
	22		1.10	5.0	0.85	5.2	0.69	5.3	0.45	3.7			
	最大		1.58	5.0	1.24	6.1	0.96	5.4	0.60	4.0			
	平均		0.98	5.6	0.74	5.2	0.59	4.7	0.37	3.4			
14	00		0.94	3.5	* 0.77	5.4	* 0.63	5.0	* 0.40	3.8			
	02		0.95	5.8	0.75	5.8	0.58	5.3	0.36	3.7			
	04		0.97	7.3	0.72	5.4	0.58	5.0	0.37	3.7			
	06		* 1.02	7.8	0.73	5.5	0.57	5.0	0.36	3.5			
	08		0.76	7.0	0.59	5.7	0.45	4.9	0.28	3.4			
	10		0.76	5.0	0.57	6.3	0.43	5.7	0.26	4.1			
	12		0.73	7.5	0.61	6.8	0.49	6.6	0.32	5.5			
	14		0.75	5.8	0.56	7.1	0.44	6.7	0.27	5.3			

	16		0.56	6.0	0.46	6.6	0.38	6.7	0.24	5.2	
	18		0.58	6.5	0.45	7.2	0.36	6.8	0.21	5.2	
	20		0.52	5.0	0.41	6.4	0.32	6.3	0.19	4.6	
	22		0.49	6.0	0.38	6.4	0.30	6.8	0.19	5.6	
最大		1.02	7.8	0.77	5.4	0.63	5.0	0.40	3.8		
	平均	0.75	6.1	0.58	6.2	0.46	5.9	0.29	4.5		
15	00		0.40	7.3	0.33	6.6	0.26	6.7	0.17	5.6	
	02		0.36	6.0	0.27	6.4	0.20	6.3	0.12	4.6	
	04		0.28	7.0	0.22	6.8	0.18	6.9	0.10	4.9	
	06		0.31	6.5	0.24	6.9	0.19	6.6	0.11	4.5	
	08		0.46	5.8	0.35	4.9	0.29	4.2	0.19	3.2	
	10		0.44	5.0	0.31	4.9	0.25	4.7	0.15	3.1	
	12		0.64	3.5	0.48	3.7	0.38	3.4	0.24	2.7	
	14		* 0.78	3.0	* 0.57	3.4	* 0.46	3.4	* 0.29	2.8	
	16		0.61	2.3	0.45	3.5	0.36	3.1	0.24	2.6	
	18		0.60	4.0	0.45	4.3	0.36	4.0	0.23	3.1	
	20		0.59	3.8	0.44	5.1	0.35	5.0	0.22	3.9	
	22		0.67	6.5	0.46	6.1	0.35	5.8	0.21	4.3	
	最大		0.78	3.0	0.57	3.4	0.46	3.4	0.29	2.8	
		平均	0.51	5.1	0.38	5.2	0.30	5.0	0.19	3.8	
	16	00		* 0.72	7.0	0.48	6.9	0.37	6.7	0.21	
02			0.50	6.3	0.40	6.7	0.30	6.4	0.17	4.5	
04			0.51	6.8	0.39	6.8	0.30	6.7	0.18	4.8	
06			0.55	5.3	0.38	6.7	0.30	6.6	0.18	4.9	
08			0.47	6.3	0.33	6.7	0.27	6.8	0.16	5.2	
10			0.36	5.3	0.26	6.4	0.20	6.2	0.12	4.2	
12			0.42	6.0	0.27	6.7	0.22	6.3	0.12	3.9	
14			0.49	6.5	0.34	6.5	0.25	6.3	0.15	5.0	
16			0.43	5.8	0.33	5.9	0.26	6.0	0.16	4.7	
18			0.53	5.8	0.39	4.9	0.32	4.7	0.20	3.4	
20			0.67	3.8	* 0.49	4.5	* 0.38	4.2	* 0.24	3.1	
22			0.62	5.3	0.44	5.0	0.35	4.5	0.22	3.3	
最大			0.72	7.0	0.49	4.5	0.38	4.2	0.24	3.1	
		平均	0.52	5.9	0.38	6.1	0.29	6.0	0.18	4.3	
17		00		* 0.77	5.3	* 0.47	4.9	* 0.37	4.7	* 0.23	3.4
	02		0.57	5.5	0.40	4.8	0.33	4.5	0.20	3.3	
	04		0.59	5.3	0.43	4.8	0.34	4.6	0.21	3.4	
	06		0.59	4.5	0.37	5.2	0.29	4.8	0.18	3.4	
	08		0.50	5.0	0.40	5.0	0.32	4.6	0.20	3.3	
	10		0.49	5.3	0.39	4.6	0.31	3.9	0.20	2.9	
	12		0.52	5.3	0.36	5.0	0.28	4.9	0.17	3.4	
	14		0.46	4.0	0.34	5.2	0.27	5.1	0.16	3.6	
	16		0.54	4.0	0.33	4.8	0.27	4.5	0.17	3.3	
	18		0.41	6.0	0.30	4.7	0.24	4.5	0.15	3.6	
	20		0.51	5.0	0.32	5.0	0.24	4.9	0.14	3.8	
	22		0.31	5.0	0.23	5.3	0.17	5.2	0.10	3.8	
	最大		0.77	5.3	0.47	4.9	0.37	4.7	0.23	3.4	
		平均	0.52	5.0	0.36	4.9	0.29	4.7	0.18	3.4	
	18	00		0.25	6.0	0.21	5.3	0.17	5.1	0.10	4.0
02			0.26	5.5	0.19	5.0	0.15	5.0	0.09	3.7	
04			0.28	5.5	0.18	5.2	0.14	5.2	0.09	3.9	
06			0.23	4.5	0.17	5.2	0.14	5.0	0.08	3.6	
08			0.23	5.0	0.15	4.9	0.12	4.5	0.07	3.4	
10			0.22	5.0	0.12	4.9	0.09	4.4	0.05	2.8	
12			0.15	5.0	0.10	4.3	0.08	4.1	0.04	2.6	
14			0.23	2.0	0.16	2.7	0.13	2.5	0.08	2.0	
16			0.16	4.0	0.12	3.2	0.10	3.0	0.06	2.2	
18			0.17	2.3	0.11	3.2	0.09	3.1	0.05	2.4	
20			0.40	2.5	* 0.32	2.7	* 0.26	2.8	* 0.16	2.4	
22			* 0.43	3.8	0.30	3.4	0.24	3.2	0.15	2.6	
最大			0.43	3.8	0.32	2.7	0.26	2.8	0.16	2.4	
		平均	0.25	4.3	0.18	4.2	0.14	4.0	0.09	3.0	
19		00		0.37	3.3	0.28	3.6	0.23	3.3	0.15	2.6
	02		0.62	2.8	0.46	2.8	0.36	3.0	0.23	2.5	
	04		0.71	5.5	0.58	5.0	0.47	4.7	0.30	3.4	
	06		* 0.78	6.0	0.58	5.5	0.46	5.2	0.28	3.8	
	08		0.77	6.5	0.57	4.8	0.45	4.2	0.29	3.2	
	10		0.67	4.0	0.56	5.0	0.45	4.3	0.29	3.1	

	12	0.67	8.5	0.51	5.9	0.40	5.3	0.25	3.6	
	14	0.66	6.5	0.46	5.0	0.37	4.2	0.24	3.0	
	16	0.78	3.8	* 0.64	4.1	* 0.52	3.9	* 0.33	3.1	
	18	0.56	3.5	0.47	4.7	0.39	4.3	0.25	3.2	
	20	欠测								
	22	0.51	5.0	0.41	5.9	0.32	5.6	0.20	4.2	
	最大	0.78	6.0	0.64	4.1	0.52	3.9	0.33	3.1	
	平均	0.65	5.0	0.50	4.8	0.40	4.4	0.26	3.2	
20	00	* 0.62	7.0	0.40	5.7	0.31	5.6	0.19	4.3	
	02	0.54	4.3	* 0.41	6.1	* 0.33	5.7	* 0.20	4.3	
	04	0.49	6.0	0.34	6.3	0.27	5.9	0.17	4.5	
	06	0.35	7.3	0.28	6.4	0.21	6.1	0.13	4.4	
	08	0.43	7.3	0.25	6.2	0.18	5.6	0.10	3.7	
	10	0.30	5.8	0.21	5.6	0.16	5.3	0.10	3.8	
	12	0.35	5.5	0.24	5.2	0.18	4.3	0.11	2.8	
	14	0.35	6.0	0.25	5.2	0.19	4.4	0.12	2.8	
	16	0.29	4.8	0.19	5.0	0.15	4.2	0.09	2.8	
	18	欠测								
	20	0.27	5.8	0.20	4.7	0.15	4.6	0.08	3.4	
	22	0.17	5.3	0.12	5.5	0.10	5.2	0.06	3.3	
	最大	0.62	7.0	0.41	6.1	0.33	5.7	0.20	4.3	
	平均	0.38	5.9	0.26	5.6	0.20	5.2	0.12	3.6	
	21	欠测								
	02	欠测								
	04	0.12	4.8	0.07	3.6	0.06	3.0	0.04	2.1	
	06	0.12	7.0	0.07	4.0	0.06	3.1	0.04	2.2	
	08	0.14	3.5	0.10	4.3	0.07	3.6	0.04	2.6	
	10	0.10	4.0	0.07	3.7	0.05	3.2	0.03	2.3	
	12	* 0.18	1.8	0.11	1.9	0.08	2.0	* 0.05	1.8	
	14	0.15	1.8	* 0.11	2.2	* 0.08	2.2	* 0.05	1.8	
	16	欠测								
	18	0.11	5.8	0.08	4.0	0.07	3.6	0.04	2.4	
	20	欠测								
	22	0.12	5.5	0.08	3.7	0.06	3.0	0.04	2.1	
	最大	0.18	1.8	0.11	2.2	0.08	2.2	0.05	1.8	
	平均	0.13	4.3	0.09	3.4	0.07	3.0	0.04	2.2	
22	00	0.10	2.0	0.07	3.7	0.06	3.3	0.04	2.3	
	02	0.13	1.8	0.09	3.1	0.07	2.5	0.05	1.9	
	04	欠测								
	06	欠测								
	08	欠测								
	10	0.09	2.8	0.06	3.9	0.05	3.5	0.03	2.4	
	12	0.10	4.8	0.07	3.9	0.05	3.6	0.03	2.5	
	14	0.12	5.0	0.08	3.7	0.06	3.3	0.04	2.3	
	16	0.10	3.8	0.07	3.6	0.06	3.2	0.04	2.2	
	18	0.13	2.8	0.08	4.4	0.06	4.0	0.04	2.8	
	20	* 0.31	5.3	* 0.20	4.3	* 0.15	4.1	* 0.09	3.3	
	22	0.18	3.5	0.12	4.3	0.09	4.1	0.05	3.1	
	最大	0.31	5.3	0.20	4.3	0.15	4.1	0.09	3.3	
	平均	0.14	3.5	0.09	3.9	0.07	3.5	0.05	2.5	
	23	0.21	5.8	0.14	5.0	0.11	4.5	0.06	3.3	
	02	0.40	5.5	0.31	4.8	0.25	4.5	0.15	3.4	
	04	0.77	7.0	0.50	6.1	0.38	5.7	0.23	4.2	
	06	0.36	7.0	0.31	5.3	0.25	5.2	0.15	3.9	
	08	0.57	4.0	0.45	4.0	0.36	3.8	0.23	3.1	
	10	0.72	4.5	0.51	4.8	0.40	4.8	0.25	3.6	
	12	1.09	7.0	0.82	4.9	0.66	4.7	0.42	3.5	
	14	* 2.03	7.8	* 1.53	6.3	* 1.16	5.9	* 0.71	4.3	
	16	1.94	7.3	1.41	5.8	1.07	5.5	0.67	4.3	
	18	1.61	9.3	1.29	7.0	1.03	6.0	0.64	4.3	
	20	1.64	7.0	1.36	6.1	1.10	5.6	0.68	4.1	
	22	1.68	7.0	1.12	6.5	0.89	5.4	0.56	4.0	
	最大	2.03	7.8	1.53	6.3	1.16	5.9	0.71	4.3	
	平均	1.09	6.6	0.81	5.6	0.64	5.1	0.40	3.8	
24	00	* 1.53	6.0	* 0.93	5.5	* 0.73	5.0	* 0.46	3.6	
	02	1.20	7.3	0.86	7.5	0.69	6.6	0.41	4.4	

	04		0.87	8.8	0.70	6.6	0.56	5.7	0.35	3.9	
	06		1.36	7.3	0.90	6.7	0.70	5.2	0.45	3.8	
	08		1.04	8.3	0.79	8.6	0.61	7.5	0.36	4.7	
	10		0.93	7.3	0.75	8.5	0.59	7.4	0.34	4.7	
	12		0.74	8.0	0.63	8.4	0.48	7.8	0.29	5.0	
	14		0.86	8.8	0.63	8.3	0.49	6.9	0.29	4.3	
	16		0.87	7.5	0.68	8.2	0.53	7.5	0.31	5.2	
	18		0.70	8.5	0.53	7.9	0.42	7.6	0.27	5.7	
	20		0.68	7.8	0.53	7.7	0.42	7.8	0.25	6.2	
	22		0.64	6.5	0.51	8.1	0.40	7.9	0.24	5.7	
	最大		1.53	6.0	0.93	5.5	0.73	5.0	0.46	3.6	
	平均		0.95	7.7	0.70	7.7	0.55	6.9	0.34	4.8	
25	00		* 0.72	7.5	* 0.49	8.1	* 0.39	8.0	* 0.22	5.7	
	02		0.52	7.8	0.41	7.4	0.31	7.4	0.19	5.4	
	04		0.56	6.8	0.40	7.2	0.32	7.2	0.20	5.8	
	06		0.43	7.8	0.35	7.3	0.26	7.3	0.15	4.9	
	08		0.40	7.0	0.30	6.8	0.22	6.7	0.13	4.9	
	10		0.38	8.5	0.28	6.8	0.22	6.4	0.12	4.4	
	12		0.50	7.0	0.29	7.0	0.23	6.8	0.14	5.0	
	14		0.48	7.8	0.33	7.3	0.24	6.7	0.14	4.2	
	16		0.46	6.8	0.33	6.1	0.26	5.4	0.15	3.5	
	18		0.36	7.0	0.27	7.0	0.21	6.3	0.12	4.1	
20		欠测									
22		0.30	7.0	0.24	6.8	0.19	6.3	0.11	4.3		
	最大		0.72	7.5	0.49	8.1	0.39	8.0	0.22	5.7	
	平均		0.46	7.4	0.34	7.1	0.26	6.8	0.15	4.7	
26	00		0.37	6.8	0.27	5.7	0.22	5.5	0.14	3.8	
	02		0.62	4.8	0.42	4.9	0.33	4.0	0.21	2.9	
	04		0.79	3.0	0.60	3.7	0.48	3.5	0.31	2.9	
	06		* 0.97	6.8	* 0.74	4.7	* 0.58	4.3	* 0.37	3.4	
	08		0.70	8.5	0.55	6.2	0.42	5.3	0.26	3.6	
	10		0.63	6.0	0.41	6.6	0.32	5.7	0.19	3.7	
	12		0.47	5.8	0.38	6.7	0.29	5.7	0.17	3.6	
	14		0.75	3.3	0.51	3.4	0.41	3.2	0.27	2.8	
	16		0.67	2.5	0.44	3.6	0.36	3.4	0.23	2.8	
	18		0.47	6.0	0.34	6.0	0.27	5.0	0.16	3.3	
20		0.42	4.3	0.31	5.9	0.25	5.3	0.15	3.8		
22		0.33	7.5	0.24	6.8	0.20	6.7	0.12	4.5		
	最大		0.97	6.8	0.74	4.7	0.58	4.3	0.37	3.4	
	平均		0.60	5.4	0.43	5.4	0.34	4.8	0.22	3.4	
27	00		0.33	6.5	0.23	6.9	0.18	6.6	0.10	4.4	
	02		0.38	8.0	0.28	7.7	0.22	7.5	0.13	5.3	
	04		* 0.47	7.8	* 0.32	7.5	* 0.25	7.6	* 0.15	5.4	
	06		0.43	7.8	0.29	6.8	0.23	6.9	0.13	4.3	
	08		0.35	7.3	0.25	7.1	0.19	6.7	0.10	4.4	
	10		0.32	6.3	0.21	6.3	0.16	6.3	0.09	4.2	
	12		0.36	6.0	0.23	6.4	0.18	6.6	0.11	4.5	
	14		0.26	5.5	0.20	6.0	0.15	5.6	0.09	3.6	
	16		0.19	6.0	0.15	5.5	0.11	4.9	0.07	3.0	
	18		0.22	7.0	0.12	5.5	0.09	4.4	0.05	2.7	
20		0.15	4.3	0.11	3.5	0.09	2.7	0.06	2.1		
22		0.14	4.5	0.10	4.7	0.07	3.2	0.04	2.2		
	最大		0.47	7.8	0.32	7.5	0.25	7.6	0.15	5.4	
	平均		0.30	6.4	0.21	6.2	0.16	5.8	0.09	3.8	
28	00		0.15	1.5	0.10	2.8	0.08	2.7	0.05	2.0	
	02		0.15	3.0	0.10	2.6	0.08	2.4	0.05	1.9	
	04		0.18	1.8	0.12	1.9	0.10	1.8	0.06	1.7	
	06		欠测								
	08		0.17	2.0	0.12	1.8	0.09	1.8	0.06	1.7	
	10		0.14	1.5	0.11	2.1	0.09	2.2	0.06	1.9	
	12		0.16	1.8	0.11	2.4	0.08	2.4	0.05	1.9	
	14		0.16	3.0	0.10	2.1	0.08	2.1	0.05	1.8	
	16		0.20	1.5	0.14	1.7	0.10	1.8	0.06	1.7	
	18		0.29	1.8	0.18	1.7	0.14	1.8	0.09	1.7	
20		* 0.34	1.8	* 0.23	1.7	* 0.18	1.8	* 0.12	1.8		
22		0.22	1.8	0.15	1.9	0.12	2.2	0.08	1.9		
	最大		0.34	1.8	0.23	1.7	0.18	1.8	0.12	1.8	

	平均	0.20	2.0	0.13	2.1	0.10	2.1	0.07	1.8	
29	00	0.70	4.3	0.52	3.6	0.41	3.5	0.27	2.8	
	02	1.08	8.0	0.79	6.0	0.66	5.4	0.41	4.0	
	04	1.36	8.8	0.95	7.7	0.74	6.4	* 0.46	4.5	
	06	0.99	8.0	0.72	6.6	0.57	5.6	0.37	4.1	
	08	0.66	7.5	0.56	7.1	0.46	6.0	0.28	4.2	
	10	0.61	8.5	0.46	6.5	0.36	5.5	0.23	3.7	
	12	0.80	9.8	0.63	8.7	0.50	7.7	0.29	5.1	
	14	1.00	9.5	0.74	8.9	0.53	7.0	0.32	4.6	
	16	1.19	11.3	0.85	7.0	0.67	5.6	0.42	4.0	
	18	1.07	9.8	0.80	6.6	0.63	5.2	0.40	3.7	
	20	* 1.42	10.3	* 0.99	7.6	0.74	5.8	0.45	4.0	
	22	1.20	9.5	0.96	9.0	* 0.75	8.1	0.45	5.2	
	最大	1.42	10.3	0.99	7.6	0.75	8.1	0.46	4.5	
	平均	1.01	8.8	0.75	7.1	0.59	6.0	0.36	4.2	
30	00	* 1.27	9.8	* 0.90	8.9	* 0.70	7.8	* 0.42	4.9	
	02	0.93	8.8	0.74	8.3	0.58	7.2	0.35	4.9	
	04	1.19	8.8	0.74	7.5	0.57	6.2	0.34	4.1	
	06	1.11	7.5	0.80	7.2	0.62	6.1	0.37	4.2	
	08	1.03	7.3	0.78	6.7	0.62	5.6	0.39	4.0	
	10	0.89	8.0	0.62	6.1	0.50	5.1	0.32	3.7	
	12	0.77	7.8	0.60	5.5	0.49	4.6	0.32	3.3	
	14	1.00	5.8	0.77	4.0	0.62	4.0	0.40	3.2	
	16	0.97	5.0	0.72	4.7	0.57	4.4	0.36	3.3	
	18	0.86	6.8	0.59	5.9	0.45	5.1	0.29	3.5	
	20	0.69	6.0	0.51	6.3	0.40	5.5	0.24	3.9	
	22	0.47	7.3	0.39	6.3	0.31	6.0	0.19	4.4	
	最大	1.27	9.8	0.90	8.9	0.70	7.8	0.42	4.9	
	平均	0.93	7.4	0.68	6.5	0.54	5.6	0.33	4.0	
31	00	0.45	6.3	0.33	6.1	0.27	6.3	* 0.17	4.8	
	02	0.43	5.8	* 0.34	5.8	* 0.28	6.1	0.17	4.6	
	04	* 0.48	6.5	0.31	6.2	0.25	6.2	0.16	4.7	
	06	0.40	5.5	0.30	6.4	0.23	6.5	0.14	4.8	
	08	0.39	6.3	0.29	6.2	0.23	6.3	0.13	4.7	
	10	0.40	6.3	0.29	6.0	0.23	6.1	0.13	4.0	
	12	0.36	5.5	0.27	5.7	0.21	5.8	0.13	4.3	
	14	0.33	5.8	0.23	5.8	0.18	5.6	0.11	3.6	
	16	0.34	6.3	0.26	6.1	0.20	6.0	0.11	4.2	
	18	0.32	6.0	0.24	6.1	0.20	6.1	0.12	4.2	
	20	0.36	6.3	0.22	6.5	0.17	6.3	0.10	4.4	
	22	0.34	6.3	0.22	6.4	0.17	6.4	0.09	4.3	
	最大	0.48	6.5	0.34	5.8	0.28	6.1	0.17	4.8	
	平均	0.38	6.1	0.28	6.1	0.22	6.1	0.13	4.4	
	月最大	2.03	7.8	1.53	6.3	1.16	5.9	0.71	4.3	
	起時	2314		2314		2314		2314		
	平均	0.48	5.6	0.35	5.3	0.28	4.9	0.17	3.6	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	318 回	測得回数	0 回
欠測回数	42 回	欠測回数	360 回
欠測率	11.7 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.27	7.3	* 0.21	6.7	* 0.16	6.3	0.09	3.7		
	02	* 0.34	6.3	0.19	6.0	0.15	5.5	0.08	3.4		
	04	0.28	6.3	0.20	6.6	0.15	6.1	* 0.09	3.8		
	06	0.31	6.8	0.20	6.2	0.15	5.6	* 0.09	3.8		
	08	0.21	6.3	0.16	6.3	0.12	5.4	0.07	3.2		
	10	0.33	5.0	0.17	5.5	0.14	4.9	0.08	3.5		
	12	欠測									
	14	0.25	4.8	0.17	4.8	0.14	4.0	0.08	3.0		
	16	0.16	5.8	0.12	5.0	0.09	4.3	0.06	2.8		
	18	0.17	5.5	0.11	5.0	0.09	4.3	0.05	2.8		
	20	欠測									
	22	0.16	2.5	0.10	3.8	0.08	3.3	0.05	2.4		
	最大	0.34	6.3	0.21	6.7	0.16	6.3	0.09	3.8		
	平均	0.25	5.7	0.16	5.6	0.13	5.0	0.07	3.2		
02	00	0.12	2.8	0.09	5.0	0.07	3.9	0.04	2.6		
	02	0.12	14.3	0.09	5.0	0.07	3.7	0.04	2.4		
	04	0.11	4.5	0.08	4.2	0.07	3.6	0.04	2.4		
	06	0.15	4.0	0.09	4.3	0.07	3.6	0.05	2.5		
	08	0.13	4.8	0.09	2.6	0.07	2.4	0.04	1.9		
	10	0.12	1.8	0.08	2.9	0.06	2.7	0.04	2.0		
	12	* 0.24	3.5	* 0.12	2.4	* 0.09	2.6	* 0.06	2.1		
	14	0.11	3.3	0.08	2.8	0.06	2.6	0.04	2.0		
	16	0.17	3.5	0.10	2.9	0.08	2.7	0.05	2.1		
	18	0.16	2.0	0.08	3.5	0.06	3.0	0.03	2.1		
	20	欠測									
	22	0.10	5.0	0.07	4.2	0.06	3.8	0.04	2.7		
	最大	0.24	3.5	0.12	2.4	0.09	2.6	0.06	2.1		
	平均	0.14	4.5	0.09	3.6	0.07	3.1	0.04	2.3		
03	00	* 0.16	8.0	0.10	3.5	0.08	3.2	0.05	2.2		
	02	0.09	3.8	0.06	3.3	0.05	2.9	0.03	2.0		
	04	欠測									
	06	0.11	3.0	0.07	3.5	0.06	3.0	0.03	2.0		
	08	0.10	3.3	0.07	3.7	0.06	3.0	0.04	2.1		
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	0.15	5.0	* 0.11	4.7	* 0.09	4.7	* 0.05	3.1		
	20	欠測									
	22	0.11	6.8	0.09	5.9	0.07	5.2	0.04	3.2		
	最大	0.16	8.0	0.11	4.7	0.09	4.7	0.05	3.1		
	平均	0.12	5.0	0.08	4.1	0.07	3.7	0.04	2.4		
04	00	0.13	5.8	0.08	5.8	0.06	5.0	0.04	2.9		
	02	0.65	2.5	0.49	2.8	0.39	2.7	0.24	2.5		
	04	0.94	4.3	0.68	3.4	0.55	3.7	0.35	3.0		
	06	0.99	5.0	0.75	5.0	0.61	4.4	0.38	3.4		
	08	1.03	6.3	* 0.88	6.3	* 0.69	5.8	* 0.41	4.0		
	10	1.00	8.3	0.86	7.3	0.67	6.7	0.40	4.8		
	12	0.98	7.5	0.73	6.8	0.59	6.6	0.36	4.7		
	14	* 1.06	5.3	0.79	6.3	0.62	5.5	0.37	3.8		
	16	0.83	7.8	0.66	6.3	0.53	6.1	0.32	4.5		
	18	0.81	6.8	0.56	6.6	0.46	6.6	0.29	4.9		
	20	0.77	7.0	0.61	6.3	0.46	6.1	0.28	4.7		
	22	0.83	6.5	0.50	6.9	0.38	6.7	0.23	5.1		
	最大	1.06	5.3	0.88	6.3	0.69	5.8	0.41	4.0		

	平均	0.84	6.1	0.63	5.8	0.50	5.5	0.31	4.0		
05	00	0.59	7.0	0.45	6.8	0.37	7.0	* 0.22	5.4		
	02	* 0.64	7.3	* 0.48	7.1	* 0.39	7.1	0.22	5.2		
	04	0.44	6.0	0.37	7.0	0.30	6.8	0.17	4.5		
	06	0.40	6.8	0.32	6.7	0.25	6.5	0.14	4.0		
	08	0.38	6.0	0.25	6.4	0.19	5.7	0.11	3.3		
	10	0.26	8.3	0.20	6.7	0.15	5.4	0.08	3.2		
	12	0.27	2.5	0.18	4.0	0.14	3.8	0.09	2.7		
	14	欠測									
	16	0.22	5.8	0.15	5.8	0.11	4.8	0.07	3.0		
	18	0.22	5.8	0.12	5.7	0.10	4.6	0.06	2.9		
	20	0.39	7.5	0.25	5.0	0.18	4.5	0.10	3.1		
	22	0.13	7.0	0.10	5.3	0.08	4.4	0.05	2.8		
	最大	0.64	7.3	0.48	7.1	0.39	7.1	0.22	5.4		
	平均	0.36	6.4	0.26	6.0	0.21	5.5	0.12	3.6		
06	00	欠測									
	02	0.16	1.8	0.10	2.5	0.08	2.3	0.05	1.9		
	04	欠測									
	06	0.12	4.8	0.08	5.1	0.06	5.0	0.04	3.2		
	08	0.15	3.0	0.10	3.7	0.08	3.6	0.05	2.7		
	10	0.13	3.0	0.10	4.2	0.08	4.4	0.05	3.0		
	12	欠測									
	14	0.23	2.3	0.16	2.1	0.12	2.2	0.07	1.9		
	16	* 0.34	2.3	0.22	2.2	0.17	2.3	0.11	2.1		
	18	0.33	2.3	* 0.23	2.6	* 0.18	2.6	* 0.11	2.3		
	20	欠測									
	22	0.13	4.3	0.10	3.4	0.08	3.1	0.05	2.2		
	最大	0.34	2.3	0.23	2.6	0.18	2.6	0.11	2.3		
	平均	0.20	3.0	0.14	3.2	0.11	3.2	0.07	2.4		
07	00	0.13	3.5	0.10	4.1	0.08	4.0	0.05	3.0		
	02	0.13	3.3	0.10	3.7	0.08	3.4	0.05	2.5		
	04	0.14	5.0	0.11	3.5	0.09	3.2	0.05	2.5		
	06	0.19	6.3	0.13	3.8	0.11	3.8	0.07	2.8		
	08	0.31	4.5	0.22	4.4	0.17	4.3	0.11	3.4		
	10	0.42	8.8	0.34	7.4	0.27	7.3	0.17	5.2		
	12	0.51	6.8	0.40	6.9	0.31	6.9	0.18	5.0		
	14	0.52	6.3	0.37	6.5	0.29	6.4	0.17	4.5		
	16	* 0.62	6.0	0.42	5.7	0.32	5.1	0.19	3.4		
	18	0.62	4.8	* 0.42	6.0	* 0.33	5.3	* 0.20	3.7		
	20	0.55	5.0	0.41	5.5	0.32	5.5	0.19	4.1		
	22	0.35	7.5	0.27	6.6	0.21	6.4	0.13	4.8		
	最大	0.62	6.0	0.42	6.0	0.33	5.3	0.20	3.7		
	平均	0.37	5.7	0.27	5.3	0.22	5.1	0.13	3.7		
08	00	0.29	5.8	0.19	7.0	0.15	6.9	0.09	4.6		
	02	0.27	5.3	0.20	6.7	0.16	6.1	0.09	4.0		
	04	0.20	6.5	0.16	6.5	0.13	6.4	0.08	4.0		
	06	0.26	6.5	0.18	6.2	0.14	5.7	0.08	3.7		
	08	0.26	5.3	0.20	6.0	0.16	5.8	0.09	4.0		
	10	0.39	6.3	0.28	5.9	0.23	6.0	0.14	5.0		
	12	0.44	6.3	0.29	6.3	0.23	6.3	0.14	4.9		
	14	0.50	6.3	0.38	6.6	0.31	6.5	0.19	5.1		
	16	0.48	6.5	0.36	6.2	0.30	6.5	0.18	5.0		
	18	* 0.68	6.3	* 0.46	6.4	* 0.37	6.3	* 0.23	5.2		
	20	0.52	4.0	0.43	5.7	0.34	5.6	0.20	4.4		
	22	0.60	7.0	0.36	6.4	0.27	6.3	0.16	4.7		
	最大	0.68	6.3	0.46	6.4	0.37	6.3	0.23	5.2		
	平均	0.41	6.0	0.29	6.3	0.23	6.2	0.14	4.6		
09	00	0.71	6.5	0.48	7.1	0.38	6.9	0.23	5.6		
	02	0.62	7.3	0.52	6.8	0.42	6.6	0.25	5.0		
	04	0.82	6.8	0.59	6.5	0.47	6.7	0.29	5.2		
	06	0.95	8.0	0.72	6.7	0.55	6.8	0.33	5.5		
	08	* 1.33	3.8	* 0.97	5.5	* 0.76	4.6	* 0.48	3.5		
	10	0.96	5.8	0.73	5.4	0.59	4.8	0.37	3.5		
	12	0.88	7.5	0.70	5.6	0.56	5.1	0.36	3.7		
	14	0.82	6.8	0.63	5.4	0.49	4.6	0.31	3.3		
	16	0.73	8.3	0.58	5.1	0.48	4.4	0.31	3.2		
	18	0.89	8.3	0.74	5.5	0.60	4.6	0.40	3.5		
	20	1.27	6.5	0.86	5.4	0.71	4.7	0.45	3.5		
	22	1.06	6.3	0.80	6.0	0.63	5.4	0.39	3.8		

		最大	1.33	3.8	0.97	5.5	0.76	4.6	0.48	3.5		
		平均	0.92	6.8	0.69	5.9	0.55	5.4	0.35	4.1		
10	00	* 1.03	6.0	* 0.68	6.4	* 0.53	5.6	* 0.32	3.7			
	02	0.92	6.3	0.59	6.2	0.47	6.1	0.27	4.0			
	04	0.84	4.5	0.60	5.7	0.48	5.0	0.31	3.6			
	06	0.74	6.3	0.55	5.9	0.43	5.2	0.26	3.5			
	08	0.76	5.0	0.47	5.9	0.37	5.8	0.23	4.2			
	10	0.53	5.8	0.38	5.6	0.31	5.6	0.19	4.2			
	12	0.44	5.5	0.32	5.8	0.25	5.6	0.15	4.1			
	14	0.35	6.5	0.27	6.3	0.21	6.3	0.13	4.9			
	16	0.36	6.3	0.28	6.5	0.22	6.2	0.13	4.6			
	18	0.30	5.8	0.26	6.0	0.21	5.9	0.13	4.3			
	20	0.47	5.3	0.32	4.9	0.25	4.7	0.15	3.2			
	22	0.30	6.8	0.23	6.1	0.19	5.7	0.12	4.5			
	最大	1.03	6.0	0.68	6.4	0.53	5.6	0.32	3.7			
	平均	0.59	5.8	0.41	5.9	0.33	5.6	0.20	4.1			
11	00	0.35	6.0	0.21	6.1	0.16	5.8	0.10	4.2			
	02	0.25	5.5	0.20	5.8	0.16	5.6	0.10	3.9			
	04	0.24	6.5	0.18	6.5	0.14	6.0	0.08	4.1			
	06	0.23	6.3	0.16	5.9	0.12	5.2	0.07	3.4			
	08	0.23	5.5	0.14	5.1	0.11	4.4	0.07	2.9			
	10	0.44	2.5	0.33	2.6	0.27	2.7	0.17	2.5			
	12	0.54	4.8	0.41	3.7	0.32	3.5	0.20	2.8			
	14	0.61	3.8	0.39	4.3	0.30	4.0	0.19	3.1			
	16	* 0.66	4.3	* 0.44	4.6	* 0.34	4.6	* 0.21	3.4			
	18	0.45	4.3	0.32	4.7	0.27	4.7	0.17	3.6			
	20	0.46	4.5	0.29	4.3	0.23	4.2	0.14	3.1			
	22	0.33	5.3	0.26	3.2	0.21	3.0	0.13	2.4			
	最大	0.66	4.3	0.44	4.6	0.34	4.6	0.21	3.4			
	平均	0.40	4.9	0.28	4.7	0.22	4.5	0.14	3.3			
12	00	0.57	2.5	0.35	2.7	0.28	2.8	0.18	2.4			
	02	* 0.93	2.8	0.65	3.5	0.52	3.4	0.33	2.9			
	04	0.73	3.3	0.52	3.3	0.42	3.4	0.27	2.8			
	06	0.69	3.3	0.48	4.0	0.39	3.6	0.25	2.9			
	08	0.67	4.3	0.56	3.8	0.45	3.8	0.29	3.0			
	10	0.84	3.0	0.57	3.7	0.45	3.5	0.28	2.8			
	12	0.70	2.5	0.54	3.8	0.43	3.5	0.28	2.9			
	14	欠测										
	16	0.82	3.5	* 0.68	3.9	* 0.56	3.8	* 0.37	3.1			
	18	欠测										
	20	0.56	6.3	0.44	4.9	0.35	4.6	0.22	3.6			
	22	0.68	5.5	0.39	4.7	0.30	4.4	0.18	3.2			
	最大	0.93	2.8	0.68	3.9	0.56	3.8	0.37	3.1			
	平均	0.72	3.7	0.52	3.8	0.42	3.7	0.27	3.0			
13	00	0.51	5.5	0.39	5.6	0.31	5.4	0.19	4.5			
	02	0.46	5.0	0.37	5.8	0.29	5.7	0.19	5.0			
	04	0.42	4.8	0.35	6.0	0.28	5.8	0.17	4.6			
	06	0.41	6.0	0.31	5.9	0.24	5.8	0.15	4.4			
	08	0.39	6.0	0.29	6.4	0.23	5.8	0.14	4.3			
	10	0.39	5.0	0.32	4.9	0.26	4.3	0.16	3.0			
	12	0.56	5.3	0.41	3.5	0.32	3.4	0.20	2.7			
	14	0.65	2.3	0.47	3.1	0.37	3.2	0.24	2.7			
	16	0.78	5.8	* 0.60	4.2	* 0.49	3.8	* 0.32	3.0			
	18	* 0.81	3.3	0.58	4.4	0.47	4.0	0.31	3.1			
	20	0.65	5.8	0.54	5.0	0.44	4.5	0.28	3.4			
	22	0.66	5.8	0.46	5.4	0.35	4.8	0.21	3.5			
	最大	0.81	3.3	0.60	4.2	0.49	3.8	0.32	3.0			
	平均	0.56	5.1	0.42	5.0	0.34	4.7	0.21	3.7			
14	00	* 0.57	5.5	* 0.39	5.4	* 0.31	5.4	* 0.20	4.4			
	02	0.50	5.0	0.32	5.2	0.25	5.2	0.15	4.0			
	04	0.42	5.3	0.30	5.0	0.24	5.0	0.15	4.0			
	06	0.41	5.0	0.28	5.3	0.23	5.1	0.14	3.9			
	08	0.40	5.5	0.28	5.2	0.22	5.2	0.13	4.1			
	10	0.35	5.0	0.25	5.1	0.20	4.8	0.12	3.9			
	12	0.40	5.3	0.27	4.5	0.21	3.7	0.13	2.6			
	14	0.33	4.8	0.21	4.7	0.17	4.1	0.10	2.8			

	16		0.34	5.3	0.21	4.6	0.16	4.1	0.10	2.8	
	18		0.33	5.0	0.22	5.0	0.18	4.9	0.11	3.5	
	20		0.45	4.3	0.26	4.6	0.20	4.5	0.12	3.6	
	22		欠測								
	最大		0.57	5.5	0.39	5.4	0.31	5.4	0.20	4.4	
	平均		0.41	5.1	0.27	5.0	0.22	4.7	0.13	3.6	
15	00		0.22	5.0	0.14	5.3	0.10	4.8	0.06	2.9	
	02		0.18	5.3	0.12	3.6	0.09	3.0	0.06	2.1	
	04		0.17	2.8	0.09	3.4	0.07	3.0	0.05	2.1	
	06		0.24	4.8	0.13	2.1	0.10	2.0	0.06	1.8	
	08		0.16	2.0	0.12	2.1	0.10	2.3	0.06	2.0	
	10		0.14	3.0	0.11	2.6	0.09	2.5	0.05	2.0	
	12		0.25	2.5	0.16	3.0	0.13	2.6	0.08	2.0	
	14		0.20	1.5	0.14	1.8	0.11	1.9	0.07	1.7	
	16		0.20	5.5	0.15	1.9	0.12	1.8	0.07	1.8	
	18		0.17	1.5	0.11	1.8	0.09	1.9	0.05	1.7	
	20		* 0.46	7.3	* 0.28	5.5	* 0.20	4.2	* 0.12	2.8	
	22		0.28	3.8	0.20	1.9	0.15	1.9	0.09	1.8	
	最大		0.46	7.3	0.28	5.5	0.20	4.2	0.12	2.8	
	平均		0.22	3.8	0.15	2.9	0.11	2.7	0.07	2.1	
	16		0.24	3.5	0.16	1.9	0.12	1.9	0.08	1.8	
	02		0.17	8.0	0.10	3.2	0.08	2.8	0.05	2.1	
	04		0.13	6.3	0.09	5.4	0.07	3.7	0.04	2.4	
	06		0.18	8.0	0.12	7.0	0.09	5.5	0.05	3.2	
	08		0.20	7.3	0.13	6.9	0.09	5.3	0.05	3.0	
	10		0.59	2.0	0.38	2.6	0.30	2.7	0.20	2.5	
12		0.61	3.0	0.42	3.8	0.33	3.6	0.22	2.9		
14		0.63	3.0	0.46	3.4	0.37	3.4	0.24	2.7		
16		0.68	3.3	0.54	3.4	0.44	3.5	0.29	2.9		
18		0.84	2.8	0.55	4.5	0.45	3.9	0.30	3.0		
20		* 1.25	9.5	0.82	7.7	0.63	5.8	0.39	3.9		
22		1.12	4.3	* 0.83	5.7	* 0.65	4.6	* 0.43	3.5		
最大		1.25	9.5	0.83	5.7	0.65	4.6	0.43	3.5		
平均		0.55	5.1	0.38	4.6	0.30	3.9	0.20	2.8		
17	00		1.12	4.3	0.84	5.2	0.68	4.6	0.44	3.4	
	02		1.12	9.3	* 0.90	5.4	* 0.74	4.8	* 0.48	3.7	
	04		1.09	5.5	0.90	5.1	0.72	4.5	0.46	3.6	
	06		* 1.19	7.3	0.77	6.0	0.62	4.9	0.40	3.6	
	08		1.05	9.3	0.73	7.2	0.57	5.7	0.36	3.9	
	10		0.98	3.8	0.74	5.7	0.58	4.8	0.37	3.5	
	12		1.00	7.0	0.75	6.7	0.61	5.5	0.39	3.9	
	14		欠測								
	16		0.97	6.5	0.66	4.2	0.51	4.0	0.32	3.1	
	18		0.78	3.0	0.61	5.6	0.49	4.7	0.32	3.3	
	20		0.87	5.5	0.54	5.1	0.44	4.9	0.28	3.4	
	22		0.65	6.8	0.47	6.5	0.37	6.0	0.22	4.0	
	最大		1.19	7.3	0.90	5.4	0.74	4.8	0.48	3.7	
	平均		0.98	6.2	0.72	5.7	0.58	4.9	0.37	3.6	
	18		* 0.75	6.5	* 0.48	6.6	0.37	6.6	0.22	4.9	
	02		0.53	5.0	0.44	6.7	0.35	6.4	0.21	5.0	
	04		0.71	7.5	0.47	7.5	* 0.38	7.4	* 0.24	5.7	
	06		0.64	5.8	0.45	6.9	0.34	6.9	0.20	5.3	
	08		0.60	7.0	0.41	6.6	0.33	6.9	0.20	5.4	
	10		0.40	7.5	0.35	7.2	0.29	6.9	0.17	5.2	
12		0.44	6.5	0.34	6.9	0.27	6.8	0.17	5.3		
14		0.40	6.3	0.31	6.6	0.23	6.1	0.13	3.5		
16		0.46	6.3	0.29	6.7	0.23	6.5	0.13	4.3		
18		0.31	5.0	0.21	6.3	0.16	5.6	0.09	3.5		
20		0.50	6.3	0.37	5.4	0.27	5.4	0.15	4.1		
22		0.22	6.8	0.18	6.5	0.14	6.2	0.08	3.6		
最大		0.75	6.5	0.48	6.6	0.38	7.4	0.24	5.7		
平均		0.50	6.4	0.36	6.7	0.28	6.5	0.17	4.7		
19	00		* 0.26	6.8	* 0.16	6.4	0.11	5.3	0.06	3.3	
	02		0.20	4.8	0.15	5.5	0.11	4.4	0.07	2.7	
	04		0.16	6.3	0.12	6.0	0.09	5.7	0.05	3.5	
	06		0.19	6.0	0.12	5.6	0.10	4.8	0.06	3.1	
	08		0.16	5.5	0.12	5.9	0.09	5.7	0.05	3.7	
	10		0.17	5.5	0.13	5.7	0.10	4.8	0.06	3.1	

	12	欠測									
	14	0.20	14.8	0.15	4.8	* 0.12	4.3	* 0.07	3.2		
	16	0.22	6.0	0.15	5.5	0.11	4.9	0.07	3.1		
	18	0.16	6.0	0.13	6.2	0.10	5.5	0.06	3.6		
	20	欠測									
	22	0.15	5.8	0.11	6.0	0.09	5.6	0.05	3.6		
	最大	0.26	6.8	0.16	6.4	0.12	4.3	0.07	3.2		
	平均	0.19	6.8	0.13	5.8	0.10	5.1	0.06	3.3		
20	00	0.13	6.5	0.10	6.2	0.08	5.6	0.04	3.5		
	02	欠測									
	04	欠測									
	06	0.13	4.0	0.08	4.9	0.06	4.6	0.04	3.0		
	08	0.14	3.0	0.09	3.6	0.07	3.3	0.04	2.4		
	10	欠測									
	12	0.19	2.3	0.12	2.0	0.09	2.0	0.06	1.8		
	14	欠測									
	16	0.14	3.8	0.09	2.4	0.08	2.4	0.05	2.0		
	18	0.19	2.0	0.13	2.0	0.11	2.2	0.07	1.9		
	20	0.28	4.0	* 0.19	3.3	* 0.14	2.8	0.08	2.1		
	22	* 0.29	1.8	0.18	1.8	0.14	1.9	* 0.09	1.9		
	最大	0.29	1.8	0.19	3.3	0.14	2.8	0.09	1.9		
	平均	0.19	3.4	0.12	3.3	0.10	3.1	0.06	2.3		
	21	0.17	1.8	0.12	2.3	0.09	2.3	0.06	2.0		
	02	0.11	5.5	0.08	4.6	0.07	3.9	0.04	2.6		
	04	0.13	4.8	0.09	5.1	0.07	4.2	0.04	2.8		
	06	0.16	3.5	0.13	4.7	0.11	4.1	0.07	2.9		
	08	0.19	5.3	0.12	4.0	0.10	4.1	0.06	3.1		
	10	0.26	3.5	0.20	3.3	0.16	3.3	0.10	2.6		
	12	0.29	3.3	0.23	2.9	0.18	2.8	0.12	2.4		
	14	欠測									
	16	欠測									
	18	0.73	2.8	0.55	3.4	0.44	3.3	0.28	2.6		
	20	* 0.87	3.5	* 0.63	4.2	* 0.51	3.9	* 0.33	3.2		
	22	0.83	5.8	0.55	4.6	0.43	4.2	0.28	3.2		
	最大	0.87	3.5	0.63	4.2	0.51	3.9	0.33	3.2		
	平均	0.37	4.0	0.27	3.9	0.22	3.6	0.14	2.7		
22	00	1.07	7.8	0.84	7.1	0.65	5.8	0.40	3.9		
	02	1.53	6.3	1.01	7.0	0.76	5.9	0.47	4.1		
	04	1.70	7.0	1.26	5.8	1.02	5.2	0.64	4.1		
	06	1.67	7.0	* 1.30	6.4	* 1.06	6.1	* 0.70	4.6		
	08	* 1.78	7.0	1.29	6.7	1.05	6.2	0.67	4.6		
	10	1.64	7.8	1.24	7.0	1.01	6.1	0.64	4.5		
	12	欠測									
	14	1.49	6.3	1.14	6.9	0.89	5.7	0.58	4.1		
	16	1.44	7.0	1.10	5.6	0.88	5.2	0.58	4.0		
	18	1.40	6.8	0.98	7.3	0.77	6.0	0.48	4.2		
	20	1.05	10.3	0.79	8.3	0.63	7.2	0.37	4.7		
	22	0.86	8.5	0.67	8.5	0.54	8.4	0.32	5.4		
	最大	1.78	7.0	1.30	6.4	1.06	6.1	0.70	4.6		
	平均	1.42	7.4	1.06	7.0	0.84	6.2	0.53	4.4		
23	00	0.84	9.8	0.66	9.3	0.51	7.8	0.30	5.1		
	02	* 0.96	7.8	* 0.73	8.7	* 0.56	8.1	* 0.34	5.5		
	04	0.95	8.0	0.69	8.6	0.54	8.3	0.33	6.2		
	06	0.86	8.5	0.65	8.8	0.49	8.0	0.27	5.0		
	08	0.75	9.5	0.63	9.2	0.50	8.4	0.30	6.0		
	10	0.72	6.3	0.54	7.5	0.41	6.7	0.23	4.0		
	12	0.69	8.0	0.54	7.2	0.42	5.9	0.26	3.8		
	14	0.73	7.8	0.52	7.2	0.40	6.5	0.23	4.0		
	16	0.67	8.0	0.52	7.0	0.41	5.9	0.24	4.0		
	18	0.61	6.0	0.45	6.8	0.35	5.8	0.21	3.9		
	20	0.69	6.8	0.47	6.9	0.39	6.8	0.25	5.3		
	22	欠測									
	最大	0.96	7.8	0.73	8.7	0.56	8.1	0.34	5.5		
	平均	0.77	7.9	0.58	7.9	0.45	7.1	0.27	4.8		
24	00	* 0.62	6.5	* 0.41	7.1	* 0.31	7.1	0.18	5.0		
	02	0.50	7.0	0.39	7.3	0.30	6.6	* 0.18	5.1		

	04	0.42	5.0	0.32	7.0	0.24	7.0	0.15	5.2	
	06	0.41	6.3	0.27	6.9	0.21	6.6	0.12	4.7	
	08	0.41	6.8	0.29	6.8	0.22	6.6	0.13	4.7	
	10	0.39	6.3	0.28	6.5	0.22	6.1	0.13	4.1	
	12	0.40	6.8	0.28	7.2	0.21	6.7	0.12	4.8	
	14	0.31	6.8	0.24	6.3	0.20	6.2	0.12	4.4	
	16	0.31	6.8	0.26	6.2	0.21	6.1	0.13	4.6	
	18	0.32	5.8	0.21	5.8	0.17	5.2	0.10	3.7	
	20	0.34	6.0	0.24	5.2	0.19	4.4	0.11	3.1	
	22	0.26	6.8	0.22	5.9	0.17	5.7	0.10	3.9	
	最大	0.62	6.5	0.41	7.1	0.31	7.1	0.18	5.1	
	平均	0.39	6.4	0.28	6.5	0.22	6.2	0.13	4.4	
25	00	0.32	4.3	0.23	4.6	0.18	4.0	0.11	2.9	
	02	0.24	4.8	0.17	5.2	0.13	4.8	0.08	3.2	
	04	0.21	6.0	0.16	5.1	0.13	4.8	0.08	3.4	
	06	0.19	6.3	0.13	5.7	0.10	4.9	0.06	3.1	
	08	0.14	5.0	0.09	5.7	0.07	5.3	0.04	3.4	
	10	0.31	2.0	0.21	2.3	0.17	2.2	0.11	2.0	
	12	0.19	2.3	0.13	2.5	0.11	2.7	0.07	2.1	
	14	0.61	2.5	0.46	3.0	0.38	3.0	0.24	2.6	
	16	0.75	3.3	0.58	3.7	0.46	3.6	0.30	3.0	
	18	0.99	5.0	0.69	4.4	0.54	4.1	0.35	3.2	
	20	0.86	4.3	0.70	3.8	0.58	3.9	0.38	3.1	
	22	* 1.08	3.5	* 0.80	3.5	* 0.64	3.4	* 0.41	3.1	
	最大	1.08	3.5	0.80	3.5	0.64	3.4	0.41	3.1	
	平均	0.49	4.1	0.36	4.1	0.29	3.9	0.19	2.9	
26	00	1.02	3.8	* 0.79	3.9	* 0.64	4.0	* 0.41	3.3	
	02	1.05	3.5	0.78	4.4	0.61	4.4	0.39	3.4	
	04	0.89	5.8	0.67	5.2	0.53	4.5	0.33	3.4	
	06	1.08	7.3	0.71	5.9	0.58	5.0	0.37	3.7	
	08	0.91	5.3	0.69	6.0	0.54	5.4	0.33	3.8	
	10	0.95	6.3	0.70	6.9	0.55	6.1	0.34	4.3	
	12	* 1.09	6.3	0.67	6.5	0.50	6.3	0.30	4.4	
	14	0.81	6.8	0.67	6.6	0.53	6.0	0.33	4.5	
	16	1.07	6.0	0.77	6.7	0.59	6.2	0.35	4.3	
	18	1.01	7.3	0.69	6.7	0.55	6.3	0.32	4.4	
	20	0.78	6.3	0.63	5.8	0.50	5.9	0.30	4.5	
	22	0.64	6.0	0.52	6.5	0.43	6.5	0.28	5.2	
	最大	1.09	6.3	0.79	3.9	0.64	4.0	0.41	3.3	
	平均	0.94	5.9	0.69	5.9	0.55	5.6	0.34	4.1	
27	00	欠測								
	02	* 0.64	5.5	* 0.47	6.4	* 0.38	6.1	* 0.24	4.8	
	04	0.55	6.0	0.44	6.1	0.36	6.2	0.23	5.0	
	06	0.58	6.5	0.42	5.9	0.34	5.9	0.21	4.7	
	08	0.55	5.5	0.41	5.8	0.32	6.0	0.20	4.9	
	10	0.49	5.8	0.39	6.1	0.30	5.8	0.18	4.5	
	12	0.43	6.0	0.33	6.0	0.25	5.8	0.15	3.8	
	14	0.32	6.5	0.22	6.1	0.17	6.1	0.10	4.1	
	16	0.23	6.8	0.18	6.3	0.15	5.9	0.08	3.8	
	18	0.28	6.5	0.21	5.2	0.17	5.2	0.11	3.8	
	20	欠測								
	22	0.29	5.3	0.23	5.5	0.18	5.3	0.11	4.1	
	最大	0.64	5.5	0.47	6.4	0.38	6.1	0.24	4.8	
	平均	0.44	6.0	0.33	5.9	0.26	5.8	0.16	4.4	
28	00	0.32	5.3	0.22	5.5	0.17	5.6	0.10	4.4	
	02	0.27	5.0	0.17	4.8	0.14	4.9	0.08	3.7	
	04	0.21	5.8	0.15	5.7	0.12	5.5	0.07	3.7	
	06	欠測								
	08	0.29	5.5	0.22	5.9	0.17	5.6	0.10	4.0	
	10	0.37	6.3	* 0.33	5.8	* 0.27	5.8	* 0.16	4.7	
	12	0.45	5.3	0.33	5.4	0.26	5.4	0.16	4.4	
	14	0.36	5.8	0.26	5.6	0.20	5.6	0.12	4.1	
	16	* 0.48	5.5	0.31	5.5	0.24	5.6	0.15	4.4	
	18	0.38	5.5	0.29	6.0	0.24	5.7	0.15	4.4	
	20	0.39	5.3	0.28	5.6	0.22	5.3	0.14	4.1	
	22	0.31	5.5	0.25	5.5	0.20	5.3	0.13	4.4	
	最大	0.48	5.5	0.33	5.8	0.27	5.8	0.16	4.7	

	平均	0.35	5.5	0.26	5.6	0.20	5.5	0.12	4.2	
29	00	0.21	6.0	0.17	6.1	0.13	4.8	0.08	3.0	
	02	0.19	6.0	0.14	5.2	0.11	4.4	0.07	2.9	
	04	0.22	7.0	0.14	4.3	0.11	3.4	0.07	2.3	
	06	0.16	7.0	0.11	4.9	0.08	3.9	0.05	2.6	
	08	0.18	4.3	0.12	3.7	0.10	2.9	0.06	2.1	
	10	0.19	5.0	0.14	6.0	0.11	5.3	0.06	3.4	
	12	0.17	5.8	0.12	4.6	0.09	3.7	0.06	2.4	
	14	0.20	6.3	0.13	5.1	0.10	4.2	0.06	2.7	
	16	0.18	5.5	0.14	5.4	0.11	5.9	0.06	3.9	
	18	0.20	5.3	0.16	5.3	0.13	5.1	0.07	3.6	
	20	* 0.49	3.5	* 0.29	4.8	* 0.22	4.8	* 0.13	4.0	
	22	0.24	6.3	0.19	5.4	0.15	5.3	0.09	4.2	
	最大	0.49	3.5	0.29	4.8	0.22	4.8	0.13	4.0	
	平均	0.22	5.7	0.15	5.1	0.12	4.5	0.07	3.1	
30	00	* 0.20	5.3	* 0.16	5.2	* 0.12	5.5	* 0.07	3.9	
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大	0.20	5.3	0.16	5.2	0.12	5.5	0.07	3.9	
	平均	0.20	5.3	0.16	5.2	0.12	5.5	0.07	3.9	
月最大		1.78	7.0	1.30	6.4	1.06	6.1	0.70	4.6	
起時		2208		2206		2206		2206		
平均		0.51	5.5	0.37	5.3	0.29	4.9	0.18	3.6	

* は日最大波高を示す

波浪整理表（1）

2003年12月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	351 回	測得回数	0 回
欠測回数	21 回	欠測回数	372 回
欠測率	5.6 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度
01	00	欠測									
	02	1.27	4.0	* 0.86	5.4	* 0.67	4.9	* 0.42	3.6		
	04	1.21	3.3	0.84	6.2	0.66	5.5	0.41	3.9		
	06	* 1.30	5.8	0.74	6.1	0.58	5.2	0.37	3.8		
	08	1.09	6.3	0.68	6.2	0.53	5.5	0.31	3.8		
	10	0.80	7.3	0.61	6.5	0.49	5.9	0.29	4.0		
	12	0.90	6.8	0.66	7.0	0.52	6.7	0.31	4.6		
	14	1.10	6.3	0.64	6.9	0.47	5.8	0.28	3.8		
	16	0.73	7.0	0.59	6.2	0.45	5.6	0.27	3.8		
	18	0.72	4.0	0.59	5.6	0.47	4.9	0.29	3.4		
	20	1.27	4.5	0.74	3.9	0.59	3.9	0.39	3.2		
	22	1.03	5.8	0.78	4.3	0.63	4.1	0.40	3.2		
	最大	1.30	5.8	0.86	5.4	0.67	4.9	0.42	3.6		
	平均	1.04	5.6	0.70	5.8	0.55	5.3	0.34	3.7		
02	00	0.97	5.0	0.70	5.4	0.57	4.7	0.36	3.5		
	02	0.88	6.0	0.67	4.7	0.54	4.4	0.34	3.3		
	04	0.90	3.0	0.73	3.7	0.57	3.8	0.36	3.1		
	06	0.91	2.8	0.70	3.7	0.56	3.8	0.36	3.0		
	08	0.93	4.3	0.64	4.5	0.53	4.1	0.34	3.1		
	10	0.90	3.3	0.74	3.7	0.60	3.6	0.39	3.1		
	12	* 1.16	3.3	0.78	4.0	0.63	3.8	0.41	3.2		
	14	1.01	4.0	* 0.81	3.6	0.64	3.6	0.41	3.1		
	16	0.98	4.3	0.72	3.7	0.58	3.7	0.37	3.1		
	18	1.04	4.0	0.79	4.0	* 0.64	3.8	* 0.41	3.3		
	20	欠測									
	22	0.96	3.8	0.70	3.5	0.55	3.7	0.35	3.0		
	最大	1.16	3.3	0.81	3.6	0.64	3.8	0.41	3.3		
	平均	0.97	4.0	0.73	4.0	0.58	3.9	0.37	3.2		
03	00	* 0.92	5.0	0.59	4.0	0.47	3.7	0.30	3.0		
	02	0.85	3.3	* 0.64	3.2	* 0.52	3.5	* 0.35	3.0		
	04	0.67	3.3	0.53	4.2	0.43	3.6	0.28	3.0		
	06	欠測									
	08	0.59	4.5	0.41	4.6	0.31	4.5	0.19	3.4		
	10	0.37	3.0	0.28	5.0	0.23	5.0	0.14	3.8		
	12	0.43	6.0	0.32	5.4	0.26	5.3	0.16	4.1		
	14	0.45	6.0	0.31	5.8	0.24	5.4	0.14	4.1		
	16	0.36	6.3	0.27	6.2	0.22	5.9	0.13	4.5		
	18	0.75	3.8	0.48	3.9	0.38	3.4	0.25	2.8		
	20	0.82	4.8	0.60	4.1	0.48	3.8	0.32	3.2		
	22	0.80	5.3	0.62	4.4	0.50	4.1	0.31	3.2		
	最大	0.92	5.0	0.64	3.2	0.52	3.5	0.35	3.0		
	平均	0.64	4.7	0.46	4.6	0.37	4.4	0.23	3.5		
04	00	0.71	5.8	0.48	5.5	0.37	4.8	0.23	3.4		
	02	0.67	6.8	0.45	6.3	0.37	6.3	0.23	4.8		
	04	0.78	6.8	0.58	6.7	0.49	6.7	* 0.31	5.3		
	06	0.82	6.5	* 0.64	7.0	* 0.51	6.9	0.30	5.2		
	08	0.75	8.0	0.62	7.5	0.48	7.3	0.28	5.4		
	10	0.79	7.8	0.58	7.5	0.46	6.9	0.28	5.2		
	12	0.72	6.5	0.54	7.3	0.42	6.8	0.25	4.5		
	14	0.67	7.0	0.54	7.1	0.43	6.1	0.26	3.8		
	16	* 0.87	6.5	0.63	6.5	0.49	5.5	0.30	3.5		
	18	0.68	5.8	0.54	6.4	0.44	6.1	0.26	4.1		
	20	0.80	7.5	0.58	7.1	0.44	6.8	0.26	4.8		
	22	0.54	6.8	0.40	7.6	0.31	7.4	0.19	5.4		
	最大	0.87	6.5	0.64	7.0	0.51	6.9	0.31	5.3		

	平均	0.73	6.8	0.55	6.9	0.43	6.5	0.26	4.6	
05	00	0.66	7.0	0.40	6.9	0.31	6.7	0.19	5.0	
	02	0.62	7.0	* 0.47	6.7	* 0.35	6.5	* 0.20	4.9	
	04	* 0.68	6.0	0.40	6.3	0.31	6.1	0.18	4.4	
	06	0.49	6.3	0.38	6.5	0.30	6.3	0.18	4.6	
	08	0.40	6.5	0.32	6.7	0.26	6.7	0.16	5.2	
	10	0.38	6.8	0.30	6.7	0.24	6.4	0.14	4.8	
	12	0.41	6.5	0.29	6.3	0.23	6.2	0.14	4.4	
	14	0.48	6.3	0.29	6.2	0.22	6.1	0.13	4.2	
	16	0.28	6.5	0.21	6.4	0.16	6.2	0.09	3.9	
	18	0.23	6.8	0.18	6.5	0.15	6.1	0.09	4.0	
20	0.50	10.3	0.26	5.6	0.19	5.5	0.11	3.9		
22	0.19	6.5	0.15	6.4	0.11	5.4	0.06	3.2		
最大平均	0.68	6.0	0.47	6.7	0.35	6.5	0.20	4.9		
	0.44	6.9	0.30	6.4	0.24	6.2	0.14	4.4		
06	00	0.22	4.5	0.15	6.2	0.12	5.2	0.07	3.0	
	02	欠測								
	04	欠測								
	06	0.19	5.3	0.12	6.3	0.09	5.0	0.06	3.0	
	08	0.18	5.0	0.12	3.1	0.10	2.5	0.06	1.9	
	10	0.21	3.0	0.14	3.6	0.11	3.1	0.07	2.3	
	12	0.19	3.5	0.13	2.2	0.10	2.3	0.06	2.0	
	14	欠測								
	16	0.14	3.3	0.10	3.5	0.07	3.1	0.05	2.3	
	18	0.27	1.8	0.19	2.0	0.14	2.5	0.09	2.2	
20	* 0.61	4.3	* 0.48	3.8	* 0.38	3.6	* 0.24	2.8		
22	0.54	5.5	0.40	4.4	0.32	3.9	0.20	2.9		
最大平均	0.61	4.3	0.48	3.8	0.38	3.6	0.24	2.8		
	0.28	4.0	0.20	3.9	0.16	3.5	0.10	2.5		
07	00	0.74	5.0	0.53	5.7	0.41	5.3	0.25	3.7	
	02	0.80	6.3	0.54	5.5	0.42	5.2	0.26	3.6	
	04	1.40	8.5	0.95	6.4	0.75	6.1	0.45	4.1	
	06	* 1.67	6.5	1.13	6.0	0.91	5.5	0.57	4.1	
	08	1.58	6.5	1.27	6.6	1.00	6.0	0.61	4.2	
	10	1.59	8.0	1.16	7.3	0.95	7.0	0.60	4.8	
	12	1.64	9.3	* 1.30	7.1	* 1.03	6.0	* 0.63	4.3	
	14	1.38	6.8	1.09	7.6	0.88	6.6	0.54	4.5	
	16	1.50	6.3	1.09	5.6	0.88	5.4	0.56	4.0	
	18	1.45	7.8	1.18	6.5	0.97	5.6	0.61	4.1	
20	1.41	4.5	1.05	5.8	0.81	4.8	0.51	3.6		
22	1.22	6.5	0.87	7.9	0.70	6.5	0.44	4.5		
最大平均	1.67	6.5	1.30	7.1	1.03	6.0	0.63	4.3		
	1.37	6.8	1.01	6.5	0.81	5.8	0.50	4.1		
08	00	1.05	7.5	0.78	7.4	0.60	6.0	0.39	4.1	
	02	0.84	9.0	0.60	7.8	0.49	6.7	0.31	4.6	
	04	0.70	7.0	0.56	7.5	0.45	6.6	0.29	4.7	
	06	0.68	7.3	0.55	7.9	0.45	7.6	0.29	6.0	
	08	0.60	6.8	0.46	7.0	0.38	7.0	0.24	5.6	
	10	0.62	7.8	0.47	7.4	0.39	7.3	0.23	5.1	
	12	0.68	7.8	0.51	7.4	0.40	7.1	0.24	4.6	
	14	0.82	7.5	0.63	7.2	0.49	6.3	0.29	4.2	
	16	0.85	8.0	0.66	6.7	0.52	5.7	0.32	3.6	
	18	0.90	5.5	0.77	6.6	0.61	5.7	0.38	3.9	
20	* 1.11	7.8	0.80	7.2	0.63	6.9	0.38	4.5		
22	1.10	6.8	* 0.82	7.7	* 0.65	7.2	* 0.40	5.3		
最大平均	1.11	7.8	0.82	7.7	0.65	7.2	0.40	5.3		
	0.83	7.4	0.63	7.3	0.51	6.7	0.31	4.7		
09	00	1.07	5.8	0.87	7.2	0.70	7.0	0.43	5.2	
	02	1.05	9.0	0.89	8.0	0.70	7.4	0.43	5.3	
	04	* 1.49	7.8	* 1.15	6.5	* 0.93	5.8	* 0.58	4.1	
	06	1.29	7.0	0.98	6.6	0.78	6.0	0.47	4.1	
	08	1.20	8.3	0.92	7.7	0.73	6.9	0.45	4.7	
	10	1.15	10.0	0.85	6.8	0.68	5.8	0.42	4.1	
	12	1.04	8.3	0.77	7.6	0.60	6.4	0.38	4.2	
	14	1.05	6.8	0.81	6.7	0.64	5.9	0.39	4.0	
	16	1.06	5.3	0.81	5.9	0.65	5.4	0.42	3.9	
	18	1.11	5.8	0.83	6.0	0.66	5.4	0.41	3.9	
20	1.22	6.8	0.77	6.2	0.61	5.9	0.38	4.1		
22	0.92	7.8	0.69	6.6	0.56	5.3	0.36	3.8		

	最大	1.49	7.8	1.15	6.5	0.93	5.8	0.58	4.1				
	平均	1.14	7.4	0.86	6.8	0.69	6.1	0.43	4.3				
10	00	* 0.96	7.8	* 0.69	6.2	* 0.55	5.3	* 0.34	3.7				
	02	0.78	6.0	0.60	6.2	0.49	5.7	0.31	3.9				
	04	0.67	5.5	0.53	5.8	0.43	5.7	0.27	4.0				
	06	0.81	6.3	0.49	6.1	0.38	5.3	0.24	3.6				
	08	0.60	4.5	0.48	6.2	0.37	5.1	0.23	3.7				
	10	0.65	7.3	0.50	4.8	0.40	4.3	0.26	3.3				
	12	0.62	2.3	0.48	4.3	0.39	3.9	0.25	2.9				
	14	0.71	5.0	0.47	4.9	0.37	4.0	0.24	3.0				
	16	0.64	6.5	0.46	5.5	0.36	4.3	0.22	3.1				
	18	0.48	5.5	0.36	6.3	0.29	5.5	0.17	3.7				
	20	0.44	7.0	0.34	6.1	0.26	5.5	0.16	3.9				
	22	欠測											
	最大	0.96	7.8	0.69	6.2	0.55	5.3	0.34	3.7				
	平均	0.67	5.8	0.49	5.7	0.39	5.0	0.24	3.5				
11	00	0.28	7.0	0.23	6.4	* 0.19	6.0	* 0.11	4.6				
	02	0.22	6.8	0.19	6.6	0.16	6.3	0.09	4.4				
	04	0.32	6.0	0.24	6.2	0.18	6.3	* 0.11	4.6				
	06	0.26	7.0	0.19	6.8	0.14	6.3	0.08	4.1				
	08	欠測											
	10	0.21	6.5	0.15	7.4	0.12	6.8	0.07	4.7				
	12	0.24	11.5	0.16	6.5	0.12	6.5	0.07	4.1				
	14	0.22	7.0	0.15	6.7	0.11	6.2	0.06	3.9				
	16	0.17	6.8	0.13	6.9	0.10	6.2	0.05	3.6				
	18	0.17	7.3	0.11	7.1	0.09	6.8	0.05	4.1				
	20	* 0.38	7.8	* 0.25	5.8	0.19	5.0	0.11	4.0				
	22	0.14	6.3	0.09	5.9	0.07	4.9	0.04	3.3				
	最大	0.38	7.8	0.25	5.8	0.19	6.0	0.11	4.6				
	平均	0.24	7.3	0.17	6.6	0.13	6.1	0.08	4.1				
12	00	0.10	7.0	0.07	7.1	0.06	5.9	0.03	3.4				
	02	0.13	2.3	0.08	5.9	0.06	5.0	0.03	3.1				
	04	0.12	6.3	0.08	6.1	0.06	5.1	0.03	3.1				
	06	0.15	6.5	0.11	4.7	0.09	3.8	0.05	2.5				
	08	0.62	3.3	0.41	3.0	0.32	3.0	0.20	2.6				
	10	欠測											
	12	0.59	3.8	0.43	4.9	0.35	5.0	0.22	4.1				
	14	0.48	6.3	0.39	6.1	0.32	5.8	0.20	4.3				
	16	0.70	6.3	0.52	5.6	0.41	5.2	0.25	3.6				
	18	欠測											
	20	* 1.17	8.3	* 0.94	6.8	* 0.75	5.4	* 0.47	3.9				
	22	1.06	8.8	0.87	7.3	0.72	7.0	0.46	4.8				
	最大	1.17	8.3	0.94	6.8	0.75	5.4	0.47	3.9				
	平均	0.51	5.9	0.39	5.8	0.31	5.1	0.19	3.5				
13	00	* 1.01	8.0	* 0.71	6.5	* 0.55	5.6	* 0.34	3.8				
	02	0.85	8.0	0.66	7.0	0.52	7.3	0.31	5.6				
	04	0.76	8.0	0.54	7.5	0.44	7.0	0.28	5.4				
	06	0.72	7.8	0.55	7.7	0.44	7.6	0.28	6.2				
	08	欠測											
	10	0.77	8.3	0.59	7.6	0.44	7.5	0.27	5.9				
	12	0.77	6.5	0.49	7.2	0.40	7.2	0.24	5.9				
	14	0.62	7.8	0.45	6.9	0.37	7.1	0.23	5.6				
	16	0.58	6.8	0.47	6.8	0.40	6.8	0.26	5.3				
	18	0.90	6.5	0.50	7.5	0.40	7.1	0.23	5.3				
	20	0.97	6.5	0.62	7.0	0.47	7.0	0.28	5.1				
	22	0.74	7.3	0.59	6.5	0.47	6.5	0.30	5.3				
	最大	1.01	8.0	0.71	6.5	0.55	5.6	0.34	3.8				
	平均	0.79	7.4	0.56	7.1	0.45	7.0	0.27	5.4				
14	00	0.58	7.5	0.47	6.5	0.38	6.4	0.24	4.9				
	02	0.70	7.5	0.47	6.8	0.37	6.5	0.23	4.9				
	04	0.59	7.0	0.44	6.8	0.35	6.9	0.22	5.6				
	06	* 0.74	6.3	* 0.48	6.7	* 0.39	6.4	* 0.24	5.4				
	08	0.54	7.3	0.42	6.9	0.34	6.7	0.20	5.0				
	10	0.41	7.5	0.35	6.6	0.29	6.5	0.18	5.0				
	12	0.40	6.8	0.33	6.9	0.26	6.6	0.16	4.8				
	14	0.48	7.0	0.32	6.9	0.25	6.9	0.15	5.1				

	16	0.36	6.5	0.32	6.6	0.25	6.8	0.15	5.1	
	18	0.46	7.5	0.30	7.3	0.23	7.2	0.14	5.4	
	20	0.57	6.0	0.35	6.2	0.26	5.9	0.16	4.6	
	22	0.37	6.0	0.26	6.8	0.22	6.7	0.13	4.9	
最大										
	平均	0.74	6.3	0.48	6.7	0.39	6.4	0.24	5.4	
15		0.52	6.9	0.38	6.8	0.30	6.6	0.18	5.1	
	00	0.31	6.8	0.25	7.2	0.19	6.9	0.12	5.2	
	02	0.45	7.0	0.27	7.1	0.20	6.9	0.12	5.1	
	04	0.30	7.0	0.23	6.9	0.18	6.9	0.11	5.0	
	06	0.30	6.8	0.20	6.9	0.15	6.8	0.09	4.5	
	08	0.32	7.0	0.19	6.8	0.14	6.9	0.08	4.4	
	10	0.21	7.8	0.14	6.7	0.11	6.2	0.06	3.6	
	12	0.27	5.5	0.17	4.8	0.14	4.8	0.08	3.3	
	14	0.21	6.0	0.17	6.8	0.13	6.2	0.07	4.0	
	16	0.58	7.3	0.47	7.9	0.37	7.9	0.22	6.4	
	18	0.94	7.8	0.72	6.6	0.59	5.7	0.38	4.2	
	20	0.88	8.0	0.66	6.3	0.51	5.3	0.31	3.6	
	22	* 1.53	7.0	* 1.14	5.5	* 0.92	5.2	* 0.57	4.0	
最大										
	平均	1.53	7.0	1.14	5.5	0.92	5.2	0.57	4.0	
16		0.53	7.0	0.38	6.6	0.30	6.3	0.18	4.4	
	00	1.65	7.3	* 1.29	6.9	* 1.02	6.4	* 0.63	4.5	
	02	欠測								
	04	1.32	11.3	1.08	7.3	0.91	6.3	0.58	4.5	
	06	1.47	8.0	1.06	7.7	0.84	6.8	0.52	4.8	
	08	* 1.82	8.0	1.13	7.0	0.91	6.3	0.58	4.4	
	10	1.41	4.3	1.09	5.9	0.89	5.1	0.57	4.0	
	12	1.11	9.0	0.79	6.2	0.63	5.5	0.39	3.8	
	14	1.02	6.3	0.79	6.5	0.64	6.0	0.40	4.2	
	16	0.92	8.0	0.70	6.7	0.55	6.0	0.33	4.0	
	18	欠測								
	20	0.90	7.3	0.61	6.6	0.46	6.1	0.29	4.6	
	22	0.56	6.5	0.48	7.0	0.39	7.1	0.24	5.3	
最大										
	平均	1.82	8.0	1.29	6.9	1.02	6.4	0.63	4.5	
17		1.22	7.6	0.90	6.8	0.72	6.2	0.45	4.4	
	00	0.54	6.3	0.45	7.2	0.35	6.9	0.21	5.3	
	02	0.67	6.3	0.46	6.8	0.37	6.9	0.23	5.5	
	04	0.49	6.8	0.34	6.6	0.27	6.4	0.16	4.7	
	06	0.45	8.0	0.33	7.5	0.26	7.4	0.15	5.4	
	08	0.31	7.3	0.24	7.2	0.19	6.7	0.11	4.0	
	10	0.38	7.8	0.20	7.0	0.14	5.9	0.08	3.4	
	12	0.23	9.0	0.16	7.3	0.11	5.8	0.06	3.5	
	14	0.24	7.5	0.17	7.1	0.14	6.5	0.08	4.0	
	16	0.22	5.5	0.18	6.5	0.14	5.8	0.08	3.5	
	18	0.35	7.0	0.26	6.9	0.20	6.4	0.11	4.0	
	20	0.54	7.0	0.38	7.2	0.29	7.1	0.17	5.4	
	22	* 0.85	8.8	* 0.61	4.9	* 0.49	4.3	* 0.31	3.1	
最大										
	平均	0.85	8.8	0.61	4.9	0.49	4.3	0.31	3.1	
18		0.44	7.3	0.32	6.9	0.25	6.3	0.15	4.3	
	00	1.40	7.3	0.94	7.6	0.73	6.8	0.44	4.5	
	02	* 2.35	7.5	1.48	7.0	1.16	6.8	0.73	4.7	
	04	1.94	8.3	1.44	6.6	1.14	5.8	0.72	4.3	
	06	2.16	5.5	* 1.73	6.3	* 1.34	6.1	* 0.85	4.5	
	08	2.31	6.3	1.52	7.6	1.22	6.6	0.77	4.6	
	10	1.48	5.5	1.13	7.1	0.91	6.1	0.58	4.4	
	12	1.53	10.8	1.21	9.2	0.95	8.5	0.58	5.4	
	14	1.15	9.8	0.82	7.5	0.65	6.7	0.40	4.5	
	16	1.17	7.8	0.88	7.5	0.71	7.0	0.43	4.6	
	18	1.05	10.0	0.73	8.0	0.58	7.5	0.35	5.2	
	20	0.87	7.3	0.65	7.8	0.51	7.4	0.31	5.1	
	22	0.81	9.3	0.59	8.3	0.47	7.6	0.28	5.6	
最大										
	平均	2.35	7.5	1.73	6.3	1.34	6.1	0.85	4.5	
19		1.52	8.0	1.09	7.5	0.86	6.9	0.54	4.8	
	00	0.66	8.0	0.53	8.8	0.43	8.1	0.27	6.4	
	02	0.65	8.0	0.42	7.7	0.34	7.9	0.21	6.1	
	04	0.52	7.8	0.39	7.1	0.31	7.0	0.19	5.6	
	06	0.50	7.0	0.41	7.0	0.33	6.9	0.20	5.4	
	08	0.91	7.0	0.67	5.5	0.53	4.9	0.34	3.3	
	10	欠測								

	12	* 1.88	7.8	1.19	6.4	0.92	5.6	0.59	3.9	
	14	1.59	8.8	1.20	7.6	0.93	7.2	0.54	4.8	
	16	1.80	5.8	* 1.29	6.2	* 1.02	6.1	* 0.66	4.5	
	18	1.59	5.0	1.21	5.7	0.96	5.0	0.60	4.0	
	20	欠測								
	22	1.51	4.0	1.18	7.1	0.92	6.0	0.58	4.3	
	最大	1.88	7.8	1.29	6.2	1.02	6.1	0.66	4.5	
	平均	1.16	6.9	0.85	6.9	0.67	6.5	0.42	4.8	
20	00	1.56	8.5	1.25	7.0	0.99	5.7	0.62	4.0	
	02	1.76	6.8	1.47	6.9	1.18	5.8	0.74	4.3	
	04	1.71	6.5	1.38	5.4	1.16	5.2	0.75	4.1	
	06	1.74	7.0	1.34	5.5	1.12	5.4	0.75	4.2	
	08	* 2.60	7.3	1.77	6.2	1.42	5.6	0.89	4.3	
	10	2.01	4.8	1.58	5.9	1.29	5.7	0.83	4.3	
	12	2.43	5.0	* 1.79	6.6	* 1.44	6.0	* 0.93	4.7	
	14	2.13	6.8	1.46	5.5	1.16	5.1	0.75	4.1	
	16	2.16	7.3	1.45	5.4	1.24	5.2	0.80	4.2	
	18	1.57	6.5	1.29	6.0	1.04	5.6	0.65	4.2	
	20	1.31	6.5	1.03	8.3	0.80	7.5	0.48	4.9	
	22	1.22	7.0	0.83	8.7	0.66	7.3	0.41	4.9	
	最大	2.60	7.3	1.79	6.6	1.44	6.0	0.93	4.7	
	平均	1.85	6.7	1.39	6.5	1.13	5.8	0.72	4.4	
	21	00	0.95	9.5	0.65	8.7	0.49	7.3	0.29	4.6
	02	1.01	8.5	0.72	7.4	0.56	7.4	0.33	4.7	
	04	0.95	8.3	* 0.79	6.4	* 0.64	5.8	* 0.39	4.0	
	06	* 1.09	6.8	0.72	7.6	0.57	6.4	0.35	4.8	
	08	0.85	6.5	0.71	6.3	0.56	6.1	0.35	4.6	
	10	0.92	6.3	0.70	6.8	0.57	6.8	0.35	5.2	
	12	0.91	5.3	0.67	5.8	0.52	5.5	0.32	4.1	
	14	0.63	4.5	0.52	6.0	0.42	5.4	0.26	3.7	
	16	0.68	6.5	0.53	5.4	0.43	5.4	0.27	3.9	
	18	0.70	6.5	0.47	6.2	0.37	5.9	0.22	4.4	
	20	0.44	7.0	0.37	6.6	0.30	6.5	0.19	5.0	
	22	0.49	6.0	0.34	7.0	0.27	6.9	0.16	4.9	
	最大	1.09	6.8	0.79	6.4	0.64	5.8	0.39	4.0	
	平均	0.80	6.8	0.60	6.7	0.48	6.3	0.29	4.5	
22	00	0.48	7.3	0.35	7.0	0.26	6.9	0.15	5.0	
	02	0.38	6.3	0.27	7.1	0.22	6.9	0.13	5.2	
	04	0.49	5.3	0.33	5.4	0.24	5.6	0.14	4.0	
	06	0.39	6.5	0.26	6.6	0.20	6.6	0.11	4.7	
	08	0.42	6.5	0.31	6.6	0.25	6.6	0.15	5.0	
	10	0.57	7.0	0.42	7.0	0.34	7.0	0.21	5.4	
	12	0.59	7.0	0.46	6.8	0.37	6.7	0.22	5.0	
	14	0.60	6.3	0.44	6.3	0.35	6.3	0.21	4.9	
	16	0.65	7.3	0.45	6.6	0.35	6.3	0.22	5.0	
	18	0.53	6.0	0.41	6.5	0.32	6.3	0.19	4.9	
	20	* 0.92	7.8	* 0.73	8.7	* 0.57	8.7	* 0.34	6.5	
	22	0.87	8.5	0.69	8.2	0.54	8.2	0.33	6.1	
	最大	0.92	7.8	0.73	8.7	0.57	8.7	0.34	6.5	
	平均	0.57	6.8	0.43	6.9	0.33	6.8	0.20	5.1	
	23	00	0.94	9.8	0.66	8.6	0.53	8.3	0.31	5.6
	02	* 1.04	7.8	* 0.69	8.6	* 0.54	8.3	* 0.33	6.2	
	04	0.92	8.0	0.61	7.9	0.48	8.0	0.28	5.9	
	06	0.71	7.8	0.54	8.6	0.42	8.0	0.25	5.9	
	08	0.67	7.5	0.47	8.0	0.36	7.7	0.21	5.4	
	10	0.59	6.3	0.46	7.8	0.34	7.5	0.20	5.2	
	12	0.54	7.5	0.44	8.0	0.35	7.9	0.22	6.0	
	14	0.53	7.0	0.43	7.7	0.34	7.7	0.20	5.5	
	16	0.52	7.5	0.42	6.8	0.34	7.0	0.20	5.1	
	18	欠測								
	20	0.63	6.3	0.46	6.9	0.38	7.2	0.22	5.4	
	22	0.51	6.5	0.41	7.2	0.32	7.3	0.20	5.8	
	最大	1.04	7.8	0.69	8.6	0.54	8.3	0.33	6.2	
	平均	0.69	7.5	0.51	7.8	0.40	7.7	0.24	5.6	
24	00	0.43	8.5	0.35	7.3	0.29	7.3	0.16	5.0	
	02	0.42	7.5	0.33	7.8	0.27	7.6	0.15	5.0	

	04		0.45	7.5	0.32	8.2	0.24	7.5	0.14	4.7	
	06		0.46	7.5	0.30	7.8	0.23	7.3	0.13	4.6	
	08		欠測								
	10		0.42	7.0	0.32	7.6	0.26	7.2	0.15	5.2	
	12		0.54	8.0	0.42	7.1	0.32	7.2	0.20	5.7	
	14		* 0.63	8.0	* 0.49	4.9	* 0.40	4.5	* 0.25	3.2	
	16		0.54	7.5	0.39	6.8	0.30	5.8	0.18	3.9	
	18		0.48	6.8	0.35	6.6	0.27	5.8	0.16	4.1	
	20		0.49	7.5	0.41	6.3	0.35	6.2	0.22	4.5	
	22		0.61	7.0	0.45	7.5	0.35	7.6	0.21	5.5	
	最大		0.63	8.0	0.49	4.9	0.40	4.5	0.25	3.2	
	平均		0.50	7.5	0.38	7.1	0.30	6.7	0.18	4.7	
25	00		0.51	7.0	0.41	7.9	0.33	7.6	0.20	5.6	
	02		0.51	7.8	0.41	7.3	0.31	7.1	0.19	5.1	
	04		0.54	7.3	0.40	7.2	0.31	7.0	0.19	5.3	
	06		0.46	7.0	0.31	6.9	0.24	6.9	0.13	4.6	
	08		0.31	6.8	0.26	7.3	0.22	7.3	0.13	5.4	
	10		0.28	12.3	0.21	6.4	0.16	5.8	0.09	3.8	
	12		0.29	7.3	0.22	6.8	0.17	6.5	0.09	4.1	
	14		0.25	6.0	0.15	5.4	0.12	4.3	0.07	2.8	
	16		0.20	6.8	0.14	6.5	0.10	5.7	0.06	3.6	
	18		0.23	6.5	0.17	7.0	0.13	6.6	0.07	4.1	
20		欠測									
22		* 1.10	7.8	* 0.82	7.9	* 0.61	6.6	* 0.37	4.2		
	最大		1.10	7.8	0.82	7.9	0.61	6.6	0.37	4.2	
	平均		0.43	7.5	0.32	7.0	0.25	6.5	0.14	4.4	
26	00		0.99	5.0	0.81	4.9	* 0.67	4.4	* 0.43	3.3	
	02		0.95	3.3	* 0.81	5.2	0.65	4.8	0.41	3.5	
	04		* 1.22	8.3	0.67	6.5	0.51	5.4	0.31	3.9	
	06		0.81	8.0	0.55	7.2	0.41	5.6	0.25	3.6	
	08		0.86	9.0	0.59	8.8	0.44	8.0	0.25	4.9	
	10		0.74	9.0	0.53	8.8	0.40	8.3	0.23	5.4	
	12		0.80	9.0	0.61	6.9	0.49	5.2	0.32	3.6	
	14		0.82	9.3	0.56	8.1	0.43	7.7	0.26	5.2	
	16		0.82	8.0	0.62	7.2	0.48	6.5	0.29	4.6	
	18		0.79	9.0	0.63	5.8	0.50	4.6	0.31	3.2	
20		1.04	7.5	0.71	5.9	0.57	5.0	0.35	3.6		
22		0.67	7.5	0.54	6.7	0.43	5.2	0.27	3.6		
	最大		1.22	8.3	0.81	5.2	0.67	4.4	0.43	3.3	
	平均		0.88	7.7	0.64	6.8	0.50	5.9	0.31	4.0	
27	00		1.21	3.5	0.93	4.8	0.75	4.4	0.48	3.4	
	02		1.26	6.5	0.94	6.2	0.75	5.4	0.46	3.9	
	04		1.30	7.5	0.89	6.1	0.73	5.4	0.46	3.7	
	06		1.24	6.3	0.96	7.2	0.78	6.2	0.48	4.2	
	08		1.29	7.8	0.90	6.4	0.72	5.7	0.46	4.1	
	10		1.10	7.0	0.87	5.9	0.72	5.0	0.47	3.8	
	12		1.10	5.5	0.81	5.5	0.64	4.9	0.40	3.6	
	14		1.49	3.3	1.12	4.3	0.90	4.1	0.57	3.5	
	16		* 1.61	7.3	* 1.31	5.1	* 1.05	4.7	* 0.66	3.9	
	18		1.26	5.8	1.01	4.8	0.81	4.7	0.53	3.8	
20		1.16	6.0	0.82	5.3	0.64	4.8	0.41	3.6		
22		0.95	8.5	0.75	5.5	0.60	5.0	0.38	3.7		
	最大		1.61	7.3	1.31	5.1	1.05	4.7	0.66	3.9	
	平均		1.25	6.3	0.94	5.6	0.76	5.0	0.48	3.8	
28	00		0.90	6.5	0.65	5.5	* 0.54	5.0	* 0.35	3.6	
	02		0.84	3.0	0.57	5.4	0.45	4.7	0.28	3.4	
	04		* 0.94	7.5	* 0.65	7.2	0.50	6.5	0.30	4.2	
	06		欠測								
	08		0.60	7.0	0.47	7.2	0.37	7.0	0.22	4.8	
	10		0.64	6.3	0.49	7.1	0.40	7.2	0.25	5.6	
	12		欠測								
	14		0.61	6.3	0.45	7.0	0.35	7.0	0.21	5.4	
	16		0.52	6.5	0.41	6.8	0.32	6.8	0.19	5.3	
	18		0.47	7.0	0.33	6.9	0.25	6.7	0.14	4.9	
20		0.40	6.8	0.31	5.6	0.24	5.6	0.14	4.2		
22		0.32	6.5	0.22	6.7	0.17	6.7	0.10	4.5		
	最大		0.94	7.5	0.65	7.2	0.54	5.0	0.35	3.6	

	平均	0.62	6.3	0.46	6.5	0.36	6.3	0.22	4.6	
29	00	0.34	6.5	0.23	6.8	0.18	6.4	0.10	4.1	
	02	0.29	6.5	0.20	6.2	0.16	6.0	0.09	4.2	
	04	0.30	6.5	0.22	6.5	0.18	6.3	0.11	4.9	
	06	0.23	6.8	0.18	6.2	0.15	6.1	0.09	4.3	
	08	0.27	8.0	0.20	7.1	0.15	6.6	0.08	4.1	
	10	0.34	7.3	0.26	7.3	0.19	6.7	0.10	3.8	
	12	0.36	7.3	0.29	7.8	0.23	7.7	0.13	5.1	
	14	0.43	9.5	0.35	7.9	0.26	7.3	0.14	4.6	
	16	0.53	7.8	0.37	8.6	0.29	8.4	0.16	5.6	
	18	* 0.83	9.0	0.53	8.5	0.39	8.2	0.23	6.2	
	20	0.65	8.0	0.54	8.2	0.44	8.3	0.27	6.0	
	22	0.80	6.3	* 0.66	7.5	* 0.50	7.4	* 0.31	5.5	
	最大	0.83	9.0	0.66	7.5	0.50	7.4	0.31	5.5	
	平均	0.45	7.5	0.34	7.4	0.26	7.1	0.15	4.9	
30	00	0.93	8.3	0.68	8.1	0.52	6.7	0.30	4.7	
	02	0.93	10.3	0.63	7.0	0.51	5.9	0.31	4.5	
	04	0.94	6.3	* 0.71	6.4	* 0.58	5.7	* 0.36	4.1	
	06	0.89	8.0	0.65	6.7	0.50	5.9	0.31	4.1	
	08	0.82	7.5	0.63	6.5	0.47	5.7	0.30	4.1	
	10	0.83	8.3	0.61	7.5	0.46	5.7	0.28	3.8	
	12	0.85	8.0	0.60	6.7	0.47	5.5	0.29	3.8	
	14	0.84	8.0	0.64	6.2	0.50	5.2	0.31	3.6	
	16	* 0.99	7.8	0.65	6.9	0.51	5.9	0.31	3.9	
	18	0.80	9.0	0.61	6.9	0.49	5.9	0.29	4.1	
	20	0.78	5.8	0.53	5.8	0.43	5.7	0.27	4.1	
	22	0.80	8.3	0.50	7.6	0.39	7.3	0.23	5.3	
	最大	0.99	7.8	0.71	6.4	0.58	5.7	0.36	4.1	
	平均	0.87	8.0	0.62	6.9	0.49	5.9	0.30	4.2	
31	00	0.57	8.3	0.42	7.4	0.34	7.1	0.20	5.4	
	02	欠測								
	04	0.45	8.3	0.32	8.4	0.25	7.9	0.14	5.3	
	06	0.39	7.5	0.29	8.0	0.24	8.3	0.14	5.7	
	08	0.39	8.8	0.25	8.7	0.19	8.4	0.10	4.9	
	10	0.26	8.3	0.20	8.2	0.16	7.8	0.09	4.6	
	12	0.25	7.3	0.18	7.7	0.14	7.4	0.08	4.7	
	14	0.48	7.3	0.32	7.7	0.25	7.7	0.13	5.3	
	16	0.70	6.5	0.48	6.6	0.40	6.6	0.24	4.9	
	18	* 0.82	6.5	* 0.62	5.9	* 0.47	5.1	0.28	3.4	
	20	0.65	7.5	0.55	6.0	0.45	5.2	* 0.28	3.7	
	22	0.64	8.3	0.48	6.6	0.38	6.1	0.23	4.2	
	最大	0.82	6.5	0.62	5.9	0.47	5.1	0.28	3.7	
	平均	0.51	7.7	0.37	7.4	0.30	7.1	0.17	4.7	
	月最大	2.60	7.3	1.79	6.6	1.44	6.0	0.93	4.7	
	起時	2008		2012		2012		2012		
	平均	0.79	6.8	0.58	6.5	0.46	6.1	0.29	4.3	

* は日最大波高を示す