

波浪整理表（1）

2005年 1月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	350 回	測得回数	0 回
欠測回数	22 回	欠測回数	372 回
欠測率	5.9 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.59	7.3	0.40	7.4	0.31	7.3	0.18	4.8		
	02	* 1.81	8.8	1.36	6.8	* 1.12	5.8	* 0.71	4.4		
	04	1.76	8.0	* 1.41	6.6	1.12	5.7	0.69	4.1		
	06	1.38	6.5	1.00	7.7	0.79	7.2	0.48	4.6		
	08	1.07	8.5	0.80	6.9	0.64	5.8	0.40	4.0		
	10	欠測									
	12	0.86	7.0	0.71	5.0	0.58	4.5	0.37	3.4		
	14	1.13	4.5	0.89	5.0	0.72	4.6	0.47	3.5		
	16	欠測									
	18	0.93	6.8	0.64	6.8	0.50	6.1	0.31	4.2		
	20	1.04	7.8	0.71	6.9	0.54	6.2	0.33	4.1		
	22	0.96	7.3	0.67	7.3	0.54	7.1	0.33	5.1		
	最大	1.81	8.8	1.41	6.6	1.12	5.8	0.71	4.4		
	平均	1.15	7.3	0.86	6.6	0.69	6.0	0.43	4.2		
02	00	* 0.74	7.5	* 0.55	7.2	* 0.43	7.1	* 0.26	5.1		
	02	0.70	5.8	0.51	6.7	0.42	6.1	0.26	4.3		
	04	0.59	5.0	0.46	7.0	0.36	6.8	0.22	5.1		
	06	0.55	9.5	0.46	7.2	0.38	6.9	0.23	5.7		
	08	0.53	7.0	0.43	7.2	0.33	7.1	0.19	5.5		
	10	0.51	7.5	0.41	7.1	0.32	7.2	0.20	5.8		
	12	0.54	7.5	0.39	7.6	0.31	7.6	0.19	6.0		
	14	0.48	7.5	0.36	7.6	0.28	7.2	0.16	5.3		
	16	0.42	7.3	0.33	7.1	0.26	7.0	0.15	5.1		
	18	0.62	7.0	0.38	7.5	0.29	7.5	0.16	5.6		
	20	欠測									
	22	0.39	7.8	0.29	7.3	0.22	7.3	0.12	5.4		
	最大	0.74	7.5	0.55	7.2	0.43	7.1	0.26	5.1		
	平均	0.55	7.2	0.42	7.2	0.33	7.1	0.19	5.4		
03	00	0.27	7.0	0.20	6.9	0.15	6.2	0.08	3.6		
	02	0.34	7.3	0.20	7.4	0.15	6.7	0.08	3.9		
	04	0.25	7.8	0.18	7.0	0.13	6.2	0.07	3.7		
	06	0.22	6.3	0.17	6.9	0.13	6.3	0.07	3.9		
	08	0.21	7.0	0.16	7.0	0.11	6.0	0.06	3.4		
	10	0.31	7.8	0.21	7.7	0.15	7.0	0.09	4.0		
	12	0.41	7.3	0.29	8.0	0.22	7.0	0.12	4.0		
	14	0.36	7.8	0.24	8.2	0.18	7.3	0.10	4.1		
	16	0.37	9.0	0.31	8.8	* 0.24	8.7	* 0.13	6.0		
	18	* 0.47	9.0	0.32	8.7	0.24	8.5	0.13	4.9		
	20	0.42	9.0	* 0.32	8.8	0.24	7.5	0.13	4.2		
	22	0.45	8.3	0.32	8.7	0.22	7.0	0.12	4.0		
	最大	0.47	9.0	0.32	8.8	0.24	8.7	0.13	6.0		
	平均	0.34	7.8	0.24	7.8	0.18	7.0	0.10	4.1		
04	00	欠測									
	02	0.44	9.0	0.37	9.0	0.29	8.9	0.15	5.8		
	04	0.53	9.3	0.39	8.9	0.31	8.8	0.17	6.1		
	06	0.78	8.8	0.62	9.2	0.50	9.3	0.29	7.1		
	08	0.69	8.8	0.59	8.5	0.46	8.6	0.28	6.2		
	10	1.21	9.3	0.76	7.3	0.57	5.8	0.35	3.8		
	12	1.17	6.3	0.80	7.0	0.61	5.7	0.38	3.9		
	14	* 1.67	5.3	* 1.04	6.8	0.79	5.8	0.48	4.0		
	16	1.47	7.0	1.04	6.7	0.81	5.4	0.50	3.7		
	18	1.38	5.3	1.03	5.9	* 0.84	5.3	* 0.53	4.0		
	20	1.16	4.5	0.91	5.8	0.71	4.8	0.46	3.7		
	22	1.15	7.3	0.86	6.9	0.68	5.7	0.44	3.9		
	最大	1.67	5.3	1.04	6.8	0.84	5.3	0.53	4.0		

	平均	1.06	7.4	0.76	7.5	0.60	6.7	0.37	4.7	
05	00	1.60	9.5	1.12	7.0	0.89	6.1	0.56	4.3	
	02	1.23	5.5	1.03	6.1	0.86	5.3	0.56	4.0	
	04	* 1.76	8.8	* 1.19	8.4	* 0.93	7.0	* 0.58	4.9	
	06	1.25	7.0	0.98	7.0	0.78	5.9	0.50	4.2	
	08	1.38	8.8	0.88	6.7	0.69	6.0	0.41	3.9	
	10	1.20	8.0	0.83	7.0	0.66	5.8	0.42	4.0	
	12	0.93	8.5	0.76	6.5	0.59	6.0	0.37	4.1	
	14	1.27	7.8	0.78	6.9	0.61	6.1	0.37	4.1	
	16	欠測								
18	0.95	7.0	0.60	7.1	0.46	5.9	0.28	4.0		
20	0.71	8.0	0.56	6.5	0.44	6.5	0.27	4.6		
22	0.70	6.3	0.52	7.0	0.41	6.9	0.24	5.2		
	最大	1.76	8.8	1.19	8.4	0.93	7.0	0.58	4.9	
	平均	1.18	7.7	0.84	6.9	0.67	6.1	0.41	4.3	
06	00	0.61	6.5	* 0.46	7.0	* 0.36	6.9	* 0.21	5.4	
	02	* 0.61	6.8	0.44	7.3	0.34	7.0	0.20	5.4	
	04	欠測								
	06	0.37	7.3	0.32	7.3	0.26	7.1	0.15	4.7	
	08	0.42	8.3	0.30	7.8	0.23	7.6	0.13	4.8	
	10	0.32	6.8	0.25	7.4	0.19	6.8	0.11	3.9	
	12	0.33	8.0	0.25	7.0	0.18	5.1	0.10	3.1	
	14	0.37	7.0	0.26	7.6	0.20	7.6	0.11	5.1	
	16	0.31	7.8	0.22	7.4	0.17	7.4	0.10	4.8	
18	0.27	7.3	0.18	6.9	0.13	6.6	0.08	4.2		
20	0.31	4.3	0.21	5.5	0.16	5.3	0.09	3.9		
22	0.19	7.0	0.14	7.0	0.11	6.0	0.06	3.5		
	最大	0.61	6.8	0.46	7.0	0.36	6.9	0.21	5.4	
	平均	0.37	7.0	0.28	7.1	0.21	6.7	0.12	4.4	
07	00	0.19	7.8	0.15	7.0	0.11	6.4	0.06	3.9	
	02	0.20	5.0	0.16	5.3	0.12	4.8	0.07	3.1	
	04	0.20	5.0	0.16	5.5	0.13	5.7	0.07	3.7	
	06	0.31	5.8	0.24	5.8	0.18	5.8	0.11	4.4	
	08	0.59	6.0	0.38	6.3	0.30	6.3	0.19	5.5	
	10	0.70	5.8	0.48	6.2	0.37	6.2	0.22	5.2	
	12	0.72	5.8	0.47	6.0	0.36	6.0	0.22	4.4	
	14	0.90	6.3	0.66	6.3	0.52	5.7	0.31	3.9	
	16	1.35	7.3	1.13	5.8	0.91	5.3	0.56	3.8	
18	* 1.99	8.0	* 1.47	6.7	* 1.18	6.2	* 0.71	4.5		
20	1.84	9.0	1.36	7.7	1.03	6.8	0.62	4.6		
22	1.43	4.0	1.09	6.4	0.87	5.6	0.54	4.0		
	最大	1.99	8.0	1.47	6.7	1.18	6.2	0.71	4.5	
	平均	0.87	6.3	0.65	6.3	0.51	5.9	0.31	4.3	
08	00	1.07	10.3	0.87	7.9	0.68	6.5	0.42	4.3	
	02	1.37	6.5	1.02	7.8	0.79	6.8	0.48	4.4	
	04	1.36	6.8	1.08	7.4	* 0.87	6.8	* 0.54	4.7	
	06	* 1.46	6.5	* 1.08	7.5	0.86	6.8	0.52	4.7	
	08	1.43	8.0	0.99	7.2	0.79	6.9	0.49	4.8	
	10	1.18	6.8	0.92	7.0	0.72	6.5	0.44	4.4	
	12	1.23	7.8	0.84	6.9	0.64	6.1	0.39	4.2	
	14	0.99	7.0	0.77	6.8	0.59	6.1	0.36	4.2	
	16	0.97	5.8	0.74	6.6	0.58	6.5	0.34	4.5	
18	0.89	7.5	0.62	6.8	0.49	6.7	0.30	5.3		
20	0.65	6.5	0.53	6.7	0.41	6.6	0.25	5.4		
22	0.60	6.0	0.43	7.2	0.34	7.2	0.21	5.6		
	最大	1.46	6.5	1.08	7.5	0.87	6.8	0.54	4.7	
	平均	1.10	7.1	0.82	7.2	0.65	6.6	0.40	4.7	
09	00	0.53	7.5	0.39	7.1	0.30	7.1	0.18	5.4	
	02	0.71	7.0	0.48	6.9	0.38	6.8	0.23	5.5	
	04	0.92	6.3	0.75	7.0	0.58	6.8	0.35	5.1	
	06	0.94	7.8	0.70	7.8	0.57	7.5	0.37	5.7	
	08	1.38	7.5	0.93	7.6	0.73	7.4	0.44	5.4	
	10	* 1.60	8.0	* 1.25	6.3	* 0.98	5.7	* 0.62	4.2	
	12	1.55	8.3	1.09	7.7	0.84	7.1	0.52	4.9	
	14	1.44	9.0	1.13	6.6	0.92	6.1	0.57	4.3	
	16	1.37	5.3	0.92	6.3	0.72	5.9	0.45	4.2	
18	1.06	8.5	0.83	7.1	0.65	6.1	0.40	4.3		
20	1.02	5.8	0.73	7.6	0.58	6.7	0.35	4.7		
22	0.98	6.8	0.74	7.4	0.58	7.2	0.34	5.0		

	最大	1.60	8.0	1.25	6.3	0.98	5.7	0.62	4.2			
	平均	1.13	7.3	0.83	7.1	0.65	6.7	0.40	4.9			
10	00	欠测										
	02	0.86	7.3	0.67	7.3	0.55	6.8	0.34	5.3			
	04	0.83	5.5	0.66	7.3	0.54	7.0	0.34	5.3			
	06	欠测										
	08	0.91	7.3	0.65	6.9	0.51	6.5	0.32	4.8			
	10	0.83	6.5	0.62	7.2	0.49	6.8	0.30	5.1			
	12	0.62	8.3	0.51	7.1	0.43	6.9	0.27	5.1			
	14	0.73	7.5	0.57	7.5	0.43	6.9	0.25	4.7			
	16	0.84	6.3	0.64	7.5	0.51	7.1	0.31	5.5			
	18	0.84	7.5	0.72	7.7	0.58	7.4	0.35	5.5			
	20	* 1.19	8.3	* 0.88	7.7	* 0.70	7.2	* 0.41	4.7			
	22	1.13	7.5	0.85	8.0	0.66	7.7	0.39	5.4			
	最大	1.19	8.3	0.88	7.7	0.70	7.2	0.41	4.7			
	平均	0.88	7.2	0.68	7.4	0.54	7.0	0.33	5.1			
11	00	1.09	7.5	0.94	8.1	0.75	7.6	0.45	5.2			
	02	1.09	6.5	0.89	7.8	0.72	7.6	0.44	5.5			
	04	0.93	9.0	0.69	7.7	0.56	7.5	0.34	5.1			
	06	1.13	9.3	0.92	7.9	0.71	7.8	0.42	5.4			
	08	1.31	7.5	0.91	7.4	0.72	6.6	0.43	4.5			
	10	1.29	9.0	1.02	8.0	0.83	7.1	0.51	5.1			
	12	* 1.47	9.0	1.12	7.9	0.89	6.6	0.53	4.3			
	14	1.46	9.5	* 1.16	8.5	* 0.89	7.0	* 0.55	4.6			
	16	1.46	7.8	1.06	6.5	0.85	5.9	0.52	4.1			
	18	1.16	8.3	0.87	7.0	0.67	6.5	0.41	4.5			
	20	1.20	8.0	0.82	7.8	0.64	6.8	0.38	4.5			
	22	1.11	9.0	0.84	8.1	0.67	7.3	0.40	5.0			
	最大	1.47	9.0	1.16	8.5	0.89	7.0	0.55	4.6			
	平均	1.23	8.4	0.94	7.7	0.74	7.0	0.45	4.8			
12	00	1.00	7.3	0.74	8.3	0.59	7.4	0.36	5.7			
	02	欠测										
	04	0.97	8.5	0.71	7.8	0.58	7.6	0.35	5.3			
	06	1.25	9.0	0.96	8.5	0.73	7.1	0.44	4.5			
	08	1.41	9.3	1.02	7.5	0.82	7.2	0.51	5.2			
	10	1.75	6.0	1.29	5.5	1.04	5.1	0.66	4.1			
	12	2.11	6.8	* 1.69	5.6	* 1.41	5.7	* 0.91	4.3			
	14	* 2.74	4.8	1.52	5.5	1.22	5.5	0.78	4.2			
	16	1.85	3.3	1.37	5.1	1.09	5.1	0.71	4.0			
	18	1.34	8.8	0.93	7.5	0.73	6.1	0.45	4.1			
	20	1.38	8.8	0.93	7.9	0.70	6.6	0.41	4.3			
	22	1.20	7.0	0.82	6.5	0.65	5.4	0.41	3.9			
	最大	2.74	4.8	1.69	5.6	1.41	5.7	0.91	4.3			
	平均	1.55	7.2	1.09	6.9	0.87	6.3	0.54	4.5			
13	00	0.79	7.0	0.66	7.1	0.56	6.4	0.35	4.7			
	02	* 1.19	7.0	0.69	6.5	0.55	6.0	0.35	4.2			
	04	0.97	7.8	0.72	7.1	0.57	6.9	0.34	4.7			
	06	1.06	8.3	* 0.78	7.4	* 0.59	7.1	* 0.36	5.4			
	08	0.80	7.0	0.68	7.4	0.55	7.2	0.33	5.4			
	10	0.75	5.8	0.57	7.0	0.45	6.9	0.27	5.1			
	12	0.66	7.3	0.55	7.0	0.45	6.8	0.28	5.1			
	14	0.80	6.0	0.54	6.7	0.43	6.7	0.26	5.3			
	16	0.66	6.3	0.43	7.2	0.35	6.8	0.22	5.4			
	18	0.62	6.8	0.47	6.6	0.36	6.9	0.22	5.5			
	20	0.58	7.5	0.46	6.5	0.35	6.4	0.21	5.2			
	22	0.53	7.8	0.42	7.1	0.35	6.9	0.22	5.8			
	最大	1.19	7.0	0.78	7.4	0.59	7.1	0.36	5.4			
	平均	0.78	7.1	0.58	7.0	0.46	6.8	0.28	5.2			
14	00	0.54	7.3	* 0.44	7.0	0.34	6.5	* 0.22	5.2			
	02	0.58	6.3	0.41	6.3	0.33	6.5	0.20	4.9			
	04	0.53	6.8	0.42	6.8	* 0.35	6.2	0.21	4.5			
	06	0.54	5.8	0.39	6.8	0.32	6.2	0.19	4.5			
	08	0.47	7.5	0.40	7.0	0.31	6.7	0.19	5.0			
	10	0.48	6.0	0.37	6.3	0.30	6.3	0.18	5.1			
	12	0.43	5.8	0.36	6.1	0.29	6.3	0.18	4.7			
	14	0.51	6.8	0.40	6.4	0.33	6.0	0.20	4.4			

	16	* 0.66	6.8	0.42	6.7	0.32	6.3	0.19	4.5			
	18	0.59	6.5	0.42	6.5	0.33	6.5	0.20	4.9			
	20	0.56	4.5	0.39	5.8	0.31	6.0	0.20	4.9			
	22	0.48	6.0	0.37	6.4	0.29	6.3	0.19	5.1			
	最大	0.66	6.8	0.44	7.0	0.35	6.2	0.22	5.2			
	平均	0.53	6.3	0.40	6.5	0.32	6.3	0.20	4.8			
15	00	欠測										
	02	* 0.54	6.5	* 0.35	6.6	* 0.28	6.5	* 0.18	5.2			
	04	0.48	6.8	0.32	6.7	0.26	6.9	0.16	5.4			
	06	0.40	7.3	0.27	6.7	0.20	6.4	0.12	4.9			
	08	0.31	6.8	0.23	6.4	0.18	6.5	0.10	4.6			
	10	0.33	7.0	0.22	7.5	0.17	6.9	0.10	4.9			
	12	0.32	8.0	0.21	6.5	0.16	6.0	0.09	4.3			
	14	0.29	7.5	0.22	7.0	0.17	6.5	0.10	4.3			
	16	0.24	7.5	0.18	7.3	0.14	7.1	0.08	4.7			
	18	0.28	7.3	0.19	7.3	0.14	6.8	0.08	4.5			
	20	0.37	4.3	0.27	4.6	0.21	5.5	0.12	4.4			
	22	0.21	7.3	0.15	7.0	0.12	6.8	0.07	4.2			
	最大	0.54	6.5	0.35	6.6	0.28	6.5	0.18	5.2			
	平均	0.34	6.9	0.24	6.7	0.18	6.5	0.11	4.7			
	16	00	0.21	6.8	0.17	7.1	0.13	7.0	0.07		4.6	
		02	0.26	5.0	0.14	6.5	0.11	6.0	0.06		3.7	
		04	0.20	7.0	0.15	6.9	0.11	6.7	0.06		4.2	
		06	0.26	7.0	0.17	7.2	0.13	6.7	0.07		4.0	
		08	0.33	6.5	0.24	6.0	0.19	5.7	0.11		4.0	
		10	* 0.95	6.3	* 0.72	6.5	* 0.56	6.0	* 0.36		4.7	
12		0.77	6.8	0.61	5.7	0.49	5.4	0.30	4.0			
14		0.86	8.5	0.62	6.5	0.49	6.1	0.30	4.3			
16		0.82	8.3	0.65	7.0	0.53	6.2	0.34	4.2			
18		0.88	8.3	0.68	6.8	0.51	5.6	0.31	3.7			
20		0.82	9.0	0.61	7.5	0.50	7.3	0.30	5.2			
22		0.56	8.5	0.46	7.5	0.38	7.5	0.24	5.6			
最大		0.95	6.3	0.72	6.5	0.56	6.0	0.36	4.7			
平均		0.58	7.3	0.44	6.8	0.34	6.4	0.21	4.4			
17		00	0.51	8.0	0.43	7.6	0.33	7.3	0.20	5.4		
		02	0.48	9.8	0.40	8.3	0.30	8.1	0.17	5.7		
		04	0.53	8.3	0.41	8.9	0.33	8.8	0.19	6.1		
		06	0.94	9.8	0.65	9.1	0.53	9.5	0.31	6.8		
		08	1.37	5.8	0.99	7.5	0.80	6.8	0.48	4.4		
		10	1.12	5.5	0.93	6.8	0.71	5.8	0.44	4.1		
	12	1.10	7.0	0.93	6.7	0.74	6.3	0.45	4.6			
	14	1.76	5.0	* 1.33	5.1	* 1.06	5.0	* 0.66	4.0			
	16	* 1.77	5.5	1.14	5.0	0.93	4.6	0.59	3.7			
	18	1.08	6.3	0.69	6.0	0.56	5.4	0.36	3.8			
	20	1.09	6.0	0.74	6.6	0.57	5.6	0.35	3.8			
	22	0.89	8.0	0.71	6.8	0.58	6.5	0.38	4.7			
	最大	1.77	5.5	1.33	5.1	1.06	5.0	0.66	4.0			
	平均	1.05	7.1	0.78	7.0	0.62	6.6	0.38	4.8			
	18	00	0.92	7.5	* 0.76	6.3	* 0.61	5.9	* 0.39	4.3		
		02	* 0.94	6.5	0.64	5.8	0.49	4.8	0.31	3.5		
		04	0.82	6.5	0.59	6.3						

	12	0.26	6.3	0.17	6.0	0.14	5.5	0.08	3.6	
	14	0.34	5.3	0.20	5.9	0.15	6.0	0.08	4.0	
	16	0.55	6.5	0.34	6.4	0.26	6.4	0.15	5.1	
	18	0.76	7.0	0.60	5.5	0.49	4.6	0.30	3.4	
	20	* 1.79	7.8	* 1.09	4.9	* 0.84	4.6	* 0.53	3.5	
	22	1.23	9.0	0.87	7.2	0.68	6.2	0.41	4.2	
	最大									
	平均	1.79	7.8	1.09	4.9	0.84	4.6	0.53	3.5	
		0.54	6.9	0.37	6.3	0.29	5.9	0.17	4.2	
20	00	0.95	5.8	0.68	6.9	0.53	5.8	0.33	3.8	
	02	1.04	7.3	0.60	7.4	0.48	6.4	0.29	3.9	
	04	1.00	8.8	0.80	8.6	0.64	8.1	0.38	5.6	
	06	1.01	8.5	0.79	8.4	0.63	8.0	0.39	6.0	
	08	1.43	9.3	0.96	8.9	0.73	7.9	0.44	5.2	
	10	1.31	7.8	0.95	8.0	0.73	6.9	0.45	4.3	
	12	1.28	10.0	1.00	8.1	0.78	7.5	0.46	4.9	
	14	1.46	8.0	1.19	7.3	0.91	6.1	0.55	4.1	
	16	1.60	9.0	1.17	7.8	0.90	6.4	0.55	4.3	
	18	1.63	9.5	1.13	8.1	0.87	7.2	0.52	4.7	
	20	* 1.78	7.5	* 1.20	7.4	* 0.92	6.3	* 0.56	4.4	
	22	1.34	9.5	1.07	7.1	0.85	6.1	0.53	4.3	
	最大									
	平均	1.78	7.5	1.20	7.4	0.92	6.3	0.56	4.4	
		1.32	8.4	0.96	7.8	0.75	6.9	0.45	4.6	
21	00	1.29	6.3	1.05	7.6	0.80	6.1	0.49	4.2	
	02	1.71	7.3	1.28	5.6	1.00	5.2	0.66	4.2	
	04	1.97	6.3	* 1.42	6.5	* 1.17	6.0	* 0.75	4.6	
	06	* 2.02	6.8	1.42	6.0	1.14	5.5	0.73	4.4	
	08	1.46	8.0	0.94	6.9	0.73	5.8	0.45	4.0	
	10	1.36	7.3	0.92	7.3	0.72	6.3	0.45	4.3	
	12	1.36	7.3	1.13	5.5	0.93	5.1	0.59	4.0	
	14	1.31	6.8	1.05	5.3	0.81	4.8	0.51	3.7	
	16	0.95	6.5	0.70	6.4	0.58	6.1	0.36	4.1	
	18	欠測								
	20	1.06	6.5	0.88	6.3	0.69	5.6	0.44	4.0	
	22	0.92	7.3	0.73	6.5	0.57	5.6	0.36	3.8	
	最大									
	平均	2.02	6.8	1.42	6.5	1.17	6.0	0.75	4.6	
		1.40	6.9	1.05	6.4	0.83	5.6	0.53	4.1	
22	00	0.99	6.0	0.73	5.9	0.58	4.9	0.36	3.5	
	02	0.98	7.3	0.73	6.2	0.57	5.9	0.35	4.1	
	04	* 1.12	7.5	0.79	6.4	0.60	5.6	0.37	3.9	
	06	1.03	7.5	* 0.80	6.0	* 0.63	5.6	* 0.40	4.0	
	08	0.85	6.0	0.64	6.5	0.50	5.2	0.32	3.7	
	10	0.82	5.3	0.55	5.6	0.45	4.5	0.29	3.3	
	12	0.68	8.0	0.52	6.1	0.41	5.2	0.25	3.6	
	14	0.91	8.0	0.50	6.2	0.38	4.8	0.24	3.3	
	16	0.63	8.5	0.46	4.8	0.36	4.1	0.24	3.0	
	18	0.69	5.5	0.48	6.0	0.38	5.8	0.23	3.9	
	20	0.73	5.5	0.49	5.9	0.39	5.3	0.25	3.9	
	22	0.48	6.8	0.38	6.5	0.31	6.1	0.19	4.0	
	最大									
	平均	1.12	7.5	0.80	6.0	0.63	5.6	0.40	4.0	
		0.83	6.8	0.59	6.0	0.46	5.3	0.29	3.7	
23	00	0.38	7.0	0.29	6.9	0.23	6.6	0.13	4.2	
	02	* 0.48	5.3	* 0.36	5.9	* 0.28	4.9	* 0.18	3.4	
	04	0.44	7.0	0.29	6.5	0.22	6.1	0.12	4.0	
	06	0.38	7.5	0.29	6.3	0.22	5.6	0.13	3.6	
	08	0.36	6.0	0.26	6.6	0.20	5.4	0.12	3.6	
	10	0.32	7.3	0.23	6.7	0.18	5.8	0.10	3.6	
	12	0.36	4.8	0.26	6.3	0.20	5.7	0.11	3.5	
	14	0.26	5.8	0.21	6.2	0.16	5.6	0.10	3.7	
	16	0.26	6.8	0.20	6.5	0.15	5.3	0.09	3.5	
	18	0.24	6.5	0.19	6.6	0.15	6.5	0.08	4.2	
	20	欠測								
	22	0.22	7.0	0.17	6.7	0.13	6.5	0.07	4.2	
	最大									
	平均	0.48	5.3	0.36	5.9	0.28	4.9	0.18	3.4	
		0.34	6.5	0.25	6.5	0.19	5.8	0.11	3.8	
24	00	* 0.22	6.8	* 0.17	6.5	* 0.14	6.6	* 0.08	4.7	
	02	欠測								

	04	0.21	6.3	0.14	7.1	0.11	6.5	0.06	4.2	
	06	0.15	6.3	0.12	7.6	0.09	6.7	0.05	4.0	
	08	0.15	6.8	0.10	5.8	0.08	4.7	0.05	2.9	
	10	欠测								
	12	0.16	9.0	0.11	5.5	0.08	4.1	0.05	2.5	
	14	0.14	5.0	0.09	6.1	0.07	4.9	0.04	3.0	
	16	0.11	6.3	0.08	5.8	0.06	4.5	0.03	2.7	
	18	0.10	5.0	0.07	7.3	0.05	4.9	0.03	2.7	
	20	欠测								
	22	欠测								
25	最大	0.22	6.8	0.17	6.5	0.14	6.6	0.08	4.7	
	平均	0.16	6.4	0.11	6.5	0.09	5.4	0.05	3.3	
	00	0.17	4.5	0.12	4.6	0.09	4.5	0.05	3.5	
	02	0.38	2.5	0.27	3.4	0.22	3.2	0.14	2.7	
	04	0.59	3.3	0.46	4.3	0.39	3.9	0.26	2.9	
	06	0.78	5.0	0.58	4.8	0.46	4.3	0.30	3.3	
	08	* 0.92	6.8	0.53	5.5	0.41	5.0	0.26	3.7	
	10	0.83	7.3	0.60	6.3	0.47	5.3	0.31	3.7	
	12	0.78	5.8	* 0.67	4.6	* 0.54	4.4	* 0.35	3.3	
	14	0.92	3.3	0.67	4.2	* 0.54	4.4	0.34	3.3	
26	16	欠测								
	18	0.83	5.5	0.60	4.6	0.48	4.1	0.31	3.2	
	20	0.76	5.5	0.59	5.3	0.48	4.9	0.31	3.6	
	22	0.73	7.5	0.53	5.5	0.42	4.9	0.27	3.4	
	最大	0.92	6.8	0.67	4.6	0.54	4.4	0.35	3.3	
	平均	0.70	5.2	0.51	4.8	0.41	4.4	0.26	3.3	
	00	0.65	6.5	0.50	5.7	0.39	4.9	0.25	3.3	
	02	0.67	7.5	0.50	5.2	0.40	4.2	0.26	3.1	
	04	0.62	5.5	0.47	4.3	0.38	3.7	0.25	2.9	
	06	0.62	2.8	0.45	3.2	0.36	3.2	0.23	2.7	
27	08	0.58	2.3	0.41	3.9	0.32	3.6	0.21	2.8	
	10	0.67	5.3	0.48	3.6	0.40	3.4	0.26	2.8	
	12	0.85	3.8	0.65	4.3	0.53	4.2	0.34	3.3	
	14	0.96	5.3	0.79	4.8	0.64	4.5	0.41	3.7	
	16	* 1.36	3.8	* 0.99	4.1	* 0.78	4.2	* 0.50	3.4	
	18	1.02	6.0	0.72	4.5	0.60	4.4	0.38	3.4	
	20	0.85	5.8	0.62	5.6	0.50	5.0	0.31	3.6	
	22	0.99	5.5	0.64	5.6	0.49	5.2	0.30	3.6	
	最大	1.36	3.8	0.99	4.1	0.78	4.2	0.50	3.4	
	平均	0.82	5.0	0.60	4.6	0.48	4.2	0.31	3.2	
28	00	* 0.79	5.8	* 0.53	5.9	* 0.41	5.5	* 0.25	3.9	
	02	0.62	6.0	0.49	5.9	0.39	5.1	0.25	3.7	
	04	0.66	6.0	0.44	6.1	0.35	5.4	0.21	3.6	
	06	0.51	6.5	0.42	6.2	0.33	5.9	0.20	4.2	
	08	欠测								
	10	0.43	5.8	0.31	6.5	0.24	6.6	0.15	4.9	
	12	0.42	6.8	0.30	6.5	0.24	6.3	0.14	4.6	
	14	0.35	5.8	0.26	6.5	0.21	6.3	0.12	4.6	
	16	0.34	6.5	0.24	6.9	0.18	6.8	0.10	4.7	
	18	0.25	6.3	0.19	6.8	0.15	6.5	0.09	4.5	
29	20	欠测								
	22	0.22	6.8	0.15	6.6	0.11	6.5	0.06	4.4	
	最大	0.79	5.8	0.53	5.9	0.41	5.5	0.25	3.9	
	平均	0.46	6.2	0.33	6.4	0.26	6.1	0.16	4.3	
	00	0.27	6.8	0.21	6.9	0.16	6.7	0.09	4.3	
	02	0.50	7.5	0.38	6.9	0.28	6.8	0.16	5.3	
	04	0.51	7.0	0.36	6.7	0.28	6.9	0.17	5.6	
	06	0.48	7.0	0.36	6.7	0.30	6.8	0.18	5.6	
	08	0.42	6.8	0.32	6.5	0.26	6.6	0.16	5.0	
	10	0.45	5.5	0.34	6.1	0.29	5.9	0.18	4.7	
30	12	0.43	5.5	0.35	5.8	0.28	5.9	0.17	4.8	
	14	* 0.59	6.0	* 0.42	6.2	* 0.33	6.3	* 0.20	4.9	
	16	0.53	5.8	0.41	6.1	0.33	5.9	0.20	3.9	
	18	0.49	6.3	0.37	6.3	0.29	6.1	0.17	4.6	
	20	0.50	4.5	0.35	5.4	0.28	5.6	0.18	4.4	
	22	0.34	6.0	0.26	6.3	0.20	6.2	0.12	4.5	
	最大	0.59	6.0	0.42	6.2	0.33	6.3	0.20	4.9	
	平均	0.43	6.3	0.31	6.4	0.27	6.1	0.17	4.4	
	00	0.27	6.8	0.21	6.9	0.16	6.7	0.09	4.3	
	02	0.50	7.5	0.38	6.9	0.28	6.8	0.16	5.3	
31	04	0.51	7.0	0.36	6.7	0.28	6.9	0.17	5.6	
	06	0.48	7.0	0.36	6.7	0.30	6.8	0.18	5.6	
	08	0.42	6.8	0.32	6.5	0.26	6.6	0.16	5.0	
	10	0.45	5.5	0.34	6.1	0.29	5.9	0.18	4.7	
	12	0.43	5.5	0.35	5.8	0.28	5.9	0.17	4.8	
	14	* 0.59	6.0	* 0.42	6.2	* 0.33	6.3	* 0.20	4.9	
	16	0.53	5.8	0.41	6.1	0.33	5.9	0.20	3.9	
	18	0.49	6.3	0.37	6.3	0.29	6.1	0.17	4.6	
	20	0.50	4.5	0.35	5.4	0.28	5.6	0.18	4.4	
	22	0.34	6.0	0.26	6.3	0.20	6.2	0.12	4.5	
32	最大	0.59	6.0	0.42	6.2	0.33	6.3	0.20	4.9	
	平均	0.43	6.3	0.31	6.4	0.27	6.1	0.17	4.4	
	00	0.27	6.8	0.21	6.9	0.16	6.7	0.09	4.3	
	02	0.50	7.5	0.38	6.9	0.28	6.8	0.16	5.3	
	04	0.51	7.0	0.36	6.7	0.28	6.9	0.17	5.6	
	06	0.48	7.0	0.36	6.7	0.30	6.8	0.18	5.6	
	08	0.42	6.8	0.32	6.5	0.26	6.6	0.16	5.0	
	10	0.45	5.5	0.34	6.1	0.29	5.9	0.18	4.7	
	12	0.43	5.5	0.35	5.8	0.28	5.9	0.17	4.8	
	14	* 0.59	6.0	* 0.42	6.2	* 0.33	6.3	* 0.20	4.9	

	平均	0.46	6.2	0.34	6.3	0.27	6.3	0.17	4.8		
29	00	0.32	6.3	0.23	6.0	0.17	5.8	0.10	4.0		
	02	0.31	6.8	0.22	6.3	0.18	6.4	0.11	4.9		
	04	0.28	6.3	0.21	6.0	0.16	6.1	0.09	3.8		
	06	0.15	6.3	0.12	5.5	0.09	4.5	0.05	2.8		
	08	0.16	5.0	0.11	5.6	0.09	4.4	0.05	2.7		
	10	0.18	6.3	0.12	2.6	0.10	2.4	0.07	1.9		
	12	0.10	14.8	0.09	4.2	0.07	3.4	0.05	2.2		
	14	0.13	1.5	0.09	2.9	0.07	2.6	0.04	2.0		
	16	0.22	4.8	0.13	4.6	0.09	4.3	0.05	2.8		
	18	0.11	5.5	0.08	5.5	0.07	4.6	0.04	2.9		
	20	欠測									
	22	* 0.74	2.0	* 0.58	2.4	* 0.45	2.4	* 0.29	2.3		
	最大	0.74	2.0	0.58	2.4	0.45	2.4	0.29	2.3		
	平均	0.25	6.0	0.18	4.7	0.14	4.3	0.09	2.9		
30	00	1.03	7.8	0.78	6.4	0.60	5.5	0.36	3.7		
	02	* 1.58	3.8	* 1.16	5.1	* 0.89	4.9	0.56	3.9		
	04	1.36	4.8	1.09	5.4	0.88	5.1	* 0.56	4.0		
	06	欠測									
	08	1.51	7.8	0.98	6.8	0.79	5.9	0.50	4.2		
	10	1.31	8.3	0.87	6.9	0.70	5.7	0.43	4.1		
	12	1.19	6.8	0.74	7.3	0.56	6.5	0.33	4.3		
	14	0.84	6.0	0.66	7.3	0.50	6.7	0.29	4.4		
	16	0.99	7.3	0.69	6.8	0.53	5.6	0.33	3.9		
	18	0.97	8.8	0.76	7.0	0.60	6.3	0.36	4.2		
	20	0.84	7.5	0.65	6.6	0.53	6.2	0.33	4.3		
	22	0.91	8.0	0.67	7.2	0.52	6.6	0.31	4.3		
	最大	1.58	3.8	1.16	5.1	0.89	4.9	0.56	4.0		
	平均	1.14	7.0	0.82	6.6	0.65	5.9	0.40	4.1		
31	00	0.80	7.8	0.59	7.3	0.48	7.1	0.30	5.2		
	02	0.72	6.5	0.57	7.8	0.46	7.2	0.28	5.2		
	04	0.66	6.5	0.55	7.7	0.43	7.1	0.25	4.6		
	06	0.83	7.3	0.62	7.2	0.49	6.7	0.29	4.5		
	08	0.80	8.3	0.68	7.3	0.54	6.7	0.33	5.0		
	10	0.88	7.3	0.64	7.0	0.48	7.0	0.28	4.8		
	12	0.97	6.5	0.70	7.3	0.55	6.9	0.34	4.6		
	14	1.27	7.3	0.91	7.5	0.71	6.4	0.45	4.3		
	16	1.36	7.8	1.05	6.7	* 0.83	6.3	* 0.51	4.2		
	18	1.42	8.3	1.06	7.4	0.81	6.1	0.50	4.2		
	20	* 1.48	9.8	* 1.09	7.9	0.81	6.2	0.50	4.1		
	22	1.16	8.3	1.00	6.8	0.79	5.8	0.49	3.9		
	最大	1.48	9.8	1.09	7.9	0.83	6.3	0.51	4.2		
	平均	1.03	7.6	0.79	7.3	0.62	6.6	0.38	4.6		
	月最大	2.74	4.8	1.69	5.6	1.41	5.7	0.91	4.3		
	起時	1214		1212		1212		1212			
	平均	0.81	6.9	0.59	6.6	0.47	6.1	0.29	4.4		

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	336 回	規定回数	336 回
測得回数	315 回	測得回数	0 回
欠測回数	21 回	欠測回数	336 回
欠測率	6.3 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.08	8.8	0.88	9.1	0.69	8.1	0.42	5.5		
	02	1.14	9.3	0.97	8.2	0.75	8.1	0.46	6.3		
	04	1.20	9.0	0.91	9.1	0.70	8.4	0.43	6.2		
	06	1.62	7.8	1.10	7.3	0.87	6.4	0.55	4.2		
	08	* 1.76	9.5	* 1.29	8.0	* 1.00	6.9	0.61	4.5		
	10	1.25	8.8	0.93	8.9	0.73	7.8	0.43	5.0		
	12	1.40	7.8	1.03	8.4	0.80	7.4	0.46	4.7		
	14	1.29	8.8	1.00	6.6	0.80	5.1	0.51	3.8		
	16	1.39	9.3	0.94	7.7	0.73	6.0	0.46	3.9		
	18	1.60	6.8	1.12	7.0	0.88	5.9	0.57	4.1		
	20	1.48	8.0	1.26	7.9	0.99	7.4	* 0.62	5.0		
	22	1.60	7.0	1.22	7.9	0.96	6.9	* 0.62	5.0		
	最大	1.76	9.5	1.29	8.0	1.00	6.9	0.62	5.0		
	平均	1.40	8.4	1.05	8.0	0.83	7.0	0.51	4.9		
02	00	1.62	9.0	1.23	7.8	0.97	7.5	0.59	5.5		
	02	2.01	7.8	* 1.58	6.6	* 1.27	5.7	* 0.80	4.2		
	04	1.92	6.8	1.53	6.4	1.22	5.5	0.78	4.4		
	06	* 2.17	11.0	1.47	7.0	1.23	6.1	0.79	4.5		
	08	1.64	5.5	1.26	5.9	1.04	5.4	0.68	4.1		
	10	1.35	8.8	1.03	6.0	0.84	5.9	0.54	4.3		
	12	1.37	7.8	1.10	5.9	0.91	5.5	0.57	4.0		
	14	1.13	8.5	0.91	5.6	0.72	5.0	0.46	3.6		
	16	1.02	9.0	0.74	7.9	0.58	6.8	0.35	4.5		
	18	0.79	7.0	0.68	8.5	0.54	7.7	0.33	5.0		
	20	1.03	8.3	0.72	8.3	0.57	7.6	0.34	4.9		
	22	0.77	8.3	0.60	8.5	0.47	8.1	0.27	5.4		
	最大	2.17	11.0	1.58	6.6	1.27	5.7	0.80	4.2		
	平均	1.40	8.2	1.07	7.0	0.86	6.4	0.54	4.5		
03	00	0.70	7.5	0.56	8.3	0.47	8.2	0.29	5.6		
	02	0.88	8.3	0.61	7.4	0.49	7.3	0.31	5.5		
	04	0.77	6.3	0.59	7.1	0.48	6.4	0.29	4.3		
	06	0.75	8.8	0.58	7.0	0.47	6.2	0.29	4.4		
	08	0.91	6.0	0.67	6.6	0.52	5.9	0.31	3.9		
	10	0.82	7.0	0.59	7.3	0.45	5.8	0.27	3.8		
	12	0.82	7.8	0.66	6.2	0.53	5.2	0.33	3.8		
	14	* 1.18	6.3	* 0.82	6.2	* 0.65	5.2	* 0.41	3.7		
	16	欠測									
	18	0.78	6.5	0.63	6.8	0.51	6.2	0.31	4.0		
	20	0.84	7.5	0.58	7.1	0.47	6.3	0.29	4.3		
	22	0.74	6.8	0.50	7.0	0.39	6.4	0.24	4.6		
	最大	1.18	6.3	0.82	6.2	0.65	5.2	0.41	3.7		
	平均	0.84	7.2	0.62	7.0	0.49	6.3	0.30	4.4		
04	00	0.60	7.0	0.46	6.8	0.37	6.7	0.22	5.2		
	02	0.54	6.8	0.39	6.9	0.31	6.3	0.19	4.8		
	04	0.56	6.8	0.43	6.4	0.34	6.3	0.21	4.8		
	06	0.66	6.8	0.49	6.3	0.38	6.3	0.23	4.8		
	08	* 0.69	5.0	0.49	5.4	0.39	5.1	0.24	3.9		
	10	0.57	6.5	0.43	5.4	0.34	4.9	0.22	3.5		
	12	0.54	6.0	0.41	5.2	0.33	4.6	0.21	3.2		
	14	0.62	6.5	* 0.51	6.1	* 0.40	4.9	* 0.26	3.4		
	16	0.66	2.8	0.47	5.1	0.37	4.1	0.24	3.0		
	18	0.49	6.3	0.40	6.0	0.32	5.0	0.20	3.5		
	20	欠測									
	22	0.55	5.8	0.38	6.6	0.30	6.5	0.18	4.9		
	最大	0.69	5.0	0.51	6.1	0.40	4.9	0.26	3.4		

	平均	0.59	6.0	0.44	6.0	0.35	5.5	0.22	4.1	
05	00	1.10	4.8	0.86	4.8	0.69	4.4	0.43	3.4	
	02	1.29	6.0	1.01	5.7	* 0.80	5.3	* 0.50	3.9	
	04	* 1.49	5.8	* 1.02	5.6	0.79	4.8	0.50	3.6	
	06	1.21	7.5	0.90	6.2	0.72	5.8	0.44	4.0	
	08	1.06	7.3	0.74	7.4	0.56	6.4	0.33	4.1	
	10	0.88	8.3	0.63	7.3	0.48	5.7	0.28	3.7	
	12	0.98	4.5	0.58	5.3	0.45	4.6	0.28	3.3	
	14	0.94	7.8	0.73	5.4	0.60	4.5	0.40	3.4	
	16	0.99	5.3	0.83	4.9	0.68	4.2	0.45	3.4	
	18	0.92	3.0	0.71	5.2	0.57	4.6	0.36	3.4	
	20	欠測								
	22	1.12	6.8	0.78	5.8	0.64	5.5	0.41	3.8	
	最大	1.49	5.8	1.02	5.6	0.80	5.3	0.50	3.9	
	平均	1.09	6.1	0.80	5.8	0.63	5.1	0.40	3.6	
06	00	1.11	7.5	0.85	5.7	0.66	5.2	0.41	3.6	
	02	* 1.16	6.5	0.85	5.2	* 0.70	5.3	* 0.44	3.9	
	04	1.04	7.3	0.81	5.3	0.67	5.1	0.43	3.7	
	06	1.07	6.8	* 0.86	5.4	0.69	5.0	* 0.44	3.9	
	08	1.02	5.8	0.74	5.7	0.58	4.9	0.37	3.6	
	10	1.08	6.3	0.78	5.2	0.63	4.7	0.40	3.4	
	12	1.01	5.3	0.76	5.8	0.60	5.0	0.39	3.7	
	14	1.06	5.8	0.74	5.6	0.59	4.8	0.39	3.6	
	16	0.87	4.3	0.66	5.3	0.54	4.7	0.35	3.6	
	18	0.93	7.0	0.72	5.7	0.58	5.2	0.36	3.8	
	20	0.86	7.3	0.62	5.4	0.49	4.9	0.32	3.6	
	22	0.71	7.5	0.59	5.9	0.48	5.0	0.31	3.6	
	最大	1.16	6.5	0.86	5.4	0.70	5.3	0.44	3.9	
	平均	0.99	6.5	0.75	5.5	0.60	5.0	0.38	3.7	
07	00	* 0.80	8.3	* 0.56	5.9	* 0.44	4.9	* 0.27	3.5	
	02	0.69	7.0	0.52	6.0	0.42	5.4	0.26	3.7	
	04	0.62	5.0	0.47	5.9	0.38	5.2	0.23	3.6	
	06	0.58	7.3	0.41	6.0	0.31	5.5	0.19	3.7	
	08	0.67	6.3	0.43	5.9	0.32	5.0	0.19	3.4	
	10	欠測								
	12	0.49	8.0	0.35	6.7	0.27	5.6	0.16	3.5	
	14	欠測								
	16	0.35	6.8	0.26	7.8	0.21	7.1	0.12	4.5	
	18	0.33	8.3	0.23	7.8	0.17	7.2	0.09	4.5	
	20	0.32	6.5	0.24	7.1	0.19	6.5	0.11	4.6	
	22	0.29	7.3	0.21	7.8	0.16	7.6	0.09	4.9	
	最大	0.80	8.3	0.56	5.9	0.44	4.9	0.27	3.5	
	平均	0.51	7.1	0.37	6.7	0.29	6.0	0.17	4.0	
08	00	0.29	7.3	0.22	7.3	0.17	7.2	0.10	4.9	
	02	0.29	6.5	0.20	6.2	0.15	6.2	0.09	4.2	
	04	0.29	6.3	0.22	7.5	0.18	7.1	0.10	4.9	
	06	0.34	6.5	0.24	7.1	0.18	6.9	0.10	4.7	
	08	* 0.38	8.3	0.25	6.8	0.19	6.7	0.11	4.5	
	10	0.32	6.8	0.22	6.6	0.17	6.0	0.10	4.1	
	12	0.28	6.0	0.22	6.4	0.17	6.3	0.10	4.5	
	14	0.27	6.8	0.19	6.5	0.14	5.8	0.08	3.7	
	16	0.25	7.5	0.20	6.7	0.16	6.2	0.09	4.3	
	18	0.22	8.0	0.18	5.9	0.14	6.0	0.08	4.4	
	20	0.38	6.5	* 0.28	5.4	* 0.21	5.7	* 0.13	4.4	
	22	0.25	5.0	0.20	6.2	0.16	6.2	0.10	4.6	
	最大	0.38	8.3	0.28	5.4	0.21	5.7	0.13	4.4	
	平均	0.30	6.8	0.22	6.6	0.17	6.4	0.10	4.4	
09	00	0.29	7.5	0.19	6.7	0.15	6.1	0.09	4.3	
	02	0.24	6.3	0.20	6.6	0.16	6.2	0.09	4.2	
	04	0.25	6.3	0.19	6.6	0.15	6.5	* 0.09	4.6	
	06	0.23	6.5	0.17	6.8	0.13	6.1	0.07	3.8	
	08	0.17	5.8	0.12	6.2	0.09	5.8	0.05	3.6	
	10	0.18	4.8	0.13	5.9	0.10	5.3	0.06	3.3	
	12	0.15	6.8	0.11	7.1	0.09	6.0	0.05	3.4	
	14	0.14	7.8	0.11	6.9	0.09	6.1	0.05	3.6	
	16	0.23	8.0	0.19	6.5	0.14	5.4	0.08	3.5	
	18	* 0.34	7.0	* 0.21	6.9	* 0.16	6.6	0.09	4.4	
	20	欠測								
	22	欠測								

[illegible]

	16	0.63	6.5	0.51	6.2	0.40	6.3	0.24	4.3	
	18	0.79	6.3	0.53	6.5	0.41	6.4	0.25	5.0	
	20	0.74	5.3	0.51	6.1	0.39	6.0	0.24	4.6	
	22	0.43	7.0	0.36	6.5	0.28	6.5	0.17	4.8	
	最大	1.74	5.3	1.22	6.0	0.98	5.4	0.64	4.1	
	平均	0.95	6.2	0.67	6.1	0.53	5.8	0.33	4.2	
	15	00	欠测							
		02	0.42	5.3	0.30	6.4	0.24	6.3	0.14	4.7
		04	0.32	6.8	0.26	6.6	0.20	6.6	0.12	4.7
		06	0.36	6.8	0.28	6.9	0.21	6.5	0.13	4.5
		08	0.41	6.8	0.24	6.5	0.19	6.5	0.10	4.1
		10	0.43	5.8	0.27	6.4	0.20	6.4	0.11	4.4
		12	0.29	6.5	0.23	6.4	0.18	6.3	0.10	4.3
		14	0.32	7.5	0.21	6.4	0.16	5.8	0.09	3.5
		16	0.34	6.5	0.24	5.8	0.18	4.7	0.11	3.0
		18	0.31	5.8	0.25	6.3	0.19	5.6	0.12	3.7
		20	* 0.52	4.8	* 0.37	4.3	* 0.28	3.9	* 0.17	3.1
		22	0.26	5.8	0.18	5.7	0.15	5.5	0.09	3.8
	最大	0.52	4.8	0.37	4.3	0.28	3.9	0.17	3.1	
		平均	0.36	6.2	0.26	6.2	0.20	5.8	0.12	4.0
	16	00	0.34	6.3	0.24	6.0	0.19	6.0	0.11	4.5
		02	0.51	6.3	* 0.36	6.3	* 0.29	6.1	* 0.17	5.3
		04	0.37	5.3	0.29	6.0	0.22	5.9	0.13	4.1
		06	0.45	6.0	0.31	5.4	0.24	4.3	0.15	2.8
		08	0.43	2.3	0.27	2.3	0.21	2.5	0.14	2.2
		10	0.28	1.5	0.21	2.8	0.16	2.7	0.11	2.2
		12	0.26	3.0	0.21	3.3	0.17	3.1	0.11	2.3
		14	0.27	7.3	0.17	4.9	0.13	3.7	0.08	2.6
		16	0.41	6.5	0.30	7.3	0.22	7.1	0.11	4.5
		18	0.37	7.5	0.27	6.9	0.22	6.9	0.13	5.5
		20	* 0.57	6.5	0.33	6.0	0.25	6.1	0.14	4.6
		22	欠测							
	最大	0.57	6.5	0.36	6.3	0.29	6.1	0.17	5.3	
	平均	0.39	5.3	0.27	5.2	0.21	4.9	0.13	3.7	
	17	00	欠测							
		02	0.72	4.8	0.54	3.9	0.43	3.5	0.28	2.8
		04	0.96	5.0	0.64	4.4	0.52	4.0	0.33	3.1
		06	欠测							
		08	0.88	6.0	0.71	4.9	0.57	4.4	0.37	3.4
		10	0.99	5.5	0.70	5.4	0.56	5.0	0.36	3.5
		12	1.01	3.3	0.71	5.0	0.57	4.6	0.37	3.4
		14	欠测							
		16	1.11	3.3	* 0.87	4.0	* 0.71	3.8	* 0.45	3.3
		18	* 1.18	2.8	0.86	3.9	0.69	3.8	0.43	3.1
		20	1.10	5.3	0.81	4.2	0.64	3.9	0.40	3.2
		22	0.81	3.5	0.63	4.2	0.53	3.8	0.34	3.1
	最大	1.18	2.8	0.87	4.0	0.71	3.8	0.45	3.3	
		平均	0.97	4.4	0.72	4.4	0.58	4.1	0.37	3.2
	18	00	0.78	6.0	* 0.54	4.9	* 0.45	4.1	* 0.29	3.1
		02	0.66	4.8	0.49	3.4	0.40	3.4	0.26	2.7
		04	* 0.80	2.8	0.54	4.1	0.42	3.7	0.27	3.0
		06	0.54	5.5	0.40	5.3	0.32	4.8	0.20	3.3
		08	0.54	5.5	0.39	5.2	0.31	4.7	0.19	3.2
		10	0.55	6.3	0.44	5.5	0.35	4.7	0.21	3.3
		12	0.61	5.3	0.45	5.9	0.35	5.7	0.21	4.5
		14	0.52	6.5	0.45	6.3	0.36	6.3	0.22	4.6
		16	0.52	4.3	0.41	6.0	0.33	6.1	0.20	4.4
		18	0.50	6.0	0.41	6.1	0.33	6.2	0.20	4.7
		20	0.62	7.8	0.45	6.4	0.36	6.4	0.21	4.6
		22	0.54	7.0	0.38	6.1	0.30	6.0	0.18	4.5
	最大	0.80	2.8	0.54	4.9	0.45	4.1	0.29	3.1	
	平均	0.60	5.7	0.45	5.4	0.36	5.2	0.22	3.8	
	19	00	* 0.54	6.0	* 0.33	6.6	* 0.26	6.4	* 0.16	5.1
		02	0.42	6.3	0.31	6.1	0.25	6.2	0.15	4.6
		04	欠测							
		06	0.36	6.5	0.25	5.7	0.20	5.5	0.12	4.1
		08	0.29	7.0	0.23	5.8	0.17	4.9	0.10	3.1
		10	0.32	6.8	0.22	6.1	0.17	5.6	0.10	3.8

20	12	0.37	8.5	0.25	6.3	0.19	5.4	0.11	3.4	
	14	0.37	5.8	0.25	5.7	0.20	5.8	0.13	4.4	
	16	0.35	6.3	0.26	6.0	0.20	5.0	0.12	3.3	
	18	0.31	6.0	0.23	5.5	0.18	5.1	0.11	3.4	
	20	0.44	6.5	0.31	4.9	0.25	4.5	0.16	3.5	
	22	0.42	5.0	0.31	2.7	0.25	2.9	0.16	2.4	
	最大 平均	0.54	6.0	0.33	6.6	0.26	6.4	0.16	5.1	
		0.38	6.4	0.27	5.6	0.21	5.2	0.13	3.7	
	00	0.58	2.8	0.44	3.4	0.36	3.2	0.23	2.6	
	02	0.57	4.0	0.42	4.1	0.34	3.8	0.21	2.9	
	04	1.10	4.0	0.81	3.7	0.66	3.7	0.43	3.2	
	06	1.36	4.8	1.03	4.5	0.83	4.3	0.52	3.5	
	08	* 1.49	3.5	* 1.17	4.4	* 0.92	4.6	* 0.60	3.8	
	10	1.36	4.3	1.13	5.4	0.91	5.1	0.57	3.8	
	12	欠测								
21	14	1.46	9.5	1.05	7.3	0.83	6.3	0.51	4.3	
	16	1.42	8.3	1.06	7.0	0.87	5.8	0.56	4.3	
	18	1.37	7.0	1.06	7.4	0.81	6.1	0.50	4.3	
	20	1.37	8.0	0.99	6.7	0.78	6.0	0.50	4.3	
	22	1.15	4.8	0.80	6.7	0.65	5.7	0.41	4.0	
	最大 平均	1.49	3.5	1.17	4.4	0.92	4.6	0.60	3.8	
		1.20	5.5	0.91	5.5	0.72	5.0	0.46	3.7	
	00	1.05	6.8	0.77	7.6	0.63	7.0	0.38	4.5	
	02	1.12	8.8	0.82	6.8	0.66	6.7	0.40	4.5	
	04	0.97	7.3	0.75	7.3	0.61	7.0	0.38	5.1	
	06	0.99	8.3	0.71	7.9	0.54	7.1	0.33	5.2	
	08	0.75	7.8	0.65	7.4	0.53	7.5	0.33	5.9	
	10	0.80	8.3	0.66	7.6	0.53	7.8	0.32	5.9	
	12	1.01	7.3	0.71	6.8	0.55	5.6	0.33	3.6	
	14	1.20	7.8	0.88	6.7	0.68	5.7	0.41	3.7	
22	16	1.22	6.8	* 0.98	6.6	0.77	5.6	0.48	3.9	
	18	1.19	6.8	0.97	6.4	* 0.81	5.8	* 0.50	4.1	
	20	1.19	5.8	0.92	6.5	0.73	6.0	0.45	4.1	
	22	* 1.30	6.8	0.85	7.3	0.66	6.9	0.40	4.9	
	最大 平均	1.30	6.8	0.98	6.6	0.81	5.8	0.50	4.1	
		1.07	7.4	0.81	7.1	0.64	6.6	0.39	4.6	
	00	0.99	9.0	0.77	7.7	* 0.61	7.1	0.36	4.9	
	02	* 1.12	7.0	* 0.80	7.0	0.61	6.1	0.36	4.0	
	04	0.82	8.0	0.71	7.6	0.57	7.4	0.34	5.4	
	06	1.03	7.3	0.75	7.1	* 0.61	7.1	* 0.38	5.3	
	08	0.88	7.3	0.64	7.4	0.52	7.3	0.33	6.2	
	10	0.74	6.8	0.56	7.8	0.44	7.5	0.26	5.6	
	12	0.92	7.8	0.58	7.3	0.44	7.6	0.25	5.2	
	14	0.75	7.0	0.55	7.6	0.45	7.5	0.27	5.4	
23	16	0.78	6.8	0.61	7.5	0.48	7.3	0.30	5.5	
	18	0.75	8.0	0.53	7.2	0.42	7.0	0.26	5.0	
	20	0.58	7.5	0.45	7.5	0.36	7.1	0.23	5.5	
	22	0.76	7.5	0.45	8.3	0.35	8.0	0.21	6.0	
	最大 平均	1.12	7.0	0.80	7.0	0.61	7.1	0.38	5.3	
		0.84	7.5	0.62	7.5	0.49	7.3	0.30	5.3	
	00	0.46	7.5	0.33	7.9	0.25	7.7	0.13	4.4	
	02	0.42	8.0	0.29	7.0	0.22	5.2	0.14	3.2	
	04	0.33	7.8	0.19	6.6	0.14	5.2	0.09	3.2	
	06	0.20	7.3	0.13	4.6	0.10	3.9	0.06	2.6	
	08	0.21	6.5	0.13	6.0	0.09	5.1	0.05	3.2	
	10	0.25	9.0	0.20	7.5	0.16	6.9	0.09	4.7	
	12	* 1.32	9.3	0.88	5.4	0.68	5.0	0.42	3.6	
	14	1.22	11.3	* 0.93	6.5	* 0.75	5.3	* 0.49	3.8	
	16	1.20	4.3	0.77	5.6	0.60	5.1	0.39	3.8	
24	18	0.99	8.0	0.73	5.5	0.58	5.0	0.37	3.5	
	20	1.02	6.8	0.75	7.2	0.58	6.0	0.37	4.2	
	22	1.07	8.3	0.73	6.5	0.57	5.9	0.35	4.1	
	最大 平均	1.32	9.3	0.93	6.5	0.75	5.3	0.49	3.8	
		0.72	7.8	0.51	6.4	0.39	5.5	0.25	3.7	
	00	* 1.11	6.5	* 0.81	6.4	* 0.63	5.7	* 0.38	3.9	
	02	0.91	9.0	0.67	8.1	0.54	7.3	0.32	4.8	

	04	0.85	8.8	0.61	7.8	0.49	7.8	0.29	5.1	
	06	0.68	8.3	0.55	7.9	0.44	7.6	0.27	5.4	
	08	0.62	8.0	0.52	7.7	0.41	7.5	0.25	5.3	
	10	0.62	8.5	0.46	7.7	0.37	7.2	0.22	4.9	
	12	欠测								
	14	0.65	7.3	0.43	7.2	0.33	6.6	0.19	4.1	
	16	0.67	5.8	0.49	6.4	0.39	5.3	0.24	3.4	
	18	0.64	7.5	0.44	7.5	0.34	7.0	0.20	4.8	
	20	0.45	8.3	0.36	7.7	0.29	7.3	0.16	4.9	
	22	0.48	7.8	0.36	7.4	0.28	7.4	0.17	5.5	
25	最大	1.11	6.5	0.81	6.4	0.63	5.7	0.38	3.9	
	平均	0.70	7.8	0.52	7.4	0.41	7.0	0.24	4.7	
	00	0.63	7.0	0.39	6.8	0.30	6.6	0.19	5.3	
	02	0.52	6.8	0.35	7.5	0.28	7.0	0.16	5.1	
	04	0.58	6.8	0.45	6.7	0.36	6.8	0.21	5.0	
	06	0.73	6.3	0.52	6.5	0.40	6.4	0.25	5.3	
	08	0.49	6.3	0.38	6.5	0.30	6.5	0.18	5.1	
	10	0.64	5.8	0.42	4.9	0.34	4.3	0.21	3.0	
	12	0.55	5.5	0.45	5.6	0.36	5.3	0.22	3.7	
	14	0.75	6.3	0.55	6.1	0.43	5.3	0.26	3.8	
26	16	0.83	5.5	0.59	5.7	0.46	5.1	0.28	3.7	
	18	0.77	4.5	0.60	5.0	0.47	4.5	0.29	3.1	
	20	* 1.30	7.0	* 0.90	5.8	* 0.71	5.1	* 0.45	3.7	
	22	欠测								
	最大	1.30	7.0	0.90	5.8	0.71	5.1	0.45	3.7	
	平均	0.71	6.2	0.51	6.1	0.40	5.7	0.25	4.3	
	00	1.01	9.0	0.84	7.9	0.66	6.9	0.40	4.8	
	02	1.05	5.8	0.82	6.2	0.68	6.0	0.43	4.3	
	04	1.21	6.3	* 0.90	7.0	0.69	6.3	0.41	4.2	
	06	* 1.31	6.8	0.89	5.3	* 0.74	5.3	* 0.47	3.9	
27	08	1.08	5.5	0.81	6.0	0.67	5.3	0.43	4.0	
	10	欠测								
	12	0.89	6.5	0.71	5.3	0.57	5.1	0.36	3.6	
	14	0.92	7.8	0.73	6.6	0.57	5.3	0.36	3.8	
	16	0.90	6.8	0.68	5.4	0.55	4.7	0.34	3.5	
	18	0.99	7.8	0.67	6.4	0.51	5.2	0.30	3.6	
	20	0.87	6.8	0.69	6.6	0.55	6.6	0.33	4.6	
	22	0.49	5.5	0.41	6.1	0.32	5.2	0.19	3.4	
	最大	1.31	6.8	0.90	7.0	0.74	5.3	0.47	3.9	
	平均	0.97	6.8	0.74	6.3	0.59	5.6	0.37	4.0	
28	00	0.64	5.0	0.51	5.4	0.40	4.5	0.26	3.2	
	02	0.99	6.3	* 0.68	5.8	* 0.56	5.5	* 0.35	3.8	
	04	* 1.09	6.8	0.66	6.3	0.51	5.6	0.31	3.9	
	06	0.76	6.3	0.58	6.1	0.47	4.9	0.30	3.5	
	08	0.77	5.8	0.63	6.4	0.50	5.5	0.30	3.7	
	10	0.87	7.0	0.64	6.6	0.49	5.6	0.30	3.6	
	12	0.82	7.8	0.64	6.6	0.49	5.9	0.30	3.9	
	14	欠测								
	16	0.82	7.0	0.57	6.5	0.44	5.7	0.26	3.8	
	18	0.67	6.0	0.52	7.1	0.41	6.8	0.24	4.7	
29	20	0.60	5.8	0.46	6.8	0.36	6.4	0.21	4.6	
	22	0.55	7.3	0.37	6.8	0.29	6.4	0.17	4.8	
	最大	1.09	6.8	0.68	5.8	0.56	5.5	0.35	3.8	
	平均	0.78	6.5	0.57	6.4	0.45	5.7	0.27	4.0	
	00	0.46	7.5	0.38	6.9	0.30	6.7	0.18	5.0	
	02	0.42	6.3	0.33	6.5	0.26	6.3	0.15	4.8	
	04	0.43	6.3	0.27	6.4	0.22	6.6	0.13	5.0	
	06	0.35	5.5	0.23	6.3	0.18	6.4	0.11	4.7	
	08	0.34	6.5	0.23	6.5	0.17	6.3	0.09	4.0	
	10	0.34	5.5	0.25	6.3	0.20	6.1	0.12	4.4	
30	12	0.45	6.0	0.31	5.6	0.24	4.9	0.14	3.3	
	14	0.50	6.5	0.36	5.9	0.28	5.3	0.17	3.7	
	16	0.47	6.5	0.39	6.2	0.30	6.0	0.18	4.3	
	18	0.65	5.0	0.42	4.8	0.32	4.3	0.20	3.0	
	20	* 0.68	7.0	0.44	5.4	0.34	4.9	0.21	3.7	
	22	0.61	5.8	* 0.48	3.5	* 0.38	3.3	* 0.24	2.7	
	最大	0.68	7.0	0.48	3.5	0.38	3.3	0.24	2.7	

	平均	0.48	6.2	0.34	5.9	0.27	5.6	0.16	4.1	
月最大		2.17	11.0	1.58	6.6	1.27	5.7	0.80	4.2	
起時		0206		0202		0202		0202		
平均		0.77	6.6	0.57	6.3	0.45	5.8	0.28	4.1	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	327 回	測得回数	0 回
欠測回数	45 回	欠測回数	372 回
欠測率	12.1 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.62	7.0	0.47	5.8	0.37	4.9	0.23	3.5		
	02	0.87	5.3	0.66	6.1	0.51	5.2	0.32	3.8		
	04	0.89	8.0	0.68	6.3	0.54	5.8	0.33	3.9		
	06	0.84	6.5	0.66	5.6	0.51	4.7	0.33	3.4		
	08	0.82	5.8	0.59	5.8	0.47	4.8	0.30	3.3		
	10	0.85	3.0	0.69	5.2	0.54	4.5	0.35	3.4		
	12	* 1.32	6.0	* 0.85	6.0	0.67	5.2	0.42	3.8		
	14	1.07	4.0	0.85	4.3	* 0.70	4.2	* 0.45	3.4		
	16	1.01	6.8	0.76	4.9	0.61	4.6	0.40	3.5		
	18	0.93	3.3	0.69	4.3	0.56	4.0	0.37	3.3		
	20	0.69	4.5	0.55	5.6	0.44	5.0	0.28	3.6		
	22	0.52	7.8	0.39	6.4	0.31	5.9	0.19	4.0		
	最大	1.32	6.0	0.85	6.0	0.70	4.2	0.45	3.4		
	平均	0.87	5.7	0.65	5.5	0.52	4.9	0.33	3.6		
02	00	0.39	6.5	0.34	6.8	0.27	6.8	0.16	4.7		
	02	0.36	7.0	0.28	6.7	0.22	6.5	0.13	4.5		
	04	0.40	6.5	0.32	6.1	0.25	6.1	0.14	4.4		
	06	0.43	5.8	0.34	6.2	0.28	6.4	0.17	5.2		
	08	0.43	7.3	0.34	6.8	0.27	6.8	0.16	4.8		
	10	0.45	6.0	0.35	6.7	0.27	7.0	0.16	5.1		
	12	0.40	6.5	0.27	7.1	0.20	6.6	0.12	4.3		
	14	0.36	7.0	0.26	6.9	0.21	6.7	0.12	4.5		
	16	0.40	6.8	0.28	7.0	0.22	6.8	0.12	4.5		
	18	0.51	6.0	0.40	6.2	0.30	5.1	0.18	3.2		
	20	0.61	5.8	0.43	4.7	0.34	4.2	0.21	3.0		
	22	* 0.75	4.0	* 0.48	5.3	* 0.38	5.0	* 0.24	3.8		
	最大	0.75	4.0	0.48	5.3	0.38	5.0	0.24	3.8		
	平均	0.46	6.3	0.34	6.4	0.27	6.2	0.16	4.3		
03	00	0.51	5.3	0.41	5.0	0.33	5.1	0.20	3.6		
	02	0.48	5.5	0.39	5.8	0.32	5.8	0.19	4.4		
	04	0.56	4.8	0.39	5.4	0.30	4.7	0.19	3.3		
	06	欠測									
	08	0.64	6.0	0.43	5.6	0.33	5.4	0.20	3.9		
	10	0.70	5.8	* 0.47	5.7	* 0.37	5.3	* 0.23	3.7		
	12	0.50	5.5	0.37	5.7	0.29	5.6	0.19	4.3		
	14	0.65	6.3	0.42	6.2	0.33	6.0	0.20	5.0		
	16	0.64	6.3	0.40	6.4	0.33	6.2	0.19	4.7		
	18	* 0.82	6.5	0.45	6.6	0.36	6.5	0.21	4.7		
	20	0.61	5.3	0.43	6.0	0.33	5.9	0.19	4.4		
	22	0.46	7.3	0.33	7.2	0.26	6.9	0.15	5.1		
	最大	0.82	6.5	0.47	5.7	0.37	5.3	0.23	3.7		
	平均	0.60	5.9	0.41	6.0	0.32	5.8	0.19	4.3		
04	00	0.43	6.5	0.28	6.7	0.22	6.7	0.13	5.1		
	02	0.37	6.5	0.25	6.8	0.20	6.6	0.11	4.5		
	04	0.39	5.8	0.23	6.6	0.18	6.6	0.10	4.3		
	06	0.32	6.5	0.26	6.7	0.20	6.8	0.12	5.1		
	08	0.36	6.8	0.27	6.7	0.22	6.6	0.13	5.3		
	10	0.45	7.0	0.32	6.2	0.24	6.1	0.14	4.5		
	12	* 0.73	6.0	0.51	5.8	0.41	5.6	0.25	4.1		
	14	0.67	6.8	* 0.54	6.2	* 0.42	5.8	* 0.26	4.0		
	16	0.71	6.5	0.50	6.2	0.39	5.8	0.24	4.2		
	18	0.51	4.0	0.41	5.9	0.33	5.7	0.21	4.3		
	20	欠測									
	22	0.55	8.5	0.40	7.9	0.31	7.6	0.18	5.4		
	最大	0.73	6.0	0.54	6.2	0.42	5.8	0.26	4.0		

	平均	0.50	6.4	0.36	6.5	0.28	6.4	0.17	4.6	
05	00	0.44	6.8	0.33	6.3	0.27	6.3	0.17	4.5	
	02	* 1.13	3.5	* 0.79	3.5	* 0.63	3.4	* 0.41	2.9	
	04	1.01	6.8	0.74	5.2	0.59	5.2	0.37	3.8	
	06	0.91	5.5	0.59	5.4	0.46	4.5	0.29	3.3	
	08	0.87	6.3	0.65	5.1	0.53	4.6	0.33	3.5	
	10	0.77	5.5	0.64	5.4	0.52	4.7	0.33	3.4	
	12	0.78	6.3	0.60	5.0	0.47	4.2	0.30	3.1	
	14	0.65	5.5	0.49	5.4	0.39	4.9	0.24	3.4	
	16	0.72	4.5	0.50	5.5	0.39	5.1	0.23	3.6	
	18	0.77	5.8	0.56	5.8	0.44	5.8	0.27	4.5	
20	0.62	6.0	0.47	5.6	0.38	5.2	0.23	3.6		
22	0.57	6.3	0.42	5.6	0.33	5.7	0.22	4.8		
最大	1.13	3.5	0.79	3.5	0.63	3.4	0.41	2.9		
	0.77	5.7	0.57	5.3	0.45	5.0	0.28	3.7		
06	00	0.47	6.3	0.39	5.9	0.32	6.1	0.20	4.9	
	02	0.53	6.0	0.41	5.9	0.33	6.0	0.21	4.8	
	04	0.49	6.3	0.40	5.8	0.30	5.8	0.18	4.6	
	06	0.54	5.3	0.42	5.5	0.34	5.6	0.21	4.7	
	08	0.53	5.0	0.40	5.1	0.31	5.3	0.18	4.1	
	10	0.61	3.5	0.41	4.0	0.32	3.6	0.21	2.8	
	12	0.64	6.5	0.44	5.5	0.34	4.9	0.20	3.4	
	14	0.92	3.5	0.63	3.7	0.50	3.5	0.33	2.9	
	16	* 1.10	3.0	* 0.81	3.5	* 0.66	3.4	* 0.42	2.9	
	18	0.68	2.5	0.47	2.8	0.38	2.9	0.24	2.5	
20	0.46	4.0	0.30	3.3	0.24	3.3	0.15	2.6		
22	0.28	4.5	0.17	4.7	0.13	4.5	0.08	3.3		
最大	1.10	3.0	0.81	3.5	0.66	3.4	0.42	2.9		
	0.60	4.7	0.44	4.6	0.35	4.6	0.22	3.6		
07	00	0.17	6.0	0.12	5.1	0.09	4.8	0.05	3.1	
	02	0.15	6.0	0.11	5.5	0.08	4.4	0.05	2.7	
	04	0.16	5.3	0.12	5.6	0.09	5.2	0.05	3.2	
	06	0.16	4.3	0.11	5.1	0.09	4.7	0.05	3.0	
	08	0.17	6.3	0.12	5.5	0.09	4.3	0.05	2.8	
	10	0.13	4.8	0.10	4.5	0.07	3.2	0.05	2.2	
	12	0.18	7.5	0.13	7.5	0.09	5.7	0.05	3.3	
	14	0.48	7.5	0.32	7.3	0.25	7.3	0.14	5.1	
	16	0.50	7.8	0.39	7.6	0.30	7.6	0.17	5.5	
	18	* 0.69	8.0	* 0.48	7.7	* 0.35	7.6	* 0.20	5.8	
20	0.64	5.8	0.43	6.6	0.33	7.0	0.18	5.0		
22	0.50	7.8	0.34	7.7	0.27	7.6	0.15	5.2		
最大	0.69	8.0	0.48	7.7	0.35	7.6	0.20	5.8		
	0.33	6.4	0.23	6.3	0.18	5.8	0.10	3.9		
08	00	0.50	8.3	0.40	7.9	0.33	7.8	0.19	5.7	
	02	0.41	7.5	0.31	8.1	0.26	7.3	0.16	5.1	
	04	0.58	7.8	0.39	7.9	0.30	7.7	0.17	4.8	
	06	0.45	8.8	0.37	7.9	0.30	7.8	0.17	5.4	
	08	0.52	8.0	0.40	8.6	0.31	8.5	0.18	5.5	
	10	0.56	8.8	* 0.46	8.7</					

		最大	0.78	6.8	0.52	6.6	0.43	6.3	0.26	5.0		
		平均	0.55	6.6	0.41	6.7	0.32	6.5	0.19	4.8		
10	00		0.48	6.5	0.41	6.9	0.32	6.7	0.20	4.9		
	02	* 0.57	6.8	* 0.42	7.9	* 0.34	7.4	* 0.23	6.1			
	04		0.54	5.8	0.36	6.7	0.30	6.8	0.20	5.7		
	06		0.52	7.0	0.34	6.8	0.27	6.7	0.16	5.0		
	08		0.43	6.3	0.31	7.1	0.24	6.9	0.14	4.5		
	10		0.42	7.3	0.32	7.1	0.25	6.9	0.15	4.9		
	12		0.28	8.0	0.23	6.5	0.19	6.5	0.12	4.7		
	14		0.28	6.5	0.23	6.4	0.18	6.3	0.10	3.9		
	16		0.20	6.8	0.15	6.0	0.12	4.5	0.07	2.7		
	18		0.18	7.3	0.13	6.3	0.09	4.4	0.06	2.7		
	20		0.31	3.8	0.18	4.2	0.13	3.9	0.08	2.7		
	22		0.17	6.5	0.12	3.7	0.10	3.1	0.06	2.2		
	最大		0.57	6.8	0.42	7.9	0.34	7.4	0.23	6.1		
	平均		0.37	6.6	0.27	6.3	0.21	5.8	0.13	4.2		
11	00		0.15	6.3	0.09	5.0	0.07	3.9	0.05	2.6		
	02	欠測										
	04		0.11	6.5	0.08	3.3	0.06	2.6	0.04	2.0		
	06		0.12	2.5	0.07	3.7	0.06	3.0	0.04	2.1		
	08		0.13	5.0	0.10	4.2	0.08	3.7	0.05	2.6		
	10		0.12	6.8	0.07	5.3	0.06	3.7	0.04	2.4		
	12		0.13	6.5	0.10	5.7	0.07	4.5	0.04	2.8		
	14		0.18	7.0	0.12	5.9	0.10	4.8	0.06	3.2		
	16		0.21	7.5	0.15	7.1	0.11	6.0	0.06	3.5		
	18		0.32	8.0	0.22	7.0	0.16	5.9	0.08	3.3		
	20	* 0.79	4.8	* 0.64	3.9	* 0.52	3.8	* 0.34	3.1			
	22	0.65	5.0	0.53	3.8	0.44	3.7	0.29	3.0			
	最大		0.79	4.8	0.64	3.9	0.52	3.8	0.34	3.1		
	平均		0.26	6.0	0.20	5.0	0.16	4.1	0.10	2.8		
12	00		0.76	5.8	0.52	5.5	0.43	4.9	0.27	3.4		
	02		0.70	6.8	0.55	6.1	0.43	5.2	0.26	3.6		
	04		0.75	6.0	0.57	5.6	0.45	5.3	0.27	3.6		
	06		0.88	4.3	0.67	4.5	0.54	4.1	0.34	3.1		
	08		0.92	6.8	0.73	5.6	0.58	4.6	0.37	3.5		
	10		1.00	4.0	0.74	4.6	0.58	4.3	0.37	3.3		
	12		1.50	4.5	1.16	4.5	0.96	4.5	0.62	3.8		
	14		1.62	5.5	1.35	4.6	1.08	4.8	0.67	3.9		
	16	* 2.58	5.5	* 1.72	6.2	* 1.36	5.5	* 0.86	4.4			
	18		1.67	9.8	1.39	6.3	1.12	5.8	0.71	4.3		
	20		1.97	8.3	1.42	6.0	1.15	5.7	0.74	4.4		
	22		1.24	3.8	1.00	4.9	0.79	5.0	0.52	3.8		
	最大		2.58	5.5	1.72	6.2	1.36	5.5	0.86	4.4		
	平均		1.30	5.9	0.99	5.4	0.79	5.0	0.50	3.8		
13	00		1.64	5.3	1.21	5.7	0.99	5.5	0.64	4.2		
	02	* 1.68	7.5	* 1.34	5.1	* 1.06	5.0	* 0.69	4.0			
	04		1.16	8.0	0.91	6.1	0.75	5.7	0.48	4.3		
	06		1.46	7.0	0.92	5.8	0.73	5.0	0.47	3.7		
	08		1.05	7.3	0.76	6.9	0.60	6.4	0.36	4.4		
	10		0.76	7.3	0.61	7.6	0.48	7.7	0.29	5.4		
	12		0.59	8.3	0.49	8.2	0.41	7.9	0.25	5.7		
	14		0.66	7.8	0.53	7.4	0.42	6.7	0.26	4.3		
	16		0.83	8.0	0.53	7.3	0.40	6.8	0.23	4.5		
	18		0.82	5.8	0.59	6.6	0.46	6.3	0.28	5.0		
	20		0.72	7.0	0.58	5.9	0.46	5.4	0.29	3.9		
	22		0.71	7.5	0.54	6.6	0.44	6.0	0.26	4.0		
	最大		1.68	7.5	1.34	5.1	1.06	5.0	0.69	4.0		
	平均		1.01	7.2	0.75	6.6	0.60	6.2	0.38	4.5		
14	00		0.76	6.3	0.61	7.3	0.48	6.9	0.29	4.7		
	02		0.86	5.5	0.68	6.6	0.53	6.2	0.32	4.3		
	04		0.89	7.3	0.72	6.0	* 0.59	5.6	* 0.37	4.2		
	06	* 0.95	6.3	* 0.73	6.7	0.57	6.5	0.35	5.0			
	08		0.75	6.8	0.60	6.9	0.49	6.5	0.30	5.0		
	10		0.65	7.0	0.49	7.4	0.40	7.3	0.25	5.6		
	12		0.58	6.3	0.47	7.1	0.36	6.4	0.22	4.6		
	14		0.52	6.0	0.42	6.6	0.33	6.3	0.19	4.6		

	16		0.57	7.0	0.43	7.1	0.33	6.9	0.20	5.2			
	18		0.55	7.8	0.40	6.9	0.33	6.7	0.20	4.8			
	20		0.55	6.5	0.39	7.0	0.31	6.6	0.19	4.6			
	22		0.52	6.0	0.36	6.6	0.29	6.6	0.17	4.8			
	最大平均		0.95	6.3	0.73	6.7	0.59	5.6	0.37	4.2			
15			0.68	6.6	0.53	6.9	0.42	6.5	0.25	4.8			
	00		0.54	6.8	0.37	6.5	0.29	6.5	0.16	4.7			
	02	* 0.60	6.8	0.41	6.8	0.32	6.7	0.20	5.5				
	04	0.53	6.8	* 0.42	6.9	* 0.33	6.9	* 0.20	5.6				
	06	0.44	7.0	0.35	6.9	0.28	6.8	0.17	5.5				
	08	0.34	6.8	0.27	6.8	0.22	6.7	0.13	4.3				
	10	欠測											
	12	欠測											
	14	欠測											
	16	欠測											
	18	欠測											
	20	欠測											
	22	欠測											
	最大平均		0.60	6.8	0.42	6.9	0.33	6.9	0.20		5.6		
			0.49	6.8	0.36	6.8	0.29	6.7	0.17		5.1		
16	00	欠測											
	02	欠測											
	04	欠測											
	06	欠測											
	08	欠測											
	10	欠測											
	12	欠測											
	14	欠測											
	16	欠測											
	18	欠測											
	20	欠測											
	22	欠測											
	最大平均												
	17	00	欠測										
		02	欠測										
04		欠測											
06		欠測											
08		欠測											
10		欠測											
12		欠測											
14		欠測											
16		欠測											
18		欠測											
20		欠測											
22		欠測											
最大平均													
18		00	欠測										
		02	欠測										
	04	欠測											
	06	欠測											
	08	欠測											
	10	欠測											
	12	欠測											
	14	欠測											
	16	欠測											
	18	欠測											
	20	欠測											
	22	* 2.00	6.3	* 1.31	7.0	* 1.05	6.1	* 0.66	4.4				
	最大平均		2.00	6.3	1.31	7.0	1.05	6.1	0.66	4.4			
			2.00	6.3	1.31	7.0	1.05	6.1	0.66	4.4			
	19	00	* 1.27	7.5	* 0.95	7.2	* 0.78	6.1	* 0.51	4.3			
02		1.06	8.3	0.76	7.5	0.61	7.2	0.37	4.9				
04		0.85	7.0	0.67	7.3	0.52	6.7	0.32	4.6				
06		0.72	8.1	0.59	7.7	0.47	7.2	0.28	4.8				
08		0.82	7.8	0.55	7.4	0.44	6.7	0.27	4.5				
10		0.87	7.5	0.63	7.1	0.48	6.5	0.29	4.3				

	12	0.98	7.4	0.63	6.2	0.49	5.1	0.31	3.5	
	14	0.88	6.6	0.64	6.7	0.48	5.5	0.29	3.6	
	16	0.81	6.3	0.60	6.9	0.46	5.8	0.29	3.9	
	18	0.71	7.2	0.55	6.8	0.43	6.7	0.26	5.0	
	20	0.65	7.4	0.48	6.2	0.37	6.0	0.23	4.7	
	22	0.48	6.4	0.39	6.5	0.30	6.5	0.18	5.3	
	最大	1.27	7.5	0.95	7.2	0.78	6.1	0.51	4.3	
	平均	0.84	7.3	0.62	7.0	0.49	6.3	0.30	4.5	
20	00	0.44	6.1	0.32	6.3	0.25	6.6	0.16	5.7	
	02	* 0.55	6.1	0.32	6.4	0.25	6.5	0.16	5.3	
	04	0.37	6.2	0.26	6.3	0.21	6.2	0.14	5.1	
	06	0.29	6.0	0.24	6.6	0.19	6.6	0.11	5.0	
	08	0.28	5.9	0.20	6.6	0.16	6.7	0.10	5.0	
	10	0.23	7.1	0.17	6.7	0.14	6.4	0.09	4.5	
	12	0.22	7.4	0.17	6.7	0.13	6.7	0.08	4.7	
	14	0.22	7.7	0.17	6.3	0.13	5.7	0.08	3.9	
	16	0.22	3.9	0.16	6.7	0.13	6.2	0.08	4.6	
	18	0.21	6.6	0.16	7.0	0.13	6.7	0.08	5.0	
	20	0.40	6.4	0.26	5.9	0.20	5.9	0.13	4.6	
	22	0.41	5.9	* 0.35	4.4	* 0.29	4.2	* 0.19	3.2	
	最大	0.55	6.1	0.35	4.4	0.29	4.2	0.19	3.2	
	平均	0.32	6.3	0.23	6.3	0.18	6.2	0.12	4.7	
21	00	0.83	4.0	0.65	4.2	0.53	4.0	0.33	3.3	
	02	* 0.89	5.9	* 0.72	5.9	* 0.57	5.3	* 0.36	4.0	
	04	0.79	6.1	0.59	6.0	0.47	5.9	0.30	4.4	
	06	0.68	6.5	0.53	5.3	0.42	4.8	0.26	3.3	
	08	0.76	6.7	0.59	5.6	0.46	4.9	0.29	3.5	
	10	0.79	6.3	0.59	6.6	0.48	6.1	0.30	4.1	
	12	0.73	6.6	0.60	6.1	0.49	5.7	0.31	3.8	
	14	0.77	4.8	0.56	5.9	0.45	5.6	0.29	3.9	
	16	0.61	7.2	0.50	6.4	0.39	5.5	0.24	3.7	
	18	0.49	6.5	0.38	6.4	0.30	6.3	0.18	4.4	
	20	0.50	5.3	0.38	5.7	0.31	5.8	0.19	4.8	
	22	0.35	6.2	0.28	6.6	0.22	6.6	0.13	5.3	
	最大	0.89	5.9	0.72	5.9	0.57	5.3	0.36	4.0	
	平均	0.68	6.0	0.53	5.9	0.42	5.5	0.27	4.0	
22	00	* 0.48	6.4	* 0.27	6.7	* 0.21	6.7	* 0.12	4.8	
	02	0.28	6.5	0.20	6.6	0.15	5.0	0.09	3.3	
	04	0.16	6.0	0.13	3.8	0.11	3.2	0.07	2.5	
	06	0.18	2.0	0.12	3.6	0.10	3.1	0.06	2.5	
	08	0.28	1.7	0.14	3.3	0.11	3.3	0.07	2.4	
	10	0.17	1.6	0.13	2.3	0.10	2.4	0.07	2.1	
	12	0.22	1.6	0.15	2.2	0.12	2.1	0.08	2.0	
	14	0.34	1.9	0.24	1.8	0.18	1.8	0.12	1.9	
	16	0.33	1.5	0.17	1.9	0.13	2.1	0.08	2.0	
	18	0.14	4.2	0.10	3.0	0.08	2.9	0.05	2.3	
	20	0.13	1.3	0.09	3.0	0.07	2.8	0.05	2.2	
	22	0.16	2.0	0.11	2.6	0.09	3.2	0.06	2.4	
	最大	0.48	6.4	0.27	6.7	0.21	6.7	0.12	4.8	
	平均	0.24	3.1	0.15	3.4	0.12	3.2	0.08	2.5	
23	00	0.11	5.9	0.09	4.8	0.08	4.2	0.05	3.1	
	02	0.18	2.1	0.13	3.7	0.11	3.8	0.07	3.0	
	04	0.44	2.1	0.33	2.4	0.26	2.4	0.17	2.4	
	06	0.82	3.4	0.53	3.0	0.42	3.1	0.27	2.7	
	08	0.88	4.7	0.63	5.0	0.51	5.0	0.32	3.9	
	10	0.98	5.4	0.75	5.7	0.60	5.7	0.38	4.2	
	12	0.86	5.4	0.65	5.3	0.52	4.7	0.33	3.5	
	14	* 1.07	4.6	0.75	4.6	0.59	4.2	0.37	3.4	
	16	1.01	3.3	* 0.80	4.6	* 0.65	4.2	* 0.42	3.4	
	18	1.07	3.3	0.63	4.2	0.51	3.9	0.34	3.2	
	20	0.92	2.8	0.65	3.9	0.52	3.9	0.34	3.1	
	22	0.69	3.5	0.50	4.1	0.39	3.9	0.25	3.0	
	最大	1.07	4.6	0.80	4.6	0.65	4.2	0.42	3.4	
	平均	0.75	3.9	0.54	4.3	0.43	4.1	0.28	3.2	
24	00	0.56	5.7	0.40	5.6	0.30	4.6	0.19	3.3	
	02	0.70	5.6	0.43	5.6	0.34	5.8	0.21	4.2	

	04	0.50	4.4	0.37	5.6	0.30	5.6	0.19	4.7	
	06	0.47	5.7	0.34	5.8	0.28	5.7	0.18	4.8	
	08	0.45	5.9	0.29	5.5	0.22	5.5	0.14	4.6	
	10	0.29	5.8	0.24	5.7	0.20	5.7	0.12	4.6	
	12	0.31	5.7	0.21	5.2	0.17	4.6	0.10	3.0	
	14	0.16	6.3	0.12	4.8	0.10	3.9	0.07	2.7	
	16	0.22	1.7	0.17	3.8	0.13	3.6	0.09	2.6	
	18	0.69	2.9	0.53	2.8	0.42	3.0	0.27	2.6	
	20	0.62	4.9	0.44	6.4	0.35	6.1	0.22	4.2	
	22	* 1.09	3.2	* 0.76	3.6	* 0.61	3.7	* 0.40	3.1	
	最大	1.09	3.2	0.76	3.6	0.61	3.7	0.40	3.1	
	平均	0.51	4.8	0.36	5.0	0.29	4.8	0.18	3.7	
25	00	1.92	5.3	1.48	5.1	1.19	5.0	0.76	4.1	
	02	2.11	6.9	* 1.59	7.1	* 1.25	6.6	* 0.78	4.7	
	04	* 2.45	7.5	1.55	5.7	1.20	5.4	0.75	4.2	
	06	1.87	7.5	1.46	5.9	1.15	5.8	0.73	4.4	
	08	1.97	7.7	1.24	7.9	0.96	6.2	0.59	4.4	
	10	1.44	9.8	1.12	7.2	0.89	6.5	0.57	4.4	
	12	1.31	9.9	0.95	6.2	0.75	5.2	0.48	3.9	
	14	0.92	7.8	0.67	7.3	0.54	6.7	0.34	4.6	
	16	0.97	7.2	0.76	7.1	0.60	6.7	0.39	5.0	
	18	0.97	6.7	0.71	6.9	0.56	6.3	0.35	4.5	
	20	1.01	6.8	0.74	7.4	0.57	6.9	0.36	5.0	
	22	1.25	7.2	0.89	6.9	0.70	6.4	0.44	4.9	
	最大	2.45	7.5	1.59	7.1	1.25	6.6	0.78	4.7	
	平均	1.52	7.5	1.10	6.7	0.86	6.1	0.55	4.5	
26	00	* 1.00	8.0	* 0.89	8.3	* 0.72	8.0	* 0.43	5.9	
	02	0.89	7.2	0.62	7.6	0.50	7.4	0.32	6.1	
	04	0.64	8.1	0.54	7.2	0.46	7.3	0.31	6.3	
	06	0.69	8.0	0.54	7.5	0.44	7.7	0.28	6.1	
	08	0.58	7.9	0.50	7.8	0.39	7.7	0.25	6.3	
	10	0.51	6.3	0.45	7.6	0.37	7.5	0.23	6.2	
	12	0.69	8.0	0.55	7.8	0.42	7.5	0.26	6.4	
	14	0.69	7.7	0.56	6.9	0.45	6.6	0.28	4.6	
	16	0.66	5.7	0.54	7.2	0.42	6.3	0.25	4.2	
	18	0.53	7.2	0.42	6.4	0.35	6.2	0.21	4.3	
	20	0.59	7.5	0.47	6.5	0.38	6.3	0.24	5.2	
	22	0.50	7.3	0.41	6.6	0.31	6.8	0.20	5.7	
	最大	1.00	8.0	0.89	8.3	0.72	8.0	0.43	5.9	
	平均	0.66	7.4	0.54	7.3	0.43	7.1	0.27	5.6	
27	00	0.38	6.4	0.32	6.5	* 0.26	6.6	* 0.16	5.6	
	02	0.38	6.0	0.29	6.3	0.23	6.4	0.15	5.6	
	04	* 0.40	7.0	* 0.32	6.6	0.25	6.7	0.16	5.4	
	06	0.31	6.6	0.25	6.6	0.21	6.7	0.13	5.5	
	08	0.29	6.6	0.22	6.8	0.17	6.8	0.10	5.3	
	10	0.31	5.7	0.23	6.5	0.18	6.0	0.11	4.3	
	12	0.29	7.4	0.22	7.5	0.18	7.5	0.11	5.7	
	14	0.25	7.2	0.20	7.2	0.16	7.1	0.10	5.8	
	16	0.28	7.4	0.22	7.2	0.17	7.1	0.10	5.7	
	18	0.30	6.7	0.21	7.0	0.17	6.8	0.10	5.0	
	20	0.38	7.1	0.30	6.5	0.24	6.4	0.15	4.9	
	22	0.32	6.9	0.25	6.2	0.20	6.2	0.12	5.2	
	最大	0.40	7.0	0.32	6.6	0.26	6.6	0.16	5.6	
	平均	0.32	6.8	0.25	6.7	0.20	6.7	0.12	5.3	
28	00	0.25	6.2	0.19	6.1	0.15	6.2	* 0.10	4.9	
	02	0.18	5.8	0.15	5.6	0.12	5.4	0.08	3.8	
	04	0.19	6.7	0.14	6.1	0.11	5.6	0.07	3.6	
	06	0.22	6.4	0.15	2.9	0.12	2.7	0.08	2.2	
	08	0.26	1.7	0.17	2.3	0.13	2.3	0.08	2.1	
	10	0.17	1.4	0.12	2.2	0.09	2.5	0.06	2.1	
	12	0.27	1.7	0.17	2.0	0.13	2.1	0.09	2.0	
	14	0.17	1.7	0.11	2.5	0.09	2.4	0.06	2.1	
	16	0.14	4.9	0.10	3.5	0.08	3.2	0.05	2.6	
	18	0.09	5.1	0.07	4.8	0.06	4.3	0.04	3.1	
	20	* 0.38	4.6	* 0.26	4.5	* 0.17	4.6	0.09	3.7	
	22	0.30	1.8	0.20	1.9	0.15	2.0	0.10	1.9	
	最大	0.38	4.6	0.26	4.5	0.17	4.6	0.10	4.9	

	平均	0.22	4.0	0.15	3.7	0.12	3.6	0.08	2.8	
29	00	0.34	2.0	0.27	2.1	0.21	2.1	0.13	2.1	
	02	0.38	2.0	0.26	2.4	0.20	2.4	0.13	2.2	
	04	1.17	2.9	0.76	3.1	* 0.60	3.0	0.39	2.8	
	06	0.70	5.4	0.58	5.1	0.48	5.1	0.30	4.0	
	08	1.00	3.7	0.65	3.9	0.52	3.8	0.33	3.1	
	10	0.83	2.6	0.63	3.5	0.50	3.5	0.32	3.0	
	12	1.15	3.5	0.75	3.8	0.59	3.6	* 0.39	3.2	
	14	0.73	3.5	0.58	4.4	0.46	4.0	0.30	3.1	
	16	* 1.18	5.4	0.72	4.7	0.56	4.3	0.36	3.3	
	18	0.88	6.1	0.66	5.5	0.52	4.9	0.34	3.6	
	20	1.10	7.8	* 0.77	6.9	0.58	5.7	0.36	3.8	
	22	0.97	8.6	0.70	7.6	0.57	7.5	0.35	5.3	
	最大	1.18	5.4	0.77	6.9	0.60	3.0	0.39	3.2	
	平均	0.87	4.5	0.61	4.4	0.48	4.2	0.31	3.3	
30	00	0.92	7.3	0.70	5.7	0.58	5.1	0.37	3.8	
	02	0.96	8.7	0.76	6.9	0.58	5.8	0.37	4.2	
	04	* 1.07	4.9	* 0.87	6.2	* 0.70	5.6	* 0.46	4.1	
	06	1.04	5.6	0.75	7.1	0.60	6.5	0.38	4.3	
	08	0.81	7.3	0.62	6.6	0.48	5.2	0.31	3.6	
	10	0.94	3.6	0.62	5.5	0.50	5.0	0.32	3.6	
	12	0.83	6.3	0.62	7.1	0.49	6.0	0.31	4.0	
	14	0.71	6.0	0.52	6.9	0.41	6.3	0.26	4.4	
	16	0.70	8.8	0.53	6.8	0.43	6.3	0.25	4.2	
	18	0.56	8.8	0.48	6.9	0.39	7.1	0.25	5.7	
	20	0.78	7.1	0.57	6.3	0.46	6.1	0.29	4.2	
	22	0.81	6.5	0.58	6.2	0.46	6.5	0.29	5.2	
	最大	1.07	4.9	0.87	6.2	0.70	5.6	0.46	4.1	
	平均	0.84	6.7	0.64	6.5	0.51	6.0	0.32	4.3	
31	00	0.75	6.9	0.53	6.8	0.43	6.4	0.27	5.0	
	02	0.69	6.9	* 0.59	7.0	* 0.46	7.1	0.28	5.6	
	04	0.56	7.4	0.42	7.2	0.34	7.2	0.22	5.7	
	06	0.58	6.2	0.39	6.8	0.31	7.0	0.20	5.7	
	08	0.35	7.2	0.31	7.1	0.25	7.0	0.16	5.8	
	10	0.40	7.6	0.31	7.1	0.26	7.1	0.16	6.0	
	12	0.36	7.8	0.31	6.7	0.25	6.5	0.15	4.3	
	14	0.83	4.9	0.52	3.8	0.41	3.4	0.27	2.7	
	16	0.51	6.3	0.40	4.6	0.32	4.2	0.20	3.1	
	18	0.56	2.9	0.41	3.8	0.34	3.8	0.23	3.0	
	20	* 0.84	3.9	0.58	3.3	0.46	3.2	* 0.30	2.8	
	22	0.48	5.6	0.35	5.3	0.28	4.6	0.18	3.4	
	最大	0.84	3.9	0.59	7.0	0.46	7.1	0.30	2.8	
	平均	0.58	6.1	0.43	5.8	0.34	5.6	0.22	4.4	
	月最大	2.58	5.5	1.72	6.2	1.36	5.5	0.86	4.4	
	起時	1216		1216		1216		1216		
	平均	0.64	6.0	0.47	5.9	0.37	5.6	0.23	4.1	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	0 回
欠測回数	0 回	欠測回数	360 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位	角度
01	00	0.50	4.6	0.36	4.5	0.29	4.6	0.19	3.6		
	02	0.41	4.7	0.34	5.1	0.27	4.9	0.17	3.6		
	04	0.49	5.7	0.37	5.7	0.29	5.7	0.18	4.4		
	06	* 0.51	6.0	* 0.40	6.0	* 0.32	5.9	* 0.20	4.4		
	08	0.42	5.7	0.35	6.2	0.27	6.0	0.16	4.6		
	10	0.49	6.4	0.33	5.8	0.26	5.9	0.16	4.6		
	12	0.40	5.6	0.31	6.0	0.24	6.0	0.15	4.8		
	14	0.47	6.0	0.38	6.2	0.30	5.5	0.19	3.8		
	16	0.38	5.5	0.30	5.7	0.25	5.4	0.16	3.9		
	18	0.38	5.9	0.30	5.8	0.24	5.5	0.15	4.1		
	20	0.44	6.0	0.34	5.5	0.28	5.3	0.18	4.6		
	22	0.37	5.1	0.26	5.9	0.21	5.9	0.13	4.9		
	最大	0.51	6.0	0.40	6.0	0.32	5.9	0.20	4.4		
	平均	0.44	5.6	0.34	5.7	0.27	5.6	0.17	4.3		
02	00	0.36	5.7	0.28	5.9	0.23	5.7	0.14	5.1		
	02	* 0.38	5.2	* 0.31	5.8	* 0.24	5.7	* 0.15	5.0		
	04	0.33	7.0	0.27	5.8	0.22	5.8	0.14	4.8		
	06	0.32	6.0	0.24	5.9	0.19	5.8	0.11	4.4		
	08	0.25	5.5	0.18	6.5	0.14	6.3	0.08	4.5		
	10	0.18	7.2	0.15	6.5	0.12	6.3	0.08	4.7		
	12	0.20	6.4	0.14	6.9	0.11	6.4	0.07	4.3		
	14	0.21	6.5	0.14	4.7	0.11	3.7	0.07	2.6		
	16	0.16	6.1	0.11	6.0	0.09	4.6	0.06	3.0		
	18	0.16	2.2	0.12	4.6	0.10	4.2	0.07	2.8		
	20	0.20	7.0	0.14	3.9	0.11	3.4	0.07	2.5		
	22	0.14	8.1	0.09	4.7	0.07	3.6	0.05	2.5		
	最大	0.38	5.2	0.31	5.8	0.24	5.7	0.15	5.0		
	平均	0.24	6.1	0.18	5.6	0.14	5.1	0.09	3.9		
03	00	0.21	1.8	0.15	2.1	0.12	2.2	0.08	2.1		
	02	0.13	7.8	0.10	3.5	0.08	3.1	0.05	2.3		
	04	0.12	7.9	0.08	5.3	0.06	4.1	0.04	2.8		
	06	0.09	6.8	0.07	6.0	0.06	4.5	0.04	3.0		
	08	0.13	2.9	0.09	4.7	0.07	4.3	0.05	3.1		
	10	0.26	2.8	0.12	3.8	0.08	4.1	0.05	3.2		
	12	0.13	6.8	0.10	6.5	0.08	5.4	0.05	3.5		
	14	0.19	7.0	0.12	4.6	0.10	3.7	0.07	2.6		
	16	0.38	2.0	0.28	2.8	0.21	2.7	0.13	2.3		
	18	0.82	5.3	0.65	5.3	0.53	4.9	0.33	3.4		
	20	1.14	5.6	* 0.81	5.9	* 0.63	5.8	* 0.39	4.3		
	22	* 1.14	6.3	0.80	6.5	0.61	5.9	0.38	4.2		
	最大	1.14	6.3	0.81	5.9	0.63	5.8	0.39	4.3		
	平均	0.40	5.3	0.28	4.8	0.22	4.2	0.14	3.1		
04	00	1.00	6.2	0.83	5.3	0.67	4.7	0.43	3.6		
	02	1.39	6.2	1.03	4.8	0.84	4.7	0.53	3.7		
	04	1.07	4.6	0.83	4.9	0.69	4.5	0.45	3.6		
	06	1.48	4.8	* 1.20	4.7	* 0.96	4.5	* 0.63	3.8		
	08	* 1.49	4.7	1.03	4.3	0.82	4.5	0.53	3.7		
	10	1.29	3.4	1.06	4.5	0.89	4.4	0.58	3.6		
	12	1.26	2.9	0.93	3.8	0.75	3.7	0.48	3.3		
	14	1.22	3.3	0.82	3.5	0.66	3.4	0.42	3.1		
	16	1.05	3.5	0.82	4.0	0.65	4.0	0.42	3.4		
	18	0.97	5.4	0.78	4.5	0.65	4.7	0.43	3.7		
	20	0.55	4.8	0.41	5.3	0.32	5.0	0.20	3.9		
	22	0.50	5.7	0.34	5.7	0.26	5.6	0.16	4.5		
	最大	1.49	4.7	1.20	4.7	0.96	4.5	0.63	3.8		

	平均	1.11	4.6	0.84	4.6	0.68	4.5	0.44	3.7	
05	00	* 0.47	6.2	* 0.34	6.1	* 0.27	6.0	* 0.18	5.1	
	02	0.42	5.5	0.27	6.0	0.21	5.7	0.13	4.4	
	04	0.25	5.8	0.21	5.6	0.16	5.5	0.09	3.9	
	06	0.20	6.5	0.16	5.9	0.13	5.3	0.08	3.5	
	08	0.14	4.8	0.10	4.5	0.08	4.0	0.06	2.7	
	10	0.15	7.3	0.10	6.8	0.08	5.3	0.05	3.3	
	12	0.11	7.2	0.08	6.2	0.07	5.2	0.04	3.5	
	14	0.13	6.8	0.10	5.4	0.08	4.3	0.06	3.0	
	16	0.19	8.1	0.15	7.5	0.12	6.4	0.08	4.2	
	18	0.25	6.8	0.18	7.3	0.14	6.6	0.08	4.5	
20	0.29	7.3	0.23	5.6	0.19	5.5	0.12	4.6		
22	0.20	5.7	0.16	7.1	0.13	6.2	0.08	4.3		
最大平均	0.47	6.2	0.34	6.1	0.27	6.0	0.18	5.1		
	0.23	6.5	0.17	6.2	0.14	5.5	0.09	3.9		
06	00	0.21	7.1	0.15	7.5	0.11	6.7	0.07	4.6	
	02	0.19	7.5	0.14	6.2	0.11	6.1	0.07	4.1	
	04	0.18	2.5	0.14	5.8	0.11	5.9	0.07	4.0	
	06	0.19	7.9	0.15	7.7	0.12	6.8	0.07	4.3	
	08	0.19	8.5	0.14	7.6	0.11	6.8	0.07	4.5	
	10	0.24	8.3	0.19	7.7	0.14	6.3	0.09	3.9	
	12	0.22	8.1	0.16	7.8	0.13	7.4	0.08	4.5	
	14	0.30	8.3	0.22	8.6	0.17	7.9	0.11	5.4	
	16	0.41	4.1	0.29	5.9	0.22	4.4	0.14	3.1	
	18	0.34	7.5	0.21	6.3	0.17	5.3	0.11	3.9	
20	* 0.43	7.6	* 0.31	5.8	* 0.25	5.4	* 0.15	4.3		
22	0.24	7.6	0.19	6.9	0.16	6.0	0.10	4.3		
最大平均	0.43	7.6	0.31	5.8	0.25	5.4	0.15	4.3		
	0.26	7.1	0.19	7.0	0.15	6.3	0.09	4.2		
07	00	0.23	5.7	0.18	7.0	* 0.15	6.7	* 0.10	5.0	
	02	0.22	5.8	0.18	6.4	0.14	6.2	0.09	4.6	
	04	0.32	4.9	* 0.19	6.0	0.14	5.8	0.08	4.1	
	06	0.16	6.6	0.13	5.6	0.10	4.2	0.07	2.8	
	08	0.21	6.1	0.12	5.6	0.09	5.3	0.06	3.7	
	10	0.19	2.6	0.12	4.2	0.10	3.7	0.06	2.7	
	12	* 0.47	2.8	0.17	2.9	0.12	2.9	0.07	2.3	
	14	0.21	1.3	0.12	2.3	0.10	2.5	0.07	2.1	
	16	0.12	1.6	0.09	4.0	0.07	3.5	0.05	2.7	
	18	0.15	2.8	0.10	3.3	0.08	2.9	0.06	2.3	
20	0.25	4.7	0.15	5.3	0.11	5.0	0.07	3.6		
22	0.16	7.2	0.11	6.6	0.09	5.8	0.05	3.5		
最大平均	0.47	2.8	0.19	6.0	0.15	6.7	0.10	5.0		
	0.22	4.3	0.14	4.9	0.11	4.5	0.07	3.3		
08	00	0.16	5.7	0.11	6.9	0.09	6.2	0.06	4.0	
	02	0.53	2.5	0.31	2.4	0.25	2.5	0.16	2.2	
	04	0.51	2.5	0.33	2.6	0.26	2.5	0.18	2.4	
	06	0.26	2.6	0.21	3.7	0.17	3.5	0.11	2.7	
	08	0.58	2.6	0.43	3.4	0.34	3.3	0.22	2.7	
	10	0.44	4.6	0.36	4.					

			最大	0.81	3.4	0.63	4.4	0.51	4.2	0.33	3.3		
			平均	0.59	5.6	0.44	5.8	0.35	5.4	0.22	4.0		
10	00		* 0.42	6.5	* 0.30	6.0	* 0.23	5.9	* 0.14	4.4			
	02		0.32	5.7	0.22	6.1	0.18	5.7	0.11	3.8			
	04		0.25	6.2	0.19	4.6	0.15	4.1	0.09	2.8			
	06		0.18	7.0	0.13	3.9	0.10	3.6	0.07	2.6			
	08		0.28	1.6	0.20	1.8	0.15	2.0	0.10	1.9			
	10		0.25	2.2	0.17	2.1	0.13	2.0	0.09	2.0			
	12		0.24	1.8	0.16	2.6	0.12	2.6	0.08	2.3			
	14		0.20	1.7	0.15	1.9	0.12	2.2	0.08	2.0			
	16		0.35	1.7	0.19	2.0	0.15	2.0	0.10	2.0			
	18		0.23	1.6	0.16	2.3	0.12	2.4	0.08	2.1			
	20		0.38	5.6	0.23	4.9	0.17	4.8	0.11	3.8			
	22		0.14	5.0	0.11	5.3	0.09	4.5	0.06	3.3			
	最大		0.42	6.5	0.30	6.0	0.23	5.9	0.14	4.4			
	平均		0.27	3.9	0.18	3.6	0.14	3.5	0.09	2.8			
11	00		0.30	2.7	0.17	3.0	0.13	2.9	0.09	2.6			
	02		0.49	3.7	0.39	3.9	0.30	3.8	0.19	3.1			
	04		0.65	4.1	0.48	3.9	0.37	3.7	0.24	3.0			
	06		* 0.89	6.2	0.61	6.1	0.47	5.6	0.29	3.9			
	08		0.77	7.2	0.56	6.6	0.44	6.4	0.27	4.7			
	10		0.79	6.5	0.62	6.5	0.49	6.2	0.30	4.4			
	12		0.69	7.1	0.57	6.5	0.46	6.7	0.29	5.0			
	14		0.67	6.2	0.55	6.4	0.45	6.2	0.28	4.6			
	16		0.81	6.5	* 0.63	5.7	* 0.50	5.5	* 0.32	4.1			
	18		0.77	5.2	0.52	5.2	0.39	4.6	0.25	3.3			
	20		0.70	5.5	0.51	5.3	0.40	4.9	0.26	3.5			
	22		0.79	5.5	0.54	5.6	0.43	5.6	0.26	4.3			
	最大		0.89	6.2	0.63	5.7	0.50	5.5	0.32	4.1			
	平均		0.69	5.5	0.51	5.4	0.40	5.2	0.25	3.9			
12	00		* 0.60	5.7	0.41	5.7	0.32	5.8	0.21	4.7			
	02		0.49	5.9	0.37	5.6	0.30	5.8	0.20	4.9			
	04		0.56	6.3	* 0.42	5.8	* 0.34	5.7	* 0.22	5.0			
	06		0.45	5.4	0.33	5.9	0.27	5.7	0.17	4.9			
	08		0.46	5.5	0.31	5.5	0.25	5.6	0.16	5.0			
	10		0.46	5.1	0.31	5.7	0.25	5.6	0.16	4.8			
	12		0.45	5.6	0.36	5.9	0.29	5.9	0.18	4.5			
	14		0.40	5.2	0.31	5.6	0.24	5.7	0.15	4.8			
	16		0.36	5.4	0.31	5.8	0.25	5.6	0.16	4.5			
	18		0.39	6.0	0.30	5.5	0.23	5.5	0.14	4.2			
	20		0.36	5.0	0.26	5.2	0.21	4.9	0.13	3.5			
	22		0.34	4.3	0.29	4							

	16	0.21	2.8	0.13	3.7	0.10	3.5	0.07	2.6		
	18	0.15	5.7	0.11	5.3	0.08	5.0	0.05	3.6		
	20	0.39	4.6	* 0.29	4.6	* 0.21	4.9	* 0.12	4.0		
	22	0.11	5.3	0.09	4.5	0.07	4.3	0.05	3.2		
	最大	0.44	2.5	0.29	4.6	0.21	4.9	0.12	4.0		
	平均	0.22	4.5	0.15	4.3	0.11	4.3	0.07	3.4		
15	00	0.11	3.6	0.08	4.3	0.07	3.9	0.04	2.8		
	02	0.17	5.4	0.10	3.7	0.08	3.7	0.06	3.0		
	04	0.25	5.6	0.12	5.0	0.08	4.2	0.05	3.1		
	06	0.08	3.6	0.06	3.9	0.05	3.8	0.04	2.9		
	08	0.07	5.6	0.06	4.7	0.05	4.4	0.03	3.1		
	10	0.25	2.5	0.09	3.6	0.07	3.7	0.04	2.9		
	12	0.31	2.0	0.21	2.1	0.16	2.2	0.10	2.1		
	14	0.31	2.2	0.19	2.4	0.15	2.4	0.10	2.3		
	16	* 0.32	2.2	* 0.22	2.7	* 0.17	2.8	* 0.11	2.3		
	18	0.21	4.5	0.16	4.0	0.13	4.0	0.09	3.1		
	20	0.22	5.2	0.16	4.9	0.13	4.4	0.09	3.3		
	22	0.19	4.2	0.14	4.7	0.12	4.2	0.07	3.3		
	最大	0.32	2.2	0.22	2.7	0.17	2.8	0.11	2.3		
	平均	0.21	3.9	0.13	3.8	0.11	3.6	0.07	2.9		
16	00	0.17	4.4	0.13	4.3	0.11	4.1	0.07	3.2		
	02	0.19	5.1	0.14	4.7	0.12	4.5	0.08	3.4		
	04	0.19	5.6	0.14	4.6	0.11	4.3	0.07	3.4		
	06	0.16	6.2	0.13	4.9	0.10	4.8	0.06	3.6		
	08	0.19	4.9	0.15	4.5	0.12	4.4	0.08	3.3		
	10	0.17	3.3	0.13	3.7	0.11	3.6	0.07	2.8		
	12	0.33	1.7	* 0.23	2.4	* 0.18	2.3	* 0.12	2.2		
	14	0.28	2.2	0.20	2.7	0.16	2.8	0.11	2.3		
	16	* 0.34	4.5	0.18	3.9	0.13	3.8	0.09	2.8		
	18	0.19	4.8	0.13	4.9	0.10	4.7	0.07	3.4		
	20	0.24	3.8	0.18	4.2	0.14	4.4	0.09	3.6		
	22	0.16	2.3	0.10	4.1	0.08	4.2	0.05	3.3		
	最大	0.34	4.5	0.23	2.4	0.18	2.3	0.12	2.2		
	平均	0.22	4.1	0.15	4.1	0.12	4.0	0.08	3.1		
17	00	0.16	4.1	0.09	4.5	0.07	4.3	0.05	3.4		
	02	0.12	2.5	0.09	3.3	0.07	3.5	0.05	2.8		
	04	0.11	4.3	0.08	4.4	0.07	4.0	0.04	3.2		
	06	0.09	5.6	0.06	5.1	0.05	4.5	0.04	3.1		
	08	0.11	4.7	0.09	4.4	0.07	3.8	0.05	2.7		
	10	0.15	3.9	0.11	4.8	0.09	4.8	0.06	3.7		
	12	0.23	5.8	0.18	3.9	0.15	3.3	0.10	2.6		
	14	0.25	5.6	0.18	5.9	0.14	4.8	0.09	3.2		
	16	* 0.46	2.3	* 0.28	2.7	* 0.23	2.8	* 0.15	2.4		
	18	0.22	4.6	0.17	4.5	0.14	3.6	0.09	2.8		
	20	0.39	6.7	0.22	5.7	0.17	4.8	0.11	3.3		
	22	0.24	6.1	0.17	5.9	0.13	5.7	0.08	4.0		
	最大	0.46	2.3	0.28	2.7	0.23	2.8	0.15	2.4		
	平均	0.21	4.7	0.14	4.6	0.12	4.2	0.08	3.1		
18	00	0.21	5.1	0.17	6.0	0.13	5.8	0.08	4.4		
	02	0.21	4.7	0.16	5.6	0.13	5.4	0.08	4.2		
	04	0.17	6.1	0.15	5.2	0.12	5.1	0.08	4.1		
	06	0.19	4.6	0.15	5.1	0.12	5.0	0.08	3.8		
	08	0.24	3.3	0.18	4.0	0.13	3.9	0.08	3.3		
	10	0.20	4.2	0.15	4.7	0.12	4.6	0.08	3.9		
	12	* 0.29	5.1	* 0.22	3.3	* 0.18	3.1	* 0.12	2.5		
	14	0.20	4.7	0.16	4.3	0.13	4.4	0.08	3.5		
	16	0.24	2.6	0.18	3.7	0.15	3.3	0.10	2.6		
	18	0.24	3.3	0.18	3.6	0.15	3.6	0.10	2.9		
	20	0.19	4.6	0.16	4.4	0.13	4.3	0.09	3.4		
	22	0.14	4.9	0.12	4.7	0.10	4.6	0.06	3.7		
	最大	0.29	5.1	0.22	3.3	0.18	3.1	0.12	2.5		
	平均	0.21	4.4	0.17	4.6	0.13	4.4	0.09	3.5		
19	00	0.16	4.7	0.13	5.0	0.10	4.8	0.06	3.8		
	02	0.29	3.9	0.18	4.6	0.13	4.6	0.09	3.5		
	04	0.29	4.9	0.23	5.2	0.18	5.1	0.11	4.4		
	06	0.29	5.5	0.23	5.5	0.19	5.5	0.12	4.7		
	08	* 0.36	4.9	* 0.27	5.4	* 0.22	5.4	* 0.14	4.2		
	10	0.27	4.5	0.21	5.3	0.17	5.3	0.11	3.9		

	12	0.30	5.2	0.22	5.1	0.18	4.2	0.12	3.0	
	14	0.31	5.8	0.22	5.7	0.17	5.5	0.10	3.6	
	16	0.22	6.9	0.17	6.2	0.14	5.8	0.09	4.1	
	18	0.23	4.4	0.17	5.3	0.14	4.9	0.09	3.6	
	20	0.35	4.1	0.27	4.6	0.21	4.7	0.13	4.1	
	22	0.17	5.6	0.14	6.0	0.11	5.7	0.07	4.3	
	最大									
	平均	0.36	4.9	0.27	5.4	0.22	5.4	0.14	4.2	
		0.27	5.0	0.20	5.3	0.16	5.1	0.10	3.9	
20	00	0.18	6.4	0.13	5.2	0.10	4.1	0.06	2.9	
	02	0.14	4.9	0.10	5.5	0.08	4.8	0.05	3.1	
	04	0.31	1.9	0.23	1.7	0.18	1.8	0.12	1.9	
	06	0.31	2.3	0.22	1.9	0.17	2.1	0.11	2.1	
	08	0.28	2.0	0.20	2.0	0.16	2.2	0.11	2.0	
	10	0.43	2.1	* 0.29	1.9	* 0.22	1.9	* 0.14	2.0	
	12	0.25	1.6	0.18	2.1	0.14	2.1	0.09	2.0	
	14	* 0.51	1.7	0.27	1.8	0.20	2.0	0.12	2.1	
	16	0.30	1.6	0.19	1.9	0.15	2.1	0.10	2.0	
	18	0.17	1.8	0.11	3.4	0.09	3.7	0.06	2.7	
	20	0.11	1.9	0.08	3.6	0.07	3.5	0.05	2.6	
	22	0.11	3.9	0.08	4.4	0.06	4.1	0.04	3.0	
	最大									
	平均	0.51	1.7	0.29	1.9	0.22	1.9	0.14	2.0	
		0.26	2.7	0.17	3.0	0.14	2.9	0.09	2.4	
21	00	0.20	2.7	0.14	2.4	0.11	2.5	0.08	2.4	
	02	0.17	2.3	0.11	4.0	0.08	4.0	0.06	3.0	
	04	0.20	4.7	0.10	5.1	0.08	4.7	0.05	3.5	
	06	0.16	2.0	0.13	3.3	0.10	3.3	0.07	2.5	
	08	0.31	5.1	0.22	3.9	0.17	3.4	0.11	2.6	
	10	0.29	3.5	0.23	4.1	0.19	3.9	0.12	3.1	
	12	* 0.58	2.6	* 0.35	2.5	* 0.27	2.6	* 0.18	2.4	
	14	0.35	4.5	0.30	4.1	0.24	3.9	0.16	3.1	
	16	0.28	3.6	0.21	3.8	0.17	3.6	0.11	2.8	
	18	0.23	7.4	0.17	5.6	0.14	5.0	0.09	3.4	
	20	0.50	3.9	0.32	5.0	0.24	5.0	0.15	4.0	
	22	0.27	7.6	0.17	7.4	0.13	6.9	0.08	4.7	
	最大									
	平均	0.58	2.6	0.35	2.5	0.27	2.6	0.18	2.4	
		0.30	4.2	0.20	4.3	0.16	4.1	0.11	3.1	
22	00	0.28	7.2	0.19	6.7	0.15	5.6	0.09	3.6	
	02	0.28	6.9	0.22	7.0	0.17	7.0	0.10	4.9	
	04	0.37	7.0	0.29	7.3	0.22	7.2	0.14	5.2	
	06	0.69	3.7	0.48	4.7	0.38	4.2	0.24	3.2	
	08	0.58	4.4	0.47	3.9	0.38	3.6	0.25	3.0	
	10	0.75	2.4	0.54	2.7	0.42	2.9	0.27	2.6	
	12	0.75	2.3	0.57	3.1	0.46	3.1	0.30	2.7	
	14	* 0.94	3.0	* 0.64	3.3	* 0.51	3.2	* 0.34	2.9	
	16	0.77	2.7	0.58	3.1	0.47	3.2	0.31	2.8	
	18	0.88	3.3	0.57	4.2	0.45	3.8	0.29	3.1	
	20	0.78	5.2	0.46	4.8	0.36	4.4	0.23	3.4	
	22	0.53	7.2	0.44	6.5	0.36	6.3	0.23	4.5	
	最大									
	平均	0.94	3.0	0.64	3.3	0.51	3.2	0.34	2.9	
		0.63	4.6	0.45	4.8	0.36	4.5	0.23	3.5	
23	00	* 0.76	7.2	* 0.54	6.9	* 0.43	6.7	* 0.27	5.3	
	02	0.58	7.2	0.40	7.4	0.33	7.3	0.21	5.9	
	04	0.54	6.4	0.37	6.9	0.29	6.7	0.17	5.3	
	06	0.47	6.9	0.36	6.3	0.29	6.4	0.19	5.2	
	08	0.48	5.3	0.34	6.4	0.27	6.1	0.17	4.5	
	10	0.47	5.3	0.32	5.7	0.24	5.8	0.15	4.9	
	12	0.41	6.2	0.28	5.7	0.23	5.4	0.14	3.7	
	14	0.44	5.7	0.31	5.4	0.25	4.8	0.16	3.4	
	16	0.51	2.5	0.34	3.4	0.27	3.4	0.18	2.8	
	18	0.54	3.0	0.44	3.6	0.35	3.4	0.23	2.8	
	20	0.55	6.0	0.40	5.1	0.33	4.8	0.21	3.6	
	22	0.45	4.0	0.34	4.9	0.27	4.1	0.17	3.0	
	最大									
	平均	0.76	7.2	0.54	6.9	0.43	6.7	0.27	5.3	
		0.52	5.5	0.37	5.6	0.30	5.4	0.19	4.2	
24	00	0.39	6.2	0.28	6.2	0.22	5.6	0.14	4.2	
	02	0.38	6.0	0.28	6.1	0.22	6.0	0.14	4.9	

	04	0.38	6.0	0.26	6.1	0.21	5.9	0.14	5.1	
	06	0.39	4.5	0.24	6.0	0.20	5.9	0.13	4.8	
	08	0.28	6.0	0.22	5.3	0.18	5.1	0.12	4.0	
	10	0.28	5.1	0.20	5.5	0.17	5.2	0.11	3.9	
	12	0.38	4.3	0.28	4.3	0.22	3.8	0.14	2.9	
	14	0.48	6.6	* 0.33	4.5	* 0.27	4.0	* 0.18	3.0	
	16	* 0.51	4.4	0.32	4.6	0.26	4.3	0.17	3.3	
	18	0.40	3.1	0.31	4.4	0.25	4.2	0.16	3.5	
	20	0.35	4.7	0.29	4.9	0.23	4.8	0.15	4.1	
	22	0.20	5.6	0.15	5.8	0.12	5.8	0.08	4.3	
	最大	0.51	4.4	0.33	4.5	0.27	4.0	0.18	3.0	
	平均	0.37	5.2	0.26	5.3	0.21	5.1	0.14	4.0	
25	00	0.17	6.0	0.12	6.1	0.09	5.7	0.06	3.8	
	02	0.16	6.0	0.11	5.9	0.09	5.2	0.06	3.5	
	04	0.16	5.1	0.10	5.5	0.08	4.8	0.05	3.2	
	06	0.13	6.3	0.10	4.9	0.08	4.0	0.05	2.9	
	08	0.16	5.5	0.12	3.5	0.09	3.1	0.06	2.5	
	10	0.13	1.3	0.10	3.6	0.08	3.2	0.06	2.6	
	12	0.11	6.0	0.08	4.7	0.07	3.6	0.04	2.7	
	14	0.12	3.0	0.08	5.8	0.06	4.7	0.04	3.1	
	16	0.10	5.7	0.07	5.4	0.06	4.4	0.04	2.9	
	18	0.12	8.1	0.08	4.2	0.07	3.7	0.04	2.9	
	20	* 0.32	4.4	* 0.24	4.6	* 0.19	4.7	* 0.11	4.1	
	22	0.09	7.0	0.06	6.4	0.05	5.4	0.04	3.7	
	最大	0.32	4.4	0.24	4.6	0.19	4.7	0.11	4.1	
	平均	0.15	5.4	0.11	5.1	0.08	4.4	0.05	3.2	
26	00	0.09	6.9	0.07	4.9	0.05	4.1	0.04	2.8	
	02	0.12	3.4	0.10	3.7	0.08	3.7	0.06	3.0	
	04	0.10	3.6	0.07	5.4	0.06	4.7	0.04	3.4	
	06	0.10	5.8	0.08	5.5	0.06	4.6	0.04	3.2	
	08	0.16	5.1	0.12	4.6	0.10	4.1	0.07	3.2	
	10	0.27	2.1	0.19	2.4	0.15	2.7	0.10	2.4	
	12	* 0.71	2.3	* 0.52	2.4	* 0.40	2.4	* 0.25	2.4	
	14	0.44	3.3	0.34	2.9	0.27	3.0	0.17	2.7	
	16	0.28	3.0	0.19	3.1	0.15	3.2	0.10	2.7	
	18	0.29	3.6	0.22	3.6	0.17	3.4	0.11	2.7	
	20	0.39	3.8	0.26	4.4	0.20	4.2	0.12	3.5	
	22	0.26	6.0	0.14	3.9	0.11	4.5	0.08	3.7	
	最大	0.71	2.3	0.52	2.4	0.40	2.4	0.25	2.4	
	平均	0.27	4.1	0.19	3.9	0.15	3.7	0.10	3.0	
27	00	0.17	6.5	0.13	5.3	0.10	4.7	0.07	3.7	
	02	0.19	2.3	0.13	5.2	0.11	5.5	0.07	4.2	
	04	0.15	5.1	0.13	5.6	0.10	5.6	0.06	3.9	
	06	0.18	5.4	0.13	5.4	0.10	4.8	0.06	3.2	
	08	0.14	5.6	0.12	5.5	0.10	5.2	0.06	4.0	
	10	0.41	2.6	0.16	4.2	0.11	4.8	0.07	4.1	
	12	0.14	5.2	0.11	5.2	0.09	4.9	0.06	3.7	
	14	0.20	4.9	0.12	4.3	0.09	3.7	0.06	2.6	
	16	0.13	4.2	0.09	3.9	0.07	4.1	0.04	3.0	
	18	0.15	2.7	0.10	3.2	0.08	3.3	0.05	2.8	

	平均	0.20	4.4	0.14	4.6	0.11	4.2	0.07	2.9	
29	00	* 0.47	8.4	0.29	7.9	0.21	6.7	0.12	3.9	
	02	0.32	8.8	0.24	9.1	0.19	8.0	0.11	5.1	
	04	0.29	8.8	0.23	8.5	0.18	8.5	0.11	5.9	
	06	0.30	10.3	0.22	8.4	0.18	7.7	0.11	5.5	
	08	0.35	9.1	0.26	7.8	0.22	7.5	0.13	5.1	
	10	0.39	7.0	0.30	7.6	0.24	6.8	0.15	4.8	
	12	0.42	5.9	0.31	6.4	* 0.26	5.9	* 0.16	3.9	
	14	0.41	4.8	0.28	5.9	0.24	5.5	0.15	4.2	
	16	0.32	3.4	0.25	4.7	0.21	4.1	0.14	3.2	
	18	0.30	5.8	0.23	5.1	0.18	4.9	0.12	3.6	
	20	0.44	7.1	* 0.32	5.5	0.25	5.0	0.15	4.3	
	22	0.27	5.4	0.20	5.1	0.16	4.8	0.10	3.7	
	最大	0.47	8.4	0.32	5.5	0.26	5.9	0.16	3.9	
	平均	0.36	7.1	0.26	6.8	0.21	6.3	0.13	4.4	
30	00	0.23	4.9	0.17	4.6	0.14	4.4	0.09	3.5	
	02	0.23	3.8	0.18	4.5	0.15	4.5	0.10	3.5	
	04	0.20	4.8	0.15	5.1	0.13	4.5	0.08	3.3	
	06	0.22	7.8	0.16	5.7	0.13	5.2	0.08	3.8	
	08	0.21	7.3	0.16	6.3	0.13	5.6	0.08	3.9	
	10	* 0.31	6.6	* 0.23	6.5	0.18	6.2	0.11	4.0	
	12	0.29	5.8	0.23	6.3	* 0.18	6.3	* 0.11	4.8	
	14	0.23	6.4	0.20	5.9	0.16	5.6	0.10	4.0	
	16	0.27	6.0	0.20	5.7	0.16	5.7	0.10	4.4	
	18	0.25	6.0	0.17	5.5	0.13	5.5	0.08	3.9	
	20	0.21	5.8	0.13	5.4	0.10	5.0	0.06	3.4	
	22	0.15	5.5	0.11	5.4	0.09	4.3	0.06	2.9	
	最大	0.31	6.6	0.23	6.5	0.18	6.3	0.11	4.8	
	平均	0.23	5.9	0.17	5.6	0.14	5.2	0.09	3.8	
月最大		1.49	4.7	1.20	4.7	0.96	4.5	0.63	3.8	
起時		0408		0406		0406		0406		
平均		0.36	4.9	0.26	4.9	0.21	4.6	0.13	3.5	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	0 回
欠測回数	0 回	欠測回数	372 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：| 敦賀港本港地区 | 機種：| 波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.14	5.9	0.10	4.3	0.08	3.6	0.05	2.6		
	02	0.16	2.5	0.11	3.7	0.09	3.6	0.06	2.8		
	04	0.16	1.8	0.12	2.0	0.09	2.2	0.06	2.0		
	06	0.15	2.8	0.12	2.4	0.09	2.4	0.06	2.1		
	08	0.11	6.0	0.09	3.4	0.08	2.9	0.05	2.4		
	10	0.31	1.6	0.19	1.9	0.14	1.9	0.09	1.9		
	12	0.23	1.5	0.15	1.8	0.12	1.9	0.07	1.9		
	14	0.16	1.5	0.12	2.0	0.09	2.2	0.06	2.0		
	16	0.15	2.9	0.09	3.4	0.07	3.2	0.05	2.5		
	18	0.20	3.1	0.14	2.0	0.11	2.0	0.07	2.0		
	20	* 0.34	4.0	* 0.22	3.9	* 0.16	3.5	* 0.10	2.6		
	22	0.14	4.3	0.09	3.1	0.07	3.3	0.05	2.5		
	最大	0.34	4.0	0.22	3.9	0.16	3.5	0.10	2.6		
	平均	0.19	3.2	0.13	2.8	0.10	2.7	0.06	2.3		
02	00	0.09	1.6	0.07	3.4	0.06	3.1	0.04	2.3		
	02	0.36	2.7	0.12	3.4	0.08	3.6	0.05	2.9		
	04	0.29	5.0	0.13	4.9	0.08	4.5	0.05	3.4		
	06	0.67	2.2	0.44	2.3	0.33	2.3	0.20	2.2		
	08	0.73	2.9	0.54	3.7	0.44	3.8	0.28	3.2		
	10	0.60	5.7	0.43	5.3	0.36	5.3	0.23	4.3		
	12	* 1.03	3.3	* 0.80	4.3	* 0.66	4.2	* 0.42	3.4		
	14	1.00	4.1	0.72	4.0	0.58	4.0	0.37	3.2		
	16	0.76	3.9	0.55	4.3	0.44	4.1	0.28	3.2		
	18	0.68	6.7	0.52	5.1	0.41	4.7	0.26	3.4		
	20	0.80	5.6	0.59	5.5	0.44	5.0	0.27	3.7		
	22	0.62	6.3	0.45	6.0	0.36	5.6	0.23	4.2		
	最大	1.03	3.3	0.80	4.3	0.66	4.2	0.42	3.4		
	平均	0.64	4.2	0.45	4.4	0.35	4.2	0.22	3.3		
03	00	* 0.55	5.5	* 0.44	5.8	* 0.36	6.0	* 0.23	4.8		
	02	0.50	5.0	0.43	5.7	0.35	5.4	0.21	4.0		
	04	0.41	5.1	0.34	5.6	0.28	5.5	0.19	4.5		
	06	0.42	5.2	0.33	5.4	0.27	5.5	0.17	4.6		
	08	0.31	5.2	0.27	5.4	0.23	5.2	0.14	4.2		
	10	0.31	6.0	0.22	4.6	0.18	4.1	0.11	2.9		
	12	0.29	4.0	0.21	4.5	0.17	4.1	0.11	2.9		
	14	0.40	2.6	0.28	3.0	0.23	3.1	0.15	2.6		
	16	0.29	4.7	0.22	4.4	0.18	4.1	0.12	3.0		
	18	0.30	2.9	0.22	3.8	0.18	3.9	0.12	3.2		
	20	0.26	3.8	0.18	4.8	0.15	4.8	0.09	3.8		
	22	0.16	5.9	0.12	5.3	0.10	4.8	0.06	3.2		
	最大	0.55	5.5	0.44	5.8	0.36	6.0	0.23	4.8		
	平均	0.35	4.7	0.27	4.9	0.22	4.7	0.14	3.6		
04	00	0.16	5.2	0.11	5.7	0.09	5.3	0.05	3.6		
	02	0.13	2.0	0.10	5.0	0.08	4.5	0.05	3.2		
	04	0.11	5.8	0.08	5.4	0.06	4.4	0.04	2.9		
	06	0.09	5.4	0.07	4.6	0.05	3.9	0.04	2.7		
	08	0.09	2.7	0.07	3.5	0.05	3.3	0.04	2.6		
	10	0.19	3.0	0.11	3.9	0.09	4.0	0.06	3.2		
	12	0.11	2.4	0.08	3.6	0.06	3.4	0.04	2.7		
	14	* 0.20	1.8	* 0.15	2.1	* 0.12	2.2	* 0.09	2.1		
	16	0.15	5.0	0.10	2.8	0.08	2.7	0.06	2.3		
	18	0.10	3.1	0.08	3.3	0.06	3.1	0.04	2.5		
	20	0.17	2.6	0.11	3.8	0.09	3.5	0.06	2.8		
	22	0.11	3.0	0.08	4.3	0.07	4.2	0.05	3.1		
	最大	0.20	1.8	0.15	2.1	0.12	2.2	0.09	2.1		

	平均	0.13	3.5	0.10	4.0	0.08	3.7	0.05	2.8	
05	00	0.11	4.4	0.09	5.7	0.08	4.9	0.05	3.8	
	02	0.19	2.5	0.13	3.6	0.10	3.9	0.06	3.2	
	04	0.26	4.9	* 0.17	4.9	* 0.12	4.7	0.07	3.8	
	06	0.13	4.6	0.10	4.4	0.08	4.4	0.05	3.3	
	08	0.14	3.9	0.11	4.1	0.08	3.9	0.06	3.0	
	10	0.14	4.1	0.10	4.0	0.09	3.7	0.06	3.0	
	12	0.24	3.6	0.16	2.4	0.12	2.3	* 0.08	2.0	
	14	0.14	3.7	0.11	4.0	0.09	3.7	0.06	2.8	
	16	* 0.31	2.5	0.14	3.6	0.10	3.6	0.07	2.9	
	18	0.19	3.4	0.12	3.5	0.10	3.4	0.07	2.6	
	20	0.14	4.4	0.11	4.0	0.09	4.1	0.06	3.2	
	22	0.16	4.7	0.12	5.0	0.10	4.7	0.07	3.7	
	最大									
	平均	0.31	2.5	0.17	4.9	0.12	4.7	0.08	2.0	
		0.18	3.9	0.12	4.1	0.10	3.9	0.06	3.1	
06	00	0.16	4.1	0.11	4.2	0.08	4.3	0.06	3.3	
	02	0.11	4.3	0.08	4.0	0.06	4.1	0.04	3.2	
	04	0.15	4.1	0.11	4.5	0.08	4.3	0.05	3.1	
	06	0.21	5.6	0.14	5.4	0.11	5.2	0.07	3.9	
	08	0.23	3.4	0.18	5.5	0.15	5.5	0.10	4.6	
	10	0.24	6.3	0.18	6.3	0.14	5.8	0.09	3.8	
	12	0.22	4.8	0.17	5.3	0.14	4.6	0.09	3.1	
	14	0.20	1.8	0.14	2.5	0.11	2.5	0.08	2.2	
	16	0.31	1.7	0.15	2.4	0.11	2.6	0.07	2.1	
	18	0.19	1.6	0.14	2.9	0.11	2.7	0.07	2.3	
	20	* 0.35	4.1	* 0.21	3.6	* 0.17	3.2	* 0.11	2.5	
	22	0.22	4.4	0.15	4.1	0.11	3.3	0.08	2.6	
	最大									
	平均	0.35	4.1	0.21	3.6	0.17	3.2	0.11	2.5	
		0.22	3.9	0.15	4.2	0.11	4.0	0.08	3.1	
07	00	0.20	2.6	0.14	3.8	0.11	3.1	0.07	2.4	
	02	0.26	2.2	0.18	3.1	0.14	3.0	0.09	2.4	
	04	0.24	6.5	0.19	7.0	0.15	7.0	0.09	5.2	
	06	0.34	7.3	0.26	5.2	0.20	4.0	0.13	2.9	
	08	0.78	2.5	0.47	3.2	0.37	3.3	0.25	2.8	
	10	0.81	3.3	0.50	3.9	0.41	3.7	0.27	3.0	
	12	0.95	4.9	0.64	4.3	0.51	4.0	0.32	3.2	
	14	0.82	6.5	0.61	5.1	0.49	4.5	0.31	3.4	
	16	0.93	7.7	0.70	6.9	0.55	6.3	0.34	4.3	
	18	0.92	7.2	* 0.73	6.9	0.56	6.3	0.34	4.1	
	20	* 1.03	6.3	0.72	6.8	* 0.58	6.3	* 0.36	4.5	
	22	0.63	5.9	0.50	6.7	0.41	6.5	0.26	4.8	
	最大									
	平均	1.03	6.3	0.73	6.9	0.58	6.3	0.36	4.5	
		0.66	5.2	0.47	5.2	0.37	4.8	0.24	3.6	
08	00	0.71	6.7	* 0.54	7.1	* 0.42	7.0	* 0.26	5.4	
	02	* 0.83	6.5	0.49	7.0	0.40	6.9	0.25	5.3	
	04	0.49	6.4	0.42	6.5	0.33	6.8	0.21	5.5	
	06	0.48	6.7	0.38	6.5	0.31	6.6	0.19	5.3	
	08	0.41	6.5	0.34	6.7	0.28	6.6	0.18	5.6	
	10	0.56	7.5	0.41	6.8	0.34	6.8	0.21	5.4	
	12	0.48	6.6	0.36	6.0	0.29	5.2	0.18	3.6	
	14	0.57	6.3	0.35	6.3	0.28	5.9	0.17	4.0	
	16	0.41	6.3	0.34	6.4	0.29	6.4	0.19	5.2	
	18	0.44	6.7	0.34	6.4	0.27	6.2	0.17	4.8	
	20	0.44	5.7	0.33	5.3	0.26	5.0	0.17	4.3	
	22	0.34	5.4	0.27	5.7	0.21	5.7	0.14	4.8	
	最大									
	平均	0.83	6.5	0.54	7.1	0.42	7.0	0.26	5.4	
		0.51	6.4	0.38	6.4	0.31	6.3	0.19	4.9	
09	00	0.29	5.5	0.23	5.9	0.18	6.2	0.12	5.2	
	02	0.30	5.9	0.22	5.8	0.18	6.1	0.12	4.7	
	04	0.33	4.9	0.23	6.2	0.19	6.3	0.12	5.1	
	06	0.29	6.6	0.22	6.1	0.18	6.2	0.12	4.8	
	08	0.27	6.5	0.21	6.4	0.17	6.8	0.11	5.2	
	10	0.31	6.9	0.25	6.6	0.20	6.4	0.13	4.9	
	12	0.44	6.8	0.26	6.5	0.20	5.7	0.12	3.7	
	14	0.31	6.2	0.24	6.4	0.20	6.0	0.12	4.3	
	16	* 0.57	2.5	* 0.36	2.5	* 0.29	2.7	* 0.19	2.5	
	18	0.38	2.5	0.24	3.8	0.19	3.5	0.13	2.8	
	20	0.53	5.9	0.34	4.6	0.27	4.2	0.17	3.2	
	22	0.37	6.2	0.29	6.3	0.23	5.7	0.14	4.2	

			最大	0.57	2.5	0.36	2.5	0.29	2.7	0.19	2.5		
			平均	0.37	5.5	0.26	5.6	0.21	5.5	0.13	4.2		
10	00		0.26	5.6	0.22	5.5	0.18	5.3	0.12	4.0			
	02		0.35	4.6	0.26	5.7	0.21	5.5	0.14	4.1			
	04		0.48	4.4	0.33	5.2	0.26	5.1	0.17	3.5			
	06		0.40	5.7	0.31	5.9	0.24	5.3	0.15	3.8			
	08		0.41	5.7	0.31	4.5	0.24	3.8	0.15	2.8			
	10		0.58	2.7	* 0.48	3.6	0.38	3.5	* 0.25	2.9			
	12		* 0.62	2.3	0.47	3.6	* 0.38	3.6	0.24	2.9			
	14		0.60	3.3	0.43	3.8	0.34	3.8	0.22	3.0			
	16		0.54	2.7	0.42	3.5	0.34	3.6	0.21	2.9			
	18		0.50	2.7	0.41	3.7	0.33	3.6	0.22	3.0			
	20		0.57	3.2	0.37	4.6	0.29	4.3	0.19	3.4			
	22		0.36	5.2	0.30	5.7	0.25	5.7	0.16	4.8			
	最大		0.62	2.3	0.48	3.6	0.38	3.6	0.25	2.9			
	平均		0.47	4.0	0.36	4.6	0.29	4.4	0.19	3.4			
11	00		0.42	5.6	0.30	5.7	0.24	5.9	0.15	5.3			
	02		0.38	5.6	0.27	5.8	0.22	5.8	0.14	4.9			
	04		0.41	5.6	0.26	5.5	0.21	5.5	0.14	5.1			
	06		* 0.44	5.6	0.29	5.9	0.22	5.7	0.14	4.8			
	08		0.38	6.0	* 0.31	5.8	* 0.25	5.8	* 0.16	5.3			
	10		0.38	6.4	0.26	6.6	0.21	6.3	0.13	5.1			
	12		0.31	5.4	0.23	6.1	0.18	6.0	0.11	4.9			
	14		0.20	5.9	0.15	5.9	0.12	5.6	0.07	4.1			
	16		0.22	3.6	0.14	4.6	0.11	4.3	0.08	3.6			
	18		0.11	5.2	0.09	5.2	0.07	4.9	0.05	3.6			
	20		0.42	5.4	0.28	4.6	0.20	4.6	0.12	3.8			
	22		0.14	6.0	0.10	5.6	0.08	5.1	0.05	3.4			
	最大		0.44	5.6	0.31	5.8	0.25	5.8	0.16	5.3			
	平均		0.32	5.5	0.22	5.6	0.18	5.5	0.11	4.5			
12	00		0.14	6.8	0.10	6.6	0.08	6.1	0.05	4.1			
	02		0.16	6.6	0.12	5.6	0.09	4.6	0.06	3.3			
	04		0.20	6.6	0.14	6.3	0.11	6.0	0.07	4.6			
	06		0.21	5.8	0.16	6.0	0.13	5.9	0.08	4.6			
	08		0.19	6.0	0.15	5.7	0.11	6.1	0.07	4.5			
	10		0.18	5.3	0.12	5.9	0.10	5.6	0.06	4.3			
	12		0.16	5.9	0.13	6.2	0.11	6.0	0.07	4.8			
	14		0.16	6.8	0.11	6.5	0.08	6.3	0.05	4.9			
	16		0.15	6.6	0.11	5.9	0.09	6.2	0.06	4.7			
	18		* 0.31	6.1	* 0.22	6.0	* 0.16	5.9	* 0.10	4.4			
	20		0.31	4.0	0.20	4.4	0.15	4.5	0.09	3.3			
	22		0.16	5.0	0.12	5.2	0.10	5.0	0.06	3.7			
	最大		0.31	6.1	0.22	6.0	0.16	5.9	0.10	4.4			
	平均		0.19	6.0	0.14	5.9	0.11	5.7	0.07	4.3			
13	00		0.20	1.9	0.15	2.5	0.12	2.6	0.08	2.3			
	02		0.36	2.0	0.23	2.3	0.19	2.3	0.12	2.2			
	04		0.41	4.8	0.24	2.6	0.18	2.4	0.12	2.2			
	06		0.45	2.5	0.31	2.4	0.25	2.5	0.16	2.3			
	08		0.63	2.6	0.47	2.8	0.36	2.9	0.24	2.6			
	10		0.62	2.3	0.48	3.0	0.39	3.0	0.26	2.7			
	12		0.90	3.5	0.64	3.2	0.50	3.3	0.32	2.9			
	14		1.14	3.4	0.72	3.5	0.58	3.4	0.38	3.0			
	16		* 1.41	3.3	* 0.94	3.5	* 0.73	3.5	* 0.46	3.2			
	18		0.93	3.3	0.68	3.3	0.54	3.3	0.34	3.0			
	20		0.69	4.3	0.48	3.6	0.36	3.6	0.23	3.1			
	22		0.19	3.7	0.14	4.6	0.12	4.3	0.08	3.3			
	最大		1.41	3.3	0.94	3.5	0.73	3.5	0.46	3.2			
	平均		0.66	3.1	0.46	3.1	0.36	3.1	0.23	2.7			
14	00		0.13	5.3	0.09	4.7	0.07	4.5	0.05	3.6			
	02		0.21	4.5	0.18	4.6	0.14	4.5	0.09	3.8			
	04		0.31	4.8	* 0.24	4.6	0.19	4.6	* 0.12	4.2			
	06		0.29	4.1	0.22	4.5	0.17	4.6	0.11	4.0			
	08		0.31	4.3	0.23	4.6	* 0.19	4.7	* 0.12	4.2			
	10		* 0.33	4.6	0.21	4.6	0.16	4.5	0.10	3.8			
	12		0.24	4.8	0.18	4.5	0.14	4.5	0.09	3.3			
	14		0.24	4.5	0.18	4.7	0.14	4.5	0.09	3.4			

	16		0.19	5.0	0.12	4.9	0.09	4.8	0.06	3.4	
	18		0.12	5.2	0.10	4.8	0.08	4.5	0.05	3.6	
	20		0.13	4.8	0.09	4.8	0.07	4.3	0.05	3.0	
	22		0.13	3.1	0.10	3.9	0.08	3.6	0.05	2.6	
	最大		0.33	4.6	0.24	4.6	0.19	4.7	0.12	4.2	
	平均		0.22	4.6	0.16	4.6	0.13	4.5	0.08	3.6	
15	00		0.12	4.2	0.08	4.7	0.07	4.6	0.04	3.4	
	02		0.13	2.4	0.09	4.2	0.07	4.0	0.04	3.1	
	04		0.06	6.3	0.05	5.3	0.04	4.5	0.03	3.3	
	06		0.07	4.6	0.05	4.0	0.04	3.6	0.03	2.6	
	08		0.09	1.9	0.07	3.3	0.06	3.0	0.04	2.5	
	10		0.08	3.3	0.06	3.4	0.05	3.7	0.03	2.8	
	12		0.24	2.2	0.11	3.1	0.08	3.4	0.05	2.9	
	14		0.29	2.0	0.21	1.9	0.17	2.0	0.11	2.0	
	16		0.71	2.5	0.49	2.7	0.38	2.7	0.25	2.6	
	18	* 0.77	2.5		* 0.55	2.9	0.44	3.0	* 0.29	2.8	
	20	0.72	3.3		0.53	3.4	0.43	3.3	0.28	2.8	
	22	0.69	3.1		0.54	3.4	* 0.44	3.4	0.28	2.9	
	最大		0.77	2.5	0.55	2.9	0.44	3.4	0.29	2.8	
	平均		0.33	3.2	0.24	3.5	0.19	3.4	0.12	2.8	
16	00		0.60	5.5	0.46	3.8	0.37	3.7	0.25	3.0	
	02		0.45	3.7	0.38	3.9	0.31	3.7	0.21	2.9	
	04		0.66	4.8	0.46	4.3	0.37	4.0	0.24	3.1	
	06		0.55	2.8	0.45	3.9	0.38	3.8	0.25	3.0	
	08		0.61	4.8	0.48	4.5	0.38	4.4	0.24	3.4	
	10		0.56	4.8	0.34	4.8	0.27	4.7	0.17	3.6	
	12		0.70	5.4	0.54	4.5	0.44	4.2	0.28	3.3	
	14	* 0.95	4.9		0.63	4.1	* 0.51	4.1	* 0.34	3.5	
	16	0.94	4.1		* 0.65	4.0	0.51	3.8	0.33	3.2	
	18	0.65	3.1		0.49	3.8	0.40	3.7	0.27	3.0	
	20	0.69	4.3		0.46	4.3	0.36	4.1	0.22	3.3	
	22	0.41	4.9		0.34	5.2	0.27	5.3	0.16	4.0	
	最大		0.95	4.9	0.65	4.0	0.51	4.1	0.34	3.5	
	平均		0.65	4.4	0.47	4.3	0.38	4.1	0.25	3.3	
17	00		0.34	5.3	0.23	5.4	0.19	5.4	0.12	4.9	
	02		0.29	3.0	0.22	5.0	0.18	5.0	0.12	4.3	
	04	* 0.41	5.1		0.26	5.1	0.20	5.1	* 0.13	4.6	
	06	0.36	5.2		* 0.27	5.5	* 0.21	5.4	0.13	4.5	
	08	0.30	5.2		0.22	5.3	0.18	5.2	0.11	3.8	
	10	0.28	6.1		0.20	5.8	0.15	5.3	0.09	3.4	
	12		0.31	5.8	0.20	5.2	0.14	4.6	0.09	3.0	
	14		0.22	6.1	0.14	5.3	0.11	4.6	0.07	3.1	
	16		0.19	5.9	0.14	4.7	0.11	4.3	0.07	3.1	
	18		0.16	5.8	0.11	5.0	0.09	4.5	0.06	3.2	
	20	0.33	4.4		0.23	5.1	0.18	4.7	0.11	3.8	
	22	0.23	2.0		0.16	2.5	0.12	2.4	0.08	2.1	
	最大		0.41	5.1	0.27	5.5	0.21	5.4	0.13	4.6	
	平均		0.29	5.0	0.20	5.0	0.16	4.7	0.10	3.7	
18	00		0.16	5.5	0.12	5.5	0.09	4.1	0.06	2.7	
	02		0.15	2.0	0.11	3.4	0.09	3.6	0.06	2.9	
	04		0.16	4.0	0.11	2.3	0.09	2.3	0.06	2.1	
	06		0.18	1.7	0.11	2.5	0.09	2.6	0.06	2.3	
	08		0.22	1.8	0.17	2.0	0.13	2.1	0.09	2.0	
	10		0.18	1.7	0.12	2.7	0.10	2.9	0.07	2.5	
	12		0.15	5.4	0.11	2.8	0.09	2.7	0.06	2.3	
	14		0.30	1.6	* 0.20	1.7	* 0.16	1.8	* 0.11	1.9	
	16		0.26	1.7	0.19	2.0	0.15	2.1	0.10	2.0	
	18		0.26	1.5	0.16	1.8	0.12	2.1	0.08	1.9	
	20	* 0.41	4.1		0.17	3.6	0.12	3.2	0.07	2.6	
	22	0.10	6.6		0.09	3.9	0.07	3.7	0.05	2.7	
	最大		0.41	4.1	0.20	1.7	0.16	1.8	0.11	1.9	
	平均		0.21	3.1	0.14	2.9	0.11	2.8	0.07	2.3	
19	00		0.11	2.9	0.08	4.9	0.06	4.7	0.04	3.3	
	02		0.38	2.2	0.24	2.2	0.19	2.3	0.12	2.2	
	04		0.22	3.3	0.17	5.5	0.14	4.5	0.09	3.3	
	06		0.39	7.8	0.30	6.4	0.23	5.4	0.14	3.5	
	08		0.47	4.2	* 0.38	3.2	* 0.30	3.3	* 0.20	2.7	
	10		0.44	3.2	0.30	3.7	0.24	3.6	0.16	2.8	

	12	0.39	3.1	0.25	4.2	0.20	3.7	0.13	2.8	
	14	0.38	3.0	0.27	3.6	0.22	3.5	0.14	2.7	
	16	0.36	5.2	0.29	3.5	0.23	3.3	0.15	2.7	
	18	0.39	5.5	0.29	5.4	0.24	4.5	0.15	3.1	
	20	* 0.51	6.6	0.37	6.6	0.28	6.3	0.17	4.2	
	22	0.43	7.4	0.37	6.8	0.29	6.9	0.18	5.3	
	最大	0.51	6.6	0.38	3.2	0.30	3.3	0.20	2.7	
		0.37	4.5	0.28	4.7	0.22	4.3	0.14	3.2	
	平均									
20	00	0.42	6.2	0.34	6.7	0.27	6.8	0.17	5.5	
	02	* 0.56	6.3	* 0.38	6.7	* 0.31	6.7	* 0.19	5.6	
	04	0.47	6.4	0.35	6.7	0.28	6.8	0.17	5.5	
	06	0.36	7.0	0.29	7.4	0.25	7.0	0.16	5.6	
	08	0.34	6.4	0.27	6.4	0.21	6.5	0.13	5.3	
	10	0.44	6.2	0.28	6.7	0.24	6.7	0.16	5.8	
	12	0.30	7.7	0.26	6.3	0.21	6.3	0.13	5.4	
	14	0.30	6.1	0.23	5.9	0.19	5.7	0.11	3.8	
	16	0.38	5.9	0.24	6.2	0.19	6.2	0.12	4.7	
	18	0.31	6.1	0.24	6.2	0.19	6.1	0.12	4.9	
	20	0.39	4.5	0.29	5.7	0.23	5.4	0.14	4.5	
	22	0.31	6.9	0.20	6.5	0.17	6.6	0.11	5.5	
	最大	0.56	6.3	0.38	6.7	0.31	6.7	0.19	5.6	
		0.38	6.3	0.28	6.5	0.23	6.4	0.14	5.2	
	平均									
21	00	0.33	6.6	0.23	7.0	0.19	7.1	* 0.12	5.8	
	02	0.26	5.8	0.22	6.3	0.18	6.4	0.11	5.0	
	04	0.24	6.0	0.20	7.1	0.15	7.2	0.10	6.4	
	06	0.20	7.0	0.16	6.3	0.13	5.7	0.08	4.1	
	08	0.17	6.2	0.13	6.0	0.10	5.8	0.06	4.3	
	10	0.18	6.1	0.14	5.0	0.11	4.4	0.07	3.2	
	12	0.22	3.8	0.16	2.6	0.13	2.7	0.09	2.3	
	14	0.20	3.6	0.13	3.3	0.11	2.9	0.07	2.3	
	16	0.21	4.5	0.15	4.7	0.12	4.5	0.08	3.4	
	18	0.16	6.6	0.12	5.1	0.10	5.0	0.07	3.7	
	20	* 0.34	4.2	* 0.26	4.5	* 0.20	4.6	0.12	4.0	
	22	0.13	6.2	0.10	6.2	0.08	6.2	0.06	4.7	
	最大	0.34	4.2	0.26	4.5	0.20	4.6	0.12	5.8	
		0.22	5.6	0.17	5.3	0.13	5.2	0.09	4.1	
	平均									
22	00	0.14	6.6	0.11	6.1	0.08	5.6	0.05	4.1	
	02	0.13	2.5	0.10	4.5	0.08	4.3	0.05	3.3	
	04	0.10	5.2	0.08	4.2	0.07	3.8	0.05	3.1	
	06	0.11	5.0	0.09	4.5	0.07	4.4	0.05	3.2	
	08	0.14	2.1	0.10	3.1	0.08	3.2	0.05	2.8	
	10	0.13	3.5	0.09	3.0	0.07	3.1	0.05	2.7	
	12	0.18	4.0	0.10	3.5	0.08	3.4	0.05	3.0	
	14	0.09	5.1	0.06	5.2	0.05	4.5	0.04	3.2	
	16	0.23	3.6	0.11	3.7	0.08	3.8	0.05	3.1	
	18	0.11	3.1	0.08	3.8	0.06	3.7	0.04	3.1	
	20	0.26	4.5	0.22	4.1	0.16	4.3	0.10	3.8	
	22	* 0.38	2.6	* 0.24	2.6	* 0.19	2.7	* 0.12	2.5	
	最大	0.38	2.6	0.24	2.6	0.19	2.7	0.12	2.5	
		0.17	4.0	0.12	4.0	0.09	3.9	0.06	3.2	
	平均									
23	00	0.09	3.2	0.07	3.5	0.06	4.0	0.04	3.3	
	02	0.09	3.2	0.07	3.7	0.06	4.0	0.04	3.4	
	04	0.08	6.3	0.07	5.0	0.05	4.8	0.04	3.8	
	06	0.09	4.7	0.07	5.6	0.05	5.1	0.04	3.8	
	08	0.09	7.0	0.06	4.9	0.05	4.1	0.03	3.1	
	10	0.10	3.2	0.07	3.8	0.06	3.9	0.04	3.1	
	12	0.17	4.2	0.12	3.9	0.09	3.9	0.06	3.2	
	14	0.11	4.2	0.08	3.8	0.06	3.6	0.04	2.8	
	16	0.21	2.7	0.14	2.1	0.11	2.2	0.07	2.1	
	18	0.20	1.8	0.15	2.2	0.12	2.3	0.08	2.1	
	20	* 0.31	2.0	* 0.24	2.2	* 0.19	2.3	* 0.13	2.2	
	22	0.24	3.5	0.19	3.4	0.15	3.5	0.10	3.1	
	最大	0.31	2.0	0.24	2.2	0.19	2.3	0.13	2.2	
		0.15	3.8	0.11	3.7	0.09	3.6	0.06	3.0	
	平均									
24	00	0.33	4.1	0.24	4.6	0.18	4.3	0.12	3.6	
	02	0.29	5.6	0.22	4.8	0.18	4.7	0.11	4.0	

	04	0.28	4.0	0.19	4.3	0.15	4.5	0.10	4.0			
	06	0.51	3.2	0.37	2.9	0.30	2.9	0.19	2.5			
	08	0.66	3.3	0.48	3.2	0.39	3.3	0.25	2.8			
	10	0.56	4.7	0.44	4.5	0.35	4.1	0.23	3.1			
	12	0.61	5.7	0.41	6.0	0.33	5.0	0.21	3.6			
	14	* 0.92	7.9	0.51	6.3	0.39	5.5	0.24	3.8			
	16	0.71	5.2	0.54	4.7	0.41	4.3	* 0.26	3.2			
	18	0.71	6.9	0.50	6.7	0.39	5.7	0.25	3.9			
	20	0.77	5.7	* 0.54	6.2	* 0.41	5.5	0.25	3.8			
	22	0.53	6.6	0.40	7.0	0.31	6.0	0.19	4.3			
	最大	0.92	7.9	0.54	6.2	0.41	5.5	0.26	3.2			
	平均	0.57	5.2	0.40	5.1	0.32	4.7	0.20	3.6			
25	00	0.49	6.1	0.38	7.4	0.30	7.2	0.19	5.8			
	02	0.46	6.7	0.31	6.4	0.25	5.6	0.16	3.7			
	04	0.59	5.5	0.33	5.2	0.26	4.5	0.17	3.2			
	06	0.58	6.2	0.36	5.8	0.28	5.2	0.18	3.7			
	08	* 0.75	5.9	0.48	4.4	0.38	4.1	0.24	3.1			
	10	0.58	6.0	0.41	5.8	0.32	5.3	0.21	3.9			
	12	0.58	5.2	* 0.50	4.6	* 0.40	4.2	* 0.26	3.1			
	14	0.60	3.4	0.44	3.8	0.36	3.6	0.23	2.9			
	16	0.51	3.4	0.37	4.6	0.30	4.2	0.19	3.2			
	18	0.41	4.1	0.33	4.0	0.27	4.0	0.18	3.2			
	20	0.35	4.3	0.26	4.7	0.21	4.7	0.13	3.6			
	22	0.25	5.1	0.18	5.0	0.15	4.9	0.10	4.3			
	最大	0.75	5.9	0.50	4.6	0.40	4.2	0.26	3.1			
	平均	0.51	5.2	0.36	5.1	0.29	4.8	0.19	3.6			
	26	00	0.28	5.0	0.18	4.6	0.14	4.8	0.09		4.2	
		02	0.27	4.2	* 0.20	4.4	* 0.15	4.5	* 0.10		3.9	
		04	0.19	4.2	0.15	4.5	0.12	4.7	0.08		4.2	
		06	0.21	4.7	0.16	4.8	0.13	4.8	0.08		3.7	
		08	0.19	5.3	0.15	5.0	0.12	4.9	0.07		3.8	
		10	0.21	4.8	0.14	5.4	0.11	5.3	0.07		3.7	
12		0.19	5.0	0.16	5.3	0.13	5.1	0.08	3.7			
14		0.20	5.4	0.15	5.6	0.12	5.5	0.07	4.1			
16		0.23	4.9	0.16	4.7	0.13	4.5	0.08	3.3			
18		0.26	2.8	0.18	3.3	0.15	3.2	0.10	2.5			
	20	* 0.29	4.8	0.20	4.3	0.14	3.9	0.09	3.1			
	22	0.10	5.7	0.07	4.8	0.06	4.4	0.04	3.2			
	最大	0.29	4.8	0.20	4.4	0.15	4.5	0.10	3.9			
	平均	0.22	4.7	0.16	4.7	0.13	4.6	0.08	3.6			
	27	00	0.07	5.1	0.06	5.5	0.04	4.5	0.03		3.1	
		02	0.10	2.1	0.06	3.5	0.05	3.1	0.03		2.5	
		04	* 0.29	5.3	0.11	4.0	0.07	3.5	0.04		2.6	
		06	0.09	1.8	0.06	3.0	0.05	3.0	0.03		2.4	
		08	0.08	2.9	0.06	2.9	0.05	2.9	0.04		2.4	
		10	0.13	3.3	0.08	2.7	0.06	2.7	0.04		2.2	
12		0.17	1.6	0.11	2.6	0.09	2.9	0.06	2.3			
14		0.10	3.4	0.07	3.5	0.06	3.3	0.04	2.6			
16		0.25	3.0	0.17	2.2	0.14	2.2	0.09	2.1			
18		0.21	2.4	0.13	2.7	0.10	2.9	0.07	2.6			

	平均	0.39	4.2	0.28	4.5	0.22	4.4	0.14	3.6	
29	00	0.29	5.5	0.23	4.9	0.18	4.9	0.12	4.2	
	02	0.25	5.3	0.19	5.1	0.15	5.0	0.10	4.2	
	04	0.24	4.7	0.17	4.8	0.14	5.0	0.09	4.4	
	06	0.22	4.3	0.18	4.4	0.14	4.6	0.09	3.9	
	08	0.26	4.2	0.19	4.3	0.16	4.2	0.10	3.5	
	10	0.23	3.7	0.17	4.1	0.13	4.1	0.09	3.3	
	12	0.27	4.0	0.20	3.3	0.16	3.1	0.11	2.5	
	14	0.27	2.5	0.20	2.9	0.16	2.9	0.11	2.4	
	16	* 0.39	2.6	0.28	3.1	0.23	3.2	0.15	2.7	
	18	0.25	2.8	0.21	3.6	0.17	3.6	0.11	3.0	
	20	0.34	4.2	0.26	4.1	0.21	4.1	0.13	3.5	
	22	0.36	3.4	* 0.29	4.3	* 0.23	4.3	* 0.15	3.9	
	最大	0.39	2.6	0.29	4.3	0.23	4.3	0.15	3.9	
	平均	0.28	3.9	0.21	4.1	0.17	4.1	0.11	3.5	
30	00	0.25	4.2	0.20	4.2	0.16	4.3	0.10	4.0	
	02	* 0.35	4.2	0.22	4.2	0.17	4.2	0.11	3.9	
	04	0.33	4.7	0.22	4.5	0.17	4.4	0.11	3.7	
	06	0.19	4.3	0.13	4.0	0.11	4.0	0.07	3.7	
	08	0.13	3.1	0.10	3.6	0.08	3.5	0.06	3.1	
	10	0.14	2.6	0.10	3.4	0.08	3.4	0.05	2.7	
	12	0.28	2.2	0.18	2.2	0.14	2.2	0.10	2.1	
	14	0.18	3.1	0.14	2.9	0.11	2.8	0.08	2.3	
	16	0.30	2.5	0.19	2.9	0.15	2.9	0.10	2.5	
	18	0.20	1.9	0.15	2.8	0.12	2.8	0.08	2.4	
	20	0.33	4.0	* 0.26	5.0	* 0.20	4.7	* 0.13	3.8	
	22	0.17	3.3	0.09	3.7	0.08	3.6	0.05	3.0	
	最大	0.35	4.2	0.26	5.0	0.20	4.7	0.13	3.8	
	平均	0.24	3.3	0.17	3.6	0.13	3.6	0.09	3.1	
31	00	0.31	2.1	0.22	2.0	0.17	2.1	0.11	2.0	
	02	0.48	2.0	0.31	2.3	0.24	2.3	0.15	2.2	
	04	0.59	2.8	0.44	2.7	0.36	2.8	0.23	2.6	
	06	* 0.73	2.4	* 0.48	2.7	* 0.38	2.7	* 0.24	2.6	
	08	0.59	2.6	0.35	2.6	0.28	2.6	0.18	2.4	
	10	0.58	2.4	0.37	2.6	0.29	2.7	0.19	2.5	
	12	0.44	2.5	0.30	2.5	0.24	2.4	0.16	2.3	
	14	0.55	2.6	0.36	2.5	0.28	2.5	0.18	2.3	
	16	0.28	1.9	0.22	2.5	0.18	2.5	0.12	2.3	
	18	0.22	2.9	0.15	3.1	0.12	3.1	0.08	2.6	
	20	0.29	4.0	0.23	5.2	0.18	4.5	0.11	3.7	
	22	0.10	3.8	0.07	3.6	0.06	3.6	0.04	3.1	
	最大	0.73	2.4	0.48	2.7	0.38	2.7	0.24	2.6	
	平均	0.43	2.7	0.29	2.9	0.23	2.8	0.15	2.6	
	月最大	1.41	3.3	0.94	3.5	0.73	3.5	0.46	3.2	
	起時	1316		1316		1316		1316		
	平均	0.34	4.4	0.25	4.5	0.20	4.3	0.13	3.4	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	0 回
欠測回数	0 回	欠測回数	360 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.11	3.5	0.09	3.9	0.08	3.7	0.05	3.3		
	02	0.12	3.2	0.09	3.7	0.07	3.5	0.05	3.0		
	04	0.10	3.1	0.08	3.8	0.06	3.9	0.04	3.3		
	06	0.10	2.4	0.07	4.8	0.06	4.8	0.04	3.9		
	08	0.13	2.2	0.09	2.8	0.07	2.8	0.05	2.4		
	10	0.11	2.3	0.07	3.8	0.06	3.5	0.04	2.9		
	12	0.12	1.5	0.08	3.0	0.06	3.1	0.04	2.6		
	14	0.15	1.6	0.10	2.7	0.07	3.0	0.05	2.6		
	16	0.12	2.9	0.08	3.6	0.06	3.4	0.04	3.0		
	18	0.08	2.3	0.06	2.4	0.05	2.8	0.03	2.8		
	20	* 0.38	4.4	* 0.24	4.9	* 0.18	4.8	* 0.10	3.9		
	22	0.06	7.4	0.05	6.6	0.04	5.8	0.03	4.2		
	最大	0.38	4.4	0.24	4.9	0.18	4.8	0.10	3.9		
	平均	0.13	3.1	0.09	3.8	0.07	3.8	0.05	3.2		
02	00	0.06	3.6	0.04	13.0	0.04	8.3	0.02	4.8		
	02	0.14	2.0	0.08	4.6	0.06	4.6	0.04	3.5		
	04	0.06	16.7	0.06	4.1	0.05	4.1	0.03	2.8		
	06	0.11	3.1	0.08	4.7	0.06	4.9	0.04	3.5		
	08	0.16	2.5	0.09	3.1	0.07	3.1	0.04	2.6		
	10	0.14	2.5	0.10	3.0	0.08	4.3	0.05	3.3		
	12	0.14	4.4	0.10	2.8	0.08	2.6	0.06	2.3		
	14	0.16	2.2	0.12	2.6	0.09	2.6	0.06	2.3		
	16	0.09	4.2	0.07	2.8	0.06	2.7	0.04	2.3		
	18	0.13	2.8	0.09	4.2	0.07	3.8	0.05	3.0		
	20	* 0.38	7.3	* 0.25	5.1	* 0.18	4.9	* 0.09	3.7		
	22	0.08	6.6	0.06	9.0	0.05	7.6	0.03	4.4		
	最大	0.38	7.3	0.25	5.1	0.18	4.9	0.09	3.7		
	平均	0.14	4.8	0.10	4.9	0.07	4.5	0.05	3.2		
03	00	0.09	5.0	0.06	4.7	0.05	4.5	0.04	3.2		
	02	0.21	2.2	0.09	2.7	0.06	3.1	0.04	2.7		
	04	0.11	2.3	0.06	4.2	0.05	4.8	0.03	3.6		
	06	0.13	3.1	0.08	3.4	0.06	3.3	0.04	2.8		
	08	0.11	1.9	0.07	2.8	0.05	2.9	0.04	2.5		
	10	0.15	2.2	0.07	3.1	0.06	3.1	0.04	2.5		
	12	0.07	4.4	0.05	3.4	0.04	3.6	0.03	2.9		
	14	0.07	7.7	0.07	4.3	0.06	4.2	0.04	3.0		
	16	0.25	2.7	0.15	4.3	0.11	4.0	0.07	3.0		
	18	0.16	2.3	0.12	3.1	0.09	3.1	0.06	2.7		
	20	* 0.35	4.2	* 0.26	4.5	* 0.21	4.7	* 0.13	4.3		
	22	0.07	5.3	0.06	4.7	0.05	4.8	0.03	3.4		
	最大	0.35	4.2	0.26	4.5	0.21	4.7	0.13	4.3		
	平均	0.15	3.6	0.10	3.8	0.07	3.8	0.05	3.1		
04	00	0.09	4.1	0.06	4.5	0.05	4.6	0.03	3.5		
	02	0.11	2.4	0.08	4.2	0.07	4.4	0.05	3.4		
	04	0.14	1.8	0.07	4.1	0.06	4.3	0.04	3.2		
	06	0.17	4.5	0.12	5.0	0.09	4.6	0.06	3.8		
	08	0.14	4.8	0.09	5.2	0.08	4.9	0.05	3.2		
	10	0.20	5.5	0.15	3.8	0.12	3.2	0.08	2.4		
	12	0.25	5.0	0.16	3.8	0.13	3.1	0.09	2.5		
	14	0.18	6.8	0.14	4.8	0.11	4.5	0.07	3.1		
	16	* 0.44	5.3	0.24	3.4	0.19	3.0	0.12	2.5		
	18	0.32	2.2	0.24	2.6	0.19	2.5	0.12	2.3		
	20	0.41	6.7	* 0.31	4.3	* 0.24	4.0	* 0.15	3.0		
	22	0.25	4.3	0.19	3.8	0.15	3.3	0.10	2.6		
	最大	0.44	5.3	0.31	4.3	0.24	4.0	0.15	3.0		

	平均	0.23	4.5	0.15	4.1	0.12	3.9	0.08	3.0	
05	00	0.56	2.3	0.41	2.8	0.32	2.8	0.21	2.6	
	02	0.45	2.5	0.34	2.7	0.28	2.8	0.19	2.5	
	04	0.52	2.3	0.40	2.9	0.33	2.8	0.22	2.6	
	06	0.39	3.9	0.28	3.5	0.23	3.4	0.15	2.9	
	08	0.38	2.3	0.22	3.9	0.17	3.6	0.11	2.7	
	10	0.38	3.8	0.26	4.3	0.20	3.8	0.13	2.9	
	12	0.42	2.3	0.32	2.9	0.26	3.0	0.17	2.6	
	14	0.64	2.9	0.44	3.1	0.36	3.1	0.24	2.7	
	16	0.63	2.9	0.48	3.4	0.39	3.3	0.25	2.8	
	18	* 0.75	3.5	* 0.50	3.5	* 0.39	3.6	* 0.25	3.0	
20	0.60	4.0	0.41	4.2	0.32	4.0	0.21	3.1		
22	0.49	4.3	0.33	4.9	0.26	4.6	0.16	3.4		
最大平均	0.75	3.5	0.50	3.5	0.39	3.6	0.25	3.0		
	0.52	3.1	0.37	3.5	0.29	3.4	0.19	2.8		
06	00	0.40	5.7	0.30	5.3	* 0.24	5.1	* 0.16	4.3	
	02	0.27	5.8	0.21	5.4	0.17	5.5	0.11	4.3	
	04	0.34	5.1	0.22	5.0	0.18	5.0	0.11	4.2	
	06	0.36	4.6	0.27	4.8	0.23	4.7	0.14	4.1	
	08	0.41	4.5	0.25	4.8	0.21	4.7	0.14	4.0	
	10	* 0.41	5.3	* 0.31	4.7	0.24	4.8	0.15	4.2	
	12	0.36	5.6	0.28	5.0	0.23	4.9	0.14	3.8	
	14	0.32	4.4	0.27	4.1	0.22	3.9	0.14	2.9	
	16	0.28	4.3	0.22	4.6	0.18	4.3	0.11	3.3	
	18	0.29	4.2	0.18	4.0	0.15	3.8	0.10	3.1	
20	0.24	4.1	0.19	4.1	0.16	4.0	0.10	3.3		
22	0.21	4.0	0.16	4.2	0.13	4.3	0.09	3.7		
最大平均	0.41	5.3	0.31	4.7	0.24	5.1	0.16	4.3		
	0.32	4.8	0.24	4.7	0.20	4.6	0.12	3.8		
07	00	0.18	4.8	0.16	4.2	0.13	4.2	0.09	3.9	
	02	0.23	4.0	0.15	4.3	0.12	4.3	0.08	3.5	
	04	0.14	4.8	0.10	4.7	0.08	4.5	0.05	3.2	
	06	0.21	2.9	0.10	3.8	0.08	4.0	0.05	3.0	
	08	0.16	1.4	0.10	2.5	0.08	2.7	0.06	2.2	
	10	0.12	4.0	0.09	3.4	0.07	3.1	0.05	2.4	
	12	0.14	2.4	0.10	2.9	0.08	2.9	0.06	2.5	
	14	0.13	1.2	0.08	2.4	0.06	2.5	0.04	2.1	
	16	0.10	4.4	0.07	3.2	0.06	3.2	0.04	2.5	
	18	0.07	6.9	0.05	4.1	0.04	3.6	0.03	2.7	
20	* 0.32	7.3	* 0.25	5.3	* 0.18	4.9	* 0.10	3.8		
22	0.16	1.8	0.11	2.3	0.09	2.6	0.06	2.2		
最大平均	0.32	7.3	0.25	5.3	0.18	4.9	0.10	3.8		
	0.16	3.8	0.11	3.6	0.09	3.5	0.06	2.8		
08	00	0.16	5.5	0.10	6.4	0.08	6.2	0.05	4.1	
	02	0.19	1.9	0.11	5.7	0.09	5.2	0.06	3.5	
	04	0.14	1.3	0.09	2.9	0.07	2.8	0.05	2.3	
	06	0.10	6.8	0.07	4.9	0.06	4.1	0.04	2.9	
	08	0.09	5.0	0.08	4.4	0.06	3.8	0.04	2.7	
	10	0.13	5.2	0.09	4.					

组别	项目	100m		200m		400m		800m		1600m		总成绩
		成绩	标准差	成绩	标准差	成绩	标准差	成绩	标准差	成绩	标准差	
男子组	最大平均	0.31	7.8	0.22	5.5	0.17	5.0	0.10	3.8			
		0.16	4.3	0.10	4.2	0.08	3.9	0.05	2.9			
	00	0.05	6.1	0.05	4.3	0.04	3.9	0.03	3.0			
	02	0.17	2.0	0.08	3.9	0.06	3.8	0.04	3.0			
	04	0.35	4.8	0.20	3.8	0.12	3.9	0.06	3.1			
	06	0.05	3.0	0.04	3.7	0.04	3.7	0.03	2.9			
	08	0.09	2.5	0.06	2.4	0.05	2.5	0.03	2.2			
	10	0.09	1.9	0.07	3.0	0.06	3.2	0.04	2.7			
	12	0.11	4.4	0.09	3.1	0.07	2.9	0.05	2.4			
	14	0.11	3.7	0.09	2.9	0.07	2.7	0.05	2.3			
	16	0.11	2.7	0.09	3.4	0.07	3.3	0.05	2.7			
	18	0.17	3.6	0.11	2.9	0.09	2.8	0.06	2.4			
	20	* 0.44	7.3	* 0.28	5.0	* 0.20	4.2	* 0.12	3.2			
	22	0.11	2.5	0.08	3.2	0.07	3.1	0.05	2.5			
	最大平均	0.44	7.3	0.28	5.0	0.20	4.2	0.12	3.2			
	0.15	3.7	0.10	3.5	0.08	3.3	0.05	2.7				
女子组	00	0.10	2.2	0.08	3.2	0.06	3.1	0.04	3.1			
	02	0.12	1.8	0.08	3.4	0.06	3.5	0.04	3.0			
	04	0.07	7.1	0.05	9.9	0.05	6.9	0.03	4.8			
	06	0.07	2.1	0.06	4.6	0.05	3.5	0.03	2.7			
	08	0.13	1.9	0.07	2.9	0.06	2.9	0.04	2.5			
	10	0.11	2.5	0.08	5.8	0.07	5.9	0.05	3.7			
	12	0.21	1.6	0.13	2.1	0.10	2.1	0.07	2.0			
	14	0.11	2.6	0.09	3.1	0.07	2.8	0.05	2.2			
	16	0.10	2.4	0.08	3.5	0.07	3.0	0.05	2.4			
	18	0.11	1.8	0.07	2.8	0.06	2.7	0.04	2.3			
	20	* 0.38	7.1	* 0.28	5.7	* 0.21	4.6	* 0.13	3.4			
	22	0.26	4.1	0.20	4.1	0.16	3.7	0.10	2.9			
	最大平均	0.38	7.1	0.28	5.7	0.21	4.6	0.13	3.4			
		0.15	3.1	0.11	4.3	0.09	3.7	0.06	2.9			
	混合组	00	0.25	5.1	0.19	4.1	0.16	3.9	0.10	3.0		
02		0.29	5.5	0.21	4.7	0.17	3.8	0.11	3.0			
04		0.22	3.5	0.17	4.2	0.13	4.0	0.09	3.2			
06		0.19	3.4	0.14	3.6	0.12	3.6	0.08	2.9			
08		0.20	4.2	0.14	3.5	0.11	3.3	0.07	2.6			
10		0.17	3.6	0.12	3.7	0.10	3.5	0.07	2.9			
12		* 0.72	2.6	0.22	2.7	0.15	2.8	0.09	2.5			
14		0.18	2.2	0.14	3.1	0.12	3.0	0.08	2.4			
16		0.21	2.2	0.13	3.4	0.11	3.5	0.07	3.0			
18		0.20	3.8	0.12	3.9	0.09	3.7	0.06	3.1			
20		0.34	3.9	* 0.24	4.6	* 0.18	4.6	* 0.12	3.8			
22		0.16	4.9	0.12	3.9	0.10	3.9	0.07	3.0			
最大平均		0.72	2.6	0.24	4.6	0.18	4.6	0.12	3.8			
		0.26	3.7	0.16	3.8	0.13	3.6	0.08	3.0			
青少年组		00	0.16	4.1	0.11	3.9	0.09	4.0	0.06	3.1		
	02	0.23	2.4	0.11	3.9	0.08	3.9	0.05	3.4			
	04	0.13	4.0	0.10	3.9	0.08	4.0	0.05	3.9			
	06	0.13	4.1	0.11	4.1	0.09	3.9	0.06	3.2			
	08	0.19	3.3	0.13	3.8	0.10	3.7	0.07	2.9			
	10	0.19	1.9	0.13	2.8	0.11	2.8	0.07	2.3			
	12	0.26	1.9	0.18	2.2	0.14	2.4	0.09	2.1			
	14	0.36	1.9	0.24	2.2	0.19	2.3	0.12	2.1			
	16	0.24	2.8	0.20	3.1	0.16	2.8	0.11	2.4			
	18	0.32	2.3	0.24	3.0	0.19	3.0	0.13	2.6			
	20	* 0.40	7.8	* 0.28	5.9	* 0.22	4.7	* 0.13	3.3			
	22	0.10	4.6	0.08	4.5	0.06	4.1	0.04	3.2			
	最大平均	0.40	7.8	0.28	5.9	0.22	4.7	0.13	3.3			
		0.23	3.4	0.16	3.6	0.13	3.5	0.08	2.9			
	儿童组	00	0.14	3.2	0.09	3.9	0.07	3.8	0.05	3.1		
02		0.19	2.7	0.11	4.1	0.09	4.5	0.05	3.4			
04		0.20	6.1	0.17	5.7	0.15	5.9	0.10	5.2			
06		0.24	4.8	0.20	5.6	0.17	5.6	0.11	4.6			
08		0.32	6.6	0.24	5.3	0.19	5.4	0.12	4.1			
10		0.33	5.8	0.25	5.6	0.19	5.5	0.12	4.6			
12		0.38	5.8	0.28	5.1	0.22	4.6	0.14	3.2			
14		0.36	6.7	0.29	5.1	0.23	4.4	0.14	3.1			

	16	0.36	5.3	0.26	4.7	0.21	4.5	0.13	3.4			
	18	0.26	4.6	0.22	5.0	0.18	5.0	0.12	3.8			
	20	* 0.48	5.1	* 0.38	5.5	* 0.28	5.1	* 0.17	4.3			
	22	0.35	5.9	0.26	5.4	0.21	5.4	0.13	4.6			
最大	平均	0.48	5.1	0.38	5.5	0.28	5.1	0.17	4.3			
		0.30	5.2	0.23	5.1	0.18	5.0	0.12	4.0			
15	00	0.39	5.7	0.29	5.5	0.23	5.6	0.14	5.0			
	02	0.34	5.8	0.29	5.7	0.24	5.7	0.16	4.9			
	04	0.39	4.9	* 0.33	5.4	* 0.26	5.5	* 0.17	4.9			
	06	* 0.41	4.9	0.32	5.7	0.25	5.7	0.16	4.9			
	08	0.36	5.9	0.26	5.7	0.20	5.8	0.13	4.9			
	10	0.28	5.1	0.24	6.0	0.19	6.0	0.12	5.0			
	12	0.29	5.9	0.23	5.6	0.18	5.6	0.11	4.7			
	14	0.33	6.0	0.26	5.3	0.20	4.7	0.13	3.2			
	16	0.29	3.0	0.22	3.0	0.18	3.1	0.12	2.6			
	18	0.32	2.8	0.22	2.9	0.16	2.9	0.11	2.8			
	20	0.39	7.1	0.28	5.1	0.21	4.4	0.13	3.3			
	22	0.18	6.4	0.13	5.5	0.11	5.1	0.07	3.7			
	最大	平均	0.41	4.9	0.33	5.4	0.26	5.5	0.17		4.9	
			0.33	5.3	0.26	5.1	0.20	5.0	0.13		4.2	
	16	00	0.28	5.4	0.20	5.0	0.16	5.0	0.10		4.1	
		02	0.28	5.4	0.23	4.8	0.19	4.9	* 0.13		4.2	
04		0.26	5.2	0.18	5.2	0.15	5.2	0.10	4.3			
06		0.21	4.7	0.18	4.9	0.15	5.0	0.10	4.3			
08		0.19	5.1	0.13	5.5	0.11	5.2	0.07	4.5			
10		0.21	1.7	0.15	3.8	0.12	3.7	0.08	2.8			
12		0.10	4.3	0.08	6.8	0.07	5.6	0.05	3.8			
14		0.13	2.5	0.10	3.8	0.08	3.8	0.05	2.9			
16		0.22	2.6	0.11	3.7	0.08	3.9	0.05	3.2			
18		0.09	5.2	0.08	4.3	0.06	4.0	0.04	3.0			
20		* 0.58	4.4	* 0.33	4.3	* 0.21	4.7	0.11	4.0			
22		0.29	2.2	0.20	2.4	0.16	2.5	0.11	2.2			
最大		平均	0.58	4.4	0.33	4.3	0.21	4.7	0.13	4.2		
			0.24	4.1	0.16	4.5	0.13	4.5	0.08	3.6		
17		00	0.25	3.7	0.19	3.7	0.15	3.5	0.10	2.8		
		02	0.24	2.6	0.18	4.1	0.14	3.9	0.09	3.0		
	04	0.20	5.4	0.16	4.5	0.13	4.3	0.08	3.5			
	06	0.26	4.6	0.18	4.8	0.14	4.6	0.09	3.3			
	08	0.23	4.2	0.17	4.4	0.13	4.3	0.08	3.7			
	10	0.21	3.4	0.16	3.1	0.13	3.0	0.09	2.4			
	12	0.20	3.7	0.15	3.4	0.12	3.4	0.08	2.7			
	14	0.34	2.2	0.20	2.6	0.16	2.6	0.10	2.3			
	16	0.24	3.8	0.18	3.1	0.14	2.9	0.10	2.4			
	18	0.28	3.6	0.20	2.9	0.16	3.1	0.11	2.5			
	20	* 0.47	4.0	* 0.34	4.6	* 0.25	4.3	* 0.16	3.5			
	22	0.31	3.8	0.21	4.0	0.17	3.9	0.11	3.3			
	最大	平均	0.47	4.0	0.34	4.6	0.25	4.3	0.16	3.5		
			0.27	3.8	0.19	3.8	0.15	3.7	0.10	3.0		
	18	00	0.19	3.6	0.15	4.1	0.12	4.0	0.08	3.5		
		02	0.24	2.5	0.16	3.6	0.13	3.7	0.08	3.4		
04		0.19	4.5	0.14	4.0	0.11	4.2	0.07	3.7			
06		0.23	2.9	0.16	3.5	0.13	3.6	0.08	3.1			
08		0.19	4.1	0.13	4.2	0.11	4.2	0.07	3.4			
10		0.24	4.3	0.19	3.4	0.16	3.2	0.10	2.5			
12		0.38	3.8	0.23	3.0	0.18	2.7	0.12	2.3			
14		0.26	4.3	0.19	3.2	0.15	3.1	0.10	2.5			
16		0.24	3.6	0.19	3.5	0.16	3.4	0.11	2.7			
18		0.19	3.8	0.13	3.8	0.11	3.6	0.07	2.8			
20		* 0.39	4.3	* 0.27	4.4	* 0.21	4.5	* 0.13	3.9			
22		0.19	5.2	0.12	4.6	0.10	4.6	0.06	3.4			
最大		平均	0.39	4.3	0.27	4.4	0.21	4.5	0.13	3.9		
			0.24	3.9	0.17	3.8	0.14	3.7	0.09	3.1		
19		00	0.23	2.4	0.14	3.5	0.10	3.7	0.07	3.1		
		02	0.17	2.9	0.10	4.4	0.08	4.6	0.06	3.7		
	04	0.13	5.0	0.09	5.0	0.07	4.9	0.05	4.0			
	06	0.13	4.4	0.10	4.6	0.08	4.3	0.05	3.4			
	08	0.23	3.2	0.13	3.0	0.10	3.2	0.07	2.7			
	10	0.16	3.1	0.10	3.4	0.08	3.4	0.06	2.9			

	12	0.13	4.0	0.09	4.0	0.08	4.0	0.05	3.0	
	14	0.17	2.3	0.14	2.6	0.11	2.6	0.07	2.2	
	16	0.26	2.6	0.15	2.8	0.12	2.7	0.08	2.3	
	18	0.16	2.1	0.12	2.5	0.10	2.7	0.07	2.4	
	20	* 0.49	7.1	* 0.29	4.7	* 0.22	4.2	* 0.14	3.3	
	22	0.16	3.0	0.10	3.7	0.08	3.7	0.05	3.0	
	最大									
		0.49	7.1	0.29	4.7	0.22	4.2	0.14	3.3	
	平均									
		0.20	3.5	0.13	3.7	0.10	3.7	0.07	3.0	
20	00	0.09	2.6	0.06	4.5	0.05	4.1	0.03	3.4	
	02	0.09	3.5	0.06	4.0	0.05	4.3	0.03	3.3	
	04	0.09	5.9	0.05	4.5	0.04	4.1	0.03	3.0	
	06	0.11	2.1	0.06	3.5	0.05	3.5	0.03	2.8	
	08	0.10	3.4	0.06	3.7	0.05	3.4	0.03	2.9	
	10	0.16	1.7	0.11	2.1	0.09	2.2	0.06	2.0	
	12	0.16	1.3	0.09	2.8	0.07	2.7	0.05	2.3	
	14	* 0.20	1.7	* 0.13	2.1	* 0.10	2.0	* 0.07	2.0	
	16	0.16	1.8	0.11	2.4	0.08	2.3	0.06	2.1	
	18	0.13	2.6	0.09	2.8	0.07	2.8	0.05	2.4	
	20	0.07	3.7	0.06	3.8	0.05	3.6	0.03	2.8	
	22	0.10	2.5	0.07	3.8	0.05	3.7	0.03	3.1	
	最大									
		0.20	1.7	0.13	2.1	0.10	2.0	0.07	2.0	
	平均									
		0.12	2.7	0.08	3.3	0.06	3.2	0.04	2.7	
21	00	0.07	3.6	0.05	4.8	0.04	4.2	0.03	3.2	
	02	0.11	2.9	0.09	3.4	0.08	3.5	0.05	3.0	
	04	0.08	4.1	0.06	4.8	0.05	3.9	0.04	2.8	
	06	0.10	2.1	0.07	3.5	0.06	3.4	0.04	2.8	
	08	0.10	2.9	0.08	2.8	0.07	3.0	0.04	2.5	
	10	0.14	4.3	0.11	2.4	0.09	2.2	0.06	2.0	
	12	0.17	2.5	0.10	2.7	0.08	2.6	0.05	2.1	
	14	0.17	2.2	0.12	2.2	0.10	2.2	0.06	2.0	
	16	0.19	1.7	0.11	2.2	0.09	2.2	0.06	2.0	
	18	0.08	1.8	0.06	3.3	0.05	3.3	0.04	2.6	
	20	* 0.35	7.7	* 0.25	5.5	* 0.19	4.7	* 0.10	3.7	
	22	0.09	3.5	0.06	4.7	0.05	4.4	0.04	3.2	
	最大									
		0.35	7.7	0.25	5.5	0.19	4.7	0.10	3.7	
	平均									
		0.14	3.3	0.10	3.5	0.08	3.3	0.05	2.7	
22	00	0.08	13.3	0.06	5.7	0.05	4.8	0.04	3.2	
	02	0.13	1.6	0.09	2.8	0.07	2.7	0.05	2.3	
	04	0.07	3.7	0.05	4.8	0.04	3.9	0.03	2.8	
	06	0.09	2.2	0.06	4.6	0.05	4.0	0.03	3.0	
	08	0.06	2.4	0.05	3.6	0.04	3.2	0.03	2.7	
	10	0.10	1.7	0.08	2.9	0.06	2.7	0.04	2.2	
	12	0.09	3.2	0.07	2.9	0.06	2.9	0.04	2.3	
	14	0.07	4.2	0.05	4.1	0.04	3.6	0.03	2.9	
	16	0.07	9.1	0.05	4.7	0.05	4.5	0.03	3.3	
	18	0.10	2.0	0.07	4.0	0.06	4.2	0.04	3.2	
	20	* 0.39	7.2	* 0.24	5.6	* 0.18	4.8	* 0.10	4.0	
	22	0.09	10.5	0.08	4.3	0.06	4.2	0.04	3.4	
	最大									
		0.39	7.2	0.24	5.6	0.18	4.8	0.10	4.0	
	平均									
		0.11	5.1	0.08	4.2	0.06	3.8	0.04	2.9	
23	00	0.11	3.8	0.08	7.3	0.06	6.2	0.04	4.6	
	02	0.17	1.8	0.08	3.2	0.06	4.3	0.04	3.5	
	04	0.07	3.2	0.05	4.4	0.04	4.0	0.03	3.1	
	06	0.08	2.2	0.06	3.7	0.05	3.4	0.03	2.8	
	08	0.13	2.2	0.08	2.8	0.06	2.9	0.04	2.6	
	10	0.13	3.0	0.09	3.5	0.08	3.5	0.05	3.3	
	12	0.11	2.6	0.08	3.4	0.07	3.3	0.05	2.8	
	14	0.10	4.5	0.07	4.7	0.06	4.5	0.04	3.4	
	16	0.13	2.4	0.09	3.3	0.07	3.1	0.05	2.7	
	18	0.16	2.2	0.11	3.0	0.08	3.0	0.05	2.7	
	20	* 0.32	4.6	* 0.24	4.9	* 0.18	4.8	* 0.10	3.9	
	22	0.09	6.0	0.07	5.4	0.06	5.2	0.04	3.9	
	最大									
		0.32	4.6	0.24	4.9	0.18	4.8	0.10	3.9	
	平均									
		0.13	3.2	0.09	4.1	0.07	4.0	0.05	3.3	
24	00	0.14	3.3	0.08	4.0	0.07	3.5	0.05	2.8	
	02	0.09	3.6	0.07	3.8	0.06	3.6	0.04	2.9	

	04	* 0.23	6.1	* 0.12	5.3	0.07	4.8	0.04	3.5	
	06	0.13	3.8	0.09	3.6	0.07	3.5	0.05	2.7	
	08	0.09	3.4	0.06	3.8	0.05	3.7	0.03	2.9	
	10	0.11	4.0	0.09	3.2	0.07	3.3	0.05	2.7	
	12	0.13	2.4	0.09	3.5	0.08	3.2	0.05	2.5	
	14	0.10	3.8	0.08	2.9	0.07	2.9	0.05	2.3	
	16	0.17	3.6	0.12	3.6	* 0.09	3.3	* 0.06	2.7	
	18	0.19	3.1	0.10	3.3	0.08	3.3	0.05	2.9	
	20	0.13	8.5	0.10	7.2	0.07	5.0	0.05	3.4	
	22	0.08	5.5	0.06	4.7	0.05	4.3	0.03	3.2	
25	最大	0.23	6.1	0.12	5.3	0.09	3.3	0.06	2.7	
	平均	0.13	4.3	0.09	4.1	0.07	3.7	0.05	2.9	
	00	0.07	5.5	0.06	4.4	0.05	4.0	0.03	3.2	
	02	0.16	2.5	0.07	3.6	0.05	3.6	0.04	3.0	
	04	0.09	3.8	0.06	3.2	0.05	3.3	0.03	2.7	
	06	0.10	2.7	0.08	3.4	0.06	3.2	0.04	2.6	
	08	0.09	2.6	0.06	2.9	0.05	3.0	0.03	2.4	
	10	0.10	3.2	0.08	2.7	0.06	3.0	0.04	2.5	
	12	0.13	3.8	0.09	3.0	0.08	3.0	0.05	2.7	
	14	0.26	4.4	0.14	3.9	0.10	3.2	0.06	2.4	
26	16	0.20	2.0	0.13	2.4	0.10	2.4	0.07	2.1	
	18	0.37	2.3	0.23	2.2	0.18	2.2	0.12	2.2	
	20	* 0.37	4.7	* 0.28	5.1	* 0.21	4.6	* 0.12	3.5	
	22	0.13	1.8	0.08	3.4	0.06	3.1	0.04	2.6	
	最大	0.37	4.7	0.28	5.1	0.21	4.6	0.12	3.5	
	平均	0.17	3.3	0.11	3.4	0.09	3.2	0.06	2.7	
	00	0.12	3.9	0.09	3.5	0.07	3.5	0.05	2.7	
	02	0.17	2.2	0.08	3.1	0.06	3.4	0.04	2.9	
	04	0.06	6.3	0.05	4.2	0.04	4.4	0.03	3.2	
	06	0.10	3.1	0.07	4.2	0.06	3.8	0.04	2.8	
27	08	0.16	2.1	0.12	2.7	0.10	3.0	0.06	2.8	
	10	0.16	2.2	0.10	2.7	0.08	2.7	0.06	2.4	
	12	0.14	2.5	0.10	2.7	0.08	2.6	0.05	2.3	
	14	0.11	3.5	0.08	3.4	0.07	3.1	0.05	2.5	
	16	0.17	1.8	0.11	2.4	0.09	2.5	0.06	2.3	
	18	0.10	2.3	0.08	3.6	0.06	3.3	0.04	2.7	
	20	* 0.39	7.0	* 0.24	5.8	* 0.17	5.1	* 0.10	4.1	
	22	0.10	5.0	0.08	5.1	0.07	4.8	0.04	3.4	
	最大	0.39	7.0	0.24	5.8	0.17	5.1	0.10	4.1	
	平均	0.15	3.5	0.10	3.6	0.08	3.5	0.05	2.8	
28	00	0.10	4.3	0.08	3.9	0.07	3.7	0.04	3.0	
	02	0.15	2.2	0.08	3.9	0.06	3.9	0.04	3.0	
	04	* 0.32	5.2	0.13	4.8	0.08	4.2	0.05	2.8	
	06	0.11	1.7	0.08	3.5	0.07	3.0	0.04	2.3	
	08	0.10	5.6	0.09	3.6	0.07	3.4	0.05	2.5	
	10	0.15	3.1	0.09	3.3	0.08	3.6	0.05	2.9	
	12	0.09	5.2	0.07	4.6	0.06	4.1	0.04	3.0	
	14	0.09	7.2	0.07	4.9	0.06	4.3	0.04	3.1	
	16	0.10	6.1	0.08	4.6	0.06	4.1	0.04	3.2	
	18	0.13	3.6	0.10	4.2	0.08	3.7	0.05	3.1	
29	20	0.32	4.3	* 0.23	4.8	* 0.18	4.6	* 0.11	3.9	
	22	0.15	9.1	0.11	7.7	0.09	6.8	0.05	4.4	
	最大	0.32	5.2	0.23	4.8	0.18	4.6	0.11	3.9	
	平均	0.15	4.8	0.10	4.5	0.08	4.1	0.05	3.1	
	00	0.35	3.1	0.18	5.7	0.13	6.3	0.08	4.7	
	02	0.27	6.4	0.20	6.0	0.16	5.9	0.10	4.8	
	04	0.26	4.9	0.21	5.0	0.17	5.4	0.11	4.4	
	06	0.28	4.0	0.20	5.2	0.16	5.1	0.10	4.3	
	08	0.26	4.9	0.20	5.6	0.17	5.2	0.11	4.0	
	10	0.26	5.4	0.20	4.9	0.16	4.9	0.11	3.7	
30	12	0.33	3.6	0.23	4.6	0.18	3.8	0.12	2.8	
	14	0.35	4.6	0.25	4.3	0.20	3.9	0.13	2.9	
	16	0.34	5.9	0.24	4.0	0.19	3.6	0.13	2.6	
	18	0.41	4.7	0.31	3.8	0.25	3.7	0.17	2.9	
	20	* 0.57	6.9	* 0.41	5.1	* 0.32	4.8	* 0.20	3.7	
	22	0.29	6.1	0.24	4.8	0.20	4.6	0.13	3.6	
	最大	0.57	6.9	0.41	5.1	0.32	4.8	0.20	3.7	
	平均	0.29	6.1	0.24	4.8	0.20	4.6	0.13	3.6	
	00	0.35	3.1	0.18	5.7	0.13	6.3	0.08	4.7	
	02	0.27	6.4	0.20	6.0	0.16	5.9	0.10	4.8	

	平均	0.33	5.0	0.24	4.9	0.19	4.8	0.12	3.7	
29	00	0.26	4.5	0.19	4.8	0.16	4.4	0.10	3.3	
	02	0.24	6.1	0.15	4.8	0.12	4.7	0.08	3.7	
	04	0.18	4.7	0.13	4.5	0.11	4.0	0.07	2.9	
	06	0.31	2.3	0.21	2.1	0.17	2.2	0.12	2.1	
	08	0.21	3.6	0.15	4.2	0.12	4.0	0.08	3.1	
	10	0.24	2.5	0.17	3.4	0.14	3.4	0.09	2.8	
	12	0.20	4.0	0.15	4.0	0.12	3.7	0.08	3.1	
	14	0.16	2.9	0.13	3.6	0.10	3.6	0.07	3.1	
	16	0.16	2.4	0.12	3.5	0.10	3.1	0.06	2.4	
	18	0.16	1.9	0.12	3.1	0.09	2.8	0.06	2.3	
	20	* 0.38	4.7	* 0.28	5.5	* 0.22	4.9	* 0.13	3.6	
	22	0.14	3.3	0.11	4.9	0.08	4.8	0.06	3.7	
	最大	0.38	4.7	0.28	5.5	0.22	4.9	0.13	3.6	
	平均	0.22	3.6	0.16	4.0	0.13	3.8	0.08	3.0	
30	00	0.11	4.1	0.08	4.6	0.07	4.5	0.05	3.5	
	02	0.13	2.0	0.08	3.7	0.07	3.5	0.05	3.0	
	04	0.26	6.5	0.16	4.8	0.10	4.8	0.06	3.9	
	06	0.32	2.4	0.15	3.0	0.11	3.1	0.06	2.8	
	08	0.11	4.7	0.08	4.1	0.07	3.9	0.05	3.0	
	10	0.32	2.2	0.23	2.2	0.17	2.3	0.11	2.1	
	12	0.29	4.7	0.23	3.9	0.19	3.7	0.13	2.8	
	14	0.36	3.4	0.26	3.8	0.21	3.8	0.13	3.1	
	16	0.33	2.9	0.23	3.6	0.19	3.5	0.12	2.8	
	18	0.21	3.2	0.16	3.7	0.13	3.6	0.09	2.8	
	20	* 0.41	7.2	* 0.27	5.1	* 0.21	4.5	* 0.13	3.7	
	22	0.21	4.0	0.14	4.0	0.12	4.1	0.08	3.4	
	最大	0.41	7.2	0.27	5.1	0.21	4.5	0.13	3.7	
	平均	0.26	3.9	0.17	3.9	0.14	3.8	0.09	3.1	
	月最大	0.75	3.5	0.50	3.5	0.39	3.6	0.25	3.0	
	起時	0518		0518		0518		0518		
	平均	0.21	3.9	0.15	4.1	0.12	3.9	0.07	3.1	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	371 回	測得回数	0 回
欠測回数	1 回	欠測回数	372 回
欠測率	0.3 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	欠測									
	02	0.19	2.5	0.13	4.1	0.10	4.0	0.07	3.3		
	04	0.13	5.4	0.09	4.4	0.08	4.4	0.05	3.6		
	06	0.13	4.1	0.09	4.9	0.08	5.0	0.05	3.8		
	08	0.12	2.6	0.09	4.3	0.08	4.4	0.05	3.5		
	10	0.13	4.3	0.10	4.4	0.08	4.3	0.05	3.4		
	12	0.09	5.4	0.07	4.3	0.06	4.1	0.04	3.5		
	14	0.08	5.0	0.06	4.8	0.05	4.3	0.03	3.1		
	16	0.19	2.4	0.12	2.7	0.10	2.7	0.07	2.3		
	18	0.16	2.3	0.12	2.5	0.10	2.7	0.07	2.5		
	20	* 0.39	7.0	* 0.28	5.8	* 0.21	5.2	* 0.12	4.4		
	22	0.17	3.9	0.13	5.6	0.11	5.4	0.07	4.2		
	最大	0.39	7.0	0.28	5.8	0.21	5.2	0.12	4.4		
	平均	0.16	4.1	0.12	4.3	0.10	4.2	0.06	3.4		
02	00	0.19	3.9	0.13	4.5	0.10	4.3	0.07	3.5		
	02	0.16	4.3	0.12	4.8	0.10	4.6	0.06	3.5		
	04	0.19	3.8	0.12	5.0	0.10	4.5	0.07	3.5		
	06	0.16	6.1	0.13	5.3	0.10	5.1	0.07	4.1		
	08	0.31	3.0	0.14	10.9	0.11	7.3	0.07	4.6		
	10	0.16	4.5	0.11	5.2	0.09	4.6	0.06	3.6		
	12	0.13	6.3	0.10	7.4	0.08	6.5	0.05	4.3		
	14	* 0.33	3.0	0.14	6.9	0.10	7.1	0.07	4.8		
	16	0.13	5.5	0.11	12.9	0.09	10.5	0.06	6.0		
	18	0.14	4.8	0.11	4.5	0.09	4.3	0.06	3.1		
	20	0.29	5.4	* 0.25	5.4	* 0.19	4.8	* 0.12	4.0		
	22	0.15	5.5	0.11	4.9	0.09	4.8	0.06	3.7		
	最大	0.33	3.0	0.25	5.4	0.19	4.8	0.12	4.0		
	平均	0.20	4.7	0.13	6.5	0.10	5.7	0.07	4.1		
03	00	0.18	3.2	0.14	4.7	0.11	4.5	0.07	4.0		
	02	0.17	1.8	0.09	3.4	0.07	3.6	0.05	2.9		
	04	0.11	4.9	0.08	5.4	0.07	4.9	0.04	3.6		
	06	0.10	4.4	0.09	4.7	0.08	4.6	0.05	3.5		
	08	0.09	10.2	0.07	5.1	0.06	4.4	0.04	3.1		
	10	0.12	4.9	0.08	3.4	0.07	3.3	0.04	2.5		
	12	0.12	1.5	0.09	2.9	0.08	2.9	0.05	2.3		
	14	0.13	2.5	0.08	3.7	0.07	3.1	0.05	2.4		
	16	0.13	3.7	0.09	3.7	0.07	3.3	0.05	2.6		
	18	0.11	2.2	0.08	3.1	0.06	3.0	0.04	2.5		
	20	* 0.42	6.4	* 0.28	5.5	* 0.20	4.7	* 0.10	3.7		
	22	0.13	6.0	0.09	6.5	0.06	5.3	0.04	3.5		
	最大	0.42	6.4	0.28	5.5	0.20	4.7	0.10	3.7		
	平均	0.15	4.3	0.11	4.3	0.08	4.0	0.05	3.1		
04	00	0.16	2.6	0.08	3.1	0.06	3.5	0.04	2.7		
	02	0.09	1.3	0.06	4.2	0.05	3.8	0.04	2.7		
	04	0.09	2.6	0.07	2.7	0.06	2.7	0.04	2.2		
	06	0.09	3.1	0.06	3.2	0.05	3.0	0.04	2.4		
	08	0.09	7.5	0.07	3.1	0.05	3.4	0.04	2.8		
	10	0.09	3.1	0.07	3.2	0.05	3.2	0.04	2.7		
	12	0.07	3.9	0.06	4.5	0.05	3.9	0.03	3.1		
	14	0.07	4.0	0.06	4.4	0.05	3.9	0.03	3.1		
	16	0.16	7.3	0.10	4.8	0.09	4.4	0.06	3.4		
	18	0.23	2.6	0.16	3.0	0.13	3.0	0.09	2.3		
	20	* 0.29	2.2	* 0.21	3.0	* 0.17	2.8	* 0.11	2.3		
	22	0.21	2.6	0.16	3.5	0.13	3.3	0.08	2.7		
	最大	0.29	2.2	0.21	3.0	0.17	2.8	0.11	2.3		

	平均	0.14	3.6	0.10	3.6	0.08	3.4	0.05	2.7	
05	00	0.27	3.6	0.18	2.9	0.14	2.8	0.09	2.4	
	02	0.20	3.5	0.14	3.6	0.12	3.4	0.08	2.8	
	04	0.19	4.6	0.12	3.7	0.09	3.6	0.06	2.9	
	06	0.14	4.1	0.11	4.2	0.09	4.0	0.06	3.2	
	08	0.16	4.3	0.13	4.3	0.11	3.8	0.07	2.8	
	10	0.16	5.4	0.12	5.2	0.09	4.6	0.06	3.3	
	12	0.14	5.7	0.11	5.0	0.09	4.8	0.06	3.4	
	14	0.17	5.6	0.12	4.6	0.10	4.3	0.06	3.0	
	16	0.16	5.8	0.13	5.0	0.10	4.7	0.07	3.7	
	18	0.15	4.3	0.11	5.7	0.10	5.0	0.06	3.9	
20	* 0.41	4.3	* 0.27	5.1	* 0.21	5.0	* 0.13	4.3		
22	0.16	6.0	0.11	5.8	0.09	5.5	0.06	4.1		
最大平均	0.41	4.3	0.27	5.1	0.21	5.0	0.13	4.3		
	0.19	4.8	0.14	4.6	0.11	4.3	0.07	3.3		
06	00	0.13	6.4	0.10	5.5	0.09	5.1	0.06	3.7	
	02	0.23	1.8	0.12	3.4	0.09	4.1	0.06	3.4	
	04	0.12	5.8	0.10	7.4	0.08	7.4	0.06	5.8	
	06	0.13	4.6	0.09	6.1	0.08	6.0	0.05	4.6	
	08	0.13	7.2	0.10	6.0	0.08	4.9	0.06	3.4	
	10	0.12	3.5	0.10	4.8	0.09	4.7	0.06	3.6	
	12	0.15	4.8	0.11	4.7	0.09	4.2	0.06	3.0	
	14	* 0.46	12.8	0.13	4.2	0.10	3.3	0.06	2.5	
	16	0.15	4.0	0.12	3.8	0.09	3.5	0.06	2.6	
	18	0.18	4.4	0.13	4.2	0.10	3.6	0.07	2.6	
20	0.41	7.3	* 0.30	4.9	* 0.21	4.0	* 0.13	2.9		
22	0.20	6.2	0.16	4.4	0.13	3.8	0.09	2.8		
最大平均	0.46	12.8	0.30	4.9	0.21	4.0	0.13	2.9		
	0.20	5.7	0.13	5.0	0.10	4.6	0.07	3.4		
07	00	0.16	6.3	0.12	5.4	0.09	4.5	0.06	3.2	
	02	0.14	5.4	0.11	5.9	0.09	5.3	0.06	3.6	
	04	0.20	5.5	0.16	7.5	0.13	7.6	0.08	6.0	
	06	0.29	7.5	0.21	7.8	0.16	7.5	0.10	5.2	
	08	0.36	7.2	0.26	7.4	0.21	7.5	0.13	5.9	
	10	0.33	6.8	0.24	7.2	0.18	7.1	0.11	4.6	
	12	0.42	7.5	0.29	7.6	0.24	7.5	0.14	5.6	
	14	0.37	8.7	0.30	6.8	0.24	6.1	0.15	4.0	
	16	0.47	7.2	0.33	7.4	0.25	7.1	0.15	4.7	
	18	0.49	7.1	0.33	7.3	0.25	7.0	0.15	4.5	
20	* 0.62	9.2	* 0.44	6.5	* 0.34	5.7	* 0.21	3.8		
22	0.48	7.7	0.36	6.6	0.29	6.4	0.18	4.3		
最大平均	0.62	9.2	0.44	6.5	0.34	5.7	0.21	3.8		
	0.36	7.2	0.26	7.0	0.21	6.6	0.13	4.6		
08	00	0.52	6.8	0.37	6.3	0.30	6.1	0.18	4.1	
	02	0.47	6.3	0.31	6.6	0.24	6.0	0.15	4.2	
	04	0.41	6.8	0.31	6.6	0.25	6.7	0.16	5.2	
	06	0.45	6.9	0.35	6.8	0.28	6.8	0.17	5.2	
	08	* 0.56	6.7	* 0.42	6.8	* 0.34	6.2	0.20	4.2	
	10	0.48	6.5	0.39	6.8	0.33	6.5</			

			最大	0.36	5.9	0.27	5.9	0.22	5.9	0.14	4.8				
			平均	0.22	5.6	0.16	6.2	0.13	5.8	0.08	4.0				
10	00		0.18	3.6	0.12	4.7	0.09	4.7	0.06	3.6					
	02		0.23	1.7	0.13	3.8	0.10	4.2	0.06	3.4					
	04		0.11	6.0	0.08	4.8	0.06	4.2	0.04	3.0					
	06		0.10	4.5	0.08	4.3	0.06	4.0	0.04	3.1					
	08		0.13	3.4	0.09	3.4	0.07	3.3	0.05	2.7					
	10		0.23	3.7	0.15	2.8	0.11	2.8	0.07	2.4					
	12		0.21	2.1	0.15	2.8	0.12	2.8	0.08	2.4					
	14		0.29	3.7	0.21	4.1	0.17	3.9	0.11	3.0					
	16		0.24	4.6	0.18	4.3	0.15	3.9	0.10	3.0					
	18		0.28	3.3	0.17	3.4	0.14	3.5	0.09	2.9					
	20	*	0.42	3.9	* 0.27	5.1	* 0.20	4.6	* 0.12	3.5					
	22		0.16	3.6	0.13	4.4	0.11	4.1	0.07	3.1					
	最大		0.42	3.9	0.27	5.1	0.20	4.6	0.12	3.5					
	平均		0.22	3.7	0.15	4.0	0.12	3.8	0.07	3.0					
	11	00		0.20	5.4	0.12	4.5	0.10	4.1	0.06			3.0		
		02		0.32	2.1	0.15	4.4	0.12	4.0	0.07			2.9		
		04	*	0.36	4.9	0.21	5.5	0.14	5.1	0.09			3.9		
		06		0.23	6.5	0.19	6.9	0.15	6.4	0.10			4.3		
		08		0.24	6.1	0.20	6.9	0.16	6.0	0.09			4.0		
		10		0.23	7.4	0.19	6.3	0.15	5.6	0.09			3.9		
		12		0.26	6.4	0.19	6.1	0.16	5.3	0.10			3.5		
		14		0.20	5.2	0.17	6.4	0.14	5.8	0.09			3.8		
16			0.20	7.4	0.18	7.1	0.15	7.0	0.09	4.7					
18			0.19	7.6	0.15	6.8	0.12	6.6	0.08	4.9					
20			0.35	7.8	* 0.28	5.6	* 0.22	5.5	* 0.13	4.2					
22			0.17	4.8	0.13	6.5	0.10	5.4	0.07	3.4					
最大			0.36	4.9	0.28	5.6	0.22	5.5	0.13	4.2					
平均			0.25	6.0	0.18	6.1	0.14	5.6	0.09	3.9					
12		00		0.23	7.9	0.17	6.6	0.13	6.0	0.08	3.8				
		02		0.22	4.4	0.16	7.3	0.12	5.9	0.07	3.7				
		04		0.22	7.1	0.16	7.3	0.13	6.7	0.08	4.1				
		06		0.45	2.2	0.30	3.6	0.24	3.5	0.16	2.7				
		08		0.33	5.9	0.25	5.2	0.20	4.5	0.13	3.2				
		10		0.38	6.9	0.28	5.4	0.22	5.3	0.14	3.9				
		12	*	0.50	3.3	0.37	4.5	* 0.30	4.0	* 0.20	3.1				
		14		0.45	6.4	0.35	4.6	0.28	4.0	0.18	3.0				
	16		0.49	5.3	0.34	4.8	0.27	4.7	0.17	3.4					
	18		0.46	5.9	0.34	4.9	0.28	4.7	0.18	3.4					
	20		0.48	4.9	* 0.38	4.8	0.29	4.3	0.18	3.2					
	22		0.34	4.5	0.25	4.3	0.21	4.0	0.14	3.0					
	最大		0.50	3.3	0.38	4.8	0.30	4.0	0.20	3.1					
	平均		0.38	5.4	0.28	5.3	0.22	4.8	0.14	3.4					
	13	00		0.37	5.0	0.23	5.1	0.18	4.9	0.11	3.7				
		02		0.23	5.0	0.18	5.1	0.15	5.1	0.09	4.1				
		04		0.20	5.6	0.16	5.8	0.12	5.5	0.08	4.1				
		06		0.24	5.7	0.17	5.4	0.14	5.5	0.09	4.4				
		08		0.24	5.2	0.19	5.4	0.15	5.5	0.10	4.3				
		10		0.30	6.3	0.24	5.0	0.19	4.9	* 0.13	4.0				
		12		0.35	2.9	0.22	5.0	0.17	5.0	0.11	4.0				
		14		0.21	4.4	0.15	4.8	0.12	4.6	0.08	3.6				
16			0.17	5.7	0.12	5.0	0.10	4.8	0.07	3.9					
18			0.19	5.2	0.14	4.6	0.11	4.4	0.07	3.2					
20		*	0.44	13.7	* 0.27	6.4	* 0.21	5.3	0.13	3.8					
22			0.29	4.2	0.20	4.6	0.16	4.5	0.10	3.6					
最大			0.44	13.7	0.27	6.4	0.21	5.3	0.13	4.0					
平均			0.27	5.7	0.19	5.2	0.15	5.0	0.10	3.9					
14		00		0.18	4.9	0.15	4.8	0.12	4.7	0.08	3.9				
		02		0.28	2.4	0.15	3.9	0.11	4.1	0.07	3.2				
		04	*	0.32	3.0	0.17	4.9	0.11	4.6	0.06	3.4				
		06		0.20	4.0	0.14	4.5	0.11	4.4	0.07	3.8				
		08		0.21	4.3	0.15	4.2	0.12	4.1	0.08	3.3				
		10		0.24	3.4	0.15	3.4	0.12	3.3	0.08	2.6				
		12		0.19	2.7	0.13	3.2	0.11	3.2	0.07	2.7				
		14		0.14	3.1	0.11	3.6	0.09	3.5	0.06	2.9				

	16		0.20	2.1	0.12	2.9	0.10	2.7	0.06	2.1	
	18		0.14	5.0	0.11	4.5	0.08	3.9	0.06	2.8	
	20		0.30	3.8	* 0.24	4.6	* 0.18	4.6	* 0.10	3.6	
	22		0.09	4.4	0.07	4.6	0.06	4.3	0.04	3.3	
	最大		0.32	3.0	0.24	4.6	0.18	4.6	0.10	3.6	
	平均		0.21	3.6	0.14	4.1	0.11	4.0	0.07	3.1	
15	00		0.11	4.1	0.07	3.7	0.06	3.9	0.04	3.3	
	02		0.19	2.3	0.11	3.4	0.09	3.3	0.06	2.9	
	04		0.21	5.2	0.10	4.7	0.07	4.5	0.04	3.6	
	06		0.13	1.7	0.08	3.9	0.06	3.8	0.04	3.1	
	08		0.09	3.7	0.06	3.8	0.05	3.8	0.03	2.9	
	10		0.12	2.5	0.08	3.3	0.06	3.2	0.04	2.8	
	12		0.20	2.0	0.12	2.5	0.09	2.5	0.06	2.1	
	14		* 0.44	2.9	0.12	3.5	0.08	3.3	0.05	2.6	
	16		0.27	2.8	0.09	3.5	0.07	3.4	0.05	2.6	
16	18		0.24	2.0	0.14	2.1	0.11	2.2	0.08	2.1	
	20		0.41	3.1	* 0.30	4.0	* 0.23	3.6	* 0.15	2.9	
	22		0.13	5.6	0.10	3.5	0.08	3.2	0.06	2.6	
	最大		0.44	2.9	0.30	4.0	0.23	3.6	0.15	2.9	
	平均		0.21	3.2	0.11	3.5	0.09	3.4	0.06	2.8	
17	00		0.11	3.0	0.08	3.0	0.06	3.1	0.04	2.6	
	02		0.16	2.5	0.08	2.8	0.06	3.1	0.04	2.7	
	04		0.06	6.9	0.05	4.8	0.04	4.9	0.03	3.7	
	06		0.10	4.7	0.08	4.0	0.06	4.0	0.04	3.2	
	08		0.09	3.6	0.06	3.4	0.05	3.3	0.03	2.6	
	10		0.09	4.9	0.07	3.1	0.06	3.0	0.04	2.4	
	12		0.14	2.6	0.08	3.2	0.06	3.4	0.04	2.6	
	14		* 0.37	2.1	0.10	2.6	0.07	2.6	0.05	2.3	
	16		0.19	3.1	0.13	3.7	0.10	3.5	0.07	2.9	
18	18		0.09	3.3	0.07	2.9	0.06	2.9	0.04	2.5	
	20		0.34	7.6	* 0.27	5.8	* 0.19	4.7	* 0.12	3.8	
	22		0.10	2.3	0.07	3.1	0.06	3.1	0.04	2.8	
	最大		0.37	2.1	0.27	5.8	0.19	4.7	0.12	3.8	
	平均		0.15	3.9	0.10	3.5	0.07	3.5	0.05	2.8	
19	00		0.10	5.6	0.09	4.5	0.07	4.3	0.04	3.4	
	02		0.17	1.2	0.10	2.8	0.08	3.1	0.05	3.2	
	04		0.09	3.3	0.06	5.1	0.05	5.7	0.03	4.2	
	06		0.09	5.3	0.06	3.8	0.05	3.7	0.03	2.9	
	08		0.10	3.3	0.05	3.7	0.04	3.2	0.03	2.5	
	10		0.16	3.4	0.10	2.4	0.08	2.5	0.05	2.2	
	12		0.20	1.6	0.11	2.3	0.09	2.4	0.06	2.1	
	14		0.17	2.6	0.11	2.7	0.08	2.6	0.05	2.1	
	16		0.13	3.4	0.10	3.2	0.09	2.9	0.06	2.4	
20	18		0.16	2.8	0.11	2.8	0.08	2.8	0.05	2.4	
	20		* 0.56	4.0	* 0.32	4.1	* 0.19	5.0	* 0.10	4.1	
	22		0.09	4.6	0.07	5.5	0.05	4.5	0.04	3.2	
	最大		0.56	4.0	0.32	4.1	0.19	5.0	0.10	4.1	
	平均		0.17	3.4	0.11	3.6	0.08	3.6	0.05	2.9	
21	00		0.16	14.2	0.10	3.3	0.08	3.3	0.05	2.6	
	02		0.13	2.2	0.10	2.8	0.08	2.8	0.05	2.5	
	04		0.09	3.9	0.06	4.3	0.05	3.6	0.03	2.8	
	06		0.10	4.5	0.08	3.1	0.06	2.8	0.04	2.4	
	08		0.14	3.3	0.08	3.3	0.06	3.0	0.04	2.5	
	10		0.13	4.8	0.10	3.4	0.08	3.1	0.05	2.4	
	12		0.23	3.1	0.11	2.9	0.09	2.7	0.06	2.4	
	14		0.38	2.2	0.15	2.8	0.12	2.7	0.08	2.3	
	16		0.18	2.1	0.12	2.7	0.09	2.6	0.06	2.3	
22	18		0.17	1.6	0.10	2.0	0.08	2.3	0.05	2.2	
	20		* 0.39	7.4	* 0.26	5.4	* 0.19	4.5	* 0.12	3.4	
	22		0.11	2.3	0.07	3.9	0.06	3.6	0.04	2.8	
	最大		0.39	7.4	0.26	5.4	0.19	4.5	0.12	3.4	
	平均		0.18	4.3	0.11	3.3	0.09	3.1	0.06	2.6	
23	00		0.18	2.4	0.11	2.6	0.08	2.9	0.05	2.5	
	02		0.23	3.7	0.09	3.8	0.07	3.8	0.05	3.3	
	04		0.31	2.2	0.20	2.1	0.16	2.1	0.11	2.0	
	06		0.31	2.5	0.20	2.4	0.17	2.4	0.11	2.2	
	08		* 0.39	2.4	* 0.27	2.3	* 0.21	2.4	* 0.14	2.2	
	10		0.36	3.4	0.23	2.6	0.19	2.6	0.12	2.3	

	12	0.29	1.9	0.20	2.3	0.16	2.4	0.11	2.2	
	14	0.34	2.0	0.21	2.1	0.16	2.2	0.10	2.1	
	16	0.23	1.9	0.17	2.0	0.14	2.1	0.09	2.1	
	18	0.21	1.8	0.14	2.2	0.11	2.3	0.08	2.1	
	20	0.16	3.4	0.11	3.1	0.09	3.1	0.06	2.5	
	22	0.13	5.7	0.10	3.9	0.08	4.0	0.05	3.3	
	最大	0.39	2.4	0.27	2.3	0.21	2.4	0.14	2.2	
		0.26	2.8	0.17	2.6	0.14	2.7	0.09	2.4	
	20	00	0.16	3.3	0.11	3.1	0.08	3.5	0.05	3.1
		02	0.11	6.0	0.09	4.7	0.08	4.5	0.05	3.5
		04	0.09	4.0	0.07	4.2	0.06	4.1	0.04	3.1
		06	0.10	1.5	0.07	3.8	0.06	3.9	0.04	3.1
		08	0.11	4.1	0.08	3.1	0.07	3.1	0.04	2.6
		10	0.08	4.7	0.06	4.0	0.05	3.9	0.04	3.2
	12	0.16	2.9	0.09	2.4	0.07	2.5	0.05	2.2	
	14	0.15	5.0	0.12	2.6	0.10	2.5	0.07	2.2	
	16	0.22	3.9	0.11	2.5	0.09	2.5	0.06	2.1	
	18	0.17	2.5	0.10	2.9	0.08	2.9	0.05	2.3	
	20	* 0.42	4.2	* 0.27	5.1	* 0.19	4.9	* 0.12	4.0	
	22	0.16	4.8	0.13	4.9	0.10	4.8	0.07	4.0	
	最大	0.42	4.2	0.27	5.1	0.19	4.9	0.12	4.0	
		0.16	3.9	0.11	3.6	0.09	3.6	0.06	3.0	
	21	00	0.11	3.9	0.08	4.2	0.07	4.2	0.04	3.3
		02	0.15	2.0	0.09	3.2	0.07	3.4	0.05	2.8
		04	0.12	5.3	0.08	4.3	0.06	4.1	0.04	3.2
		06	0.09	5.2	0.06	4.1	0.05	3.8	0.03	2.9
		08	0.09	3.0	0.06	3.4	0.05	3.4	0.03	2.7
		10	0.11	2.1	0.07	3.2	0.06	3.2	0.04	2.6
	12	0.16	3.0	0.11	3.2	0.09	3.1	0.06	2.4	
	14	0.14	2.0	0.10	2.2	0.08	2.3	0.05	2.1	
	16	0.23	2.3	0.15	2.1	0.11	2.1	0.08	2.0	
	18	0.14	2.0	0.10	2.4	0.09	2.3	0.06	2.0	
	20	* 0.44	4.3	* 0.26	4.9	* 0.20	4.6	* 0.12	3.1	
	22	0.08	8.6	0.06	4.8	0.05	3.9	0.03	2.7	
	最大	0.44	4.3	0.26	4.9	0.20	4.6	0.12	3.1	
		0.16	3.6	0.10	3.5	0.08	3.4	0.05	2.7	
	22	00	0.11	2.5	0.08	3.1	0.06	3.3	0.04	2.8
		02	0.16	3.1	0.09	4.0	0.08	3.8	0.05	3.0
		04	0.26	5.5	0.20	2.9	0.16	2.7	0.11	2.2
		06	0.31	2.0	0.21	2.5	0.17	2.6	0.11	2.3
		08	* 0.47	2.6	0.28	2.2	0.22	2.3	0.14	2.2
		10	0.44	2.1	* 0.33	2.3	* 0.26	2.3	* 0.16	2.2
	12	0.46	2.1	0.32	2.3	0.25	2.3	* 0.16	2.2	
	14	0.42	2.1	0.28	2.3	0.22	2.3	0.14	2.2	
	16	0.44	2.5	0.24	2.3	0.19	2.3	0.12	2.2	
	18	0.31	2.0	0.18	2.2	0.14	2.3	0.09	2.1	
	20	0.32	4.7	0.25	4.6	0.18	4.3	0.11	3.4	
	22	0.31	2.2	0.20	2.2	0.16	2.2	0.10	2.1	
	最大	0.47	2.6	0.33	2.3	0.26	2.3	0.16	2.2	
		0.33	2.8	0.22	2.7	0.17	2.7	0.11	2.4	
	23	00	0.28	2.5	0.21	3.1	0.17	3.0	0.11	2.4
		02	0.31	3.2	0.19	3.1	0.15	3.3	0.10	2.7
		04	0.34	1.3	0.15	4.2	0.12	3.9	0.08	2.9
		06	0.20	4.5	0.15	5.3	0.12	5.1	0.08	4.0
		08	0.22	2.0	0.14	3.8	0.11	3.7	0.07	3.0
		10	0.40	2.1	0.29	2.4	0.23	2.4	0.15	2.2
	12	* 0.59	3.2	* 0.38	2.9	* 0.30	3.0	* 0.20	2.6	
	14	0.34	2.4	0.26	3.4	0.21	3.1	0.13	2.6	
	16	0.39	2.5	0.26	2.4	0.21	2.5	0.14	2.3	
	18	0.35	3.0	0.27	3.4	0.21	3.3	0.14	2.8	
	20	0.48	4.6	0.27	4.4	0.21	4.1	0.13	3.3	
	22	0.15	4.9	0.11	4.4	0.09	4.0	0.06	3.0	
	最大	0.59	3.2	0.38	2.9	0.30	3.0	0.20	2.6	
		0.34	3.0	0.22	3.6	0.18	3.5	0.12	2.8	
	24	00	0.17	4.8	0.13	4.6	0.10	4.2	0.07	3.3
		02	0.24	6.4	0.12	4.1	0.09	4.1	0.06	3.2

	04	0.12	4.9	0.09	5.5	0.07	5.0	0.05	3.7	
	06	0.16	5.7	0.11	5.2	0.08	4.7	0.05	3.5	
	08	0.13	6.0	0.11	4.1	0.09	3.8	0.06	3.1	
	10	0.22	2.0	0.11	3.1	0.08	3.1	0.06	2.5	
	12	0.13	4.8	0.10	3.3	0.08	3.0	0.05	2.4	
	14	0.17	3.5	0.12	3.9	0.09	3.5	0.06	2.7	
	16	0.24	1.9	0.17	2.3	0.13	2.3	0.09	2.1	
	18	0.29	2.5	0.21	2.4	0.17	2.5	0.11	2.3	
	20	* 0.41	7.1	* 0.28	4.8	* 0.21	4.2	* 0.12	3.2	
	22	0.16	5.2	0.11	4.5	0.09	4.3	0.06	3.4	
25	最大	0.41	7.1	0.28	4.8	0.21	4.2	0.12	3.2	
	平均	0.20	4.6	0.14	4.0	0.11	3.7	0.07	3.0	
	00	0.25	3.7	0.16	3.8	0.13	3.7	0.08	3.3	
	02	0.19	3.7	0.17	3.7	0.13	3.7	0.08	3.5	
	04	0.28	4.9	0.16	4.5	0.11	4.2	0.07	3.6	
	06	0.19	2.9	0.12	3.5	0.10	3.8	0.06	3.3	
	08	0.13	3.8	0.10	3.9	0.08	4.0	0.06	3.3	
	10	0.33	3.1	0.14	3.6	0.11	3.8	0.07	3.2	
	12	0.22	3.1	0.15	3.4	0.12	3.1	0.08	2.5	
	14	0.24	3.4	0.18	2.5	0.15	2.6	0.10	2.2	
26	16	0.31	2.0	0.17	2.9	0.14	2.8	0.09	2.4	
	18	0.27	4.0	0.20	4.2	0.16	4.1	0.10	3.3	
	20	* 0.64	4.1	* 0.33	5.0	* 0.26	4.7	* 0.16	4.0	
	22	0.39	4.6	0.28	4.3	0.22	4.5	0.14	4.0	
	最大	0.64	4.1	0.33	5.0	0.26	4.7	0.16	4.0	
	平均	0.29	3.6	0.18	3.8	0.14	3.8	0.09	3.2	
	00	0.38	4.7	0.31	4.6	0.25	4.6	0.16	4.2	
	02	0.38	4.8	0.26	4.8	0.20	4.7	0.13	4.2	
	04	0.45	5.4	0.32	5.1	0.25	5.1	0.16	4.4	
	06	0.50	5.5	0.38	4.0	0.30	3.5	0.19	2.7	
27	08	0.60	5.3	0.45	4.6	0.36	4.1	0.23	3.0	
	10	0.73	3.0	0.58	5.1	0.46	4.4	0.29	3.2	
	12	0.82	5.3	0.65	4.6	0.51	4.4	0.33	3.3	
	14	0.93	3.9	0.71	3.6	0.57	3.6	0.38	3.2	
	16	* 1.60	4.0	* 1.23	4.3	* 0.95	4.3	* 0.59	3.7	
	18	1.44	3.7	1.12	4.0	0.91	4.0	0.59	3.5	
	20	1.50	3.6	1.11	4.3	0.88	4.2	0.57	3.6	
	22	1.23	3.5	0.89	3.6	0.70	3.7	0.44	3.3	
	最大	1.60	4.0	1.23	4.3	0.95	4.3	0.59	3.7	
	平均	0.88	4.4	0.67	4.4	0.53	4.2	0.34	3.5	
28	00	0.95	3.7	0.74	3.6	0.60	3.6	0.39	3.2	
	02	* 1.02	4.1	* 0.82	3.9	* 0.65	3.7	* 0.43	3.2	
	04	0.78	4.3	0.60	4.7	0.49	4.3	0.32	3.3	
	06	0.78	5.0	0.63	5.2	0.51	5.2	0.33	3.9	
	08	0.70	5.6	0.51	5.7	0.42	5.4	0.27	3.8	
	10	0.79	5.5	0.54	5.6	0.44	5.1	0.27	3.6	
	12	0.89	5.8	0.58	5.5	0.46	5.2	0.30	3.8	
	14	0.59	5.1	0.47	5.2	0.38	5.1	0.23	3.5	
	16	0.77	5.8	0.48	5.8	0.37	5.4	0.23	3.7	
	18	0.53	6.0	0.43	6.0	0.35	6.0	0.22	4.7	
29	20	0.69	6.3	0.45	6.1	0.36	6.0	0.23	5.0	
	22	0.44	6.0	0.35	6.1	0.27	6.0	0.17	4.9	
	最大	1.02	4.1	0.82	3.9	0.65	3.7	0.43	3.2	
	平均	0.74	5.3	0.55	5.3	0.44	5.1	0.28	3.9	
	00	* 0.43	6.2	* 0.34	6.3	* 0.28	6.2	* 0.18	5.5	
	02	0.32	6.1	0.26	6.1	0.20	6.2	0.13	5.2	
	04	0.32	6.0	0.26	6.4	0.21	6.4	0.13	5.4	
	06	0.31	5.7	0.24	6.3	0.20	6.1	0.14	4.9	
	08	0.36	6.7	0.28	6.2	0.21	6.2	0.13	4.8	
	10	0.34	6.3	0.27	6.0	0.22	5.9	0.14	4.7	
30	12	0.33	5.8	0.28	5.8	0.24	5.7	0.14	4.8	
	14	0.28	5.1	0.22	5.5	0.18	5.5	0.11	4.3	
	16	0.30	5.8	0.22	5.5	0.18	5.6	0.11	4.6	
	18	0.38	6.1	0.24	5.8	0.19	5.9	0.12	4.8	
	20	0.41	7.0	0.31	5.7	0.24	5.7	0.15	5.0	
	22	0.23	6.6	0.18	6.5	0.15	6.4	0.09	5.1	
	最大	0.43	6.2	0.34	6.3	0.28	6.2	0.18	5.5	
	平均	0.30	5.8	0.22	5.5	0.18	5.6	0.11	4.6	
	00	0.32	6.0	0.26	6.4	0.21	6.4	0.13	5.4	
	02	0.32	6.1	0.26	6.1	0.20	6.2	0.13	5.2	

	平均	0.33	6.1	0.26	6.0	0.21	6.0	0.13	4.9	
29	00	0.24	6.8	0.19	6.7	0.15	6.5	0.09	4.6	
	02	0.25	6.6	0.19	6.0	0.15	5.7	0.09	4.1	
	04	0.20	5.8	0.16	5.9	0.14	5.9	0.09	4.5	
	06	0.20	6.9	0.16	5.9	0.13	5.9	0.08	4.1	
	08	0.19	5.6	0.14	6.3	0.12	5.9	0.08	4.2	
	10	0.17	6.4	0.12	6.0	0.10	5.7	0.06	3.9	
	12	0.19	7.0	0.14	6.6	0.12	6.4	0.07	4.4	
	14	0.19	5.4	0.15	5.2	0.12	5.4	0.08	4.0	
	16	0.15	4.3	0.12	7.0	0.10	6.4	0.06	4.3	
	18	0.17	2.4	0.13	6.9	0.10	6.8	0.06	4.7	
	20	* 0.41	4.6	* 0.26	5.0	* 0.20	5.2	* 0.12	4.6	
	22	0.20	6.2	0.16	6.3	0.13	5.7	0.08	3.7	
	最大	0.41	4.6	0.26	5.0	0.20	5.2	0.12	4.6	
	平均	0.21	5.7	0.16	6.2	0.13	6.0	0.08	4.3	
30	00	0.18	5.6	0.15	7.3	0.12	6.4	0.08	4.6	
	02	0.19	2.0	0.15	6.4	0.12	6.8	0.07	5.0	
	04	0.16	5.8	0.11	6.4	0.09	6.0	0.06	4.3	
	06	0.13	4.5	0.10	5.4	0.08	5.3	0.06	4.0	
	08	0.16	5.0	0.11	4.6	0.09	4.3	0.06	3.2	
	10	0.13	3.7	0.10	4.1	0.08	3.8	0.05	3.0	
	12	0.19	1.6	0.09	3.7	0.07	3.4	0.05	2.6	
	14	0.32	3.0	0.14	3.9	0.09	3.6	0.06	3.0	
	16	0.20	3.3	0.11	3.4	0.09	3.4	0.06	2.8	
	18	0.14	2.7	0.11	4.3	0.08	3.6	0.05	2.7	
	20	* 0.39	6.0	* 0.28	5.2	* 0.22	4.5	* 0.13	3.2	
	22	0.21	5.1	0.14	4.3	0.12	3.8	0.08	3.1	
	最大	0.39	6.0	0.28	5.2	0.22	4.5	0.13	3.2	
	平均	0.20	4.0	0.13	4.9	0.10	4.6	0.07	3.5	
31	00	0.20	4.5	0.16	4.0	0.13	4.1	0.09	3.3	
	02	0.18	2.2	0.13	4.6	0.10	4.5	0.07	3.5	
	04	0.14	4.9	0.11	4.6	0.09	4.5	0.06	3.6	
	06	0.22	7.2	0.13	4.2	0.10	4.2	0.06	3.3	
	08	0.18	3.9	0.13	3.8	0.10	3.6	0.07	2.7	
	10	0.17	2.7	0.13	3.9	0.10	3.4	0.07	2.8	
	12	0.24	4.4	0.12	3.9	0.09	3.5	0.06	2.7	
	14	0.16	3.7	0.11	5.4	0.08	4.7	0.05	3.3	
	16	0.23	5.3	0.16	4.2	0.12	4.2	0.08	3.1	
	18	0.16	5.3	0.11	5.5	0.09	5.5	0.06	3.9	
	20	* 0.38	6.6	* 0.25	5.6	* 0.19	5.5	* 0.12	4.7	
	22	0.22	4.3	0.16	4.9	0.12	5.6	0.08	4.5	
	最大	0.38	6.6	0.25	5.6	0.19	5.5	0.12	4.7	
	平均	0.21	4.6	0.14	4.6	0.11	4.4	0.07	3.5	
	月最大	1.60	4.0	1.23	4.3	0.95	4.3	0.59	3.7	
	起時	2616		2616		2616		2616		
	平均	0.27	4.5	0.19	4.6	0.15	4.4	0.10	3.4	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	371 回	測得回数	0 回
欠測回数	1 回	欠測回数	372 回
欠測率	0.3 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.17	4.3	0.12	6.1	0.09	5.9	0.06	4.0		
	02	0.16	5.0	0.11	5.9	0.09	5.4	0.06	3.9		
	04	0.11	4.6	0.08	5.9	0.06	5.4	0.04	3.6		
	06	0.13	5.0	0.10	5.5	0.08	5.2	0.05	3.7		
	08	0.15	2.6	0.10	5.3	0.08	4.7	0.05	3.3		
	10	0.13	5.6	0.10	5.4	0.08	4.3	0.05	2.8		
	12	0.13	3.7	0.10	4.3	0.08	3.7	0.05	2.6		
	14	0.11	2.2	0.09	3.9	0.07	3.7	0.05	2.8		
	16	0.12	3.4	0.09	3.8	0.07	3.5	0.05	2.8		
	18	0.14	5.0	0.10	3.1	0.08	3.1	0.05	2.5		
	20	* 0.36	6.3	* 0.26	5.8	* 0.18	5.0	* 0.10	3.7		
	22	0.10	6.1	0.08	5.0	0.06	4.6	0.04	3.3		
	最大	0.36	6.3	0.26	5.8	0.18	5.0	0.10	3.7		
	平均	0.15	4.5	0.11	5.0	0.09	4.5	0.05	3.3		
02	00	0.12	3.6	0.09	3.8	0.07	3.2	0.05	2.4		
	02	0.16	1.9	0.10	2.7	0.08	2.6	0.05	2.2		
	04	0.11	3.7	0.06	3.7	0.05	3.3	0.03	2.5		
	06	0.09	4.0	0.06	3.7	0.05	3.4	0.04	2.8		
	08	0.09	4.6	0.07	3.0	0.05	2.7	0.04	2.4		
	10	0.09	2.2	0.07	3.1	0.05	2.9	0.04	2.4		
	12	0.10	4.1	0.07	3.7	0.06	3.2	0.04	2.4		
	14	0.08	10.4	0.06	4.1	0.05	3.6	0.04	2.7		
	16	0.07	7.4	0.06	5.2	0.05	4.3	0.04	3.5		
	18	0.28	2.0	0.20	2.1	0.15	2.2	0.10	2.1		
	20	* 0.35	7.2	* 0.24	5.6	* 0.18	5.1	* 0.11	3.9		
	22	0.14	5.8	0.11	5.1	0.09	4.8	0.05	3.3		
	最大	0.35	7.2	0.24	5.6	0.18	5.1	0.11	3.9		
	平均	0.14	4.7	0.10	3.8	0.08	3.4	0.05	2.7		
03	00	0.09	4.3	0.07	5.1	0.06	4.1	0.04	3.0		
	02	0.14	4.4	0.11	3.2	0.08	3.4	0.06	2.6		
	04	0.09	3.9	0.07	4.6	0.06	4.1	0.04	3.1		
	06	0.09	5.3	0.07	4.4	0.06	3.8	0.04	2.7		
	08	0.10	2.9	0.07	3.7	0.06	3.3	0.04	2.6		
	10	0.10	3.9	0.07	3.6	0.06	3.2	0.04	2.5		
	12	0.10	3.4	0.08	3.8	0.06	3.6	0.04	2.8		
	14	0.10	5.5	0.08	4.5	0.07	4.3	0.05	3.1		
	16	0.13	2.6	0.10	3.0	0.08	3.4	0.05	2.9		
	18	0.13	2.5	0.09	3.7	0.07	3.4	0.04	2.6		
	20	* 0.33	6.5	* 0.24	5.5	* 0.17	4.8	* 0.10	3.9		
	22	0.10	5.9	0.07	5.7	0.06	5.5	0.04	3.8		
	最大	0.33	6.5	0.24	5.5	0.17	4.8	0.10	3.9		
	平均	0.13	4.3	0.09	4.2	0.07	3.9	0.05	3.0		
04	00	0.13	4.3	0.10	4.1	0.08	4.2	0.05	3.3		
	02	0.16	2.6	0.10	2.9	0.08	3.1	0.05	2.7		
	04	0.09	5.8	0.07	5.5	0.05	4.2	0.04	3.0		
	06	0.10	5.0	0.08	5.3	0.06	5.1	0.04	3.4		
	08	0.09	6.2	0.07	4.2	0.05	3.9	0.04	2.8		
	10	0.09	5.4	0.07	5.0	0.06	4.2	0.04	3.0		
	12	0.16	3.3	0.12	3.2	0.09	2.9	0.06	2.4		
	14	0.23	1.9	0.16	2.1	0.13	2.1	0.08	2.0		
	16	0.16	2.5	0.10	3.1	0.08	3.0	0.06	2.4		
	18	0.14	2.2	0.10	3.2	0.08	3.1	0.05	2.5		
	20	* 0.39	4.1	* 0.27	4.4	* 0.21	4.4	* 0.12	3.6		
	22	0.13	4.4	0.11	4.0	0.09	3.8	0.06	3.1		
	最大	0.39	4.1	0.27	4.4	0.21	4.4	0.12	3.6		

	平均	0.16	4.0	0.11	3.9	0.09	3.7	0.06	2.9	
05	00	0.12	4.3	0.09	4.7	0.07	4.8	0.05	3.8	
	02	0.14	4.4	0.10	4.7	0.08	4.4	0.05	3.3	
	04	0.14	4.5	0.11	4.8	0.09	4.7	0.06	3.9	
	06	0.11	4.6	0.09	4.6	0.08	4.3	0.05	3.5	
	08	0.13	3.8	0.10	3.3	0.08	3.3	0.05	2.7	
	10	0.10	3.9	0.08	3.9	0.06	3.8	0.04	3.0	
	12	0.26	1.7	0.17	1.9	0.13	2.0	0.09	2.0	
	14	0.16	2.2	0.11	2.6	0.09	2.3	0.06	2.1	
	16	0.19	2.7	0.13	2.9	0.10	2.9	0.07	2.5	
	18	0.19	3.6	0.13	2.9	0.11	2.9	0.07	2.6	
20	* 0.32	4.4	* 0.24	5.3	* 0.19	4.8	* 0.12	4.1		
22	0.09	5.9	0.08	5.0	0.06	4.6	0.04	3.4		
最大平均	0.32	4.4	0.24	5.3	0.19	4.8	0.12	4.1		
	0.16	3.8	0.12	3.9	0.10	3.7	0.06	3.1		
06	00	0.11	5.1	0.09	4.3	0.08	4.2	0.05	3.4	
	02	0.12	2.3	0.09	3.4	0.07	3.3	0.05	2.7	
	04	0.13	2.8	0.09	4.0	0.07	4.0	0.05	3.3	
	06	0.13	5.2	0.09	4.1	0.08	3.8	0.05	3.3	
	08	0.14	2.8	0.10	3.5	0.08	3.5	0.05	2.8	
	10	0.13	3.6	0.10	3.2	0.08	3.2	0.05	2.8	
	12	0.16	1.8	0.12	2.8	0.09	2.8	0.06	2.2	
	14	0.21	1.7	0.13	2.4	0.10	2.4	0.07	2.2	
	16	0.21	2.4	0.13	2.5	0.10	2.6	0.07	2.3	
	18	0.23	2.3	0.15	2.5	0.12	2.6	0.08	2.3	
20	* 0.31	5.0	* 0.22	4.4	* 0.14	4.1	* 0.08	3.4		
22	0.09	5.5	0.06	5.0	0.05	4.6	0.04	3.5		
最大平均	0.31	5.0	0.22	4.4	0.14	4.1	0.08	3.4		
	0.16	3.4	0.11	3.5	0.09	3.4	0.06	2.9		
07	00	0.12	4.6	0.09	3.6	0.07	3.6	0.05	3.0	
	02	0.09	2.2	0.07	3.1	0.06	3.1	0.04	2.6	
	04	0.09	3.8	0.07	3.3	0.05	3.1	0.04	2.7	
	06	0.10	2.9	0.07	3.5	0.05	3.4	0.03	2.9	
	08	0.13	1.9	0.07	3.5	0.06	3.3	0.04	2.6	
	10	0.13	1.7	0.07	2.7	0.06	2.7	0.04	2.3	
	12	0.10	2.0	0.07	2.9	0.06	3.0	0.04	2.5	
	14	0.16	2.4	0.12	2.4	0.10	2.4	0.07	2.1	
	16	0.19	1.9	0.12	2.3	0.09	2.3	0.06	2.1	
	18	0.21	2.0	0.15	2.1	0.12	2.2	0.08	2.0	
20	* 0.42	7.3	* 0.27	4.9	* 0.21	4.0	* 0.13	3.1		
22	0.14	5.1	0.11	3.9	0.09	3.4	0.06	2.7		
最大平均	0.42	7.3	0.27	4.9	0.21	4.0	0.13	3.1		
	0.16	3.2	0.11	3.2	0.09	3.0	0.06	2.6		
08	00	0.09	3.7	0.06	3.2	0.05	3.1	0.04	2.6	
	02	0.23	2.0	0.08	2.9	0.06	3.1	0.04	2.7	
	04	0.09	2.1	0.06	3.1	0.05	3.1	0.03	2.7	
	06	0.09	3.3	0.07	3.2	0.05	3.3	0.03	2.8	
	08	0.11	3.2	0.08	3.2	0.07	3.0	0.05	2.6	
	10	0.14	2.7	0.10	3.0	0.08	2.9	0		

		最大	0.35	7.6	0.27	6.0	0.20	5.1	0.12	3.8		
		平均	0.14	3.2	0.10	3.5	0.08	3.5	0.05	2.8		
10	00		0.12	3.8	0.08	4.0	0.07	3.9	0.04	3.0		
	02		0.29	3.1	0.11	3.5	0.07	3.5	0.04	2.9		
	04		0.06	4.7	0.05	4.4	0.04	4.0	0.03	3.2		
	06		0.08	5.4	0.06	4.3	0.05	3.7	0.03	2.8		
	08		0.11	2.1	0.08	3.2	0.06	3.5	0.04	2.9		
	10		0.14	4.4	0.09	4.4	0.07	4.3	0.05	3.5		
	12		0.08	5.5	0.06	5.1	0.05	4.6	0.03	3.2		
	14	* 0.69	4.9	* 0.52	4.6	* 0.42	4.4	* 0.26	4.4	3.3		
	16	0.61	5.8	0.45	4.5	0.36	4.2	0.23	4.2	3.1		
	18	0.58	5.4	0.41	4.3	0.33	4.0	0.22	4.0	3.1		
	20	0.63	6.4	0.38	4.9	0.30	4.8	0.19	4.8	3.7		
	22	0.31	5.7	0.25	5.2	0.20	5.1	0.12	5.1	4.0		
	最大		0.69	4.9	0.52	4.6	0.42	4.4	0.26	3.3		
	平均		0.31	4.8	0.21	4.4	0.17	4.2	0.11	3.2		
11	00		0.31	4.9	0.22	4.9	0.17	5.0	0.11	4.1		
	02		0.26	4.5	0.16	5.0	0.13	4.9	0.09	3.9		
	04	* 0.41	5.2	0.20	5.1	0.14	5.0	0.09	5.0	4.1		
	06	0.20	4.8	0.15	4.8	0.12	4.8	0.08	4.8	4.0		
	08	0.15	4.8	0.12	4.5	0.10	4.4	0.07	4.4	3.4		
	10	0.16	4.5	0.12	4.5	0.10	4.4	0.07	4.4	3.5		
	12	0.15	3.1	0.12	4.0	0.10	4.1	0.07	4.1	3.4		
	14	0.15	4.0	0.11	4.0	0.09	4.1	0.06	4.1	3.3		
	16	0.17	4.1	0.12	3.9	0.10	4.0	0.06	4.0	3.1		
	18	0.13	3.6	0.10	4.2	0.08	4.1	0.05	4.1	3.1		
	20	0.34	7.6	* 0.27	6.1	* 0.20	5.0	* 0.12	5.0	3.9		
	22	0.09	4.3	0.07	3.9	0.06	3.9	0.04	3.9	3.0		
	最大		0.41	5.2	0.27	6.1	0.20	5.0	0.12	3.9		
	平均		0.21	4.6	0.15	4.6	0.12	4.5	0.08	3.6		
12	00		0.11	3.7	0.08	3.8	0.06	3.9	0.04	3.2		
	02		0.13	2.1	0.09	3.9	0.07	3.7	0.05	3.0		
	04		0.10	4.5	0.08	5.0	0.07	4.6	0.04	3.5		
	06		0.23	2.9	0.15	3.3	0.11	3.7	0.07	3.3		
	08		0.13	3.1	0.10	4.3	0.08	4.0	0.05	3.0		
	10		0.13	1.8	0.10	3.3	0.08	4.1	0.05	3.3		
	12	0.17	2.4	0.11	3.5	0.09	3.5	0.06	3.5	2.9		
	14	0.22	2.4	0.15	2.5	0.12	2.6	0.08	2.6	2.3		
	16	0.44	2.1	0.35	2.4	0.27	2.5	0.18	2.5	2.3		
	18	* 0.58	2.9	0.35	3.1	0.27	3.0	0.17	3.0	2.6		
	20	0.42	6.3	* 0.35	3.8	* 0.28	3.4	* 0.18	3.4	2.7		
	22	0.33	2.8	0.23	3.1	0.19	3.0	0.12	3.0	2.5		
	最大		0.58	2.9	0.35	3.8	0.28	3.4	0.18	2.7		
	平均		0.25	3.1	0.18	3.5	0.14	3.5	0.09	2.9		
13	00		0.22	3.6	0.18	3.5	0.15	3.4	0.10	2.7		
	02		0.19	2.4	0.14	3.6	0.11	3.5	0.07	2.8		
	04		0.15	5.6	0.12	3.8	0.09	3.7	0.06	3.0		
	06		0.16	3.5	0.12	3.5	0.09	3.5	0.06	2.8		
	08		0.14	5.1	0.09	4.3	0.07	3.9	0.05	2.8		
	10		0.13	3.4	0.10	3.8	0.08	3.6	0.05	2.7		
	12	0.18	3.6	0.14	3.1	0.11	3.1	0.07	3.1	2.4		
	14	0.18	1.6	0.13	2.4	0.11	2.5	0.07	2.5	2.2		
	16	0.17	2.2	0.11	3.0	0.09	3.0	0.06	3.0	2.4		
	18	0.16	3.8	0.10	3.3	0.09	3.1	0.06	3.1	2.5		
	20	* 0.38	4.2	* 0.25	5.5	* 0.20	4.8	* 0.12	4.8	3.6		
	22	0.22	3.4	0.16	3.1	0.13	2.9	0.08	2.9	2.4		
	最大		0.38	4.2	0.25	5.5	0.20	4.8	0.12	3.6		
	平均		0.19	3.5	0.14	3.6	0.11	3.4	0.07	2.7		
14	00		0.22	2.6	0.16	3.2	0.13	3.2	0.09	2.7		
	02	* 0.38	2.3	* 0.27	2.4	* 0.20	2.4	* 0.14	2.4	2.2		
	04	0.34	2.1	0.25	2.6	0.20	2.6	0.13	2.6	2.3		
	06	0.30	2.3	0.21	2.6	0.16	2.8	0.11	2.8	2.4		
	08	0.20	2.9	0.14	3.5	0.11	3.4	0.07	3.4	2.9		
	10	0.20	1.9	0.13	3.2	0.11	3.1	0.07	3.1	2.6		
	12	0.16	3.1	0.12	3.0	0.09	3.0	0.06	3.0	2.6		
	14	0.13	3.5	0.10	3.2	0.08	3.1	0.06	3.1	2.5		

	16		0.13	3.0	0.10	3.1	0.08	3.1	0.06	2.6	
	18		0.23	3.0	0.15	2.9	0.11	3.2	0.07	2.8	
	20		0.36	5.1	0.24	5.6	0.18	4.5	0.11	3.4	
	22		0.32	2.3	0.20	2.7	0.16	2.8	0.11	2.3	
	最大		0.38	2.3	0.27	2.4	0.22	2.4	0.14	2.2	
	平均		0.25	2.8	0.17	3.2	0.14	3.1	0.09	2.6	
15	00		0.39	3.5	0.26	2.7	0.21	2.7	0.14	2.3	
	02		0.59	5.5	0.41	3.0	0.34	3.1	0.22	2.7	
	04		0.68	3.0	0.48	3.7	0.39	3.6	0.25	2.9	
	06		0.59	3.0	0.44	3.4	0.34	3.4	0.22	2.8	
	08		0.60	3.5	0.43	3.9	0.35	3.8	0.22	3.1	
	10		0.56	4.5	0.43	4.5	0.33	4.2	0.22	3.2	
	12		0.59	2.6	0.44	4.0	0.35	3.6	0.23	2.9	
	14		* 0.79	3.2	0.56	3.6	0.45	3.6	* 0.31	3.0	
	16		0.78	4.0	* 0.57	3.9	* 0.46	3.9	0.30	3.3	
	18		0.65	3.0	0.53	4.3	0.43	4.0	0.28	3.2	
	20		0.62	5.1	0.44	5.8	0.36	5.0	0.23	3.5	
	22		0.56	4.4	0.45	4.8	0.36	4.3	0.24	3.2	
	最大		0.79	3.2	0.57	3.9	0.46	3.9	0.31	3.0	
	平均		0.62	3.8	0.45	4.0	0.36	3.8	0.24	3.0	
16	00		0.52	7.1	0.40	5.4	0.32	4.4	0.21	3.2	
	02		0.50	4.2	0.38	4.3	0.30	4.0	0.20	3.2	
	04		0.51	3.5	0.37	4.2	0.30	4.0	0.20	3.1	
	06		0.50	4.8	0.36	3.8	0.29	3.6	0.19	2.9	
	08		0.56	2.1	0.36	2.9	0.30	3.0	0.20	2.6	
	10		0.47	6.3	0.36	4.5	0.29	4.0	0.19	3.1	
	12		0.63	2.4	0.46	4.0	0.38	4.0	0.24	3.0	
	14		0.70	3.1	0.55	4.8	0.44	4.3	0.29	3.2	
	16		* 0.78	5.1	* 0.58	4.0	* 0.47	4.0	* 0.32	3.3	
	18		0.71	4.7	0.46	3.5	0.36	3.5	0.23	2.8	
	20		0.45	4.3	0.27	3.8	0.20	3.8	0.13	3.1	
	22		0.21	3.7	0.15	5.8	0.12	5.0	0.07	3.4	
	最大		0.78	5.1	0.58	4.0	0.47	4.0	0.32	3.3	
	平均		0.55	4.3	0.39	4.3	0.31	4.0	0.21	3.1	
17	00		0.20	6.0	0.14	7.1	0.11	6.3	0.07	4.3	
	02		0.31	5.8	0.21	5.7	0.17	5.9	0.10	4.7	
	04		0.29	7.0	0.26	6.7	* 0.21	6.5	* 0.13	5.3	
	06		0.34	6.8	0.22	7.1	0.18	7.1	0.11	5.4	
	08		0.34	7.4	* 0.26	7.4	0.20	7.3	0.12	5.2	
	10		0.28	7.1	0.24	7.0	0.18	7.0	0.11	5.1	
	12		0.24	7.2	0.19	7.2	0.14	6.6	0.08	4.1	
	14		0.28	6.8	0.20	6.5	0.15	5.9	0.09	3.8	
	16		0.23	7.1	0.17	6.6	0.13	6.1	0.08	4.1	
	18		0.22	5.6	0.17	5.9	0.14	5.7	0.09	4.1	
	20		* 0.38	5.3	0.26	5.4	0.20	4.9	0.13	3.9	
	22		0.13	5.0	0.11	5.3	0.09	5.4	0.06	4.3	
	最大		0.38	5.3	0.26	7.4	0.21	6.5	0.13	5.3	
	平均		0.27	6.4	0.20	6.5	0.16	6.2	0.10	4.5	
18	00		0.17	5.1	0.14	4.9	0.11	5.0	0.07	4.3	
	02		0.17	4.8	0.12	4.6	0.10	4.4	0.07	3.5	
	04		0.20	7.4	0.16	7.4	0.13	6.9	0.08	5.0	
	06		0.19	7.3	0.13	7.1	0.10	6.6	0.06	4.6	
	08		0.21	6.5	0.16	6.6	0.12	6.4	0.07	4.6	
	10		0.18	5.7	0.14	5.2	0.11	4.9	0.07	3.6	
	12		0.14	1.9	0.10	4.7	0.08	3.9	0.05	2.8	
	14		0.13	3.1	0.08	5.3	0.06	4.6	0.04	2.9	
	16		0.11	5.8	0.09	3.9	0.07	3.3	0.05	2.6	
	18		0.14	6.4	0.10	5.0	0.08	4.3	0.05	3.0	
	20		* 0.44	7.2	* 0.26	5.3	* 0.19	4.7	* 0.11	3.6	
	22		0.11	6.5	0.08	5.7	0.06	4.3	0.04	2.9	
	最大		0.44	7.2	0.26	5.3	0.19	4.7	0.11	3.6	
	平均		0.18	5.6	0.13	5.5	0.10	4.9	0.06	3.6	
19	00		0.10	7.8	0.09	6.1	0.07	5.2	0.04	3.3	
	02		0.19	1.5	0.11	2.9	0.09	3.0	0.06	2.4	
	04		0.10	4.3	0.07	4.8	0.06	4.0	0.04	2.8	
	06		0.09	7.2	0.07	5.0	0.06	4.3	0.04	3.1	
	08		0.09	2.8	0.06	4.4	0.05	3.7	0.03	2.9	
	10		0.11	2.1	0.08	3.6	0.07	3.3	0.05	2.7	

	12	0.09	5.2	0.07	4.4	0.06	4.2	0.04	2.9	
	14	0.09	4.0	0.06	4.8	0.05	4.4	0.04	3.1	
	16	0.09	2.5	0.07	3.4	0.05	3.6	0.04	2.7	
	18	0.09	2.9	0.07	3.6	0.05	3.3	0.04	2.5	
	20	* 0.42	5.2	* 0.27	4.4	* 0.16	4.1	* 0.08	3.2	
	22	0.11	6.7	0.07	5.0	0.05	4.4	0.04	3.1	
	最大									
		0.42	5.2	0.27	4.4	0.16	4.1	0.08	3.2	
	平均									
		0.13	4.4	0.09	4.4	0.07	4.0	0.05	2.9	
20	00	0.13	6.6	0.09	6.3	0.07	6.1	0.05	4.0	
	02	0.19	3.1	0.11	5.2	0.09	5.0	0.05	3.6	
	04	0.14	7.0	0.10	7.4	0.08	6.1	0.05	3.9	
	06	0.20	7.2	0.14	6.6	0.11	6.0	0.07	4.0	
	08	0.22	8.1	0.12	7.6	0.09	6.4	0.06	3.9	
	10	0.19	7.3	0.13	7.3	0.10	6.3	0.06	3.8	
		0.19	9.1	0.13	8.3	0.10	6.5	0.06	4.0	
		0.24	6.4	0.20	6.8	0.16	6.4	0.10	4.3	
		0.23	8.7	0.16	7.6	0.12	5.9	0.08	3.5	
		0.26	8.0	0.19	7.8	0.15	7.7	0.09	5.7	
		* 0.41	7.1	* 0.29	5.6	* 0.21	5.7	0.12	4.3	
	22	0.28	8.2	0.25	8.1	0.20	8.0	* 0.12	5.8	
	最大									
		0.41	7.1	0.29	5.6	0.21	5.7	0.12	5.8	
	平均									
		0.22	7.2	0.16	7.1	0.12	6.3	0.08	4.2	
21	00	0.33	8.1	* 0.26	8.2	* 0.20	7.9	* 0.12	5.6	
	02	0.24	7.7	0.19	7.7	0.16	7.0	0.10	4.9	
	04	0.23	7.6	0.19	7.6	0.15	7.7	0.10	6.1	
	06	0.24	7.2	0.17	7.2	0.13	6.9	0.08	4.7	
	08	0.16	8.5	0.14	7.5	0.11	7.1	0.07	4.4	
	10	0.24	6.3	0.15	5.6	0.12	4.9	0.08	3.2	
		0.19	3.1	0.13	5.3	0.10	4.4	0.06	2.9	
		0.17	8.3	0.12	6.4	0.09	4.8	0.06	3.1	
		0.21	7.8	0.14	7.6	0.11	6.8	0.07	4.6	
		0.16	7.9	0.13	7.7	0.10	7.3	0.06	4.4	
		* 0.36	5.7	0.26	5.0	0.18	5.2	0.11	4.4	
	22	0.16	9.3	0.13	7.3	0.10	6.7	0.06	4.0	
	最大									
		0.36	5.7	0.26	8.2	0.20	7.9	0.12	5.6	
	平均									
		0.22	7.3	0.17	6.9	0.13	6.4	0.08	4.4	
22	00	0.20	8.1	0.15	6.9	0.11	5.4	0.07	3.3	
	02	0.20	7.9	0.14	5.8	0.11	4.8	0.07	3.3	
	04	0.14	8.0	0.10	6.6	0.08	5.0	0.05	3.1	
	06	0.16	8.3	0.12	7.4	0.10	6.2	0.06	4.0	
	08	0.20	7.7	0.16	7.5	0.12	6.0	0.08	3.8	
	10	0.28	7.6	0.23	7.8	0.19	7.8	0.12	5.8	
		0.28	8.2	0.20	7.3	0.15	6.0	0.09	3.6	
		0.23	7.2	0.21	7.6	0.16	7.4	0.10	5.1	
		0.36	7.6	0.27	7.5	0.21	7.4	0.12	5.2	
		0.43	6.8	0.34	6.9	0.26	6.7	0.16	4.2	
		* 0.63	6.8	* 0.41	5.7	0.30	5.0	0.18	3.6	
	22	0.61	4.1	0.38	4.9	* 0.31	4.7	* 0.21	4.0	
	最大									
		0.63	6.8	0.41	5.7	0.31	4.7	0.21	4.0	
	平均									
		0.31	7.4	0.23	6.8	0.18	6.0	0.11	4.1	
23	00	0.52	5.2	0.37	5.2	0.31	5.2	0.20	4.1	
	02	* 0.71	5.3	* 0.56	6.0	* 0.44	6.0	* 0.28	5.0	
	04	0.65	7.1	0.46	6.5	0.37	6.1	0.23	4.8	
	06	0.63	6.1	0.46	4.9	0.37	4.8	0.24	3.7	
	08	0.53	5.5	0.42	5.0	0.34	4.7	0.21	3.3	
	10	0.44	4.0	0.34	4.5	0.27	4.3	0.17	3.1	
		0.47	3.1	0.35	3.9	0.29	3.7	0.19	2.8	
		0.44	5.4	0.34	4.4	0.27	4.0	0.18	3.0	
		0.56	5.7	0.39	4.2	0.31	3.8	0.20	2.9	
		0.66	5.0	0.43	4.4	0.34	4.2	0.22	3.2	
		0.58	5.7	0.39	5.5	0.31	5.0	0.19	3.7	
	22	0.41	4.6	0.34	5.2	0.27	4.8	0.18	3.9	
	最大									
		0.71	5.3	0.56	6.0	0.44	6.0	0.28	5.0	
	平均									
		0.55	5.2	0.40	5.0	0.32	4.7	0.21	3.6	
24	00	0.38	6.7	0.31	5.9	0.25	5.6	0.17	4.6	
	02	0.49	5.8	* 0.40	5.9	0.31	5.9	0.19	4.5	

	04		0.40	6.3	0.31	5.7	0.25	5.9	0.15	4.8	
	06		0.42	5.7	0.33	5.9	0.27	5.8	0.17	4.8	
	08		0.47	5.2	0.38	5.9	0.30	5.8	0.19	4.9	
	10		0.41	6.2	0.34	6.3	0.28	5.8	0.17	4.7	
	12		0.46	5.9	0.39	5.8	* 0.32	5.7	* 0.20	4.8	
	14		0.39	5.8	0.32	6.1	0.27	5.8	0.17	4.6	
	16		0.44	5.2	0.30	5.7	0.24	5.7	0.15	4.1	
	18		0.45	6.0	0.35	6.3	0.28	6.3	0.18	4.9	
	20	* 0.49	6.7	0.34	5.5	5.5	0.26	5.2	0.16	4.3	
	22	0.32	5.5	0.24	5.8	5.8	0.19	5.7	0.12	4.4	
	最大		0.49	6.7	0.40	5.9	0.32	5.7	0.20	4.8	
	平均		0.43	5.9	0.33	5.9	0.27	5.8	0.17	4.6	
25	00		0.28	5.9	0.23	5.7	0.18	5.7	0.11	4.6	
	02	欠測									
	04		0.36	5.6	0.25	5.5	0.19	5.5	0.12	4.7	
	06		0.36	4.6	0.26	5.2	0.21	5.3	0.13	4.4	
	08		0.33	4.8	0.23	5.1	0.18	5.1	0.12	4.4	
	10		0.30	5.6	0.22	5.4	0.18	5.4	0.12	4.2	
	12		0.29	6.1	0.22	5.6	0.18	5.5	0.12	4.6	
	14		0.34	4.5	0.26	5.6	0.21	5.3	0.13	4.0	
	16		0.38	5.1	0.30	5.2	0.24	4.5	0.15	3.2	
	18		0.39	6.3	0.29	5.9	0.24	5.3	0.15	3.8	
	20	* 0.52	6.8	* 0.33	5.9	5.9	* 0.25	5.4	* 0.16	4.0	
	22	0.29	5.5	0.23	6.7	6.7	0.18	6.4	0.11	4.4	
	最大		0.52	6.8	0.33	5.9	0.25	5.4	0.16	4.0	
	平均		0.35	5.5	0.26	5.6	0.20	5.4	0.13	4.2	
26	00		0.28	6.6	0.21	6.6	0.17	6.5	0.11	5.0	
	02		0.30	6.5	0.20	6.2	0.16	6.1	0.10	4.6	
	04		0.26	7.4	0.21	6.4	0.17	6.3	0.11	4.7	
	06		0.30	6.1	0.22	6.3	0.17	6.3	0.11	4.9	
	08		0.29	5.9	0.19	6.2	0.15	6.0	0.09	4.2	
	10		0.26	5.8	0.19	6.3	0.15	6.2	0.09	4.8	
	12	* 0.64	3.3	0.36	3.4	3.4	0.29	3.3	0.19	2.9	
	14	0.45	2.6	0.30	3.1	3.1	0.24	3.2	0.15	2.5	
	16	0.50	4.5	0.38	3.8	3.8	0.32	3.4	0.21	2.8	
	18	0.62	5.1	* 0.43	5.1	5.1	* 0.34	4.6	* 0.22	3.3	
	20	0.60	6.5	0.41	5.2	5.2	0.32	4.8	0.21	3.6	
	22	0.39	5.4	0.32	5.4	5.4	0.25	5.0	0.16	3.8	
	最大		0.64	3.3	0.43	5.1	0.34	4.6	0.22	3.3	
	平均		0.41	5.5	0.29	5.3	0.23	5.1	0.15	3.9	
27	00		0.41	4.9	0.29	5.1	0.23	5.2	* 0.15	4.2	
	02		0.31	4.7	0.22	5.8	0.18	5.5	0.12	4.1	
	04		0.34	7.5	0.23	6.2	0.18	5.9	0.12	4.4	
	06		0.37	6.5	0.26	6.2	0.20	5.8	0.13	4.4	
	08		0.38	5.7	0.23	6.4	0.19	6.0	0.12	4.7	
	10		0.33	5.1	0.23	6.3	0.18	5.9	0.11	4.3	
	12		0.32	5.8	0.25	5.7	0.21	5.6	0.13	4.4	
	14		0.28	5.3	0.23	5.5	0.18	5.2	0.11	3.7	
	16		0.36	5.2	0.26	5.1	0.20	4.3	0.13	3.0	
	18		0.33	5.3	0.25	3.9	0.20	3.4	0.13	2.7	
	20	* 0.51	7.7	* 0.32	5.1	5.1	* 0.24	4.6	0.15	3.4	
	22	0.26	5.3	0.19	5.3	5.3	0.16	5.0	0.10	3.7	
	最大		0.51	7.7	0.32	5.1	0.24	4.6	0.15	4.2	
	平均		0.35	5.8	0.25	5.6	0.20	5.2	0.13	3.9	
28	00		0.29	5.0	0.22	5.2	0.18	4.8	0.11	3.5	
	02		0.24	6.3	0.18	6.1	0.14	5.9	0.09	4.4	
	04		0.27	6.0	0.19	5.9	0.15	6.0	0.10	5.0	
	06		0.33	5.4	0.22	5.9	0.17	5.9	0.10	4.5	
	08		0.24	2.2	0.18	5.5	0.15	5.4	0.09	4.0	
	10		0.24	5.6	0.19	5.6	0.15	5.2	0.10	3.9	
	12		0.25	6.3	0.18	4.8	0.15	4.3	0.10	3.0	
	14		0.22	4.5	0.17	4.9	0.13	4.5	0.09	3.1	
	16		0.27	2.2	0.22	3.3	0.17	3.0	0.11	2.5	
	18		0.23	6.4	0.17	4.7	0.14	3.9	0.09	2.8	
	20	* 0.49	7.2	* 0.30	5.8	5.8	* 0.22	4.9	* 0.14	3.4	
	22	0.25	5.2	0.17	5.5	5.5	0.14	5.1	0.09	3.6	
	最大		0.49	7.2	0.30	5.8	0.22	4.9	0.14	3.4	

	平均	0.28	5.2	0.20	5.3	0.16	4.9	0.10	3.6	
29	00	0.21	4.7	0.16	5.2	0.12	4.9	0.08	4.0	
	02	0.21	5.6	0.15	5.2	0.12	4.8	0.08	3.9	
	04	0.17	5.9	0.12	5.6	0.10	5.4	0.06	4.3	
	06	0.15	5.1	0.11	5.1	0.09	5.2	0.06	3.9	
	08	0.16	6.4	0.12	5.1	0.10	4.8	0.06	3.5	
	10	0.17	5.8	0.11	5.5	0.09	5.2	0.06	3.8	
	12	0.18	4.6	0.13	4.8	0.11	4.0	0.07	2.8	
	14	0.39	2.2	0.23	2.4	0.18	2.6	0.12	2.3	
	16	0.25	2.7	0.17	2.9	0.13	2.8	0.09	2.4	
	18	0.20	3.6	0.16	3.5	0.13	3.5	0.08	2.8	
	20	* 0.47	7.0	* 0.28	5.1	* 0.22	4.7	* 0.13	3.8	
	22	0.15	5.3	0.11	5.5	0.09	5.2	0.06	3.9	
	最大	0.47	7.0	0.28	5.1	0.22	4.7	0.13	3.8	
	平均	0.23	4.9	0.15	4.7	0.12	4.4	0.08	3.5	
30	00	0.14	5.7	0.11	5.4	0.09	5.3	0.06	4.3	
	02	0.17	2.0	0.11	4.7	0.09	4.8	0.06	3.5	
	04	0.12	5.0	0.09	5.2	0.08	5.2	0.05	4.1	
	06	0.12	3.5	0.09	4.4	0.07	4.0	0.05	3.0	
	08	* 0.30	2.5	0.16	3.1	0.11	3.1	0.07	2.5	
	10	0.13	2.1	0.08	4.2	0.06	3.7	0.04	2.8	
	12	0.10	4.6	0.07	3.2	0.06	2.9	0.04	2.3	
	14	0.10	3.8	0.07	3.8	0.06	3.4	0.04	2.6	
	16	0.16	3.2	0.09	2.9	0.07	2.9	0.05	2.6	
	18	0.09	2.5	0.06	3.9	0.05	3.4	0.03	2.6	
	20	0.28	4.2	* 0.24	4.9	* 0.19	4.8	* 0.12	3.9	
	22	0.07	14.9	0.06	4.3	0.05	3.9	0.04	2.8	
	最大	0.30	2.5	0.24	4.9	0.19	4.8	0.12	3.9	
	平均	0.15	4.5	0.10	4.2	0.08	4.0	0.05	3.1	
31	00	0.07	1.4	0.06	3.8	0.05	3.3	0.04	2.6	
	02	0.14	2.0	0.09	3.0	0.07	3.0	0.04	2.6	
	04	0.09	4.4	0.06	4.1	0.05	3.8	0.03	2.8	
	06	0.07	3.5	0.06	3.8	0.05	3.5	0.03	2.9	
	08	0.12	1.5	0.07	2.9	0.06	2.8	0.04	2.4	
	10	0.09	7.2	0.06	2.7	0.05	2.8	0.03	2.3	
	12	0.10	1.8	0.07	3.8	0.06	3.3	0.04	2.5	
	14	0.10	3.7	0.08	3.2	0.06	2.9	0.04	2.4	
	16	0.13	2.9	0.09	2.8	0.07	2.7	0.05	2.4	
	18	0.09	2.6	0.06	2.9	0.05	2.8	0.03	2.5	
	20	* 0.41	7.6	* 0.27	5.7	* 0.18	5.1	* 0.09	3.6	
	22	0.10	4.5	0.06	4.9	0.05	4.4	0.03	3.1	
	最大	0.41	7.6	0.27	5.7	0.18	5.1	0.09	3.6	
	平均	0.13	3.6	0.09	3.6	0.07	3.4	0.04	2.7	
	月最大	0.79	3.2	0.58	4.0	0.47	4.0	0.32	3.3	
	起時	1514		1616		1616		1616		
	平均	0.26	4.7	0.18	4.6	0.15	4.4	0.09	3.3	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	0 回
欠測回数	0 回	欠測回数	360 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：| 敦賀港本港地区 | 機種：| 波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.09	3.9	0.05	3.4	0.04	3.2	0.03	2.4		
	02	0.09	3.2	0.07	3.0	0.06	3.1	0.04	2.6		
	04	0.07	3.1	0.06	3.6	0.05	3.0	0.03	2.4		
	06	0.09	3.1	0.07	3.6	0.06	3.2	0.04	2.4		
	08	0.09	2.0	0.06	3.6	0.05	3.5	0.04	2.6		
	10	0.10	3.4	0.07	3.4	0.06	3.2	0.04	2.6		
	12	0.13	3.0	0.08	3.4	0.06	3.1	0.04	2.7		
	14	0.12	2.6	0.07	3.3	0.05	3.5	0.04	2.9		
	16	0.11	2.2	0.09	2.4	0.07	2.4	0.05	2.2		
	18	0.09	2.6	0.07	3.1	0.06	3.0	0.04	2.5		
	20	* 0.35	5.0	* 0.25	4.6	* 0.19	4.8	* 0.11	3.9		
	22	0.07	3.6	0.05	5.8	0.04	4.7	0.03	3.3		
	最大	0.35	5.0	0.25	4.6	0.19	4.8	0.11	3.9		
	平均	0.12	3.1	0.08	3.6	0.07	3.4	0.04	2.7		
02	00	0.13	3.9	0.11	4.0	0.08	4.0	0.05	3.6		
	02	0.30	1.7	0.10	3.0	0.08	3.0	0.05	2.7		
	04	0.06	1.8	0.05	3.8	0.04	4.1	0.03	2.9		
	06	0.10	2.3	0.06	3.3	0.05	3.3	0.04	2.7		
	08	0.07	1.8	0.06	4.1	0.05	3.8	0.03	2.9		
	10	0.07	3.3	0.06	3.5	0.05	3.9	0.03	3.0		
	12	0.15	1.6	0.10	2.0	0.08	2.2	0.05	2.0		
	14	0.16	2.2	0.12	2.3	0.09	2.4	0.06	2.1		
	16	0.23	1.7	0.14	1.9	0.11	2.0	0.07	1.9		
	18	0.15	2.7	0.10	2.4	0.08	2.5	0.05	2.2		
	20	* 0.31	4.4	* 0.22	5.1	* 0.18	4.6	* 0.11	3.6		
	22	0.11	5.3	0.09	5.0	0.07	4.7	0.04	3.5		
	最大	0.31	4.4	0.22	5.1	0.18	4.6	0.11	3.6		
	平均	0.15	2.7	0.10	3.4	0.08	3.4	0.05	2.8		
03	00	0.10	4.3	0.07	4.9	0.05	4.5	0.04	3.3		
	02	0.13	2.1	0.09	3.8	0.07	3.9	0.04	3.0		
	04	0.09	6.6	0.08	5.8	0.06	5.5	0.04	4.2		
	06	0.10	6.4	0.09	5.5	0.07	4.6	0.05	3.3		
	08	0.16	6.1	0.11	6.1	0.09	5.1	0.06	3.7		
	10	0.20	5.7	0.13	6.9	0.10	6.1	0.07	4.1		
	12	0.29	6.9	0.20	7.7	0.15	6.1	0.10	3.9		
	14	0.44	7.8	0.32	7.8	0.25	7.4	0.15	4.6		
	16	0.41	7.6	0.29	7.0	0.23	5.9	0.13	3.6		
	18	0.47	7.7	0.37	7.3	0.29	7.0	0.18	4.9		
	20	* 0.61	7.4	0.40	7.0	0.31	6.3	0.19	4.5		
	22	0.53	5.7	* 0.42	6.1	* 0.33	6.2	* 0.22	5.3		
	最大	0.61	7.4	0.42	6.1	0.33	6.2	0.22	5.3		
	平均	0.29	6.2	0.21	6.3	0.17	5.7	0.11	4.0		
04	00	0.41	6.1	0.33	6.1	0.26	6.1	0.16	5.1		
	02	0.35	6.7	0.29	5.9	0.24	6.1	0.15	5.2		
	04	0.44	6.7	0.32	6.7	0.26	6.3	0.16	5.6		
	06	0.44	5.8	0.35	6.4	0.29	6.3	0.19	5.8		
	08	0.56	5.8	0.44	6.1	0.36	6.3	0.22	5.3		
	10	0.58	5.9	0.47	6.1	0.36	6.2	0.22	5.2		
	12	0.70	6.4	0.51	6.1	* 0.41	6.2	0.26	5.3		
	14	* 0.73	5.6	* 0.52	6.0	0.41	5.9	* 0.27	5.1		
	16	0.60	5.6	0.46	5.4	0.37	5.3	0.23	4.3		
	18	0.53	5.6	0.41	5.1	0.33	4.7	0.20	3.2		
	20	0.66	4.6	0.47	5.5	0.37	4.7	0.23	3.3		
	22	0.42	5.6	0.32	5.7	0.27	5.7	0.17	4.3		
	最大	0.73	5.6	0.52	6.0	0.41	6.2	0.27	5.1		

	平均	0.54	5.9	0.41	5.9	0.33	5.8	0.21	4.8	
05	00	0.41	5.8	0.29	5.8	0.24	5.8	0.15	4.9	
	02	0.45	6.2	0.34	6.0	0.26	6.0	0.17	5.2	
	04	0.45	6.1	0.31	5.8	0.25	5.6	0.17	5.1	
	06	* 0.52	5.0	* 0.36	5.3	* 0.28	5.2	* 0.18	4.4	
	08	0.36	4.7	0.29	4.9	0.23	5.0	0.15	4.0	
	10	0.42	5.3	0.32	5.1	0.26	5.1	0.16	4.1	
	12	0.39	4.2	0.31	4.8	0.24	4.9	0.15	4.1	
	14	0.38	5.7	0.26	5.0	0.21	5.0	0.13	4.2	
	16	0.39	5.7	0.27	5.6	0.22	5.2	0.14	3.9	
	18	0.44	4.9	0.28	5.1	0.22	5.1	0.14	4.0	
20	0.41	4.1	0.31	4.7	0.24	4.8	0.16	4.2		
22	0.32	4.5	0.23	4.9	0.19	4.7	0.12	4.1		
最大平均	0.52	5.0	0.36	5.3	0.28	5.2	0.18	4.4		
	0.41	5.2	0.30	5.3	0.24	5.2	0.15	4.4		
06	00	0.34	5.3	0.26	4.8	0.21	4.8	* 0.14	4.3	
	02	0.32	4.7	0.26	4.7	0.20	4.8	0.13	4.2	
	04	0.32	4.4	0.23	5.0	0.18	4.9	0.11	3.9	
	06	* 0.39	4.6	0.24	4.6	0.19	4.5	0.12	3.8	
	08	0.35	4.8	0.26	4.6	0.21	4.7	0.14	3.8	
	10	0.35	4.6	0.26	4.4	0.21	4.6	0.14	4.0	
	12	0.28	4.4	0.24	4.9	0.20	4.7	0.13	4.1	
	14	0.28	5.0	0.20	5.2	0.17	5.0	0.11	3.8	
	16	0.19	5.6	0.16	5.6	0.13	5.5	0.08	4.3	
	18	0.21	5.9	0.17	5.3	0.14	5.2	0.08	3.4	
20	0.20	5.8	0.14	5.8	0.12	5.8	0.08	4.6		
22	0.38	2.1	* 0.29	2.1	* 0.22	2.1	0.14	2.0		
最大平均	0.39	4.6	0.29	2.1	0.22	2.1	0.14	4.3		
	0.30	4.8	0.23	4.8	0.18	4.7	0.12	3.9		
07	00	0.42	1.9	0.34	1.9	0.28	2.0	0.18	2.1	
	02	0.69	2.1	0.46	2.1	0.35	2.1	0.22	2.1	
	04	0.35	1.9	0.25	2.5	0.21	2.3	0.14	2.2	
	06	0.30	1.7	0.21	2.3	0.16	2.5	0.10	2.2	
	08	0.24	1.5	0.18	1.9	0.14	2.3	0.09	2.0	
	10	0.41	1.9	0.25	1.8	0.19	1.9	0.13	1.9	
	12	0.30	1.6	0.19	2.0	0.15	2.2	0.10	2.1	
	14	0.27	2.0	0.20	2.2	0.15	2.4	0.10	2.2	
	16	0.48	10.8	0.30	10.7	0.22	9.3	0.13	5.6	
	18	0.80	7.9	0.67	8.6	0.54	8.4	0.32	5.9	
20	* 1.03	7.6	* 0.77	6.9	* 0.61	6.4	* 0.38	4.7		
22	1.00	5.8	0.66	6.0	0.53	5.5	0.33	4.1		
最大平均	1.03	7.6	0.77	6.9	0.61	6.4	0.38	4.7		
	0.52	3.9	0.37	4.1	0.29	3.9	0.19	3.1		
08	00	0.72	9.8	0.62	6.9	0.51	5.7	0.33	4.2	
	02	0.69	6.9	0.54	7.5	0.43	6.7	0.27	4.5	
	04	0.60	8.3	0.39	6.0	0.31	4.9	0.20	3.5	
	06	0.47	8.4	0.37	7.8	0.29	6.5	0.18	4.4	
	08	0.62	9.9	0.53	7.9	0.42	7.4	0.26	4.9	
	10	0.63	8.6	0.48						

		最大	0.63	7.2	0.45	6.5	0.37	6.4	0.23	5.6		
		平均	0.36	6.6	0.27	6.5	0.22	6.3	0.14	4.7		
10	00		0.24	7.0	0.19	7.3	0.14	7.0	0.09	4.9		
	02		0.21	6.5	0.15	6.5	0.12	6.2	0.07	4.0		
	04		0.17	7.3	0.14	6.6	0.11	6.6	0.07	4.7		
	06		0.25	6.3	0.16	6.0	0.13	5.9	0.08	3.9		
	08		0.16	6.6	0.13	6.5	0.10	5.3	0.06	3.4		
	10		0.21	6.6	0.17	6.7	0.13	6.2	0.08	3.9		
	12		0.21	6.7	0.14	6.4	0.11	5.5	0.07	3.5		
	14		0.17	7.7	0.13	7.1	0.10	6.8	0.06	4.4		
	16		0.16	4.3	0.11	5.7	0.09	5.0	0.06	3.4		
	18	* 0.58	2.3	* 0.37	2.4	* 0.29	2.4	* 0.19	2.2	2.2		
	20		0.46	4.2	0.30	5.5	0.22	4.5	0.13	3.4		
	22		0.20	4.7	0.14	5.1	0.11	5.0	0.07	3.8		
	最大		0.58	2.3	0.37	2.4	0.29	2.4	0.19	2.2		
	平均		0.25	5.9	0.18	6.0	0.14	5.5	0.09	3.8		
11	00		0.17	4.2	0.13	4.5	0.10	4.0	0.07	3.2		
	02		0.13	5.4	0.10	5.8	0.08	5.1	0.05	3.7		
	04		0.12	4.0	0.09	5.2	0.07	5.2	0.05	4.0		
	06		0.10	4.9	0.08	5.1	0.07	4.8	0.05	3.6		
	08		0.14	4.3	0.10	5.1	0.08	4.8	0.05	3.3		
	10		0.12	5.3	0.09	4.5	0.07	3.9	0.05	2.9		
	12	* 0.78	2.7	* 0.50	2.8	* 0.40	2.8	* 0.26	2.6	2.6		
	14		0.22	2.8	0.17	3.1	0.14	3.0	0.09	2.8		
	16		0.12	2.8	0.09	3.4	0.07	3.3	0.05	2.8		
	18		0.11	4.8	0.07	5.2	0.06	4.5	0.04	3.4		
	20		0.28	7.3	0.22	5.6	0.17	5.2	0.11	4.1		
	22		0.12	4.9	0.09	4.6	0.07	4.6	0.05	3.6		
	最大		0.78	2.7	0.50	2.8	0.40	2.8	0.26	2.6		
	平均		0.20	4.5	0.14	4.6	0.12	4.3	0.08	3.3		
12	00		0.11	4.8	0.08	4.3	0.07	4.1	0.04	3.3		
	02		0.16	1.9	0.09	3.0	0.07	3.1	0.04	2.8		
	04		0.10	4.7	0.07	3.9	0.05	4.0	0.04	3.1		
	06		0.09	4.7	0.07	3.8	0.05	3.8	0.04	3.0		
	08		0.08	3.0	0.06	3.5	0.05	3.1	0.03	2.5		
	10		0.07	3.4	0.05	3.4	0.05	3.3	0.03	2.6		
	12		0.09	2.3	0.06	3.0	0.05	2.9	0.03	2.5		
	14		0.16	2.2	0.10	2.4	0.08	2.3	0.06	2.1		
	16		0.19	1.7	0.11	2.1	0.07	2.2	0.05	2.0		
	18		0.13	1.8	0.07	2.4	0.06	2.5	0.04	2.1		
	20	* 0.31	4.4	* 0.23	5.3	* 0.18	5.0	* 0.11	4.3	4.3		
	22		0.13	3.3	0.09	4.7	0.07	4.8	0.05	3.8		
	最大		0.31	4.4	0.23	5.3	0.18	5.0	0.11	4.3		
	平均		0.14	3.2	0.09	3.5	0.07	3.4	0.05	2.8		
13	00		0.10	4.6	0.06	4.3	0.05	3.9	0.04	3.1		
	02		0.13	2.0	0.06	2.6	0.04	2.7	0.03	2.6		
	04		0.07	4.8	0.06	4.6	0.05	4.2	0.03	3.1		
	06		0.10	3.7	0.07	3.1	0.06	3.0	0.04	2.5		
	08		0.20	2.3	0.08	2.9	0.05	2.9	0.04	2.4		
	10		0.23	2.9	0.15	2.8	0.11	3.0	0.07	2.7		
	12		0.24	2.6	0.12	2.6	0.09	2.7	0.05	2.3		
	14		0.21	4.5	0.09	3.0	0.07	2.6	0.05	2.2		
	16		0.10	2.5	0.08	2.8	0.07	3.0	0.05	2.5		
	18		0.13	2.1	0.07	3.2	0.05	3.2	0.04	2.6		
	20	* 0.37	7.3	* 0.25	5.8	* 0.18	5.0	* 0.11	3.9	3.9		
	22		0.12	5.8	0.08	5.4	0.07	5.2	0.04	4.0		
	最大		0.37	7.3	0.25	5.8	0.18	5.0	0.11	3.9		
	平均		0.17	3.8	0.10	3.6	0.07	3.5	0.05	2.8		
14	00		0.09	4.5	0.06	4.6	0.05	4.7	0.04	3.3		
	02		0.09	7.2	0.07	4.4	0.06	3.7	0.04	2.9		
	04		0.13	1.8	0.07	3.2	0.06	2.9	0.04	2.3		
	06		0.13	3.1	0.07	2.7	0.06	2.8	0.04	2.3		
	08		0.09	4.0	0.08	3.5	0.06	3.2	0.05	2.5		
	10		0.14	3.5	0.10	3.6	0.08	3.5	0.05	2.6		
	12		0.12	4.9	0.09	5.6	0.07	4.8	0.05	3.2		
	14		0.53	2.2	0.37	2.5	0.29	2.5	0.19	2.4		

	16		0.56	2.3	0.41	3.2	0.33	3.0	0.22	2.6	
	18		* 0.58	4.5	0.43	4.0	0.35	4.0	0.22	3.1	
	20		0.54	3.1	* 0.45	3.4	* 0.36	3.3	* 0.23	2.8	
	22		0.49	6.1	0.37	4.1	0.30	3.7	0.20	2.9	
	最大		0.58	4.5	0.45	3.4	0.36	3.3	0.23	2.8	
		平均	0.29	3.9	0.21	3.7	0.17	3.5	0.11	2.7	
	15	00		0.51	6.8	0.37	6.8	0.29	6.1	0.18	
	02		0.61	7.3	0.43	5.0	0.34	4.4	0.22	3.2	
	04		0.76	5.7	0.51	5.7	0.39	4.9	0.24	3.5	
	06		0.72	6.7	0.45	5.9	0.35	4.9	0.23	3.4	
	08		0.73	5.5	0.57	4.1	0.45	3.9	0.29	3.1	
	10		0.66	3.7	0.53	4.2	0.43	4.2	0.28	3.3	
	12		0.70	5.8	0.55	5.4	0.44	4.6	0.28	3.3	
		14	* 0.90	5.2	* 0.68	4.5	* 0.55	4.3	* 0.35	3.3	
	16		0.85	5.1	0.64	4.2	0.51	4.0	0.32	3.2	
	18		0.70	5.9	0.53	4.7	0.43	4.7	0.27	3.4	
	20		0.78	6.3	0.55	6.6	0.43	6.2	0.26	4.7	
	22		0.55	6.0	0.39	5.9	0.32	5.9	0.21	5.1	
	最大		0.90	5.2	0.68	4.5	0.55	4.3	0.35	3.3	
		平均	0.71	5.8	0.52	5.3	0.41	4.8	0.26	3.6	
	16	00		* 0.49	5.1	0.31	5.7	0.25	5.7	0.16	
	02		0.39	6.5	0.31	5.7	0.24	5.5	0.15	4.6	
	04		0.38	5.8	0.31	5.8	0.24	6.0	0.15	5.2	
	06		0.40	5.6	0.32	6.1	* 0.26	6.0	* 0.17	5.4	
	08		0.44	6.0	* 0.34	5.9	0.26	5.9	0.16	5.1	
	10		0.36	5.8	0.26	5.9	0.21	5.9	0.13	4.9	
	12		0.28	2.7	0.20	5.3	0.15	5.0	0.10	3.5	
		14		0.19	5.7	0.15	5.0	0.12	4.5	0.07	
	16		0.19	6.2	0.14	5.7	0.11	5.5	0.07	3.8	
	18		0.16	5.3	0.12	5.7	0.10	5.7	0.06	4.1	
	20		0.41	7.0	0.25	5.3	0.18	4.9	0.11	3.7	
	22		0.12	5.7	0.09	4.5	0.07	4.0	0.05	2.8	
	最大		0.49	5.1	0.34	5.9	0.26	6.0	0.17	5.4	
		平均	0.32	5.6	0.23	5.6	0.18	5.4	0.12	4.3	
	17	00		0.13	2.6	0.09	4.0	0.08	3.6	0.05	
	02		0.17	2.0	0.09	3.1	0.07	3.4	0.05	2.6	
	04		0.11	6.3	0.07	4.1	0.06	3.9	0.04	2.9	
	06		0.11	7.9	0.07	3.7	0.06	3.5	0.04	2.6	
	08		0.11	2.3	0.08	3.2	0.07	2.9	0.05	2.3	
	10		0.10	4.0	0.08	2.6	0.07	2.6	0.05	2.1	
	12		0.11	3.4	0.09	2.4	0.07	2.5	0.05	2.1	
		14		0.21	3.0	0.14	2.8	0.10	2.8	0.06	
	16		0.13	2.0	0.08	3.1	0.06	2.8	0.04	2.5	
	18		0.10	3.2	0.07	3.2	0.06	3.2	0.04	2.5	
	20		* 0.51	7.0	* 0.27	5.3	* 0.20	4.8	* 0.11	3.5	
	22		0.13	3.7	0.10	2.8	0.08	2.6	0.05	2.1	
	最大		0.51	7.0	0.27	5.3	0.20	4.8	0.11	3.5	
		平均	0.16	4.0	0.10	3.4	0.08	3.2	0.05	2.5	
	18	00		0.13	3.9	0.09	3.8	0.07	3.4	0.05	
	02		0.15	1.9	0.09	2.2	0.07	2.3	0.05	2.1	
	04		0.09	3.3	0.05	3.4	0.04	3.1	0.03	2.4	
	06		0.10	3.6	0.07	3.5	0.05	3.3	0.04	2.5	
	08		0.09	2.6	0.06	2.7	0.05	2.9	0.04	2.5	
	10		0.09	8.3	0.07	2.5	0.06	2.7	0.04	2.4	
	12		0.13	4.3	0.09	3.4	0.07	3.0	0.05	2.4	
		14		0.10	2.9	0.08	2.6	0.07	2.5	0.05	
	16		0.14	2.2	0.11	3.2	0.08	3.1	0.06	2.4	
	18		0.18	2.3	0.09	3.0	0.07	3.1	0.05	2.5	
	20		* 0.35	7.3	* 0.26	5.8	* 0.19	5.0	* 0.11	3.8	
	22		0.11	4.9	0.08	5.8	0.07	5.3	0.04	3.6	
	最大		0.35	7.3	0.26	5.8	0.19	5.0	0.11	3.8	
		平均	0.14	4.0	0.10	3.5	0.07	3.3	0.05	2.6	
	19	00		0.16	6.1	0.10	4.9	0.08	4.7	0.06	
	02		0.15	5.5	0.10	4.4	0.08	4.2	0.05	3.2	
	04		0.13	4.0	0.10	4.6	0.08	4.4	0.05	3.4	
	06		0.11	4.7	0.09	4.4	0.07	4.3	0.05	3.2	
	08		0.14	2.4	0.10	3.5	0.08	3.5	0.05	2.9	
	10		0.18	2.2	0.12	3.0	0.10	3.0	0.07	2.6	

	12	0.16	3.1	0.12	3.4	0.10	3.2	0.07	2.5	
	14	0.19	1.9	0.12	3.5	0.10	3.3	0.07	2.5	
	16	0.16	2.1	0.13	3.3	0.11	3.2	0.07	2.5	
	18	0.20	4.2	0.13	3.8	0.11	3.6	0.07	2.8	
	20	0.20	3.4	0.14	3.8	* 0.12	3.8	* 0.08	3.0	
	22	* 0.23	4.0	* 0.14	4.7	0.11	4.3	0.07	3.3	
	最大									
		0.23	4.0	0.14	4.7	0.12	3.8	0.08	3.0	
	平均									
		0.17	3.6	0.12	3.9	0.10	3.8	0.06	3.0	
20	00	0.16	4.0	0.12	4.0	0.10	4.0	0.06	3.4	
	02	0.13	6.2	0.11	4.3	0.09	4.0	0.06	3.2	
	04	0.13	5.3	0.10	4.9	0.08	4.8	0.05	3.7	
	06	0.15	4.4	0.11	4.5	0.09	4.4	0.06	3.4	
	08	0.17	2.3	0.13	3.4	0.10	3.1	0.07	2.5	
	10	0.12	5.4	0.09	4.6	0.07	4.6	0.05	3.7	
	12	0.21	2.1	0.12	3.7	0.09	3.8	0.06	3.2	
	14	0.16	5.1	0.12	3.3	0.09	3.0	0.06	2.3	
	16	0.23	1.9	0.17	2.4	0.13	2.4	0.09	2.1	
	18	* 0.25	3.2	0.18	2.5	0.14	2.6	0.10	2.3	
	20	0.24	2.7	* 0.18	3.0	* 0.15	2.9	0.10	2.4	
	22	0.21	3.8	0.17	3.3	0.14	3.2	* 0.10	2.7	
	最大									
		0.25	3.2	0.18	3.0	0.15	2.9	0.10	2.7	
	平均									
		0.18	3.9	0.13	3.7	0.11	3.6	0.07	2.9	
21	00	0.19	2.9	0.15	4.0	0.13	3.8	0.09	3.1	
	02	0.26	3.7	0.15	4.0	0.11	4.0	0.07	3.3	
	04	0.18	3.9	0.13	4.6	0.10	4.5	0.07	3.9	
	06	0.19	4.2	0.14	4.0	0.11	4.1	0.08	3.5	
	08	0.23	3.2	0.17	4.0	0.14	4.0	0.09	3.4	
	10	0.36	3.6	0.26	3.5	0.21	3.3	0.14	2.6	
	12	0.33	4.8	0.28	3.9	0.23	3.7	0.15	2.9	
	14	0.37	4.2	0.29	4.1	0.23	3.9	0.15	3.0	
	16	* 0.88	3.5	0.53	4.7	0.41	4.2	* 0.26	3.3	
	18	0.75	6.3	* 0.55	5.7	* 0.42	5.5	0.25	3.8	
	20	0.76	5.8	0.47	5.8	0.36	5.7	0.23	4.6	
	22	0.53	6.2	0.39	6.2	0.31	6.1	0.19	5.0	
	最大									
		0.88	3.5	0.55	5.7	0.42	5.5	0.26	3.3	
	平均									
		0.42	4.4	0.29	4.5	0.23	4.4	0.15	3.5	
22	00	0.43	5.5	* 0.32	5.9	* 0.25	5.8	0.16	4.8	
	02	0.41	5.8	0.31	5.8	0.24	5.7	* 0.16	4.9	
	04	0.37	5.8	0.26	5.8	0.21	5.8	0.12	4.3	
	06	0.31	5.2	0.19	5.8	0.15	5.8	0.09	4.2	
	08	0.26	5.8	0.16	5.8	0.12	5.2	0.08	3.4	
	10	0.20	5.7	0.14	5.8	0.11	5.4	0.07	3.5	
	12	0.19	5.8	0.14	6.0	0.11	5.6	0.07	4.0	
	14	0.19	5.7	0.11	4.4	0.09	3.8	0.06	2.6	
	16	0.15	6.1	0.11	5.2	0.09	5.0	0.06	3.1	
	18	0.15	5.6	0.10	5.2	0.08	4.2	0.05	2.8	
	20	* 0.44	6.9	0.27	6.1	0.19	5.0	0.12	3.9	
	22	0.15	7.4	0.11	4.9	0.09	3.8	0.06	2.6	
	最大									
		0.44	6.9	0.32	5.9	0.25	5.8	0.16	4.9	
	平均									
		0.27	5.9	0.19	5.6	0.14	5.1	0.09	3.7	
23	00	0.12	7.6	0.10	6.4	0.08	5.2	0.05	3.4	
	02	0.19	6.7	0.14	5.3	0.11	6.0	0.07	4.3	
	04	0.28	5.5	0.17	5.8	0.13	5.8	0.08	4.7	
	06	0.28	5.9	0.19	6.2	0.15	6.4	0.09	4.6	
	08	0.42	6.8	0.33	6.9	0.27	6.9	0.17	6.2	
	10	0.37	6.9	0.29	6.5	0.23	6.3	0.14	4.2	
	12	0.60	6.2	0.40	6.1	0.31	6.1	0.19	5.1	
	14	0.55	5.6	0.41	5.3	0.33	4.4	0.21	3.2	
	16	0.63	4.8	0.47	4.8	0.40	4.8	0.27	3.8	
	18	* 0.69	4.7	0.49	5.7	0.40	5.5	0.26	4.4	
	20	0.61	6.3	* 0.51	5.7	* 0.42	5.5	* 0.27	4.6	
	22	0.61	5.6	0.47	5.8	0.38	5.9	0.23	4.7	
	最大									
		0.69	4.7	0.51	5.7	0.42	5.5	0.27	4.6	
	平均									
		0.45	6.1	0.33	5.9	0.27	5.7	0.17	4.4	
24	00	0.86	6.4	0.60	6.0	0.47	5.9	0.29	4.3	
	02	0.68	5.8	0.53	5.7	0.43	5.6	0.27	4.0	

	04	0.81	4.8	0.59	5.6	0.46	5.3	0.28	3.7			
	06	0.82	6.3	0.62	5.9	0.47	5.8	0.29	4.1			
	08	0.76	6.2	0.59	6.2	0.46	6.0	0.28	4.3			
	10	0.89	6.6	0.67	6.0	0.52	5.9	0.32	4.2			
	12	0.83	6.1	0.65	6.2	0.52	6.1	0.31	4.2			
	14	0.77	5.7	0.65	6.0	0.52	6.1	0.33	4.8			
	16	0.98	5.4	0.61	5.6	0.48	5.2	0.30	3.7			
	18	* 1.10	4.6	* 0.73	5.4	* 0.57	4.9	* 0.35	3.5			
	20	0.77	4.0	0.62	5.2	0.50	4.8	0.32	3.5			
	22	0.68	5.6	0.51	5.0	0.42	4.5	0.27	3.4			
	最大	1.10	4.6	0.73	5.4	0.57	4.9	0.35	3.5			
	平均	0.83	5.6	0.61	5.7	0.49	5.5	0.30	4.0			
25	00	0.81	3.1	0.53	4.0	0.42	3.7	0.28	2.9			
	02	0.82	2.6	0.63	3.5	0.53	3.5	0.35	3.0			
	04	1.09	3.0	0.75	3.5	0.58	3.5	0.37	3.1			
	06	1.01	3.2	0.71	3.8	0.59	3.7	0.38	3.2			
	08	0.80	3.1	0.65	3.8	0.53	3.7	0.35	3.1			
	10	0.90	3.6	0.72	4.3	0.59	4.0	0.39	3.4			
	12	0.98	4.1	0.76	4.1	0.63	4.1	0.42	3.3			
	14	0.97	5.1	0.68	4.3	0.54	4.1	0.35	3.3			
	16	* 1.10	2.9	* 0.82	4.2	* 0.65	4.1	* 0.43	3.4			
	18	1.04	5.3	0.73	4.8	0.58	4.4	0.37	3.5			
	20	1.08	5.8	0.74	4.8	0.59	4.8	0.38	3.7			
	22	0.81	5.0	0.57	4.9	0.46	4.7	0.30	3.5			
	最大	1.10	2.9	0.82	4.2	0.65	4.1	0.43	3.4			
	平均	0.95	3.9	0.69	4.2	0.56	4.0	0.36	3.3			
	26	00	0.58	5.0	0.44	4.8	0.35	4.5	0.23		3.3	
		02	0.55	4.5	0.43	5.0	0.36	4.9	0.23		3.5	
		04	0.69	5.4	0.49	5.2	0.40	4.7	0.25		3.4	
		06	0.67	5.1	0.47	4.8	0.38	4.5	0.24		3.4	
		08	0.63	4.3	0.45	4.9	0.37	5.0	0.24		4.1	
		10	0.56	4.6	0.43	4.8	0.34	4.6	0.22		3.5	
12		0.47	5.4	0.39	5.6	0.32	5.4	0.21	4.1			
14		0.69	3.9	0.49	4.0	0.41	3.8	0.27	3.1			
16		* 0.77	4.6	* 0.54	3.6	* 0.43	3.6	* 0.28	3.0			
18		0.49	4.4	0.37	4.9	0.30	4.5	0.19	3.2			
20	0.59	5.0	0.41	4.9	0.32	4.6	0.20	3.4				
22	0.47	4.2	0.37	5.6	0.30	5.5	0.19	3.8				
	最大	0.77	4.6	0.54	3.6	0.43	3.6	0.28	3.0			
	平均	0.60	4.7	0.44	4.8	0.36	4.6	0.23	3.5			
27	00	0.41	5.6	0.29	6.0	0.24	5.9	0.14	4.3			
	02	0.42	4.7	0.34	6.0	0.28	6.0	0.18	4.9			
	04	0.31	5.6	0.27	5.8	0.23	5.7	0.15	5.0			
	06	0.41	4.8	0.31	5.3	0.24	5.4	0.15	4.5			
	08	0.39	5.4	0.28	6.0	0.21	5.7	0.13	4.3			
	10	0.36	6.0	0.28	5.9	0.23	5.8	0.15	4.7			
	12	0.48	5.8	0.32	5.7	0.26	5.8	0.17	4.6			
	14	* 0.57	4.7	* 0.37	5.0	* 0.29	4.9	* 0.19	3.8			
	16	0.51	4.1	0.35	4.4	0.28	3.9	0.18	2.9			
	18	0.45	4.5	0.32	4.4	0.26	4.0	0.17	3.0			
20	0.48	4.4	0.36	5.1	* 0.29	4.9	0.18	3.7				
22	0.36	5.8	0.26	5.8	0.21	5.8	0.13	4.5				
	最大	0.57	4.7	0.37	5.0	0.29	4.9	0.19	3.8			
	平均	0.43	5.1	0.31	5.5	0.25	5.3	0.16	4.2			
28	00	0.32	5.3	0.26	5.5	0.21	5.6	0.13	4.9			
	02	0.38	5.7	0.28	5.7	0.23	5.5	0.15	4.8			
	04	0.55	5.3	0.36	5.3	0.29	5.3	0.19	4.8			
	06	0.42	5.1	0.35	5.0	0.28	5.0	0.19	4.8			
	08	0.38	5.2	0.30	4.9	0.24	5.1	0.15	4.1			
	10	0.41	5.0	0.27	4.9	0.21	4.9	0.14	4.0			
	12	0.51	5.1	0.38	5.3	0.29	5.3	0.18	4.3			
	14	* 0.56	5.2	* 0.41	4.9	0.31	5.0	0.19	4.4			
	16	0.56	4.7	0.41	4.8	* 0.32	4.8	* 0.21	4.1			
	18	0.48	4.7	0.37	4.7	0.30	4.6	0.19	3.4			
20	0.48	5.7	0.36	5.8	0.28	5.1	0.17	3.8				
22	0.24	5.4	0.20	5.3	0.16	5.1	0.10	3.8				
	最大	0.56	5.2	0.41	4.9	0.32	4.8	0.21	4.1			

	平均	0.44	5.2	0.33	5.2	0.26	5.1	0.17	4.3	
29	00	0.31	6.1	0.23	5.5	0.18	5.5	0.12	4.4	
	02	0.34	5.5	0.26	5.3	0.21	5.4	0.13	4.5	
	04	0.34	5.2	0.27	5.2	0.22	5.3	0.14	4.8	
	06	0.41	5.4	0.29	5.2	0.23	5.3	0.14	4.6	
	08	0.38	4.8	0.28	4.8	0.22	4.7	0.14	4.0	
	10	0.40	5.3	0.29	5.1	0.23	5.1	0.15	4.6	
	12	0.42	5.3	0.33	4.8	0.27	4.8	0.17	4.1	
	14	* 0.53	4.9	0.37	5.0	* 0.31	5.2	* 0.20	4.5	
	16	0.50	5.0	* 0.38	5.0	0.31	5.0	0.19	3.8	
	18	0.48	4.8	0.38	4.8	0.31	4.9	0.20	4.4	
	20	0.49	5.3	0.36	5.6	0.28	5.2	0.18	4.6	
	22	0.38	4.6	0.28	5.2	0.23	5.3	0.15	4.8	
	最大	0.53	4.9	0.38	5.0	0.31	5.2	0.20	4.5	
	平均	0.42	5.2	0.31	5.1	0.25	5.1	0.16	4.4	
30	00	* 0.34	5.1	* 0.25	5.2	* 0.20	5.2	* 0.13	4.6	
	02	0.24	4.3	0.16	4.9	0.13	4.9	0.08	3.8	
	04	0.15	4.7	0.12	5.1	0.10	5.1	0.06	3.8	
	06	0.13	5.1	0.09	4.7	0.07	4.4	0.05	3.2	
	08	0.19	3.1	0.13	3.3	0.10	3.4	0.06	2.8	
	10	0.10	2.0	0.08	3.1	0.07	2.7	0.05	2.3	
	12	0.12	3.7	0.09	3.0	0.08	2.8	0.05	2.3	
	14	0.17	1.3	0.11	1.9	0.08	2.1	0.05	2.0	
	16	0.09	1.9	0.07	2.9	0.06	2.7	0.04	2.3	
	18	0.10	1.7	0.07	3.2	0.06	3.2	0.04	2.6	
	20	0.31	7.4	0.24	5.8	0.18	5.0	0.10	3.7	
	22	0.10	5.0	0.07	3.5	0.05	3.2	0.04	2.5	
	最大	0.34	5.1	0.25	5.2	0.20	5.2	0.13	4.6	
	平均	0.17	3.8	0.12	3.9	0.10	3.7	0.06	3.0	
月最大		1.10	4.6	0.82	4.2	0.65	4.1	0.43	3.4	
起時		2418		2516		2516		2516		
平均		0.37	4.8	0.27	4.8	0.21	4.6	0.14	3.6	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	0 回
欠測回数	0 回	欠測回数	372 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.09	1.8	0.07	2.8	0.05	2.7	0.04	2.2		
	02	0.12	2.1	0.08	2.2	0.06	2.5	0.04	2.2		
	04	0.13	1.7	0.08	2.4	0.06	2.4	0.04	2.1		
	06	0.11	1.0	0.08	2.5	0.06	2.5	0.04	2.1		
	08	0.21	3.3	0.15	2.8	0.11	2.7	0.07	2.3		
	10	0.16	2.0	0.11	2.4	0.08	2.4	0.06	2.1		
	12	0.11	3.1	0.09	2.7	0.07	2.6	0.05	2.2		
	14	0.10	3.8	0.08	3.4	0.07	3.1	0.04	2.5		
	16	0.11	4.1	0.08	3.4	0.06	3.4	0.04	2.7		
	18	0.11	1.7	0.07	3.1	0.06	2.9	0.04	2.4		
	20	* 0.29	4.9	* 0.21	4.2	* 0.16	4.2	* 0.09	3.2		
	22	0.10	3.5	0.07	3.9	0.06	3.8	0.04	2.8		
	最大 平均	0.29	4.9	0.21	4.2	0.16	4.2	0.09	3.2		
		0.14	2.8	0.10	3.0	0.08	2.9	0.05	2.4		
02	00	0.13	4.9	0.09	4.3	0.07	4.1	0.05	3.0		
	02	0.13	1.8	0.08	4.2	0.06	4.0	0.04	2.8		
	04	0.11	4.7	0.08	5.4	0.07	4.6	0.04	3.0		
	06	0.11	7.0	0.08	4.6	0.07	4.0	0.04	3.0		
	08	0.10	6.8	0.08	3.9	0.07	3.5	0.05	2.5		
	10	0.09	2.3	0.08	3.7	0.06	3.5	0.04	2.7		
	12	0.18	3.2	0.10	3.6	0.08	3.3	0.05	2.7		
	14	0.23	2.8	0.17	2.4	0.13	2.4	0.09	2.2		
	16	0.39	2.2	0.28	2.6	0.23	2.7	0.15	2.4		
	18	0.24	3.8	0.19	4.6	0.15	4.1	0.10	3.0		
	20	* 0.40	6.1	* 0.30	5.3	* 0.23	4.6	* 0.15	3.4		
	22	0.28	3.7	0.20	4.1	0.17	3.6	0.11	2.7		
	最大 平均	0.40	6.1	0.30	5.3	0.23	4.6	0.15	3.4		
		0.20	4.1	0.14	4.1	0.12	3.7	0.08	2.8		
03	00	0.33	6.9	0.22	5.3	0.18	4.3	0.11	3.0		
	02	0.26	7.2	0.18	5.3	0.14	4.1	0.09	2.8		
	04	0.33	6.6	0.23	4.4	0.18	3.6	0.12	2.7		
	06	0.40	5.6	0.30	4.1	0.25	3.5	0.16	2.7		
	08	0.55	4.7	0.38	4.0	0.31	3.6	0.20	2.9		
	10	0.60	4.7	0.36	5.2	0.30	4.9	0.19	3.6		
	12	0.49	5.5	0.40	5.6	0.33	5.8	0.21	4.3		
	14	0.67	6.2	0.46	5.6	0.35	5.0	0.22	3.6		
	16	0.58	6.6	0.46	6.3	0.36	5.8	0.22	4.2		
	18	0.54	7.3	0.44	7.0	0.38	7.1	0.24	5.5		
	20	0.66	6.5	0.52	7.0	0.42	7.0	* 0.27	5.7		
	22	* 0.67	7.4	* 0.55	7.7	* 0.43	7.6	0.26	6.1		
	最大 平均	0.67	7.4	0.55	7.7	0.43	7.6	0.27	5.7		
		0.51	6.3	0.38	5.6	0.30	5.2	0.19	3.9		
04	00	0.71	7.1	0.55	7.6	0.46	7.7	0.29	6.1		
	02	0.62	7.5	0.53	7.5	0.43	7.6	0.26	6.0		
	04	* 0.84	7.1	* 0.65	7.8	* 0.54	7.7	* 0.35	6.6		
	06	0.68	7.7	0.49	7.5	0.37	7.3	0.23	6.1		
	08	0.52	7.1	0.40	7.4	0.32	7.4	0.19	5.7		
	10	0.38	7.5	0.32	7.4	0.26	7.5	0.17	6.3		
	12	0.42	4.2	0.33	5.1	0.26	4.2	0.16	3.0		
	14	0.44	7.1	0.32	6.7	0.25	6.1	0.15	4.2		
	16	0.37	6.5	0.29	6.7	0.23	6.5	0.14	4.3		
	18	0.28	5.9	0.22	6.5	0.18	6.3	0.11	4.6		
	20	0.44	6.2	0.32	5.8	0.25	5.3	0.16	3.8		
	22	0.32	6.8	0.25	5.3	0.19	5.1	0.12	3.5		
	最大 平均	0.84	7.1	0.65	7.8	0.54	7.7	0.35	6.6		

	平均	0.50	6.7	0.39	6.8	0.31	6.6	0.19	5.0		
05	00	0.30	6.2	0.25	5.7	0.21	5.5	0.13	3.9		
	02	0.29	5.2	0.21	5.0	0.16	4.5	0.10	3.3		
	04	0.24	5.5	0.17	5.1	0.14	5.0	0.09	3.7		
	06	0.21	5.3	0.14	5.0	0.11	4.9	0.07	3.6		
	08	0.26	3.1	0.18	4.0	0.15	4.1	0.09	3.3		
	10	0.22	5.1	0.16	4.8	0.13	4.8	0.08	3.7		
	12	0.22	3.9	0.17	4.4	0.14	4.4	0.09	3.6		
	14	0.20	3.9	0.14	4.2	0.12	4.1	0.08	3.4		
	16	0.22	4.7	0.18	4.3	0.15	4.2	0.10	3.6		
	18	0.39	4.4	0.31	4.6	0.23	4.6	* 0.15	4.1		
	20	* 0.53	4.8	* 0.33	4.4	* 0.25	4.3	* 0.15	4.1		
	22	0.32	4.4	0.24	4.6	0.19	4.7	0.12	4.0		
	最大	0.53	4.8	0.33	4.4	0.25	4.3	0.15	4.1		
	平均	0.28	4.7	0.21	4.7	0.17	4.6	0.10	3.7		
06	00	0.26	4.8	0.22	4.9	0.17	5.0	0.11	4.3		
	02	0.39	5.1	0.27	5.1	0.21	5.1	0.13	4.5		
	04	0.47	5.2	0.32	5.4	0.25	5.3	0.16	4.7		
	06	0.50	5.1	0.39	5.2	0.31	5.2	0.21	4.8		
	08	0.59	5.0	0.44	5.3	0.36	5.3	0.22	4.4		
	10	0.59	5.4	* 0.47	5.4	* 0.37	5.4	* 0.24	4.8		
	12	0.48	5.2	0.40	5.3	0.33	5.3	0.21	4.5		
	14	0.57	4.7	0.40	5.1	0.31	5.3	0.20	4.4		
	16	* 0.66	4.7	0.45	4.8	0.36	4.6	0.24	3.7		
	18	0.56	5.3	0.43	4.9	0.34	4.7	0.21	3.9		
	20	0.60	5.1	0.44	5.2	0.34	5.0	0.22	4.5		
	22	0.44	4.9	0.33	5.0	0.27	5.0	0.17	4.6		
	最大	0.66	4.7	0.47	5.4	0.37	5.4	0.24	4.8		
	平均	0.51	5.0	0.38	5.1	0.30	5.1	0.19	4.4		
07	00	0.41	5.0	* 0.32	5.0	0.25	5.0	* 0.16	4.6		
	02	* 0.44	4.1	0.31	5.3	* 0.25	5.4	* 0.16	4.6		
	04	0.38	5.2	0.28	5.4	0.22	5.3	0.14	4.6		
	06	0.27	5.1	0.18	5.0	0.14	4.6	0.09	3.1		
	08	0.19	6.2	0.14	4.3	0.11	3.9	0.07	2.8		
	10	0.20	2.9	0.13	3.8	0.10	3.4	0.07	2.4		
	12	0.19	4.3	0.13	3.2	0.10	3.0	0.07	2.4		
	14	0.20	3.2	0.12	2.5	0.10	2.4	0.06	2.1		
	16	0.19	1.8	0.13	2.0	0.10	2.2	0.07	2.0		
	18	0.19	1.9	0.11	2.0	0.09	2.2	0.06	2.0		
	20	0.41	6.4	0.26	4.7	0.20	4.2	0.11	3.0		
	22	0.14	1.5	0.09	2.6	0.07	2.4	0.05	2.1		
	最大	0.44	4.1	0.32	5.0	0.25	5.4	0.16	4.6		
	平均	0.27	4.0	0.18	3.8	0.14	3.7	0.09	3.0		
08	00	0.13	3.0	0.09	2.6	0.07	2.5	0.05	2.1		
	02	0.16	2.2	0.11	3.0	0.08	2.9	0.05	2.5		
	04	0.10	3.9	0.07	3.1	0.06	3.1	0.04	2.4		
	06	0.12	4.5	0.09	3.7	0.07	3.4	0.05	2.8		
	08	0.20	2.7	0.14	2.8	0.11	3.1	0.07	2.7		
	10	0.10	2.0	0.08	3.1	0.07	3.1	0.04	2.6		
	12	0.51	2.6	0.31	2.6	0.24	2.7	0.16	2.4		
	14	* 0.76	2.6	0.46	3.1	0.37	3.1	0.24	2.7		
	16	0.59	2.4	0.44	2.6	0.35	2.8	0.23	2.6		
	18	0.62	4.5	0.44	4.6	0.36	4.7	0.24	3.7		
	20	0.68	7.1	* 0.50	5.4	* 0.40	5.3	* 0.26	4.2		
	22	0.63	5.5	0.45	5.4	0.37	5.4	0.24	4.5		
	最大	0.76	2.6	0.50	5.4	0.40	5.3	0.26	4.2		
	平均	0.38	3.6	0.27	3.5	0.21	3.5	0.14	2.9		
09	00	0.69	5.5	0.45	5.5	0.35	5.2	0.21	3.9		
	02	0.56	5.6	0.40	5.8	0.33	5.6	0.21	4.3		
	04	0.72	4.1	0.55	4.2	0.45	3.9	0.29	3.1		
	06	* 1.03	4.8	0.65	4.0	0.51	4.1	0.33	3.2		
	08	0.79	5.6	0.54	5.0	0.43	4.5	0.28	3.4		
	10	0.90	6.1	* 0.72	6.7	* 0.57	6.8	0.35	4.7		
	12	0.71	7.7	0.55	6.9	0.44	6.5	0.27	4.7		
	14	0.84	8.3	0.62	6.4	0.49	5.0	0.31	3.7		
	16	0.95	7.1	0.68	5.7	0.57	5.0	* 0.37	3.8		
	18	0.89	6.2	0.58	6.2	0.46	5.3	0.29	3.8		
	20	0.94	6.6	0.57	6.7	0.44	6.3	0.28	4.7		
	22	0.73	6.1	0.59	6.4	0.49	6.5	0.31	5.2		

			第一组		第二组		第三组		第四组			
			最大值	平均值	最大值	平均值	最大值	平均值	最大值	平均值		
10	00		1.03	4.8	0.72	6.7	0.57	6.8	0.37	3.8		
	02		0.81	6.1	0.58	5.8	0.46	5.4	0.29	4.0		
	04	* 0.83	6.5	* 0.61	6.5	0.47	6.3	0.30	5.2			
	06	0.72	6.5	0.59	6.3	* 0.48	6.3	* 0.31	5.4			
	08	0.53	6.6	0.45	6.1	0.37	6.1	0.24	5.1			
	10	0.58	5.4	0.44	6.0	0.35	5.8	0.22	4.8			
	12	0.52	5.8	0.40	5.5	0.31	5.7	0.20	4.7			
	14	0.46	5.4	0.38	5.8	0.30	5.8	0.19	4.4			
	16	0.50	6.1	0.41	5.4	0.33	5.1	0.20	3.5			
	18	0.58	5.1	0.41	5.1	0.33	4.8	0.21	3.4			
11	00	0.60	5.5	0.40	4.4	0.33	4.2	0.21	3.1			
	02	0.53	4.2	0.41	4.7	0.34	4.4	0.22	3.4			
	04	0.60	5.2	0.41	4.9	0.33	5.0	0.22	4.2			
	06	0.52	4.9	0.40	5.2	0.32	5.2	0.21	4.6			
	08	0.83	6.5	0.61	6.5	0.48	6.3	0.31	5.4			
	10	0.58	5.6	0.44	5.5	0.36	5.4	0.23	4.3			
	12	0.52	5.6	0.34	5.8	0.28	5.8	0.19	5.0			
	14	0.29	5.8	0.22	5.5	0.18	5.4	0.11	4.3			
	16	0.34	6.1	0.26	5.2	0.21	5.2	0.13	4.2			
	18	0.39	4.6	0.28	5.4	0.23	5.4	0.14	4.4			
12	00	0.39	5.5	0.32	5.3	0.25	5.2	0.16	4.1			
	02	0.58	5.1	0.35	5.3	0.28	5.4	0.18	4.5			
	04	0.49	6.0	0.36	5.5	0.28	5.4	0.18	4.6			
	06	0.48	6.1	0.37	5.1	0.29	5.1	0.19	4.3			
	08	0.53	4.7	0.39	5.2	0.30	5.3	0.18	4.4			
	10	0.49	4.4	0.36	5.1	0.28	5.1	0.18	4.4			
	12	* 0.63	5.6	* 0.48	5.2	* 0.38	5.1	* 0.24	4.6			
	14	0.52	5.2	0.40	5.2	0.32	5.3	0.21	4.7			
	16	0.63	5.6	0.48	5.2	0.38	5.1	0.24	4.6			
	18	0.47	5.4	0.34	5.3	0.27	5.3	0.17	4.5			
13	00	0.47	5.0	* 0.40	5.4	* 0.32	5.5	0.20	4.6			
	02	0.46	5.0	0.35	5.2	0.29	5.2	0.19	4.4			
	04	0.47	5.0	0.36	5.1	0.29	5.1	0.19	4.3			
	06	0.47	5.0	0.37	4.8	0.29	4.9	0.19	4.3			
	08	0.51	5.2	0.34	4.8	0.27	4.7	0.17	3.8			
	10	0.44	4.6	0.31	4.9	0.25	4.8	0.16	3.9			
	12	0.39	5.2	0.30	4.6	0.24	4.5	0.15	3.5			
	14	* 0.55	4.2	0.38	4.0	0.30	3.9	0.19	3.1			
	16	0.55	3.6	0.39	3.8	0.32	3.7	* 0.21	3.1			
	18	0.46	3.4	0.32	3.3	0.26	3.4	0.17	2.9			
14	00	0.48	6.6	0.30	5.0	0.22	4.2	0.14	3.5			
	02	0.17	5.3	0.15	4.2	0.12	4.1	0.08	3.5			
	04	0.55	4.2	0.40	5.4	0.32	5.5	0.21	3.1			
	06	0.45	4.8	0.33	4.6	0.26	4.5	0.17	3.7			
	08	0.19	4.0	0.13	4.3	0.10	4.3	0.07	3.5			
	10	0.16	3.9	0.11	4.2	0.09	4.1	0.06	3.2			
	12	0.23	4.8	0.16	5.0	0.11	4.8	0.07	4.0			
	14	0.16	4.8	0.13	5.1	0.11	5.0	0.07	4.1			
	16	0.19	4.8	0.14	4.9	0.11	4.7	0.07	3.8			
	18	0.15	4.8	0.11	4.4	0.09	4.4	0.06	3.2			
15	00	0.19	2.2	0.12	3.2	0.10	3.1	0.06	2.5			
	02	0.21	1.8	0.10	3.0	0.08	2.8	0.05	2.3			
	04	0.16	4.5	0.10	4.2	0.08	3.7	0.05	2.7			
	06	0.10	2.4	0.07	3.1	0.06	3.0	0.04	2.4			
	08	* 0.39	7.3	* 0.25	5.7	* 0.18	4.8	* 0.10	3.7			
	10	0.12	1.7	0.09	2.3	0.07	2.5	0.05	2.2			
	12	0.39	7.3	0.25	5.7	0.18	4.8	0.10	3.7			
	14	0.19	3.9	0.13	4.1	0.10	3.9	0.06	3.1			
	16	0.09	2.3	0.07	3.0	0.06	2.8	0.04	2.4			
	18	0.12	1.6	0.08	2.7	0.06	2.7	0.04	2.2			
16	00	0.13	2.7	0.08	2.6	0.06	2.8	0.04	2.3			
	02	0.10	2.3	0.07	3.1	0.06	2.9	0.04	2.2			
	04	0.09	4.1	0.07	3.7	0.06	3.1	0.04	2.5			
	06	0.13	1.6	0.09	2.6	0.07	2.4	0.05	2.1			
	08	0.14	3.3	0.11	3.2	0.09	2.9	0.06	2.2			
	10	0.10	3.9	0.07	3.3	0.06	2.9	0.04	2.3			
	12	0.09	2.3	0.07	3.0	0.06	2.8	0.04	2.4			
	14	0.12	1.6	0.08	2.7	0.06	2.7	0.04	2.2			
	16	0.13	2.7	0.08	2.6	0.06	2.8	0.04	2.3			
	18	0.10	2.3	0.07	3.1	0.06	2.9	0.04	2.2			

	12	0.68	6.3	0.57	5.8	0.46	5.5	0.30	4.0	
	14	1.06	4.3	0.85	4.3	0.67	4.0	0.43	3.3	
	16	0.92	4.2	0.71	4.0	0.60	3.8	0.39	3.2	
	18	0.67	4.2	0.52	3.1	0.42	3.3	0.27	3.0	
	20	0.51	2.8	0.40	3.8	0.32	3.5	0.21	2.8	
	22	0.62	2.8	0.43	2.8	0.35	2.8	0.23	2.7	
	最大	1.40	6.4	0.93	5.7	0.75	5.1	0.48	3.8	
	平均	0.90	5.2	0.67	5.1	0.54	4.8	0.35	3.7	
	20	00	0.59	2.8	0.41	2.9	0.34	3.0	0.22	2.7
		02	0.62	4.2	0.39	3.7	0.32	3.6	0.20	2.8
		04	0.48	5.7	0.34	4.4	0.27	4.0	0.17	3.0
		06	0.34	5.4	0.24	4.7	0.19	4.2	0.12	3.0
		08	0.31	5.5	0.24	4.5	0.19	3.9	0.13	2.9
		10	0.33	2.4	0.25	3.8	0.20	3.4	0.13	2.6
		12	0.25	5.2	0.20	4.6	0.16	3.9	0.10	2.9
		14	0.43	2.3	0.31	3.7	0.24	3.5	0.15	2.7
		16	0.53	3.1	0.38	3.0	0.31	3.1	0.20	2.6
		18	0.54	2.5	0.42	3.6	0.34	3.5	0.23	2.9
		20	* 0.62	5.9	* 0.47	4.5	* 0.37	4.2	* 0.24	3.5
		22	0.44	4.8	0.34	4.9	0.27	4.9	0.17	4.2
	最大	0.62	5.9	0.47	4.5	0.37	4.2	0.24	3.5	
	平均	0.46	4.2	0.33	4.0	0.27	3.8	0.17	3.0	
	21	00	0.28	5.4	0.23	4.9	0.19	* 0.12	4.2	
		02	0.28	5.0	0.18	4.8	0.14	0.09	3.9	
		04	0.23	4.7	0.18	4.8	0.15	0.09	4.1	
		06	0.26	4.5	0.19	4.6	0.15	0.10	4.5	
		08	0.17	4.7	0.13	4.5	0.10	0.07	3.4	
		10	0.16	4.3	0.11	4.5	0.09	0.06	3.8	
		12	0.16	3.8	0.11	5.1	0.09	0.06	3.8	
		14	0.24	2.4	0.17	2.7	0.14	0.09	2.5	
		16	0.17	3.8	0.13	4.1	0.10	0.07	3.2	
		18	0.14	8.2	0.11	5.2	0.10	0.06	3.3	
		20	* 0.38	4.7	* 0.26	5.2	* 0.20	0.12	3.7	
		22	0.14	3.6	0.12	4.3	0.10	0.06	3.5	
	最大	0.38	4.7	0.26	5.2	0.20	4.7	0.12	4.2	
	平均	0.22	4.6	0.16	4.6	0.13	4.5	0.08	3.7	
	22	00	0.23	3.4	0.14	4.1	0.11	0.08	3.7	
		02	0.16	3.3	0.13	3.2	0.10	0.07	3.0	
		04	0.11	3.7	0.09	3.6	0.08	0.05	3.1	
		06	0.13	9.5	0.10	4.8	0.08	0.06	3.2	
		08	0.28	14.4	0.18	11.8	0.15	0.10	6.1	
		10	1.03	3.2	0.80	3.7	0.67	0.46	3.4	
		12	* 1.77	6.8	* 1.09	6.4	* 0.89	6.0	* 0.56	4.3
		14	1.25	8.8	0.96	7.5	0.78	0.50	5.0	
		16	1.21	8.1	0.90	6.9	0.73	0.46	4.5	
		18	1.13	7.9	0.87	7.8	0.69	0.44	5.3	
		20	1.01	7.1	0.80	7.9	0.64	0.37	5.2	
		22	0.86	9.4	0.71	7.9	0.57	0.36	6.2	
	最大	1.77	6.8	1.09	6.4	0.89	6.0	0.56	4.3	
	平均	0.76	7.1	0.56	6.3	0.46	5.9	0.29	4.4	
	23	00	0.88	9.4	0.74	8.9	0.56	0.35	6.3	
		02	1.06	9.7	0.77	9.3	0.60	0.36	6.7	
		04	1.40	9.4	0.89	7.3	0.70	0.45	4.0	
		06	1.07	8.6	0.65	8.4	0.51	0.32	5.2	
		08	0.71	7.9	0.58	9.3	0.44	0.26	5.7	
		10	0.70	7.9	0.56	8.6	0.44	0.27	6.3	
		12	1.51	4.2	1.06	6.0	0.83	0.53	3.7	
		14	* 1.57	5.8	* 1.18	6.9	* 0.93	* 0.60	4.3	
		16	1.42	5.5	1.07	6.5	0.86	0.56	4.2	
		18	1.07	8.9	0.87	6.3	0.72	0.47	4.0	
		20	1.09	6.8	0.82	6.4	0.65	0.41	3.7	
		22	1.02	7.8	0.72	7.3	0.57	0.36	4.0	
	最大	1.57	5.8	1.18	6.9	0.93	6.0	0.60	4.3	
	平均	1.13	7.7	0.83	7.6	0.65	6.8	0.41	4.8	
	24	00	* 0.81	6.3	* 0.67	7.8	* 0.53	* 0.32	4.5	
		02	0.68	5.2	0.54	8.1	0.42	0.25	4.4	

	04	0.61	8.0	0.46	7.8	0.36	7.1	0.23	5.2	
	06	0.48	8.0	0.41	7.0	0.33	7.1	0.21	5.6	
	08	0.48	8.1	0.37	7.4	0.29	7.4	0.19	5.7	
	10	0.47	7.3	0.39	7.5	0.31	7.1	0.20	5.7	
	12	0.55	5.7	0.40	6.7	0.32	6.7	0.20	5.5	
	14	0.44	6.1	0.35	6.8	0.29	6.4	0.18	5.0	
	16	0.55	6.8	0.36	6.4	0.28	6.3	0.17	4.6	
	18	0.45	6.1	0.30	6.4	0.23	6.5	0.14	5.1	
	20	0.48	4.3	0.34	5.1	0.27	5.5	0.17	4.9	
	22	0.33	5.9	0.26	6.1	0.20	6.2	0.13	5.3	
	最大	0.81	6.3	0.67	7.8	0.53	6.9	0.32	4.5	
	平均	0.53	6.5	0.40	6.9	0.32	6.6	0.20	5.1	
25	00	0.47	5.6	0.36	5.9	0.29	5.8	0.18	4.8	
	02	0.52	6.2	0.34	5.8	0.27	5.6	0.17	4.5	
	04	0.41	5.4	0.26	5.1	0.22	5.3	0.15	4.3	
	06	0.37	7.6	0.27	5.8	0.22	5.5	0.15	4.4	
	08	0.29	5.8	0.24	5.4	0.19	5.5	0.12	4.3	
	10	0.28	5.2	0.22	5.4	0.18	5.5	0.11	4.2	
	12	0.25	6.3	0.22	5.9	0.18	5.7	0.12	4.4	
	14	0.43	6.3	0.28	4.5	0.22	3.8	0.15	2.8	
	16	0.54	6.4	0.39	5.0	0.31	4.1	* 0.21	3.1	
	18	0.44	5.4	0.33	5.9	0.26	5.4	0.16	3.7	
	20	0.47	7.0	0.35	5.1	0.27	4.6	0.17	3.3	
	22	* 0.55	6.0	* 0.40	4.5	* 0.32	4.2	0.20	3.1	
	最大	0.55	6.0	0.40	4.5	0.32	4.2	0.21	3.1	
	平均	0.42	6.1	0.31	5.4	0.24	5.1	0.16	3.9	
26	00	0.52	5.2	0.42	5.3	0.33	4.6	0.21	3.2	
	02	0.59	6.7	0.45	6.8	0.35	6.5	0.22	5.1	
	04	0.63	7.6	* 0.49	7.3	* 0.40	7.2	* 0.25	5.6	
	06	0.55	6.2	0.41	7.0	0.34	7.0	0.22	5.6	
	08	0.56	6.1	0.41	7.1	0.32	7.0	0.20	5.4	
	10	* 0.71	6.7	0.44	6.6	0.35	6.5	0.21	5.0	
	12	0.55	6.5	0.42	6.9	0.33	6.8	0.21	5.5	
	14	0.56	6.1	0.39	6.3	0.32	6.4	0.20	5.1	
	16	0.55	5.9	0.36	5.9	0.29	6.0	0.18	4.4	
	18	0.51	9.8	0.38	6.3	0.31	6.3	0.19	5.0	
	20	0.48	5.5	0.37	6.1	0.31	6.3	0.20	4.9	
	22	0.42	6.9	0.33	6.5	0.26	6.3	0.17	5.3	
	最大	0.71	6.7	0.49	7.3	0.40	7.2	0.25	5.6	
	平均	0.55	6.6	0.41	6.5	0.33	6.4	0.21	5.0	
27	00	0.39	6.8	0.31	6.4	0.25	6.4	0.16	5.4	
	02	0.41	6.1	0.27	6.2	0.22	6.2	0.14	5.1	
	04	0.33	6.2	0.26	6.4	0.20	6.3	0.12	5.3	
	06	0.36	5.9	0.24	5.7	0.18	5.8	0.11	4.9	
	08	0.29	5.4	0.21	5.8	0.17	5.9	0.11	5.0	
	10	0.22	6.9	0.18	5.5	0.14	5.0	0.09	3.5	
	12	0.22	6.1	0.17	5.6	0.14	5.5	0.08	3.9	
	14	0.32	2.0	0.23	3.2	0.18	2.9	0.12	2.3	
	16	0.47	2.4	* 0.33	2.6	* 0.26	2.7	* 0.17	2.4	
	18	0.46	2.9	0.31	2.8	0.24	2.9	0.16	2.5</	

	平均	0.15	4.2	0.10	4.6	0.08	4.3	0.05	3.2	
29	00	0.10	5.4	0.08	5.6	0.07	5.0	0.04	3.6	
	02	0.13	1.2	0.09	2.8	0.07	3.0	0.05	2.5	
	04	0.13	1.9	0.09	2.6	0.07	2.6	0.05	2.1	
	06	0.11	1.7	0.08	3.5	0.06	3.1	0.04	2.4	
	08	0.11	2.9	0.07	3.3	0.06	3.2	0.04	2.7	
	10	0.09	3.7	0.07	4.6	0.05	4.6	0.03	3.4	
	12	0.25	2.2	0.17	2.2	0.14	2.3	0.09	2.1	
	14	0.35	3.1	0.27	3.4	0.22	3.3	0.14	2.7	
	16	* 0.73	2.6	0.53	3.1	0.43	3.0	0.28	2.7	
	18	0.66	3.3	* 0.53	3.5	* 0.44	3.6	* 0.29	3.1	
	20	0.66	5.8	0.49	4.7	0.40	4.4	0.26	3.5	
	22	0.66	8.7	0.51	8.7	0.40	7.0	0.24	4.5	
	最大	0.73	2.6	0.53	3.5	0.44	3.6	0.29	3.1	
	平均	0.33	3.5	0.25	4.0	0.20	3.8	0.13	2.9	
30	00	0.75	9.3	0.58	8.6	0.45	7.0	0.28	4.6	
	02	0.99	9.1	0.65	8.3	* 0.50	7.3	* 0.31	5.0	
	04	0.68	9.2	0.57	7.8	0.46	7.6	0.28	4.8	
	06	* 1.00	7.8	* 0.66	7.7	0.50	7.1	0.30	4.7	
	08	0.62	6.8	0.50	7.1	0.40	6.8	0.25	4.5	
	10	0.64	7.0	0.48	7.8	0.38	6.6	0.24	4.4	
	12	0.75	7.5	0.55	7.0	0.42	6.3	0.25	4.2	
	14	0.65	6.6	0.47	6.9	0.39	7.0	0.24	5.1	
	16	0.62	6.0	0.47	6.4	0.39	6.1	0.25	4.9	
	18	0.65	6.5	0.52	6.8	0.43	6.7	0.27	5.4	
	20	0.57	6.6	0.44	6.8	0.34	6.8	0.22	5.3	
	22	0.60	6.3	0.48	6.4	0.38	6.2	0.22	4.2	
	最大	1.00	7.8	0.66	7.7	0.50	7.3	0.31	5.0	
	平均	0.71	7.4	0.53	7.3	0.42	6.8	0.26	4.8	
31	00	0.79	5.7	0.55	6.0	0.44	5.7	0.27	3.9	
	02	* 0.89	5.3	* 0.64	5.6	* 0.52	5.4	* 0.33	4.0	
	04	0.84	6.4	0.59	5.8	0.46	5.4	0.29	4.0	
	06	0.67	5.3	0.49	5.2	0.39	5.3	0.26	4.2	
	08	0.48	5.5	0.37	6.5	0.30	6.4	0.19	4.9	
	10	0.42	5.1	0.34	6.3	0.28	6.3	0.18	4.9	
	12	0.56	6.1	0.37	6.0	0.29	5.3	0.18	3.6	
	14	0.56	4.7	0.40	5.3	0.32	4.4	0.21	3.1	
	16	0.68	3.7	0.46	4.5	0.38	3.8	0.26	3.1	
	18	0.58	6.7	0.43	4.6	0.35	4.2	0.22	3.2	
	20	0.59	6.5	0.43	5.1	0.34	4.7	0.22	3.5	
	22	0.57	5.7	0.38	5.6	0.31	5.6	0.19	3.9	
	最大	0.89	5.3	0.64	5.6	0.52	5.4	0.33	4.0	
	平均	0.64	5.6	0.45	5.5	0.37	5.2	0.23	3.9	
	月最大	1.77	6.8	1.18	6.9	0.93	6.0	0.60	4.3	
	起時	2212		2314		2314		2314		
	平均	0.48	5.3	0.35	5.1	0.28	4.9	0.18	3.8	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	333 回	測得回数	0 回
欠測回数	27 回	欠測回数	360 回
欠測率	7.5 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	* 0.48	6.6	* 0.33	5.6	0.26	5.1	* 0.17	3.6		
	02	0.44	5.4	0.32	6.1	* 0.26	5.9	0.16	4.4		
	04	0.35	5.6	0.30	5.9	0.24	5.9	0.15	4.6		
	06	0.35	6.6	0.26	6.2	0.21	6.0	0.13	4.8		
	08	0.39	5.5	0.26	5.7	0.21	5.9	0.13	4.5		
	10	0.34	6.2	0.25	5.9	0.20	5.8	0.13	4.5		
	12	0.38	5.8	0.26	5.6	0.21	5.8	0.13	4.8		
	14	0.33	5.7	0.26	5.5	0.20	5.6	0.13	4.7		
	16	0.38	5.8	0.25	5.6	0.20	5.3	0.13	4.3		
	18	0.26	5.5	0.22	5.5	0.18	5.4	0.11	4.4		
	20	0.45	4.9	0.31	4.3	0.22	4.6	0.13	4.1		
	22	0.21	5.5	0.17	5.6	0.13	5.6	0.08	4.6		
	最大	0.48	6.6	0.33	5.6	0.26	5.9	0.17	3.6		
	平均	0.36	5.8	0.27	5.6	0.21	5.6	0.13	4.4		
02	00	0.16	4.5	0.13	5.5	0.10	5.4	0.06	3.9		
	02	0.17	6.2	0.12	5.7	0.09	5.4	0.06	3.7		
	04	0.13	5.2	0.10	5.5	0.08	5.2	0.05	3.6		
	06	0.14	6.4	0.11	6.3	0.08	5.2	0.05	3.3		
	08	0.17	6.2	0.14	6.5	0.11	5.4	0.07	3.4		
	10	0.25	6.1	0.16	6.9	0.13	6.6	0.08	4.3		
	12	0.32	7.9	0.22	7.6	0.17	7.5	0.10	5.2		
	14	0.29	8.2	0.23	7.3	0.19	7.4	0.11	5.5		
	16	0.21	7.4	0.19	7.4	0.16	7.3	0.10	5.5		
	18	0.31	7.5	0.22	7.8	0.16	7.3	0.10	5.0		
	20	* 0.38	6.3	* 0.31	6.1	* 0.22	5.6	* 0.13	4.8		
	22	0.21	7.1	0.17	7.4	0.14	7.4	0.09	5.5		
	最大	0.38	6.3	0.31	6.1	0.22	5.6	0.13	4.8		
	平均	0.23	6.6	0.18	6.7	0.14	6.3	0.08	4.5		
03	00	0.21	6.9	0.17	7.3	0.14	6.9	0.08	4.8		
	02	0.19	6.4	0.15	6.6	0.12	6.2	0.07	4.1		
	04	0.19	6.7	0.15	6.7	0.12	6.3	0.07	4.1		
	06	0.20	5.0	0.14	5.9	0.12	5.0	0.07	3.4		
	08	0.17	7.0	0.14	6.5	0.10	5.7	0.06	3.5		
	10	0.22	6.5	0.16	7.0	0.12	6.0	0.07	3.8		
	12	0.21	6.3	0.17	6.8	0.14	6.4	0.08	4.2		
	14	0.25	6.3	0.18	6.4	0.15	5.9	0.09	4.1		
	16	0.22	6.6	0.18	6.4	0.15	6.5	0.09	4.6		
	18	0.26	5.1	0.19	6.4	0.15	5.9	0.09	3.8		
	20	* 0.40	6.0	* 0.30	5.6	* 0.23	5.2	* 0.14	4.3		
	22	0.25	5.4	0.19	5.7	0.15	5.7	0.10	4.5		
	最大	0.40	6.0	0.30	5.6	0.23	5.2	0.14	4.3		
	平均	0.23	6.2	0.18	6.4	0.14	6.0	0.08	4.1		
04	00	0.29	5.0	0.18	5.6	0.14	5.6	0.09	4.5		
	02	0.24	5.7	0.20	5.4	0.16	5.3	0.10	4.3		
	04	0.30	5.4	0.22	5.5	0.17	5.6	0.11	4.4		
	06	0.25	5.2	0.18	5.4	0.14	5.4	0.09	4.4		
	08	0.20	4.9	0.16	5.3	0.13	5.1	0.08	3.9		
	10	0.24	4.6	0.19	5.2	0.14	5.0	0.09	4.3		
	12	0.21	5.1	0.15	5.2	0.12	4.9	0.08	3.7		
	14	0.24	5.7	0.17	4.0	0.14	3.7	0.09	2.7		
	16	0.29	6.0	0.21	4.5	0.17	4.0	0.11	2.8		
	18	0.32	6.5	0.25	6.2	0.20	6.1	0.13	4.8		
	20	* 0.49	6.6	* 0.31	5.8	* 0.24	5.5	* 0.15	4.6		
	22	0.28	6.0	0.22	6.1	0.16	6.0	0.10	5.0		
	最大	0.49	6.6	0.31	5.8	0.24	5.5	0.15	4.6		

			最大	1.03	6.9	0.77	7.7	0.63	8.0	0.40	6.5		
			平均	0.88	6.6	0.65	7.1	0.52	6.7	0.32	4.8		
10	00		0.67	7.7	0.48	7.0	0.38	6.9	0.24	4.7			
	02	* 0.85	0.85	6.6	* 0.58	7.6	* 0.46	7.2	* 0.28	5.2			
	04		0.81	7.4	0.53	7.7	0.42	7.3	0.27	5.5			
	06		0.62	7.9	0.48	7.4	0.39	7.1	0.25	5.4			
	08		0.64	7.2	0.51	7.0	0.42	7.1	0.26	5.6			
	10		0.60	7.3	0.44	7.0	0.35	7.0	0.22	5.8			
	12		欠测										
	14		欠测										
	16		欠测										
	18		0.30	7.9	0.25	6.7	0.20	6.9	0.12	5.6			
	20		0.44	6.9	0.32	6.0	0.24	5.7	0.15	4.5			
	22		0.23	6.5	0.17	6.8	0.13	6.6	0.08	4.8			
			最大	0.85	6.6	0.58	7.6	0.46	7.2	0.28	5.2		
			平均	0.57	7.3	0.42	7.0	0.33	6.9	0.21	5.2		
11	00		0.23	7.2	0.16	6.9	0.12	6.1	0.07	3.9			
	02		0.29	7.5	0.20	6.8	0.16	6.3	0.09	4.1			
	04		0.27	7.0	0.22	7.4	0.18	7.1	0.11	4.7			
	06		0.32	7.2	0.24	7.3	0.19	7.0	0.11	4.6			
	08		0.29	6.9	0.24	7.0	0.19	6.8	0.11	4.6			
	10		0.23	6.5	0.17	6.8	0.14	6.6	0.09	4.6			
	12		0.22	7.3	0.17	6.9	0.14	6.2	0.08	4.1			
	14		0.17	7.0	0.14	6.9	0.11	5.9	0.07	3.9			
	16		0.19	6.8	0.14	7.0	0.11	6.5	0.07	4.6			
	18		0.19	6.2	0.14	6.6	0.11	6.4	0.07	5.0			
	20	* 0.38	0.38	7.1	* 0.26	5.4	* 0.20	5.0	* 0.13	4.5			
	22		0.16	6.2	0.13	6.6	0.11	6.9	0.07	4.6			
			最大	0.38	7.1	0.26	5.4	0.20	5.0	0.13	4.5		
			平均	0.25	6.9	0.18	6.8	0.15	6.4	0.09	4.4		
12	00		0.17	11.2	0.13	5.8	0.10	5.1	0.07	3.6			
	02		0.39	2.1	0.32	2.3	0.25	2.3	0.17	2.3			
	04		0.56	2.4	0.36	2.3	0.28	2.5	0.18	2.4			
	06		0.55	2.5	0.38	2.6	0.30	2.9	0.21	2.7			
	08		0.60	2.6	0.49	3.1	0.39	3.0	0.26	2.7			
	10	* 1.06	1.06	3.2	* 0.83	5.2	* 0.66	5.0	* 0.43	3.7			
	12		0.92	7.1	0.67	6.2	0.53	5.9	0.34	4.0			
	14		0.77	6.6	0.61	6.7	0.48	6.2	0.29	4.1			
	16		0.72	7.4	0.54	6.3	0.44	5.3	0.28	3.7			
	18		0.77	7.3	0.53	7.1	0.40	6.0	0.25	3.9			
	20		0.65	5.3	0.54	7.0	0.43	6.8	0.26	4.9			
	22		0.50	7.1	0.40	7.0	0.32	6.7	0.20	5.1			
			最大	1.06	3.2	0.83	5.2	0.66	5.0	0.43	3.7		
			平均	0.64	5.4	0.48	5.1	0.38	4.8	0.25	3.6		
13	00		0.45	6.5	* 0.36	6.7	* 0.28	6.6	* 0.17	5.0			
	02		0.45	6.6	0.33	6.5	0.25	6.5	0.15	4.9			
	04		0.43	6.8	0.30	6.6	0.24	6.5	0.15	5.0			
	06		0.31	6.0	0.25	6.4	0.21	6.2	0.13	5.0			
	08		0.33	6.2	0.21	6.2	0.17	6.2	0.10	4.6			
	10		0.32	6.2	0.16	6.3	0.12	5.8	0.08	4.0			
	12		0.22	5.8	0.16	6.0	0.13	5.8	0.08	4.4			
	14		0.20	6.4	0.15	5.1	0.12	4.1	0.08	2.8			
	16		0.23	7.0	0.18	5.6	0.14	5.4	0.10	4.0			
	18		0.24	6.8	0.20	6.1	0.16	5.9	0.10	4.5			
	20	* 0.52	0.52	7.0	0.32	5.8	0.24	5.6	0.15	4.4			
	22		0.29	6.3	0.22	6.4	0.17	6.2	0.11	5.0			
			最大	0.52	7.0	0.36	6.7	0.28	6.6	0.17	5.0		
			平均	0.33	6.5	0.24	6.1	0.19	5.9	0.12	4.5		
14	00		0.25	6.3	0.22	6.4	0.18	6.3	0.12	5.1			
	02		0.34	6.5	0.26	6.4	0.20	6.3	0.13	5.0			
	04		0.29	6.5	0.20	6.1	0.17	6.1	0.11	5.1			
	06		0.25	5.6	0.19	6.1	0.15	5.9	0.09	4.5			
	08		0.25	6.4	0.21	6.0	0.17	6.0	0.11	5.0			
	10		0.31	6.3	0.25	6.1	0.20	6.0	0.12	4.8			
	12		0.40	5.4	0.24	5.9	0.19	5.7	0.12	4.7			
	14		0.36	6.2	0.26	5.6	0.20	5.7	0.13	4.9			

	16	0.39	5.7	0.28	6.3	0.22	6.4	0.15	5.3	
	18	0.52	6.1	0.36	6.4	0.28	6.5	0.18	4.9	
	20	* 0.68	6.7	* 0.52	6.1	* 0.41	6.2	* 0.25	4.9	
	22	欠測								
	最大	0.68	6.7	0.52	6.1	0.41	6.2	0.25	4.9	
	平均	0.37	6.2	0.27	6.1	0.22	6.1	0.14	4.9	
	15	00	0.59	5.7	0.46	6.6	0.37	6.7	0.23	5.2
		02	0.94	5.6	0.62	5.2	0.49	4.7	0.32	3.6
		04	0.70	3.5	0.58	5.3	0.48	5.2	0.30	4.0
	06	0.69	7.2	0.60	5.6	0.49	5.1	0.31	3.8	
	08	1.05	8.2	* 0.76	7.4	* 0.59	7.1	* 0.36	5.3	
	10	* 1.19	6.4	0.63	6.8	0.50	6.4	0.30	4.5	
	12	0.70	5.8	0.53	6.4	0.42	6.3	0.25	4.3	
	14	0.67	6.8	0.50	6.7	0.40	6.1	0.24	4.2	
	16	0.66	4.5	0.54	6.4	0.42	5.7	0.25	3.7	
	18	0.64	6.6	0.48	5.8	0.39	4.8	0.25	3.5	
	20	0.69	7.5	0.50	5.9	0.39	5.3	0.25	4.0	
	22	0.53	6.6	0.39	6.9	0.31	6.4	0.19	4.7	
	最大	1.19	6.4	0.76	7.4	0.59	7.1	0.36	5.3	
	16	0.75	6.2	0.55	6.3	0.44	5.8	0.27	4.2	
	16	00	0.61	5.9	0.45	5.9	0.35	5.6	0.22	3.8
		02	0.59	6.0	0.41	6.3	0.33	5.8	0.21	4.1
		04	0.75	6.2	0.54	5.2	0.41	4.7	0.26	3.5
		06	0.73	7.2	0.59	6.4	0.49	5.6	0.31	3.9
		08	1.17	7.5	0.77	7.4	0.59	7.0	0.37	4.8
		10	1.13	8.0	0.80	6.4	0.61	5.2	0.38	3.7
	12	1.16	7.5	* 0.89	6.0	* 0.69	5.2	0.43	3.9	
	14	1.27	7.0	0.84	6.4	0.68	5.6	* 0.43	4.0	
	16	0.95	7.6	0.78	7.3	0.63	6.6	0.40	4.5	
	18	1.00	7.3	0.71	7.2	0.54	6.7	0.33	4.4	
	20	* 1.27	7.1	0.81	7.2	0.62	6.3	0.37	4.2	
	22	0.84	7.5	0.68	7.5	0.56	7.4	0.35	5.2	
	最大	1.27	7.1	0.89	6.0	0.69	5.2	0.43	4.0	
	平均	0.96	7.1	0.69	6.6	0.54	6.0	0.34	4.2	
	17	00	0.81	6.3	0.63	7.3	0.49	6.9	0.30	4.8
		02	0.88	7.0	* 0.66	6.8	* 0.51	6.0	* 0.32	4.1
		04	0.72	6.7	0.52	6.4	0.42	5.8	0.27	3.9
	06	0.63	7.2	0.49	6.5	0.38	5.7	0.24	4.0	
	08	0.65	6.1	0.51	6.6	0.40	5.9	0.25	4.1	
	10	0.75	6.7	0.52	6.4	0.40	5.7	0.25	3.8	
	12	0.82	6.3	0.52	6.2	0.40	5.1	0.25	3.6	
	14	0.78	6.5	0.52	6.1	0.41	5.5	0.26	3.7	
	16	* 0.97	6.1	0.61	5.3	0.47	4.8	0.30	3.5	
	18	0.62	6.7	0.49	6.0	0.39	5.9	0.24	4.1	
	20	0.71	5.8	0.58	6.7	0.45	6.2	0.29	4.6	
	22	0.63	7.3	0.48	6.7	0.39	6.2	0.24	4.7	
	最大	0.97	6.1	0.66	6.8	0.51	6.0	0.32	4.1	
	18	0.75	6.6	0.54	6.4	0.43	5.8	0.27	4.1	
	18	00	0.57	6.3	0.43	6.5	0.33	6.5	0.21	5.2
		02	0.48	6.4	0.39	6.8	0.33	6.8	0.21	5.4
		04	0.55	6.9	0.42	7.0	0.33	6.8	0.20	5.4
		06	0.47	6.7	0.37	6.5	0.29	6.5	0.19	5.2
		08	0.50	6.6	0.40	6.5	0.32	6.4	0.20	4.9
		10	0.44	6.6	0.38	7.2	0.31	6.8	0.20	5.3
	12	0.45	5.9	0.34	6.4	0.28	6.4	0.18	5.2	
	14	0.48	6.0	0.35	6.3	0.29	6.3	0.18	5.2	
	16	0.42	5.8	0.33	6.4	0.27	6.3	0.17	5.2	
	18	0.83	5.0	0.69	4.1	0.54	4.0	0.33	3.3	
	20	0.85	6.0	0.66	5.4	0.54	5.0	0.34	3.9	
	22	* 1.20	6.6	* 0.80	6.4	* 0.63	5.8	* 0.39	4.0	
	最大	1.20	6.6	0.80	6.4	0.63	5.8	0.39	4.0	
	平均	0.60	6.2	0.46	6.3	0.37	6.1	0.23	4.9	
	19	00	1.12	7.9	0.81	6.5	0.63	5.7	0.39	4.2
		02	1.16	5.8	0.91	6.0	0.72	6.0	0.45	4.3
		04	1.12	6.9	* 0.94	6.8	* 0.76	6.5	* 0.48	4.6
	06	* 1.25	6.4	0.92	6.2	0.72	5.9	0.44	4.1	
	08	1.14	8.1	0.85	7.1	0.70	6.4	0.44	4.7	
	10	0.93	6.3	0.75	6.4	0.61	6.2	0.38	4.3	

	12	0.94	5.8	0.72	6.1	0.59	5.4	0.37	4.1	
	14	0.89	7.2	0.69	6.1	0.55	5.1	0.35	3.8	
	16	1.00	7.5	0.72	5.9	0.58	5.4	0.38	4.0	
	18	0.89	7.2	0.67	7.4	0.54	7.0	0.33	4.8	
	20	0.94	7.4	0.70	7.0	0.53	6.4	0.32	4.5	
	22	0.82	6.3	0.56	6.9	0.45	6.5	0.28	4.6	
	最大									
	平均	1.25	6.4	0.94	6.8	0.76	6.5	0.48	4.6	
		1.02	6.9	0.77	6.5	0.62	6.0	0.38	4.3	
20	00	* 0.79	6.6	* 0.61	7.3	* 0.50	6.8	* 0.31	4.8	
	02	0.71	8.0	0.51	7.0	0.41	6.7	0.26	4.6	
	04	0.71	6.3	0.51	6.9	0.40	6.8	0.25	4.9	
	06	0.65	8.0	0.47	6.5	0.39	6.3	0.25	4.5	
	08	0.61	8.0	0.44	6.7	0.35	6.3	0.22	4.6	
	10	0.66	7.3	0.47	7.1	0.38	6.7	0.23	4.7	
	12	0.56	6.4	0.44	6.8	0.35	6.2	0.21	4.3	
	14	0.53	8.0	0.44	6.7	0.35	5.9	0.22	3.9	
	16	0.59	5.6	0.47	5.9	0.38	4.9	0.25	3.6	
	18	0.72	6.5	0.51	6.5	0.41	5.8	0.26	4.1	
	20	0.63	6.9	0.49	6.9	0.39	6.6	0.24	4.7	
	22	0.60	6.4	0.42	7.0	0.34	7.0	0.21	5.5	
	最大									
	平均	0.79	6.6	0.61	7.3	0.50	6.8	0.31	4.8	
		0.65	7.0	0.48	6.8	0.39	6.3	0.24	4.5	
21	00	* 0.50	6.6	* 0.37	6.9	* 0.30	6.9	* 0.18	5.5	
	02	0.39	6.6	0.33	6.6	0.27	6.6	0.17	5.8	
	04	0.43	6.2	0.31	6.5	0.24	6.6	0.15	5.3	
	06	0.41	6.4	0.28	6.5	0.22	6.4	0.13	5.0	
	08	0.34	6.9	0.28	6.5	0.21	6.4	0.13	4.9	
	10	0.36	7.0	0.31	6.7	0.24	6.3	0.15	5.0	
	12	0.38	6.6	0.28	5.5	0.22	5.5	0.14	4.3	
	14	0.26	6.6	0.21	6.5	0.17	6.0	0.11	4.4	
	16	0.24	6.1	0.19	6.6	0.15	6.4	0.10	5.3	
	18	0.24	6.7	0.19	6.5	0.14	6.1	0.09	4.5	
	20	0.16	6.8	0.14	6.8	0.11	6.1	0.07	4.5	
	22	0.21	6.6	0.18	6.1	0.14	6.0	0.09	4.6	
	最大									
	平均	0.50	6.6	0.37	6.9	0.30	6.9	0.18	5.5	
		0.33	6.6	0.26	6.5	0.20	6.3	0.13	4.9	
22	00	0.37	6.0	0.26	6.3	0.21	6.2	0.13	5.1	
	02	0.35	5.7	0.28	5.8	0.22	5.4	0.14	4.0	
	04	0.50	7.2	0.36	8.0	0.29	7.5	0.17	5.3	
	06	* 0.71	7.8	* 0.60	7.9	* 0.48	7.3	* 0.29	5.6	
	08	0.56	6.9	0.41	7.1	0.34	7.0	0.22	5.7	
	10	0.57	6.4	0.42	6.8	0.33	6.8	0.22	6.0	
	12	0.41	6.4	0.34	6.7	0.28	6.3	0.18	5.0	
	14	0.42	7.5	0.35	6.8	0.28	6.7	0.18	5.7	
	16	0.40	6.3	0.30	6.2	0.25	6.3	0.15	5.0	
	18	0.44	6.8	0.31	6.7	0.24	6.1	0.15	4.4	
	20	0.60	6.4	0.45	6.9	0.35	6.7	0.21	5.4	
	22	0.58	7.1	0.41	7.0	0.31	7.1	0.19	5.8	
	最大									
	平均	0.71	7.8	0.60	7.9	0.48	7.3	0.29	5.6	
		0.49	6.7	0.37	6.9	0.30	6.6	0.19	5.3	
23	00	0.38	6.4	0.33	6.6	0.26	6.7	0.16	5.7	
	02	0.43	6.5	* 0.36	6.6	* 0.28	6.5	0.17	5.4	
	04	0.39	6.1	0.31	6.3	0.25	6.4	* 0.17	5.7	
	06	0.42	6.0	0.30	6.5	0.23	6.6	0.15	5.3	
	08	0.41	6.2	0.28	6.4	0.22	6.1	0.14	4.9	
	10	0.31	6.3	0.25	6.2	0.20	6.3	0.12	4.9	
	12	0.42	6.8	0.30	6.5	0.23	6.3	0.14	5.0	
	14	0.45	5.9	0.35	6.3	0.28	6.2	0.17	5.1	
	16	0.42	5.8	0.32	6.1	0.27	6.2	0.17	5.2	
	18	0.41	7.8	0.28	6.0	0.23	6.0	0.15	4.8	
	20	* 0.50	5.4	0.35	5.2	0.26	5.5	0.15	4.8	
	22	0.46	6.4	0.29	6.5	0.23	6.5	0.14	5.6	
	最大									
	平均	0.50	5.4	0.36	6.6	0.28	6.5	0.17	5.7	
		0.42	6.3	0.31	6.3	0.25	6.3	0.15	5.2	
24	00	0.32	6.2	0.28	6.1	0.23	6.1	0.14	5.1	
	02	0.42	5.6	0.28	6.1	0.21	5.8	0.13	4.4	

	04	0.33	6.4	0.25	6.4	0.19	6.6	0.12	5.2	
	06	0.47	8.1	0.38	7.3	0.30	7.2	0.19	5.8	
	08	0.55	5.8	0.41	6.5	0.32	6.2	0.20	4.7	
	10	0.53	7.5	0.39	7.7	0.31	7.4	0.19	5.4	
	12	0.41	7.6	0.33	7.3	0.27	7.2	0.16	5.5	
	14	0.47	8.0	0.35	7.3	0.28	7.2	0.17	5.3	
	16	0.35	6.5	0.31	7.4	0.27	7.5	0.17	6.0	
	18	* 0.56	7.3	0.37	7.5	0.30	7.6	0.18	6.1	
	20	0.51	7.1	* 0.42	7.2	* 0.33	7.1	* 0.21	5.6	
	22	0.47	6.9	0.34	7.7	0.28	7.4	0.17	5.4	
	最大	0.56	7.3	0.42	7.2	0.33	7.1	0.21	5.6	
	平均	0.45	6.9	0.34	7.0	0.27	6.9	0.17	5.4	
25	00	0.41	8.1	0.36	7.4	* 0.31	7.8	* 0.20	6.4	
	02	0.48	6.2	0.34	7.1	0.28	7.1	0.17	5.3	
	04	0.47	7.4	0.34	7.0	0.27	6.5	0.17	4.8	
	06	0.48	6.4	0.34	6.6	0.27	6.7	0.17	5.4	
	08	0.40	6.3	0.29	6.6	0.23	6.7	0.15	5.8	
	10	0.38	6.5	0.27	6.4	0.21	6.3	0.13	5.0	
	12	0.38	5.3	0.28	5.5	0.22	5.6	0.14	4.8	
	14	0.41	5.9	0.33	5.9	0.26	5.7	0.15	4.0	
	16	0.32	5.2	0.28	5.6	0.22	5.7	0.14	4.9	
	18	0.30	6.2	0.23	6.2	0.19	6.2	0.13	5.3	
20	* 0.50	5.1	0.36	5.6	0.29	5.7	0.19	4.9		
22	0.47	4.7	* 0.37	4.2	0.30	4.2	0.19	3.4		
	最大	0.50	5.1	0.37	4.2	0.31	7.8	0.20	6.4	
	平均	0.42	6.1	0.32	6.2	0.25	6.2	0.16	5.0	
26	00	0.46	5.1	0.35	5.4	0.28	5.5	0.18	4.6	
	02	0.50	5.1	0.33	5.6	0.27	5.3	0.17	4.3	
	04	0.52	5.8	0.32	5.6	0.25	5.6	0.15	4.4	
	06	0.44	7.1	0.29	6.4	0.22	6.2	0.14	4.9	
	08	0.44	8.0	0.37	7.6	0.31	7.6	* 0.20	6.1	
	10	0.57	7.5	* 0.40	7.3	* 0.32	7.4	0.19	5.6	
	12	* 0.58	7.0	0.36	7.4	0.29	7.4	0.19	6.1	
	14	0.39	7.2	0.34	7.1	0.28	7.2	0.18	6.1	
	16	0.43	6.5	0.30	6.5	0.24	6.6	0.15	5.5	
	18	0.41	7.1	0.30	6.4	0.23	6.6	0.14	5.3	
20	0.42	6.7	0.33	5.6	0.26	5.7	0.16	5.0		
22	0.30	5.8	0.20	6.0	0.15	5.7	0.10	4.0		
	最大	0.58	7.0	0.40	7.3	0.32	7.4	0.20	6.1	
	平均	0.46	6.6	0.32	6.4	0.26	6.4	0.16	5.2	
27	00	0.19	5.9	0.17	5.7	0.14	5.8	0.09	4.4	
	02	0.19	2.7	0.15	5.7	0.12	5.6	0.07	3.8	
	04	0.21	5.9	0.16	6.1	0.13	6.1	0.08	4.7	
	06	0.22	5.7	0.16	5.8	0.13	5.7	0.08	4.3	
	08	0.35	3.9	0.27	4.7	0.22	5.3	0.14	4.2	
	10	0.29	5.5	0.23	5.6	0.18	5.3	0.12	4.1	
	12	* 0.68	3.0	* 0.47	3.2	* 0.38	3.2	* 0.25	2.7	
	14	0.47	5.1	0.36	4.5	0.29	4.3	0.19	3.4	
	16	0.30	4.8	0.21	5.3	0.16	5.2	0.11	4.0	
	18	0.26	4.9	0.21	5.6	0.18	5.7	0.11	4.2	
20	0.35	6.9	0.30	5.7	0.23	5.2	0.15	4.4		
22	0.29	5.9	0.24	5.5	0.19	5.4	0.13	4.6		
	最大	0.68	3.0	0.47	3.2	0.38	3.2	0.25	2.7	
	平均	0.32	5.0	0.24	5.3	0.20	5.2	0.13	4.1	
28	00	0.23	4.4	0.18	5.0	0.15	5.1	0.10	4.2	
	02	0.22	5.8	0.17	5.4	0.13	5.2	0.09	4.2	
	04	0.18	5.7	0.14	5.3	0.11	5.3	0.07	4.1	
	06	0.23	3.8	0.17	5.2	0.14	5.3	0.09	4.4	
	08	0.21	4.8	0.15	5.0	0.13	5.1	0.08	4.1	
	10	0.23	4.3	0.18	4.9	0.15	5.1	0.09	4.2	
	12	0.21	4.1	0.16	5.1	0.13	5.1	0.08	4.0	
	14	0.21	5.7	0.17	4.6	0.13	4.5	0.08	3.1	
	16	0.16	2.8	0.13	4.5	0.10	4.8	0.07	3.8	
	18	0.14	6.1	0.10	5.4	0.08	5.3	0.05	3.9	
20	* 0.33	6.4	* 0.26	5.7	* 0.19	4.9	* 0.11	4.0		
22	0.16	4.0	0.11	4.3	0.09	4.2	0.06	3.0		
	最大	0.33	6.4	0.26	5.7	0.19	4.9	0.11	4.0	

	平均	0.21	4.8	0.16	5.0	0.13	5.0	0.08	3.9	
29	00	0.18	1.7	0.13	2.8	0.10	2.7	0.07	2.3	
	02	0.16	13.4	0.12	9.8	0.10	5.9	0.06	3.5	
	04	0.19	6.8	0.14	6.9	0.11	6.6	0.07	4.2	
	06	0.48	2.1	0.30	3.1	0.24	3.1	0.16	2.6	
	08	1.06	8.8	0.76	6.2	0.59	5.4	0.38	4.0	
	10	1.32	5.1	1.08	5.7	0.88	5.2	0.58	4.0	
	12	1.07	8.9	0.82	7.3	0.64	5.9	0.41	4.0	
	14	1.21	5.1	0.94	5.4	0.76	5.0	0.49	3.8	
	16	1.24	6.5	0.86	6.2	0.70	5.7	0.45	4.2	
	18	1.49	4.2	0.99	4.8	0.81	4.6	0.53	3.7	
	20	1.56	4.8	1.17	5.1	0.96	5.2	0.62	4.0	
	22	* 1.86	4.4	* 1.19	5.8	* 0.96	5.4	* 0.62	4.1	
	最大	1.86	4.4	1.19	5.8	0.96	5.4	0.62	4.1	
	平均	0.99	6.0	0.71	5.8	0.57	5.1	0.37	3.7	
30	00	1.36	9.0	* 1.13	5.5	* 0.92	5.4	* 0.59	4.1	
	02	1.20	4.8	1.01	6.4	0.83	6.0	0.54	4.5	
	04	* 1.58	7.5	1.06	8.3	0.81	7.3	0.48	4.9	
	06	1.13	8.6	0.74	8.8	0.59	8.8	0.37	6.8	
	08	0.81	8.8	0.65	8.5	0.54	8.2	0.33	6.1	
	10	0.77	8.7	0.67	9.0	0.55	8.8	0.36	6.7	
	12	0.74	8.8	0.55	9.1	0.45	9.0	0.28	6.7	
	14	0.73	9.0	0.60	8.8	0.51	8.2	0.32	6.0	
	16	0.82	7.4	0.64	8.0	0.51	7.8	0.31	5.7	
	18	0.91	7.5	0.64	7.3	0.51	6.6	0.31	4.6	
	20	0.91	9.8	0.63	8.0	0.50	7.3	0.31	5.4	
	22	0.86	8.9	0.64	7.6	0.50	7.2	0.30	5.0	
	最大	1.58	7.5	1.13	5.5	0.92	5.4	0.59	4.1	
	平均	0.99	8.2	0.75	7.9	0.60	7.6	0.38	5.5	
月最大		1.86	4.4	1.19	5.8	0.96	5.4	0.62	4.1	
起時		2922		2922		2922		2922		
平均		0.51	6.2	0.38	6.1	0.30	5.9	0.19	4.5	

* は日最大波高を示す

波浪整理表（1）

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	0 回
欠測回数	0 回	欠測回数	372 回
欠測率	0.0 %	欠測率	100.0 %

観測所名：|敦賀港本港地区 | 機種：|波高 USW - 19 m 波向

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	角度
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	
01	00	0.78	8.0	* 0.59	7.6	* 0.47	7.5	0.29	5.6		
	02	* 0.80	7.3	0.58	7.6	0.45	7.2	* 0.29	5.8		
	04	0.64	6.8	0.48	7.4	0.37	7.4	0.24	5.9		
	06	0.55	7.9	0.46	6.8	0.37	7.1	0.23	5.4		
	08	0.44	10.1	0.38	7.1	0.32	7.4	0.20	5.8		
	10	0.53	8.9	0.38	7.6	0.30	7.2	0.18	5.5		
	12	0.42	7.5	0.37	7.2	0.30	7.4	0.19	6.1		
	14	0.39	7.7	0.34	6.8	0.28	6.9	0.18	5.8		
	16	0.47	6.2	0.34	6.7	0.28	6.7	0.18	5.4		
	18	0.41	5.8	0.30	6.6	0.24	6.5	0.15	5.7		
	20	0.31	7.8	0.25	7.3	0.19	7.2	0.12	5.9		
	22	0.28	6.9	0.21	7.3	0.16	7.2	0.10	5.5		
	最大	0.80	7.3	0.59	7.6	0.47	7.5	0.29	5.8		
	平均	0.50	7.6	0.39	7.2	0.31	7.1	0.20	5.7		
02	00	0.26	6.8	0.21	7.4	0.17	7.3	0.11	5.1		
	02	0.26	7.7	0.19	7.3	0.16	7.1	0.10	4.8		
	04	0.28	6.5	0.21	6.8	0.17	6.9	0.11	5.4		
	06	0.40	5.9	0.30	5.8	0.24	5.4	0.15	4.1		
	08	0.77	7.0	0.48	6.9	0.39	6.7	0.25	5.9		
	10	0.72	4.7	0.58	6.9	0.47	6.7	0.29	5.0		
	12	* 0.77	7.6	0.49	7.1	0.39	7.0	0.24	5.2		
	14	0.59	8.2	0.46	7.0	0.38	6.8	0.24	5.3		
	16	0.52	7.3	0.45	7.2	0.37	7.2	0.24	6.1		
	18	0.57	7.2	0.38	6.7	0.31	6.5	0.21	5.4		
	20	0.70	5.2	0.54	5.4	0.43	4.8	0.28	3.5		
	22	0.76	6.2	* 0.62	6.5	* 0.49	5.6	* 0.31	3.8		
	最大	0.77	7.6	0.62	6.5	0.49	5.6	0.31	3.8		
	平均	0.55	6.7	0.41	6.8	0.33	6.5	0.21	5.0		
03	00	0.90	7.1	0.68	6.8	0.54	6.2	0.35	4.3		
	02	0.96	6.6	0.75	6.6	0.57	6.2	0.35	4.1		
	04	0.73	8.2	0.64	7.3	0.49	7.0	0.29	4.8		
	06	0.96	6.6	0.68	7.2	0.53	6.8	0.32	4.8		
	08	0.90	6.2	0.65	6.6	0.51	6.8	0.33	5.7		
	10	0.65	7.1	0.49	7.6	0.40	7.4	0.25	6.0		
	12	0.83	6.5	0.54	7.3	0.44	7.4	0.28	6.3		
	14	1.29	6.0	1.03	5.5	0.82	5.3	0.51	4.0		
	16	* 1.63	7.6	1.13	5.3	0.92	5.0	0.60	4.0		
	18	1.47	6.1	* 1.25	6.2	* 0.98	5.5	* 0.63	4.3		
	20	1.08	5.4	0.87	5.4	0.71	5.0	0.46	3.8		
	22	1.17	4.1	0.96	5.9	0.77	5.6	0.48	4.1		
	最大	1.63	7.6	1.25	6.2	0.98	5.5	0.63	4.3		
	平均	1.05	6.5	0.81	6.5	0.64	6.2	0.40	4.7		
04	00	0.89	8.3	0.70	7.4	0.55	6.8	0.34	4.6		
	02	0.84	7.8	0.70	7.9	0.57	7.4	0.36	5.2		
	04	1.03	7.7	0.71	7.8	0.57	7.6	0.36	6.4		
	06	0.87	8.2	0.58	8.4	0.47	8.5	0.28	6.4		
	08	0.68	8.1	0.53	8.5	0.41	8.3	0.25	6.5		
	10	0.62	8.0	0.48	8.0	0.38	8.2	0.23	6.2		
	12	0.50	8.0	0.36	8.3	0.27	7.0	0.16	3.9		
	14	0.48	8.1	0.36	8.2	0.27	7.8	0.16	5.2		
	16	0.45	8.3	0.31	8.2	0.24	8.0	0.14	4.9		
	18	0.44	4.6	0.35	6.4	0.29	6.4	0.18	4.6		
	20	1.30	8.3	1.05	6.7	0.84	5.6	0.52	4.0		
	22	* 1.47	6.2	* 1.23	6.5	* 0.98	6.1	* 0.63	4.1		
	最大	1.47	6.2	1.23	6.5	0.98	6.1	0.63	4.1		

	平均	0.80	7.6	0.61	7.7	0.49	7.3	0.30	5.2	
05	00	1.79	6.5	1.30	7.6	0.98	6.6	0.61	4.6	
	02	1.51	9.2	1.27	8.4	1.00	7.0	0.61	4.8	
	04	1.52	7.4	1.15	7.7	0.91	7.2	0.57	4.9	
	06	1.65	7.5	1.26	8.3	1.01	7.7	0.62	5.1	
	08	1.19	9.3	0.99	8.8	0.78	9.1	0.48	6.6	
	10	1.30	8.2	0.89	8.6	0.70	8.7	0.45	6.5	
	12	1.13	8.8	0.90	8.8	0.72	8.6	0.45	6.3	
	14	1.26	9.0	0.92	8.9	0.73	8.3	0.45	5.8	
	16	1.43	10.1	0.95	9.6	0.72	8.3	0.42	5.5	
	18	1.50	9.7	1.12	9.3	0.91	8.9	0.54	6.1	
	20	* 1.88	8.3	* 1.53	10.0	* 1.20	9.4	* 0.74	6.9	
	22	1.40	8.8	1.23	8.9	1.06	9.0	0.65	6.6	
	最大	1.88	8.3	1.53	10.0	1.20	9.4	0.74	6.9	
	平均	1.46	8.6	1.13	8.7	0.89	8.2	0.55	5.8	
06	00	* 2.13	7.7	* 1.75	6.9	* 1.37	6.4	* 0.89	4.7	
	02	1.44	9.6	1.15	9.4	0.92	8.8	0.58	6.1	
	04	1.30	10.0	1.04	9.0	0.81	9.1	0.50	6.9	
	06	1.17	10.2	0.86	10.2	0.72	9.3	0.45	7.0	
	08	1.20	10.0	0.89	9.6	0.72	9.1	0.46	7.1	
	10	1.11	7.4	0.84	8.8	0.67	8.3	0.41	6.5	
	12	1.09	7.6	0.91	7.7	0.73	7.6	0.46	6.3	
	14	1.00	8.4	0.79	7.2	0.61	6.5	0.36	4.3	
	16	1.39	7.8	0.74	7.4	0.58	7.2	0.35	5.2	
	18	0.96	7.6	0.69	7.5	0.54	7.3	0.32	5.1	
	20	0.75	8.0	0.60	6.6	0.50	6.6	0.32	5.0	
	22	0.78	6.9	0.54	6.7	0.44	6.7	0.27	5.2	
	最大	2.13	7.7	1.75	6.9	1.37	6.4	0.89	4.7	
	平均	1.19	8.4	0.90	8.1	0.72	7.7	0.45	5.8	
07	00	0.59	7.7	* 0.48	7.0	0.37	6.1	0.23	4.0	
	02	0.62	6.8	0.47	7.0	* 0.38	6.7	* 0.25	5.6	
	04	0.57	5.4	0.47	6.3	0.38	6.4	0.24	5.5	
	06	0.44	5.7	0.38	6.3	0.32	6.3	0.20	5.1	
	08	* 0.65	6.0	0.39	6.3	0.31	6.3	0.20	5.6	
	10	0.41	6.1	0.35	6.1	0.28	6.4	0.19	5.8	
	12	0.34	5.6	0.28	6.5	0.23	6.4	0.15	5.5	
	14	0.38	6.7	0.29	7.0	0.24	6.9	0.15	5.5	
	16	0.43	6.4	0.32	6.4	0.26	6.6	0.16	5.7	
	18	0.39	6.3	0.29	6.3	0.23	6.3	0.14	5.3	
	20	0.36	6.4	0.31	6.0	0.24	6.2	0.15	5.3	
	22	0.36	6.1	0.30	5.7	0.23	5.8	0.15	4.9	
	最大	0.65	6.0	0.48	7.0	0.38	6.7	0.25	5.6	
	平均	0.46	6.3	0.36	6.4	0.29	6.4	0.18	5.3	
08	00	0.35	6.0	0.31	6.1	0.25	6.2	0.16	5.4	
	02	0.41	6.2	0.30	6.9	0.23	6.5	0.14	5.0	
	04	0.38	7.1	0.33	6.4	0.25	6.1	0.16	4.8	
	06	0.41	6.4	0.32	6.3	0.26	6.3	0.17	4.9	
	08	0.48	7.2	0.39	6.8	0.31	6.6	0.21	5.7	
	10	0.68	7.0	0.47	7.1	0.38	7.0	0.24	5.7	
	12	0.63	6.8	0.49	6.8	0.40	6.9	0.26	5.6	
	14	0.70	6.9	0.56	7.2	0.46	7.2	0.29	5.5	
	16	0.78	7.8	0.61	7.4	0.49	7.4	0.30	5.3	
	18	* 0.85	7.6	* 0.68	7.6	* 0.54	7.2	* 0.32	5.4	
	20	0.71	6.9	0.58	7.5	0.48	7.7	0.31	6.3	
	22	0.64	6.7	0.52	7.1	0.41	7.1	0.26	5.8	
	最大	0.85	7.6	0.68	7.6	0.54	7.2	0.32	5.4	
	平均	0.59	6.9	0.46	6.9	0.37	6.9	0.24	5.5	
09	00	0.64	7.7	0.52	6.8	0.42	7.3	0.27	5.8	
	02	0.68	6.7	0.55	7.5	0.44	6.9	0.26	5.2	
	04	0.83	6.9	0.60	7.4	0.47	7.3	0.28	5.0	
	06	1.00	7.6	0.77	8.0	0.62	7.9	0.39	6.5	
	08	0.96	8.6	0.71	8.3	0.58	8.2	0.36	6.8	
	10	* 1.42	7.0	* 1.08	8.2	* 0.86	8.4	* 0.56	7.2	
	12	1.37	8.4	1.01	8.1	0.80	7.6	0.50	5.9	
	14	1.16	7.9	0.96	7.7	0.75	6.7	0.46	4.5	
	16	1.37	6.7	1.03	6.6	0.76	6.0	0.47	4.3	
	18	1.25	6.0	1.03	7.5	0.80	7.0	0.48	4.9	
	20	0.97	6.5	0.77	7.2	0.62	6.7	0.36	4.4	
	22	1.03	7.1	0.82	7.4	0.66	7.0	0.40	4.9	

	最大	1.42	7.0	1.08	8.2	0.86	8.4	0.56	7.2				
	平均	1.06	7.3	0.82	7.6	0.65	7.3	0.40	5.5				
10	00	1.08	6.3	0.79	7.1	0.63	7.2	0.41	5.9				
	02	1.10	7.6	* 0.97	6.9	* 0.76	6.6	* 0.46	4.7				
	04	1.22	6.2	0.92	6.6	0.69	6.5	0.43	5.0				
	06	1.00	8.1	0.79	7.7	0.63	7.4	0.40	6.0				
	08	1.20	7.1	0.80	8.3	0.63	7.7	0.37	5.5				
	10	1.20	8.3	0.83	8.6	0.65	8.1	0.40	6.3				
	12	1.26	8.3	0.87	7.8	0.68	7.6	0.40	4.9				
	14	1.12	9.5	0.87	7.8	0.69	7.1	0.42	4.6				
	16	1.15	8.4	0.90	7.7	0.74	7.2	* 0.46	4.7				
	18	1.08	8.1	0.83	8.0	0.70	7.9	0.44	5.7				
	20	* 1.27	8.7	0.87	8.4	0.68	7.7	0.41	5.0				
	22	1.00	7.1	0.86	8.5	0.70	8.4	0.45	6.3				
	最大	1.27	8.7	0.97	6.9	0.76	6.6	0.46	4.7				
	平均	1.14	7.8	0.86	7.8	0.68	7.5	0.42	5.4				
	11	00	* 1.20	8.4	* 0.87	8.3	* 0.70	8.1	0.42	5.5			
		02	0.99	8.6	0.80	7.7	0.62	6.6	0.38	4.3			
		04	1.00	7.7	0.79	8.0	0.65	7.1	0.41	5.1			
		06	1.16	7.7	0.86	7.5	0.66	6.8	0.41	4.7			
08		0.98	6.1	0.87	7.5	0.70	7.0	* 0.44	4.8				
10		1.06	5.5	0.84	6.7	0.66	6.3	0.41	4.3				
12		0.87	7.1	0.69	7.5	0.55	6.8	0.34	4.7				
14		0.88	8.4	0.65	7.8	0.50	6.8	0.31	4.8				
16		0.79	7.3	0.62	7.8	0.50	7.4	0.31	5.4				
18		0.65	7.0	0.54	7.1	0.44	7.1	0.27	5.6				
20		0.88	6.9	0.68	7.4	0.53	7.5	0.34	6.1				
22		0.74	7.7	0.65	7.1	0.52	7.4	0.35	6.2				
最大		1.20	8.4	0.87	8.3	0.70	8.1	0.44	4.8				
平均		0.93	7.4	0.74	7.5	0.59	7.1	0.37	5.1				
12		00	0.70	8.0	0.54	7.4	0.44	7.4	0.28	5.8			
		02	0.87	7.0	0.55	7.3	0.44	7.3	0.28	5.6			
		04	0.72	6.5	0.54	7.1	0.45	7.2	0.29	6.2			
		06	0.69	7.0	0.53	7.5	0.42	7.4	0.28	6.6			
	08	0.56	7.7	0.48	7.4	0.40	7.2	0.26	6.3				
	10	0.72	7.8	0.51	7.3	0.41	7.5	0.26	6.3				
	12	0.63	5.9	0.51	7.0	0.40	6.3	0.24	4.3				
	14	0.90	5.9	0.71	4.5	0.58	4.0	0.38	3.1				
	16	1.09	5.1	0.81	5.3	0.66	4.6	0.43	3.5				
	18	1.23	2.5	0.93	4.3	0.76	4.0	0.51	3.4				
	20	1.31	9.1	1.07	8.1	0.84	7.7	0.49	4.7				
	22	* 1.52	7.9	* 1.18	6.7	* 0.94	6.2	* 0.61	4.6				
	最大	1.52	7.9	1.18	6.7	0.94	6.2	0.61	4.6				
	平均	0.91	6.7	0.70	6.7	0.56	6.4	0.36	5.0				
	13	00	1.44	7.6	* 1.08	6.9	0.87	5.9	0.56	4.3			
		02	1.36	4.6	1.07	5.7	* 0.88	5.4	* 0.58	4.2			
		04	1.11	8.5	0.77	6.8	0.62	5.7	0.40	4.2			
		06	1.22	7.0	0.91	6.2	0.73	5.4	0.47	4.0			
08		1.18	8.1	0.90	6.8	0.73	6.2	0.44	4.3				
10		1.08	9.1	0.79	7.7	0.63	7.3	0.40	5.1				
12		1.03	7.5	0.81	6.5	0.65	6.0	0.41	3.9				
14		* 1.59	6.0	0.99	5.7	0.77	5.3	0.49	3.8				
16		1.17	5.9	1.00	5.6	0.82	5.3	0.54	4.0				
18		1.14	6.9	0.88	6.8	0.69	6.2	0.43	4.3				
20		1.10	10.1	0.92	7.7	0.72	6.9	0.44	4.8				
22		1.09	8.2	0.83	7.4	0.64	6.8	0.40	4.8				
最大		1.59	6.0	1.08	6.9	0.88	5.4	0.58	4.2				
平均		1.21	7.5	0.91	6.7	0.73	6.0	0.46	4.3				
14		00	1.06	7.7	0.74	7.8	0.60	7.5	0.39	5.7			
		02	0.90	8.5	0.75	7.9	0.58	7.1	0.38	5.5			
		04	0.72	8.0	0.63	8.0	0.52	7.7	0.34	6.2			
		06	0.88	8.0	0.65	8.2	0.54	8.0	0.35	6.2			
	08	0.88	7.0	0.72	7.7	0.58	7.9	0.35	6.1				
	10	0.84	7.2	0.75	8.4	0.58	8.3	0.37	6.7				
	12	1.11	7.7	0.75	7.8	0.57	7.9	0.34	5.6				
14	0.87	7.7	0.68	7.8	0.55	7.4	0.31	4.6					

15	16	0.95	7.1	0.71	6.6	0.55	5.6	0.35	3.8		
	18	* 1.13	6.3	* 0.82	4.7	* 0.66	4.6	* 0.42	3.6		
	20	0.95	8.1	0.71	7.6	0.60	6.9	0.38	5.0		
	22	0.83	6.7	0.66	7.1	0.55	7.2	0.34	5.6		
	最大	1.13	6.3	0.82	4.7	0.66	4.6	0.42	3.6		
	平均	0.93	7.5	0.71	7.5	0.57	7.2	0.36	5.4		
	00	* 0.89	6.8	0.61	7.9	0.48	7.7	0.30	6.1		
	02	0.75	8.5	0.60	8.3	0.48	8.0	0.29	6.2		
	04	0.78	8.2	* 0.63	8.1	* 0.52	8.0	* 0.32	6.6		
	06	0.75	8.6	0.59	7.4	0.49	7.6	0.30	6.3		
	08	0.64	6.7	0.46	7.7	0.37	7.6	0.24	6.0		
	10	0.59	7.8	0.44	7.6	0.34	7.9	0.22	6.4		
	12	0.64	7.5	0.51	8.0	0.40	7.8	0.24	6.2		
	14	0.53	8.6	0.43	7.9	0.34	7.4	0.21	5.8		
	16	0.47	7.0	0.39	7.5	0.32	7.8	0.21	7.0		
	18	0.42	8.5	0.34	7.5	0.28	7.5	0.17	5.9		
	20	0.69	7.5	0.48	8.1	0.37	8.0	0.24	7.1		
	22	0.47	7.6	0.38	7.8	0.32	7.7	0.22	6.9		
	最大	0.89	6.8	0.63	8.1	0.52	8.0	0.32	6.6		
	平均	0.64	7.8	0.49	7.8	0.39	7.8	0.25	6.4		
16											
	00	0.56	7.6	0.45	7.7	0.36	7.7	0.22	6.2		
	02	0.56	7.5	0.43	8.1	0.34	7.8	0.21	5.9		
	04	0.52	7.3	0.42	7.7	0.33	7.4	0.20	5.7		
	06	0.48	7.5	0.40	7.3	0.34	6.9	0.21	5.3		
	08	0.58	5.5	0.45	6.6	0.36	6.5	0.23	5.1		
	10	* 0.73	6.5	0.54	7.4	0.44	7.1	0.27	5.7		
	12	0.65	7.2	0.50	6.9	0.38	6.9	0.23	5.3		
	14	0.65	6.8	0.50	6.6	0.40	6.4	0.26	4.8		
	16	0.69	7.3	* 0.60	7.1	* 0.48	6.8	* 0.30	5.5		
	18	0.63	7.5	0.57	7.1	0.47	6.9	0.30	5.4		
	20	0.72	7.5	0.56	7.2	0.45	6.9	0.28	5.4		
	22	0.69	7.5	0.52	7.4	0.41	7.3	0.26	5.7		
	最大	0.73	6.5	0.60	7.1	0.48	6.8	0.30	5.5		
	平均	0.62	7.1	0.50	7.3	0.40	7.1	0.25	5.5		
17											
	00	0.71	7.6	0.54	7.8	0.44	8.0	0.27	6.2		
	02	0.50	8.6	0.42	7.5	0.34	7.5	0.21	5.6		
	04	0.52	7.0	0.44	7.7	0.36	7.7	0.22	5.9		
	06	0.67	7.5	0.55	8.0	0.42	8.0	0.25	6.2		
	08	0.58	8.0	0.47	8.0	0.37	8.0	0.23	6.9		
	10	0.49	8.0	0.40	8.0	0.33	7.8	0.21	7.0		
	12	0.91	7.8	0.64	7.8	0.49	7.5	0.29	4.8		
	14	1.37	7.6	1.08	7.5	0.85	6.4	0.52	4.3		
	16	* 1.55	6.6	1.07	7.8	* 0.85	6.8	* 0.53	4.6		
	18	1.46	7.9	* 1.08	8.0	0.83	6.7	0.52	4.4		
	20	1.41	7.9	0.99	8.0	0.78	7.0	0.49	4.5		
	22	1.31	7.6	1.02	8.9	0.79	7.8	0.46	5.0		
	最大	1.55	6.6	1.08	8.0	0.85	6.8	0.53	4.6		
	平均	0.96	7.7	0.73	7.9	0.57	7.4	0.35	5.5		
18											
	00	1.02	11.3	0.80	8.2	0.63	8.1	0.39	5.6		
	02	2.18	4.4	1.49	5.5	1.21	4.9	0.78	4.1		
	04	2.11	4.6	1.78	5.6	* 1.46	5.4	* 0.94	4.5		
	06	* 2.73	8.8	* 1.80	7.0	1.40	6.1	0.87	4.5		
	08	1.81	8.8	1.40	6.6	1.12	6.1	0.73	4.8		
	10	1.35	8.7	0.96	8.2	0.77	7.4	0.47	4.9		
	12	1.27	8.9	0.96	5.7	0.79	5.2	0.52	4.0		
	14	1.18	4.9	0.81	7.3	0.64	5.5	0.41	3.8		
	16	1.18	8.1	0.82	7.7	0.64	6.8	0.40	4.6		
	18	1.57	4.8	1.27	5.0	1.03	5.2	0.68	4.0		
	20	1.75	6.5	1.39	6.7	1.12	5.9	0.75	4.5		
	22	1.59	8.2	1.23	6.3	1.01	5.5	0.66	4.2		
	最大	2.73	8.8	1.80	7.0	1.46	5.4	0.94	4.5		
	平均	1.65	7.3	1.23	6.7	0.99	6.0	0.63	4.5		
19											
	00	1.79	8.3	1.15	5.8	0.94	5.2	0.61	4.2		
	02	1.51	5.4	1.17	5.2	0.94	5.0	0.62	4.1		
	04	1.75	4.4	1.26	6.2	1.00	5.9	0.64	4.3		
	06	1.55	7.5	1.20	5.8	0.99	5.3	0.64	4.1		
	08	1.32	5.0	1.02	5.5	0.85	5.0	0.55	3.9		
	10	* 1.85	5.1	* 1.42	5.5	* 1.14	5.3	0.71	4.1		

	12	1.82	4.1	1.39	5.6	1.13	5.5	* 0.73	4.3	
	14	1.67	6.5	1.22	6.2	0.99	5.5	0.62	4.0	
	16	1.59	6.8	1.05	6.2	0.83	5.8	0.54	4.2	
	18	1.46	8.1	1.02	7.1	0.79	5.9	0.50	4.2	
	20	1.13	8.7	0.87	7.2	0.69	6.8	0.42	4.8	
	22	0.91	7.5	0.69	8.3	0.55	7.0	0.34	4.5	
	最大									
	平均	1.85	5.1	1.42	5.5	1.14	5.3	0.73	4.3	
		1.53	6.5	1.12	6.2	0.90	5.7	0.58	4.2	
20	00	0.77	7.4	0.59	8.2	0.47	7.8	0.29	5.8	
	02	0.74	6.2	0.60	8.1	0.47	7.6	0.29	5.3	
	04	0.68	7.3	0.49	8.3	0.40	7.8	0.25	6.1	
	06	0.66	6.4	0.53	7.7	0.41	7.5	0.26	5.8	
	08	0.65	7.1	0.51	7.2	0.40	7.6	0.27	6.3	
	10	0.72	7.2	0.48	7.1	0.38	7.1	0.24	6.0	
	12	0.58	8.4	0.47	7.4	0.39	7.7	0.25	6.2	
	14	0.59	7.7	0.43	7.0	0.35	7.0	0.22	5.8	
	16	0.87	6.9	0.57	6.2	0.44	6.2	0.28	5.0	
	18	* 0.90	5.5	* 0.63	4.7	* 0.50	4.4	* 0.32	3.5	
	20	0.38	7.1	0.33	6.9	0.26	6.5	0.16	4.5	
	22	0.48	7.6	0.33	7.5	0.27	7.2	0.18	5.7	
	最大									
	平均	0.90	5.5	0.63	4.7	0.50	4.4	0.32	3.5	
		0.67	7.1	0.50	7.2	0.40	7.0	0.25	5.5	
21	00	0.46	7.7	0.31	7.2	0.24	7.1	0.15	5.4	
	02	0.43	7.2	0.28	7.3	0.23	6.9	0.14	5.1	
	04	0.35	8.7	0.29	6.9	0.24	6.7	0.16	5.4	
	06	0.40	6.7	0.32	6.8	0.25	6.9	* 0.16	5.9	
	08	* 0.47	6.1	* 0.34	6.6	* 0.26	6.6	0.16	5.7	
	10	0.29	7.5	0.24	7.2	0.18	7.2	0.11	5.5	
	12	0.29	8.0	0.22	7.4	0.18	7.4	0.11	5.7	
	14	0.23	8.1	0.17	7.6	0.14	7.4	0.08	5.2	
	16	0.31	6.9	0.25	7.4	0.19	6.9	0.12	5.6	
	18	0.38	6.9	0.27	7.0	0.21	7.3	0.13	5.8	
	20	0.34	6.7	0.27	7.0	0.22	7.2	0.14	6.1	
	22	0.32	7.9	0.28	6.8	0.22	6.1	0.13	4.0	
	最大									
	平均	0.47	6.1	0.34	6.6	0.26	6.6	0.16	5.9	
		0.36	7.4	0.27	7.1	0.21	7.0	0.13	5.5	
22	00	1.14	3.3	0.89	4.2	0.74	4.1	0.48	3.4	
	02	1.94	4.2	1.26	6.0	1.01	5.0	0.66	3.9	
	04	1.56	10.1	1.23	7.5	1.01	6.3	0.63	4.4	
	06	1.23	8.8	0.98	8.6	0.78	8.3	0.47	5.9	
	08	1.06	9.3	0.84	9.5	0.66	9.4	0.40	6.6	
	10	2.07	3.6	1.62	4.8	1.34	4.8	0.87	4.1	
	12	2.23	4.3	1.80	6.9	1.44	6.7	0.92	4.9	
	14	* 2.38	6.0	* 1.82	7.3	* 1.47	6.8	* 0.95	5.1	
	16	1.56	5.5	1.06	6.2	0.85	6.1	0.56	4.5	
	18	1.20	7.6	0.92	7.7	0.71	5.8	0.45	4.0	
	20	1.44	9.0	1.10	5.9	0.86	5.2	0.55	4.0	
	22	1.26	5.2	1.00	6.8	0.79	5.8	0.50	4.1	
	最大									
	平均	2.38	6.0	1.82	7.3	1.47	6.8	0.95	5.1	
		1.59	6.4	1.21	6.8	0.97	6.2	0.62	4.6	
23	00	1.17	8.9	* 0.94	6.9	0.76	6.3	0.48	4.8	
	02	0.88	7.5	0.73	8.5	0.59	7.9	0.37	5.2	
	04	0.97	9.4	0.82	8.8	0.63	7.7	0.38	5.2	
	06	1.03	8.1	0.76	7.2	0.58	6.9	0.35	4.8	
	08	1.18	5.5	0.94	6.8	* 0.76	7.1	* 0.49	5.2	
	10	1.04	8.6	0.75	8.0	0.59	7.5	0.36	5.1	
	12	1.04	7.4	0.68	8.4	0.55	8.0	0.35	5.9	
	14	0.89	9.0	0.68	8.3	0.54	8.1	0.33	5.5	
	16	0.87	7.3	0.60	7.7	0.48	7.4	0.29	5.2	
	18	0.88	7.6	0.70	8.2	0.55	7.8	0.32	5.1	
	20	0.88	8.3	0.73	7.6	0.60	7.5	0.39	5.6	
	22	* 1.27	6.1	0.89	6.5	0.72	6.2	0.46	4.8	
	最大									
	平均	1.27	6.1	0.94	6.9	0.76	7.1	0.49	5.2	
		1.01	7.8	0.77	7.7	0.61	7.4	0.38	5.2	
24	00	0.97	8.2	0.79	7.2	0.64	7.1	0.40	5.2	
	02	1.05	5.1	0.76	6.8	0.60	5.9	0.39	4.2	

	04		1.54	6.8	0.96	5.4	0.77	4.8	0.49	3.7	
	06		1.36	5.3	0.95	5.1	0.78	4.7	0.50	3.9	
	08		1.32	7.6	1.05	6.7	0.85	5.9	0.53	4.2	
	10		1.43	8.1	1.10	5.6	0.88	5.0	0.56	3.8	
	12		* 1.65	4.2	* 1.31	5.6	* 1.06	5.4	* 0.68	4.1	
	14		1.38	6.2	1.01	6.1	0.81	5.6	0.51	4.1	
	16		1.18	6.2	0.88	5.4	0.72	4.8	0.46	3.7	
	18		0.87	7.6	0.69	6.1	0.57	5.7	0.37	4.2	
	20		1.00	7.0	0.68	6.8	0.53	6.4	0.33	4.4	
	22		0.86	7.6	0.60	7.9	0.47	7.6	0.29	5.4	
	最大		1.65	4.2	1.31	5.6	1.06	5.4	0.68	4.1	
	平均		1.22	6.7	0.90	6.2	0.72	5.7	0.46	4.2	
25	00		* 0.73	8.4	0.52	7.6	0.40	7.3	0.24	4.9	
	02		0.55	7.1	0.43	7.0	0.34	6.9	0.21	5.5	
	04		0.51	8.0	0.42	7.4	0.34	7.3	0.22	5.9	
	06		0.46	6.8	0.38	6.6	0.30	6.9	0.20	6.0	
	08		0.41	7.6	0.33	7.5	0.26	7.4	0.16	5.6	
	10		0.39	5.4	0.30	6.7	0.23	6.8	0.15	5.5	
	12		0.36	6.5	0.28	7.2	0.21	7.3	0.13	5.5	
	14		0.41	6.9	0.28	7.6	0.22	7.3	0.14	5.5	
	16		0.38	6.8	0.28	7.2	0.23	7.1	0.14	5.4	
	18		0.31	6.9	0.26	7.6	0.22	7.5	0.14	6.1	
	20		0.47	8.1	0.36	7.7	0.29	7.7	0.18	6.5	
	22		0.71	8.2	* 0.56	8.7	* 0.44	8.6	* 0.28	6.6	
	最大		0.73	8.4	0.56	8.7	0.44	8.6	0.28	6.6	
	平均		0.47	7.2	0.37	7.4	0.29	7.3	0.18	5.8	
26	00		0.88	6.4	0.74	7.8	0.59	7.2	0.37	5.1	
	02		1.51	7.1	1.13	6.3	0.89	5.5	0.55	4.0	
	04		1.15	9.9	0.86	7.3	0.70	6.1	0.45	4.3	
	06		1.20	5.2	0.87	6.6	0.70	5.9	0.46	4.3	
	08		* 1.87	6.2	* 1.29	5.7	* 1.01	5.3	* 0.66	4.2	
	10		1.30	5.4	1.05	7.1	0.85	6.5	0.54	4.5	
	12		1.45	6.4	1.12	6.3	0.89	5.2	0.58	4.0	
	14		1.80	3.2	1.09	5.8	0.86	5.3	0.56	4.1	
	16		1.21	6.7	0.91	6.8	0.76	6.4	0.49	4.4	
	18		1.19	7.0	0.89	7.3	0.69	5.9	0.43	4.2	
	20		0.94	4.3	0.74	6.7	0.59	5.7	0.38	4.0	
	22		1.48	4.8	1.10	5.3	0.91	5.1	0.59	4.1	
	最大		1.87	6.2	1.29	5.7	1.01	5.3	0.66	4.2	
	平均		1.33	6.1	0.98	6.6	0.79	5.8	0.51	4.3	
27	00		1.06	4.2	0.92	5.6	0.77	5.0	0.50	3.8	
	02		0.99	6.9	0.75	5.4	0.60	5.2	0.38	3.8	
	04		0.96	7.6	0.70	7.1	0.56	5.9	0.36	4.2	
	06		0.87	7.4	0.63	6.8	0.50	6.1	0.31	4.2	
	08		0.94	7.2	0.78	6.3	0.62	5.4	0.40	3.9	
	10		1.04	6.5	0.80	5.2	0.64	4.6	0.41	3.6	
	12		1.23	3.6	0.93	4.4	0.75	4.5	0.49	3.6	
	14		1.08	6.3	0.80	5.4	0.65	4.9	0.44	3.7	
	16		1.27	5.7	1.02	4.6	0.83	4.7	0.54	3.8	
	18		* 1.31	4.0	* 1.09	4.8	* 0.89	4.9	* 0.56	3.9	
	20		1.03	7.2	0.75	6.2	0.61	5.4	0.38	3.9	
	22		0.90	7.4	0.62	7.5	0.48	6.3	0.31	4.1	
	最大		1.31	4.0	1.09	4.8	0.89	4.9	0.56	3.9	
	平均		1.06	6.2	0.82	5.8	0.66	5.2	0.42	3.9	
28	00		0.88	7.1	0.68	7.0	0.54	6.0	0.35	4.3	
	02		0.86	5.6	0.66	7.3	0.50	5.8	0.31	3.9	
	04		0.79	5.6	0.62	6.1	0.51	5.3	0.32	3.8	
	06		1.11	6.7	* 0.80	6.1	* 0.63	5.3	* 0.39	3.9	
	08		0.95	6.9	0.75	5.8	0.59	4.8	0.37	3.6	
	10		1.07	5.8	0.76	5.6	0.60	5.0	0.38	3.7	
	12		0.88	7.1	0.69	5.9	0.55	5.2	0.34	3.8	
	14		0.94	7.5	0.69	6.1	0.54	5.5	0.35	4.0	
	16		* 1.11	6.8	0.75	6.0	0.58	5.7	0.37	4.0	
	18		0.89	5.9	0.69	5.9	0.55	5.5	0.35	4.0	
	20		0.83	7.8	0.54	6.8	0.43	6.2	0.27	4.2	
	22		0.80	7.0	0.59	6.4	0.47	6.2	0.29	4.2	
	最大		1.11	6.8	0.80	6.1	0.63	5.3	0.39	3.9	

	平均	0.93	6.7	0.69	6.3	0.54	5.5	0.34	4.0	
29	00	* 0.75	7.0	* 0.53	6.7	* 0.45	6.5	* 0.29	5.3	
	02	0.71	6.9	0.53	6.0	0.41	5.5	0.26	3.6	
	04	0.61	6.2	0.43	6.7	0.33	5.9	0.20	4.0	
	06	0.55	5.5	0.43	6.2	0.35	5.6	0.22	3.9	
	08	0.63	6.2	0.48	6.1	0.38	5.8	0.23	4.1	
	10	0.54	7.4	0.38	6.4	0.31	6.3	0.19	4.4	
	12	0.59	6.3	0.45	6.5	0.36	5.8	0.22	3.8	
	14	0.49	5.8	0.40	6.3	0.31	6.0	0.19	4.0	
	16	0.55	6.7	0.40	6.7	0.31	6.5	0.20	5.1	
	18	0.44	7.0	0.33	7.0	0.27	6.8	0.17	5.2	
	20	0.47	7.6	0.37	6.6	0.30	6.6	0.19	5.6	
	22	0.39	6.4	0.32	6.7	0.26	6.6	0.17	5.7	
	最大	0.75	7.0	0.53	6.7	0.45	6.5	0.29	5.3	
	平均	0.56	6.6	0.42	6.5	0.34	6.2	0.21	4.6	
30	00	0.35	6.6	0.28	6.3	0.24	6.5	0.16	5.4	
	02	0.47	6.0	0.31	6.7	0.24	6.7	0.15	5.5	
	04	0.33	6.6	0.26	7.0	0.22	6.9	0.14	5.7	
	06	0.35	6.5	0.26	6.5	0.20	6.5	0.12	5.1	
	08	0.36	6.6	0.27	7.1	0.21	6.9	0.13	5.5	
	10	0.32	7.6	0.30	7.1	0.25	7.0	0.16	6.1	
	12	0.34	7.8	0.27	7.1	0.22	6.8	0.14	5.4	
	14	0.77	5.7	0.54	5.5	0.42	5.3	0.27	4.6	
	16	0.73	6.1	0.60	5.7	0.47	6.0	0.31	4.8	
	18	0.90	5.9	0.63	6.3	0.50	6.4	0.33	5.7	
	20	1.05	7.2	0.81	7.0	0.65	6.7	0.41	5.4	
	22	* 2.11	5.5	* 1.32	5.4	* 1.07	5.2	* 0.70	4.1	
	最大	2.11	5.5	1.32	5.4	1.07	5.2	0.70	4.1	
	平均	0.67	6.5	0.49	6.5	0.39	6.4	0.25	5.3	
31	00	1.38	8.1	1.17	7.2	0.95	6.4	0.59	4.6	
	02	1.28	7.7	1.05	7.0	0.87	6.3	0.56	4.4	
	04	* 1.76	6.5	* 1.23	6.2	* 0.96	5.6	* 0.62	4.3	
	06	1.16	7.5	0.89	6.8	0.68	5.6	0.42	4.0	
	08	1.00	8.2	0.77	6.6	0.61	5.4	0.38	3.8	
	10	0.82	9.8	0.66	6.8	0.53	5.5	0.34	3.9	
	12	0.95	6.0	0.70	6.5	0.56	5.3	0.35	3.7	
	14	0.87	6.7	0.65	6.6	0.51	5.9	0.32	4.0	
	16	0.81	7.4	0.55	6.4	0.44	5.5	0.28	3.8	
	18	0.77	6.6	0.53	7.5	0.42	6.9	0.27	5.0	
	20	0.84	7.2	0.58	7.0	0.45	6.7	0.27	4.5	
	22	0.64	8.0	0.51	7.0	0.41	7.0	0.26	4.9	
	最大	1.76	6.5	1.23	6.2	0.96	5.6	0.62	4.3	
	平均	1.02	7.5	0.77	6.8	0.62	6.0	0.39	4.2	
	月最大	2.73	8.8	1.82	7.3	1.47	6.8	0.95	5.1	
	起時	1806		2214		2214		2214		
	平均	0.94	7.1	0.71	7.1	0.57	6.7	0.36	5.0	

* は日最大波高を示す