

波浪整理表（1）

2020年 1月						波 高		波 向			
						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	347 回		
						欠測回数	0 回	欠測回数	25 回		
機種：波向 海象計 - 50.0m - 52.0 m						欠 測 率	0.0 %	欠 測 率	6.7 %		
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m			緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
05	00	1.34	5.1	2.18	6.1	2.76	5.9	3.46	6.3	NW	319
	02	1.69	5.8	* 2.67	7.0	* 3.42	6.9	* 4.78	6.8	NNW	331
	04	1.63	5.6	2.55	6.7	3.12	7.0	3.90	7.2	NW	319
	06	1.60	5.9	2.50	6.8	3.14	6.6	3.74	6.2	NW	319
	08	1.57	5.9	2.56	7.3	3.29	7.2	3.80	7.6	WNW	290
	10	* 1.71	6.3	2.58	7.2	3.22	7.0	4.64	7.3	NW	323
	12	1.46	5.7	2.42	7.4	3.09	7.3	4.08	6.7	NNW	331
	14	1.61	6.0	2.60	7.3	3.22	7.5	4.10	7.4	NNW	327
	16	1.49	6.0	2.47	7.9	2.99	7.8	3.69	7.0	NW	323
	18	1.44	6.1	2.34	7.5	2.98	7.4	3.88	7.5	NW	323
	20	1.38	5.9	2.24	7.3	2.89	7.2	3.67	7.8	NW	315
	22	1.39	6.1	2.15	7.4	2.65	7.3	3.33	7.6	NNW	327
最大 平均	1.71 1.53	6.3 5.9	2.67 2.44	7.0 7.2	3.42 3.06	6.9 7.1	4.78 3.92	6.8 7.1			
06	00	* 1.16	6.1	* 1.82	7.4	* 2.28	7.4	* 2.85	7.2	NW	323
	02	1.04	5.6	1.72	7.1	2.09	7.2	2.41	7.1	NW	323
	04	0.99	5.9	1.57	7.5	1.91	7.3	2.60	7.7	NW	315
	06	1.01	6.2	1.56	7.4	1.93	7.4	2.40	7.4	欠測	欠測
	08	0.91	5.9	1.47	7.3	1.93	7.2	2.65	6.4	NNW	331
	10	0.90	6.0	1.39	7.4	1.70	7.4	1.93	7.8	NW	315
	12	0.87	6.0	1.38	7.4	1.74	7.4	2.19	7.4	NNW	335
	14	0.88	5.9	1.40	7.0	1.84	6.8	2.65	6.9	NW	315
	16	0.89	6.0	1.39	7.2	1.66	7.5	1.94	6.4	NNE	29
	18	0.90	6.1	1.38	7.2	1.71	7.2	2.46	6.3	NW	323
	20	0.73	5.6	1.16	6.8	1.48	6.8	1.92	6.0	NNW	335
	22	0.62	5.6	0.96	6.8	1.16	6.6	1.45	6.2	NNW	331
最大 平均	1.16 0.91	6.1 5.9	1.82 1.43	7.4 7.2	2.28 1.79	7.4 7.2	2.85 2.29	7.2 6.9			
07	00	0.58	5.4	0.92	6.8	1.14	6.9	1.46	5.7	NNE	16
	02	* 0.67	6.1	* 1.02	7.1	1.26	6.8	1.63	7.0	NNE	16
	04	0.62	5.8	0.98	7.0	* 1.27	7.0	* 1.81	7.9	NNE	33
	06	0.55	5.5	0.92	6.9	1.16	7.0	1.58	6.6	N	8
	08	0.57	5.5	0.93	6.6	1.21	6.7	1.70	6.8	NNE	12
	10	0.58	5.3	0.94	6.7	1.15	6.5	1.43	7.2	NNE	25
	12	0.54	5.2	0.87	6.5	1.09	6.7	1.35	6.9	NNE	29
	14	0.48	5.1	0.75	6.1	0.94	6.3	1.22	5.7	N	8
	16	0.43	4.7	0.69	6.5	0.87	6.8	1.06	6.7	NNE	20
	18	0.45	4.7	0.71	6.1	0.91	6.5	1.24	6.1	NNE	25
	20	0.47	4.9	0.73	6.5	0.91	7.4	1.24	7.0	NNE	29
	22	0.48	4.6	0.75	5.9	0.92	6.6	1.33	6.5	NNE	25
最大 平均	0.67 0.54	6.1 5.2	1.02 0.85	7.1 6.6	1.27 1.07	7.0 6.8	1.81 1.42	7.9 6.7			
08	00	0.50	4.9	0.76	5.9	0.94	6.0	1.23	6.0	NE	53
	02	0.56	5.1	0.86	6.0	1.06	6.2	1.23	4.8	NE	49
	04	0.51	5.0	0.80	6.3	0.99	6.5	1.20	5.7	欠測	欠測
	06	0.63	5.1	0.97	6.1	1.23	6.2	1.87	5.9	NE	53
	08	0.60	4.9	0.96	5.9	1.22	5.9	1.90	5.9	NE	45
	10	0.80	4.6	1.24	5.6	1.50	5.7	2.10	6.3	NNE	25
	12	1.32	5.2	2.16	6.3	2.78	6.7	3.38	6.4	W	266
	14	1.86	6.7	2.91	8.0	3.70	7.7	5.69	8.3	W	278
	16	2.59	7.8	4.46	10.4	5.81	10.5	7.05	8.8	欠測	欠測
	18	* 3.08	8.8	* 5.18	12.4	* 6.30	11.9	7.62	9.0	WNW	290
	20	2.81	8.2	4.45	11.0	5.67	11.4	* 7.96	11.0	WNW	295
	22	2.23	6.5	3.61	8.5	4.58	8.6	6.28	10.0	WNW	299
最大 平均	3.08 1.46	8.8 6.1	5.18 2.36	12.4 7.7	6.30 2.98	11.9 7.8	7.96 3.96	11.0 7.3			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 1月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	* 3.32	8.1	* 4.83	9.4	* 5.83	9.3	* 7.53	9.2	NNW	335
	02	2.69	7.2	4.30	9.5	5.42	10.1	6.66	10.6	WNW	286
	04	2.29	7.3	3.61	9.5	4.64	9.4	6.03	9.3	NNE	12
	06	2.21	7.4	3.55	9.3	4.44	9.7	6.08	9.4	NNE	25
	08	1.86	7.0	3.08	9.3	4.05	9.8	5.28	10.2	NNE	25
	10	1.79	7.5	2.95	9.3	3.73	9.8	4.98	9.4	NNE	16
	12	1.80	7.6	2.80	9.4	3.42	9.3	4.08	9.3	NNE	25
	14	1.61	7.1	2.56	8.4	3.13	8.1	4.00	9.5	NNE	25
	16	1.43	6.8	2.35	8.8	3.07	8.5	3.80	7.7	NNE	25
	18	1.51	7.1	2.34	8.3	2.91	7.8	4.24	8.3	NNE	33
	20	1.19	6.3	1.90	7.8	2.42	7.9	3.57	8.3	NNE	25
	22	1.00	5.7	1.65	7.4	2.05	7.7	2.52	7.3	NNE	12
	最大	3.32	8.1	4.83	9.4	5.83	9.3	7.53	9.2		
	平均	1.89	7.1	2.99	8.9	3.76	8.9	4.90	9.0		
10	00	* 1.00	5.6	* 1.55	6.9	* 1.91	6.8	* 2.68	7.1	NNE	25
	02	0.87	5.4	1.35	7.3	1.60	7.7	1.85	6.8	NNE	16
	04	0.84	5.4	1.36	7.0	1.66	6.9	2.20	7.6	NNE	29
	06	0.88	5.4	1.45	7.0	1.82	7.2	2.33	7.9	NNE	25
	08	0.95	5.7	1.50	7.0	1.84	7.3	2.31	7.3	欠測	欠測
	10	0.89	5.5	1.41	6.7	1.73	7.1	2.08	6.9	N	8
	12	0.86	5.5	1.39	6.7	1.75	7.2	2.50	7.0	NNW	335
	14	0.97	5.9	1.51	7.0	1.86	7.2	2.19	7.5	NNE	12
	16	0.88	5.8	1.39	6.9	1.72	7.2	2.05	6.4	WNW	282
	18	0.86	5.9	1.30	6.9	1.61	7.1	1.97	7.2	NNE	20
	20	0.73	5.8	1.15	6.8	1.43	6.7	1.74	6.8	NW	323
	22	0.63	5.6	0.99	6.7	1.25	7.0	1.71	7.2	NNW	327
	最大	1.00	5.6	1.55	6.9	1.91	6.8	2.68	7.1		
	平均	0.86	5.6	1.36	6.9	1.68	7.1	2.13	7.1		
11	00	0.57	5.2	0.89	6.6	1.05	6.5	1.30	6.8	WNW	282
	02	0.57	5.4	0.92	6.5	1.14	6.5	1.64	6.6	NNW	335
	04	0.59	5.5	0.91	6.5	1.12	6.7	1.50	6.2	NW	319
	06	0.60	5.0	0.94	6.0	1.17	6.1	1.52	6.3	NW	315
	08	0.46	4.8	0.75	5.9	0.93	5.9	1.18	5.5	NW	323
	10	0.46	5.1	0.72	6.2	0.93	6.2	1.22	6.1	NW	323
	12	0.53	4.2	0.85	5.1	1.07	4.9	1.40	4.7	欠測	欠測
	14	0.86	4.8	1.32	5.4	1.62	5.5	2.06	5.8	NE	45
	16	0.84	4.7	1.33	5.6	1.68	5.5	2.38	5.5	欠測	欠測
	18	* 0.96	4.8	1.47	5.5	1.79	5.4	2.16	6.1	WNW	293
	20	0.95	4.9	* 1.52	5.9	* 1.90	6.0	* 2.45	6.4	NW	311
	22	0.81	4.9	1.33	5.8	1.64	5.9	2.35	6.1	NNW	335
	最大	0.96	4.8	1.52	5.9	1.90	6.0	2.45	6.4		
	平均	0.68	4.9	1.08	5.9	1.34	5.9	1.76	6.0		
12	00	* 0.74	5.1	* 1.14	5.8	* 1.42	5.9	1.87	6.2	NNW	335
	02	0.66	4.9	1.04	5.8	1.29	5.9	1.72	5.9	WNW	303
	04	0.63	4.6	1.02	5.6	1.26	5.6	1.67	5.2	NE	47
	06	0.58	4.7	0.93	5.6	1.14	5.5	1.50	5.7	N	9
	08	0.56	4.9	0.89	5.7	1.10	5.8	1.64	5.8	NW	315
	10	0.53	4.7	0.85	5.7	1.06	5.8	1.28	6.5	N	352
	12	0.59	5.0	0.99	6.5	1.27	6.7	* 1.99	6.7	NW	323
	14	0.63	5.5	1.03	6.8	1.33	6.6	1.83	6.2	NW	323
	16	0.62	5.3	1.01	6.7	1.26	7.0	1.49	7.1	NW	311
	18	0.71	5.9	1.11	7.1	1.40	7.0	1.88	6.2	NW	319
	20	0.65	5.8	1.02	7.0	1.20	7.1	1.49	7.8	NW	323
	22	0.66	5.6	1.01	7.0	1.22	6.5	1.52	5.6	NNW	327
	最大	0.74	5.1	1.14	5.8	1.42	5.9	1.99	6.7		
	平均	0.63	5.2	1.00	6.3	1.25	6.3	1.66	6.2		

*は日最大波高、波向欄の空白は欠測を示す

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 1月						波 高		波 向			
						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	347 回		
						欠測回数	0 回	欠測回数	25 回		
						欠 測 率	0.0 %	欠 測 率	6.7 %		
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
21	00	1.98	6.2	3.10	7.4	3.89	7.6	4.86	6.6	W	278
	02	* 2.09	6.6	* 3.31	7.8	* 4.08	7.7	* 5.44	8.3	WNW	286
	04	1.93	6.3	3.07	7.9	3.84	7.7	5.27	7.4	NW	319
	06	1.56	5.9	2.57	7.6	3.30	7.4	4.31	6.8	WNW	286
	08	1.64	5.8	2.57	7.5	3.19	7.4	4.22	7.1	WNW	295
	10	1.70	5.9	2.78	7.2	3.50	7.4	4.46	5.9	NW	307
	12	1.90	6.2	2.99	7.4	3.70	7.3	4.82	7.8	NNW	327
	14	1.77	6.4	2.67	7.5	3.31	7.4	4.24	8.1	NNW	327
	16	1.67	6.7	2.66	8.0	3.43	7.9	4.91	7.6	NW	315
	18	1.54	6.7	2.49	7.8	3.08	8.0	4.48	7.6	NNW	327
	20	1.28	6.4	2.02	7.7	2.58	7.8	3.08	7.5	NW	319
	22	1.22	6.2	1.92	7.9	2.33	7.5	3.03	6.8	NNW	335
最大 平均	2.09 1.69	6.6 6.3	3.31 2.68	7.8 7.6	4.08 3.35	7.7 7.6	5.44 4.43	8.3 7.3			
22	00	* 1.11	6.5	* 1.79	7.7	* 2.14	8.0	2.42	7.3	NW	323
	02	1.04	6.6	1.63	7.7	2.00	7.8	* 2.73	7.3	NW	323
	04	1.09	7.0	1.64	7.7	2.03	7.7	2.54	8.0	NW	319
	06	0.91	6.4	1.45	7.4	1.81	7.4	2.33	8.1	NNW	335
	08	0.90	6.3	1.48	7.3	1.92	7.3	2.24	7.2	NNE	12
	10	0.69	5.7	1.10	7.0	1.39	7.2	1.85	6.8	NW	311
	12	0.81	6.2	1.24	7.1	1.50	7.0	2.30	6.4	NNW	327
	14	0.62	5.9	0.99	6.9	1.24	6.7	1.64	6.4	NNW	331
	16	0.60	6.0	0.93	6.8	1.21	6.8	1.77	7.0	NNW	335
	18	0.49	5.5	0.76	6.4	0.94	6.5	1.47	6.6	NW	311
	20	0.41	5.1	0.68	6.4	0.84	6.4	1.09	5.0	NNE	25
	22	0.53	4.3	0.83	4.8	1.01	5.1	1.39	5.5	NNE	18
最大 平均	1.11 0.77	6.5 6.0	1.79 1.21	7.7 6.9	2.14 1.50	8.0 7.0	2.73 1.98	7.3 6.8			
23	00	0.50	4.3	0.78	4.9	0.97	5.0	1.21	5.7	WNW	282
	02	0.47	4.5	0.71	5.2	0.87	5.1	1.18	4.7	NNE	20
	04	0.42	4.4	0.68	5.1	0.88	5.0	1.26	4.3	欠測	欠測
	06	0.41	4.3	0.64	4.9	0.81	4.8	1.06	5.1	欠測	欠測
	08	0.48	4.8	0.75	5.8	0.90	5.6	1.20	5.2	NNW	335
	10	* 0.51	5.1	* 0.78	6.0	0.95	6.1	1.23	6.1	WNW	290
	12	0.41	4.5	0.68	5.5	0.91	5.5	1.20	6.1	NE	41
	14	0.40	4.7	0.62	5.6	0.76	5.6	1.01	4.9	NNW	347
	16	0.44	4.3	0.69	5.0	0.85	4.9	1.04	4.8	WNW	298
	18	0.47	4.1	0.74	5.0	0.95	4.9	1.21	4.8	NW	323
	20	0.47	3.9	0.71	4.7	0.88	5.0	1.11	5.4	WNW	302
	22	0.50	3.8	0.78	4.5	* 0.99	4.4	* 1.47	4.2	欠測	欠測
最大 平均	0.51 0.46	5.1 4.4	0.78 0.71	6.0 5.2	0.99 0.89	4.4 5.2	1.47 1.18	4.2 5.1			
24	00	0.42	4.2	0.64	5.0	0.79	4.9	1.12	4.1	N	1
	02	0.37	4.3	0.57	4.9	0.68	5.1	0.88	5.4	NNW	334
	04	0.30	4.2	0.48	5.1	0.58	5.3	0.73	5.9	NW	306
	06	0.29	4.4	0.44	5.3	0.55	5.4	0.84	5.7	NNW	333
	08	0.25	4.3	0.41	5.5	0.53	5.5	0.70	5.7	W	272
	10	0.23	4.0	0.37	5.4	0.46	5.4	0.67	5.4	NE	44
	12	0.69	3.8	1.11	4.2	1.45	4.2	2.11	4.4	N	352
	14	0.91	4.5	1.43	5.0	1.80	4.9	2.25	5.0	欠測	欠測
	16	1.09	5.1	1.70	6.0	2.11	6.1	2.69	5.9	NNW	340
	18	1.44	6.1	2.20	7.3	2.81	7.2	3.49	7.1	NW	323
	20	* 1.65	6.4	* 2.65	7.8	* 3.42	7.9	* 5.19	7.0	NNW	331
	22	1.56	6.9	2.39	8.3	2.99	8.4	3.61	8.7	WNW	303
最大 平均	1.65 0.77	6.4 4.9	2.65 1.20	7.8 5.8	3.42 1.51	7.9 5.9	5.19 2.02	7.0 5.9			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 1月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	1.38	6.6	2.25	8.5	2.81	8.8	3.93	8.4	NNW	327
	02	* 1.51	6.9	* 2.37	8.5	* 2.96	8.6	* 4.22	8.4	NNW	327
	04	1.45	6.9	2.29	8.5	2.92	8.8	3.87	9.1	NW	315
	06	1.41	6.6	2.32	8.4	2.90	8.3	3.82	8.5	NW	323
	08	1.36	6.7	2.22	8.4	2.82	8.4	3.69	9.0	NNW	335
	10	1.32	6.8	2.05	8.0	2.53	8.4	3.41	8.6	NW	311
	12	1.21	6.7	1.87	7.8	2.18	8.0	2.83	7.4	NNW	335
	14	1.01	6.4	1.63	7.7	1.99	7.9	2.44	7.2	NW	323
	16	0.87	6.0	1.43	7.8	1.75	7.7	2.35	7.2	NNE	16
	18	0.91	6.4	1.44	7.6	1.79	7.6	2.19	8.1	WNW	286
	20	0.79	5.9	1.29	7.5	1.58	7.6	2.15	7.2	NNE	16
	22	0.74	5.7	1.24	7.2	1.57	7.3	2.40	7.6	NNE	33
	最大	1.51	6.9	2.37	8.5	2.96	8.6	4.22	8.4		
	平均	1.16	6.5	1.87	8.0	2.32	8.1	3.11	8.1		
26	00	* 0.81	6.0	* 1.31	7.6	* 1.63	7.7	* 2.03	7.7	NNE	20
	02	0.67	5.3	1.09	7.0	1.32	7.4	1.76	7.9	NNE	16
	04	0.70	5.3	1.04	6.5	1.24	6.5	1.60	7.2	NNE	12
	06	0.65	4.8	1.03	6.2	1.28	6.6	1.62	7.0	NNW	344
	08	0.62	4.9	0.95	6.2	1.17	6.4	1.53	6.4	N	0
	10	0.59	4.7	0.92	6.2	1.11	6.2	1.37	4.9	NNW	348
	12	0.52	4.6	0.81	5.9	1.01	6.3	1.30	7.1	NE	37
	14	0.48	4.2	0.75	5.4	0.96	5.9	1.21	6.6	WNW	303
	16	0.47	4.0	0.73	5.0	0.89	5.0	1.13	6.7	NW	308
	18	0.53	4.0	0.85	4.9	1.08	5.2	1.52	4.3	欠測	欠測
	20	0.51	4.1	0.80	5.2	0.98	5.0	1.35	5.2	W	281
	22	0.45	4.1	0.72	5.1	0.90	5.3	1.22	4.7	WNW	284
	最大	0.81	6.0	1.31	7.6	1.63	7.7	2.03	7.7		
	平均	0.58	4.7	0.92	5.9	1.13	6.1	1.47	6.3		
27	00	0.47	4.2	0.74	5.1	0.90	5.3	1.08	5.9	欠測	欠測
	02	0.42	4.0	0.68	5.0	0.89	5.2	1.41	4.5	N	357
	04	0.42	4.3	0.64	5.2	0.80	5.5	1.14	4.3	欠測	欠測
	06	0.45	3.6	0.70	4.3	0.86	4.1	1.21	4.3	WNW	293
	08	0.65	3.8	0.99	4.2	1.23	4.0	1.48	3.4	WNW	299
	10	0.84	4.3	1.31	4.7	1.65	4.5	2.30	4.0	欠測	欠測
	12	0.88	4.2	1.37	4.8	1.64	4.6	2.01	5.3	欠測	欠測
	14	0.90	4.5	1.43	5.2	1.78	5.1	2.33	5.1	欠測	欠測
	16	0.92	4.7	1.45	5.2	1.81	5.5	2.35	5.2	欠測	欠測
	18	1.07	4.6	1.68	5.4	2.05	5.3	2.39	5.6	NE	44
	20	* 1.42	5.6	* 2.30	6.4	* 2.93	6.7	* 3.70	6.9	NE	53
	22	1.26	5.5	1.97	6.6	2.50	6.6	3.39	7.3	欠測	欠測
	最大	1.42	5.6	2.30	6.4	2.93	6.7	3.70	6.9		
	平均	0.81	4.4	1.27	5.2	1.59	5.2	2.07	5.1		
28	00	* 1.27	5.8	* 1.99	7.0	* 2.64	6.8	* 3.76	7.0	NE	49
	02	1.18	5.7	1.82	6.7	2.19	6.8	3.42	6.5	NE	37
	04	1.17	5.5	1.81	6.4	2.25	6.4	3.16	6.0	NNE	33
	06	1.17	5.5	1.84	6.3	2.35	6.3	2.88	7.1	NE	41
	08	1.06	5.2	1.65	6.3	2.13	6.4	2.79	6.1	NE	49
	10	1.07	5.4	1.72	6.5	2.10	6.6	2.74	6.9	欠測	欠測
	12	0.98	5.4	1.56	6.4	1.92	6.4	2.42	6.9	NE	49
	14	0.90	5.6	1.41	6.4	1.69	6.6	2.05	5.6	NE	41
	16	0.93	5.8	1.42	6.8	1.69	6.9	2.50	6.4	NE	53
	18	0.85	5.5	1.36	6.7	1.68	6.9	2.15	7.5	NE	49
	20	0.70	5.0	1.10	5.9	1.38	6.4	1.97	7.9	NE	45
	22	0.71	4.6	1.10	5.5	1.37	5.6	1.71	6.5	NE	54
	最大	1.27	5.8	1.99	7.0	2.64	6.8	3.76	7.0		
	平均	1.00	5.4	1.57	6.4	1.95	6.5	2.63	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 1月		波 高						波 向			
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		347 回			
		欠測回数		0 回		欠測回数		25 回			
		欠 測 率		0.0 %		欠 測 率		6.7 %			
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	0.62	4.5	0.97	5.4	1.24	5.1	1.52	4.4	NE	52
	02	0.55	4.5	0.88	5.4	1.13	5.5	1.68	4.3	欠測	欠測
	04	0.43	4.7	0.68	5.6	0.87	5.9	1.18	6.6	WNW	289
	06	0.46	5.1	0.71	6.3	0.86	6.3	1.12	6.7	NE	37
	08	0.51	5.3	0.79	6.4	0.98	6.3	1.28	5.6	NE	37
	10	0.50	5.7	0.77	6.4	0.94	6.6	1.15	7.5	NNE	16
	12	0.46	5.5	0.73	6.9	0.92	6.8	1.21	6.7	NE	37
	14	0.50	4.5	0.78	6.0	0.98	6.8	1.44	6.4	NNE	25
	16	0.54	4.6	0.86	6.0	1.07	6.3	1.33	7.8	NNE	16
	18	0.60	4.3	0.93	5.3	1.12	5.2	1.48	6.9	NE	37
	20	0.85	4.7	1.31	5.5	1.63	5.5	* 2.34	5.8	欠測	欠測
	22	* 0.86	5.2	* 1.35	6.0	* 1.64	6.2	2.25	5.9	W	274
	最大	0.86	5.2	1.35	6.0	1.64	6.2	2.34	5.8		
	平均	0.57	4.9	0.90	5.9	1.12	6.0	1.50	6.2		
30	00	1.02	5.3	1.59	5.8	1.98	5.8	2.48	5.9	WNW	286
	02	1.08	5.4	1.68	6.4	2.12	6.5	3.40	6.1	W	278
	04	1.29	5.7	2.18	7.2	2.88	7.2	3.90	7.2	WNW	303
	06	1.32	5.6	2.20	7.0	2.92	7.4	3.49	8.1	NW	323
	08	1.45	6.4	2.21	8.2	2.74	8.4	3.04	9.1	NNW	340
	10	1.77	6.4	2.75	7.9	3.59	8.3	4.88	7.1	NNW	331
	12	1.83	6.2	3.04	8.3	3.88	8.9	5.83	8.4	NNW	340
	14	2.14	7.0	3.44	9.3	4.12	9.5	5.89	7.7	NNW	335
	16	* 2.20	6.7	* 3.56	8.5	* 4.72	9.3	* 6.40	7.8	NNW	344
	18	2.07	6.5	3.31	8.4	4.07	9.0	4.82	11.0	NNW	340
	20	2.07	6.5	3.30	8.6	4.07	8.8	5.17	10.1	N	8
	22	2.13	7.1	3.33	8.9	4.01	8.5	4.70	7.4	N	8
	最大	2.20	6.7	3.56	8.5	4.72	9.3	6.40	7.8		
	平均	1.70	6.2	2.72	7.9	3.42	8.1	4.50	8.0		
31	00	1.96	6.9	3.11	8.7	3.78	8.7	4.49	9.3	NNW	335
	02	2.13	6.9	3.33	8.8	4.01	8.5	5.11	8.8	NNE	20
	04	2.34	7.7	3.86	9.9	* 5.06	10.6	5.90	11.0	N	8
	06	2.12	7.0	3.53	9.8	4.26	10.3	5.65	9.6	NNE	25
	08	2.03	6.9	3.16	9.1	3.83	9.9	4.75	9.1	NNE	16
	10	2.55	7.8	4.00	10.2	4.97	10.7	5.95	10.0	NNW	335
	12	2.18	7.5	3.67	10.2	4.78	10.0	* 6.93	10.1	NNE	33
	14	* 2.61	8.3	* 4.12	11.1	4.95	10.9	5.64	10.9	NNE	33
	16	2.31	7.6	3.65	9.8	4.84	10.1	6.21	9.1	NNE	20
	18	2.22	7.4	3.60	10.1	4.53	10.0	6.04	11.3	NNE	25
	20	2.09	7.1	3.48	9.6	4.44	10.5	6.35	10.7	NNE	20
	22	2.43	8.3	3.82	10.4	4.68	10.4	6.22	10.0	NNE	20
	最大	2.61	8.3	4.12	11.1	5.06	10.6	6.93	10.1		
	平均	2.25	7.4	3.61	9.8	4.51	10.0	5.77	10.0		
月最大		3.32	8.1	5.18	12.4	6.30	11.9	7.96	11.0		
起時		0900		0818		0818		0820			
平均		1.04	5.6	1.66	6.8	2.07	6.9	2.73	6.8		

波浪整理表（1）

2020年 2月												波 高		波 向	
												規定回数	348 回	規定回数	348 回
												測得回数	348 回	測得回数	324 回
												欠測回数	0 回	欠測回数	24 回
												欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m															
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″							
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
01	00	* 2.80	8.8	* 4.56	11.3	* 5.57	11.2	* 6.46	10.2	NNE	20				
	02	2.32	8.0	3.77	10.4	4.86	11.0	5.46	11.3	NNE	16				
	04	2.16	7.7	3.38	9.6	4.23	9.4	5.86	8.9	NNE	20				
	06	2.07	7.6	3.20	9.7	4.02	10.2	5.05	9.3	NNE	20				
	08	1.94	7.3	3.12	9.8	3.81	10.8	5.03	10.7	NNE	12				
	10	2.01	7.6	3.16	9.3	3.94	9.4	5.12	9.1	NNE	20				
	12	1.89	7.5	3.11	10.1	3.93	10.2	6.07	11.3	NNE	12				
	14	1.70	7.0	2.87	9.5	3.72	9.4	5.07	8.4	NNE	20				
	16	1.85	7.5	2.98	9.9	3.82	9.5	4.98	9.4	N	0				
	18	1.59	7.3	2.50	9.4	2.96	9.5	3.70	9.4	N	8				
	20	1.45	6.9	2.43	8.8	3.01	9.0	3.58	8.0	NNE	25				
	22	1.36	6.8	2.26	8.9	2.82	9.3	4.10	8.1	NNE	25				
	最大 平均	2.80 1.93	8.8 7.5	4.56 3.11	11.3 9.7	5.57 3.89	11.2 9.9	6.46 5.04	10.2 9.5						
	02	00	* 1.40	7.0	* 2.19	8.7	* 2.79	9.2	* 3.64	8.4	NNE	20			
02		1.10	6.2	1.84	8.4	2.33	8.4	3.03	8.5	NNE	25				
04		1.17	6.4	1.86	7.8	2.33	7.6	3.31	7.4	NNE	16				
06		1.09	6.2	1.65	7.6	2.04	7.9	2.91	7.9	NNE	33				
08		0.91	5.5	1.49	7.3	1.96	7.8	2.57	7.8	NNE	12				
10		0.81	5.8	1.28	6.9	1.59	7.6	2.01	8.4	N	4				
12		0.83	6.1	1.27	7.1	1.58	7.0	2.05	6.3	NNE	20				
14		0.66	5.4	1.07	6.9	1.34	7.1	1.75	6.6	N	8				
16		0.60	5.3	1.01	6.8	1.30	6.5	1.91	6.7	NNE	12				
18		0.67	5.8	1.05	6.7	1.27	6.7	1.48	6.8	NNE	33				
20		0.56	5.3	0.92	6.6	1.13	6.7	1.54	6.4	N	8				
22		0.55	5.5	0.85	6.4	1.06	6.3	1.43	5.8	NNW	344				
最大 平均		1.40 0.86	7.0 5.9	2.19 1.37	8.7 7.3	2.79 1.73	9.2 7.4	3.64 2.30	8.4 7.2						
03		00	0.46	5.4	0.71	6.4	0.92	6.4	1.33	6.3	NW	307			
	02	0.39	5.4	0.61	6.7	0.74	6.6	0.91	7.8	N	352				
	04	0.38	5.1	0.64	7.0	0.80	6.9	1.04	6.1	NNW	327				
	06	0.55	4.7	0.86	5.8	1.07	5.8	1.38	5.5	NW	315				
	08	0.70	5.2	1.07	6.4	1.27	6.4	1.56	5.1	NW	311				
	10	0.95	5.4	1.45	6.2	1.78	6.5	2.00	6.9	WNW	286				
	12	0.93	5.1	1.48	6.2	1.85	6.1	2.80	5.4	W	278				
	14	1.61	5.8	2.61	6.9	3.21	6.8	3.76	6.4	W	278				
	16	1.92	6.4	2.97	7.7	3.55	7.5	4.74	7.2	WNW	290				
	18	* 2.32	6.8	* 3.65	8.2	* 4.48	7.8	* 5.71	8.2	WNW	303				
	20	1.94	6.6	3.03	7.7	3.77	7.7	4.89	6.8	W	278				
	22	1.49	6.4	2.32	7.5	2.88	7.8	4.17	8.1	NW	307				
	最大 平均	2.32 1.14	6.8 5.7	3.65 1.78	8.2 6.9	4.48 2.19	7.8 6.9	5.71 2.86	8.2 6.6						
	04	00	1.34	6.3	2.15	8.0	2.79	8.0	3.60	7.7	WNW	286			
02		* 1.49	6.4	* 2.37	8.1	* 2.94	8.0	* 3.66	8.8	WNW	286				
04		1.30	5.5	2.06	7.2	2.62	7.7	3.38	8.1	W	274				
06		1.27	6.1	2.01	7.6	2.50	8.2	2.98	7.2	W	274				
08		1.30	6.3	1.98	7.4	2.50	7.3	3.25	6.7	NNE	16				
10		1.17	6.1	1.91	7.4	2.32	7.6	3.48	7.7	NNE	25				
12		0.97	5.9	1.59	7.1	1.93	7.0	2.74	6.8	NNE	16				
14		0.96	5.9	1.48	6.8	1.86	7.2	2.51	7.8	NNE	20				
16		0.80	5.7	1.29	6.9	1.62	7.0	1.94	6.4	W	278				
18		1.12	5.6	1.70	6.4	2.12	6.4	2.94	6.2	WNW	286				
20		0.92	5.1	1.45	5.9	1.81	6.0	2.61	5.1	NNW	340				
22		1.07	5.0	1.69	5.8	2.09	5.8	2.61	5.7	WNW	286				
最大 平均		1.49 1.14	6.4 5.8	2.37 1.81	8.1 7.1	2.94 2.26	8.0 7.2	3.66 2.98	8.8 7.0						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月											波 高		波 向	
											規定回数	348 回	規定回数	348 回
											測得回数	348 回	測得回数	324 回
											欠測回数	0 回	欠測回数	24 回
											欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
05	00	1.19	5.7	1.83	6.5	2.27	6.4	2.93	6.0	WNW	286			
	02	1.36	5.4	2.09	6.3	2.58	6.2	3.35	6.0	WNW	286			
	04	1.47	5.6	2.35	6.7	2.91	6.9	3.49	6.2	WNW	303			
	06	1.38	5.7	2.23	6.8	2.82	6.8	3.61	7.5	WNW	286			
	08	1.92	6.1	3.14	7.4	3.87	7.5	5.00	7.6	WNW	282			
	10	2.27	6.8	3.58	8.1	4.53	7.9	5.02	8.3	NW	319			
	12	1.84	6.3	3.03	7.8	3.85	8.0	4.78	8.4	NW	311			
	14	2.08	6.3	3.29	7.6	4.07	7.6	6.24	7.5	W	278			
	16	2.39	6.7	3.73	7.8	4.57	7.9	6.54	7.6	NNE	12			
	18	2.29	6.4	3.71	8.1	4.73	8.2	6.90	7.7	NNW	327			
	20	* 2.97	7.7	* 4.69	9.4	* 5.68	9.5	6.48	10.3	NW	315			
	22	2.73	7.2	4.30	8.6	5.33	8.3	* 6.90	8.5	NW	319			
	最大 平均	2.97 1.99	7.7 6.3	4.69 3.16	9.4 7.6	5.68 3.93	9.5 7.6	6.90 5.10	8.5 7.6					
	06	00	2.36	6.8	3.76	8.4	4.68	8.1	5.51	8.9	NNW	327		
02		* 2.81	7.5	* 4.49	9.0	* 5.74	9.2	7.04	7.9	NW	323			
04		2.50	6.7	3.97	8.6	4.99	8.8	* 7.32	8.3	NW	323			
06		2.33	7.1	3.81	8.6	4.78	9.2	7.00	9.7	NNW	331			
08		2.25	6.9	3.63	8.9	4.37	9.0	6.28	9.0	NW	323			
10		2.29	6.8	3.62	8.3	4.36	8.4	5.76	9.6	NNW	335			
12		2.15	7.0	3.30	8.5	3.95	8.5	5.03	9.3	NW	315			
14		1.82	6.5	2.98	8.5	3.66	9.0	4.44	9.8	NW	323			
16		1.81	6.8	2.95	8.4	3.74	8.6	4.89	7.4	NW	307			
18		1.75	6.8	2.84	8.5	3.61	8.3	4.65	7.0	NNW	327			
20		1.56	6.6	2.59	8.2	3.24	8.6	3.83	6.9	NNW	327			
22		1.48	6.9	2.34	8.2	2.92	8.3	3.52	7.9	NW	323			
最大 平均		2.81 2.09	7.5 6.9	4.49 3.36	9.0 8.5	5.74 4.17	9.2 8.7	7.32 5.44	8.3 8.5					
07		00	1.22	6.4	2.03	8.1	* 2.55	8.0	* 3.68	8.6	NW	323		
	02	1.21	6.5	2.00	8.2	2.44	7.9	3.08	7.0	WNW	299			
	04	1.08	6.6	1.76	8.1	2.23	7.8	2.84	6.8	NW	319			
	06	* 1.27	7.3	* 2.03	8.6	2.50	8.6	2.95	7.7	NNE	16			
	08	1.02	6.9	1.61	8.2	1.93	8.0	2.30	7.6	NNE	25			
	10	0.84	6.5	1.36	7.9	1.68	7.8	2.39	8.2	N	352			
	12	0.82	6.7	1.31	7.6	1.57	7.5	1.81	7.4	N	0			
	14	0.74	5.8	1.19	7.5	1.52	7.0	2.21	6.6	NNW	327			
	16	0.75	5.4	1.22	6.8	1.48	7.0	1.79	6.5	NW	323			
	18	0.65	5.2	1.00	6.2	1.18	6.4	1.38	8.2	NNW	327			
	20	0.59	4.8	0.94	5.9	1.14	5.9	1.84	5.7	NNW	335			
	22	0.59	4.8	0.94	5.6	1.18	5.4	1.51	5.3	NE	54			
	最大 平均	1.27 0.90	7.3 6.1	2.03 1.45	8.6 7.4	2.55 1.78	8.0 7.3	3.68 2.31	8.6 7.1					
	08	00	0.75	4.6	1.21	5.6	1.60	5.7	2.26	5.4	欠測	欠測		
02		0.62	4.6	0.99	5.6	1.22	5.6	1.70	5.1	WNW	290			
04		0.78	4.8	1.23	5.9	1.49	6.1	1.99	5.2	W	278			
06		1.07	4.8	1.70	5.6	2.18	5.7	3.00	5.4	WNW	295			
08		1.26	5.1	2.00	6.3	2.51	6.6	3.78	6.4	WNW	282			
10		1.27	5.5	2.06	6.4	2.64	6.6	* 3.88	6.0	NW	319			
12		1.18	5.5	1.87	6.7	2.32	6.8	2.78	6.4	NNW	327			
14		1.25	5.9	1.98	7.2	2.46	7.1	3.45	7.5	NW	323			
16		1.22	5.7	1.97	7.1	2.46	7.3	2.88	7.1	NW	319			
18		1.14	5.1	1.77	6.3	2.07	6.4	2.46	4.8	NW	311			
20		* 1.41	5.4	* 2.20	6.1	* 2.73	6.1	3.44	6.6	NW	323			
22		1.28	5.3	2.06	6.3	2.64	6.4	3.41	6.7	NW	315			
最大 平均		1.41 1.10	5.4 5.2	2.20 1.75	6.1 6.3	2.73 2.19	6.1 6.4	3.88 2.92	6.0 6.0					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月											波 高		波 向	
											規定回数	348 回	規定回数	348 回
											測得回数	348 回	測得回数	324 回
											欠測回数	0 回	欠測回数	24 回
											欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
09	00	1.47	5.5	2.31	6.4	2.91	6.2	3.87	6.6	NW	311			
	02	1.53	5.4	2.36	6.4	2.92	6.6	3.61	5.9	NNE	20			
	04	1.69	5.8	2.64	6.8	3.39	7.2	4.86	7.5	NNE	12			
	06	1.70	6.1	* 2.75	7.3	* 3.60	7.6	* 6.31	7.0	NNW	327			
	08	1.57	5.8	2.48	7.1	3.20	7.4	4.18	7.0	WNW	299			
	10	1.56	6.2	2.47	7.3	3.10	7.1	4.02	7.7	NW	319			
	12	* 1.78	6.8	2.70	7.9	3.25	7.5	4.07	7.5	NW	307			
	14	1.41	5.9	2.25	7.5	2.76	7.5	3.87	7.7	WNW	295			
	16	1.50	6.4	2.34	7.8	2.81	8.0	3.43	8.0	NW	315			
	18	1.27	5.8	2.04	7.4	2.60	8.1	3.45	8.3	NNE	25			
	20	1.18	6.1	1.88	7.8	2.36	8.0	3.09	6.7	NNE	29			
	22	1.06	5.7	1.77	7.4	2.29	7.4	3.49	6.9	NNE	25			
	最大 平均	1.78 1.48	6.8 6.0	2.75 2.33	7.3 7.3	3.60 2.93	7.6 7.4	6.31 4.02	7.0 7.2					
	10	00	1.05	6.0	1.67	7.2	2.06	7.3	2.34	7.9	NNE	20		
02		1.00	6.3	1.65	7.7	2.20	7.6	3.45	7.6	NNE	25			
04		0.97	6.9	1.44	7.6	1.77	7.6	2.30	7.3	NNE	25			
06		0.72	6.3	1.15	7.3	1.44	7.3	2.02	6.8	NNE	29			
08		0.60	5.8	1.00	7.3	1.22	6.9	1.43	6.8	NNE	20			
10		0.63	5.0	0.99	6.5	1.25	6.8	2.03	6.9	NNE	29			
12		0.87	4.8	1.32	5.4	1.56	5.1	2.07	4.7	欠測	欠測			
14		0.96	4.6	1.46	5.2	1.81	5.0	2.51	3.8	欠測	欠測			
16		1.50	5.1	2.31	5.8	2.79	5.8	3.75	5.9	WNW	282			
18		2.00	6.2	3.13	7.1	3.95	7.0	5.15	6.9	W	278			
20		* 2.02	6.3	* 3.22	7.8	* 4.05	8.0	* 5.61	7.1	NNW	327			
22		1.64	6.3	2.64	7.6	3.32	7.8	4.87	8.3	WNW	290			
最大 平均		2.02 1.16	6.3 5.8	3.22 1.83	7.8 6.9	4.05 2.29	8.0 6.9	5.61 3.13	7.1 6.7					
11		00	* 1.48	5.9	* 2.35	7.2	* 2.94	7.2	3.66	8.9	NNE	29		
	02	1.46	6.1	2.25	7.2	2.76	7.3	* 4.26	7.5	NNE	25			
	04	1.29	5.9	1.98	7.0	2.47	6.9	3.03	6.3	W	270			
	06	1.11	5.6	1.74	6.8	2.16	6.7	2.51	5.6	WNW	282			
	08	1.03	5.7	1.64	6.7	2.08	6.6	3.06	6.9	WNW	286			
	10	0.96	5.3	1.53	6.5	1.99	6.7	2.53	6.5	WNW	286			
	12	0.90	5.3	1.46	6.4	1.80	6.4	2.20	7.0	WNW	290			
	14	0.73	5.2	1.17	6.2	1.47	6.2	2.24	5.8	NNW	331			
	16	0.76	5.4	1.18	6.2	1.41	6.4	1.64	7.2	NW	315			
	18	0.64	5.0	1.02	6.2	1.26	6.1	1.58	6.3	WNW	303			
	20	0.63	5.3	0.98	6.3	1.27	6.3	1.84	6.2	NW	315			
	22	0.58	5.3	0.93	6.2	1.19	6.0	1.93	6.0	NNE	29			
	最大 平均	1.48 0.96	5.9 5.5	2.35 1.52	7.2 6.6	2.94 1.90	7.2 6.6	4.26 2.54	7.5 6.7					
	12	00	* 0.54	5.4	* 0.86	6.4	* 1.10	6.5	1.45	6.9	NW	307		
02		0.48	5.2	0.78	6.1	0.96	6.1	1.36	6.0	NW	323			
04		0.46	5.3	0.75	6.5	0.92	6.3	1.22	6.4	NNW	340			
06		0.45	5.5	0.69	6.3	0.85	6.3	1.08	6.1	NW	311			
08		0.36	5.2	0.57	6.4	0.73	6.4	0.96	6.2	N	4			
10		0.30	4.7	0.48	6.3	0.58	6.4	0.79	5.4	NNE	33			
12		0.34	3.9	0.53	4.9	0.68	4.9	0.96	5.8	WNW	296			
14		0.36	3.8	0.57	4.5	0.70	4.3	0.91	4.1	NW	310			
16		0.50	4.1	0.79	4.8	1.01	4.8	* 1.49	4.1	NE	56			
18		0.45	4.4	0.73	5.2	0.93	5.3	1.46	5.5	NE	47			
20		0.38	4.4	0.62	5.6	0.79	5.6	1.19	5.5	NE	49			
22		0.38	4.4	0.60	5.3	0.74	5.2	0.98	5.0	W	271			
最大 平均		0.54 0.42	5.4 4.7	0.86 0.66	6.4 5.7	1.10 0.83	6.5 5.7	1.49 1.15	4.1 5.6					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月										波 高		波 向	
										規定回数	348 回	規定回数	348 回
										測得回数	348 回	測得回数	324 回
										欠測回数	0 回	欠測回数	24 回
										欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度			
13	00	0.36	4.7	0.56	5.7	0.70	5.5	0.89	6.0	WNW	282		
	02	0.33	4.9	0.52	5.9	0.66	5.9	0.80	6.7	WNW	286		
	04	0.28	4.6	0.46	6.0	0.57	6.0	0.80	6.9	W	278		
	06	0.35	4.2	0.58	5.7	0.71	5.9	0.96	5.0	WNW	286		
	08	0.48	4.0	0.74	5.0	0.91	4.6	1.22	3.8	W	277		
	10	0.47	3.9	0.77	4.7	0.97	4.9	1.27	3.9	欠測	欠測		
	12	0.66	4.0	1.04	4.6	1.33	4.5	1.95	3.7	欠測	欠測		
	14	0.73	4.3	1.10	4.9	1.38	4.7	1.89	4.5	欠測	欠測		
	16	* 0.96	5.2	* 1.54	6.4	* 1.91	6.3	* 2.63	6.5	W	278		
	18	0.89	5.6	1.36	6.7	1.66	6.4	1.98	6.2	WNW	282		
	20	0.80	5.4	1.25	6.4	1.54	6.6	1.93	6.2	WNW	282		
	22	0.67	5.3	1.05	6.2	1.33	6.2	1.69	6.3	W	278		
	最大 平均	0.96 0.58	5.2 4.7	1.54 0.91	6.4 5.7	1.91 1.14	6.3 5.6	2.63 1.50	6.5 5.5				
	14	00	* 0.66	5.4	* 1.00	6.4	* 1.24	6.0	1.42	6.3	WNW	282	
02		0.57	5.2	0.89	6.1	1.13	5.9	* 1.54	6.1	W	278		
04		0.49	5.3	0.77	6.0	0.98	6.1	1.20	5.5	W	270		
06		0.51	5.0	0.82	5.9	1.05	5.9	1.32	6.6	W	270		
08		0.45	4.7	0.73	5.8	0.91	5.9	1.26	6.2	WNW	290		
10		0.38	4.7	0.61	5.7	0.77	5.8	1.03	5.3	W	278		
12		0.41	4.3	0.64	5.4	0.80	5.8	1.18	5.4	W	277		
14		0.33	4.6	0.52	5.4	0.65	5.7	0.82	5.5	NE	53		
16		0.32	4.6	0.50	5.6	0.63	5.7	0.77	5.7	NNE	17		
18		0.27	3.9	0.44	5.2	0.56	5.2	0.69	5.7	欠測	欠測		
20		0.26	4.3	0.41	5.5	0.50	5.3	0.61	5.2	NE	52		
22		0.25	4.3	0.39	5.6	0.48	5.7	0.64	5.7	NW	319		
最大 平均		0.66 0.41	5.4 4.7	1.00 0.64	6.4 5.7	1.24 0.81	6.0 5.8	1.54 1.04	6.1 5.8				
15		00	0.27	3.7	0.41	4.6	0.51	4.7	0.62	5.9	WNW	296	
	02	0.31	3.5	0.51	4.3	0.65	4.0	0.92	4.2	欠測	欠測		
	04	0.31	3.6	0.48	4.3	0.60	4.1	0.82	4.4	N	11		
	06	0.34	3.8	0.54	4.4	0.69	4.3	0.92	5.1	NNW	329		
	08	0.34	3.9	0.51	4.4	0.62	4.3	0.75	5.2	NE	34		
	10	0.34	3.7	0.55	4.5	0.72	4.5	1.02	4.7	NNW	334		
	12	0.30	3.8	0.48	4.5	0.58	4.5	0.91	4.1	NNW	343		
	14	0.32	3.7	0.50	4.5	0.63	4.5	0.92	4.2	欠測	欠測		
	16	0.37	4.3	0.60	5.5	0.74	5.9	0.99	7.0	W	276		
	18	0.49	4.6	0.80	6.3	1.00	6.5	1.39	7.1	NW	319		
	20	* 0.61	5.3	* 0.99	7.3	* 1.24	7.7	* 1.78	7.0	NW	319		
	22	0.56	5.1	0.91	6.7	1.14	7.1	1.64	6.6	NNW	331		
	最大 平均	0.61 0.38	5.3 4.1	0.99 0.61	7.3 5.1	1.24 0.76	7.7 5.2	1.78 1.06	7.0 5.5				
	16	00	0.58	5.2	0.92	6.9	1.19	7.1	1.65	6.3	NW	323	
02		0.58	5.3	0.93	7.0	1.18	6.6	1.50	7.4	N	4		
04		0.64	5.3	0.99	6.6	1.22	6.7	1.52	7.6	NNE	20		
06		0.66	5.1	1.07	6.4	1.32	6.3	1.93	6.1	NNE	12		
08		0.64	5.4	1.02	6.6	1.23	6.3	1.76	6.3	NNE	16		
10		0.63	5.1	1.01	6.1	1.28	5.9	1.57	5.3	NNE	20		
12		0.60	5.1	1.00	6.5	1.31	6.4	1.73	6.4	NNE	12		
14		0.60	4.7	0.99	6.3	1.20	6.3	1.44	6.2	NNE	20		
16		0.54	4.6	0.88	6.1	1.09	6.2	1.69	5.4	NNE	29		
18		0.62	4.0	0.97	5.1	1.18	5.5	1.45	6.5	欠測	欠測		
20		0.74	4.6	1.12	5.4	1.41	5.6	1.75	5.4	欠測	欠測		
22		* 0.79	4.4	* 1.28	5.3	* 1.66	5.4	* 2.16	5.4	NE	52		
最大 平均		0.79 0.64	4.4 4.9	1.28 1.02	5.3 6.2	1.66 1.27	5.4 6.2	2.16 1.68	5.4 6.2				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月											波 高		波 向	
											規定回数	348 回	規定回数	348 回
											測得回数	348 回	測得回数	324 回
											欠測回数	0 回	欠測回数	24 回
											欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
17	00	1.59	5.6	2.53	6.8	3.12	6.9	4.49	6.5	W	274			
	02	2.11	6.5	3.35	7.6	4.10	7.9	5.02	7.4	WNW	282			
	04	2.29	7.3	3.47	8.7	4.16	9.1	5.39	9.2	WNW	290			
	06	* 2.47	7.4	* 3.83	9.3	* 4.81	9.6	* 6.37	8.2	WNW	286			
	08	2.04	6.9	3.29	8.8	4.13	9.1	4.87	9.7	WNW	290			
	10	1.82	6.8	2.96	8.9	3.71	9.3	4.49	10.7	NW	311			
	12	1.75	6.8	2.87	8.9	3.42	8.9	4.27	8.6	WNW	303			
	14	1.63	6.6	2.67	8.9	3.33	8.8	4.20	10.9	WNW	299			
	16	1.70	7.1	2.60	8.7	3.27	9.4	4.48	9.5	NNW	327			
	18	1.60	6.9	2.64	8.9	3.30	9.3	3.84	9.2	NW	319			
	20	1.51	6.5	2.42	8.7	3.01	8.7	4.03	9.1	NNW	327			
	22	1.69	7.3	2.77	9.1	3.43	9.1	4.26	8.1	NNW	331			
最大 平均	2.47	7.4	3.83	9.3	4.81	9.6	6.37	8.2						
	1.85	6.8	2.95	8.6	3.65	8.8	4.64	8.9						
18	00	1.69	7.2	2.78	9.5	3.50	9.4	4.43	9.6	NNW	327			
	02	1.57	6.4	2.43	8.6	2.97	8.5	3.69	8.6	N	8			
	04	1.78	6.5	2.76	8.6	3.41	8.7	4.12	9.2	N	352			
	06	1.94	6.5	2.99	8.4	3.56	8.2	4.37	8.9	NNW	348			
	08	2.33	7.0	3.54	8.3	4.27	8.2	5.63	8.5	NNW	344			
	10	2.22	6.8	3.66	8.9	4.63	9.2	5.72	9.4	WNW	286			
	12	2.47	7.4	3.86	9.0	4.72	9.1	* 6.66	8.6	NNW	331			
	14	2.34	7.0	3.75	9.1	4.69	9.7	6.37	9.2	NW	307			
	16	* 2.53	7.7	3.90	9.5	4.72	9.6	6.45	9.3	WNW	299			
	18	2.43	7.6	* 3.98	10.2	* 5.03	10.9	6.16	9.1	NNE	12			
	20	2.45	7.9	3.86	10.3	4.73	10.3	6.01	10.8	NNE	20			
	22	2.22	7.7	3.47	10.1	4.21	9.8	5.37	8.6	NNE	25			
最大 平均	2.53	7.7	3.98	10.2	5.03	10.9	6.66	8.6						
	2.16	7.1	3.41	9.2	4.20	9.3	5.41	9.1						
19	00	* 2.07	7.6	* 3.47	10.2	4.19	10.2	5.29	11.6	NNE	12			
	02	2.07	7.5	3.32	9.5	* 4.20	9.6	* 5.78	10.1	NNE	12			
	04	1.91	7.1	3.13	9.4	3.95	9.6	5.11	10.3	NNE	16			
	06	2.00	7.4	3.14	9.4	3.70	9.6	4.39	7.9	N	8			
	08	1.69	7.1	2.74	9.2	3.34	9.2	4.39	8.1	NNE	12			
	10	1.52	7.3	2.42	8.6	2.96	9.0	4.18	8.4	NNE	12			
	12	1.44	7.2	2.31	9.1	2.83	8.9	3.75	8.7	NNE	25			
	14	1.43	7.0	2.36	8.6	3.02	8.5	3.71	8.7	NNE	12			
	16	1.05	7.1	1.64	8.7	2.03	9.1	2.98	8.8	NNE	12			
	18	1.00	6.9	1.67	8.6	2.11	8.8	2.78	9.0	NNE	20			
	20	0.81	6.1	1.31	7.7	1.68	7.7	1.97	8.7	NNE	16			
	22	0.94	6.4	1.49	7.6	1.82	7.4	2.20	8.2	NNE	25			
最大 平均	2.07	7.6	3.47	10.2	4.20	9.6	5.78	10.1						
	1.49	7.1	2.42	8.9	2.99	9.0	3.88	9.0						
20	00	0.74	5.8	1.23	7.4	1.60	7.4	2.08	8.3	NNE	25			
	02	* 0.81	6.2	* 1.34	7.7	* 1.77	7.7	* 2.23	7.1	NNE	20			
	04	0.72	5.9	1.11	7.2	1.35	7.0	1.92	7.4	N	8			
	06	0.63	5.5	1.01	7.2	1.27	7.0	1.86	7.6	NNE	29			
	08	0.67	4.7	1.12	6.0	1.45	6.1	2.20	5.8	NNE	12			
	10	0.76	4.6	1.21	5.8	1.47	5.8	1.79	5.2	NNE	16			
	12	0.68	4.6	1.10	5.8	1.42	6.0	1.67	4.4	NNE	20			
	14	0.62	4.8	0.99	5.8	1.23	5.3	1.63	4.8	NW	323			
	16	0.58	4.8	0.89	5.8	1.09	5.9	1.66	5.4	NNW	344			
	18	0.61	5.1	0.95	6.1	1.18	6.2	1.59	5.9	NNE	25			
	20	0.52	5.0	0.82	6.0	0.99	5.9	1.29	5.2	NNW	331			
	22	0.49	4.9	0.79	5.9	0.98	5.9	1.39	5.6	N	8			
最大 平均	0.81	6.2	1.34	7.7	1.77	7.7	2.23	7.1						
	0.65	5.2	1.05	6.4	1.32	6.4	1.78	6.1						

*は日最大波高、波向欄の空白は欠測を示す

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月										波 高		波 向	
										規定回数	348 回	規定回数	348 回
										測得回数	348 回	測得回数	324 回
										欠測回数	0 回	欠測回数	24 回
										欠 測 率	0.0 %	欠 測 率	6.9 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
25	00	1.00	6.0	1.65	7.6	* 2.17	7.8	* 3.05	7.7	WNW	303		
	02	* 1.13	6.6	1.72	7.9	2.08	7.8	2.97	7.7	WNW	299		
	04	1.09	6.8	* 1.75	8.4	2.16	8.4	2.88	8.4	WNW	295		
	06	1.06	6.9	1.59	8.0	1.91	7.9	2.35	7.8	NW	315		
	08	1.06	6.9	1.69	7.8	2.06	7.7	2.57	6.7	NW	307		
	10	0.99	6.9	1.60	7.8	2.06	7.7	2.83	8.2	WNW	299		
	12	0.86	6.3	1.32	7.7	1.59	7.5	2.05	8.0	N	8		
	14	0.75	6.0	1.16	7.5	1.44	7.5	1.67	7.8	NW	307		
	16	0.66	5.8	1.07	7.5	1.34	7.7	1.75	8.4	NNE	25		
	18	0.60	5.4	0.97	7.0	1.22	7.0	1.66	6.4	N	4		
	20	0.76	4.7	1.21	5.7	1.58	5.6	2.55	6.1	NNE	20		
	22	0.72	4.8	1.11	5.4	1.36	5.6	1.72	5.8	NNW	338		
最大 平均	1.13 0.89	6.6 6.1	1.75 1.40	8.4 7.4	2.17 1.75	7.8 7.3	3.05 2.34	7.7 7.4					
26	00	0.69	4.5	1.13	5.4	1.45	5.2	* 2.20	5.1	NNE	18		
	02	0.77	4.5	1.20	5.1	1.50	4.9	2.03	5.4	NNW	336		
	04	0.73	4.4	1.15	5.0	1.43	5.2	2.16	4.9	WNW	294		
	06	* 0.83	4.6	* 1.28	5.1	* 1.62	4.8	2.10	5.2	NE	55		
	08	0.67	4.3	1.07	5.2	1.41	5.3	1.84	5.1	欠測	欠測		
	10	0.69	4.6	1.10	5.4	1.34	5.2	1.79	5.8	N	355		
	12	0.59	4.6	0.92	5.2	1.14	5.3	1.39	5.2	NW	306		
	14	0.57	4.6	0.89	5.4	1.11	5.0	1.49	4.7	NE	50		
	16	0.54	4.4	0.83	5.1	1.02	5.0	1.37	4.9	欠測	欠測		
	18	0.56	4.2	0.87	5.1	1.08	4.9	1.37	4.0	欠測	欠測		
	20	0.54	4.0	0.88	4.9	1.08	5.0	1.62	5.6	欠測	欠測		
	22	0.59	4.1	0.91	4.7	1.11	4.8	1.56	4.1	欠測	欠測		
最大 平均	0.83 0.65	4.6 4.4	1.28 1.02	5.1 5.1	1.62 1.27	4.8 5.0	2.20 1.74	5.1 5.0					
27	00	0.68	4.1	1.09	4.8	1.42	4.9	2.10	4.8	NE	49		
	02	0.80	4.4	1.24	5.0	1.52	4.9	1.96	4.6	N	6		
	04	1.13	4.9	1.74	5.6	2.19	5.6	2.71	5.4	W	275		
	06	1.21	5.1	1.89	5.9	2.31	5.8	2.75	4.9	N	8		
	08	1.21	5.1	1.96	6.1	2.41	6.4	3.01	6.6	NNE	20		
	10	1.26	5.3	1.97	6.5	2.46	6.3	3.06	6.1	NNE	25		
	12	1.30	5.5	2.06	6.6	2.58	6.6	* 3.33	6.8	NNE	20		
	14	1.09	5.2	1.81	6.4	2.30	6.5	3.10	6.8	NNE	29		
	16	1.14	5.6	1.81	6.6	2.23	6.4	3.09	5.9	NNE	29		
	18	1.07	5.4	1.64	6.4	2.07	6.5	2.98	7.2	NNE	25		
	20	1.33	5.5	2.12	6.8	2.69	6.8	3.20	7.0	NNE	20		
	22	* 1.40	5.8	* 2.18	7.1	* 2.71	7.3	3.21	6.7	WNW	286		
最大 平均	1.40 1.14	5.8 5.2	2.18 1.79	7.1 6.1	2.71 2.24	7.3 6.2	3.33 2.88	6.8 6.1					
28	00	* 1.20	5.7	* 1.91	6.8	* 2.38	6.8	* 3.23	7.4	NNE	25		
	02	1.13	5.7	1.78	6.9	2.25	6.9	2.71	7.9	W	278		
	04	1.07	5.8	1.75	7.0	2.25	7.0	3.02	7.2	WNW	295		
	06	0.97	5.2	1.55	6.6	1.93	6.6	2.74	6.9	NNW	331		
	08	0.96	5.3	1.57	6.3	1.94	6.4	2.66	6.3	NNE	29		
	10	1.11	5.9	1.71	6.7	2.20	6.8	2.81	6.5	NW	315		
	12	0.87	5.5	1.37	6.5	1.66	6.4	1.95	6.5	NNW	327		
	14	0.78	5.4	1.23	6.4	1.52	6.6	2.21	6.2	NW	315		
	16	0.75	5.3	1.17	6.2	1.49	6.2	2.16	5.9	NNW	340		
	18	0.70	5.2	1.16	6.2	1.54	6.1	2.30	5.9	NNW	327		
	20	0.55	5.0	0.87	6.2	1.07	6.2	1.40	6.2	NW	319		
	22	0.52	5.1	0.83	6.1	1.05	6.1	1.24	6.9	NW	319		
最大 平均	1.20 0.88	5.7 5.4	1.91 1.41	6.8 6.5	2.38 1.77	6.8 6.5	3.23 2.37	7.4 6.7					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 2月

波 高		波 向	
規定回数	348 回	規定回数	348 回
測得回数	348 回	測得回数	324 回
欠測回数	0 回	欠測回数	24 回
欠 測 率	0.0 %	欠 測 率	6.9 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区 機種：波高 海象計 - 52.0 m 緯度：N 37° -25' -51" 経度：E 136° -54' -08"

日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
									16方位	角度
29 00	0.44	4.9	0.69	5.9	0.87	6.0	1.21	5.8	N	0
02	0.38	4.8	0.60	5.8	0.79	5.9	1.13	5.8	WNW	299
04	0.35	4.8	0.55	5.6	0.67	5.7	0.88	5.4	欠測	欠測
06	0.32	4.6	0.52	5.6	0.66	5.7	0.92	5.7	NW	305
08	0.27	4.5	0.43	5.4	0.54	5.3	0.74	5.6	欠測	欠測
10	0.25	4.2	0.40	5.4	0.50	5.4	0.66	5.0	NNE	13
12	0.21	3.8	0.33	5.1	0.42	5.1	0.51	5.0	W	275
14	0.37	3.5	0.60	4.0	0.79	3.8	1.30	3.7	NNE	23
16	0.42	3.7	0.63	4.2	0.80	4.3	1.08	5.3	NW	316
18	0.40	3.8	0.63	4.3	0.79	4.1	1.08	4.0	NE	48
20	0.46	4.0	0.72	4.6	0.88	4.7	1.21	4.7	N	4
22	* 0.49	4.2	* 0.75	5.1	* 0.92	5.0	* 1.33	4.7	NE	52
最大	0.49	4.2	0.75	5.1	0.92	5.0	1.33	4.7		
平均	0.36	4.2	0.57	5.1	0.72	5.1	1.00	5.1		
月最大	3.03	7.4	5.00	9.6	6.07	9.5	7.74	8.7		
起時	2306		2306		2306		2310			
平均	1.10	5.6	1.75	6.9	2.18	7.0	2.87	6.9		

波浪整理表（1）

2020年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	350 回
欠測回数	0 回	欠測回数	22 回
欠 測 率	0.0 %	欠 測 率	5.9 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
01	00	0.62	4.1	0.95	4.6	1.20	4.7	1.69	3.9	欠測	欠測
	02	0.66	4.3	1.01	5.0	1.24	5.0	1.61	5.4	欠測	欠測
	04	0.69	4.4	1.06	5.0	1.30	5.1	1.69	4.6	W	280
	06	0.90	4.8	1.39	5.3	1.71	5.4	2.34	5.3	WNW	290
	08	1.04	5.4	1.67	6.6	2.07	6.7	2.68	6.7	NW	323
	10	1.08	5.9	1.73	7.0	2.20	7.1	2.75	7.7	NW	315
	12	* 1.25	6.5	* 1.90	7.3	* 2.28	7.4	* 2.89	6.9	NNW	331
	14	0.95	5.8	1.48	7.2	1.84	7.4	2.68	7.3	NW	323
	16	1.00	6.1	1.57	7.3	1.98	7.3	2.68	6.4	NNW	327
	18	0.94	5.6	1.55	7.4	1.89	7.3	2.33	6.6	NNW	348
	20	0.83	5.2	1.36	7.0	1.71	7.5	2.24	6.2	N	352
	22	0.93	5.5	1.47	7.2	1.83	7.8	2.41	6.9	NNE	12
	最大	1.25	6.5	1.90	7.3	2.28	7.4	2.89	6.9		
	平均	0.91	5.3	1.43	6.4	1.77	6.6	2.33	6.2		
02	00	0.95	5.8	1.51	7.5	1.88	7.7	2.25	7.2	NNE	12
	02	0.97	6.4	1.54	7.8	1.90	8.2	2.32	8.1	NNE	25
	04	0.87	5.8	1.45	8.0	1.83	8.0	2.15	7.6	NNE	29
	06	0.84	5.7	1.36	7.6	1.68	7.9	2.21	7.6	NNE	29
	08	0.77	5.7	1.23	7.4	1.62	7.8	2.07	7.6	NNE	29
	10	0.76	5.9	1.20	7.1	1.53	7.2	1.94	7.6	NE	37
	12	0.67	5.6	1.05	7.0	1.23	6.8	1.48	6.9	NNE	20
	14	0.74	4.9	1.17	6.5	1.44	6.9	2.02	6.4	NNE	16
	16	0.97	4.7	1.46	5.5	1.79	5.6	2.36	5.1	欠測	欠測
	18	1.04	4.6	1.67	5.3	2.09	5.3	2.89	5.9	NE	48
	20	1.23	5.3	1.96	6.2	2.47	6.0	3.10	5.7	W	278
	22	* 1.49	6.0	* 2.26	6.9	* 2.77	6.9	* 3.71	5.9	W	262
	最大	1.49	6.0	2.26	6.9	2.77	6.9	3.71	5.9		
	平均	0.94	5.5	1.49	6.9	1.85	7.0	2.38	6.8		
03	00	1.31	6.1	2.08	7.2	2.62	7.1	3.62	6.5	W	274
	02	1.41	6.2	2.28	7.9	2.84	8.1	3.72	8.5	WNW	290
	04	* 1.60	6.7	* 2.52	8.3	* 3.08	8.7	* 4.26	7.5	NNW	348
	06	1.43	6.1	2.25	7.8	2.82	7.7	3.38	6.6	NNW	335
	08	1.45	6.3	2.23	7.9	2.90	8.0	3.80	7.8	N	352
	10	1.37	6.2	2.15	7.7	2.81	7.9	3.56	8.0	NNW	331
	12	1.37	6.3	2.21	7.9	2.73	7.8	3.13	8.6	NNW	340
	14	1.20	5.9	1.90	7.5	2.37	7.4	2.81	8.4	NNE	16
	16	1.28	6.5	1.96	7.6	2.46	8.1	3.28	7.7	NNW	340
	18	1.09	6.0	1.72	7.3	2.11	7.1	2.49	6.7	NNE	16
	20	0.91	5.8	1.51	7.1	1.91	7.5	2.66	7.5	NNE	20
	22	0.86	5.9	1.40	7.4	1.79	7.6	2.30	7.4	NNE	25
	最大	1.60	6.7	2.52	8.3	3.08	8.7	4.26	7.5		
	平均	1.27	6.2	2.02	7.6	2.54	7.7	3.25	7.6		
04	00	* 0.83	5.9	* 1.34	7.1	* 1.67	7.2	2.21	7.8	NNE	20
	02	0.77	5.9	1.24	7.3	1.50	7.3	* 2.32	7.2	NNE	16
	04	0.70	5.8	1.11	7.0	1.34	7.1	1.76	7.6	NNE	20
	06	0.70	6.0	1.10	7.2	1.34	7.0	1.63	8.1	N	352
	08	0.62	5.5	0.98	6.7	1.22	6.9	1.63	7.0	NNE	16
	10	0.52	5.2	0.84	6.4	1.04	6.4	1.31	6.5	N	8
	12	0.57	5.2	0.91	6.5	1.14	6.7	1.37	6.7	NNE	25
	14	0.48	4.5	0.77	6.2	0.95	6.5	1.23	6.7	NNE	25
	16	0.47	4.4	0.74	5.6	0.91	5.8	1.25	6.5	欠測	欠測
	18	0.67	4.8	0.99	5.1	1.21	5.1	1.58	4.8	WNW	287
	20	0.52	4.4	0.82	5.2	1.05	5.4	1.48	5.8	W	274
	22	0.56	4.3	0.87	5.1	1.12	5.2	1.81	4.2	欠測	欠測
	最大	0.83	5.9	1.34	7.1	1.67	7.2	2.32	7.2		
	平均	0.62	5.2	0.98	6.3	1.21	6.4	1.63	6.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 3月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.77	6.5	1.24	8.4	1.51	8.7	1.71	9.2	NNE	16
	02	0.83	6.8	1.31	9.1	1.57	9.4	1.91	8.6	NNE	20
	04	0.73	5.6	1.15	7.2	1.47	7.4	1.81	7.4	WNW	295
	06	0.88	5.8	1.34	6.9	1.65	7.3	2.10	7.7	WNW	282
	08	0.93	5.5	1.53	6.8	1.92	6.8	2.76	6.7	WNW	290
	10	1.02	5.5	1.57	6.8	1.92	7.1	2.32	7.8	WNW	299
	12	* 1.05	5.7	1.69	6.8	2.10	6.7	2.48	7.3	W	278
	14	1.02	5.6	* 1.73	6.9	* 2.24	7.0	* 3.05	7.3	W	278
	16	0.91	5.7	1.48	7.5	1.82	7.4	2.13	7.7	WNW	295
	18	0.83	5.3	1.36	6.9	1.74	7.2	2.65	6.6	W	274
	20	0.80	4.7	1.26	6.2	1.53	6.3	1.95	8.1	NW	319
	22	0.82	5.1	1.32	6.6	1.64	6.7	2.34	5.3	NW	311
	最大	1.05	5.7	1.73	6.9	2.24	7.0	3.05	7.3		
	平均	0.88	5.7	1.42	7.2	1.76	7.3	2.27	7.5		
14	00	1.06	6.3	1.79	8.8	2.33	9.1	2.59	11.2	NNW	331
	02	1.26	7.2	* 2.06	8.8	* 2.60	8.9	3.18	9.3	NW	323
	04	1.21	6.9	1.96	8.5	2.47	8.3	3.20	8.4	NNW	331
	06	* 1.31	6.9	2.00	8.3	2.41	8.0	* 3.34	8.1	NNW	327
	08	1.15	6.6	1.77	7.6	2.19	7.4	2.80	6.7	NNW	327
	10	1.15	6.4	1.81	7.5	2.20	7.5	2.81	7.9	NNW	335
	12	0.95	5.9	1.59	7.5	2.02	7.5	2.90	7.5	NNW	348
	14	0.86	6.0	1.37	7.4	1.67	7.5	2.20	6.1	NW	315
	16	0.77	5.7	1.24	7.1	1.50	7.3	1.98	6.2	WNW	286
	18	0.71	5.5	1.16	6.9	1.44	6.8	1.88	7.3	NW	323
	20	0.61	5.1	0.97	6.6	1.22	6.6	1.55	6.8	NW	323
	22	0.55	5.1	0.88	6.5	1.12	6.6	1.83	6.7	NW	319
	最大	1.31	6.9	2.06	8.8	2.60	8.9	3.34	8.1		
	平均	0.97	6.1	1.55	7.6	1.93	7.6	2.52	7.7		
15	00	0.54	5.2	0.85	6.2	1.08	6.3	1.36	6.1	WNW	303
	02	0.50	4.9	0.83	6.2	1.08	6.4	1.29	5.9	WNW	290
	04	0.54	5.3	0.84	6.4	1.08	6.2	1.44	6.6	NW	315
	06	0.49	5.1	0.78	6.1	0.97	6.0	1.44	5.9	NW	323
	08	0.42	4.9	0.66	6.1	0.80	6.0	0.97	5.0	NNE	16
	10	0.34	4.7	0.54	5.9	0.69	5.9	0.87	5.8	NNW	335
	12	0.35	4.6	0.54	5.8	0.65	5.9	0.82	6.4	NNW	327
	14	0.39	3.7	0.59	4.5	0.77	4.4	1.05	4.3	W	279
	16	0.61	4.5	0.94	5.0	1.21	5.2	1.59	5.3	N	350
	18	0.81	4.5	1.28	5.3	1.55	5.2	1.86	5.2	欠測	欠測
	20	0.93	4.7	1.44	5.6	1.79	5.7	2.46	5.4	WNW	282
	22	* 1.32	6.2	* 2.13	7.2	* 2.72	7.2	* 3.08	7.5	WNW	282
	最大	1.32	6.2	2.13	7.2	2.72	7.2	3.08	7.5		
	平均	0.60	4.9	0.95	5.9	1.20	5.9	1.52	5.8		
16	00	1.29	5.8	1.99	7.1	2.41	7.3	3.40	5.0	W	274
	02	1.20	5.5	1.87	6.9	2.43	7.2	2.92	4.8	WNW	282
	04	1.19	5.4	1.83	6.8	2.24	6.8	2.73	5.7	W	262
	06	1.18	5.4	1.85	6.9	2.27	7.2	2.82	7.9	WNW	295
	08	2.06	5.9	3.27	7.2	4.05	7.6	4.67	8.8	WNW	303
	10	* 2.37	6.6	3.65	8.2	4.46	8.5	5.51	7.4	N	356
	12	2.28	6.6	* 3.76	8.1	* 4.61	7.8	* 6.09	8.2	NNE	12
	14	2.06	6.6	3.34	8.2	4.33	8.5	5.67	9.1	NNE	25
	16	2.03	6.7	3.23	8.7	3.97	9.2	4.55	9.2	NNE	20
	18	1.86	6.7	2.91	8.3	3.51	8.4	4.03	7.0	NNE	16
	20	1.79	6.6	2.88	8.3	3.71	8.6	4.95	8.1	NNE	29
	22	1.71	6.7	2.75	8.2	3.42	8.5	4.19	8.6	NNE	25
	最大	2.37	6.6	3.76	8.1	4.61	7.8	6.09	8.2		
	平均	1.75	6.2	2.78	7.7	3.45	8.0	4.29	7.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 3月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
17	00	* 1.36	6.1	* 2.21	7.9	* 2.81	7.9	* 4.25	8.6	WNW	303
	02	1.35	6.7	2.09	7.8	2.64	7.7	3.56	8.3	NNE	25
	04	1.07	6.3	1.67	7.4	2.04	7.7	2.67	7.3	NW	311
	06	0.98	6.4	1.56	7.6	1.97	7.5	2.84	7.3	NNW	344
	08	0.74	5.7	1.19	7.0	1.47	7.3	1.89	6.9	NNW	340
	10	0.63	5.4	1.01	6.7	1.22	6.8	1.52	6.5	NNE	29
	12	0.61	5.0	0.98	6.5	1.26	6.4	1.58	5.3	NNE	12
	14	0.78	4.7	1.23	5.9	1.56	6.2	2.19	5.9	W	278
	16	0.84	5.2	1.31	6.4	1.59	6.3	2.07	5.8	WSW	254
	18	0.99	5.2	1.60	6.3	1.99	6.5	2.46	7.4	W	266
	20	1.14	5.0	1.82	6.0	2.32	5.8	2.98	7.8	W	274
	22	1.21	5.6	1.90	6.6	2.34	6.4	3.38	6.0	WNW	290
最大		1.36	6.1	2.21	7.9	2.81	7.9	4.25	8.6		
平均		0.98	5.6	1.55	6.8	1.93	6.9	2.62	6.9		
18	00	1.15	5.4	1.84	6.7	2.32	6.6	3.71	6.2	W	270
	02	1.11	5.5	1.82	6.9	2.39	7.1	3.09	6.5	NW	315
	04	1.29	6.3	1.99	7.7	2.44	7.7	3.08	8.5	WNW	299
	06	* 1.34	6.6	* 2.08	8.1	* 2.62	8.1	3.39	7.9	W	278
	08	1.18	6.1	1.81	7.3	2.19	7.6	3.05	6.1	W	266
	10	1.21	5.8	1.99	7.2	2.52	7.4	* 3.73	7.1	W	278
	12	1.03	5.5	1.65	6.8	2.13	7.0	2.81	7.5	WNW	282
	14	0.99	5.6	1.55	6.8	1.90	7.0	3.05	6.7	WNW	286
	16	0.89	5.5	1.44	6.7	1.91	6.9	2.95	7.2	WNW	303
	18	0.79	5.5	1.23	6.9	1.53	6.8	2.16	6.4	WNW	286
	20	0.73	6.1	1.12	7.4	1.37	7.2	1.67	7.2	WNW	303
	22	0.68	6.0	1.09	7.2	1.39	7.1	1.99	6.6	WNW	295
最大		1.34	6.6	2.08	8.1	2.62	8.1	3.73	7.1		
平均		1.03	5.8	1.63	7.1	2.06	7.2	2.89	7.0		
19	00	* 0.58	5.8	* 0.94	7.2	* 1.25	7.2	1.79	6.9	WNW	299
	02	0.51	5.6	0.83	7.0	1.02	7.4	1.24	6.5	WNW	286
	04	0.52	5.5	0.81	6.8	1.01	7.0	1.44	7.2	WNW	286
	06	0.49	5.1	0.78	6.3	1.00	6.2	1.51	6.2	WNW	282
	08	0.42	4.9	0.68	6.1	0.86	6.3	1.24	6.1	WNW	290
	10	0.44	4.2	0.70	5.3	0.85	5.6	1.17	5.5	NE	51
	12	0.49	4.3	0.77	5.2	1.03	5.3	1.37	5.1	NW	323
	14	0.52	4.5	0.79	5.5	0.97	5.4	1.25	6.0	NW	309
	16	0.43	4.4	0.68	5.7	0.84	5.9	1.13	6.0	WNW	290
	18	0.41	4.8	0.70	6.0	0.89	6.0	1.10	5.8	WNW	282
	20	0.39	5.3	0.62	6.4	0.76	6.3	1.02	5.3	W	278
	22	0.56	4.4	0.93	6.0	1.20	6.2	* 1.85	4.2	WNW	286
最大		0.58	5.8	0.94	7.2	1.25	7.2	1.85	4.2		
平均		0.48	4.9	0.77	6.1	0.97	6.2	1.34	5.9		
20	00	1.20	5.4	1.82	6.5	2.20	6.2	3.13	4.7	W	278
	02	1.85	5.9	2.84	7.2	3.47	7.0	4.72	8.4	欠測	欠測
	04	2.37	6.7	3.91	8.8	5.07	8.9	* 7.71	8.3	WNW	299
	06	2.27	7.3	3.45	8.8	4.05	8.6	5.74	9.3	WNW	295
	08	2.05	6.9	3.36	9.4	4.22	9.6	5.75	8.4	WNW	303
	10	2.44	7.5	3.94	10.1	* 5.10	10.8	6.89	12.0	WNW	299
	12	* 2.48	7.8	3.89	10.1	4.72	11.2	5.81	11.9	WNW	303
	14	2.28	7.5	3.71	9.6	4.84	10.3	6.27	9.4	NW	311
	16	2.47	7.9	* 3.99	10.3	4.91	10.0	6.58	10.7	NW	319
	18	2.45	8.0	3.88	10.0	4.76	10.6	5.55	11.4	NW	319
	20	2.17	7.7	3.42	9.8	4.34	9.7	5.11	10.8	NW	315
	22	1.96	7.4	3.07	9.4	3.73	9.2	5.04	10.7	NW	323
最大		2.48	7.8	3.99	10.3	5.10	10.8	7.71	8.3		
平均		2.17	7.2	3.44	9.2	4.28	9.3	5.69	9.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

										波 高		波 向	
2020年 3月										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	350 回
										欠測回数	0 回	欠測回数	22 回
										欠 測 率	0.0 %	欠 測 率	5.9 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m			
										緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
21	00	* 1.77	6.7	* 2.94	8.7	* 3.83	9.2	4.59	9.9	NNW	327		
	02	1.69	6.8	2.78	8.7	3.56	9.0	* 5.02	9.8	NW	323		
	04	1.44	6.9	2.27	8.5	2.76	8.7	3.59	8.7	NW	319		
	06	1.19	6.5	1.88	8.0	2.39	8.1	3.24	8.3	NW	323		
	08	1.04	6.1	1.65	7.8	1.99	7.8	2.47	6.6	NNW	335		
	10	1.08	5.4	1.70	6.6	2.13	6.6	2.67	7.0	NW	323		
	12	1.00	5.2	1.57	6.4	1.90	6.6	2.11	8.2	W	274		
	14	1.06	5.3	1.70	6.5	2.19	6.7	3.06	7.3	WNW	282		
	16	1.05	5.4	1.69	6.7	2.19	6.7	3.70	7.2	WNW	282		
	18	0.87	5.5	1.38	6.9	1.78	6.8	2.65	6.4	WNW	282		
	20	0.92	5.6	1.46	6.9	1.82	7.1	2.41	7.5	W	274		
	22	0.71	5.0	1.14	6.4	1.44	6.3	1.90	6.5	W	274		
最大		1.77	6.7	2.94	8.7	3.83	9.2	5.02	9.8				
平均		1.15	5.9	1.85	7.3	2.33	7.5	3.12	7.8				
22	00	0.64	5.3	1.01	6.8	1.30	7.0	1.86	6.8	W	262		
	02	0.67	6.0	1.04	7.1	1.27	7.2	1.93	7.8	W	274		
	04	0.63	6.0	1.01	7.3	1.29	7.4	1.87	7.4	NNE	20		
	06	0.69	5.0	1.09	6.5	1.38	7.0	2.29	8.9	NNE	33		
	08	0.89	5.2	1.43	6.5	1.76	7.0	2.35	6.3	NE	37		
	10	0.91	5.3	1.44	6.6	1.77	6.4	2.31	5.2	NNE	12		
	12	0.75	5.8	1.18	7.3	1.51	7.9	1.96	8.1	NNE	25		
	14	0.68	6.0	1.07	7.9	1.41	8.5	1.77	10.7	NNE	29		
	16	0.73	5.8	1.13	7.9	1.40	8.3	1.85	8.2	NNE	29		
	18	0.79	5.4	1.29	7.6	1.58	8.1	2.03	9.5	NNE	20		
	20	* 0.94	5.7	* 1.50	7.8	* 1.90	8.0	* 2.79	8.1	NNE	29		
	22	0.93	5.5	1.47	7.2	1.83	7.2	2.46	7.4	NNE	29		
最大		0.94	5.7	1.50	7.8	1.90	8.0	2.79	8.1				
平均		0.77	5.6	1.22	7.2	1.53	7.5	2.12	7.9				
23	00	* 0.91	5.7	* 1.45	7.4	* 1.77	7.1	* 2.35	8.1	NNE	29		
	02	0.88	5.5	1.38	6.9	1.73	7.1	2.16	5.7	NNE	20		
	04	0.78	5.3	1.29	6.8	1.65	7.0	2.05	6.5	NNW	335		
	06	0.88	5.8	1.36	7.4	1.66	6.9	2.06	6.3	NNE	25		
	08	0.79	5.6	1.21	6.7	1.48	6.5	2.18	7.2	NNW	335		
	10	0.70	5.7	1.08	6.9	1.29	7.4	1.55	6.9	NNE	20		
	12	0.66	5.6	1.00	6.5	1.24	6.3	1.56	6.1	NNW	331		
	14	0.64	5.3	1.01	6.4	1.24	6.7	1.61	6.3	NNE	25		
	16	0.59	5.3	0.93	6.5	1.13	6.3	1.50	6.6	NNE	29		
	18	0.56	4.8	0.92	6.1	1.16	6.1	1.55	6.0	NNW	344		
	20	0.64	4.3	0.97	5.2	1.19	5.6	1.86	3.4	W	272		
	22	0.76	4.0	1.19	4.7	1.45	4.8	2.01	4.4	欠測	欠測		
最大		0.91	5.7	1.45	7.4	1.77	7.1	2.35	8.1				
平均		0.73	5.2	1.15	6.5	1.42	6.5	1.87	6.1				
24	00	1.04	4.7	1.60	5.3	1.95	5.2	2.92	5.0	NNW	339		
	02	0.77	4.6	1.21	5.2	1.51	5.0	2.10	4.9	NNW	346		
	04	0.91	4.6	1.46	5.3	1.79	5.3	2.54	5.2	欠測	欠測		
	06	1.07	4.8	1.70	5.7	2.13	5.9	2.44	5.4	NNW	331		
	08	1.13	5.3	1.75	6.1	2.16	6.2	2.94	6.0	NW	319		
	10	1.08	5.0	1.70	5.9	2.19	6.0	2.89	5.1	NNW	331		
	12	1.30	5.4	* 2.09	6.3	* 2.61	6.1	* 3.59	6.6	WNW	303		
	14	* 1.30	5.8	2.00	6.6	2.43	6.8	3.12	5.9	NW	323		
	16	1.12	5.6	1.83	6.6	2.26	6.7	2.67	6.6	NW	323		
	18	0.90	5.1	1.45	6.2	1.84	6.3	2.76	5.6	NW	319		
	20	0.90	5.3	1.41	6.2	1.78	6.2	2.60	6.1	NNW	327		
	22	0.88	5.2	1.36	6.2	1.67	6.3	2.20	6.0	NW	311		
最大		1.30	5.8	2.09	6.3	2.61	6.1	3.59	6.6				
平均		1.03	5.1	1.63	6.0	2.03	6.0	2.73	5.7				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 3月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.72	4.8	1.12	5.9	1.44	6.0	1.76	4.8	WNW	303
	02	* 0.84	5.3	* 1.30	6.1	* 1.59	6.0	2.07	6.1	NW	319
	04	0.73	5.1	1.12	5.8	1.39	5.8	1.73	6.4	NW	307
	06	0.71	5.0	1.11	5.9	1.38	5.9	* 2.12	5.9	NW	311
	08	0.57	4.6	0.91	5.7	1.21	5.8	1.63	6.0	WNW	303
	10	0.53	4.7	0.86	5.6	1.07	5.5	1.27	5.6	W	272
	12	0.49	4.7	0.76	5.4	0.94	5.4	1.13	5.5	NNW	339
	14	0.47	4.7	0.74	5.4	0.99	5.3	1.35	5.5	NNW	336
	16	0.47	4.8	0.75	5.3	0.92	5.3	1.07	5.1	NE	48
	18	0.41	4.4	0.65	5.2	0.83	5.3	1.08	4.8	WNW	297
	20	0.40	4.5	0.63	5.1	0.80	5.1	1.05	5.7	NNE	14
	22	0.37	4.5	0.55	5.1	0.70	5.1	1.00	5.3	NNE	28
	最大	0.84	5.3	1.30	6.1	1.59	6.0	2.12	5.9		
	平均	0.56	4.8	0.88	5.5	1.11	5.5	1.44	5.6		
26	00	* 0.35	4.4	* 0.54	5.0	* 0.67	4.9	* 0.92	5.0	W	275
	02	0.29	4.1	0.49	5.1	0.62	5.1	0.87	5.2	欠測	欠測
	04	0.26	4.3	0.41	5.1	0.51	5.2	0.64	4.9	W	281
	06	0.25	4.1	0.41	5.0	0.50	5.1	0.62	5.2	欠測	欠測
	08	0.22	4.0	0.35	5.0	0.44	4.9	0.62	5.1	NNE	25
	10	0.20	4.0	0.32	4.9	0.40	4.9	0.52	5.1	NNE	26
	12	0.20	3.9	0.32	4.9	0.41	5.0	0.64	4.6	WNW	299
	14	0.21	3.2	0.33	4.1	0.42	4.0	0.57	3.5	N	10
	16	0.19	3.3	0.29	4.5	0.36	4.8	0.51	5.6	NNE	25
	18	0.16	3.5	0.25	4.4	0.31	4.5	0.41	4.4	WNW	283
	20	0.14	3.4	0.22	4.6	0.28	4.7	0.37	4.4	NE	34
	22	0.13	3.2	0.21	4.6	0.26	5.0	0.34	4.7	WNW	284
	最大	0.35	4.4	0.54	5.0	0.67	4.9	0.92	5.0		
	平均	0.22	3.8	0.34	4.8	0.43	4.8	0.59	4.8		
27	00	0.14	3.6	0.22	5.0	0.26	5.1	0.30	3.5	N	10
	02	0.15	3.6	0.23	4.9	0.28	4.9	0.34	4.6	WNW	302
	04	0.13	3.2	0.19	4.6	0.24	4.9	0.30	4.9	NNW	348
	06	0.11	3.1	0.17	4.6	0.21	5.1	0.30	4.9	WNW	300
	08	0.11	3.1	0.17	4.7	0.22	4.6	0.31	5.2	N	6
	10	0.21	2.9	0.33	3.6	0.43	3.5	0.57	2.4	W	278
	12	* 0.51	4.0	* 0.78	4.7	0.96	4.7	1.48	4.8	NNW	345
	14	0.45	3.9	0.69	4.8	0.86	5.0	1.13	5.5	NW	326
	16	0.48	4.0	0.75	5.0	0.95	5.1	1.28	4.3	WNW	282
	18	0.50	4.0	0.77	4.8	* 0.96	4.9	* 1.52	4.3	欠測	欠測
	20	0.48	3.9	0.75	4.6	0.94	4.8	1.48	4.6	NE	56
	22	0.40	3.9	0.64	4.8	0.81	4.8	1.22	3.5	欠測	欠測
	最大	0.51	4.0	0.78	4.7	0.96	4.9	1.52	4.3		
	平均	0.31	3.6	0.47	4.7	0.59	4.8	0.85	4.4		
28	00	0.52	4.1	0.81	4.7	1.04	4.7	1.27	4.4	W	273
	02	0.66	4.3	1.03	5.2	1.27	5.0	1.98	5.1	欠測	欠測
	04	1.37	6.1	2.12	7.9	2.61	8.1	3.19	9.0	WNW	303
	06	1.37	6.3	2.20	7.8	2.67	8.2	3.47	7.5	NW	319
	08	* 1.42	6.2	* 2.23	7.4	* 2.76	7.6	3.55	7.5	NW	315
	10	1.20	5.8	1.92	7.5	2.46	7.6	* 3.62	7.8	NNW	335
	12	1.06	5.7	1.75	7.3	2.19	7.6	2.86	7.4	NNW	335
	14	1.14	5.9	1.82	7.4	2.26	7.5	2.87	7.0	NNW	335
	16	0.87	5.0	1.45	6.7	1.84	7.0	2.80	6.6	NW	323
	18	0.97	5.3	1.54	6.7	1.90	6.8	2.19	7.0	NNE	12
	20	0.97	5.2	1.54	6.4	1.94	6.5	2.87	7.5	NNE	29
	22	0.92	5.0	1.47	6.2	1.86	6.5	2.93	7.2	NNE	25
	最大	1.42	6.2	2.23	7.4	2.76	7.6	3.62	7.8		
	平均	1.04	5.4	1.66	6.8	2.07	6.9	2.80	7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	350 回
欠測回数	0 回	欠測回数	22 回
欠 測 率	0.0 %	欠 測 率	5.9 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	0.85	4.7	1.32	6.1	1.62	6.1	1.99	5.4	NNE	29
	02	0.84	5.2	1.32	6.6	1.68	6.7	2.41	6.4	NNE	29
	04	0.68	4.7	1.08	6.0	1.36	6.1	1.88	7.6	NNE	29
	06	0.77	5.0	1.20	6.0	1.48	6.2	1.96	5.5	NNE	20
	08	0.85	4.7	1.35	5.7	1.70	5.6	2.12	5.3	N	8
	10	* 1.00	4.7	1.54	5.4	1.91	5.6	2.35	4.8	NE	48
	12	0.97	4.9	* 1.54	5.9	* 1.98	5.8	* 2.59	5.2	NNW	340
	14	0.89	4.9	1.39	5.9	1.74	5.9	2.08	5.1	NNW	344
	16	0.85	5.2	1.30	6.0	1.60	6.0	1.86	5.6	N	4
	18	0.70	4.8	1.11	6.0	1.39	6.0	1.85	5.9	NNW	331
	20	0.64	4.7	1.01	5.7	1.26	5.8	1.81	6.2	NNW	327
	22	0.54	4.7	0.88	5.7	1.09	5.7	1.52	5.7	NNW	344
	最大	1.00	4.7	1.54	5.9	1.98	5.8	2.59	5.2		
	平均	0.80	4.9	1.25	5.9	1.57	6.0	2.03	5.7		
30	00	0.48	4.6	* 0.76	5.6	0.94	5.4	1.14	5.8	NE	44
	02	* 0.49	4.6	0.76	5.5	* 0.95	5.6	* 1.21	5.5	WNW	286
	04	0.40	4.3	0.64	5.2	0.79	5.2	0.99	4.7	W	271
	06	0.36	4.1	0.58	5.1	0.75	4.9	1.06	5.0	欠測	欠測
	08	0.33	4.1	0.51	5.1	0.62	5.1	0.82	4.8	NNE	13
	10	0.28	4.0	0.45	4.8	0.56	4.8	0.94	5.5	N	5
	12	0.27	3.7	0.45	4.7	0.58	5.0	0.76	5.1	WNW	303
	14	0.25	3.6	0.40	4.6	0.50	4.5	0.70	4.5	W	272
	16	0.24	3.5	0.38	4.6	0.49	4.6	0.67	4.4	NE	44
	18	0.25	3.6	0.39	4.3	0.49	4.4	0.65	4.5	WNW	283
	20	0.20	3.5	0.33	4.6	0.42	4.5	0.55	5.7	N	354
	22	0.19	3.7	0.29	4.6	0.35	4.5	0.44	4.0	NNE	31
	最大	0.49	4.6	0.76	5.6	0.95	5.6	1.21	5.5		
	平均	0.31	3.9	0.50	4.9	0.62	4.9	0.83	5.0		
31	00	0.17	3.5	0.27	4.3	0.34	4.6	0.50	4.3	NNE	20
	02	0.17	3.3	0.27	4.4	0.33	4.7	0.44	4.3	NE	49
	04	0.16	3.3	0.25	4.3	0.31	4.4	0.44	3.2	NNE	33
	06	0.16	3.2	0.24	4.2	0.31	4.4	0.43	3.9	NNE	29
	08	0.20	3.2	0.31	4.0	0.40	3.9	0.61	4.3	欠測	欠測
	10	0.35	3.2	0.55	3.6	0.72	3.4	0.98	3.8	W	279
	12	* 0.40	3.3	* 0.62	3.6	* 0.80	3.4	1.25	3.0	NE	52
	14	0.39	3.3	0.61	3.7	0.78	3.6	* 1.29	3.7	NW	317
	16	0.33	3.3	0.51	3.7	0.65	3.6	0.89	3.4	NE	46
	18	0.30	3.3	0.45	3.7	0.58	3.6	0.82	3.2	NNW	335
	20	0.23	3.4	0.37	3.7	0.46	3.5	0.65	3.5	WNW	295
	22	0.17	3.2	0.26	4.0	0.32	3.9	0.53	3.7	N	359
	最大	0.40	3.3	0.62	3.6	0.80	3.4	1.29	3.7		
	平均	0.25	3.3	0.39	3.9	0.50	3.9	0.74	3.7		
	月最大	3.00	8.2	4.85	10.3	6.11	10.3	8.50	11.4		
	起時	0518		0518		0518		0520			
	平均	0.94	5.3	1.48	6.6	1.85	6.7	2.45	6.6		

波浪整理表（1）

2020年 4月											波 高		波 向					
											規定回数	360 回	規定回数	360 回				
											測得回数	360 回	測得回数	325 回				
											欠測回数	0 回	欠測回数	35 回				
											欠 測 率	0.0 %	欠 測 率	9.7 %				
機種：波向 海象計 - 50.0m - 52.0 m																		
観測所：輪島港輪島崎地区											機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向								
										16方位	角度							
01	00	0.19	3.4	0.29	4.2	0.37	4.0	0.50	3.5	WNW	298							
	02	0.17	3.3	0.27	4.0	0.34	3.9	0.51	3.8	NNE	23							
	04	0.15	3.2	0.24	3.9	0.30	4.0	0.39	3.5	N	354							
	06	0.17	2.9	0.27	3.6	0.36	3.4	0.52	3.0	W	278							
	08	0.15	3.0	0.24	3.8	0.30	3.8	0.40	2.9	NE	35							
	10	0.16	2.9	0.25	3.7	0.32	3.6	0.41	3.1	欠測	欠測							
	12	0.28	3.0	0.44	3.3	0.56	3.2	0.79	2.9	N	354							
	14	0.34	3.3	0.54	3.6	0.69	3.6	1.16	3.7	NE	38							
	16	0.47	3.7	0.75	3.9	0.96	3.8	1.27	3.3	WNW	289							
	18	0.78	4.1	1.24	4.6	1.55	4.5	2.28	4.1	欠測	欠測							
	20	1.27	4.9	1.98	5.6	2.40	5.6	3.18	5.5	NE	39							
	22	* 1.50	5.2	* 2.35	5.9	* 2.92	6.1	* 3.45	5.7	N	8							
	最大	1.50	5.2	2.35	5.9	2.92	6.1	3.45	5.7									
	平均	0.47	3.6	0.74	4.2	0.92	4.1	1.24	3.8									
02	00	* 1.53	5.6	2.38	6.5	2.88	6.7	3.49	6.8	N	356							
	02	1.26	5.1	1.97	6.2	2.54	6.3	3.25	6.6	NNE	25							
	04	1.14	5.1	1.82	6.3	2.29	6.5	2.91	6.8	NNE	16							
	06	1.11	5.1	1.74	6.0	2.13	6.1	3.41	5.9	NNE	33							
	08	1.11	5.2	1.78	6.4	2.21	6.4	2.84	7.1	NNE	33							
	10	1.14	5.1	1.80	6.6	2.26	6.6	3.05	5.9	NNE	25							
	12	1.30	5.5	2.06	6.6	2.71	6.5	3.60	7.1	NNE	20							
	14	1.47	5.7	* 2.42	7.2	* 3.00	7.5	3.78	6.9	NNE	20							
	16	1.51	6.2	2.30	7.6	2.80	7.9	* 3.78	7.9	NNE	25							
	18	1.27	6.0	1.94	7.5	2.34	7.5	2.82	7.6	NNE	20							
	20	1.06	5.6	1.67	7.0	2.08	7.0	3.03	6.6	NNE	16							
	22	1.04	5.7	1.68	6.8	2.14	7.1	2.72	6.4	NNE	16							
	最大	1.53	5.6	2.42	7.2	3.00	7.5	3.78	7.9									
	平均	1.25	5.5	1.96	6.7	2.45	6.8	3.22	6.8									
03	00	0.99	5.8	1.54	7.1	1.96	7.6	2.59	7.1	NNE	20							
	02	* 1.03	5.9	* 1.62	7.2	* 2.08	6.9	* 2.69	7.4	NNE	16							
	04	0.88	5.7	1.37	6.8	1.72	6.8	2.35	7.0	NNE	29							
	06	0.83	5.8	1.32	7.1	1.72	6.7	2.37	6.4	NNE	25							
	08	0.71	5.1	1.09	6.1	1.39	6.2	2.01	5.8	NNE	29							
	10	0.71	5.1	1.13	6.1	1.43	6.1	1.77	7.1	NW	315							
	12	0.67	5.0	1.07	6.0	1.34	6.2	1.57	6.1	WNW	290							
	14	0.68	4.9	1.09	5.8	1.41	6.0	2.06	6.2	WNW	286							
	16	0.62	5.1	0.93	5.9	1.13	6.2	1.45	6.3	NW	307							
	18	0.54	4.8	0.89	5.9	1.16	6.0	1.82	5.8	NW	311							
	20	0.57	5.3	0.89	5.9	1.15	5.9	1.44	5.1	NW	315							
	22	0.51	5.0	0.82	5.9	1.01	5.7	1.26	5.5	NW	315							
	最大	1.03	5.9	1.62	7.2	2.08	6.9	2.69	7.4									
	平均	0.73	5.3	1.15	6.3	1.46	6.4	1.95	6.3									
04	00	0.50	5.2	0.77	5.8	1.00	5.7	1.35	5.3	W	270							
	02	0.37	4.2	0.64	5.7	0.84	5.7	1.23	5.5	WNW	286							
	04	0.44	4.3	0.70	5.5	0.89	5.5	1.17	5.7	NW	318							
	06	0.37	4.0	0.59	5.0	0.74	5.3	1.02	5.8	NNW	328							
	08	0.44	4.0	0.71	4.8	0.91	4.7	1.25	4.6	NNW	348							
	10	0.59	4.2	0.94	5.2	1.20	5.0	1.81	3.8	NW	323							
	12	0.72	4.4	1.11	5.0	1.38	5.0	2.31	5.0	NNE	22							
	14	0.66	4.1	1.05	4.8	1.30	4.9	1.57	5.1	W	270							
	16	0.72	4.3	1.14	5.3	1.40	5.6	2.08	3.8	欠測	欠測							
	18	1.12	4.7	1.77	5.4	2.35	5.3	3.64	5.4	WNW	292							
	20	1.21	5.5	1.87	6.2	2.39	6.1	3.64	6.4	W	278							
	22	* 1.31	5.9	* 2.15	7.3	* 2.71	7.2	* 3.82	7.2	NW	323							
	最大	1.31	5.9	2.15	7.3	2.71	7.2	3.82	7.2									
	平均	0.70	4.6	1.12	5.5	1.43	5.5	2.07	5.3									

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 4月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	1.43	6.8	2.20	7.8	2.76	7.9	5.09	8.0	NW	323
	02	1.64	7.3	2.59	9.2	3.18	9.4	3.62	9.1	NW	323
	04	1.60	7.2	2.72	9.4	3.48	9.3	3.93	8.2	NW	319
	06	1.75	7.1	2.81	8.9	3.55	9.2	4.16	8.7	NW	319
	08	1.81	7.0	2.95	8.9	3.62	8.8	4.59	8.9	NNW	327
	10	1.72	7.2	2.81	9.1	3.57	9.1	4.17	9.0	NNW	331
	12	1.90	7.3	3.11	9.3	3.92	9.0	5.06	9.3	NNW	335
	14	1.98	7.0	3.26	9.0	4.26	9.7	5.97	8.6	NNW	335
	16	* 2.33	7.6	* 3.71	9.9	* 4.72	10.2	6.12	10.7	NNW	327
	18	2.25	7.5	3.64	9.4	4.70	9.8	* 6.24	7.8	NNW	327
	20	2.27	7.4	3.58	9.6	4.47	10.1	5.80	10.1	NNW	331
	22	2.02	6.9	3.27	9.4	4.29	9.6	5.81	8.1	NNW	327
	最大	2.33	7.6	3.71	9.9	4.72	10.2	6.24	7.8		
	平均	1.89	7.2	3.05	9.2	3.88	9.3	5.05	8.9		
06	00	2.05	7.0	3.17	8.9	3.99	9.2	4.97	10.0	NW	319
	02	1.98	6.6	3.23	8.6	4.15	9.0	5.33	9.2	NW	323
	04	* 2.15	6.9	* 3.43	8.5	4.28	8.5	4.97	8.1	N	352
	06	2.08	6.6	3.43	8.0	* 4.48	8.1	* 5.49	8.2	NNW	331
	08	2.10	6.9	3.22	8.1	3.80	7.8	5.40	7.0	NNW	331
	10	1.75	6.2	2.88	7.7	3.80	7.8	4.98	8.7	NNW	335
	12	1.80	6.4	2.94	7.9	3.90	8.4	5.28	8.6	NNW	327
	14	1.57	6.3	2.58	7.9	3.32	7.9	4.81	8.6	NW	323
	16	1.45	6.0	2.30	7.6	2.86	7.5	3.99	6.8	NW	323
	18	1.46	6.2	2.25	7.5	2.71	7.9	3.22	7.9	NNW	327
	20	1.24	6.0	2.03	7.3	2.59	7.4	3.41	7.2	NNW	327
	22	1.23	6.1	1.89	7.4	2.35	7.8	2.98	7.6	NNW	348
	最大	2.15	6.9	3.43	8.5	4.48	8.1	5.49	8.2		
	平均	1.74	6.4	2.78	8.0	3.52	8.1	4.57	8.2		
07	00	* 1.11	6.0	* 1.82	7.4	* 2.26	7.5	* 3.23	7.5	NNW	335
	02	1.04	6.3	1.65	7.7	2.08	7.9	2.93	7.7	NNW	331
	04	0.89	5.8	1.45	7.2	1.84	7.3	2.44	8.0	NNW	335
	06	0.90	6.2	1.40	7.3	1.70	7.5	2.23	8.3	NNW	331
	08	0.74	5.6	1.22	7.1	1.53	7.2	2.09	7.7	NNE	16
	10	0.74	5.5	1.14	7.0	1.38	7.3	2.19	7.5	NNE	25
	12	0.73	5.0	1.18	7.0	1.47	7.5	1.87	9.0	NNE	20
	14	0.74	5.4	1.12	6.6	1.37	7.1	1.79	7.5	NNE	20
	16	0.75	5.5	1.16	6.9	1.42	6.8	2.00	6.1	N	4
	18	0.63	5.4	1.02	6.7	1.29	7.1	1.55	8.3	NNE	33
	20	0.58	5.6	0.90	7.3	1.10	7.3	1.74	7.5	NNE	12
	22	0.63	6.1	0.99	8.0	1.26	8.3	2.05	8.1	NNE	16
	最大	1.11	6.0	1.82	7.4	2.26	7.5	3.23	7.5		
	平均	0.79	5.7	1.25	7.2	1.56	7.4	2.18	7.8		
08	00	0.55	5.9	0.86	7.9	1.05	7.8	1.41	7.5	NNE	25
	02	0.51	5.5	0.83	7.3	1.12	7.5	1.33	8.3	NNE	25
	04	0.51	5.1	0.76	6.4	0.94	7.0	1.12	7.6	NNE	25
	06	0.46	4.7	0.75	6.3	0.97	7.2	1.67	8.5	NNE	16
	08	0.47	4.8	0.73	6.5	0.91	7.1	1.20	8.5	NNE	12
	10	0.55	5.0	0.88	6.4	1.10	6.5	1.25	7.9	N	8
	12	0.71	5.6	1.15	7.1	1.38	6.9	1.85	7.3	NW	319
	14	0.73	5.4	1.15	7.1	1.42	7.4	1.75	4.8	WNW	303
	16	0.78	4.9	1.21	5.9	1.47	5.8	1.77	6.9	WNW	290
	18	* 0.89	4.8	* 1.42	5.6	* 1.74	5.6	* 2.34	6.7	欠測	欠測
	20	0.79	4.8	1.22	5.7	1.56	5.4	2.00	5.5	NNW	327
	22	0.71	5.0	1.10	5.8	1.39	5.6	1.87	5.3	NW	319
	最大	0.89	4.8	1.42	5.6	1.74	5.6	2.34	6.7		
	平均	0.64	5.1	1.01	6.5	1.25	6.6	1.63	7.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	325 回
欠測回数	0 回	欠測回数	35 回
欠 測 率	0.0 %	欠 測 率	9.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.61	4.7	0.98	5.8	1.23	6.0	1.65	5.5	WNW	303
	02	0.66	4.5	1.03	5.6	1.30	5.4	1.61	7.1	W	271
	04	0.67	4.8	1.05	5.9	1.28	5.7	1.68	5.5	NW	315
	06	0.60	5.1	0.95	6.5	1.17	6.4	1.39	6.8	N	8
	08	0.64	5.4	1.02	7.3	1.26	7.4	1.69	6.8	WNW	295
	10	0.66	5.6	1.03	7.2	1.30	6.9	1.96	7.2	NNE	25
	12	0.70	5.7	1.13	7.0	1.40	7.4	1.73	7.8	NNE	29
	14	* 0.79	5.9	* 1.22	6.7	* 1.47	6.6	1.92	6.6	WNW	290
	16	0.69	5.9	1.11	7.4	1.40	7.5	* 2.27	6.9	NNE	20
	18	0.71	6.2	1.13	7.7	1.42	8.0	1.95	6.6	N	8
	20	0.71	6.3	1.07	7.7	1.27	8.0	1.47	9.4	NNE	16
	22	0.66	6.2	1.01	7.6	1.24	7.4	1.58	7.7	NNE	12
	最大	0.79	5.9	1.22	6.7	1.47	6.6	2.27	6.9		
	平均	0.67	5.5	1.06	6.9	1.31	6.9	1.74	7.0		
10	00	0.75	4.7	1.18	6.3	1.48	6.8	1.93	6.3	N	4
	02	0.97	5.0	1.51	5.9	1.90	6.1	* 3.23	6.0	WNW	303
	04	0.95	5.2	1.48	6.1	1.86	6.0	2.43	5.6	NW	319
	06	0.83	4.8	1.33	6.2	1.65	6.1	2.41	7.0	NW	311
	08	0.90	5.2	1.39	6.5	1.67	6.6	2.07	5.9	NNE	12
	10	0.93	5.2	1.50	6.6	1.87	6.4	2.65	6.9	NNW	327
	12	0.94	5.3	1.47	6.9	1.80	6.8	2.18	6.8	NNE	12
	14	1.02	5.8	1.60	7.1	* 2.02	7.1	2.69	8.0	NNE	16
	16	* 1.02	6.1	* 1.65	7.3	2.00	7.3	2.38	7.9	NNE	12
	18	0.94	6.0	1.47	7.3	1.79	7.3	2.31	5.5	NNE	12
	20	0.83	5.6	1.35	7.2	1.67	6.9	2.06	6.6	NNE	25
	22	0.83	5.8	1.36	7.4	1.69	7.4	1.97	7.7	N	8
	最大	1.02	6.1	1.65	7.3	2.02	7.1	3.23	6.0		
	平均	0.91	5.4	1.44	6.7	1.78	6.7	2.36	6.7		
11	00	0.78	5.4	1.28	6.9	1.63	7.3	2.17	7.6	NNE	16
	02	* 0.79	5.6	* 1.29	6.8	* 1.65	6.5	* 2.42	6.5	NNE	12
	04	0.74	5.4	1.20	6.7	1.51	6.9	2.10	6.0	N	356
	06	0.68	5.3	1.08	6.4	1.37	6.3	1.86	6.5	NNE	16
	08	0.65	5.3	1.07	6.6	1.38	6.8	2.28	6.7	NNE	20
	10	0.65	5.2	1.03	6.3	1.30	6.4	1.63	6.2	NNE	29
	12	0.51	5.0	0.80	6.1	1.00	6.1	1.31	5.2	NNE	25
	14	0.52	5.1	0.81	6.0	1.05	6.2	1.70	6.5	N	4
	16	0.48	4.7	0.77	5.8	0.96	5.9	1.40	5.3	NW	311
	18	0.40	4.2	0.67	5.5	0.89	5.8	1.52	5.3	欠測	欠測
	20	0.40	4.7	0.61	5.7	0.77	5.7	1.04	5.7	N	0
	22	0.36	4.5	0.57	5.4	0.71	5.6	0.93	5.5	NNW	331
	最大	0.79	5.6	1.29	6.8	1.65	6.5	2.42	6.5		
	平均	0.58	5.0	0.93	6.2	1.19	6.3	1.70	6.1		
12	00	0.32	4.6	0.49	5.5	0.57	5.3	0.72	5.3	N	0
	02	0.28	4.3	0.45	5.4	0.57	5.4	0.72	4.9	N	0
	04	0.29	4.3	0.47	5.2	0.61	5.1	1.00	5.4	NNE	29
	06	0.26	4.2	0.42	5.0	0.54	5.1	0.71	5.4	NNW	334
	08	0.36	4.8	0.56	5.5	0.70	5.5	1.03	5.4	WNW	283
	10	0.38	4.2	0.60	5.3	0.76	5.5	1.00	5.3	NNE	13
	12	0.41	3.8	0.65	4.7	0.82	4.7	1.07	3.6	欠測	欠測
	14	0.44	3.6	0.69	4.3	0.86	4.3	1.18	3.9	WNW	294
	16	0.51	3.9	0.78	4.7	0.96	5.0	1.29	3.7	欠測	欠測
	18	0.85	4.6	1.33	5.5	1.64	5.2	2.32	5.2	NNW	341
	20	1.04	4.5	1.70	5.3	2.09	5.2	2.77	4.9	W	274
	22	* 1.26	5.0	* 1.94	5.9	* 2.45	5.9	* 3.43	5.6	N	8
	最大	1.26	5.0	1.94	5.9	2.45	5.9	3.43	5.6		
	平均	0.53	4.3	0.84	5.2	1.05	5.2	1.44	4.9		

*は日最大波高、波向欄の空白は欠測を示す

波 高

規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	325 回
欠測回数	0 回	欠測回数	35 回
欠 測 率	0.0 %	欠 測 率	9.7 %

機種：波向 海象計 - 50.0m - 52.0 m

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
13	00	1.51	5.4	2.34	6.2	2.87	6.0	4.20	5.4	N	356
	02	1.83	5.8	2.84	6.6	3.55	6.4	4.59	6.8	NNE	20
	04	2.14	6.1	3.37	7.2	4.32	7.3	6.09	6.8	NNE	25
	06	2.35	6.6	3.54	7.5	4.23	7.2	4.68	7.1	欠測	欠測
	08	2.30	6.6	3.64	7.8	4.71	7.7	6.19	8.1	NNE	20
	10	2.36	6.8	3.67	7.9	4.55	7.7	5.90	8.0	NNE	25
	12	2.27	6.6	3.65	7.9	4.59	8.1	5.25	8.9	NNE	20
	14	2.36	6.5	3.82	7.7	4.87	7.8	5.86	8.6	NNE	16
	16	2.59	7.0	4.10	8.3	5.02	7.9	6.29	7.0	NNE	25
	18	2.30	6.7	3.67	8.2	4.70	8.2	5.60	7.8	NNE	25
	20	* 2.65	7.1	* 4.38	8.6	* 5.76	8.3	* 7.34	8.6	NNE	29
	22	2.63	7.0	4.12	8.4	4.99	8.6	6.24	9.4	NNE	25
	最大	2.65	7.1	4.38	8.6	5.76	8.3	7.34	8.6		
	平均	2.27	6.5	3.60	7.7	4.51	7.6	5.69	7.7		
14	00	* 2.44	6.9	* 4.07	8.2	* 5.48	8.5	* 7.38	9.1	NE	37
	02	2.06	6.5	3.25	7.5	4.18	7.9	5.37	7.9	NNE	33
	04	2.09	6.7	3.18	8.1	3.74	8.3	4.47	7.0	NNE	25
	06	1.64	6.5	2.49	7.9	3.11	7.8	5.44	7.6	NNE	29
	08	1.47	6.0	2.35	7.2	2.89	7.3	3.79	7.1	NE	37
	10	1.41	5.9	2.22	7.4	2.73	7.3	3.63	7.8	NE	37
	12	1.09	5.5	1.74	6.7	2.24	7.2	2.90	6.5	NNE	29
	14	1.00	5.7	1.57	7.0	2.01	7.0	2.49	6.5	NNE	29
	16	0.83	5.5	1.32	6.7	1.62	6.8	2.05	7.4	NE	41
	18	0.71	5.2	1.11	6.5	1.32	6.3	1.58	6.9	NE	41
	20	0.56	5.3	0.89	6.4	1.10	6.2	1.34	6.6	NNE	25
	22	0.51	5.1	0.83	6.3	1.09	6.4	1.56	5.8	NNE	33
	最大	2.44	6.9	4.07	8.2	5.48	8.5	7.38	9.1		
	平均	1.32	5.9	2.08	7.2	2.63	7.3	3.50	7.2		
15	00	0.42	4.5	0.67	5.7	0.82	5.9	1.01	4.8	NNE	25
	02	0.38	4.2	0.60	5.3	0.76	5.3	1.25	4.8	WNW	292
	04	0.42	4.1	0.66	5.0	0.85	5.1	1.16	4.1	NNW	328
	06	0.42	4.1	0.66	5.0	0.84	5.1	1.05	4.8	欠測	欠測
	08	0.44	4.3	0.68	5.1	0.83	4.9	0.99	4.7	NE	38
	10	0.46	4.4	0.70	5.0	0.84	5.0	1.05	5.1	NE	39
	12	0.45	4.1	0.70	5.1	0.87	5.0	1.31	4.4	W	273
	14	* 0.52	4.1	* 0.83	4.7	* 1.03	4.6	* 1.60	4.2	NW	306
	16	0.48	4.3	0.76	5.0	0.98	4.9	1.45	5.4	WNW	297
	18	0.47	4.4	0.73	5.1	0.90	5.3	1.17	5.2	NW	314
	20	0.40	4.3	0.63	5.4	0.75	5.3	1.12	5.7	NNE	23
	22	0.36	4.5	0.57	5.3	0.71	5.3	0.97	5.0	NW	322
	最大	0.52	4.1	0.83	4.7	1.03	4.6	1.60	4.2		
	平均	0.44	4.3	0.68	5.1	0.85	5.1	1.18	4.9		
16	00	0.41	3.6	0.66	4.4	0.85	4.6	1.16	4.7	欠測	欠測
	02	0.76	4.2	1.20	4.8	1.51	4.8	2.19	4.2	欠測	欠測
	04	0.95	4.7	1.51	5.5	1.93	5.4	2.29	5.5	NNE	12
	06	* 1.01	5.0	* 1.60	5.8	* 2.04	6.0	2.48	6.0	NNE	12
	08	0.98	5.0	1.56	6.2	1.97	6.1	2.25	6.7	NNE	16
	10	0.83	4.8	1.33	5.8	1.70	5.8	2.12	5.2	NNE	33
	12	0.87	5.1	1.36	6.4	1.73	6.4	2.51	5.2	NNE	25
	14	0.94	4.9	1.47	5.9	1.81	5.8	2.32	5.6	NNE	33
	16	0.95	4.8	1.52	5.7	1.87	6.0	2.33	5.4	NNE	25
	18	0.89	4.6	1.40	5.6	1.76	5.7	* 3.34	5.4	WNW	285
	20	0.88	4.7	1.43	5.8	1.78	6.0	2.16	5.3	NNE	29
	22	0.84	5.2	1.26	5.9	1.54	5.7	2.28	5.8	NNE	29
	最大	1.01	5.0	1.60	5.8	2.04	6.0	3.34	5.4		
	平均	0.86	4.7	1.36	5.6	1.71	5.7	2.29	5.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 4月		波 高							波 向		
		規定回数		360 回			規定回数		360 回		
		測得回数		360 回			測得回数		325 回		
		欠測回数		0 回			欠測回数		35 回		
		欠 測 率		0.0 %			欠 測 率		9.7 %		
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
17	00	* 0.82	5.1	* 1.31	5.9	* 1.69	6.1	* 2.50	5.6	欠測	欠測
	02	0.69	5.0	1.08	6.1	1.29	6.0	1.72	6.6	欠測	欠測
	04	0.57	4.8	0.92	6.0	1.14	6.1	1.67	5.7	NNE	33
	06	0.65	5.4	1.02	6.4	1.24	6.3	1.50	6.7	NNE	25
	08	0.57	5.1	0.88	6.3	1.09	6.1	1.45	6.4	NE	41
	10	0.51	4.8	0.81	5.9	1.02	6.1	1.47	5.9	NE	41
	12	0.57	4.3	0.88	5.6	1.06	5.6	1.62	4.8	NW	319
	14	0.54	4.2	0.87	5.4	1.06	5.4	1.47	3.7	欠測	欠測
	16	0.53	4.5	0.84	5.7	1.08	5.9	1.45	7.1	NNE	29
	18	0.42	4.5	0.67	5.7	0.84	5.8	1.31	4.9	N	4
	20	0.39	4.7	0.62	6.1	0.80	6.1	1.07	6.0	NNE	29
	22	0.34	4.4	0.55	5.6	0.67	5.6	1.06	4.9	WNW	299
最大	0.82	5.1	1.31	5.9	1.69	6.1	2.50	5.6			
平均	0.55	4.7	0.87	5.9	1.08	5.9	1.52	5.7			
18	00	0.30	4.4	0.48	6.0	0.59	6.1	0.72	7.0	N	4
	02	0.28	4.6	0.45	5.5	0.56	5.8	0.74	6.5	N	6
	04	0.25	4.0	0.41	5.3	0.52	5.5	0.66	6.8	欠測	欠測
	06	0.29	3.5	0.45	4.4	0.56	4.3	0.78	3.1	WNW	286
	08	0.38	3.1	0.60	3.6	0.79	3.3	0.99	2.9	NNW	343
	10	0.43	3.4	0.66	4.1	0.84	4.2	1.19	3.3	W	278
	12	0.50	3.6	0.81	4.4	1.05	4.3	* 1.61	3.8	WNW	302
	14	0.45	4.0	0.72	5.0	0.91	5.1	1.32	4.6	N	4
	16	0.39	4.3	0.63	5.2	0.81	5.3	1.20	5.5	NE	53
	18	0.35	3.8	0.56	5.0	0.70	4.7	0.99	5.5	N	7
	20	0.37	4.6	0.57	5.1	0.71	5.1	0.90	4.6	WNW	291
	22	* 0.61	5.8	* 0.94	6.8	* 1.13	6.6	1.51	6.4	欠測	欠測
最大	0.61	5.8	0.94	6.8	1.13	6.6	1.61	3.8			
平均	0.38	4.1	0.61	5.0	0.76	5.0	1.05	5.0			
19	00	0.59	5.4	0.95	6.8	1.16	6.5	1.47	7.2	欠測	欠測
	02	0.71	4.6	1.12	6.0	1.40	6.1	1.84	6.1	WSW	250
	04	0.66	4.4	1.02	5.5	1.27	6.0	1.68	5.3	欠測	欠測
	06	0.91	4.7	1.45	5.5	1.87	5.6	2.19	4.8	欠測	欠測
	08	1.06	5.3	1.79	6.4	2.30	6.6	3.14	6.3	NNE	33
	10	* 1.30	6.6	* 2.00	7.2	* 2.46	7.1	2.78	7.0	NNE	33
	12	1.05	5.8	1.70	7.1	2.18	7.2	* 3.18	7.9	NNE	33
	14	0.97	6.1	1.53	7.2	1.94	7.1	2.66	7.0	NE	49
	16	0.85	5.7	1.39	6.8	1.79	6.9	2.25	6.9	NNE	33
	18	0.89	5.8	1.39	7.0	1.70	7.3	2.13	6.2	NE	37
	20	0.92	6.0	1.45	7.3	1.80	7.4	2.33	7.0	NNE	29
	22	0.78	5.7	1.26	6.9	1.62	6.8	2.22	6.1	欠測	欠測
最大	1.30	6.6	2.00	7.2	2.46	7.1	3.18	7.9			
平均	0.89	5.5	1.42	6.6	1.79	6.7	2.32	6.5			
20	00	0.66	5.2	1.06	6.6	1.28	6.7	1.48	7.0	NNE	29
	02	0.64	5.5	1.01	6.7	1.21	6.6	1.37	7.2	NNE	33
	04	0.55	5.0	0.88	6.3	1.09	6.2	1.42	5.4	NNE	29
	06	0.61	5.2	0.95	6.0	1.20	6.1	1.40	6.6	NE	41
	08	0.61	5.1	0.94	5.8	1.19	6.0	1.59	5.3	NE	41
	10	0.64	5.1	1.02	6.1	1.31	6.1	1.74	5.1	NE	49
	12	0.69	5.8	1.07	6.4	1.35	6.8	1.72	7.3	NNE	29
	14	0.71	4.2	1.08	5.0	1.34	4.9	1.71	3.4	NW	314
	16	* 0.77	4.4	* 1.18	5.0	* 1.48	5.2	1.87	5.1	NNW	336
	18	0.64	4.2	1.01	4.9	1.30	4.7	* 1.95	5.2	欠測	欠測
	20	0.70	4.3	1.09	4.9	1.34	4.8	1.84	4.3	W	276
	22	0.65	4.4	1.01	5.0	1.25	4.9	1.73	4.8	欠測	欠測
最大	0.77	4.4	1.18	5.0	1.48	5.2	1.95	5.2			
平均	0.66	4.9	1.02	5.7	1.28	5.8	1.65	5.6			

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	325 回
欠測回数	0 回	欠測回数	35 回
欠 測 率	0.0 %	欠 測 率	9.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
21	00	0.62	4.7	0.98	5.3	1.22	5.3	1.62	6.0	NNW	335
	02	0.68	5.0	1.09	5.7	1.41	5.6	1.93	5.6	W	274
	04	0.58	4.8	0.91	5.6	1.20	5.7	1.63	5.4	NW	313
	06	0.55	4.3	0.88	5.1	1.11	5.0	1.55	5.4	NNW	328
	08	0.77	4.6	1.21	5.1	1.53	5.2	2.00	5.8	NE	50
	10	0.96	4.9	1.53	5.7	1.89	5.4	2.60	5.1	WNW	299
	12	1.09	5.4	1.69	6.3	2.13	6.2	3.05	6.1	WNW	295
	14	1.08	5.7	1.66	6.6	2.03	6.6	2.32	6.7	WNW	282
	16	1.16	6.2	1.85	7.2	2.31	7.4	2.73	7.1	WNW	303
	18	1.18	6.7	1.84	7.9	2.32	8.0	2.93	8.8	WNW	290
	20	1.07	6.4	1.75	7.9	2.24	8.1	2.95	8.0	WNW	295
	22	* 1.18	6.8	* 1.88	8.4	* 2.55	8.6	* 3.51	8.4	WNW	295
	最大	1.18	6.8	1.88	8.4	2.55	8.6	3.51	8.4		
	平均	0.91	5.5	1.44	6.4	1.83	6.4	2.40	6.5		
22	00	1.08	6.5	1.78	8.4	2.23	8.3	2.88	9.1	NW	311
	02	1.30	6.4	2.03	7.8	2.55	7.3	3.19	7.0	NW	307
	04	1.19	5.8	1.91	7.5	2.36	7.8	2.74	8.4	WNW	286
	06	1.26	5.3	2.03	6.7	2.53	6.7	3.76	7.1	WNW	286
	08	1.50	5.9	2.42	7.3	2.95	6.9	3.51	6.8	NW	319
	10	1.67	6.0	2.70	7.6	3.31	7.6	3.82	7.3	NW	311
	12	* 2.10	6.6	3.22	8.0	3.87	7.8	4.77	7.7	W	278
	14	2.09	7.0	* 3.43	8.7	* 4.15	8.4	* 4.97	7.1	WNW	303
	16	1.63	6.3	2.67	8.5	3.33	8.7	4.44	9.0	WNW	303
	18	1.80	7.2	2.82	8.9	3.56	8.7	4.63	9.3	WNW	303
	20	1.79	7.3	2.74	8.7	3.44	8.7	4.30	8.1	NW	307
	22	1.46	6.4	2.27	7.8	2.81	8.1	3.83	8.7	WNW	299
	最大	2.10	6.6	3.43	8.7	4.15	8.4	4.97	7.1		
	平均	1.57	6.4	2.50	8.0	3.09	7.9	3.90	8.0		
23	00	* 1.41	6.1	* 2.32	7.9	* 2.99	8.4	* 4.21	8.9	WNW	290
	02	1.33	6.1	2.11	7.9	2.68	8.3	3.54	7.5	WNW	282
	04	1.38	6.2	2.17	7.9	2.69	8.0	3.64	7.8	WNW	286
	06	1.30	6.0	2.10	7.5	2.62	7.7	3.45	7.4	WNW	282
	08	1.29	6.6	1.99	7.7	2.46	7.7	3.08	7.6	WNW	286
	10	1.06	5.6	1.74	7.5	2.19	7.5	3.09	7.0	WNW	282
	12	1.22	5.7	1.94	7.4	2.35	7.4	2.99	6.2	WNW	299
	14	1.10	5.5	1.74	7.2	2.13	7.3	2.66	8.0	W	278
	16	1.12	5.9	1.83	7.4	2.35	7.3	3.41	7.6	WNW	286
	18	0.99	5.9	1.59	8.0	2.07	7.9	2.70	6.9	W	278
	20	1.29	6.4	2.01	8.0	2.41	7.9	2.86	7.0	WNW	282
	22	1.04	5.8	1.70	7.4	2.09	7.4	3.07	7.0	WNW	282
	最大	1.41	6.1	2.32	7.9	2.99	8.4	4.21	8.9		
	平均	1.21	6.0	1.94	7.7	2.42	7.7	3.23	7.4		
24	00	0.94	5.6	1.54	7.2	1.97	7.5	* 2.77	7.2	NW	319
	02	* 1.00	5.7	* 1.56	7.1	* 2.00	7.3	2.45	8.1	NNW	331
	04	0.91	5.4	1.45	6.7	1.86	6.9	2.25	7.2	WNW	282
	06	0.90	5.8	1.41	7.0	1.76	7.2	2.06	7.2	NW	307
	08	0.95	5.9	1.40	6.9	1.69	7.0	1.97	5.8	NNW	327
	10	0.78	5.4	1.25	6.8	1.56	6.5	2.23	6.6	NNW	331
	12	0.75	5.3	1.20	6.6	1.47	6.6	2.12	6.1	NNW	327
	14	0.85	6.0	1.36	7.1	1.74	7.0	2.57	6.9	NW	323
	16	0.84	5.3	1.36	6.7	1.70	6.7	2.08	6.6	NW	323
	18	0.69	5.0	1.13	6.5	1.40	6.8	1.67	6.6	NW	307
	20	0.89	4.5	1.41	5.5	1.79	5.6	2.31	4.8	NNE	27
	22	0.84	4.9	1.33	6.0	1.63	5.9	2.08	5.9	NW	315
	最大	1.00	5.7	1.56	7.1	2.00	7.3	2.77	7.2		
	平均	0.86	5.4	1.37	6.7	1.71	6.8	2.21	6.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 4月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	325 回
											欠測回数	0 回	欠測回数	35 回
											欠 測 率	0.0 %	欠 測 率	9.7 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
										16方位	角度			
25	00	0.72	5.1	1.12	5.9	1.33	5.7	1.71	5.7	NW	319			
	02	0.70	5.0	1.09	5.7	1.36	6.0	2.07	5.6	W	270			
	04	0.67	5.1	1.08	6.0	1.41	6.1	2.02	6.1	W	270			
	06	0.75	5.4	1.13	6.3	1.38	6.1	1.91	6.4	W	270			
	08	0.76	5.3	1.21	6.4	1.52	6.5	1.90	6.8	W	274			
	10	0.90	5.5	1.51	7.1	1.91	7.3	2.33	8.1	WNW	295			
	12	* 1.06	5.7	* 1.68	7.3	* 2.12	7.9	* 3.10	7.9	WNW	282			
	14	0.85	5.5	1.42	7.2	1.78	7.1	2.39	6.3	W	266			
	16	0.83	5.6	1.31	7.3	1.64	7.7	2.23	8.2	WNW	282			
	18	0.87	6.6	1.33	7.9	1.62	7.8	2.07	8.7	W	278			
	20	0.84	6.5	1.32	8.0	1.60	8.3	2.07	6.6	W	278			
	22	0.94	7.0	1.53	8.7	1.96	8.6	2.53	9.0	WNW	282			
	最大 平均	1.06 0.82	5.7 5.7	1.68 1.31	7.3 7.0	2.12 1.64	7.9 7.1	3.10 2.19	7.9 7.1					
	26	00	0.94	6.7	1.46	8.2	1.75	7.8	1.99	7.9	W	274		
02		0.93	5.5	1.52	7.5	1.97	7.3	2.58	8.5	WNW	286			
04		1.15	5.9	1.93	8.1	2.43	8.1	3.63	6.2	W	278			
06		* 1.27	6.1	* 2.05	7.8	* 2.63	8.3	* 4.01	8.9	WNW	286			
08		1.01	6.4	1.68	8.3	2.18	8.5	2.65	8.5	WNW	282			
10		0.93	6.2	1.43	7.8	1.78	8.5	2.29	8.4	W	274			
12		0.89	6.3	1.41	8.3	1.79	8.7	2.23	8.8	WNW	282			
14		0.83	6.5	1.31	8.1	1.61	9.1	2.42	8.6	WNW	286			
16		0.70	5.9	1.11	8.1	1.42	8.6	1.65	8.0	WNW	286			
18		0.82	6.4	1.34	8.5	1.71	8.5	1.95	7.1	WNW	282			
20		0.61	5.2	0.99	7.1	1.23	7.6	1.42	6.6	W	278			
22		0.71	5.5	1.09	6.7	1.30	7.2	1.56	7.2	W	270			
最大 平均		1.27 0.90	6.1 6.0	2.05 1.44	7.8 7.9	2.63 1.82	8.3 8.2	4.01 2.36	8.9 7.9					
27		00	0.65	5.4	* 1.04	6.8	* 1.29	7.2	1.59	6.5	W	262		
	02	* 0.66	5.4	1.02	6.7	1.26	6.4	* 1.62	6.1	WNW	282			
	04	0.61	5.2	0.96	6.3	1.20	6.1	1.55	6.0	WNW	282			
	06	0.60	5.0	0.94	6.2	1.17	5.9	1.50	6.6	WNW	282			
	08	0.53	4.8	0.87	5.9	1.10	6.1	1.38	5.8	WNW	282			
	10	0.51	5.0	0.82	6.0	1.03	5.9	1.47	4.8	N	356			
	12	0.47	4.9	0.72	5.7	0.87	5.8	1.29	5.9	N	352			
	14	0.42	4.7	0.67	5.8	0.83	6.2	1.01	5.9	WSW	245			
	16	0.37	4.5	0.60	5.8	0.76	6.2	1.06	4.9	NNE	12			
	18	0.32	4.2	0.55	5.5	0.67	5.7	0.87	6.3	NW	322			
	20	0.34	4.7	0.52	5.7	0.64	5.9	0.77	5.2	欠測	欠測			
	22	0.33	4.5	0.54	5.5	0.68	5.6	0.95	6.2	欠測	欠測			
	最大 平均	0.66 0.48	5.4 4.9	1.04 0.77	6.8 6.0	1.29 0.96	7.2 6.1	1.62 1.25	6.1 5.9					
	28	00	0.32	4.4	0.50	5.4	0.62	5.4	0.86	5.4	W	271		
02		0.29	4.3	0.47	5.2	0.58	5.2	0.76	4.4	NW	317			
04		0.27	4.1	0.43	5.2	0.52	5.3	0.65	5.3	NW	323			
06		0.27	4.5	0.42	5.6	0.52	5.6	0.64	5.0	NE	46			
08		0.26	4.4	0.40	5.6	0.50	5.8	0.62	4.5	欠測	欠測			
10		* 0.37	3.6	* 0.57	4.2	* 0.73	4.2	* 1.19	3.8	N	11			
12		0.31	3.5	0.47	4.2	0.59	4.2	0.79	3.9	W	280			
14		0.31	3.3	0.48	3.9	0.62	3.7	1.06	3.0	欠測	欠測			
16		0.31	3.2	0.49	3.6	0.62	3.5	0.92	3.5	NNE	25			
18		0.33	3.6	0.52	3.8	0.66	3.8	1.16	3.5	WNW	286			
20		0.28	3.5	0.44	4.0	0.55	3.7	0.82	3.5	NNE	21			
22		0.25	3.6	0.40	4.1	0.52	4.0	0.75	3.7	WNW	288			
最大 平均		0.37 0.30	3.6 3.8	0.57 0.47	4.2 4.6	0.73 0.59	4.2 4.5	1.19 0.85	3.8 4.1					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	325 回
欠測回数	0 回	欠測回数	35 回
欠 測 率	0.0 %	欠 測 率	9.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.20	3.3	0.32	4.2	0.40	4.1	0.52	4.0	WNW	292
	02	0.21	3.3	0.33	4.0	0.40	4.0	0.47	4.0	NE	54
	04	0.24	3.4	0.39	4.1	0.50	4.2	0.75	4.3	欠測	欠測
	06	0.30	3.7	0.48	4.3	0.61	4.4	0.92	3.7	欠測	欠測
	08	0.48	3.9	0.74	4.5	0.92	4.4	1.22	3.2	WNW	296
	10	0.48	4.0	0.77	4.7	0.94	4.6	1.19	4.1	欠測	欠測
	12	0.63	4.4	0.99	5.1	1.20	5.2	1.43	5.4	欠測	欠測
	14	0.57	4.2	0.90	5.0	1.12	5.1	1.53	4.5	WNW	282
	16	0.62	4.7	0.97	5.8	1.23	5.7	1.78	5.8	W	266
	18	* 0.67	5.2	* 1.06	6.1	* 1.38	6.3	* 1.90	6.6	WNW	290
	20	0.54	5.1	0.88	6.2	1.10	6.3	1.72	6.5	W	278
	22	0.49	5.3	0.76	6.1	0.97	6.3	1.19	5.9	W	278
	最大	0.67	5.2	1.06	6.1	1.38	6.3	1.90	6.6		
	平均	0.45	4.2	0.72	5.0	0.90	5.0	1.22	4.8		
30	00	* 0.47	5.5	* 0.72	6.5	* 0.92	6.5	* 1.29	6.6	W	270
	02	0.42	5.2	0.68	6.2	0.83	6.2	1.08	5.6	WSW	254
	04	0.41	5.3	0.65	5.9	0.80	5.8	1.02	5.8	W	278
	06	0.42	5.3	0.65	6.1	0.80	6.1	1.07	5.2	W	266
	08	0.32	4.5	0.54	5.7	0.70	5.7	0.95	5.9	W	270
	10	0.31	4.5	0.49	5.4	0.61	5.4	0.73	4.9	NNE	18
	12	0.31	4.0	0.49	5.1	0.61	5.2	0.94	5.1	欠測	欠測
	14	0.34	4.1	0.52	5.1	0.65	5.2	0.84	6.2	NNE	21
	16	0.30	3.9	0.48	5.1	0.61	5.3	0.80	5.3	欠測	欠測
	18	0.26	4.1	0.41	5.1	0.50	5.1	0.63	5.6	欠測	欠測
	20	0.25	4.2	0.41	5.1	0.52	5.1	0.73	4.8	欠測	欠測
	22	0.23	4.0	0.36	4.7	0.47	4.7	0.65	4.3	欠測	欠測
	最大	0.47	5.5	0.72	6.5	0.92	6.5	1.29	6.6		
	平均	0.34	4.5	0.53	5.5	0.67	5.5	0.89	5.4		
月最大	2.65	7.1	4.38	8.6	5.76	8.3	7.38	9.1			
	起時	1320	1320	1320	1320	1400	1400	1400			
	平均	0.87	5.2	1.38	6.4	1.73	6.5	2.30	6.3		

波浪整理表（1）

2020年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	320 回
欠測回数	0 回	欠測回数	52 回
欠 測 率	0.0 %	欠 測 率	14.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.22	4.0	0.36	4.9	0.44	5.0	0.60	5.0	NNE	14
	02	0.30	4.1	0.45	5.0	0.57	5.0	0.75	5.2	欠測	欠測
	04	0.38	4.2	0.60	5.3	0.75	5.5	0.99	4.2	WNW	298
	06	0.49	4.6	0.77	5.7	0.97	5.6	1.24	5.3	W	262
	08	0.52	4.5	0.82	5.3	1.01	5.4	1.31	5.6	欠測	欠測
	10	0.55	4.2	0.85	5.2	1.04	5.4	1.35	4.7	欠測	欠測
	12	0.60	4.2	0.95	5.2	1.20	5.5	1.66	7.3	WNW	293
	14	0.54	4.7	0.83	5.9	1.05	6.0	1.37	5.8	WSW	245
	16	0.61	4.9	1.00	6.4	* 1.30	7.0	* 1.76	6.1	W	274
	18	0.59	5.6	0.96	7.1	1.21	7.4	1.59	7.3	WNW	286
	20	0.60	5.8	0.99	7.6	1.25	7.8	1.57	7.2	W	270
	22	* 0.61	5.6	* 1.00	7.1	1.25	7.1	1.74	7.5	W	274
	最大	0.61	5.6	1.00	7.1	1.30	7.0	1.76	6.1		
	平均	0.50	4.7	0.80	5.9	1.00	6.1	1.33	5.9		
02	00	0.63	5.0	1.02	6.4	1.34	7.0	1.70	7.6	W	278
	02	0.53	4.8	0.83	6.1	1.06	6.0	1.37	6.0	W	278
	04	0.67	5.5	1.01	6.3	1.22	6.5	1.72	6.2	W	274
	06	0.57	4.6	0.93	5.6	1.14	5.8	1.50	6.0	欠測	欠測
	08	0.68	4.7	1.05	5.7	1.30	6.1	1.69	6.3	W	278
	10	0.70	4.4	1.08	5.3	1.34	5.5	1.81	4.8	欠測	欠測
	12	0.80	5.0	1.27	6.2	1.58	6.6	* 2.01	7.3	W	274
	14	* 0.83	5.4	* 1.31	6.9	* 1.63	7.0	1.89	6.0	WNW	282
	16	0.72	5.3	1.14	6.6	1.43	6.8	1.70	6.7	W	266
	18	0.68	5.3	1.07	6.5	1.32	6.7	1.61	6.7	W	278
	20	0.62	5.8	0.93	6.7	1.15	6.6	1.45	6.4	W	278
	22	0.61	5.7	0.91	6.6	1.11	6.3	1.36	6.3	WNW	282
	最大	0.83	5.4	1.31	6.9	1.63	7.0	2.01	7.3		
	平均	0.67	5.1	1.05	6.2	1.30	6.4	1.65	6.4		
03	00	0.57	5.6	0.92	6.8	1.12	7.0	1.51	6.6	W	274
	02	0.53	5.9	0.82	7.1	1.00	7.1	1.26	7.6	W	262
	04	* 0.59	6.1	* 0.94	7.2	* 1.20	6.9	* 1.63	5.9	WNW	282
	06	0.52	5.6	0.85	6.8	1.07	6.6	1.31	6.9	WNW	299
	08	0.59	5.7	0.87	6.4	1.06	6.4	1.45	6.0	NW	323
	10	0.51	5.5	0.78	6.2	1.01	6.0	1.19	5.7	NW	307
	12	0.45	5.3	0.72	6.3	0.96	6.2	1.23	5.7	NNW	327
	14	0.41	4.8	0.67	6.1	0.86	6.1	1.14	6.3	WNW	295
	16	0.40	5.0	0.65	5.9	0.82	5.9	1.05	6.2	NW	311
	18	0.36	4.9	0.58	5.9	0.72	5.9	1.06	6.0	NW	319
	20	0.34	4.9	0.52	5.7	0.64	5.6	0.79	4.7	NW	323
	22	0.33	5.0	0.52	5.8	0.62	5.9	0.81	5.5	NW	315
	最大	0.59	6.1	0.94	7.2	1.20	6.9	1.63	5.9		
	平均	0.47	5.4	0.74	6.4	0.92	6.3	1.20	6.1		
04	00	* 0.30	5.0	* 0.48	5.9	* 0.59	6.0	0.75	6.1	NNW	331
	02	0.28	4.7	0.46	5.9	0.59	5.7	* 0.93	5.8	NW	319
	04	0.23	4.6	0.39	5.6	0.50	5.6	0.61	6.1	NE	35
	06	0.26	4.6	0.42	5.6	0.54	5.6	0.73	5.2	N	359
	08	0.25	4.6	0.40	5.5	0.49	5.7	0.63	5.1	N	8
	10	0.19	4.1	0.31	5.4	0.40	5.5	0.54	5.1	N	350
	12	0.22	4.4	0.35	5.6	0.42	5.6	0.57	5.6	NW	326
	14	0.21	4.4	0.33	5.6	0.41	5.4	0.65	5.3	NNE	13
	16	0.23	3.4	0.36	4.5	0.45	5.2	0.67	6.8	WNW	293
	18	0.22	3.7	0.35	5.1	0.43	5.8	0.60	5.3	欠測	欠測
	20	0.24	3.7	0.39	5.0	0.48	5.0	0.63	5.8	NNW	336
	22	0.27	3.5	0.42	4.3	0.52	4.3	0.75	3.1	WNW	291
	最大	0.30	5.0	0.48	5.9	0.59	6.0	0.93	5.8		
	平均	0.24	4.2	0.39	5.3	0.48	5.4	0.67	5.4		

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	320 回
欠測回数	0 回	欠測回数	52 回
欠測率	0.0 %	欠測率	14.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
05	00	0.37	3.6	0.60	4.3	0.75	4.2	0.96	4.1	NNE	23
	02	0.52	4.3	0.83	4.8	1.07	4.9	1.40	4.1	W	274
	04	0.69	4.9	1.09	5.6	1.36	5.5	2.00	5.6	NE	49
	06	0.94	6.0	1.45	7.0	1.79	6.9	2.35	7.0	NW	315
	08	* 1.12	6.4	* 1.70	7.4	* 2.05	7.3	2.22	6.7	NNW	327
	10	0.99	6.2	1.58	7.8	2.01	7.9	* 3.12	7.7	NW	323
	12	0.90	6.0	1.40	7.2	1.81	7.3	2.58	7.5	NNW	335
	14	0.81	5.5	1.26	6.8	1.61	7.2	1.99	7.1	NW	323
	16	0.73	4.9	1.16	6.3	1.47	6.6	1.89	7.3	NNW	327
	18	0.67	4.6	1.05	5.9	1.35	6.1	1.76	6.5	NW	323
	20	0.56	4.6	0.93	5.7	1.22	5.9	1.60	6.0	NW	319
	22	0.53	5.0	0.82	5.7	1.03	5.6	1.50	5.8	NNW	335
	最大	1.12	6.4	1.70	7.4	2.05	7.3	3.12	7.7		
	平均	0.74	5.2	1.16	6.2	1.46	6.3	1.95	6.3		
	06	00	0.50	4.7	0.80	5.7	0.98	5.7	1.23	5.7	N
02		0.49	5.1	0.78	6.1	0.97	6.2	1.19	5.8	NNE	12
04		0.45	4.9	0.70	5.9	0.89	5.7	1.12	4.9	NNE	20
06		0.46	5.2	0.70	6.5	0.83	6.6	1.03	4.5	NNE	16
08		0.62	6.6	1.00	8.3	* 1.23	8.6	1.47	7.7	NNE	20
10		* 0.63	6.2	* 1.02	8.1	1.22	7.7	* 1.72	8.0	NNE	12
12		0.58	6.5	0.92	8.4	1.17	8.7	1.70	8.6	NNE	29
14		0.54	6.0	0.88	8.0	1.06	8.5	1.23	8.0	NNE	20
16		0.54	5.7	0.89	7.8	1.13	8.4	1.47	8.5	NNE	16
18		0.53	5.5	0.86	7.8	1.10	8.1	1.48	8.7	NNE	20
20		0.45	4.7	0.72	6.2	0.91	7.2	1.32	7.2	N	4
22		0.45	4.9	0.71	6.7	0.88	6.5	1.08	5.0	N	8
最大		0.63	6.2	1.02	8.1	1.23	8.6	1.72	8.0		
平均		0.52	5.5	0.83	7.1	1.03	7.3	1.34	6.9		
07		00	0.41	4.9	0.63	6.1	0.81	6.3	1.13	5.0	NNE
	02	0.38	4.5	0.62	6.0	0.79	6.4	* 1.14	7.0	NNE	29
	04	0.37	3.8	0.56	4.8	0.69	4.8	0.91	6.8	NNE	31
	06	0.38	3.8	0.59	4.5	0.73	4.8	1.00	5.5	欠測	欠測
	08	0.33	3.7	0.52	4.3	0.67	4.3	0.92	3.9	WNW	284
	10	0.31	3.6	0.48	4.3	0.59	4.4	0.85	3.8	NNE	29
	12	0.31	3.5	0.49	3.9	0.61	3.9	0.81	3.9	欠測	欠測
	14	* 0.42	3.9	* 0.66	4.3	* 0.82	4.2	1.03	3.7	NNE	25
	16	0.34	3.8	0.55	4.4	0.69	4.5	0.88	3.9	WNW	294
	18	0.35	4.0	0.57	4.7	0.74	4.7	0.93	5.0	NW	309
	20	0.33	4.2	0.52	4.9	0.65	4.7	0.91	4.2	NNW	346
	22	0.32	4.0	0.50	4.6	0.61	4.5	0.91	5.0	NW	314
	最大	0.42	3.9	0.66	4.3	0.82	4.2	1.14	7.0		
	平均	0.35	4.0	0.56	4.7	0.70	4.8	0.95	4.8		
	08	00	0.30	4.1	0.46	4.5	0.59	4.4	* 0.98	4.5	WNW
02		0.28	3.9	0.44	4.6	0.55	4.5	0.80	4.1	N	5
04		0.23	3.6	0.39	4.5	0.51	4.4	0.72	4.8	NNW	345
06		0.21	3.8	0.34	4.3	0.42	4.2	0.54	3.9	W	276
08		0.18	3.4	0.29	4.3	0.36	4.2	0.52	3.8	WNW	289
10		0.24	3.1	0.36	3.7	0.45	3.7	0.58	3.3	NE	34
12		* 0.34	3.3	* 0.53	3.4	* 0.67	3.4	0.89	2.4	W	278
14		0.31	3.2	0.49	3.4	0.60	3.3	0.84	3.0	NW	304
16		0.23	3.1	0.36	3.5	0.46	3.3	0.66	3.0	欠測	欠測
18		0.18	3.1	0.27	3.7	0.33	3.8	0.43	2.8	N	352
20		0.14	3.1	0.21	4.1	0.27	4.2	0.36	3.7	NW	326
22		0.10	3.1	0.17	4.2	0.21	4.3	0.32	5.1	欠測	欠測
最大		0.34	3.3	0.53	3.4	0.67	3.4	0.98	4.5		
平均		0.23	3.4	0.36	4.0	0.45	4.0	0.64	3.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	320 回
欠測回数	0 回	欠測回数	52 回
欠 測 率	0.0 %	欠 測 率	14.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.10	2.8	0.15	3.9	0.19	4.2	0.24	4.6	NE	55
	02	0.11	2.9	0.17	3.7	0.22	3.8	0.30	3.3	WNW	297
	04	0.11	2.7	0.17	3.4	0.21	3.4	0.30	2.6	NE	35
	06	0.20	3.0	0.31	3.3	0.39	3.2	0.59	3.3	NW	304
	08	0.26	3.5	0.42	4.0	0.54	3.9	0.76	4.1	NE	48
	10	* 0.37	4.0	* 0.57	4.6	* 0.71	4.6	* 1.12	3.4	W	280
	12	0.27	3.9	0.42	4.6	0.52	4.3	0.66	4.4	NNW	330
	14	0.23	3.8	0.37	4.7	0.46	4.7	0.65	4.4	N	4
	16	0.22	3.8	0.34	4.5	0.43	4.3	0.56	5.0	NNE	18
	18	0.19	3.4	0.31	4.3	0.39	4.2	0.53	3.2	WNW	300
	20	0.26	3.9	0.40	4.4	0.48	4.3	0.63	4.0	NE	43
	22	0.23	3.9	0.38	4.6	0.48	4.8	0.64	4.2	欠測	欠測
	最大	0.37	4.0	0.57	4.6	0.71	4.6	1.12	3.4		
	平均	0.21	3.5	0.33	4.2	0.42	4.1	0.58	3.9		
10	00	0.17	3.7	0.27	4.6	0.34	4.7	0.44	4.7	WNW	293
	02	0.15	3.4	0.24	4.7	0.30	4.7	0.42	5.3	NNW	345
	04	0.15	3.3	0.23	4.3	0.28	4.5	0.38	4.2	W	274
	06	0.20	3.0	0.30	3.8	0.38	3.6	0.49	3.3	N	4
	08	0.20	3.1	0.32	4.0	0.40	4.1	0.60	3.7	欠測	欠測
	10	0.30	3.3	0.48	3.9	0.63	3.9	0.99	3.9	NNE	21
	12	0.48	3.6	0.73	3.9	0.91	4.0	1.08	3.6	欠測	欠測
	14	0.49	3.7	0.79	4.2	1.03	4.0	1.42	3.5	欠測	欠測
	16	0.45	3.7	0.69	4.4	0.88	4.5	1.10	3.7	WNW	294
	18	0.51	3.9	0.81	4.6	1.01	4.5	1.37	4.0	欠測	欠測
	20	0.56	4.2	0.87	4.8	1.10	4.9	1.37	4.9	N	358
	22	* 0.61	4.4	* 0.95	4.9	* 1.15	5.1	* 1.47	4.6	NNW	342
	最大	0.61	4.4	0.95	4.9	1.15	5.1	1.47	4.6		
	平均	0.36	3.6	0.56	4.3	0.70	4.4	0.93	4.1		
11	00	0.68	5.1	1.06	6.1	1.30	6.1	1.60	5.9	W	270
	02	* 0.78	5.4	* 1.25	6.6	* 1.53	6.8	1.92	7.6	W	274
	04	0.76	5.1	1.19	6.0	1.46	6.2	* 2.09	5.3	W	262
	06	0.76	5.4	1.19	6.6	1.47	6.3	1.96	6.9	W	266
	08	0.68	5.0	1.08	6.2	1.36	6.3	1.76	6.5	W	274
	10	0.60	4.5	0.98	5.7	1.23	6.0	1.47	5.5	W	278
	12	0.70	5.0	1.05	5.9	1.27	5.8	1.65	6.3	W	274
	14	0.53	4.5	0.87	5.9	1.10	5.9	1.56	5.6	W	270
	16	0.56	4.9	0.87	6.0	1.09	6.1	1.33	5.2	W	274
	18	0.50	4.7	0.82	6.3	1.12	6.6	1.61	5.3	W	270
	20	0.53	5.4	0.82	6.4	1.00	6.0	1.16	5.7	W	266
	22	0.53	5.4	0.81	6.3	1.03	6.4	1.33	5.7	W	278
	最大	0.78	5.4	1.25	6.6	1.53	6.8	2.09	5.3		
	平均	0.63	5.0	1.00	6.2	1.25	6.2	1.62	6.0		
12	00	0.48	5.2	0.76	6.2	0.93	6.2	1.34	6.1	W	278
	02	0.50	5.3	0.76	6.1	0.95	6.1	1.24	6.6	W	262
	04	0.55	5.8	0.89	6.6	1.15	6.7	* 1.63	5.9	W	274
	06	0.56	5.7	0.87	6.9	1.08	7.2	1.47	7.6	WNW	295
	08	0.59	6.1	0.90	7.2	1.10	7.1	1.39	6.5	WNW	295
	10	0.58	6.1	0.91	7.1	1.15	6.9	1.62	7.4	WNW	290
	12	0.53	5.8	0.85	7.3	1.07	7.0	1.39	7.1	WNW	290
	14	0.48	4.7	0.74	6.6	0.95	7.1	1.33	6.8	WNW	299
	16	0.47	5.3	0.76	6.9	0.94	7.0	1.14	6.5	WNW	286
	18	0.55	5.5	0.88	6.9	1.09	7.1	1.38	6.5	NNW	331
	20	* 0.60	5.7	* 0.96	6.9	* 1.22	7.2	1.57	6.7	NW	307
	22	0.60	5.4	0.91	6.2	1.07	5.9	1.29	5.0	W	278
	最大	0.60	5.7	0.96	6.9	1.22	7.2	1.63	5.9		
	平均	0.54	5.6	0.85	6.7	1.06	6.8	1.40	6.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 5月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.63	5.7	0.97	6.5	1.17	6.5	1.48	6.1	WNW	282
	02	0.63	5.8	0.96	6.7	1.20	6.9	1.40	5.5	WNW	282
	04	0.53	5.2	0.85	6.7	1.05	6.6	1.40	6.3	WNW	282
	06	0.55	4.6	0.88	5.8	1.13	6.3	1.54	7.6	W	278
	08	0.65	5.4	1.05	6.8	1.32	7.1	1.66	7.1	W	274
	10	0.65	4.7	1.01	6.2	1.26	6.6	1.48	7.1	WNW	290
	12	0.68	5.0	1.05	6.8	1.28	7.1	1.56	6.9	NW	315
	14	0.74	5.0	1.23	6.7	1.53	6.9	2.00	6.9	NW	319
	16	* 0.79	5.4	* 1.26	6.7	* 1.55	6.8	* 2.16	6.9	W	266
	18	0.69	5.4	1.08	6.6	1.31	6.7	1.65	5.7	WNW	303
	20	0.61	5.2	0.98	6.2	1.19	6.7	1.48	5.2	WNW	295
	22	0.60	5.3	0.96	6.4	1.15	6.4	1.49	6.8	W	262
	最大	0.79	5.4	1.26	6.7	1.55	6.8	2.16	6.9		
	平均	0.65	5.2	1.02	6.5	1.26	6.7	1.61	6.5		
14	00	* 0.64	5.1	* 0.99	6.3	* 1.23	6.3	* 1.67	7.5	W	278
	02	0.59	4.8	0.90	5.8	1.12	5.8	1.45	5.8	W	274
	04	0.48	4.8	0.76	5.8	0.91	5.7	1.21	5.4	W	278
	06	0.46	5.1	0.72	6.1	0.95	6.0	1.36	5.8	W	278
	08	0.50	4.9	0.76	5.7	0.95	5.7	1.30	5.2	WNW	295
	10	0.44	4.2	0.71	5.4	0.86	5.5	1.07	5.8	欠測	欠測
	12	0.46	4.3	0.74	5.4	0.94	5.6	1.19	5.6	W	276
	14	0.51	4.4	0.81	5.4	1.00	5.7	1.34	5.5	NW	308
	16	0.42	4.7	0.67	5.8	0.86	5.7	1.14	5.8	WNW	282
	18	0.44	4.7	0.70	5.6	0.86	6.0	1.22	5.5	欠測	欠測
	20	0.42	5.3	0.68	6.1	0.85	6.2	1.16	6.2	W	274
	22	0.37	5.2	0.59	6.0	0.73	5.9	0.96	6.0	W	278
	最大	0.64	5.1	0.99	6.3	1.23	6.3	1.67	7.5		
	平均	0.48	4.8	0.75	5.8	0.94	5.8	1.26	5.8		
15	00	0.36	4.9	* 0.59	5.8	* 0.76	5.9	* 0.96	6.1	WNW	282
	02	* 0.36	5.1	0.58	5.6	0.74	5.8	0.90	6.3	WNW	290
	04	0.33	4.8	0.51	5.5	0.63	5.3	0.96	5.5	NE	35
	06	0.27	4.4	0.45	5.4	0.60	5.3	0.83	5.2	WNW	293
	08	0.32	4.6	0.53	5.4	0.67	5.5	0.87	4.5	N	5
	10	0.28	4.1	0.45	5.0	0.55	5.1	0.75	5.1	N	10
	12	0.28	4.5	0.43	5.1	0.51	5.0	0.60	4.7	WNW	300
	14	0.26	4.0	0.41	4.9	0.52	5.0	0.70	5.5	欠測	欠測
	16	0.26	4.1	0.42	5.1	0.52	4.8	0.69	5.1	NW	326
	18	0.28	4.3	0.42	5.1	0.52	5.1	0.62	5.4	N	354
	20	0.22	4.0	0.35	5.2	0.44	5.2	0.62	4.3	NW	311
	22	0.24	4.3	0.38	5.9	0.48	6.0	0.68	4.9	NW	319
	最大	0.36	5.1	0.59	5.8	0.76	5.9	0.96	6.1		
	平均	0.29	4.4	0.46	5.3	0.58	5.3	0.77	5.2		
16	00	0.25	4.3	0.41	5.8	0.52	5.9	0.73	5.4	NW	319
	02	0.27	4.4	0.42	5.6	0.51	5.5	0.67	5.8	NNE	31
	04	0.27	4.5	0.44	5.5	0.54	5.5	0.73	4.0	NNE	26
	06	0.25	4.4	0.40	5.4	0.51	5.5	0.70	4.7	N	350
	08	0.21	4.4	0.34	5.5	0.43	5.7	0.60	4.8	欠測	欠測
	10	0.22	4.0	0.33	4.9	0.40	5.0	0.54	4.9	欠測	欠測
	12	0.16	3.7	0.27	5.2	0.35	5.5	0.47	6.5	欠測	欠測
	14	0.16	3.6	0.25	5.3	0.32	5.8	0.41	4.1	WNW	284
	16	0.20	3.7	0.33	4.8	0.42	4.9	0.59	4.7	N	3
	18	0.24	4.3	0.39	5.4	0.50	5.4	0.64	5.3	W	273
	20	* 0.30	4.2	* 0.47	5.3	* 0.58	5.4	* 0.74	6.8	NNW	330
	22	0.29	4.1	0.45	5.2	0.57	5.2	0.74	5.9	NW	308
	最大	0.30	4.2	0.47	5.3	0.58	5.4	0.74	6.8		
	平均	0.23	4.1	0.38	5.3	0.47	5.4	0.63	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 5月						波 高		波 向			
						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	320 回		
						欠測回数	0 回	欠測回数	52 回		
						欠 測 率	0.0 %	欠 測 率	14.0 %		
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
17	00	0.27	4.3	0.44	5.7	0.54	5.6	0.72	5.6	NNW	340
	02	0.26	3.9	0.42	5.3	0.52	5.7	0.77	6.1	欠測	欠測
	04	0.28	4.1	0.44	5.1	0.54	5.2	0.76	5.9	NNW	334
	06	0.27	4.3	0.42	5.5	0.51	5.6	0.74	5.5	欠測	欠測
	08	0.26	4.1	0.40	5.2	0.50	5.3	0.63	4.9	N	350
	10	0.30	3.6	0.48	4.8	0.61	5.1	0.88	4.5	欠測	欠測
	12	0.30	3.6	0.47	4.6	0.59	4.5	0.81	3.6	NE	34
	14	0.31	3.7	0.48	4.4	0.62	4.0	* 0.98	3.6	NNW	343
	16	0.32	3.8	0.50	4.4	0.63	4.2	0.91	4.0	W	279
	18	* 0.34	4.1	* 0.54	4.7	* 0.67	4.7	0.87	4.2	NNW	346
20	0.31	4.1	0.48	4.8	0.59	4.8	0.75	4.6	N	358	
22	0.31	3.9	0.49	4.7	0.58	4.6	0.74	4.6	WNW	282	
最大 平均	0.34 0.29	4.1 4.0	0.54 0.46	4.7 4.9	0.67 0.57	4.7 4.9	0.98 0.80	3.6 4.8			
18	00	0.26	4.0	0.41	4.7	0.50	4.7	0.74	4.3	WNW	283
	02	0.23	3.9	0.36	4.6	0.46	4.5	0.74	4.2	NW	322
	04	0.22	3.6	0.35	4.5	0.45	4.4	0.61	4.7	欠測	欠測
	06	0.24	3.7	0.35	4.4	0.43	4.4	0.55	4.2	NW	323
	08	0.21	3.7	0.34	4.5	0.43	4.4	0.57	3.9	W	274
	10	0.32	3.2	0.49	3.5	0.65	3.4	1.05	2.9	N	0
	12	0.35	3.2	0.54	3.5	0.69	3.5	0.98	3.7	NNW	347
	14	0.36	3.4	0.55	3.8	0.71	3.5	0.97	3.1	WNW	291
	16	0.44	3.8	0.66	4.7	0.81	4.5	1.05	7.9	WNW	298
	18	0.54	4.4	0.87	6.3	1.08	7.2	1.69	7.5	N	352
20	* 0.73	5.2	* 1.19	7.2	* 1.53	7.1	1.92	8.3	NNE	20	
22	0.71	5.7	1.11	7.2	1.40	7.6	* 2.21	6.7	NNE	25	
最大 平均	0.73 0.38	5.2 4.0	1.19 0.60	7.2 4.9	1.53 0.76	7.1 4.9	2.21 1.09	6.7 5.1			
19	00	0.76	5.5	1.23	6.8	1.56	7.3	2.25	7.6	NNE	25
	02	0.76	5.7	1.15	6.9	1.43	6.7	1.77	6.7	NNE	29
	04	0.78	5.7	1.22	7.2	1.43	6.9	1.60	7.0	NNE	16
	06	0.80	5.7	1.27	7.0	1.61	6.8	2.45	5.7	NNE	20
	08	0.79	5.3	1.29	6.8	1.62	6.6	1.93	6.6	NNE	29
	10	0.83	5.7	1.34	7.1	1.68	7.2	2.09	7.5	NNE	20
	12	0.77	6.1	1.18	7.2	1.48	7.3	2.04	6.8	NNE	16
	14	0.81	6.4	1.25	7.4	1.54	7.5	2.12	6.4	NNE	12
	16	0.87	5.8	1.43	7.5	1.84	7.7	2.52	7.3	NNE	25
	18	* 1.02	5.5	* 1.67	7.5	* 2.07	7.5	* 2.86	7.9	NNE	16
20	0.91	5.4	1.40	6.7	1.74	6.9	2.18	7.8	NNE	29	
22	0.90	5.7	1.43	7.0	1.80	7.3	2.25	8.8	NNE	25	
最大 平均	1.02 0.83	5.5 5.7	1.67 1.32	7.5 7.1	2.07 1.65	7.5 7.1	2.86 2.17	7.9 7.2			
20	00	0.86	6.0	1.31	7.6	1.65	8.2	2.16	7.7	NNE	25
	02	0.91	6.3	1.48	7.9	1.86	8.3	2.23	9.2	NNE	29
	04	0.91	6.3	1.48	8.0	1.87	8.3	* 2.65	7.6	NNE	20
	06	0.87	6.4	1.41	8.0	1.71	7.9	2.10	8.7	NNE	33
	08	0.87	5.7	1.40	7.7	1.74	8.0	2.09	7.3	NNE	29
	10	0.93	5.7	1.50	7.1	1.89	7.4	2.59	8.0	WSW	258
	12	0.89	6.0	1.42	7.8	1.83	8.1	2.60	7.7	WSW	254
	14	* 0.94	6.4	* 1.54	8.2	* 1.95	8.2	2.33	7.8	W	266
	16	0.73	6.3	1.15	8.0	1.39	8.2	1.72	9.0	NNE	25
	18	0.80	5.6	1.28	7.4	1.60	7.7	2.04	8.0	W	278
20	0.76	6.1	1.18	7.7	1.46	7.8	1.87	8.5	W	266	
22	0.87	5.8	1.36	7.4	1.70	7.5	2.19	8.7	W	270	
最大 平均	0.94 0.86	6.4 6.0	1.54 1.38	8.2 7.7	1.95 1.72	8.2 8.0	2.65 2.21	7.6 8.2			

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	320 回
欠測回数	0 回	欠測回数	52 回
欠 測 率	0.0 %	欠 測 率	14.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
21	00	0.63	5.2	1.03	7.0	1.34	7.3	* 2.15	7.0	NNE	33
	02	0.73	5.6	1.18	7.0	1.51	6.9	1.81	6.8	NNE	12
	04	0.71	5.6	1.13	6.9	1.44	6.8	2.02	6.1	W	278
	06	0.68	5.4	1.14	6.6	1.49	6.6	1.90	6.6	W	278
	08	0.69	5.5	1.11	6.8	1.39	7.2	1.79	6.6	NNE	20
	10	* 0.78	5.4	* 1.21	6.7	1.55	6.9	2.04	8.1	WNW	282
	12	0.77	5.0	1.21	6.0	* 1.56	6.0	2.03	7.2	WNW	282
	14	0.66	4.9	1.06	6.0	1.33	6.0	1.76	6.3	W	274
	16	0.57	4.9	0.91	6.3	1.13	6.3	1.32	7.2	NNE	16
	18	0.56	4.8	0.89	6.0	1.07	6.3	1.38	5.9	NNE	16
	20	0.55	4.7	0.85	5.7	1.09	5.8	1.49	4.5	N	4
	22	0.55	4.6	0.87	5.5	1.08	5.8	1.52	6.0	NW	306
	最大	0.78	5.4	1.21	6.7	1.56	6.0	2.15	7.0		
	平均	0.66	5.1	1.05	6.4	1.33	6.5	1.77	6.5		
22	00	0.52	4.4	0.82	5.5	1.02	5.9	1.39	4.3	N	354
	02	0.58	4.5	0.89	5.4	1.13	5.6	* 1.81	5.8	欠測	欠測
	04	* 0.59	4.6	* 0.91	5.6	* 1.15	5.5	1.55	6.2	WNW	286
	06	0.55	4.7	0.85	5.6	1.06	5.6	1.31	5.8	WNW	289
	08	0.48	4.6	0.76	5.4	0.90	5.5	1.16	4.9	WNW	298
	10	0.42	4.6	0.69	5.3	0.89	5.1	1.26	5.5	WNW	295
	12	0.38	4.4	0.61	5.4	0.78	5.2	1.00	5.7	NNW	347
	14	0.36	4.6	0.58	5.5	0.74	5.6	0.97	5.2	W	271
	16	0.33	4.4	0.52	5.6	0.64	5.3	0.82	5.5	WNW	300
	18	0.32	4.6	0.50	5.4	0.61	5.7	0.84	5.3	欠測	欠測
	20	0.30	4.2	0.48	5.4	0.60	5.3	0.75	4.6	欠測	欠測
	22	0.27	4.4	0.43	5.6	0.57	5.5	0.78	5.5	NE	34
	最大	0.59	4.6	0.91	5.6	1.15	5.5	1.81	5.8		
	平均	0.42	4.5	0.67	5.5	0.84	5.5	1.14	5.4		
23	00	0.26	4.0	* 0.43	5.2	* 0.56	5.5	* 0.86	5.5	NNE	20
	02	* 0.26	4.3	0.40	5.3	0.49	5.4	0.60	5.2	NW	308
	04	0.25	4.0	0.40	5.0	0.49	5.0	0.64	6.2	欠測	欠測
	06	0.23	3.8	0.36	5.0	0.43	5.1	0.56	5.9	WNW	298
	08	0.23	3.9	0.35	5.0	0.43	5.0	0.53	3.7	N	359
	10	0.24	4.0	0.37	5.0	0.46	5.2	0.59	6.3	NNE	21
	12	0.24	3.4	0.38	4.1	0.48	4.1	0.61	3.7	NW	309
	14	0.24	3.5	0.39	4.1	0.48	4.2	0.61	3.1	W	275
	16	0.22	3.6	0.35	4.5	0.43	4.7	0.59	5.6	NNE	19
	18	0.21	3.5	0.33	4.3	0.41	4.7	0.52	4.0	N	1
	20	0.21	3.4	0.33	4.1	0.40	4.1	0.53	3.6	NNE	22
	22	0.22	3.3	0.35	3.8	0.44	3.7	0.57	3.6	欠測	欠測
	最大	0.26	4.3	0.43	5.2	0.56	5.5	0.86	5.5		
	平均	0.23	3.7	0.37	4.6	0.46	4.7	0.60	4.7		
24	00	0.23	3.2	0.36	3.8	0.45	3.7	0.61	4.0	NE	44
	02	0.17	3.5	0.27	4.4	0.32	4.6	0.44	7.2	W	272
	04	0.17	3.4	0.26	4.2	0.33	4.4	0.55	3.9	欠測	欠測
	06	0.17	3.5	0.26	4.4	0.33	4.3	0.41	4.7	NNE	20
	08	0.20	3.5	0.30	4.0	0.37	4.0	0.53	3.3	W	278
	10	0.18	3.3	0.28	4.0	0.34	4.0	0.46	3.7	N	6
	12	0.15	3.1	0.23	4.1	0.28	4.1	0.39	4.8	NNE	33
	14	0.22	2.9	0.34	3.4	0.44	3.3	0.60	3.8	NW	325
	16	0.17	3.0	0.27	3.6	0.35	3.6	0.51	3.0	WNW	291
	18	* 0.33	3.5	* 0.53	4.0	* 0.67	3.9	* 0.90	3.4	NNE	12
	20	0.23	3.4	0.37	3.9	0.45	3.9	0.71	3.0	WNW	294
	22	0.19	3.4	0.29	4.3	0.35	4.4	0.49	3.7	欠測	欠測
	最大	0.33	3.5	0.53	4.0	0.67	3.9	0.90	3.4		
	平均	0.20	3.3	0.31	4.0	0.39	4.0	0.55	4.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 5月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	320 回
										欠測回数	0 回	欠測回数	52 回
										欠 測 率	0.0 %	欠 測 率	14.0 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
25	00	0.25	3.2	0.38	3.6	0.50	3.4	0.72	3.0	NW	307		
	02	* 0.37	3.6	* 0.58	4.0	* 0.72	3.9	* 1.09	4.0	W	279		
	04	0.26	3.3	0.41	4.0	0.51	3.9	0.67	4.4	欠測	欠測		
	06	0.19	3.3	0.29	3.7	0.35	3.7	0.49	3.2	欠測	欠測		
	08	0.17	3.2	0.25	3.8	0.31	3.7	0.52	3.5	欠測	欠測		
	10	0.17	3.2	0.27	3.9	0.33	3.9	0.54	3.0	W	277		
	12	0.18	3.5	0.29	4.3	0.38	4.4	0.56	3.8	N	357		
	14	0.17	3.8	0.27	4.6	0.34	4.6	0.43	3.8	欠測	欠測		
	16	0.20	4.4	0.32	5.2	0.40	5.1	0.53	4.8	欠測	欠測		
	18	0.17	4.1	0.27	5.3	0.34	5.6	0.46	5.4	NW	311		
	20	0.17	4.2	0.27	5.6	0.32	5.5	0.41	5.2	NE	42		
	22	0.23	4.7	0.35	5.5	0.44	5.4	0.64	5.2	欠測	欠測		
最大	0.37	3.6	0.58	4.0	0.72	3.9	1.09	4.0					
平均	0.21	3.7	0.33	4.5	0.41	4.4	0.59	4.1					
26	00	0.24	4.5	0.39	5.4	0.49	5.5	0.64	5.2	NNE	31		
	02	* 0.26	4.4	* 0.40	5.2	0.49	5.1	0.68	5.7	NE	47		
	04	0.25	3.8	0.40	4.8	* 0.50	5.0	* 0.74	4.9	NW	311		
	06	0.21	3.9	0.34	4.9	0.43	4.7	0.57	4.6	NW	307		
	08	0.20	3.9	0.32	4.7	0.41	4.8	0.53	4.6	NNE	31		
	10	0.19	3.7	0.32	4.8	0.41	4.8	0.50	4.4	W	278		
	12	0.20	3.4	0.31	4.5	0.38	4.7	0.57	4.2	NW	314		
	14	0.20	3.5	0.31	4.4	0.39	4.5	0.56	4.5	NW	309		
	16	0.17	3.6	0.28	5.0	0.37	5.0	0.49	5.1	N	11		
	18	0.18	3.9	0.30	5.4	0.38	5.6	0.52	5.6	NNE	14		
	20	0.17	4.2	0.27	5.7	0.33	5.6	0.44	7.0	NNE	12		
	22	0.18	4.2	0.28	5.6	0.36	5.8	0.44	7.1	欠測	欠測		
最大	0.26	4.4	0.40	5.2	0.50	5.0	0.74	4.9					
平均	0.20	3.9	0.33	5.0	0.41	5.1	0.56	5.2					
27	00	0.21	4.2	0.34	5.8	0.44	6.1	0.56	6.0	N	8		
	02	0.20	4.1	0.32	5.8	0.40	5.9	0.69	6.4	NNE	12		
	04	0.18	3.5	0.29	4.9	0.36	5.4	0.56	3.4	NW	325		
	06	0.21	3.5	0.33	4.4	0.40	4.4	0.56	3.2	NW	310		
	08	0.26	3.3	0.40	3.9	0.52	4.0	0.73	3.6	欠測	欠測		
	10	0.27	3.3	0.41	3.6	0.51	3.6	* 0.88	2.2	NW	319		
	12	0.25	3.1	0.39	3.4	0.48	3.3	0.61	3.5	W	270		
	14	* 0.33	3.4	* 0.51	3.8	* 0.64	3.8	0.81	4.3	NE	35		
	16	0.23	3.7	0.35	4.3	0.43	4.3	0.60	4.9	NNW	332		
	18	0.19	3.4	0.30	4.4	0.37	4.6	0.54	3.5	W	279		
	20	0.22	3.7	0.32	4.4	0.40	4.3	0.55	3.8	欠測	欠測		
	22	0.22	3.7	0.35	4.5	0.44	4.5	0.61	4.8	WNW	282		
最大	0.33	3.4	0.51	3.8	0.64	3.8	0.88	2.2					
平均	0.23	3.6	0.36	4.4	0.45	4.5	0.64	4.1					
28	00	0.20	3.7	0.31	4.5	0.39	4.4	0.64	4.5	NNE	12		
	02	0.24	4.2	0.36	5.0	0.43	4.9	0.54	5.5	NNW	340		
	04	0.31	4.6	0.48	5.3	0.62	5.1	0.85	5.5	NE	36		
	06	* 0.38	4.5	* 0.59	4.9	* 0.73	5.1	0.93	5.3	NE	47		
	08	0.35	4.2	0.55	4.8	0.70	4.8	* 0.97	4.8	N	6		
	10	0.27	3.7	0.43	4.6	0.55	4.6	0.72	4.4	W	281		
	12	0.31	3.3	0.50	4.0	0.64	3.9	0.94	5.5	NE	49		
	14	0.29	3.6	0.46	4.4	0.57	4.5	0.76	3.6	N	356		
	16	0.26	3.8	0.42	4.7	0.54	4.8	0.71	5.7	N	353		
	18	0.24	4.1	0.37	4.9	0.46	4.9	0.56	4.8	欠測	欠測		
	20	0.22	3.9	0.35	4.6	0.43	4.7	0.54	4.5	NNW	337		
	22	0.21	3.9	0.33	4.6	0.42	4.6	0.67	4.7	欠測	欠測		
最大	0.38	4.5	0.59	4.9	0.73	5.1	0.97	4.8					
平均	0.27	4.0	0.43	4.7	0.54	4.7	0.74	4.9					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	320 回
欠測回数	0 回	欠測回数	52 回
欠 測 率	0.0 %	欠 測 率	14.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 0.25	4.0	* 0.38	4.4	* 0.46	4.2	0.57	4.2	WNW	299
	02	0.23	3.7	0.36	4.2	0.44	4.2	0.55	4.1	NW	304
	04	0.21	3.5	0.34	4.2	0.42	4.2	0.60	4.4	N	8
	06	0.19	3.5	0.30	4.1	0.37	4.1	0.54	3.7	NW	307
	08	0.19	3.5	0.29	4.4	0.36	4.3	* 0.61	3.8	W	271
	10	0.19	3.4	0.30	4.2	0.36	4.2	0.46	3.5	W	273
	12	0.20	3.4	0.31	4.1	0.38	4.4	0.50	4.1	NNW	340
	14	0.16	3.5	0.25	4.3	0.31	4.3	0.37	4.5	W	278
	16	0.15	3.3	0.23	4.3	0.29	4.7	0.38	4.4	欠測	欠測
	18	0.18	3.3	0.28	4.1	0.36	4.0	0.57	3.4	WNW	287
	20	0.14	3.4	0.22	4.3	0.29	4.3	0.44	4.7	N	355
	22	0.12	3.2	0.19	4.2	0.24	4.4	0.33	4.5	欠測	欠測
最大 平均	0.25	4.0	0.38	4.4	0.46	4.2	0.61	3.8			
	0.18	3.5	0.29	4.2	0.36	4.3	0.49	4.1			
30	00	0.11	3.2	0.17	4.4	0.21	4.7	0.27	5.1	WNW	291
	02	0.11	3.1	0.17	4.2	0.22	4.5	0.29	4.6	N	5
	04	0.12	3.3	0.19	4.3	0.23	4.5	0.34	4.3	欠測	欠測
	06	0.12	3.3	0.18	4.4	0.22	4.4	0.26	4.3	NNW	337
	08	0.10	3.4	0.16	4.4	0.21	4.5	0.27	4.2	NNE	20
	10	0.11	3.0	0.17	3.8	0.21	3.9	0.39	2.7	欠測	欠測
	12	0.23	3.0	0.37	3.3	0.47	3.2	0.63	2.8	NNW	342
	14	* 0.39	3.3	* 0.62	3.5	* 0.78	3.4	0.98	3.6	N	359
	16	0.32	3.1	0.53	3.4	0.70	3.3	* 1.12	3.1	N	8
	18	0.26	3.0	0.41	3.3	0.51	3.2	0.81	3.4	NNW	327
	20	0.15	2.9	0.23	3.3	0.29	3.2	0.42	3.1	NW	308
	22	0.10	2.8	0.16	3.5	0.19	3.7	0.25	3.9	欠測	欠測
最大 平均	0.39	3.3	0.62	3.5	0.78	3.4	1.12	3.1			
	0.18	3.1	0.28	3.8	0.35	3.9	0.50	3.8			
31	00	0.11	3.0	0.17	4.0	0.20	4.1	0.24	3.1	NNE	22
	02	0.09	2.6	0.13	3.7	0.16	3.9	0.31	3.0	欠測	欠測
	04	0.13	2.8	0.21	3.5	0.26	3.4	0.39	2.9	N	8
	06	0.11	2.9	0.17	3.6	0.22	3.6	0.33	2.8	NNE	17
	08	* 0.18	3.1	* 0.28	3.4	* 0.35	3.3	* 0.46	3.1	NNW	344
	10	0.14	3.2	0.21	3.8	0.26	3.7	0.37	3.7	WNW	297
	12	0.13	3.0	0.20	3.6	0.25	3.6	0.32	3.4	NE	38
	14	0.16	3.3	0.24	3.8	0.30	3.7	0.37	3.5	NNW	340
	16	0.17	3.1	0.25	3.5	0.31	3.3	0.42	3.1	N	352
	18	0.13	2.9	0.19	3.3	0.25	3.3	0.36	4.2	欠測	欠測
	20	0.11	3.1	0.17	3.2	0.22	3.2	0.30	3.1	欠測	欠測
	22	0.12	2.8	0.18	3.1	0.22	3.2	0.33	3.5	欠測	欠測
最大 平均	0.18	3.1	0.28	3.4	0.35	3.3	0.46	3.1			
	0.13	3.0	0.20	3.5	0.25	3.5	0.35	3.3			
月最大 起時	1.12	6.4	1.70	7.4	2.07	7.5	3.12	7.7			
	0508		0508		1918		0510				
平均	0.40	4.3	0.63	5.3	0.79	5.4	1.06	5.3			

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	295 回
欠測回数	0 回	欠測回数	65 回
欠 測 率	0.0 %	欠 測 率	18.1 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
09	00	0.18	4.2	0.29	5.9	0.37	6.0	0.47	5.7	NNE	33
	02	0.17	4.1	0.27	5.8	0.34	6.1	0.43	5.8	NNE	20
	04	0.17	4.3	0.27	5.6	0.33	5.9	0.43	5.6	WNW	289
	06	0.16	4.1	0.27	5.5	0.33	5.6	0.43	5.8	欠測	欠測
	08	0.17	4.0	0.27	5.1	0.34	5.4	0.50	4.2	W	276
	10	0.13	3.8	0.22	5.4	0.28	5.5	0.37	6.8	WNW	303
	12	0.19	3.1	0.29	3.7	0.37	3.5	* 0.65	3.1	WNW	300
	14	* 0.20	3.0	* 0.32	3.4	* 0.40	3.5	0.54	3.0	欠測	欠測
	16	0.12	3.2	0.18	4.4	0.22	4.8	0.33	4.7	W	277
	18	0.17	3.6	0.26	4.2	0.31	4.1	0.41	3.8	NE	35
	20	0.17	3.4	0.26	3.9	0.33	3.7	0.47	3.6	NW	319
	22	0.13	3.2	0.21	4.1	0.27	4.0	0.34	3.5	欠測	欠測
	最大	0.20	3.0	0.32	3.4	0.40	3.5	0.65	3.1		
	平均	0.16	3.7	0.26	4.8	0.32	4.8	0.45	4.6		
10	00	0.13	3.2	0.19	4.3	0.24	4.4	0.34	4.7	NNE	29
	02	0.11	3.1	0.16	4.4	0.20	4.5	0.27	6.2	欠測	欠測
	04	0.11	3.0	0.16	4.0	0.20	4.1	0.26	4.1	WNW	300
	06	0.09	3.0	0.14	4.2	0.18	4.4	0.38	3.8	NNW	337
	08	0.13	3.4	0.19	4.0	0.24	3.9	0.32	3.8	WNW	286
	10	0.12	3.1	0.19	3.9	0.25	3.9	0.41	3.4	NE	36
	12	0.11	3.1	0.17	4.0	0.21	4.1	0.28	3.5	欠測	欠測
	14	* 0.17	3.5	* 0.25	4.0	* 0.32	4.0	* 0.45	5.8	WNW	285
	16	0.15	3.1	0.23	3.9	0.29	3.9	0.38	4.0	欠測	欠測
	18	0.15	3.3	0.24	3.9	0.29	4.0	0.37	3.5	NW	313
	20	0.16	3.3	0.24	4.1	0.30	4.2	0.41	4.8	欠測	欠測
	22	0.10	3.3	0.15	4.7	0.19	5.1	0.25	5.1	欠測	欠測
	最大	0.17	3.5	0.25	4.0	0.32	4.0	0.45	5.8		
	平均	0.13	3.2	0.19	4.1	0.24	4.2	0.34	4.4		
11	00	0.09	3.1	0.14	4.5	0.17	5.1	0.25	6.4	NNW	329
	02	0.10	3.3	0.16	4.8	0.20	5.2	0.31	4.3	NNW	334
	04	0.11	3.2	0.17	4.5	0.21	4.5	0.31	4.4	W	279
	06	0.19	3.1	0.30	3.6	0.39	3.3	0.64	2.7	欠測	欠測
	08	0.25	3.3	0.38	3.7	0.47	3.6	0.60	4.1	欠測	欠測
	10	* 0.38	3.6	* 0.59	4.1	* 0.75	3.9	* 0.97	3.5	欠測	欠測
	12	0.25	3.3	0.40	3.9	0.50	4.0	0.70	3.1	NE	56
	14	0.18	3.5	0.28	4.4	0.34	4.5	0.53	4.0	WNW	288
	16	0.18	3.3	0.29	4.0	0.36	3.8	0.53	3.6	N	9
	18	0.19	3.4	0.28	4.0	0.35	4.0	0.56	3.7	WNW	284
	20	0.16	3.2	0.24	3.8	0.29	3.8	0.35	3.4	NE	50
	22	0.12	3.2	0.19	3.7	0.24	3.7	0.28	3.7	欠測	欠測
	最大	0.38	3.6	0.59	4.1	0.75	3.9	0.97	3.5		
	平均	0.18	3.3	0.29	4.1	0.36	4.1	0.50	3.9		
12	00	0.13	3.5	0.20	4.3	0.25	3.9	0.33	3.8	NW	305
	02	0.11	3.0	0.18	4.0	0.22	3.9	0.28	3.8	NW	305
	04	0.12	3.1	0.18	4.1	0.22	4.0	0.34	3.9	NE	46
	06	0.13	3.4	0.20	4.2	0.25	4.0	0.33	3.6	欠測	欠測
	08	0.15	3.5	0.23	4.0	0.28	3.9	0.39	3.8	NE	54
	10	0.14	3.4	0.22	4.2	0.27	4.2	0.33	4.1	欠測	欠測
	12	0.15	3.6	0.25	4.6	0.32	4.5	0.43	4.1	WNW	302
	14	0.15	3.4	0.23	4.3	0.29	4.3	0.40	4.6	WNW	290
	16	0.16	3.1	0.25	4.0	0.31	4.2	0.39	3.9	欠測	欠測
	18	* 0.21	2.9	* 0.35	3.4	* 0.46	3.2	* 0.64	2.8	N	349
	20	0.16	3.2	0.25	3.9	0.31	3.9	0.45	5.0	NW	325
	22	0.14	3.2	0.21	4.2	0.26	4.0	0.35	4.4	WNW	289
	最大	0.21	2.9	0.35	3.4	0.46	3.2	0.64	2.8		
	平均	0.15	3.3	0.23	4.1	0.29	4.0	0.39	4.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 6月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.12	3.5	0.19	5.1	0.25	5.3	0.34	5.7	WNW	303
	02	0.12	3.6	0.18	4.8	0.22	5.2	0.30	4.7	NW	323
	04	0.13	3.4	* 0.20	4.8	* 0.26	5.2	0.35	4.3	欠測	欠測
	06	* 0.13	3.5	0.20	4.7	0.26	4.9	0.32	4.1	NNE	17
	08	0.12	3.4	0.18	4.7	0.23	4.9	0.30	4.6	WNW	285
	10	0.11	3.6	0.18	4.8	0.23	4.9	0.35	4.0	欠測	欠測
	12	0.11	3.4	0.18	4.6	0.23	4.9	* 0.36	5.0	NE	36
	14	0.11	3.4	0.17	4.9	0.21	5.1	0.27	4.6	WNW	292
	16	0.12	3.2	0.18	4.6	0.22	5.0	0.30	10.0	NNE	32
	18	0.11	3.4	0.17	5.2	0.21	5.8	0.29	6.6	NNW	338
	20	0.11	3.2	0.17	4.8	0.21	5.6	0.29	5.2	N	1
	22	0.10	3.2	0.15	4.7	0.19	5.4	0.27	4.9	N	352
	最大	0.13	3.5	0.20	4.8	0.26	5.2	0.36	5.0		
	平均	0.12	3.4	0.18	4.8	0.23	5.2	0.31	5.3		
14	00	0.10	3.4	0.16	5.2	0.21	6.1	0.29	6.4	NW	314
	02	0.10	3.6	0.15	5.0	0.19	5.8	0.28	6.5	N	4
	04	0.11	3.4	0.16	4.5	0.19	5.1	0.25	3.8	欠測	欠測
	06	0.10	3.3	0.16	4.3	0.20	4.6	0.30	3.3	N	352
	08	0.10	3.1	0.16	4.2	0.19	4.4	0.29	4.0	NE	48
	10	0.10	3.0	0.15	4.3	0.19	4.8	0.31	4.1	NNW	343
	12	0.19	2.8	0.30	3.2	0.40	3.0	0.68	3.3	NE	49
	14	0.34	3.2	0.53	3.7	0.69	3.4	0.98	2.8	NW	321
	16	* 0.48	3.7	* 0.74	4.3	* 0.92	4.1	* 1.16	4.1	NNE	32
	18	0.40	3.6	0.62	4.1	0.77	4.3	1.05	4.0	NE	55
	20	0.37	3.5	0.58	4.2	0.73	4.1	0.97	4.7	欠測	欠測
	22	0.38	3.7	0.61	4.5	0.76	4.6	1.10	5.5	欠測	欠測
	最大	0.48	3.7	0.74	4.3	0.92	4.1	1.16	4.1		
	平均	0.23	3.4	0.36	4.3	0.45	4.5	0.64	4.4		
15	00	0.40	4.3	0.62	5.1	0.75	5.1	1.11	4.0	欠測	欠測
	02	0.36	4.8	0.59	6.5	0.74	7.1	0.90	7.1	W	262
	04	* 0.61	5.0	0.97	6.0	* 1.28	6.2	* 1.93	5.9	W	266
	06	0.61	4.9	0.94	5.7	1.15	5.6	1.37	4.5	W	274
	08	0.55	5.0	0.87	6.0	1.11	6.0	1.56	4.9	W	274
	10	0.53	5.5	0.82	6.9	1.02	6.7	1.20	6.6	W	262
	12	0.59	5.5	* 0.97	7.1	1.22	7.5	1.72	7.2	W	270
	14	0.55	4.9	0.94	6.8	1.18	7.1	1.52	6.3	W	262
	16	0.56	5.5	0.91	6.9	1.14	6.6	1.44	6.5	W	266
	18	0.49	5.0	0.77	6.2	0.97	6.2	1.32	6.0	W	266
	20	0.47	4.9	0.73	6.0	0.90	6.3	1.19	4.9	WSW	258
	22	0.44	4.3	0.70	5.5	0.89	5.4	1.17	4.2	欠測	欠測
	最大	0.61	5.0	0.97	7.1	1.28	6.2	1.93	5.9		
	平均	0.51	5.0	0.82	6.2	1.03	6.3	1.37	5.7		
16	00	0.38	4.0	0.61	5.1	0.77	5.1	1.05	4.8	NNW	337
	02	0.40	4.7	0.62	5.5	0.75	5.5	1.24	5.4	欠測	欠測
	04	0.46	4.5	0.75	5.5	0.96	5.6	* 1.40	5.1	NW	317
	06	0.34	4.2	0.54	5.3	0.70	5.1	0.93	4.9	WNW	294
	08	0.42	3.9	0.66	4.9	0.84	4.7	1.15	4.8	W	279
	10	0.37	4.3	0.58	5.3	0.74	5.6	1.01	5.5	WNW	300
	12	0.43	4.3	0.67	5.4	0.82	5.6	0.97	4.9	W	276
	14	0.41	4.2	0.63	5.3	0.76	5.3	0.95	6.2	欠測	欠測
	16	0.40	4.3	0.66	5.4	0.84	5.5	1.32	5.1	NNW	335
	18	0.52	4.5	0.80	5.3	1.01	5.2	1.28	4.1	WNW	301
	20	0.49	4.6	0.75	5.4	0.94	5.4	1.15	6.6	NNE	33
	22	* 0.53	4.7	* 0.82	5.6	* 1.01	5.7	1.39	5.9	NW	316
	最大	0.53	4.7	0.82	5.6	1.01	5.7	1.40	5.1		
	平均	0.43	4.4	0.67	5.3	0.84	5.4	1.15	5.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 6月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	295 回
											欠測回数	0 回	欠測回数	65 回
											欠 測 率	0.0 %	欠 測 率	18.1 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″							
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向					
									16方位	角度				
17	00	* 0.67	5.1	* 1.04	5.9	1.30	6.0	1.49	6.1	WNW	299			
	02	0.62	5.1	1.01	5.8	1.30	5.8	1.60	6.1	NNW	327			
	04	0.60	5.1	0.95	6.1	1.19	6.0	1.47	4.9	NNW	331			
	06	0.62	5.1	1.00	5.9	* 1.31	6.1	* 1.78	6.4	NW	323			
	08	0.54	5.1	0.86	6.1	1.08	6.2	1.58	5.8	NW	315			
	10	0.57	5.4	0.89	6.2	1.09	6.1	1.50	6.1	NNE	20			
	12	0.54	4.7	0.87	5.8	1.09	6.0	1.29	5.9	NE	37			
	14	0.59	4.4	0.92	5.5	1.15	5.6	1.54	5.0	NE	49			
	16	0.46	4.2	0.74	5.6	0.94	5.7	1.15	5.1	WNW	293			
	18	0.52	5.6	0.82	7.0	1.00	7.0	1.27	5.8	NNE	12			
	20	0.51	5.5	0.82	7.5	1.03	7.5	1.27	8.5	NNE	16			
	22	0.54	6.2	0.83	7.4	1.06	7.5	1.28	6.7	NNE	20			
最大 平均	0.67 0.57	5.1 5.1	1.04 0.90	5.9 6.2	1.31 1.13	6.1 6.3	1.78 1.43	6.4 6.0						
18	00	0.49	6.0	0.79	7.0	0.98	7.0	1.16	7.2	NNE	20			
	02	* 0.50	6.0	* 0.82	7.6	* 1.00	7.7	* 1.30	7.4	NNE	25			
	04	0.41	5.8	0.65	7.1	0.81	7.0	1.05	6.5	NNE	20			
	06	0.37	5.6	0.60	7.1	0.75	7.0	0.94	6.3	NNE	25			
	08	0.39	5.7	0.62	7.0	0.78	6.9	0.96	6.5	NNE	20			
	10	0.36	5.3	0.58	6.8	0.74	6.6	0.88	6.5	NNE	20			
	12	0.40	4.9	0.67	6.4	0.89	5.6	1.23	6.5	N	4			
	14	0.30	5.5	0.46	6.7	0.55	6.6	0.67	6.9	N	8			
	16	0.30	5.3	0.49	6.9	0.60	6.9	0.74	7.2	NNE	16			
	18	0.32	3.8	0.50	5.0	0.60	5.2	0.71	4.7	NNW	328			
	20	0.36	4.1	0.57	4.7	0.71	4.6	1.07	5.7	欠測	欠測			
	22	0.37	4.2	0.57	5.0	0.72	4.9	0.98	4.7	N	5			
最大 平均	0.50 0.38	6.0 5.2	0.82 0.61	7.6 6.4	1.00 0.76	7.7 6.3	1.30 0.97	7.4 6.3						
19	00	0.31	4.2	0.49	5.1	0.62	5.3	0.75	5.3	NE	50			
	02	0.23	4.1	0.36	5.2	0.45	5.0	0.55	4.3	NW	311			
	04	0.19	4.1	0.30	5.6	0.37	5.6	0.48	5.8	W	279			
	06	0.26	3.6	0.40	4.1	0.50	4.4	0.70	6.8	NNW	348			
	08	0.31	3.3	0.47	3.8	0.62	4.0	1.11	3.3	NE	45			
	10	0.34	3.4	0.53	3.9	0.68	3.6	0.88	3.0	欠測	欠測			
	12	0.49	3.8	0.77	4.2	0.99	4.1	1.38	3.8	WNW	302			
	14	0.58	4.0	0.93	4.5	1.18	4.4	1.57	4.2	W	272			
	16	0.64	4.2	1.01	4.8	1.28	4.6	1.85	4.2	WNW	289			
	18	0.82	4.6	1.27	5.3	1.56	5.3	2.09	4.7	N	6			
	20	0.81	4.6	1.30	5.5	1.64	5.6	2.21	5.2	NE	43			
	22	* 0.87	5.0	* 1.38	6.3	* 1.79	6.3	* 2.29	6.7	NNE	12			
最大 平均	0.87 0.49	5.0 4.1	1.38 0.77	6.3 4.9	1.79 0.97	6.3 4.8	2.29 1.32	6.7 4.8						
20	00	* 0.92	5.3	* 1.41	6.1	* 1.74	6.0	2.14	5.3	NNE	12			
	02	0.76	5.1	1.24	6.4	1.55	6.8	1.91	7.4	NNE	16			
	04	0.88	5.4	1.38	6.6	1.73	6.4	2.37	5.5	NNE	20			
	06	0.82	5.3	1.30	6.5	1.62	6.7	2.23	6.5	N	8			
	08	0.83	4.9	1.32	6.2	1.61	6.1	2.06	5.1	NNE	25			
	10	0.90	5.8	1.36	6.8	1.69	6.7	* 2.41	6.0	NNE	12			
	12	0.80	5.2	1.24	6.1	1.58	6.4	1.99	6.4	NNE	16			
	14	0.78	5.7	1.24	6.8	1.59	6.4	2.39	6.5	NNE	16			
	16	0.67	5.4	1.05	6.4	1.32	6.5	1.79	7.5	NNE	16			
	18	0.68	5.3	1.08	6.6	1.32	6.4	1.80	7.1	NNE	16			
	20	0.62	5.4	0.99	6.6	1.28	6.6	1.90	6.7	NNE	25			
	22	0.61	5.0	0.98	6.2	1.21	6.1	1.59	6.9	NNE	33			
最大 平均	0.92 0.77	5.3 5.3	1.41 1.22	6.1 6.4	1.74 1.52	6.0 6.4	2.41 2.05	6.0 6.4						

*は日最大波高、波向欄の空白は欠測を示す

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 6月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.22	4.2	0.35	5.2	0.43	5.0	0.52	4.3	NNE	19
	02	0.19	4.0	0.29	5.0	0.36	4.9	0.50	5.6	NNW	335
	04	0.17	3.9	0.27	4.7	0.32	4.8	0.45	4.8	NE	44
	06	0.17	4.1	0.26	5.3	0.31	5.3	0.40	4.7	NNW	335
	08	0.16	3.7	0.25	4.8	0.33	5.1	0.43	4.5	W	279
	10	0.17	3.7	0.26	4.6	0.32	4.8	0.44	4.7	WNW	283
	12	0.20	3.7	0.35	4.5	0.52	4.3	* 0.89	3.9	NNE	33
	14	0.20	3.9	0.31	4.6	0.39	4.6	0.58	5.2	N	349
	16	0.21	3.8	0.33	5.1	0.42	5.3	0.61	5.2	NNW	338
	18	0.25	4.2	0.40	5.7	0.50	5.9	0.72	5.7	NNE	16
	20	0.26	4.3	0.42	5.5	0.51	5.6	0.65	5.3	NNW	339
	22	* 0.31	3.8	* 0.49	4.9	* 0.63	5.1	0.85	5.4	W	271
	最大	0.31	3.8	0.49	4.9	0.63	5.1	0.89	3.9		
	平均	0.21	3.9	0.33	5.0	0.42	5.1	0.59	4.9		
26	00	0.28	4.0	0.43	5.0	0.53	4.9	0.72	4.3	N	354
	02	0.28	4.0	0.44	5.2	0.56	5.1	0.77	4.6	WNW	284
	04	0.33	4.2	0.53	5.4	0.66	5.4	0.95	6.2	NE	37
	06	0.43	3.4	0.68	4.1	* 0.87	3.9	* 1.23	3.5	W	271
	08	* 0.43	3.9	* 0.68	4.6	0.84	4.7	1.14	4.1	NW	319
	10	0.36	3.8	0.55	4.8	0.69	4.6	0.95	5.2	NNE	25
	12	0.33	3.7	0.50	4.6	0.61	4.5	0.87	5.0	NNW	348
	14	0.28	3.7	0.45	4.7	0.59	4.9	0.87	5.0	NW	307
	16	0.30	3.8	0.45	4.7	0.59	4.7	0.74	5.5	NNW	332
	18	0.33	3.5	0.51	4.0	0.65	3.9	0.89	4.1	W	279
	20	0.31	3.4	0.48	4.1	0.61	4.2	0.86	4.4	NE	52
	22	0.34	3.7	0.52	4.4	0.65	4.5	0.90	3.9	欠測	欠測
	最大	0.43	3.9	0.68	4.6	0.87	3.9	1.23	3.5		
	平均	0.33	3.8	0.52	4.6	0.65	4.6	0.91	4.6		
27	00	0.40	4.2	0.63	4.7	0.79	4.6	1.00	5.0	欠測	欠測
	02	0.35	4.1	0.54	4.9	0.67	5.0	0.82	4.6	NNW	340
	04	0.39	4.3	0.61	5.2	0.78	5.3	1.06	5.5	欠測	欠測
	06	0.35	4.7	0.55	5.8	0.68	5.6	0.85	5.5	W	266
	08	0.33	4.4	0.53	5.6	0.67	5.8	0.92	5.6	N	0
	10	0.35	4.2	0.56	5.4	0.69	5.2	0.97	5.1	NNE	30
	12	0.45	4.4	0.70	5.2	0.88	5.2	1.14	5.3	欠測	欠測
	14	* 0.50	4.4	* 0.77	5.0	* 0.98	4.9	* 1.37	4.3	N	9
	16	0.47	4.4	0.75	5.4	0.94	5.5	1.34	5.7	W	276
	18	0.41	4.5	0.64	5.6	0.80	5.9	1.13	6.0	欠測	欠測
	20	0.37	4.5	0.60	5.7	0.75	5.7	1.13	5.3	W	270
	22	0.43	5.2	0.68	6.0	0.85	5.8	1.10	5.9	WNW	286
	最大	0.50	4.4	0.77	5.0	0.98	4.9	1.37	4.3		
	平均	0.40	4.4	0.63	5.4	0.79	5.4	1.07	5.3		
28	00	* 0.49	5.0	* 0.76	6.0	* 0.92	6.0	1.08	5.4	NW	319
	02	0.42	5.1	0.66	5.8	0.84	5.9	1.13	5.6	NW	319
	04	0.41	5.1	0.68	6.0	0.88	5.9	* 1.29	6.2	WNW	290
	06	0.43	5.2	0.68	5.8	0.84	5.8	1.05	5.8	NW	311
	08	0.39	4.7	0.63	5.6	0.79	5.6	0.96	5.6	WNW	296
	10	0.39	4.2	0.61	5.3	0.79	5.3	0.96	5.5	NE	43
	12	0.41	4.4	0.63	5.4	0.75	5.4	0.92	4.5	欠測	欠測
	14	0.35	4.0	0.56	5.1	0.69	5.4	0.99	6.1	欠測	欠測
	16	0.37	4.2	0.59	5.2	0.73	5.5	1.02	5.9	欠測	欠測
	18	0.34	3.9	0.56	5.0	0.72	5.0	0.89	5.2	N	0
	20	0.37	4.0	0.60	5.0	0.75	5.1	0.97	4.9	欠測	欠測
	22	0.37	4.1	0.61	5.1	0.75	5.3	1.06	5.0	NW	310
	最大	0.49	5.0	0.76	6.0	0.92	6.0	1.29	6.2		
	平均	0.40	4.5	0.63	5.4	0.79	5.5	1.03	5.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 6月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	295 回
欠測回数	0 回	欠測回数	65 回
欠 測 率	0.0 %	欠 測 率	18.1 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.38	4.4	0.60	5.3	0.74	5.3	0.94	4.4	N	354
	02	0.35	4.4	0.60	5.4	0.77	5.5	0.90	5.7	WNW	301
	04	0.40	4.6	0.65	5.6	0.82	5.7	1.07	5.4	欠測	欠測
	06	0.47	5.2	0.73	6.1	0.92	6.3	1.16	7.1	NNE	12
	08	0.46	5.1	0.74	6.2	0.91	6.5	1.08	5.4	NNE	12
	10	* 0.52	5.3	* 0.81	6.4	* 1.01	6.4	* 1.45	7.0	N	8
	12	0.46	5.2	0.70	6.3	0.89	6.5	1.22	5.9	NNE	16
	14	0.42	4.9	0.65	6.0	0.82	5.9	1.00	7.0	NNE	16
	16	0.38	4.8	0.61	6.1	0.75	6.2	0.93	7.6	NNE	16
	18	0.39	4.9	0.64	6.5	0.78	6.8	0.98	7.1	N	8
	20	0.41	5.3	0.67	6.7	0.83	6.5	1.05	6.7	N	8
	22	0.44	5.7	0.72	7.0	0.91	7.0	1.10	7.2	N	352
最大	0.52	5.3	0.81	6.4	1.01	6.4	1.45	7.0			
平均	0.42	5.0	0.68	6.1	0.85	6.2	1.07	6.4			
30	00	0.41	5.4	0.68	6.9	0.85	6.8	1.11	6.8	NNE	16
	02	* 0.44	5.5	* 0.71	6.9	* 0.88	7.0	* 1.20	7.9	N	8
	04	0.36	4.9	0.58	6.5	0.76	6.5	1.01	6.0	N	356
	06	0.35	4.7	0.56	5.9	0.68	6.0	0.88	6.1	NNE	12
	08	0.34	4.3	0.53	5.4	0.65	5.3	0.78	5.1	NNE	18
	10	0.30	4.1	0.49	5.2	0.64	5.1	0.95	4.5	欠測	欠測
	12	0.30	4.2	0.46	5.3	0.60	5.2	0.87	4.8	NE	43
	14	0.35	4.2	0.53	5.0	0.66	4.9	0.89	3.6	欠測	欠測
	16	0.33	4.1	0.52	5.0	0.66	5.0	0.86	5.3	NW	311
	18	0.34	4.1	0.54	4.8	0.69	4.7	0.97	4.1	WNW	300
	20	0.39	4.4	0.62	5.2	0.79	5.1	1.03	4.2	NNE	28
	22	0.42	4.2	0.69	5.2	0.86	5.1	1.09	5.7	NW	312
最大	0.44	5.5	0.71	6.9	0.88	7.0	1.20	7.9			
平均	0.36	4.5	0.58	5.6	0.73	5.6	0.97	5.3			
月最大	0.92	5.3	1.41	6.1	1.79	6.3	2.41	6.0			
	起時	2000	2000		1922		2010				
	平均	0.33	4.1	0.51	5.1	0.64	5.1	0.87	5.0		

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	295 回
欠測回数	0 回	欠測回数	77 回
欠測率	0.0 %	欠測率	20.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度	
01	00	0.47	4.4	0.73	5.2	0.89	5.3	1.34	5.1	WNW	283	
	02	0.40	4.1	0.65	5.2	0.82	5.2	1.19	4.7	NE	47	
	04	0.50	5.0	0.78	6.7	0.99	8.1	1.30	10.3	W	278	
	06	0.51	5.8	0.83	8.7	1.04	9.5	1.30	9.8	W	278	
	08	0.60	6.8	0.95	9.7	1.20	9.7	1.44	8.4	W	274	
	10	0.96	7.1	1.54	8.9	1.88	9.1	2.50	8.1	W	278	
	12	1.07	6.5	1.74	8.4	2.23	9.2	2.69	9.4	欠測	欠測	
	14	1.07	6.3	1.74	7.8	2.23	7.7	2.87	8.5	W	270	
	16	1.18	6.2	1.87	7.9	2.36	7.7	2.91	8.3	W	278	
	18	* 1.35	6.7	* 2.22	8.3	* 2.73	8.9	3.26	10.0	WNW	282	
	20	1.35	6.3	2.12	7.6	2.61	7.9	3.30	6.7	WNW	286	
	22	1.14	6.1	1.84	7.5	2.37	8.0	* 3.72	8.0	WNW	286	
	最大	1.35	6.7	2.22	8.3	2.73	8.9	3.72	8.0			
	平均	0.88	5.9	1.42	7.7	1.78	8.0	2.32	8.1			
	02	00	* 1.13	6.2	* 1.82	7.8	* 2.27	7.6	* 2.99	7.0	W	278
		02	1.05	5.9	1.61	7.3	1.96	7.2	2.25	8.3	WNW	282
04		0.99	5.5	1.61	6.7	2.04	6.3	2.53	5.9	W	274	
06		0.96	5.4	1.52	6.7	1.89	6.9	2.89	5.9	W	278	
08		0.93	5.4	1.43	6.2	1.76	6.2	2.62	6.4	W	278	
10		0.97	5.1	1.52	6.0	1.94	6.6	2.60	5.4	W	278	
12		0.80	5.1	1.23	6.2	1.47	5.8	1.92	5.6	WNW	282	
14		0.75	4.7	1.21	6.1	1.52	6.2	1.79	5.6	WNW	295	
16		0.76	4.9	1.18	5.9	1.45	6.2	1.69	5.1	WNW	290	
18		0.67	4.8	1.08	6.0	1.40	5.9	1.85	6.1	W	278	
20		0.72	5.6	1.13	6.3	1.40	6.6	1.81	6.2	NNW	327	
22		0.69	5.4	1.09	6.5	1.39	6.6	2.17	6.2	NW	323	
最大		1.13	6.2	1.82	7.8	2.27	7.6	2.99	7.0			
平均		0.87	5.3	1.37	6.5	1.71	6.5	2.26	6.1			
03		00	0.70	5.6	1.14	6.5	1.44	6.5	1.87	6.1	NNW	327
		02	0.80	5.7	* 1.30	6.6	* 1.64	6.4	2.30	6.6	NNW	340
	04	* 0.81	5.4	1.26	6.5	1.55	6.7	* 2.44	6.4	N	352	
	06	0.74	5.4	1.14	6.6	1.47	6.5	2.06	6.2	NNW	344	
	08	0.74	5.1	1.18	6.3	1.46	6.5	1.88	5.9	NNE	12	
	10	0.67	4.7	1.06	5.6	1.32	5.7	1.86	5.7	NE	53	
	12	0.63	4.7	1.00	6.0	1.26	6.5	1.57	6.1	N	8	
	14	0.55	4.3	0.91	5.4	1.20	5.9	1.55	7.1	NNE	27	
	16	0.52	4.5	0.83	5.7	1.06	5.9	1.51	5.1	N	8	
	18	0.49	4.7	0.78	5.9	0.99	6.0	1.47	6.5	N	0	
	20	0.44	5.0	0.66	5.9	0.81	5.8	0.99	5.8	NNE	12	
	22	0.45	5.1	0.67	5.9	0.79	5.6	0.91	5.7	N	4	
	最大	0.81	5.4	1.30	6.6	1.64	6.4	2.44	6.4			
	平均	0.63	5.0	0.99	6.1	1.25	6.2	1.70	6.1			
	04	00	0.40	4.8	0.60	5.4	0.74	5.5	0.89	5.9	W	271
		02	0.36	4.1	0.57	5.0	0.70	5.2	1.04	5.1	NW	316
04		0.38	3.8	0.60	4.7	0.77	4.6	* 1.13	4.2	N	7	
06		0.39	4.5	0.60	4.9	0.78	5.0	1.12	4.1	欠測	欠測	
08		* 0.43	4.8	* 0.67	5.4	* 0.82	5.3	0.97	5.3	欠測	欠測	
10		0.40	4.4	0.62	5.2	0.77	5.1	1.02	5.0	NW	323	
12		0.37	4.1	0.59	4.9	0.76	4.9	1.06	4.9	W	274	
14		0.32	4.4	0.50	5.1	0.63	4.9	0.86	4.5	NE	56	
16		0.32	4.1	0.50	4.8	0.59	4.9	0.73	4.5	NW	314	
18		0.32	4.4	0.51	5.2	0.64	5.4	0.85	4.9	WNW	302	
20		0.36	4.2	0.56	4.8	0.68	4.8	0.85	5.5	W	274	
22		0.28	3.7	0.44	4.6	0.54	4.3	0.66	4.1	NNW	345	
最大		0.43	4.8	0.67	5.4	0.82	5.3	1.13	4.2			
平均		0.36	4.3	0.56	5.0	0.70	5.0	0.93	4.8			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 7月

機種：波向 海象計 - 50.0m - 52.0 m	波 高		波 向	
	規定回数	372 回	規定回数	372 回
	測得回数	372 回	測得回数	295 回
	欠測回数	0 回	欠測回数	77 回
	欠 測 率	0.0 %	欠 測 率	20.7 %

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m 緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.23	3.9	0.36	4.8	0.44	4.6	0.56	4.5	N	2
	02	0.26	3.6	0.40	4.5	0.50	4.8	0.60	5.9	NE	50
	04	0.29	3.6	0.44	4.3	0.55	4.5	0.76	5.5	NNW	329
	06	* 0.35	3.6	* 0.55	4.1	* 0.70	3.9	* 0.98	4.4	NE	49
	08	0.32	3.7	0.51	4.4	0.64	4.5	0.87	4.0	欠測	欠測
	10	0.33	3.8	0.50	4.4	0.61	4.3	0.80	4.2	N	354
	12	0.26	3.7	0.41	4.6	0.53	4.6	0.67	4.3	NE	55
	14	0.21	3.5	0.34	4.4	0.43	4.5	0.59	4.5	NW	324
	16	0.19	3.5	0.30	4.3	0.37	4.3	0.47	6.2	欠測	欠測
	18	0.18	3.5	0.29	4.2	0.36	4.2	0.55	3.9	NW	323
	20	0.16	3.4	0.26	4.2	0.35	4.3	0.48	4.2	WNW	299
	22	0.17	3.6	0.26	4.0	0.31	4.2	0.40	3.8	欠測	欠測
	最大	0.35	3.6	0.55	4.1	0.70	3.9	0.98	4.4		
	平均	0.25	3.6	0.38	4.4	0.48	4.4	0.64	4.6		
06	00	0.16	3.5	0.24	4.2	0.29	4.4	0.40	4.5	欠測	欠測
	02	0.14	3.6	0.21	4.9	0.27	4.7	0.40	4.4	欠測	欠測
	04	0.13	3.7	0.20	5.0	0.24	5.1	0.33	4.4	NNE	29
	06	0.11	3.5	0.18	4.8	0.23	5.1	0.32	4.6	NNW	331
	08	0.13	3.4	0.21	4.6	0.27	4.4	0.35	3.7	W	272
	10	0.14	3.1	0.21	4.2	0.27	4.2	0.33	3.8	NNE	16
	12	0.10	3.2	0.15	4.6	0.19	4.8	0.25	4.2	WNW	300
	14	0.10	3.3	0.16	4.9	0.20	5.5	0.27	6.1	欠測	欠測
	16	0.11	3.4	0.17	5.1	0.21	5.4	0.28	5.1	NNE	26
	18	0.11	3.3	0.17	4.6	0.22	4.8	0.29	4.1	N	351
	20	0.17	3.0	0.27	3.6	0.35	3.5	0.48	3.1	WNW	298
	22	* 0.24	3.3	* 0.38	3.7	* 0.48	3.6	* 0.61	3.9	NE	45
	最大	0.24	3.3	0.38	3.7	0.48	3.6	0.61	3.9		
	平均	0.14	3.4	0.21	4.5	0.27	4.6	0.36	4.3		
07	00	* 0.39	4.2	* 0.59	4.6	* 0.72	4.4	* 1.00	4.5	N	6
	02	0.28	3.3	0.45	4.0	0.57	4.0	0.83	2.9	WNW	293
	04	0.35	3.8	0.53	4.1	0.66	3.8	0.91	3.7	NE	39
	06	0.34	3.4	0.55	3.8	0.71	3.6	0.93	2.9	WNW	297
	08	0.29	3.4	0.45	3.8	0.57	3.8	0.88	3.0	NW	314
	10	0.18	3.7	0.28	4.4	0.35	4.3	0.48	5.2	NNE	20
	12	0.13	3.5	0.20	4.5	0.25	4.6	0.33	4.4	N	4
	14	0.12	3.3	0.18	4.2	0.23	4.2	0.30	4.2	NE	34
	16	0.15	3.2	0.23	4.2	0.29	4.0	0.44	4.2	NNE	22
	18	0.19	3.1	0.30	3.5	0.38	3.6	0.49	3.2	NE	35
	20	0.20	3.2	0.31	3.6	0.40	3.6	0.54	3.8	欠測	欠測
	22	0.20	3.4	0.31	3.9	0.38	3.9	0.50	4.3	欠測	欠測
	最大	0.39	4.2	0.59	4.6	0.72	4.4	1.00	4.5		
	平均	0.24	3.5	0.36	4.1	0.46	4.0	0.64	3.9		
08	00	0.18	3.4	0.28	4.1	0.36	4.0	0.52	4.4	NNW	329
	02	0.19	3.5	0.30	4.4	0.38	4.3	0.52	4.1	WNW	287
	04	0.19	3.7	0.30	4.5	0.38	4.3	0.63	4.4	NE	44
	06	0.21	3.9	0.34	4.8	0.43	4.6	0.58	4.2	NW	318
	08	0.31	4.3	0.50	5.1	0.63	5.1	0.83	4.8	N	7
	10	* 0.34	4.8	* 0.53	5.5	* 0.66	5.5	* 0.83	6.2	NE	46
	12	0.29	4.3	0.47	5.4	0.58	5.5	0.72	6.3	NNW	343
	14	0.30	4.3	0.46	5.1	0.56	5.0	0.68	5.6	NNE	22
	16	0.30	4.1	0.48	5.1	0.61	5.0	0.77	5.9	欠測	欠測
	18	0.29	4.1	0.47	4.9	0.58	5.1	0.77	5.4	NNE	21
	20	0.27	4.0	0.43	5.0	0.53	5.0	0.68	5.1	欠測	欠測
	22	0.22	3.8	0.35	4.7	0.43	5.0	0.75	4.7	N	350
	最大	0.34	4.8	0.53	5.5	0.66	5.5	0.83	6.2		
	平均	0.26	4.0	0.41	4.9	0.51	4.9	0.69	5.1		

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	295 回
欠測回数	0 回	欠測回数	77 回
欠測率	0.0 %	欠測率	20.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
09	00	0.17	3.7	0.26	4.6	0.32	4.8	0.40	4.2	NNW	330
	02	0.13	3.5	0.21	4.8	0.26	5.0	0.34	3.5	WNW	288
	04	0.14	3.6	0.21	4.8	0.26	4.8	0.37	4.6	NE	52
	06	0.12	3.5	0.18	4.7	0.22	5.1	0.30	4.4	欠測	欠測
	08	0.15	3.5	0.24	4.4	0.31	4.2	* 0.49	4.0	N	355
	10	0.13	3.3	0.20	4.2	0.25	4.3	0.36	4.1	NW	313
	12	* 0.18	3.1	* 0.27	4.0	* 0.33	4.1	0.41	3.7	NE	55
	14	0.16	3.4	0.24	4.1	0.30	4.1	0.39	3.5	N	2
	16	0.13	3.3	0.20	4.2	0.26	4.4	0.42	4.2	W	281
	18	0.14	3.5	0.21	4.7	0.26	4.7	0.36	4.2	欠測	欠測
	20	0.15	3.5	0.23	4.3	0.30	4.2	0.41	3.7	欠測	欠測
	22	0.15	3.7	0.23	4.5	0.28	4.6	0.35	4.3	欠測	欠測
	最大	0.18	3.1	0.27	4.0	0.33	4.1	0.49	4.0		
	平均	0.15	3.5	0.22	4.4	0.28	4.5	0.38	4.0		
	10	00	0.14	3.4	0.22	4.5	0.27	4.4	0.33	5.3	欠測
02		0.12	3.4	0.19	4.7	0.23	5.2	0.32	4.4	NW	314
04		0.13	3.4	0.21	4.6	0.26	4.7	0.36	4.1	NE	55
06		0.13	3.3	0.20	4.6	0.25	4.8	0.31	3.5	N	9
08		0.16	3.6	0.26	4.5	0.33	4.3	0.49	4.1	NW	305
10		0.12	3.3	0.19	4.6	0.23	4.5	0.32	5.2	WNW	286
12		0.13	3.3	0.20	4.4	0.27	4.4	0.39	4.7	NW	305
14		0.13	3.4	0.21	4.4	0.26	4.6	0.38	4.7	欠測	欠測
16		* 0.19	3.2	* 0.30	3.8	* 0.38	3.6	* 0.61	3.3	NNW	339
18		0.13	3.3	0.20	4.2	0.24	4.2	0.44	3.4	N	352
20		0.13	3.3	0.20	4.1	0.24	4.3	0.36	4.2	欠測	欠測
22		0.14	3.1	0.22	4.0	0.29	3.9	0.55	3.2	WNW	288
最大		0.19	3.2	0.30	3.8	0.38	3.6	0.61	3.3		
平均		0.14	3.3	0.22	4.4	0.27	4.4	0.40	4.2		
11		00	0.16	3.3	0.26	4.0	0.33	4.0	0.51	4.4	NW
	02	0.23	4.0	0.38	4.7	0.47	4.7	0.63	4.9	W	273
	04	0.32	3.3	0.50	3.8	0.62	3.9	0.91	3.8	欠測	欠測
	06	0.45	3.9	0.71	4.5	0.86	4.5	1.19	4.8	N	9
	08	0.39	3.5	0.60	4.0	0.75	4.1	0.99	2.9	NE	46
	10	0.30	3.0	0.46	3.7	0.57	3.5	0.77	4.4	NW	316
	12	0.37	3.3	0.57	3.8	0.70	4.0	0.93	3.2	欠測	欠測
	14	0.27	3.3	0.42	3.9	0.52	4.2	0.68	3.1	欠測	欠測
	16	0.28	3.6	0.45	4.3	0.58	4.5	0.94	3.7	W	271
	18	0.29	3.9	0.44	4.9	0.54	4.7	0.78	5.6	欠測	欠測
	20	0.54	5.6	0.81	6.6	0.98	6.6	1.15	6.0	欠測	欠測
	22	* 0.64	5.1	* 1.03	6.2	* 1.28	6.3	* 1.97	5.9	WNW	286
	最大	0.64	5.1	1.03	6.2	1.28	6.3	1.97	5.9		
	平均	0.35	3.8	0.55	4.5	0.68	4.6	0.95	4.4		
	12	00	0.72	4.9	1.14	5.7	1.44	5.8	2.02	4.9	W
02		0.93	5.0	1.45	6.0	1.84	5.8	2.66	6.0	W	278
04		0.80	5.2	1.24	6.3	1.51	6.3	1.84	6.8	W	266
06		0.87	4.9	1.35	6.3	1.69	6.5	2.04	6.8	NNW	335
08		* 1.19	5.4	* 1.90	6.4	* 2.41	6.5	* 3.27	7.3	N	4
10		1.18	5.6	1.85	6.4	2.31	6.2	3.16	5.0	N	4
12		1.09	5.4	1.67	6.2	2.09	6.3	2.85	5.7	NNE	20
14		0.93	5.4	1.46	6.6	1.74	6.4	2.11	6.9	NNE	16
16		0.92	5.5	1.45	6.5	1.78	6.5	2.28	6.2	NNE	20
18		0.92	5.6	1.47	6.8	1.87	6.6	2.41	7.0	NNE	16
20		0.85	5.7	1.34	7.0	1.69	6.9	2.10	7.1	NNE	20
22		0.70	5.2	1.14	6.5	1.40	6.7	1.96	6.7	NNE	20
最大		1.19	5.4	1.90	6.4	2.41	6.5	3.27	7.3		
平均		0.92	5.3	1.46	6.4	1.81	6.4	2.39	6.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 7月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	* 0.88	5.9	* 1.45	7.2	* 1.87	7.3	* 2.51	6.8	NNE	12
	02	0.80	5.5	1.27	6.7	1.58	7.0	2.11	6.9	NNE	20
	04	0.80	5.5	1.26	6.5	1.63	6.5	1.96	6.9	NNE	25
	06	0.79	5.9	1.20	6.8	1.52	6.6	2.29	5.8	NNE	20
	08	0.68	5.3	1.09	6.5	1.31	6.6	1.66	5.9	NNE	25
	10	0.52	4.9	0.84	6.0	1.07	6.3	1.38	7.4	NNE	12
	12	0.47	4.7	0.73	5.9	0.89	6.3	1.15	6.5	NNE	33
	14	0.43	5.1	0.68	6.4	0.86	6.5	1.40	5.3	NNE	12
	16	0.42	4.9	0.66	6.1	0.79	6.1	1.01	5.4	NNE	20
	18	0.44	5.3	0.69	6.5	0.82	6.4	0.98	6.1	NNE	20
	20	0.41	5.0	0.64	6.1	0.79	6.2	1.23	5.2	N	352
	22	0.39	5.2	0.65	6.7	0.82	7.1	1.05	6.5	NNE	12
最大		0.88	5.9	1.45	7.2	1.87	7.3	2.51	6.8		
	平均	0.59	5.3	0.93	6.4	1.16	6.6	1.56	6.2		
14	00	0.36	5.1	0.57	6.5	0.73	6.7	1.01	6.7	NNE	16
	02	0.35	5.5	0.55	6.7	0.67	6.6	0.81	6.9	NNE	20
	04	0.28	4.5	0.46	6.1	0.60	6.3	0.75	6.6	NNE	25
	06	0.33	4.5	0.51	5.7	0.64	5.8	0.98	6.1	NNE	29
	08	0.32	4.6	0.50	5.4	0.61	5.3	0.84	4.9	NNE	24
	10	0.32	4.1	0.50	5.3	0.61	5.2	0.86	4.9	W	276
	12	* 0.43	4.1	* 0.68	5.0	* 0.88	5.1	* 1.20	4.3	欠測	欠測
	14	0.42	4.0	0.64	4.8	0.82	4.6	1.14	6.4	欠測	欠測
	16	0.33	3.9	0.53	5.1	0.67	5.3	0.92	5.4	N	5
	18	0.32	4.4	0.49	5.6	0.61	5.6	0.82	5.9	欠測	欠測
	20	0.30	4.9	0.48	5.9	0.60	5.8	0.82	5.6	NNE	12
	22	0.30	4.7	0.47	5.8	0.60	5.7	0.75	5.9	NNE	16
最大		0.43	4.1	0.68	5.0	0.88	5.1	1.20	4.3		
	平均	0.34	4.5	0.53	5.7	0.67	5.7	0.91	5.8		
15	00	0.36	4.8	0.62	6.7	0.76	6.8	1.13	6.2	W	262
	02	0.54	5.6	0.83	6.7	0.99	7.0	1.25	6.4	WSW	258
	04	0.54	5.4	0.85	6.5	1.02	6.7	1.25	6.6	W	266
	06	0.52	5.3	0.81	6.2	1.03	6.3	1.51	5.2	W	262
	08	0.54	4.9	0.87	6.3	1.12	6.4	1.70	6.1	WSW	250
	10	0.62	5.3	0.92	6.2	1.14	6.4	1.56	6.0	WSW	258
	12	0.62	5.3	0.96	6.2	1.23	6.0	* 2.08	6.3	NNE	12
	14	0.50	4.8	0.78	5.9	0.98	6.2	1.17	6.5	NNW	348
	16	0.46	5.0	0.71	5.9	0.85	6.0	1.11	5.3	NNE	29
	18	0.52	4.1	0.84	5.3	1.07	5.2	1.48	4.8	欠測	欠測
	20	0.57	4.3	0.89	5.0	1.10	5.1	1.50	4.5	NW	319
	22	* 0.68	4.3	* 1.08	5.4	* 1.33	5.4	1.81	5.8	欠測	欠測
最大		0.68	4.3	1.08	5.4	1.33	5.4	2.08	6.3		
	平均	0.54	4.9	0.85	6.0	1.05	6.1	1.46	5.8		
16	00	* 0.71	4.5	* 1.11	5.5	* 1.38	5.4	* 1.92	5.6	欠測	欠測
	02	0.65	4.3	1.04	5.1	1.32	5.1	1.83	4.7	NE	44
	04	0.65	4.7	0.99	5.4	1.23	5.2	1.49	5.9	NW	314
	06	0.55	4.3	0.88	5.3	1.09	5.1	1.51	4.9	W	279
	08	0.48	4.1	0.78	5.1	1.00	5.2	1.43	4.6	W	279
	10	0.42	4.3	0.66	5.3	0.84	5.0	0.99	6.4	NW	308
	12	0.40	4.5	0.64	5.2	0.78	5.2	0.95	5.3	NNE	22
	14	0.37	4.4	0.59	5.2	0.75	5.2	1.00	5.6	NNW	327
	16	0.37	4.4	0.56	5.2	0.69	5.3	0.98	5.7	W	273
	18	0.32	4.3	0.51	5.1	0.65	5.0	0.96	4.9	NNE	22
	20	0.31	4.2	0.49	5.1	0.62	5.1	0.78	5.4	NW	311
	22	0.29	4.4	0.46	5.2	0.59	5.1	0.92	4.4	NW	315
最大		0.71	4.5	1.11	5.5	1.38	5.4	1.92	5.6		
	平均	0.46	4.4	0.73	5.2	0.91	5.2	1.23	5.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 7月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
17	00	0.27	4.3	0.43	5.1	0.54	5.0	0.82	5.1	欠測	欠測
	02	0.27	4.2	0.42	5.2	0.53	5.0	0.67	5.2	NW	309
	04	0.24	3.9	0.39	5.0	0.50	5.3	0.72	5.5	NE	45
	06	0.25	3.7	0.40	4.6	0.49	4.5	0.61	3.0	欠測	欠測
	08	0.26	3.7	0.39	4.3	0.49	4.2	0.71	4.5	NNE	22
	10	0.29	3.5	0.43	4.0	0.54	3.8	0.76	3.6	欠測	欠測
	12	0.30	3.3	0.47	3.9	0.61	3.5	0.83	3.4	欠測	欠測
	14	0.30	3.3	0.47	3.9	0.59	3.8	0.79	4.2	欠測	欠測
	16	0.30	3.3	0.48	3.8	* 0.61	3.8	* 0.97	3.8	NNW	332
	18	0.29	3.4	0.45	3.9	0.57	3.9	0.74	4.2	欠測	欠測
	20	* 0.31	3.6	* 0.49	4.2	0.60	4.3	0.74	4.2	N	352
	22	0.29	3.9	0.45	4.4	0.56	4.5	0.77	4.8	NE	46
最大		0.31	3.6	0.49	4.2	0.61	3.8	0.97	3.8		
平均		0.28	3.7	0.44	4.4	0.55	4.3	0.76	4.3		
18	00	* 0.28	4.1	* 0.42	4.6	* 0.52	4.4	* 0.73	4.8	NNE	28
	02	0.23	3.7	0.36	4.4	0.46	4.3	0.67	3.9	欠測	欠測
	04	0.24	3.6	0.38	4.2	0.48	4.3	0.61	3.9	WNW	288
	06	0.23	3.7	0.36	4.2	0.45	3.9	0.59	3.5	W	275
	08	0.24	3.5	0.38	4.0	0.46	3.9	0.55	4.2	NW	315
	10	0.23	3.3	0.36	3.9	0.46	3.9	0.70	3.8	WNW	292
	12	0.23	3.5	0.36	4.0	0.44	4.0	0.60	3.3	欠測	欠測
	14	0.18	3.5	0.28	4.1	0.34	3.9	0.47	3.2	WNW	291
	16	0.21	3.7	0.32	4.4	0.39	4.3	0.56	4.1	N	358
	18	0.20	3.3	0.32	4.2	0.41	4.3	0.60	3.9	NW	315
	20	0.20	3.6	0.30	4.3	0.37	4.3	0.47	4.9	NNW	331
	22	0.20	3.4	0.31	4.3	0.40	4.2	0.58	4.3	NE	42
最大		0.28	4.1	0.42	4.6	0.52	4.4	0.73	4.8		
平均		0.22	3.6	0.35	4.2	0.43	4.1	0.59	4.0		
19	00	0.17	3.5	0.27	4.4	0.33	4.6	0.45	4.9	W	278
	02	0.15	3.4	0.23	4.4	0.29	4.4	0.43	4.4	欠測	欠測
	04	0.16	3.4	0.26	4.0	0.32	4.1	0.46	4.6	欠測	欠測
	06	0.17	3.7	0.26	4.2	0.33	4.2	0.45	4.3	W	271
	08	0.21	3.1	* 0.34	3.7	* 0.43	3.8	0.56	3.4	W	274
	10	0.16	3.7	0.25	4.6	0.31	4.4	0.44	4.7	N	1
	12	0.21	4.3	0.33	5.3	0.40	5.6	0.49	7.1	WNW	300
	14	* 0.21	4.4	0.33	5.7	0.42	5.8	* 0.61	6.4	NNE	33
	16	0.17	4.1	0.28	5.6	0.34	5.6	0.43	4.7	欠測	欠測
	18	0.16	4.1	0.25	5.5	0.31	5.7	0.46	5.4	NE	56
	20	0.14	3.6	0.23	4.9	0.28	5.3	0.35	4.7	欠測	欠測
	22	0.11	3.4	0.17	4.8	0.20	5.1	0.33	5.7	N	357
最大		0.21	4.4	0.34	3.7	0.43	3.8	0.61	6.4		
平均		0.17	3.7	0.27	4.8	0.33	4.9	0.46	5.0		
20	00	0.10	3.6	0.16	5.0	0.20	5.2	0.24	4.8	NW	307
	02	0.11	3.2	0.17	4.3	0.22	4.3	0.30	3.1	欠測	欠測
	04	0.12	3.4	0.19	4.8	0.23	5.2	0.29	6.5	NE	48
	06	* 0.13	3.7	0.19	5.0	0.24	5.0	0.33	4.9	WNW	283
	08	0.13	3.6	* 0.21	4.9	0.26	5.0	0.33	5.6	欠測	欠測
	10	0.13	3.6	0.19	4.7	0.23	4.9	0.31	4.2	NW	317
	12	0.12	3.5	0.19	4.7	0.23	4.9	0.29	4.3	NNE	12
	14	0.11	3.2	0.17	4.4	0.22	4.8	0.30	5.8	WNW	294
	16	0.12	3.5	0.19	5.1	* 0.26	5.7	* 0.49	5.3	W	280
	18	0.11	3.4	0.17	4.6	0.21	4.8	0.29	5.3	NE	54
	20	0.10	3.2	0.15	4.4	0.19	4.6	0.25	5.0	欠測	欠測
	22	0.11	3.2	0.18	4.2	0.22	4.1	0.32	3.3	欠測	欠測
最大		0.13	3.7	0.21	4.9	0.26	5.7	0.49	5.3		
平均		0.12	3.4	0.18	4.7	0.23	4.9	0.31	4.8		

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	295 回
欠測回数	0 回	欠測回数	77 回
欠 測 率	0.0 %	欠 測 率	20.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
25	00	* 0.28	4.9	* 0.45	6.6	* 0.57	6.6	* 0.79	6.3	NNE	16
	02	0.23	4.8	0.38	6.4	0.46	6.7	0.61	5.2	NNE	12
	04	0.24	4.4	0.38	5.8	0.50	6.1	0.71	5.7	NE	49
	06	0.22	4.3	0.35	5.8	0.44	5.9	0.59	5.8	NNE	16
	08	0.20	4.2	0.32	5.6	0.40	5.7	0.50	4.8	NW	305
	10	0.22	4.6	0.35	6.2	0.42	6.2	0.54	7.5	N	8
	12	0.20	4.3	0.32	5.6	0.39	5.8	0.48	5.8	欠測	欠測
	14	0.21	4.3	0.32	5.5	0.40	5.8	0.49	6.2	WNW	302
	16	0.20	4.3	0.32	5.8	0.40	5.8	0.48	5.9	NNE	20
	18	0.18	4.1	0.29	5.5	0.37	5.8	0.49	8.7	N	0
	20	0.17	4.0	0.27	5.6	0.34	5.9	0.49	6.4	欠測	欠測
	22	0.18	4.1	0.29	5.9	0.38	6.2	0.59	6.2	NNE	12
	最大	0.28	4.9	0.45	6.6	0.57	6.6	0.79	6.3		
	平均	0.21	4.4	0.34	5.9	0.42	6.0	0.56	6.2		
	26	00	0.21	4.5	0.34	6.1	0.42	6.0	0.52	6.1	W
02		0.26	4.8	0.42	6.1	0.53	6.0	0.65	5.6	N	4
04		0.27	4.6	0.45	6.0	0.56	5.9	0.74	6.1	N	356
06		0.32	5.2	0.49	6.1	0.61	6.1	0.75	6.4	N	4
08		0.32	4.8	0.50	5.7	* 0.64	6.0	* 0.91	4.9	欠測	欠測
10		0.31	5.0	* 0.51	6.1	0.64	6.0	0.84	6.1	WSW	258
12		* 0.33	5.1	0.50	6.0	0.60	6.1	0.81	5.6	W	274
14		0.30	5.1	0.48	6.1	0.59	6.5	0.85	6.8	NNW	340
16		0.30	5.4	0.45	6.3	0.55	6.2	0.71	5.9	W	274
18		0.22	4.8	0.36	6.4	0.46	6.6	0.66	6.4	NNW	335
20		0.22	4.7	0.37	6.1	0.47	6.4	0.52	6.6	NNW	335
22		0.26	5.0	0.40	6.1	0.49	6.2	0.60	6.1	欠測	欠測
最大		0.33	5.1	0.51	6.1	0.64	6.0	0.91	4.9		
平均		0.28	4.9	0.44	6.1	0.55	6.2	0.71	6.0		
27		00	* 0.32	4.9	* 0.51	5.8	* 0.65	5.9	0.84	5.7	W
	02	0.29	5.1	0.45	6.0	0.58	5.9	0.80	5.7	WSW	254
	04	0.30	5.0	0.48	5.8	0.62	5.7	* 0.89	5.5	N	4
	06	0.27	4.8	0.44	5.7	0.59	5.7	0.79	6.2	NNW	327
	08	0.23	4.5	0.36	5.6	0.44	5.8	0.56	5.0	WNW	289
	10	0.23	3.7	0.37	5.2	0.46	5.8	0.74	7.8	WNW	295
	12	0.20	4.3	0.32	5.6	0.39	6.3	0.58	4.9	NE	34
	14	0.17	4.4	0.28	6.1	0.35	6.2	0.45	5.8	NW	311
	16	0.19	4.6	0.31	6.2	0.38	6.4	0.50	6.1	W	270
	18	0.18	4.5	0.29	6.1	0.36	6.1	0.47	5.2	WNW	290
	20	0.21	4.0	0.33	5.4	0.42	5.5	0.59	7.2	NNW	335
	22	0.19	3.9	0.31	5.1	0.39	5.5	0.53	5.0	欠測	欠測
	最大	0.32	4.9	0.51	5.8	0.65	5.9	0.89	5.5		
	平均	0.23	4.5	0.37	5.7	0.47	5.9	0.65	5.8		
	28	00	0.22	3.9	0.34	5.1	0.44	5.2	0.54	5.1	NNW
02		0.20	3.9	0.31	5.2	0.38	5.3	0.51	5.2	NNW	339
04		0.17	4.0	0.27	5.5	0.32	5.8	0.41	7.3	N	349
06		0.15	3.8	0.23	5.6	0.30	5.9	0.43	5.6	WNW	293
08		0.20	3.5	0.31	4.6	0.38	5.2	0.50	3.5	NE	53
10		0.29	3.4	0.46	3.9	0.56	3.8	0.82	4.2	NNW	332
12		0.47	4.0	0.73	4.6	0.89	4.6	1.18	3.9	NNE	23
14		* 0.69	4.0	* 1.06	4.5	* 1.29	4.4	* 1.61	4.0	欠測	欠測
16		0.55	3.8	0.86	4.3	1.06	4.4	1.36	5.0	W	274
18		0.43	4.1	0.68	4.8	0.86	4.8	1.13	4.1	WNW	298
20		0.40	4.1	0.63	4.9	0.83	4.8	1.23	5.0	欠測	欠測
22		0.36	3.8	0.56	4.6	0.71	4.6	0.96	4.9	NNE	13
最大		0.69	4.0	1.06	4.5	1.29	4.4	1.61	4.0		
平均		0.34	3.9	0.54	4.8	0.67	4.9	0.89	4.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	295 回
欠測回数	0 回	欠測回数	77 回
欠 測 率	0.0 %	欠 測 率	20.7 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.36	4.2	0.57	5.0	0.73	5.1	1.00	4.9	欠測	欠測
	02	0.36	4.2	0.56	5.1	0.70	5.2	1.04	4.7	NNW	346
	04	0.36	4.4	0.57	5.5	0.71	5.5	0.90	5.4	欠測	欠測
	06	0.35	4.4	0.54	5.4	0.68	5.3	0.93	5.7	欠測	欠測
	08	0.36	4.5	0.58	5.7	0.75	5.6	1.08	5.5	W	270
	10	0.40	4.8	0.60	5.5	0.76	5.3	1.01	5.4	欠測	欠測
	12	0.42	4.7	0.63	5.5	0.78	5.5	1.06	5.0	NW	310
	14	0.43	4.7	* 0.68	5.3	* 0.85	5.2	* 1.24	4.8	N	5
	16	* 0.45	4.6	0.68	5.2	0.81	5.2	0.98	5.0	N	10
	18	0.40	4.3	0.62	4.9	0.81	4.9	1.21	5.3	W	277
	20	0.37	4.1	0.58	4.9	0.72	4.8	1.18	4.1	NNE	18
	22	0.30	4.1	0.47	5.1	0.59	5.2	0.81	5.5	N	4
	最大	0.45	4.6	0.68	5.3	0.85	5.2	1.24	4.8		
	平均	0.38	4.4	0.59	5.3	0.74	5.2	1.04	5.1		
30	00	0.24	4.2	0.38	5.3	0.48	5.5	0.65	6.0	NE	52
	02	0.26	4.4	0.40	5.3	0.49	5.5	0.65	4.9	NNW	345
	04	0.24	4.4	0.38	5.4	0.48	5.4	0.63	5.5	WNW	293
	06	0.24	4.2	0.37	5.2	0.46	5.1	0.57	5.6	NW	306
	08	* 0.27	3.5	* 0.43	4.6	* 0.52	4.5	* 0.79	4.5	欠測	欠測
	10	0.22	3.9	0.35	4.8	0.44	4.6	0.58	5.6	W	278
	12	0.18	3.7	0.29	4.7	0.35	4.7	0.52	4.7	W	273
	14	0.17	3.7	0.27	4.7	0.33	4.7	0.44	4.9	N	358
	16	0.13	3.4	0.20	4.5	0.25	4.6	0.33	5.7	欠測	欠測
	18	0.14	3.5	0.21	4.6	0.25	4.8	0.32	4.3	NW	305
	20	0.13	3.4	0.20	4.6	0.25	4.9	0.32	5.8	欠測	欠測
	22	0.11	3.7	0.17	4.8	0.21	4.9	0.28	5.1	N	357
	最大	0.27	3.5	0.43	4.6	0.52	4.5	0.79	4.5		
	平均	0.19	3.8	0.30	4.9	0.38	4.9	0.51	5.2		
31	00	0.11	3.5	0.17	4.7	0.22	4.7	0.33	4.5	N	1
	02	0.10	3.5	0.17	4.9	0.20	5.0	0.25	4.0	欠測	欠測
	04	0.13	3.4	0.21	4.2	0.26	4.2	0.49	3.5	欠測	欠測
	06	0.24	3.0	0.37	3.3	0.47	3.3	0.71	3.4	NNE	23
	08	* 0.32	3.3	* 0.52	3.7	* 0.67	3.6	* 0.90	3.9	NE	44
	10	0.27	3.3	0.42	3.7	0.54	3.6	0.70	3.8	NNE	31
	12	0.25	3.1	0.39	3.6	0.49	3.5	0.63	4.1	欠測	欠測
	14	0.24	3.1	0.38	3.4	0.49	3.4	0.59	3.1	WNW	285
	16	0.22	3.1	0.34	3.6	0.42	3.3	0.63	3.4	NNE	22
	18	0.22	3.2	0.35	3.8	0.43	3.8	0.58	2.9	欠測	欠測
	20	0.20	3.3	0.31	3.8	0.40	3.9	0.50	3.4	N	5
	22	0.18	3.5	0.28	4.0	0.36	3.9	0.49	3.6	NNE	23
	最大	0.32	3.3	0.52	3.7	0.67	3.6	0.90	3.9		
	平均	0.21	3.3	0.33	3.9	0.41	3.8	0.57	3.6		
月最大	起時	1.35	6.7	2.22	8.3	2.73	8.9	3.72	8.0		
	起時	0118		0118		0118		0122			
	平均	0.36	4.2	0.56	5.2	0.70	5.3	0.95	5.2		

波浪整理表（1）

2020年 8月		波 高						波 向			
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		323 回			
		欠測回数		0 回		欠測回数		49 回			
		欠 測 率		0.0 %		欠 測 率		13.2 %			
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
01	00	* 0.15	3.5	* 0.23	4.1	* 0.29	4.2	0.40	4.0	欠測	欠測
	02	0.14	3.3	0.22	4.1	0.27	4.3	0.34	5.1	W	274
	04	0.14	3.5	0.21	4.5	0.26	4.6	0.38	4.0	欠測	欠測
	06	0.14	3.5	0.22	4.3	0.26	4.5	0.35	5.1	NNE	21
	08	0.14	3.3	0.21	4.1	0.27	4.3	0.37	4.8	WNW	283
	10	0.14	3.5	0.21	4.5	0.27	4.5	* 0.44	4.3	欠測	欠測
	12	0.12	3.4	0.18	4.5	0.23	4.7	0.37	4.4	WNW	287
	14	0.12	3.3	0.18	4.3	0.22	4.4	0.34	4.8	NW	309
	16	0.13	3.5	0.20	4.5	0.26	4.7	0.35	4.7	NE	36
	18	0.14	3.5	0.21	4.2	0.27	4.3	0.42	4.3	WNW	302
	20	0.13	3.5	0.20	4.3	0.26	4.1	0.36	3.9	NNE	12
	22	0.11	3.2	0.17	4.2	0.22	4.4	0.32	4.6	欠測	欠測
最大	0.15	3.5	0.23	4.1	0.29	4.2	0.44	4.3			
平均	0.13	3.4	0.20	4.3	0.26	4.4	0.37	4.5			
02	00	0.10	3.0	0.15	4.1	0.20	4.0	0.31	3.7	N	353
	02	0.09	3.1	0.14	4.3	0.18	4.5	0.23	4.6	NNE	25
	04	0.09	3.1	0.14	4.2	0.18	4.3	0.25	3.9	NW	326
	06	0.12	3.2	0.18	4.0	0.22	4.1	* 0.36	2.9	NNE	13
	08	* 0.14	3.2	* 0.22	3.7	* 0.27	3.7	0.35	3.8	NE	39
	10	0.09	2.9	0.13	3.8	0.16	3.9	0.22	3.8	欠測	欠測
	12	0.13	2.8	0.19	3.4	0.25	3.7	0.33	3.0	NE	40
	14	0.11	2.7	0.16	3.6	0.21	3.7	0.35	2.5	欠測	欠測
	16	0.11	2.8	0.17	3.6	0.22	4.1	0.30	7.3	欠測	欠測
	18	0.08	2.7	0.12	3.9	0.16	4.3	0.22	5.0	W	271
	20	0.10	3.0	0.16	4.0	0.19	4.2	0.25	4.2	NNE	24
	22	0.11	3.1	0.17	3.9	0.21	3.9	0.29	3.5	WNW	294
最大	0.14	3.2	0.22	3.7	0.27	3.7	0.36	2.9			
平均	0.11	3.0	0.16	3.9	0.20	4.0	0.29	4.0			
03	00	0.13	3.2	0.20	4.0	0.24	4.1	0.42	3.2	NE	36
	02	0.11	3.1	0.16	4.1	0.21	4.3	0.29	4.2	欠測	欠測
	04	0.11	3.2	0.16	4.1	0.20	4.4	0.28	4.1	欠測	欠測
	06	0.12	3.4	0.18	4.4	0.23	4.4	0.28	3.6	N	6
	08	0.16	3.3	0.25	4.0	0.31	4.3	0.48	4.4	NNE	30
	10	0.17	3.7	0.26	4.7	0.32	4.6	0.42	4.5	NNE	23
	12	0.20	3.6	0.31	4.6	0.38	4.6	0.60	4.7	NW	308
	14	0.23	3.5	0.37	4.3	0.47	4.3	0.76	4.2	NNW	342
	16	0.24	4.0	0.37	4.8	0.47	4.8	0.66	4.8	N	7
	18	0.21	4.2	0.32	5.2	0.39	5.3	0.45	5.8	WNW	301
	20	0.25	4.4	0.38	5.0	0.47	5.0	0.64	4.6	NW	314
	22	* 0.28	4.5	* 0.44	5.2	* 0.55	5.2	* 0.76	5.4	N	354
最大	0.28	4.5	0.44	5.2	0.55	5.2	0.76	5.4			
平均	0.18	3.7	0.28	4.5	0.35	4.6	0.50	4.5			
04	00	0.32	4.7	0.50	5.4	0.63	5.6	0.85	5.2	WNW	292
	02	0.39	5.1	0.59	5.8	0.74	5.8	1.01	6.7	W	274
	04	0.46	5.2	* 0.74	5.9	* 0.97	5.8	* 1.43	5.7	W	266
	06	0.41	4.9	0.67	5.7	0.83	5.7	1.07	5.4	W	274
	08	0.43	4.7	0.70	5.5	0.90	5.5	1.18	5.6	NW	309
	10	0.41	4.3	0.67	5.2	0.84	5.3	1.10	5.5	NNW	345
	12	0.47	4.6	0.73	5.4	0.90	5.7	1.14	6.8	NW	310
	14	0.46	4.5	0.72	5.4	0.85	5.5	1.07	5.1	WNW	294
	16	* 0.47	4.8	0.71	5.6	0.88	5.8	1.25	6.2	WNW	284
	18	0.46	4.7	0.73	5.6	0.93	5.4	1.17	5.0	NNW	346
	20	0.46	4.8	0.73	5.5	0.93	5.3	1.17	5.5	NW	305
	22	0.46	4.8	0.74	5.3	0.94	5.3	1.38	5.3	NNW	335
最大	0.47	4.8	0.74	5.9	0.97	5.8	1.43	5.7			
平均	0.43	4.8	0.69	5.5	0.86	5.6	1.15	5.7			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 8月							波 高		波 向		
							規定回数	372 回	規定回数	372 回	
							測得回数	372 回	測得回数	323 回	
							欠測回数	0 回	欠測回数	49 回	
							欠 測 率	0.0 %	欠 測 率	13.2 %	
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
05	00	0.47	5.0	0.73	5.6	0.93	5.6	1.21	5.2	NE	40
	02	0.37	4.8	0.60	5.7	0.76	5.9	1.01	5.0	W	274
	04	0.47	5.2	0.73	6.0	0.91	5.8	* 1.44	5.4	W	266
	06	0.49	5.2	0.77	6.0	0.93	5.9	1.17	5.3	W	270
	08	* 0.53	5.2	* 0.82	6.2	* 1.05	6.2	1.44	5.4	N	352
	10	0.48	5.3	0.75	6.1	0.95	5.7	1.24	6.4	NNW	340
	12	0.39	4.9	0.62	6.1	0.82	6.3	1.38	4.7	NNE	16
	14	0.38	4.7	0.59	6.1	0.75	6.0	1.00	7.1	NNW	344
	16	0.35	4.5	0.57	6.1	0.72	6.5	0.86	5.7	N	356
	18	0.31	4.9	0.49	6.6	0.60	6.5	0.90	6.9	N	8
	20	0.32	5.4	0.51	6.9	0.65	7.2	0.89	7.3	N	0
	22	0.29	5.5	0.48	7.1	0.58	7.6	0.77	7.7	N	356
	最大 平均	0.53 0.40	5.2 5.0	0.82 0.64	6.2 6.2	1.05 0.80	6.2 6.3	1.44 1.11	5.4 6.0		
	06	00	0.35	6.3	0.55	7.5	0.65	7.6	0.80	7.7	N
02		0.35	6.0	0.55	7.4	0.67	7.3	0.77	8.3	NNW	331
04		0.32	5.8	0.52	7.5	0.63	7.4	0.84	6.3	N	8
06		0.28	5.6	0.44	7.2	0.54	6.8	0.66	7.9	NW	315
08		0.27	5.4	0.42	7.1	0.54	7.4	0.86	8.1	NNW	340
10		0.27	5.1	0.43	7.1	0.53	7.2	0.74	7.4	N	4
12		0.27	4.4	0.43	6.3	0.55	6.5	0.68	6.1	N	352
14		0.25	4.0	0.40	6.0	0.50	7.1	0.66	7.0	NNE	12
16		0.30	4.7	0.47	6.5	0.57	7.2	0.74	7.3	N	8
18		* 0.38	4.3	* 0.59	5.4	* 0.73	5.5	* 0.92	6.0	NNW	348
20		0.30	4.1	0.46	5.2	0.54	5.6	0.67	3.7	NNE	12
22		0.26	4.1	0.39	5.4	0.49	6.2	0.73	5.2	欠測	欠測
最大 平均		0.38 0.30	4.3 5.0	0.59 0.47	5.4 6.6	0.73 0.58	5.5 6.8	0.92 0.76	6.0 6.8		
07		00	0.28	3.7	0.43	4.4	0.54	5.0	0.75	2.8	W
	02	0.34	3.8	0.52	4.5	0.65	4.4	0.88	3.8	NNE	31
	04	0.62	4.6	0.99	5.9	1.22	6.2	1.81	5.3	WNW	295
	06	0.84	5.3	1.34	6.6	1.68	6.7	2.34	6.5	W	278
	08	0.75	5.6	1.19	7.1	1.41	6.6	1.75	8.3	W	270
	10	0.53	5.5	0.86	7.1	1.09	7.5	1.39	7.0	W	266
	12	0.56	6.1	0.89	7.6	1.07	7.8	1.27	10.1	W	266
	14	0.69	6.3	1.10	7.7	1.42	7.9	1.82	8.1	NW	319
	16	0.81	6.8	1.33	8.4	1.69	8.4	2.01	8.4	NW	311
	18	0.98	7.5	1.54	8.4	1.86	8.1	2.14	7.8	NW	315
	20	1.14	8.0	1.78	10.1	2.29	10.3	3.44	11.9	NNE	16
	22	* 1.35	7.9	* 2.19	9.9	* 2.79	10.6	* 3.50	9.8	NNE	12
	最大 平均	1.35 0.74	7.9 5.9	2.19 1.18	9.9 7.3	2.79 1.48	10.6 7.5	3.50 1.93	9.8 7.5		
	08	00	1.47	8.0	2.29	9.9	2.77	9.9	2.99	8.8	NNE
02		1.50	8.5	2.42	10.6	2.92	11.3	3.51	11.3	NNE	16
04		* 1.53	8.4	* 2.44	10.4	* 3.28	9.9	* 4.70	11.3	N	8
06		1.29	8.3	1.95	10.3	2.30	10.8	3.02	11.3	NNE	16
08		1.36	8.4	2.22	10.1	2.93	10.1	4.11	10.1	NNE	12
10		1.34	9.0	2.07	10.0	2.65	9.9	3.54	9.0	NNE	12
12		1.09	7.8	1.81	9.6	2.30	9.8	2.90	10.6	N	4
14		0.94	7.9	1.47	9.2	1.78	9.1	2.30	8.6	NNE	16
16		0.82	7.2	1.37	9.3	1.77	9.5	2.06	10.0	NNE	20
18		1.01	8.1	1.62	10.1	2.03	10.1	2.34	10.5	NNE	16
20		0.73	7.5	1.20	9.9	1.51	10.2	1.83	10.2	NNE	12
22		0.61	7.2	0.99	9.5	1.22	9.6	1.74	9.2	NNE	25
最大 平均		1.53 1.14	8.4 8.0	2.44 1.82	10.4 9.9	3.28 2.29	9.9 10.0	4.70 2.92	11.3 10.1		

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	323 回
欠測回数	0 回	欠測回数	49 回
欠測率	0.0 %	欠測率	13.2 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	0.50	4.5	0.79	5.5	1.00	5.6	1.20	6.1	欠測	欠測
	02	0.51	4.5	* 0.82	5.7	* 1.02	5.8	* 1.27	5.0	W	270
	04	* 0.53	5.2	0.81	6.3	1.01	6.2	1.25	6.2	W	270
	06	0.47	4.8	0.75	5.8	0.93	5.6	1.18	5.2	WNW	282
	08	0.47	5.0	0.72	5.9	0.87	5.9	1.15	5.6	WNW	290
	10	0.41	4.8	0.64	5.8	0.83	5.9	1.13	5.1	WNW	282
	12	0.41	4.4	0.66	5.4	0.80	5.6	1.16	5.5	NNW	333
	14	0.40	4.1	0.63	5.1	0.81	5.5	1.07	4.9	NNE	33
	16	0.36	4.2	0.57	5.3	0.74	5.4	1.07	5.1	欠測	欠測
	18	0.37	4.5	0.56	5.4	0.69	5.8	1.11	5.4	W	272
	20	0.37	4.8	0.60	5.7	0.75	5.7	1.02	5.5	WNW	286
	22	0.35	4.9	0.54	5.5	0.66	5.4	0.79	6.0	NNW	331
	最大	0.53	5.2	0.82	5.7	1.02	5.8	1.27	5.0		
	平均	0.43	4.6	0.67	5.6	0.84	5.7	1.12	5.5		
	14	00	0.35	4.7	0.55	5.4	0.69	5.5	0.85	5.2	N
02		0.30	4.5	0.48	5.6	0.59	5.9	0.80	5.7	N	6
04		0.28	4.3	0.44	5.4	0.57	5.2	0.79	5.3	WNW	300
06		0.32	4.6	0.48	5.4	0.58	5.4	0.98	4.9	欠測	欠測
08		0.34	4.3	0.53	5.4	0.66	5.4	0.82	3.9	W	270
10		0.32	4.2	0.51	5.2	0.64	5.2	0.94	4.8	W	276
12		0.39	4.0	0.60	4.7	0.75	4.9	1.09	4.4	NW	321
14		0.43	4.1	0.67	4.5	0.82	4.4	1.17	5.0	欠測	欠測
16		0.40	3.8	0.61	4.3	0.75	4.3	1.16	4.3	欠測	欠測
18		0.42	4.1	0.66	4.7	0.82	4.9	1.01	6.6	WNW	303
20		* 0.53	4.5	0.85	5.4	* 1.07	5.5	1.31	6.2	WNW	300
22		0.53	4.5	* 0.86	5.8	1.04	5.7	* 1.36	5.2	W	270
最大		0.53	4.5	0.86	5.8	1.07	5.5	1.36	5.2		
平均		0.38	4.3	0.60	5.1	0.75	5.2	1.02	5.1		
15		00	0.60	4.8	0.96	5.9	1.19	6.1	1.54	6.4	WNW
	02	0.66	5.2	1.05	6.4	1.35	6.4	1.66	6.8	WNW	282
	04	0.69	5.0	1.09	6.3	1.34	6.5	1.63	6.8	W	274
	06	0.72	5.0	1.10	6.1	1.35	6.1	1.81	6.2	WNW	282
	08	0.73	4.7	1.15	6.1	1.43	6.0	1.89	5.1	WNW	282
	10	0.84	5.1	* 1.34	6.0	* 1.69	6.1	* 2.64	6.3	WNW	282
	12	* 0.88	5.6	1.33	6.6	1.66	6.8	2.33	7.1	W	278
	14	0.73	4.9	1.15	5.9	1.45	6.2	1.76	4.7	W	270
	16	0.66	5.1	1.05	6.5	1.30	6.8	1.82	6.7	WNW	286
	18	0.68	5.3	1.06	6.3	1.35	6.4	1.71	5.8	W	274
	20	0.62	5.3	1.00	6.4	1.22	6.1	1.59	5.9	W	274
	22	0.59	5.3	0.96	6.6	1.19	6.7	1.47	5.9	W	274
	最大	0.88	5.6	1.34	6.0	1.69	6.1	2.64	6.3		
	平均	0.70	5.1	1.10	6.3	1.38	6.4	1.82	6.1		
	16	00	0.53	4.7	0.85	6.0	1.11	6.0	* 1.58	6.7	W
02		0.44	4.4	0.71	6.0	0.91	6.1	1.15	3.3	WNW	286
04		0.47	5.0	0.74	6.3	0.89	6.2	1.33	6.1	W	274
06		0.55	5.0	0.85	5.9	1.04	6.1	1.29	6.0	WNW	282
08		* 0.58	5.0	* 0.90	5.9	* 1.12	6.0	1.56	6.2	WNW	290
10		0.46	4.5	0.73	5.5	0.94	5.7	1.30	5.8	NE	42
12		0.46	4.3	0.71	5.1	0.87	5.1	1.21	5.9	WNW	299
14		0.39	3.8	0.61	4.6	0.77	4.6	1.10	4.2	WNW	290
16		0.33	4.3	0.51	5.2	0.62	5.4	0.77	4.4	NW	326
18		0.25	4.2	0.39	5.3	0.47	5.3	0.60	5.5	欠測	欠測
20		0.25	4.0	0.40	5.1	0.51	5.3	0.73	5.1	N	356
22		0.39	4.3	0.61	5.0	0.80	4.9	1.22	4.7	NW	326
最大		0.58	5.0	0.90	5.9	1.12	6.0	1.58	6.7		
平均		0.42	4.5	0.67	5.5	0.84	5.6	1.15	5.3		

*は日最大波高、波向欄の空白は欠測を示す

	波 高		波 向	
	規定回数	372 回	規定回数	372 回
	測得回数	372 回	測得回数	323 回
	欠測回数	0 回	欠測回数	49 回
	欠 測 率	0.0 %	欠 測 率	13.2 %

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 8月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.17	3.9	0.27	4.9	0.33	4.9	0.41	5.1	WNW	284
	02	0.16	3.6	0.25	4.8	0.31	4.9	0.41	4.5	WNW	284
	04	0.14	3.5	0.20	4.5	0.24	4.7	0.29	4.4	WNW	291
	06	0.11	3.3	0.17	4.6	0.21	4.6	0.33	4.8	NW	308
	08	0.16	3.9	0.25	5.2	0.32	5.5	0.40	4.9	欠測	欠測
	10	0.26	5.3	0.43	7.4	0.58	7.2	0.81	4.0	NW	323
	12	0.50	6.7	0.81	7.5	* 1.01	7.4	* 1.35	7.6	NW	315
	14	* 0.54	6.2	* 0.82	6.8	0.99	6.7	1.26	6.7	WNW	299
	16	0.47	5.5	0.76	6.3	0.95	6.2	1.10	6.7	NW	315
	18	0.39	5.1	0.65	6.2	0.82	6.3	1.05	5.8	NW	311
	20	0.38	5.2	0.60	6.2	0.79	6.1	1.11	6.4	NW	307
	22	0.33	5.0	0.55	6.0	0.71	6.0	0.96	6.5	NNW	348
	最大	0.54	6.2	0.82	6.8	1.01	7.4	1.35	7.6		
	平均	0.30	4.8	0.48	5.9	0.61	5.9	0.79	5.6		
22	00	0.34	5.0	0.55	6.0	0.70	5.9	0.95	5.6	NNW	335
	02	0.34	5.0	0.54	5.6	0.69	5.5	0.94	5.8	NNE	33
	04	0.42	5.0	0.68	5.5	0.85	5.4	1.05	5.4	N	357
	06	* 0.53	5.0	* 0.81	5.5	* 1.04	5.4	1.31	5.5	WNW	302
	08	0.43	4.4	0.69	5.1	0.88	5.0	1.11	5.6	NNE	20
	10	0.51	4.0	0.80	4.7	0.98	4.6	* 1.69	4.7	NNE	30
	12	0.43	4.0	0.69	4.7	0.86	4.8	1.04	4.6	NNW	330
	14	0.36	4.1	0.57	4.8	0.73	4.9	0.99	5.2	W	278
	16	0.36	3.8	0.55	4.4	0.69	4.5	1.08	4.3	N	4
	18	0.34	3.8	0.53	4.5	0.67	4.4	1.02	4.6	W	279
	20	0.29	3.8	0.47	4.5	0.57	4.5	0.70	4.8	WNW	282
	22	0.27	3.9	0.42	4.4	0.53	4.5	0.70	5.2	NW	325
	最大	0.53	5.0	0.81	5.5	1.04	5.4	1.69	4.7		
	平均	0.39	4.3	0.61	5.0	0.77	5.0	1.05	5.1		
23	00	0.28	4.0	* 0.44	4.5	* 0.56	4.3	0.72	4.6	NE	38
	02	0.28	3.9	0.42	4.4	0.52	4.4	0.72	3.5	N	10
	04	* 0.29	3.7	0.44	4.2	0.55	4.1	* 0.99	3.8	WNW	291
	06	0.25	3.6	0.40	4.2	0.49	4.1	0.61	4.3	WNW	301
	08	0.26	3.4	0.41	4.1	0.52	4.1	0.70	4.0	W	279
	10	0.23	3.2	0.37	3.8	0.46	3.8	0.65	3.2	NNE	22
	12	0.29	3.3	0.44	3.7	0.56	3.8	0.80	3.9	WNW	289
	14	0.23	3.3	0.36	3.7	0.45	3.8	0.69	3.2	欠測	欠測
	16	0.22	3.3	0.34	3.7	0.44	3.7	0.59	4.3	NNW	339
	18	0.21	3.2	0.33	3.7	0.41	3.6	0.51	3.4	欠測	欠測
	20	0.21	3.3	0.33	3.9	0.40	3.8	0.61	3.5	欠測	欠測
	22	0.22	3.5	0.34	4.0	0.45	3.9	0.66	3.8	NNE	18
	最大	0.29	3.7	0.44	4.5	0.56	4.3	0.99	3.8		
	平均	0.25	3.5	0.39	4.0	0.48	3.9	0.69	3.8		
24	00	0.24	3.7	0.37	4.1	0.47	4.1	0.67	3.9	欠測	欠測
	02	0.24	3.7	* 0.39	4.2	0.49	4.1	* 0.70	4.5	NW	317
	04	0.23	3.8	0.36	4.4	0.45	4.2	0.63	4.2	N	349
	06	0.19	3.7	0.30	4.4	0.38	4.3	0.67	4.0	NW	324
	08	0.21	3.7	0.34	4.3	0.43	4.3	0.56	4.4	NNE	24
	10	0.18	3.4	0.28	4.1	0.34	4.2	0.44	3.7	欠測	欠測
	12	* 0.25	3.2	0.39	3.7	* 0.51	3.6	0.67	3.1	NW	316
	14	0.21	3.5	0.33	4.0	0.43	3.8	0.59	3.0	NNW	332
	16	0.21	3.7	0.33	4.3	0.42	4.5	0.49	4.1	NNW	329
	18	0.18	3.6	0.28	4.3	0.35	4.1	0.44	3.8	NE	44
	20	0.14	3.3	0.22	4.2	0.27	4.4	0.36	4.4	NNW	339
	22	0.13	3.4	0.21	4.5	0.25	4.7	0.33	4.5	N	356
	最大	0.25	3.2	0.39	4.2	0.51	3.6	0.70	4.5		
	平均	0.20	3.6	0.32	4.2	0.40	4.2	0.55	4.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 8月

機種：波向 海象計 - 50.0m - 52.0 m	波 高		波 向	
	規定回数	372 回	規定回数	372 回
	測得回数	372 回	測得回数	323 回
	欠測回数	0 回	欠測回数	49 回
	欠 測 率	0.0 %	欠 測 率	13.2 %

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.12	3.1	0.19	4.2	0.25	4.2	0.33	3.6	NE	40
	02	0.11	3.1	0.17	4.3	0.21	4.3	0.27	4.0	N	4
	04	0.10	3.1	0.16	4.3	0.21	4.5	0.30	4.8	欠測	欠測
	06	0.12	3.2	0.18	4.5	0.23	4.8	0.30	5.1	NNW	342
	08	0.11	3.3	0.16	4.4	0.20	4.4	0.32	3.1	W	271
	10	0.11	3.2	0.18	4.1	0.22	4.0	0.28	3.9	N	355
	12	0.12	3.1	0.19	4.2	0.24	4.6	* 0.34	4.9	N	353
	14	0.11	3.3	0.17	4.5	0.21	4.8	0.31	5.2	NNW	335
	16	0.12	3.6	* 0.20	5.0	* 0.25	5.1	0.31	5.7	NNW	347
	18	* 0.12	3.8	0.19	5.4	0.23	5.8	0.31	6.0	NE	34
	20	0.12	3.6	0.18	5.2	0.23	5.5	0.29	6.4	NW	316
	22	0.11	3.5	0.17	5.1	0.22	5.7	0.33	7.5	W	273
	最大	0.12	3.8	0.20	5.0	0.25	5.1	0.34	4.9		
	平均	0.11	3.3	0.18	4.6	0.22	4.8	0.31	5.0		
26	00	0.12	3.3	0.18	4.6	0.23	5.2	0.34	4.7	WNW	289
	02	0.11	3.4	0.18	5.0	0.23	5.5	0.31	4.7	NNE	13
	04	0.12	3.6	0.18	5.2	0.23	5.7	0.32	5.6	NW	326
	06	0.12	3.6	0.19	5.3	0.24	5.6	0.32	5.4	N	10
	08	* 0.13	3.5	0.20	4.9	0.25	5.0	0.29	5.1	欠測	欠測
	10	0.13	3.5	* 0.21	4.7	* 0.26	4.7	0.32	6.7	N	6
	12	0.13	3.4	0.20	4.2	0.24	4.4	0.33	4.0	NNE	14
	14	0.11	3.2	0.17	4.4	0.21	4.9	0.29	3.8	NNW	347
	16	0.11	3.2	0.17	4.3	0.21	4.6	0.25	4.4	NE	45
	18	0.11	3.5	0.17	5.2	0.22	6.2	* 0.34	6.6	NW	321
	20	0.11	3.3	0.17	5.0	0.22	6.1	0.30	11.8	NNE	27
	22	0.10	3.2	0.16	4.7	0.20	5.4	0.29	5.5	NNE	28
	最大	0.13	3.5	0.21	4.7	0.26	4.7	0.34	6.6		
	平均	0.12	3.4	0.18	4.8	0.23	5.3	0.31	5.7		
27	00	0.11	3.3	0.17	4.7	0.22	5.4	0.27	8.1	NW	305
	02	0.12	3.2	0.18	4.5	0.22	4.8	0.31	6.3	欠測	欠測
	04	0.12	3.2	0.18	4.2	0.23	4.3	0.48	3.9	NE	46
	06	0.14	3.5	0.22	4.9	0.28	4.7	0.52	3.9	欠測	欠測
	08	0.17	3.8	0.25	4.7	0.31	4.5	0.41	3.6	WNW	286
	10	0.15	3.9	0.24	5.9	0.31	7.6	0.48	10.6	欠測	欠測
	12	0.17	5.4	0.27	9.3	0.37	10.7	0.49	10.9	欠測	欠測
	14	0.18	5.6	0.30	10.0	0.38	11.6	0.45	11.6	WNW	286
	16	* 0.20	5.7	* 0.33	9.5	* 0.43	11.3	* 0.55	10.9	WNW	290
	18	0.18	4.8	0.28	7.1	0.36	8.5	0.49	10.2	WNW	290
	20	0.18	4.5	0.31	6.9	0.39	7.9	0.52	10.4	WNW	290
	22	0.16	4.2	0.26	6.3	0.32	7.4	0.39	7.3	W	266
	最大	0.20	5.7	0.33	9.5	0.43	11.3	0.55	10.9		
	平均	0.16	4.3	0.25	6.5	0.32	7.4	0.45	8.1		
28	00	0.18	5.0	0.29	7.9	0.37	8.3	0.49	8.1	WNW	286
	02	* 0.19	5.4	* 0.31	8.1	* 0.39	9.1	0.51	8.6	WSW	258
	04	0.18	4.3	0.30	6.3	0.38	6.9	0.50	7.2	WSW	258
	06	0.19	5.2	0.31	7.5	0.39	7.7	* 0.52	8.4	W	278
	08	0.19	4.5	0.31	6.5	0.39	7.2	0.49	7.5	WNW	303
	10	0.18	4.4	0.27	5.9	0.33	6.5	0.44	4.3	欠測	欠測
	12	0.16	4.7	0.24	6.2	0.30	6.8	0.42	7.0	W	266
	14	0.17	4.8	0.27	6.3	0.35	6.5	0.52	7.9	W	266
	16	0.17	4.6	0.27	6.4	0.34	6.6	0.44	6.3	W	274
	18	0.18	4.7	0.28	6.2	0.35	6.4	0.52	5.9	W	278
	20	0.18	4.9	0.29	6.2	0.36	6.1	0.50	6.3	WNW	290
	22	0.17	4.4	0.26	5.7	0.32	5.6	0.39	6.1	WNW	290
	最大	0.19	5.4	0.31	8.1	0.39	9.1	0.52	8.4		
	平均	0.18	4.7	0.28	6.6	0.36	7.0	0.48	7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 8月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	323 回
											欠測回数	0 回	欠測回数	49 回
											欠 測 率	0.0 %	欠 測 率	13.2 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
29	00	0.15	4.3	0.24	5.7	0.29	6.1	0.39	7.3	W	266			
	02	0.14	3.9	0.22	5.5	0.28	5.4	0.41	5.3	NNE	15			
	04	0.14	3.8	0.23	5.3	0.29	5.5	0.43	4.8	NNE	17			
	06	0.13	3.8	0.21	5.4	0.27	5.7	0.37	7.6	NNW	342			
	08	0.15	4.1	0.24	5.6	0.30	5.8	0.39	5.9	欠測	欠測			
	10	* 0.16	4.1	* 0.25	5.4	0.30	5.5	0.37	6.2	N	0			
	12	0.14	3.5	0.23	5.0	0.30	5.1	0.43	6.2	NW	324			
	14	0.15	3.7	0.24	5.2	0.30	5.7	0.38	5.2	N	356			
	16	0.15	3.4	0.24	4.9	* 0.31	5.0	0.44	6.8	欠測	欠測			
	18	0.15	3.5	0.23	4.6	0.30	5.0	* 0.47	4.7	欠測	欠測			
	20	0.14	3.9	0.22	5.2	0.27	5.4	0.34	4.5	欠測	欠測			
	22	0.13	3.6	0.20	4.9	0.24	5.1	0.31	5.4	欠測	欠測			
最大		0.16	4.1	0.25	5.4	0.31	5.0	0.47	4.7					
平均		0.14	3.8	0.23	5.2	0.29	5.4	0.39	5.8					
30	00	0.13	3.9	0.20	5.0	0.26	5.6	0.38	7.3	W	270			
	02	0.12	3.7	0.18	5.4	0.22	5.7	0.30	4.9	欠測	欠測			
	04	0.11	3.5	0.18	5.1	0.22	6.0	0.29	6.2	W	275			
	06	0.11	3.6	0.18	5.1	0.23	5.7	0.32	6.4	欠測	欠測			
	08	0.13	3.6	0.21	5.3	0.28	5.9	0.36	5.9	NNE	31			
	10	0.21	4.9	0.32	7.1	0.40	7.9	0.53	7.2	NNE	12			
	12	0.32	5.9	0.53	8.4	0.65	9.1	0.78	10.3	NNW	348			
	14	0.40	6.4	0.65	8.3	0.85	8.4	1.46	8.6	NNW	344			
	16	0.45	6.3	0.71	8.1	0.86	8.2	1.05	9.2	N	352			
	18	0.46	5.9	0.77	8.8	1.00	9.4	1.51	9.4	N	8			
	20	0.57	7.5	0.95	9.9	1.26	9.6	1.79	9.7	N	0			
	22	* 0.77	7.8	* 1.29	9.5	* 1.70	9.6	* 2.35	9.0	NNW	348			
最大		0.77	7.8	1.29	9.5	1.70	9.6	2.35	9.0					
平均		0.32	5.2	0.51	7.2	0.66	7.6	0.93	7.8					
31	00	0.84	6.8	1.44	9.0	* 1.85	9.1	2.73	8.6	N	4			
	02	0.88	6.4	1.45	8.4	1.82	9.2	2.75	8.1	N	8			
	04	0.93	6.2	* 1.47	8.0	1.83	8.2	2.55	7.5	NNE	16			
	06	0.86	6.0	1.40	7.6	1.76	7.3	2.36	7.3	NNE	12			
	08	0.89	6.0	1.43	7.7	1.75	7.5	2.50	7.6	NNE	12			
	10	0.91	6.2	1.41	7.7	1.74	8.3	2.49	6.5	N	356			
	12	0.88	5.9	1.36	7.5	1.68	7.7	2.25	8.0	NNW	340			
	14	* 0.94	6.1	1.47	7.8	1.85	7.8	2.53	8.6	NNW	348			
	16	0.83	6.3	1.32	7.8	1.62	8.2	2.31	8.2	NNW	348			
	18	0.87	6.4	1.39	7.6	1.83	8.0	* 2.87	6.6	N	0			
	20	0.86	6.4	1.31	7.5	1.55	7.6	1.79	7.1	NNW	340			
	22	0.79	6.0	1.27	7.4	1.56	7.5	1.96	8.1	N	356			
最大		0.94	6.1	1.47	8.0	1.85	9.1	2.87	6.6					
平均		0.87	6.2	1.39	7.8	1.74	8.0	2.42	7.7					
月最大		1.53	8.4	2.44	10.4	3.28	9.9	4.70	11.3					
起時		0804		0804		0804		0804						
平均		0.36	4.5	0.57	5.6	0.71	5.8	0.95	5.8					

波浪整理表（1）

2020年 9月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	314 回
欠測回数	0 回	欠測回数	46 回
欠 測 率	0.0 %	欠 測 率	12.8 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.71	5.9	1.12	7.2	1.42	7.3	1.72	6.6	NNW	340
	02	0.81	6.2	1.24	7.4	1.56	7.4	1.96	6.9	NNE	12
	04	0.74	6.1	1.16	7.2	1.46	7.2	2.00	7.4	N	4
	06	* 0.82	6.3	* 1.28	7.4	* 1.61	7.7	1.99	7.5	NNE	16
	08	0.68	5.7	1.11	6.9	1.46	7.0	1.89	6.8	N	356
	10	0.80	6.3	1.23	7.3	1.48	7.5	* 2.11	7.6	NNW	344
	12	0.79	6.2	1.23	7.0	1.49	7.0	1.88	6.8	N	356
	14	0.69	5.7	1.14	6.8	1.46	6.6	1.99	7.0	NNW	348
	16	0.62	5.6	0.99	6.9	1.20	7.0	1.53	6.8	N	8
	18	0.56	5.8	0.92	6.8	1.18	7.0	1.55	6.5	NNE	25
	20	0.54	6.0	0.84	6.6	1.08	6.6	1.44	6.2	NNE	25
	22	0.52	5.7	0.82	6.6	1.08	6.6	1.31	6.7	NNE	20
	最大	0.82	6.3	1.28	7.4	1.61	7.7	2.11	7.6		
	平均	0.69	6.0	1.09	7.0	1.37	7.1	1.78	6.9		
02	00	* 0.48	5.5	* 0.73	6.2	* 0.90	6.0	1.18	5.1	NNE	29
	02	0.42	5.0	0.67	5.8	0.86	5.9	* 1.44	5.8	NNE	29
	04	0.42	5.2	0.65	6.1	0.77	5.8	0.92	5.8	NNW	348
	06	0.39	5.1	0.63	6.1	0.81	6.0	1.35	5.8	NNW	335
	08	0.40	5.2	0.61	6.0	0.76	5.8	1.15	5.5	NNW	340
	10	0.37	5.2	0.56	6.0	0.73	6.2	1.14	6.6	N	356
	12	0.34	4.9	0.56	6.3	0.68	6.3	1.13	6.1	欠測	欠測
	14	0.38	4.2	0.62	5.5	0.81	5.5	1.03	3.1	WNW	288
	16	0.36	4.3	0.58	5.4	0.74	5.5	1.00	6.6	NW	310
	18	0.40	4.3	0.65	5.4	0.83	5.3	1.17	5.2	NW	325
	20	0.35	4.5	0.56	5.4	0.71	5.3	0.88	5.3	欠測	欠測
	22	0.35	4.5	0.56	5.3	0.70	5.3	0.97	4.9	NNW	342
	最大	0.48	5.5	0.73	6.2	0.90	6.0	1.44	5.8		
	平均	0.39	4.8	0.62	5.8	0.78	5.7	1.11	5.5		
03	00	0.35	4.6	0.53	5.2	0.64	5.2	0.88	4.4	欠測	欠測
	02	0.39	4.6	0.62	5.1	0.79	5.2	1.19	5.5	N	356
	04	0.37	4.8	0.57	5.4	0.70	5.4	0.82	5.8	N	356
	06	0.34	4.8	0.53	5.6	0.63	5.5	0.85	5.2	欠測	欠測
	08	0.27	4.5	0.43	5.6	0.52	5.6	0.64	6.5	NNE	24
	10	0.31	5.0	0.49	5.8	0.59	5.8	0.71	5.6	NE	41
	12	0.31	4.7	0.50	5.7	0.62	5.7	0.87	4.9	NNE	33
	14	0.46	4.9	0.70	6.5	0.87	6.3	1.07	5.6	W	262
	16	0.49	5.0	0.76	6.1	0.96	6.1	1.37	5.8	欠測	欠測
	18	0.49	5.6	0.77	6.7	0.92	6.6	1.29	5.4	NE	41
	20	0.65	7.3	1.11	11.4	1.36	12.6	1.55	7.2	WNW	290
	22	* 0.84	7.9	* 1.45	11.6	* 1.88	12.3	* 2.76	13.0	WNW	290
	最大	0.84	7.9	1.45	11.6	1.88	12.3	2.76	13.0		
	平均	0.44	5.3	0.71	6.7	0.87	6.9	1.17	6.2		
04	00	0.94	8.7	1.47	10.5	1.80	10.5	2.61	9.4	WNW	295
	02	* 0.95	7.8	* 1.50	9.2	* 1.86	9.7	2.36	8.4	WNW	290
	04	0.84	7.2	1.33	8.9	1.62	8.9	2.16	8.7	WNW	286
	06	0.83	7.0	1.35	8.5	1.69	8.2	* 2.63	7.9	WNW	286
	08	0.80	6.5	1.25	7.8	1.58	7.4	1.93	6.7	WNW	290
	10	0.73	5.9	1.22	7.2	1.60	7.1	2.00	6.2	W	278
	12	0.79	6.2	1.21	7.1	1.51	6.6	1.96	7.2	WNW	286
	14	0.74	5.9	1.18	7.6	1.49	7.5	2.14	7.6	WNW	299
	16	0.72	5.9	1.12	7.1	1.37	7.3	1.68	9.8	WNW	295
	18	0.61	5.7	0.95	7.0	1.19	7.4	1.60	7.4	WNW	290
	20	0.50	5.4	0.82	7.1	1.05	7.1	1.28	6.4	WNW	295
	22	0.45	5.5	0.73	7.1	0.91	7.5	1.15	7.9	W	274
	最大	0.95	7.8	1.50	9.2	1.86	9.7	2.63	7.9		
	平均	0.74	6.5	1.18	7.9	1.47	7.9	1.96	7.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	314 回
										欠測回数	0 回	欠測回数	46 回
										欠 測 率	0.0 %	欠 測 率	12.8 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
05	00	0.41	5.6	0.66	6.9	0.83	7.3	1.09	6.4	WNW	290		
	02	0.41	5.6	0.66	7.0	0.82	6.7	1.02	6.7	WNW	290		
	04	0.41	5.1	0.66	6.6	0.85	6.7	1.23	6.9	WNW	295		
	06	0.40	4.6	0.64	5.9	0.83	6.2	1.15	6.2	WNW	299		
	08	0.42	4.8	0.66	5.7	0.81	6.1	0.97	7.0	W	278		
	10	0.44	4.0	0.68	4.8	0.84	4.7	1.15	6.5	欠測	欠測		
	12	0.50	3.9	0.80	4.6	1.02	4.5	1.20	4.7	W	272		
	14	0.55	4.2	0.86	4.6	1.06	4.5	1.25	4.7	NE	47		
	16	0.49	4.0	0.79	4.5	1.01	4.4	1.47	4.1	欠測	欠測		
	18	0.54	4.2	0.82	4.7	1.05	4.6	1.45	4.7	NE	55		
	20	0.61	4.1	0.97	4.8	1.22	4.8	* 1.91	4.3	W	280		
	22	* 0.67	4.5	* 1.08	5.0	* 1.40	5.0	1.85	4.3	欠測	欠測		
	最大	0.67	4.5	1.08	5.0	1.40	5.0	1.91	4.3				
	平均	0.49	4.6	0.77	5.4	0.98	5.5	1.31	5.5				
06	00	0.63	4.7	0.98	5.3	1.21	5.4	1.49	5.0	NNW	344		
	02	* 0.64	5.1	0.96	5.6	1.18	5.5	1.52	5.3	WNW	296		
	04	0.62	5.0	0.99	5.7	1.20	5.7	1.66	5.6	NNE	33		
	06	0.62	5.3	0.98	5.8	* 1.26	5.9	1.65	5.7	欠測	欠測		
	08	0.63	4.8	* 0.99	5.9	1.23	5.7	* 1.66	5.7	欠測	欠測		
	10	0.57	4.9	0.94	5.8	1.20	5.6	1.65	5.1	欠測	欠測		
	12	0.59	4.9	0.89	5.6	1.11	5.5	1.37	5.7	欠測	欠測		
	14	0.44	4.4	0.73	5.1	0.98	5.2	1.53	5.2	NW	314		
	16	0.52	4.9	0.82	5.4	1.02	5.5	1.28	5.4	NNE	28		
	18	0.43	4.8	0.67	5.7	0.83	5.4	1.07	6.0	NE	53		
	20	0.38	4.9	0.60	5.6	0.73	5.5	0.94	4.9	W	274		
	22	0.33	4.9	0.51	5.5	0.65	5.4	0.91	5.1	WNW	291		
	最大	0.64	5.1	0.99	5.9	1.26	5.9	1.66	5.7				
	平均	0.53	4.9	0.84	5.6	1.05	5.5	1.39	5.4				
07	00	* 0.36	4.9	* 0.56	5.4	* 0.72	5.3	* 1.04	5.5	NW	318		
	02	0.36	4.8	0.56	5.2	0.69	5.1	0.84	6.0	NE	48		
	04	0.31	4.4	0.48	5.1	0.60	5.2	0.77	6.0	NNE	26		
	06	0.31	4.3	0.49	5.1	0.63	4.9	0.83	4.8	NE	51		
	08	0.31	4.3	0.48	5.0	0.60	4.9	0.77	4.5	NW	317		
	10	0.30	4.1	0.46	4.9	0.57	5.0	0.75	4.7	欠測	欠測		
	12	0.24	4.0	0.39	5.1	0.49	5.2	0.76	5.4	欠測	欠測		
	14	0.24	3.8	0.40	5.2	0.51	5.4	0.67	5.3	欠測	欠測		
	16	0.24	3.4	0.39	4.8	0.50	5.0	0.72	5.4	WNW	301		
	18	0.26	3.8	0.41	5.1	0.52	5.5	0.70	5.8	N	4		
	20	0.23	4.4	0.36	6.0	0.47	6.3	0.57	6.3	WSW	254		
	22	0.26	4.9	0.41	6.3	0.51	6.2	0.71	6.1	W	262		
	最大	0.36	4.9	0.56	5.4	0.72	5.3	1.04	5.5				
	平均	0.29	4.3	0.45	5.3	0.57	5.3	0.76	5.5				
08	00	0.30	4.9	0.47	6.4	0.58	6.5	0.78	5.6	WSW	258		
	02	0.38	4.9	0.61	6.6	0.77	7.0	1.10	6.0	WNW	299		
	04	0.41	5.2	0.64	7.1	0.77	7.2	0.94	7.9	WNW	282		
	06	0.65	7.3	1.09	11.5	1.38	12.0	1.87	11.1	WNW	286		
	08	0.78	8.4	1.30	11.6	1.57	11.6	2.06	10.2	WNW	282		
	10	0.86	8.2	1.39	11.2	1.71	11.4	1.96	11.3	WNW	286		
	12	0.81	7.1	1.32	9.6	1.63	9.7	1.96	8.7	WNW	286		
	14	* 0.98	6.9	* 1.58	9.2	* 2.03	9.8	* 2.94	9.9	W	278		
	16	0.95	6.0	1.52	7.7	1.92	8.1	2.59	6.9	WNW	290		
	18	0.97	6.6	1.54	8.0	1.91	7.8	2.50	7.4	WNW	282		
	20	0.90	5.6	1.45	7.2	1.79	7.0	2.10	7.0	WNW	282		
	22	0.97	6.2	1.50	7.6	1.85	7.9	2.34	7.7	W	274		
	最大	0.98	6.9	1.58	9.2	2.03	9.8	2.94	9.9				
	平均	0.75	6.4	1.20	8.6	1.49	8.8	1.93	8.3				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 9月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	314 回
											欠測回数	0 回	欠測回数	46 回
											欠 測 率	0.0 %	欠 測 率	12.8 %
機種：波向 海象計 - 50.0m - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向					
									16方位	角度				
09	00	0.70	5.8	1.13	7.6	1.41	7.1	1.61	6.3	WNW	286			
	02	* 0.82	6.5	* 1.29	7.6	* 1.54	7.3	* 1.95	7.8	WNW	282			
	04	0.73	6.0	1.16	7.4	1.46	7.5	1.92	7.8	WNW	295			
	06	0.68	6.2	1.09	7.5	1.32	7.6	1.73	7.3	W	278			
	08	0.69	6.1	1.09	7.1	1.44	7.2	1.91	6.7	W	278			
	10	0.65	5.8	1.01	6.9	1.27	7.0	1.80	6.6	WNW	286			
	12	0.61	5.4	0.96	6.8	1.22	6.7	1.58	6.0	W	278			
	14	0.66	5.5	1.00	6.4	1.23	6.5	1.42	6.3	W	278			
	16	0.47	4.9	0.75	6.1	0.96	6.3	1.31	5.7	W	270			
	18	0.50	5.1	0.79	5.8	1.02	5.8	1.38	5.9	WNW	286			
	20	0.44	5.2	0.70	6.1	0.86	6.1	1.42	6.4	WNW	303			
	22	0.41	5.2	0.67	6.2	0.85	6.0	1.17	6.7	WNW	295			
	最大	0.82	6.5	1.29	7.6	1.54	7.3	1.95	7.8					
	平均	0.61	5.6	0.97	6.8	1.22	6.8	1.60	6.6					
10	00	0.37	5.7	0.58	6.9	0.70	7.2	0.86	6.4	WNW	299			
	02	0.35	5.2	0.57	6.4	0.69	6.3	0.92	7.8	WNW	299			
	04	* 0.40	4.9	0.60	6.0	0.73	6.0	0.94	5.5	WNW	303			
	06	0.40	4.7	* 0.63	5.6	* 0.76	5.5	* 0.97	6.4	N	351			
	08	0.35	4.7	0.53	6.0	0.66	5.9	0.80	6.3	WNW	303			
	10	0.33	4.8	0.50	5.7	0.62	5.7	0.79	5.5	WNW	299			
	12	0.29	4.3	0.48	5.7	0.61	5.5	0.93	5.4	WNW	295			
	14	0.29	4.3	0.46	5.4	0.58	5.3	0.88	6.6	NNW	343			
	16	0.30	4.6	0.49	5.5	0.61	5.8	0.89	5.8	WNW	302			
	18	0.31	4.3	0.49	5.1	0.64	5.0	0.78	6.1	NW	316			
	20	0.26	4.5	0.40	5.2	0.51	5.3	0.72	5.0	WNW	298			
	22	0.26	4.5	0.40	5.4	0.52	5.2	0.64	4.8	NE	55			
	最大	0.40	4.9	0.63	5.6	0.76	5.5	0.97	6.4					
	平均	0.33	4.7	0.51	5.7	0.64	5.7	0.84	6.0					
11	00	0.23	4.3	0.38	5.4	0.49	5.6	0.78	4.8	NNE	12			
	02	0.22	4.2	0.36	5.3	0.45	5.4	0.56	5.3	欠測	欠測			
	04	0.22	4.2	0.37	5.4	0.46	5.6	0.63	5.5	W	273			
	06	0.22	4.3	0.34	5.5	0.41	5.2	0.50	5.1	N	354			
	08	0.17	3.9	0.28	5.5	0.35	5.7	0.42	5.9	WNW	288			
	10	0.19	4.2	0.30	5.3	0.38	5.6	0.52	5.0	欠測	欠測			
	12	0.19	3.6	0.31	4.7	0.39	5.0	0.51	4.5	NNE	25			
	14	0.26	3.2	0.40	3.8	0.50	4.2	0.65	4.5	NNW	334			
	16	0.26	3.3	0.40	3.7	0.50	3.6	* 0.80	3.5	N	10			
	18	* 0.28	3.3	* 0.44	3.8	* 0.55	3.6	0.72	3.2	WNW	299			
	20	0.22	3.3	0.35	3.9	0.43	4.0	0.70	3.5	WNW	288			
	22	0.25	3.5	0.39	4.0	0.49	3.9	0.75	3.5	WNW	293			
	最大	0.28	3.3	0.44	3.8	0.55	3.6	0.80	3.5					
	平均	0.23	3.8	0.36	4.7	0.45	4.8	0.63	4.5					
12	00	0.25	3.6	0.41	4.1	0.51	4.1	0.68	4.6	NW	325			
	02	0.40	4.4	0.64	4.9	0.82	4.6	1.07	4.5	NNW	333			
	04	0.45	5.1	0.68	5.9	0.82	6.2	0.95	8.6	N	356			
	06	0.58	5.8	0.90	6.9	1.09	7.5	1.34	6.6	N	8			
	08	0.62	5.6	0.97	6.8	1.16	6.6	1.44	6.0	NNE	12			
	10	0.57	5.3	0.92	6.4	1.16	6.6	1.45	7.1	NNE	12			
	12	0.63	5.6	1.02	6.7	1.30	6.8	1.63	6.0	NNW	335			
	14	0.71	6.1	1.14	7.2	1.44	7.6	1.72	7.1	N	8			
	16	0.88	6.9	1.37	8.3	1.62	8.3	2.13	8.3	N	0			
	18	0.99	7.1	1.57	8.3	1.99	8.2	* 2.68	7.8	N	356			
	20	0.93	6.8	1.48	7.9	1.89	8.1	2.61	7.9	NNE	12			
	22	* 1.05	7.0	* 1.65	8.2	* 2.04	8.5	2.42	8.4	NNE	16			
	最大	1.05	7.0	1.65	8.2	2.04	8.5	2.68	7.8					
	平均	0.67	5.8	1.06	6.8	1.32	6.9	1.68	6.9					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	314 回
										欠測回数	0 回	欠測回数	46 回
										欠 測 率	0.0 %	欠 測 率	12.8 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
13	00	0.93	6.7	1.48	7.9	1.81	8.0	2.31	7.5	NNW	348		
	02	0.84	6.3	1.36	8.0	1.68	8.2	2.03	9.0	N	8		
	04	0.86	6.0	1.38	8.0	1.72	7.8	2.41	7.6	NNE	16		
	06	0.88	5.5	1.38	7.2	1.77	8.2	2.69	7.8	NNE	16		
	08	0.87	5.8	1.36	7.8	1.67	8.5	2.03	8.0	NNE	25		
	10	0.84	5.3	1.35	7.3	1.72	8.0	2.26	7.2	NNE	29		
	12	0.86	5.0	1.35	6.3	1.66	6.7	2.39	6.3	NNE	25		
	14	1.10	5.2	1.72	6.0	2.15	6.0	3.53	5.5	W	270		
	16	1.26	5.5	1.91	6.4	2.41	6.5	3.35	6.7	WNW	290		
	18	1.27	5.4	2.07	6.7	* 2.74	6.7	* 3.89	6.6	NW	311		
	20	1.23	5.5	1.99	6.6	2.44	6.5	3.06	7.1	W	278		
	22	* 1.33	5.6	* 2.11	6.6	2.63	6.6	3.49	6.2	WNW	303		
最大 平均	1.33 1.02	5.6 5.6	2.11 1.62	6.6 7.1	2.74 2.03	6.7 7.3	3.89 2.79	6.6 7.1					
14	00	1.40	6.0	2.08	7.0	2.62	6.7	3.51	5.6	WNW	290		
	02	1.23	5.6	1.95	6.9	2.42	7.0	* 3.85	7.2	WNW	282		
	04	1.34	5.7	2.04	6.9	2.49	6.9	3.24	5.9	WNW	303		
	06	1.37	5.7	2.13	6.8	2.60	7.0	3.19	5.9	WNW	295		
	08	* 1.42	5.8	* 2.24	6.9	* 2.87	7.4	3.80	7.7	WNW	299		
	10	1.18	5.6	1.93	6.9	2.53	6.8	3.32	7.5	WNW	286		
	12	1.14	5.7	1.82	7.1	2.24	7.2	2.70	7.5	NNW	331		
	14	1.19	6.2	1.82	7.4	2.24	7.6	3.05	7.6	NW	315		
	16	1.13	5.8	1.78	7.2	2.22	7.8	3.11	7.4	WNW	303		
	18	1.18	6.1	1.90	7.6	2.34	8.1	3.18	7.3	NW	323		
	20	1.24	6.3	2.01	8.1	2.58	8.3	3.17	8.5	NW	315		
	22	1.31	6.7	2.06	7.9	2.48	7.7	3.07	8.5	NNW	331		
最大 平均	1.42 1.26	5.8 5.9	2.24 1.98	6.9 7.2	2.87 2.47	7.4 7.4	3.85 3.27	7.2 7.2					
15	00	* 1.32	6.8	* 2.12	7.9	* 2.67	7.9	* 3.39	7.5	NW	323		
	02	1.16	6.7	1.79	8.0	2.19	8.1	2.55	7.6	NW	319		
	04	1.30	6.8	2.02	8.1	2.50	7.9	3.15	8.1	NW	319		
	06	1.05	6.5	1.65	8.1	1.95	8.2	2.52	8.5	NW	319		
	08	0.97	6.3	1.44	7.6	1.72	7.5	2.08	8.0	NW	323		
	10	0.94	6.3	1.48	7.7	1.80	7.6	2.19	8.1	NW	315		
	12	0.94	6.3	1.51	7.7	1.92	7.8	2.85	7.4	NNW	327		
	14	0.97	6.9	1.52	8.4	1.83	8.4	2.22	8.9	NNW	340		
	16	1.07	7.2	1.65	8.3	2.08	8.3	2.45	8.6	NNW	348		
	18	0.96	6.6	1.57	8.1	1.95	8.2	2.93	7.8	NNW	348		
	20	0.90	6.1	1.51	7.6	1.97	7.9	3.20	7.8	NW	323		
	22	1.01	7.0	1.67	8.1	2.12	8.0	2.83	7.8	NNW	344		
最大 平均	1.32 1.05	6.8 6.6	2.12 1.66	7.9 8.0	2.67 2.06	7.9 8.0	3.39 2.70	7.5 8.0					
16	00	* 0.80	6.3	* 1.23	7.1	* 1.53	7.2	1.85	7.1	NNW	344		
	02	0.70	6.3	1.15	7.4	1.45	7.6	1.91	7.3	NNW	344		
	04	0.70	6.5	1.09	7.7	1.34	7.4	1.78	6.4	NNW	335		
	06	0.67	6.2	1.05	7.3	1.36	6.8	* 2.08	8.3	N	8		
	08	0.73	6.6	1.10	7.5	1.30	7.3	1.48	6.8	NNW	331		
	10	0.67	6.2	1.05	7.4	1.31	7.4	1.53	7.4	NNW	344		
	12	0.57	6.0	0.88	7.3	1.07	7.1	1.60	7.1	NNW	327		
	14	0.55	5.8	0.87	6.9	1.07	6.9	1.32	6.9	NNW	348		
	16	0.51	5.7	0.81	7.0	1.00	6.9	1.30	6.5	NNW	340		
	18	0.52	5.5	0.84	6.9	1.09	7.0	1.32	6.8	NNW	348		
	20	0.45	5.8	0.71	6.7	0.85	6.6	1.04	6.5	N	352		
	22	0.39	5.6	0.63	6.6	0.78	6.9	0.99	7.3	N	352		
最大 平均	0.80 0.60	6.3 6.0	1.23 0.95	7.1 7.1	1.53 1.18	7.2 7.1	2.08 1.52	8.3 7.0					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 9月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	0.39	5.8	0.63	7.1	0.78	6.9	0.91	7.9	NNW	335
	02	0.33	5.6	0.51	6.5	0.65	6.7	0.81	6.7	NNE	12
	04	0.33	5.4	0.54	6.6	0.68	6.6	1.01	6.4	NNW	340
	06	0.40	3.9	0.63	4.9	0.78	5.0	0.98	3.7	N	0
	08	* 0.51	4.3	* 0.81	5.0	* 1.04	5.0	* 1.59	5.0	WNW	289
	10	0.41	4.0	0.65	5.0	0.81	5.1	1.20	4.0	W	275
	12	0.35	4.2	0.57	5.2	0.74	5.6	0.99	5.2	NE	44
	14	0.27	3.8	0.43	4.9	0.53	5.0	0.62	5.6	NNE	27
	16	0.19	3.9	0.30	5.6	0.38	6.0	0.51	5.7	WNW	298
	18	0.20	3.8	0.31	5.1	0.38	5.3	0.59	4.3	NW	307
	20	0.22	4.1	0.35	5.1	0.45	5.1	0.66	4.3	欠測	欠測
	22	0.28	4.2	0.43	5.1	0.54	5.1	0.80	4.8	欠測	欠測
最大	平均	0.51	4.3	0.81	5.0	1.04	5.0	1.59	5.0		
		0.32	4.4	0.51	5.5	0.65	5.6	0.89	5.3		
18	00	0.27	4.0	0.41	4.7	0.51	4.6	0.83	4.9	NNE	27
	02	0.31	3.5	0.48	4.0	0.60	3.9	0.78	2.9	NNW	343
	04	0.57	3.6	0.92	3.8	1.17	3.8	1.48	3.4	欠測	欠測
	06	* 0.69	3.9	* 1.10	4.5	* 1.42	4.4	* 2.21	4.0	NNE	15
	08	0.60	4.0	0.97	4.5	1.22	4.6	1.80	4.1	欠測	欠測
	10	0.46	4.0	0.71	4.5	0.90	4.3	1.24	4.1	NE	42
	12	0.35	3.9	0.54	4.4	0.68	4.2	0.94	4.3	NNW	347
	14	0.29	3.9	0.44	4.3	0.56	4.2	0.82	3.0	欠測	欠測
	16	0.26	3.7	0.41	4.4	0.50	4.4	0.71	3.9	NNW	341
	18	0.25	3.9	0.38	4.6	0.48	4.5	0.63	4.1	WNW	285
	20	0.26	3.6	0.39	4.1	0.48	4.1	0.68	3.2	欠測	欠測
	22	0.56	4.2	0.88	4.8	1.09	4.7	1.51	5.0	欠測	欠測
最大	平均	0.69	3.9	1.10	4.5	1.42	4.4	2.21	4.0		
		0.41	3.9	0.64	4.4	0.80	4.3	1.14	3.9		
19	00	0.61	4.3	0.98	5.2	1.24	5.1	1.75	5.0	欠測	欠測
	02	0.58	4.2	0.93	5.0	1.21	5.0	1.89	4.4	欠測	欠測
	04	0.63	4.5	0.98	5.1	1.23	5.1	1.70	5.3	欠測	欠測
	06	0.57	4.6	0.87	5.4	1.08	5.5	1.56	5.0	NW	325
	08	0.62	5.0	0.97	5.7	1.24	5.7	1.53	5.5	WNW	303
	10	0.56	5.1	0.86	5.7	1.08	5.9	1.56	6.0	NW	307
	12	0.49	4.8	0.78	5.8	0.97	5.8	1.34	5.7	NW	315
	14	0.59	4.7	0.94	5.6	1.22	5.6	1.67	4.8	欠測	欠測
	16	* 0.73	4.9	1.14	5.7	1.47	5.9	* 2.53	5.4	NW	311
	18	0.73	4.3	* 1.18	5.2	* 1.53	5.1	2.03	4.8	欠測	欠測
	20	0.69	4.3	1.10	5.0	1.39	5.0	1.70	5.7	欠測	欠測
	22	0.70	4.5	1.14	5.2	1.46	5.3	1.94	4.5	WN	46
最大	平均	0.73	4.9	1.18	5.2	1.53	5.1	2.53	5.4		
		0.62	4.6	0.99	5.4	1.26	5.4	1.77	5.2		
20	00	0.72	4.4	1.16	5.3	1.48	5.1	1.97	4.6	欠測	欠測
	02	0.72	4.6	1.13	5.5	1.44	5.6	1.87	4.6	欠測	欠測
	04	* 0.74	5.0	* 1.17	5.8	* 1.49	6.0	1.91	5.3	NW	311
	06	0.70	5.2	1.15	6.2	1.43	6.4	* 2.01	6.1	NW	315
	08	0.69	5.2	1.09	5.9	1.38	6.2	1.95	6.4	NW	311
	10	0.62	5.0	0.98	5.9	1.20	5.8	1.59	5.1	WNW	303
	12	0.52	4.9	0.82	5.8	1.04	5.7	1.46	5.5	WNW	290
	14	0.42	4.7	0.69	5.6	0.88	5.6	1.13	5.7	NE	43
	16	0.32	4.4	0.50	5.5	0.64	5.6	0.80	5.6	NW	306
	18	0.33	4.3	0.53	5.3	0.66	5.3	0.97	6.2	W	277
	20	0.54	4.1	0.84	4.7	1.05	4.6	1.44	4.6	WNW	288
	22	0.56	4.0	0.88	4.5	1.15	4.5	1.67	4.2	NW	305
最大	平均	0.74	5.0	1.17	5.8	1.49	6.0	2.01	6.1		
		0.57	4.6	0.91	5.5	1.15	5.5	1.56	5.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年 9月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.51	4.4	0.77	4.9	0.97	5.0	1.27	5.5	欠測	欠測
	02	0.48	4.0	0.78	4.9	0.99	4.9	* 1.37	4.8	欠測	欠測
	04	0.39	4.3	0.62	4.9	0.76	4.8	1.03	5.1	欠測	欠測
	06	0.38	4.3	0.61	5.1	0.77	5.2	1.06	5.2	欠測	欠測
	08	0.40	4.1	0.62	5.0	0.77	4.8	0.98	4.6	欠測	欠測
	10	0.38	4.0	0.60	5.0	0.75	4.9	1.05	5.5	欠測	欠測
	12	0.34	4.3	0.55	5.2	0.69	5.2	0.85	4.9	WNW	286
	14	0.39	4.6	0.61	5.3	0.75	5.3	0.92	4.7	欠測	欠測
	16	0.43	4.9	0.67	5.6	0.84	5.8	1.24	5.7	欠測	欠測
	18	* 0.52	4.7	* 0.84	5.7	* 1.06	5.7	1.32	6.3	NW	311
	20	0.49	4.8	0.75	5.7	0.94	5.7	1.21	5.8	WNW	286
	22	0.46	4.9	0.72	5.9	0.90	5.6	1.25	5.1	NW	307
最大		0.52	4.7	0.84	5.7	1.06	5.7	1.37	4.8		
平均		0.43	4.4	0.68	5.3	0.85	5.2	1.13	5.3		
22	00	0.43	5.0	0.67	5.9	0.82	5.8	1.07	5.5	NW	315
	02	0.41	4.8	0.68	6.0	0.89	5.8	1.16	6.0	NW	315
	04	0.41	5.0	0.65	6.1	0.78	6.3	0.92	5.9	NW	307
	06	0.42	5.0	0.67	6.2	0.87	6.2	1.23	5.8	NW	319
	08	0.38	4.9	0.61	6.1	0.73	6.2	0.90	5.4	NW	315
	10	0.37	4.6	0.57	5.8	0.69	6.2	0.97	5.7	WNW	303
	12	0.37	4.1	0.59	5.2	0.72	5.4	0.92	6.9	NE	50
	14	0.39	3.8	0.60	4.5	0.73	4.7	1.01	5.5	NNW	336
	16	0.45	3.8	0.70	4.4	0.92	4.2	1.24	4.9	欠測	欠測
	18	* 0.54	3.8	* 0.87	4.2	* 1.09	4.3	* 1.62	4.3	NNW	347
	20	0.53	4.0	0.80	4.5	0.97	4.4	1.34	4.1	欠測	欠測
	22	0.51	4.3	0.79	4.8	1.00	4.7	1.34	4.3	欠測	欠測
最大		0.54	3.8	0.87	4.2	1.09	4.3	1.62	4.3		
平均		0.43	4.4	0.68	5.3	0.85	5.4	1.14	5.4		
23	00	0.55	4.1	0.86	4.8	1.07	4.9	1.23	5.4	WNW	287
	02	0.70	4.3	1.09	4.9	1.36	4.8	1.61	5.0	WNW	303
	04	0.75	4.4	1.17	5.0	1.45	5.0	1.75	5.1	NNE	23
	06	0.83	4.5	1.33	5.1	1.68	5.3	2.80	5.3	NE	55
	08	0.85	4.7	1.32	5.4	1.71	5.4	2.46	5.2	欠測	欠測
	10	0.72	4.4	1.16	5.3	1.45	5.3	1.78	5.3	NE	45
	12	0.76	4.8	1.17	5.3	1.53	5.3	1.83	5.5	NE	47
	14	0.70	4.4	1.10	5.2	1.35	5.0	1.86	4.7	欠測	欠測
	16	0.69	4.5	1.09	5.3	1.34	5.1	1.71	5.1	N	356
	18	0.89	4.6	1.39	5.3	1.76	5.3	2.06	5.5	WNW	284
	20	* 0.96	4.6	* 1.54	5.4	* 1.96	5.3	* 3.21	5.8	NNE	30
	22	0.85	4.7	1.33	5.5	1.66	5.4	2.35	5.5	欠測	欠測
最大		0.96	4.6	1.54	5.4	1.96	5.3	3.21	5.8		
平均		0.77	4.5	1.21	5.2	1.53	5.2	2.05	5.3		
24	00	0.76	4.8	1.16	5.5	1.49	5.2	1.96	5.7	NNW	332
	02	0.76	5.0	1.22	5.9	1.57	6.0	1.95	6.2	NNE	20
	04	0.68	5.0	1.05	5.8	1.31	5.8	1.94	5.9	NNE	20
	06	0.72	4.9	1.15	5.7	1.47	5.8	1.99	5.7	NNE	16
	08	0.66	5.1	1.03	5.8	1.26	5.6	1.60	6.0	N	4
	10	0.65	5.1	1.04	6.3	1.29	6.1	1.58	5.7	NNE	20
	12	0.80	5.3	1.25	6.5	1.61	6.5	2.02	6.4	NNW	348
	14	0.83	5.2	1.32	6.5	1.66	6.2	* 2.74	6.5	N	4
	16	* 0.92	5.7	* 1.45	6.6	* 1.83	6.6	2.35	6.9	NE	37
	18	0.80	5.7	1.29	6.6	1.67	6.5	2.34	6.6	NE	45
	20	0.80	5.6	1.22	6.5	1.51	6.5	2.14	6.7	NE	45
	22	0.74	5.3	1.21	6.4	1.54	6.4	2.16	6.3	NE	41
最大		0.92	5.7	1.45	6.6	1.83	6.6	2.74	6.5		
平均		0.76	5.2	1.20	6.2	1.52	6.1	2.06	6.2		

*は日最大波高、波向欄の空白は欠測を示す

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
25	00	0.88	5.8	1.44	6.9	1.80	6.6	2.40	6.8	NNE	29
	02	0.87	5.9	1.37	6.8	1.75	6.8	2.65	6.7	NNE	20
	04	0.93	6.3	1.45	7.0	1.84	7.0	2.31	6.9	NNE	29
	06	0.78	5.8	1.28	6.9	1.65	6.6	2.38	6.6	NNE	33
	08	0.85	5.7	1.35	6.8	1.61	7.1	2.17	6.7	NNE	29
	10	0.98	5.4	1.59	6.7	2.09	6.8	* 3.67	7.3	NNE	29
	12	0.99	5.8	1.54	7.0	1.93	7.0	2.79	6.5	NNE	29
	14	1.03	5.7	1.58	6.7	1.99	6.8	2.99	6.7	NNE	25
	16	1.09	5.7	1.68	6.5	2.03	6.4	3.10	7.0	NE	37
	18	1.08	5.7	1.76	7.0	2.20	7.0	2.83	6.7	NNE	33
	20	1.13	6.3	1.78	7.1	2.23	7.1	3.00	6.8	NNE	33
	22	* 1.33	6.8	* 2.08	7.5	* 2.61	7.1	3.06	6.8	NNE	25
	最大	1.33	6.8	2.08	7.5	2.61	7.1	3.67	7.3		
	平均	1.00	5.9	1.58	6.9	1.98	6.9	2.78	6.8		
26	00	1.28	6.6	2.03	7.8	2.50	7.8	3.14	7.8	NNE	20
	02	1.42	7.1	2.20	8.0	2.71	7.9	3.09	8.2	NNE	20
	04	* 1.43	7.2	* 2.27	8.6	* 3.04	8.6	* 4.18	8.1	NNE	25
	06	1.32	7.0	2.00	8.0	2.40	8.0	2.71	8.8	NE	41
	08	1.25	6.8	1.92	8.1	2.33	8.4	2.74	8.5	NNE	25
	10	1.25	7.3	1.95	8.3	2.53	8.6	3.63	7.4	NNE	25
	12	1.21	6.9	1.96	8.3	2.39	8.3	2.95	9.6	NNE	33
	14	1.26	7.1	1.97	8.7	2.43	8.7	3.00	8.8	NNE	25
	16	1.22	7.2	1.86	8.5	2.24	8.7	2.55	9.4	NNE	33
	18	1.26	6.8	1.89	8.3	2.19	8.1	2.57	8.6	NNE	33
	20	1.16	5.9	1.85	7.6	2.29	8.1	3.09	9.8	NNE	29
	22	1.22	6.2	1.92	7.6	2.42	7.6	3.38	7.7	NNE	25
	最大	1.43	7.2	2.27	8.6	3.04	8.6	4.18	8.1		
	平均	1.27	6.8	1.99	8.1	2.46	8.2	3.09	8.6		
27	00	1.37	6.2	2.18	7.8	2.69	8.5	3.31	7.5	NNE	20
	02	1.29	6.0	2.11	7.6	2.60	8.0	4.08	7.5	NNE	20
	04	1.26	5.7	1.98	7.0	2.42	7.5	3.45	6.5	NNE	33
	06	1.26	5.9	1.99	7.4	2.56	7.6	3.90	7.8	N	352
	08	1.48	6.5	2.33	7.9	2.87	7.9	3.78	6.5	NNW	344
	10	* 1.64	6.7	* 2.54	8.0	* 3.10	8.0	* 4.40	8.3	NNW	348
	12	1.38	6.1	2.28	8.1	2.89	8.3	3.59	9.4	NNW	340
	14	1.28	6.0	2.11	7.6	2.67	8.1	3.62	8.5	NNW	340
	16	1.32	5.9	2.12	7.7	2.64	7.8	3.21	6.0	NNW	335
	18	1.36	5.9	2.16	7.4	2.70	7.5	3.40	9.2	NNW	344
	20	1.23	6.2	1.93	7.6	2.38	8.0	2.82	8.7	NNW	348
	22	1.43	6.0	2.26	7.9	2.82	8.3	3.68	8.3	NNW	348
	最大	1.64	6.7	2.54	8.0	3.10	8.0	4.40	8.3		
	平均	1.36	6.1	2.17	7.7	2.70	8.0	3.60	7.9		
28	00	1.50	6.5	2.33	8.1	2.94	7.9	3.89	6.0		

波浪整理表（1）

2020年 9月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	314 回
欠測回数	0 回	欠測回数	46 回
欠 測 率	0.0 %	欠 測 率	12.8 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 0.90	5.8	* 1.46	7.2	* 1.90	7.2	* 2.68	7.0	NNE	20
	02	0.75	5.6	1.17	6.9	1.48	6.8	1.77	7.5	NNE	25
	04	0.65	5.4	1.03	6.6	1.27	6.5	1.46	7.3	NNE	25
	06	0.68	5.8	1.03	6.6	1.30	6.5	1.94	6.7	NNE	20
	08	0.61	5.6	0.95	6.5	1.17	6.5	1.59	6.7	NNE	29
	10	0.54	5.5	0.85	6.5	1.10	6.8	1.38	6.6	NNE	16
	12	0.50	5.0	0.81	6.4	1.00	6.3	1.40	5.4	NNE	20
	14	0.50	5.1	0.77	6.4	0.95	6.4	1.14	6.8	NNE	12
	16	0.45	4.7	0.70	5.8	0.86	5.8	1.19	7.0	NNE	25
	18	0.45	4.4	0.70	5.5	0.90	5.9	1.30	5.1	W	276
	20	0.43	4.0	0.69	4.8	0.85	5.0	1.17	4.5	NW	304
	22	0.44	4.0	0.70	4.7	0.88	4.4	1.12	4.8	WNW	285
最大	0.90	5.8	1.46	7.2	1.90	7.2	2.68	7.0			
平均	0.58	5.1	0.90	6.2	1.14	6.2	1.51	6.3			
30	00	0.44	4.2	0.70	4.9	0.90	4.7	1.22	4.2	NNE	14
	02	0.46	3.9	0.72	4.6	0.90	4.6	1.16	4.5	NE	51
	04	0.44	3.9	0.68	4.5	0.85	4.5	1.09	4.9	NNW	345
	06	0.51	3.9	0.81	4.5	1.03	4.6	1.30	4.5	NE	50
	08	0.78	4.2	1.24	4.8	1.60	4.9	2.24	5.1	NE	52
	10	* 0.84	4.4	* 1.34	5.1	* 1.66	5.1	* 2.46	5.0	W	275
	12	0.76	4.6	1.18	5.1	1.46	5.2	1.99	5.3	NE	39
	14	0.64	4.3	0.99	5.0	1.22	4.8	1.71	5.0	W	275
	16	0.52	4.4	0.81	5.2	1.02	4.9	1.46	4.0	W	275
	18	0.44	4.3	0.67	5.2	0.84	5.3	1.23	5.1	N	4
	20	0.45	4.2	0.72	5.1	0.87	5.0	1.12	4.8	N	8
	22	0.45	4.7	0.69	5.3	0.85	5.4	1.22	5.1	W	277
最大	0.84	4.4	1.34	5.1	1.66	5.1	2.46	5.0			
平均	0.56	4.3	0.88	4.9	1.10	4.9	1.52	4.8			
月最大	1.64	6.7	2.54	8.0	3.10	8.0	4.40	8.3			
	起時										
	平均	0.68	5.2	1.08	6.3	1.35	6.4	1.80	6.3		

波 向

規定回数	372 回	規定回数	372 回
測得回数	334 回	測得回数	309 回
欠測回数	38 回	欠測回数	63 回
欠測率	10.2 %	欠測率	16.9 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
01	00	0.48	4.6	0.77	5.2	0.96	5.5	1.26	4.4	NE	42
	02	0.49	4.6	0.77	5.4	0.96	5.5	1.29	5.6	N	10
	04	0.45	4.3	0.72	5.1	0.91	5.0	1.30	5.1	N	6
	06	0.43	4.5	0.68	5.2	0.86	5.1	1.10	4.9	WNW	288
	08	0.40	4.6	0.62	5.4	0.78	5.4	1.05	5.3	NE	48
	10	0.45	4.6	0.70	5.3	0.88	5.2	1.28	5.7	NE	53
	12	0.44	4.9	0.69	5.6	0.85	5.4	1.05	5.8	WNW	298
	14	0.37	4.3	0.57	5.3	0.70	5.3	0.94	5.6	欠測	欠測
	16	0.43	4.4	0.67	5.3	0.83	5.8	1.15	5.9	NE	55
	18	0.42	4.2	0.67	5.2	0.84	5.3	1.11	4.2	WNW	297
	20	0.48	4.6	0.72	5.6	0.89	5.5	1.20	5.7	欠測	欠測
	22	* 0.50	4.6	* 0.81	5.7	* 1.00	5.6	* 1.31	5.7	N	4
	最大	0.50	4.6	0.81	5.7	1.00	5.6	1.31	5.7		
	平均	0.45	4.5	0.70	5.4	0.87	5.4	1.17	5.3		
	02	00	0.50	4.6	0.83	5.8	1.07	5.7	1.44	5.7	NNW
02		0.51	4.8	0.82	5.8	1.01	5.8	1.37	6.6	NNW	340
04		* 0.60	5.2	* 0.95	6.1	* 1.20	5.9	1.42	6.0	N	8
06		0.52	5.1	0.84	6.2	1.06	6.0	* 1.50	6.2	N	8
08		0.44	5.0	0.71	6.0	0.88	5.7	1.14	5.2	N	352
10		0.49	5.2	0.73	5.8	0.87	5.8	1.19	6.1	NNE	25
12		0.45	5.1	0.74	6.1	0.91	6.0	1.07	5.9	N	4
14		0.44	5.2	0.70	6.1	0.87	6.1	1.09	6.7	N	356
16		0.44	5.0	0.71	6.1	0.88	6.0	1.06	5.9	NNE	25
18		0.39	4.8	0.63	6.2	0.78	6.2	1.02	5.5	N	4
20		0.33	5.1	0.54	6.4	0.68	6.3	0.99	7.4	N	4
22		0.34	5.4	0.55	6.8	0.72	6.7	1.22	6.2	NNE	12
最大		0.60	5.2	0.95	6.1	1.20	5.9	1.50	6.2		
平均		0.45	5.0	0.73	6.1	0.91	6.0	1.21	6.1		
03		00	* 0.36	5.5	* 0.58	6.8	* 0.71	6.9	* 1.03	7.0	N
	02	0.31	5.5	0.51	7.1	0.62	7.2	0.81	7.8	NNE	25
	04	0.32	5.7	0.52	7.0	0.63	7.2	0.91	6.8	NNE	16
	06	0.27	5.2	0.45	7.1	0.56	7.0	0.76	6.7	NNE	16
	08	0.24	4.3	0.40	6.2	0.53	6.6	0.63	5.0	NNE	20
	10	0.29	4.6	0.46	6.2	0.57	6.4	0.80	5.7	NNE	25
	12	0.27	4.2	0.44	5.8	0.56	6.4	0.74	5.9	NNE	20
	14	0.34	4.2	0.52	5.1	0.62	5.3	0.91	4.4	WNW	282
	16	0.30	3.9	0.48	5.0	0.60	5.1	0.82	5.1	NW	313
	18	0.30	4.3	0.47	5.0	0.59	5.1	0.73	5.3	NW	306
	20	0.25	4.2	0.40	5.4	0.49	5.6	0.73	5.9	NE	40
	22	0.22	4.3	0.36	5.4	0.48	5.4	0.61	6.1	NE	55
	最大	0.36	5.5	0.58	6.8	0.71	6.9	1.03	7.0		
	平均	0.29	4.7	0.47	6.0	0.58	6.2	0.79	6.0		
	04	00	0.22	4.1	0.35	5.3	0.43	5.5	0.65	5.1	NE
02		0.21	4.1	0.33	5.3	0.42	5.7	0.55	5.4	W	277
04		0.22	4.2	0.34	5.2	0.42	5.3	0.57	5.8	NNE	23
06		0.20	4.0	0.31	5.1	0.39	5.7	0.49	5.9	NE	50
08		0.21	3.8	0.33	4.8	0.42	4.7	0.58	4.9	N	8
10		0.22	3.7	0.34	4.6	0.44	4.7	0.60	3.9	欠測	欠測
12		0.28	4.0	0.44	4.8	0.53	4.9	0.83	4.8	NE	52
14		0.30	3.8	0.45	4.5	0.55	4.5	0.77	3.8	NNE	23
16		0.27	4.0	0.41	4.7	0.51	4.5	0.69	4.4	欠測	欠測
18		0.28	3.9	0.44	4.5	0.57	4.4	0.83	4.6	欠測	欠測
20		* 0.33	3.8	* 0.53	4.3	* 0.66	4.4	0.85	4.3	NE	50
22		0.33	3.8	0.50	4.2	0.63	4.3	* 0.89	4.4	欠測	欠測
最大		0.33	3.8	0.53	4.3	0.66	4.4	0.89	4.4		
平均		0.26	3.9	0.40	4.8	0.50	4.9	0.69	4.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年10月												波 高		波 向					
												規定回数	372 回	規定回数	372 回				
												測得回数	334 回	測得回数	309 回				
												欠測回数	38 回	欠測回数	63 回				
機種：波向 海象計 - 50.0m - 52.0 m												欠 測 率	10.2 %	欠 測 率	16.9 %				
観測所：輪島港輪島崎地区												機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向									
										16方位	角度								
05	00	0.41	3.7	0.66	4.3	0.84	4.2	1.25	3.7	欠測	欠測								
	02	0.64	4.1	1.00	4.7	1.24	4.7	1.61	4.8	欠測	欠測								
	04	1.15	5.1	1.81	6.0	2.22	5.9	3.05	5.7	WNW	295								
	06	1.00	5.2	1.61	6.3	2.02	6.3	2.50	6.0	WNW	295								
	08	1.03	5.4	1.64	6.4	2.21	6.6	2.88	6.2	WNW	286								
	10	1.02	5.2	1.58	6.0	2.11	5.9	3.19	5.7	WNW	286								
	12	1.01	5.2	1.61	6.2	2.03	6.4	2.61	6.6	WNW	282								
	14	0.96	5.2	1.49	6.3	1.84	6.3	2.70	6.7	NW	315								
	16	0.95	5.3	1.49	6.5	1.76	6.5	2.41	5.8	W	274								
	18	1.18	5.6	1.85	6.7	2.23	6.9	3.28	6.7	NNW	331								
	20	* 1.46	6.1	* 2.28	7.7	* 2.84	7.8	* 3.60	7.7	NW	307								
	22	1.19	5.6	1.92	7.1	2.38	7.4	3.18	6.2	NW	323								
	最大	1.46	6.1	2.28	7.7	2.84	7.8	3.60	7.7										
	平均	1.00	5.1	1.58	6.2	1.98	6.2	2.69	6.0										
	06	00	1.46	6.0	2.19	7.1	2.66	7.7	3.20	8.1	NW	323							
		02	1.36	5.8	2.17	7.0	2.68	6.7	3.44	6.9	NNW	327							
04		1.31	6.3	2.06	7.6	2.55	7.7	3.04	7.1	NNW	327								
06		* 1.53	7.2	* 2.46	8.7	* 3.09	8.7	3.65	8.3	NNW	335								
08		1.52	7.4	2.38	9.2	2.90	9.0	* 4.29	9.9	NNW	335								
10		1.29	6.7	2.11	8.9	2.71	9.2	3.89	8.8	NNW	335								
12		1.29	6.7	2.13	8.6	2.71	9.0	3.67	9.5	NW	319								
14		1.42	7.1	2.24	8.6	2.81	8.9	3.81	9.1	NNW	327								
16		1.26	6.3	2.03	7.9	2.58	8.2	3.47	7.7	NW	319								
18		1.40	6.8	2.26	8.4	2.80	8.5	3.39	8.4	NW	323								
20		1.34	6.7	2.16	8.1	2.70	8.1	3.19	7.8	NNW	327								
22		1.02	6.1	1.69	7.7	2.12	8.2	2.51	7.3	NNW	327								
最大		1.53	7.2	2.46	8.7	3.09	8.7	4.29	9.9										
平均		1.35	6.6	2.16	8.2	2.69	8.3	3.46	8.2										
07		00	1.01	6.2	* 1.67	8.1	* 2.09	7.9	* 2.59	8.4	NW	319							
		02	* 1.02	6.4	1.63	7.9	1.95	7.6	2.39	8.0	NW	315							
	04	0.81	5.9	1.28	7.4	1.63	7.5	2.23	8.2	NW	319								
	06	0.73	5.6	1.19	7.3	1.55	7.5	2.06	7.9	NW	323								
	08	0.76	5.7	1.19	7.1	1.47	7.1	1.78	6.5	NNW	327								
	10	0.72	5.3	1.16	7.0	1.49	7.8	2.08	7.3	NW	319								
	12	0.74	5.5	1.20	7.1	1.48	6.9	1.94	7.1	NNW	331								
	14	0.70	5.8	1.14	7.6	1.45	7.6	2.04	6.6	NNE	20								
	16	0.70	5.1	1.12	6.5	1.40	6.8	2.06	5.9	NNW	335								
	18	0.63	4.9	0.99	6.0	1.25	6.2	1.64	5.0	N	0								
	20	0.64	4.8	0.99	6.1	1.28	6.0	1.76	7.0	NNW	327								
	22	0.64	4.9	0.98	6.2	1.22	6.3	1.65	5.3	NNE	12								
	最大	1.02	6.4	1.67	8.1	2.09	7.9	2.59	8.4										
	平均	0.76	5.5	1.21	7.0	1.52	7.1	2.02	6.9										
	08	00	0.67	4.9	1.03	5.8	1.26	5.8	1.61	5.3	NNW	335							
		02	0.77	5.0	1.17	6.4	1.44	6.8	1.95	5.5	NNE	12							
04		0.78	5.0	1.21	6.4	1.51	6.8	1.79	4.4	NNE	20								
06		0.72	4.8	1.12	6.5	1.41	7.2	1.91	6.9	NNE	20								
08		0.71	5.1	1.13	6.5	1.40	7.2	2.16	6.0	NNE	16								
10		0.68	4.9	1.07	6.0	1.34	6.0	1.77	6.2	N	4								
12		0.62	5.0	0.95	5.9	1.14	6.1	1.97	5.3	NNW	344								
14		0.74	4.6	1.15	5.5	1.43	5.6	1.70	5.8	欠測	欠測								
16		1.12	5.0	1.76	5.8	2.15	5.9	2.79	5.6	NNE	12								
18		* 1.31	5.2	* 2.03	5.9	* 2.55	6.0	3.52	6.5	N	4								
20		1.21	5.1	1.94	6.1	2.45	6.2	* 4.04	5.1	NNE	33								
22		1.20	5.0	1.93	5.9	2.43	5.8	2.97	5.0	NNE	33								
最大		1.31	5.2	2.03	5.9	2.55	6.0	4.04	5.1										
平均		0.88	5.0	1.37	6.1	1.71	6.3	2.35	5.6										

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年10月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	334 回	測得回数	309 回
										欠測回数	38 回	欠測回数	63 回
										欠 測 率	10.2 %	欠 測 率	16.9 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
13	00	0.38	4.3	0.57	5.2	0.71	5.2	1.00	6.0	NNE	20		
	02	0.33	4.0	0.52	4.9	0.64	4.9	0.87	4.9	N	359		
	04	0.41	3.7	0.63	4.3	0.79	4.3	1.12	3.8	W	274		
	06	0.44	3.8	0.70	4.3	0.90	4.1	1.28	4.5	NNE	31		
	08	0.42	3.7	0.66	4.1	0.84	4.0	1.09	3.2	NNE	27		
	10	0.41	3.9	0.64	4.4	0.78	4.4	1.05	4.1	N	10		
	12	0.42	4.2	0.66	4.9	0.81	4.9	1.22	5.4	W	278		
	14	0.43	4.4	0.68	5.4	0.85	5.3	1.10	6.1	NNE	29		
	16	0.52	5.0	0.80	6.1	1.00	6.2	1.25	7.5	NNW	327		
	18	0.57	5.0	0.88	6.1	* 1.12	6.1	* 1.62	5.4	NW	319		
	20	0.49	4.7	0.78	5.7	0.98	5.7	1.23	5.9	NW	319		
	22	* 0.59	5.1	* 0.91	6.0	1.08	5.9	1.49	5.3	NW	323		
	最大 平均	0.59 0.45	5.1 4.3	0.91 0.70	6.0 5.1	1.12 0.88	6.1 5.1	1.62 1.19	5.4 5.2				
	14	00	* 0.70	5.8	* 1.06	6.5	* 1.34	6.3	* 1.76	5.5	NW	323	
02		0.56	5.2	0.90	6.2	1.10	6.1	1.42	5.5	NW	307		
04		0.49	5.0	0.80	6.1	1.06	6.2	1.38	6.7	NNW	331		
06		0.45	5.1	0.75	6.3	0.94	6.4	1.18	6.2	NE	37		
08		0.53	5.6	0.81	6.3	1.00	6.2	1.22	5.2	NNE	16		
10		0.52	5.3	0.82	6.3	1.06	6.2	1.35	6.7	NNE	16		
12		0.44	4.9	0.71	6.1	0.90	6.1	1.20	5.7	NNE	16		
14		0.44	4.7	0.70	5.6	0.85	6.0	1.05	6.4	NW	313		
16		0.40	4.6	0.63	5.7	0.76	6.0	1.02	5.8	NNE	16		
18		0.41	4.5	0.66	5.8	0.81	5.8	1.15	6.5	NNW	348		
20		0.41	4.6	0.64	5.5	0.82	5.5	1.10	4.9	NE	37		
22		0.61	4.0	0.96	4.8	1.22	4.7	1.58	4.2	欠測	欠測		
最大 平均		0.70 0.50	5.8 4.9	1.06 0.79	6.5 5.9	1.34 0.99	6.3 6.0	1.76 1.28	5.5 5.8				
15		00	0.89	4.8	1.41	5.7	1.75	5.9	2.37	7.4	N	4	
	02	* 1.17	5.9	* 1.87	7.9	* 2.39	7.8	2.98	5.9	NW	323		
	04	1.10	5.6	1.76	7.2	2.25	7.6	2.88	6.8	NNW	335		
	06	1.05	5.6	1.65	6.9	2.09	7.0	* 3.21	6.9	NW	323		
	08	0.99	5.5	1.58	6.8	1.98	6.6	2.54	5.7	NNW	331		
	10	0.89	5.5	1.43	7.0	1.79	6.9	2.44	6.5	NNW	335		
	12	0.92	5.6	1.43	6.8	1.75	6.8	2.27	6.8	NNW	327		
	14	0.80	5.3	1.30	6.5	1.72	6.7	2.15	5.7	NNW	331		
	16	0.78	5.3	1.23	6.4	1.54	6.1	1.92	5.5	NW	319		
	18	0.77	5.4	1.20	6.4	1.52	6.4	1.98	6.6	NNW	340		
	20	0.66	5.1	0.99	6.3	1.22	6.2	1.51	7.0	NNW	335		
	22	0.69	4.7	1.08	5.8	1.35	6.0	1.91	6.5	NNW	327		
	最大 平均	1.17 0.89	5.9 5.4	1.87 1.41	7.9 6.6	2.39 1.78	7.8 6.7	3.21 2.35	6.9 6.4				
	16	00	* 0.63	4.5	* 0.96	5.2	1.18	5.3	1.47	4.4	NNW	342	
02		0.62	4.3	0.96	5.2	1.19	5.3	1.48	6.7	NE	42		
04		0.62	4.4	0.96	5.1	* 1.21	5.0	* 1.66	5.1	WNW	292		
06		0.60	4.6	0.92	5.5	1.11	5.7	1.46	4.6	W	277		
08		0.56	4.8	0.88	6.0	1.09	5.8	1.36	6.4	NNW	340		
10		0.54	5.0	0.84	6.2	1.01	6.2	1.23	5.5	NNW	340		
12		0.48	5.3	0.76	6.3	0.94	6.2	1.17	5.9	NNE	25		
14		0.47	5.1	0.74	6.1	0.94	6.1	1.35	5.7	NNW	331		
16		0.41	5.0	0.66	6.1	0.84	6.2	1.14	6.1	NW	307		
18		0.42	5.4	0.66	6.2	0.82	6.1	1.02	5.4	NNW	327		
20		0.35	4.9	0.57	5.9	0.69	6.0	0.91	5.3	欠測	欠測		
22		0.31	5.0	0.50	6.0	0.63	6.0	0.86	6.8	NNE	16		
最大 平均		0.63 0.50	4.5 4.9	0.96 0.78	5.2 5.8	1.21 0.97	5.0 5.8	1.66 1.26	5.1 5.7				

*は日最大波高、波向欄の空白は欠測を示す

波 向

機種：波向 海象計 - 50.0m - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年10月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	* 0.49	4.1	* 0.76	4.5	* 0.93	4.6	* 1.17	4.8	NNE	30
	02	0.43	3.9	0.67	4.4	0.84	4.4	1.16	4.6	W	279
	04	0.44	4.1	0.67	4.5	0.82	4.3	1.16	4.2	N	7
	06	0.39	4.0	0.64	4.6	0.79	4.6	0.91	4.8	N	1
	08	0.40	4.0	0.63	4.6	0.78	4.6	1.16	4.0	W	270
	10	0.36	3.9	0.55	4.5	0.69	4.4	0.90	3.9	欠測	欠測
	12	0.32	4.0	0.52	4.7	0.66	4.5	0.79	5.1	NNE	13
	14	0.30	4.1	0.46	4.6	0.56	4.5	0.70	3.5	NE	44
	16	0.27	3.9	0.42	4.6	0.54	4.7	0.68	5.1	N	4
	18	0.22	4.0	0.36	4.9	0.47	4.7	0.67	4.8	欠測	欠測
	20	0.21	3.9	0.34	4.9	0.41	4.8	0.58	4.2	NE	46
	22	0.18	3.7	0.30	4.8	0.38	4.7	0.51	5.0	W	278
最大		0.49	4.1	0.76	4.5	0.93	4.6	1.17	4.8		
平均		0.33	4.0	0.53	4.6	0.66	4.6	0.87	4.5		
22	00	0.21	4.0	0.33	5.0	0.42	4.8	0.54	4.5	NNE	28
	02	0.26	4.3	0.40	5.1	0.49	5.1	0.68	5.0	W	281
	04	0.28	4.2	0.43	5.1	* 0.55	5.1	0.73	4.9	NNW	331
	06	0.27	4.4	0.42	5.3	0.53	4.9	0.72	4.9	NE	56
	08	0.25	4.0	0.40	4.9	0.49	5.0	0.66	4.9	NW	310
	10	0.23	4.0	0.37	5.0	0.46	4.9	* 0.75	5.4	NE	39
	12	0.23	4.0	0.38	5.1	0.49	5.2	0.62	5.0	NNW	338
	14	0.24	4.2	0.36	5.1	0.44	5.1	0.55	6.3	N	3
	16	0.27	4.4	0.41	5.3	0.52	5.0	0.75	5.2	NNE	25
	18	* 0.28	4.4	* 0.44	5.4	0.54	5.3	0.72	5.7	W	281
	20	0.22	3.8	0.37	5.1	0.45	5.1	0.59	5.1	NE	56
	22	0.24	4.0	0.39	5.0	0.49	5.1	0.68	4.7	NNW	336
最大		0.28	4.4	0.44	5.4	0.55	5.1	0.75	5.4		
平均		0.25	4.1	0.39	5.1	0.49	5.0	0.67	5.1		
23	00	0.23	4.1	0.35	5.0	0.43	5.0	0.69	5.8	欠測	欠測
	02	0.20	3.6	0.31	4.8	0.39	5.0	0.59	4.8	NE	53
	04	0.27	4.0	0.43	5.5	0.54	5.7	0.89	5.6	W	271
	06	0.31	4.2	0.48	5.4	0.59	5.6	0.76	6.1	NNW	331
	08	0.58	3.9	0.92	4.4	1.18	4.5	1.47	3.8	W	281
	10	0.63	4.4	0.96	4.9	1.26	4.8	1.99	4.6	NNW	344
	12	0.76	4.8	1.24	5.6	1.58	5.7	2.12	5.8	欠測	欠測
	14	0.80	5.3	1.27	6.4	1.59	6.4	2.03	6.6	NW	319
	16	0.90	4.8	1.43	5.9	1.82	6.0	2.35	5.7	WNW	303
	18	1.17	5.0	1.84	5.9	2.32	6.1	3.21	5.4	NNW	331
	20	* 1.40	5.2	2.18	6.4	2.71	6.5	3.28	6.2	NNW	331
	22	1.36	5.4	* 2.21	6.5	* 2.82	6.7	* 4.45	6.2	NNW	327
最大		1.40	5.2	2.21	6.5	2.82	6.7	4.45	6.2		
平均		0.72	4.6	1.13	5.6	1.44	5.7	1.99	5.5		
24	00	* 2.05	7.1	* 3.16	8.2	* 3.99	8.2	4.79	8.6	NW	323
	02	1.90	6.8	3.00	8.5	3.80	8.9	4.94	7.9	NW	319
	04	1.80	6.6	2.93	8.5	3.68	8.1	4.81	8.3	NNW	327
	06	1.78	7.0	2.90	8.6	3.60	8.2	4.76	9.6	NW	323
	08	1.60	6.8	2.50	8.4	2.98	8.7	3.87	9.7	NNW	327
	10	1.42	6.9	2.29	8.8	2.97	8.9	3.60	8.6	NNW	348
	12	1.57	7.2	2.63	9.3	3.21	9.1	3.73	9.7	NNW	340
	14	1.53	6.4	2.49	8.5	3.27	9.0	4.11	9.1	NNW	344
	16	1.65	6.9	2.48	8.9	3.04	8.6	3.73	7.4	NNW	335
	18	1.85	7.3	2.80	8.9	3.33	8.7	4.13	6.5	NNW	335
	20	1.83	6.5	2.88	8.1	3.66	8.4	4.43	8.5	NW	323
	22	1.90	6.7	2.91	7.7	3.83	7.3	* 5.23	6.1	NW	323
最大		2.05	7.1	3.16	8.2	3.99	8.2	5.23	6.1		
平均		1.74	6.9	2.75	8.5	3.45	8.5	4.34	8.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年10月						波 高		波 向				
						規定回数	372 回	規定回数	372 回			
						測得回数	334 回	測得回数	309 回			
						欠測回数	38 回	欠測回数	63 回			
						欠 測 率	10.2 %	欠 測 率	16.9 %			
機種：波向 海象計 - 50.0m - 52.0 m												
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m			緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度			
25	00	1.85	6.3	2.87	7.9	3.37	7.8	3.95	7.9	NW	319	
	02	1.62	6.1	2.75	8.0	3.76	8.1	5.50	8.6	NNW	331	
	04	* 1.85	6.6	* 3.00	8.0	3.72	8.0	4.43	7.7	NNW	327	
	06	1.78	7.0	2.81	8.6	3.57	8.5	4.92	8.0	NNW	327	
	08	1.73	7.0	2.88	9.0	3.85	9.3	5.45	9.1	NNW	331	
	10	1.78	7.0	2.92	8.8	3.71	8.8	4.88	8.7	NW	319	
	12	1.83	6.6	2.96	8.2	* 3.88	8.6	5.10	8.2	NNW	331	
	14	1.77	6.4	2.84	7.9	3.63	8.1	4.90	7.7	NNW	327	
	16	1.74	6.5	2.83	8.2	3.54	8.4	* 5.58	9.5	NNW	327	
	18	1.56	6.3	2.38	7.6	2.98	7.6	3.87	7.2	NNW	340	
	20	1.74	6.9	2.78	8.7	3.55	8.7	4.84	8.4	NW	319	
	22	1.50	6.3	2.52	8.4	3.26	8.7	4.17	8.4	NW	319	
	最大 平均	1.85 1.73	6.6 6.6	3.00 2.80	8.0 8.3	3.88 3.57	8.6 8.4	5.58 4.80	9.5 8.3			
	26	00	1.47	6.4	2.39	8.4	* 3.07	8.7	* 4.34	8.9	NNW	331
		02	* 1.55	6.8	* 2.42	8.5	2.97	8.6	3.82	9.1	NNW	331
		04	1.37	6.4	2.18	7.9	2.83	8.0	3.94	8.7	NW	323
06		1.14	6.0	1.81	7.5	2.29	7.2	3.08	8.4	NW	319	
08		1.06	5.8	1.71	7.4	2.05	7.3	2.48	7.3	NNW	327	
10		1.04	5.9	1.62	7.2	2.07	7.2	3.03	7.3	NW	323	
12		0.89	5.7	1.38	6.8	1.63	7.0	2.09	7.3	NW	323	
14		0.82	5.4	1.31	6.6	1.68	6.9	2.14	6.7	NNW	331	
16		0.67	5.2	1.08	6.5	1.32	6.6	1.80	7.2	NNW	327	
18		0.59	5.1	0.95	6.5	1.18	6.8	1.51	7.0	NNW	340	
20		0.58	5.1	0.90	6.0	1.14	6.0	1.70	5.8	NNW	335	
22		0.58	5.2	0.90	6.1	1.12	6.0	1.54	5.1	NNW	331	
最大 平均		1.55 0.98	6.8 5.8	2.42 1.55	8.5 7.1	3.07 1.95	8.7 7.2	4.34 2.62	8.9 7.4			
27		00	* 0.51	4.9	* 0.84	5.8	* 1.07	6.0	1.38	5.9	NNW	340
		02	0.50	5.1	0.78	6.0	0.98	6.0	* 1.41	6.0	N	356
		04	0.46	5.0	0.72	6.0	0.91	6.0	1.26	6.2	N	4
	06	0.44	5.0	0.69	6.0	0.88	6.2	1.26	6.4	NNE	12	
	08	0.40	4.9	0.65	5.9	0.81	5.8	1.32	5.6	N	352	
	10	0.38	5.0	0.60	5.9	0.79	6.1	1.06	6.7	N	356	
	12	0.38	4.8	0.60	5.8	0.79	5.6	1.09	6.1	NNE	20	
	14	0.39	5.2	0.61	5.9	0.76	5.9	1.07	5.9	N	8	
	16	0.41	5.6	0.66	6.8	0.87	6.7	1.16	6.1	NNE	33	
	18	0.40	5.3	0.66	6.8	0.83	7.0	0.98	6.4	NNE	16	
	20	0.42	5.5	0.69	6.9	0.86	7.0	1.14	6.8	N	4	
	22	0.41	5.8	0.66	7.5	0.83	7.8	1.03	8.5	NNE	16	
	最大 平均	0.51 0.43	4.9 5.2	0.84 0.68	5.8 6.3	1.07 0.86	6.0 6.3	1.41 1.18	6.0 6.4			
	28	00	0.44	6.4	0.71	8.5	0.85	8.8	0.98	10.5	NNE	20
		02	0.40	5.9	0.65	7.7	0.81	8.3	1.04	6.8	NNE	16
		04	0.41	6.5	0.64	8.1	0.76	8.6	0.89	9.3	NNE	16
06		0.38	6.2	0.59	7.8	0.73	7.7	0.89	9.0	NNE	16	
08		0.36	5.8	0.57	7.8	0.69	7.6	0.86	9.2	N	0	
10		0.32	5.8	0.52	7.5	0.65	7.7	0.79	6.8	NNE	25	
12		0.31	5.8	0.49	7.4	0.58	8.0	0.72	7.8	NNE	12	
14		0.30	5.6	0.50	7.6	0.64	7.8	0.92	8.0	NNE	20	
16		0.28	5.2	0.47	7.5	0.58	8.1	0.72	8.4	NNE	12	
18		0.25	5.0	0.42	7.6	0.55	8.4	0.74	8.7	NNE	25	
20		0.34	3.9	0.52	4.5	0.63	4.8	0.83	3.1	欠測	欠測	
22		* 0.58	4.4	* 0.90	4.6	* 1.12	4.6	* 1.35	4.6	N	9	
最大 平均		0.58 0.36	4.4 5.5	0.90 0.58	4.6 7.2	1.12 0.72	4.6 7.5	1.35 0.89	4.6 7.7			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年10月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.76	4.5	1.22	5.3	1.54	5.1	2.11	4.1	NE	38
	02	1.00	4.7	1.52	5.2	2.00	5.2	2.90	5.1	NW	305
	04	0.99	4.7	1.53	5.4	1.89	5.2	2.24	4.9	W	279
	06	1.02	5.0	1.61	5.7	2.02	5.7	2.65	5.2	NNW	331
	08	0.95	5.1	1.48	6.0	1.85	5.9	2.32	5.9	NNW	340
	10	1.11	5.5	1.83	7.2	2.28	7.5	* 3.84	7.2	NNW	340
	12	1.19	6.0	1.91	7.2	2.46	7.3	3.30	7.2	NNW	348
	14	* 1.24	6.2	* 2.03	7.9	* 2.54	8.1	3.36	7.9	NNW	331
	16	1.22	6.6	1.92	8.0	2.34	8.3	2.94	8.8	NNW	335
	18	1.10	6.0	1.74	7.5	2.08	7.6	2.48	6.7	NNW	327
	20	1.04	6.1	1.62	7.6	2.03	7.8	2.70	8.0	NNW	340
	22	0.99	5.9	1.51	7.1	1.83	7.8	2.46	7.7	NNW	335
	最大	1.24	6.2	2.03	7.9	2.54	8.1	3.84	7.2		
	平均	1.05	5.5	1.66	6.7	2.07	6.8	2.78	6.6		
30	00	1.03	5.7	1.62	7.2	2.04	7.0	2.58	6.4	NNW	335
	02	1.08	5.6	1.72	7.3	2.29	7.4	3.82	6.7	NNW	340
	04	1.15	6.0	1.79	7.4	2.14	7.3	2.59	6.5	NNW	340
	06	1.10	5.5	1.77	7.2	2.21	7.8	2.73	7.8	NNW	331
	08	1.03	5.8	1.65	7.6	2.02	7.5	2.79	7.7	NNW	344
	10	1.10	6.0	1.72	7.4	2.17	7.4	3.15	8.3	NNW	348
	12	1.20	6.1	1.92	7.7	2.32	7.8	2.70	8.7	NNW	331
	14	* 1.27	6.0	* 2.03	7.6	2.52	7.7	3.30	7.1	NNW	331
	16	1.26	6.2	2.00	7.7	* 2.67	8.0	* 3.88	7.7	NNW	340
	18	1.16	5.8	1.94	7.5	2.60	7.7	3.54	6.9	NNW	344
	20	1.16	6.1	1.85	7.6	2.35	8.1	3.44	7.0	NNW	340
	22	1.20	6.3	1.95	7.8	2.39	7.8	2.98	7.6	N	356
	最大	1.27	6.0	2.03	7.6	2.67	8.0	3.88	7.7		
	平均	1.15	5.9	1.83	7.5	2.31	7.6	3.12	7.4		
31	00	* 1.01	5.8	* 1.63	7.4	* 2.10	7.5	* 3.02	6.5	N	356
	02	0.97	6.1	1.57	7.6	1.96	7.5	2.47	7.5	NNW	340
	04	0.86	6.2	1.37	7.6	1.66	7.6	2.28	6.8	NNW	331
	06	0.81	6.1	1.32	7.4	1.71	7.8	2.04	6.4	NW	319
	08	0.83	6.2	1.34	7.8	1.72	7.6	2.23	8.1	NW	323
	10	0.83	6.4	1.33	7.6	1.71	7.5	2.11	7.8	N	356
	12	0.82	6.2	1.37	7.7	1.73	7.8	2.33	7.5	N	0
	14	0.88	6.7	1.39	8.1	1.67	8.2	1.92	8.5	NNE	12
	16	0.92	6.5	1.49	8.2	1.93	8.0	2.53	7.8	NNE	12
	18	0.89	6.8	1.43	8.2	1.81	8.5	2.54	8.8	N	8
	20	0.87	7.1	1.39	8.3	1.71	8.1	2.04	8.3	NNE	20
	22	0.74	6.9	1.21	8.4	1.56	8.1	2.34	8.0	NNE	20
	最大	1.01	5.8	1.63	7.4	2.10	7.5	3.02	6.5		
	平均	0.87	6.4	1.40	7.9	1.77	7.8	2.32	7.7		
	月最大	2.05	7.1	3.16	8.2	3.99	8.2	5.58	9.5		
	起時	2400		2400		2400		2516			
	平均	0.73	5.2	1.16	6.3	1.45	6.4	1.93	6.2		

波 向

規定回数	360 回	規定回数	360 回
測得回数	359 回	測得回数	342 回
欠測回数	1 回	欠測回数	18 回
欠測率	0.3 %	欠測率	5.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
01	00	* 0.64	6.3	* 1.08	7.9	* 1.40	8.1	1.76	6.9	NNE	29
	02	0.63	6.8	1.02	8.0	1.30	8.0	1.68	8.2	N	4
	04	0.56	5.3	0.90	7.0	1.08	6.9	1.43	7.5	NNE	25
	06	0.54	5.0	0.87	6.4	1.15	6.7	1.52	8.4	NNE	29
	08	0.58	5.2	0.92	6.4	1.19	6.6	* 1.77	5.4	WSW	258
	10	0.55	5.0	0.85	6.2	1.04	6.2	1.41	4.3	WSW	258
	12	0.45	4.6	0.71	6.0	0.91	6.2	1.07	7.0	W	270
	14	0.44	4.9	0.70	6.1	0.89	5.8	1.24	5.9	W	262
	16	0.42	4.9	0.66	6.0	0.84	5.9	1.13	5.6	W	262
	18	0.40	5.0	0.62	6.0	0.76	5.9	1.06	5.8	W	274
	20	0.37	4.8	0.57	5.8	0.73	5.6	0.97	5.3	WSW	250
	22	0.45	5.0	0.73	6.1	0.91	6.1	1.05	5.8	W	274
	最大	0.64	6.3	1.08	7.9	1.40	8.1	1.77	5.4		
	平均	0.50	5.2	0.80	6.5	1.02	6.5	1.34	6.3		
	02	00	0.76	5.2	1.21	6.1	1.57	6.2	2.09	6.1	WNW
02		0.86	5.2	1.35	6.1	1.68	5.9	2.09	5.7	WNW	282
04		0.86	5.0	* 1.40	6.4	* 1.80	6.2	2.45	6.6	WNW	282
06		* 0.90	5.9	1.34	7.1	1.62	7.1	2.06	7.1	WNW	286
08		0.84	5.3	1.32	6.2	1.62	6.3	2.30	5.1	WNW	286
10		0.87	5.9	1.39	6.9	1.78	6.8	* 2.74	7.2	WNW	295
12		0.87	5.4	1.37	6.5	1.69	6.5	2.11	4.9	WNW	286
14		0.85	5.2	1.37	6.4	1.78	6.4	2.33	6.5	WNW	290
16		0.79	5.2	1.27	6.7	1.58	6.9	2.25	7.3	WNW	286
18		0.76	5.4	1.17	6.7	1.43	6.9	1.80	7.4	W	278
20		0.69	5.3	1.04	6.2	1.33	6.3	1.98	6.3	WNW	295
22		0.83	4.7	1.31	5.6	1.62	5.6	2.09	5.8	W	279
最大		0.90	5.9	1.40	6.4	1.80	6.2	2.74	7.2		
平均		0.82	5.3	1.30	6.4	1.62	6.4	2.19	6.3		
03		00	0.97	5.0	1.47	5.7	1.79	5.6	2.29	5.5	WNW
	02	1.11	5.4	1.69	6.5	1.99	6.7	2.44	6.6	WNW	299
	04	1.26	5.8	2.03	7.1	2.49	7.0	3.23	6.3	WNW	295
	06	1.21	5.6	1.89	6.7	2.39	6.7	2.97	7.8	WNW	299
	08	1.13	5.7	1.80	6.9	2.25	6.6	2.64	6.3	WNW	286
	10	1.00	5.7	1.58	6.9	1.94	6.9	2.28	6.3	WNW	290
	12	0.93	5.4	1.39	6.6	1.72	6.5	2.71	7.1	WNW	286
	14	0.95	5.1	1.47	5.7	1.86	5.9	2.57	5.8	WNW	295
	16	1.48	5.4	2.32	6.1	2.91	6.3	4.08	7.1	WNW	295
	18	1.73	5.7	2.81	7.0	3.54	6.9	4.86	6.5	NW	307
	20	* 1.90	6.3	* 3.08	8.0	* 4.07	8.2	* 5.35	9.2	WNW	295
	22	1.77	6.0	2.72	7.3	3.36	7.4	4.11	6.5	WNW	299
	最大	1.90	6.3	3.08	8.0	4.07	8.2	5.35	9.2		
	平均	1.29	5.6	2.02	6.7	2.53	6.7	3.29	6.8		
	04	00	1.65	6.1	2.78	7.8	3.47	8.1	4.55	8.6	WNW
02		* 1.93	6.8	* 2.96	7.9	* 3.52	7.8	4.51	8.6	NW	323
04		1.71	6.2	2.66	7.7	3.30	7.9	4.34	6.7	WNW	282
06		1.61	6.3	2.62	8.0	3.24	7.9	3.71	7.7	WNW	282
08		1.76	6.8	2.83	8.5	3.50	8.4	4.08	8.5	WNW	286
10		1.58	6.5	2.55	8.2	3.33	8.4	* 5.90	8.0	NW	319
12		1.61	6.6	2.43	7.8	3.02	8.1	4.68	7.9	NW	319
14		1.50	6.7	2.38	7.9	2.94	7.9	3.73	7.3	NNW	327
16		1.46	6.6	2.26	8.1	2.81	8.4	3.60	8.2	NNW	331
18		1.77	7.2	2.69	8.4	3.38	8.4	4.29	7.9	NW	323
20		1.26	6.3	2.18	8.3	2.83	8.5	3.55	8.7	NW	319
22		1.14	6.5	1.81	8.1	2.28	8.2	3.06	7.6	NW	323
最大		1.93	6.8	2.96	7.9	3.52	7.8	5.90	8.0		
平均		1.58	6.5	2.51	8.1	3.13	8.2	4.17	8.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年11月											波 高		波 向					
											規定回数	360 回	規定回数	360 回				
											測得回数	359 回	測得回数	342 回				
											欠測回数	1 回	欠測回数	18 回				
機種：波向 海象計 - 50.0m - 52.0 m											欠 測 率	0.3 %	欠 測 率	5.0 %				
観測所：輪島港輪島崎地区											機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向								
										16方位	角度							
05	00	1.25	6.5	2.02	8.1	2.61	8.2	* 3.54	7.7	NNW	331							
	02	* 1.32	6.2	* 2.13	7.8	* 2.62	7.8	3.09	5.7	NNW	335							
	04	1.22	5.8	2.04	7.4	2.55	7.5	3.03	8.4	NW	311							
	06	1.09	5.6	1.68	6.9	2.07	7.3	2.77	8.7	NNW	327							
	08	0.99	5.7	1.51	7.0	1.91	6.8	2.76	6.5	NNW	335							
	10	0.93	5.6	1.46	6.6	1.87	6.7	2.52	5.9	NNW	335							
	12	0.91	5.4	1.45	6.8	1.79	7.0	2.18	7.3	NNW	327							
	14	0.85	5.3	1.33	6.8	1.68	7.3	2.32	8.5	NNW	335							
	16	0.77	5.3	1.19	6.6	1.46	6.6	2.32	7.5	NNW	327							
	18	0.70	5.2	1.12	6.7	1.38	6.7	1.83	6.6	NW	315							
	20	0.71	4.9	1.12	6.2	1.37	6.6	1.71	6.6	NNW	327							
	22	0.66	5.3	1.05	6.5	1.27	6.7	1.60	6.8	NW	323							
	最大	1.32	6.2	2.13	7.8	2.62	7.8	3.54	7.7									
	平均	0.95	5.6	1.51	6.9	1.88	7.1	2.47	7.2									
06	00	0.58	5.1	0.92	6.5	1.15	6.6	1.62	6.9	NNW	327							
	02	* 0.68	5.5	* 1.12	6.5	* 1.43	6.5	* 1.80	6.7	NW	311							
	04	0.64	5.4	0.97	6.4	1.20	6.3	1.43	6.2	WNW	303							
	06	0.50	5.1	0.80	6.2	1.00	6.1	1.18	6.3	NW	315							
	08	0.46	5.2	0.74	6.5	0.93	6.2	1.24	5.9	NW	311							
	10	0.44	5.1	0.69	6.2	0.84	6.1	1.04	5.7	NW	319							
	12	0.46	5.1	0.73	6.1	0.89	6.2	1.10	5.4	WNW	295							
	14	0.40	4.9	0.65	6.1	0.82	5.9	1.07	5.1	WNW	299							
	16	0.40	5.0	0.61	6.0	0.72	6.0	0.86	6.7	W	278							
	18	0.39	4.9	0.59	5.7	0.73	5.8	1.06	6.3	WNW	303							
	20	0.41	4.5	0.65	5.5	0.84	5.4	1.18	4.6	W	279							
	22	0.44	4.3	0.70	5.1	0.85	5.3	1.00	5.1	欠測	欠測							
	最大	0.68	5.5	1.12	6.5	1.43	6.5	1.80	6.7									
	平均	0.48	5.0	0.76	6.1	0.95	6.0	1.21	5.9									
07	00	0.60	4.6	0.94	5.2	1.18	5.2	1.46	5.9	NNE	17							
	02	0.66	4.9	1.05	5.4	1.31	5.4	1.72	5.4	NW	312							
	04	0.69	4.7	1.08	5.4	1.36	5.5	1.70	5.8	NE	56							
	06	0.72	4.9	1.11	5.4	1.33	5.4	1.80	4.7	欠測	欠測							
	08	0.72	4.7	1.13	5.6	1.34	5.5	1.74	5.1	NE	36							
	10	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測							
	12	0.77	5.2	1.16	6.0	1.44	6.1	1.88	6.2	WNW	282							
	14	0.74	5.3	1.19	6.2	1.50	6.1	2.09	5.5	W	278							
	16	0.69	5.3	1.10	6.5	1.40	6.3	1.88	6.7	WNW	282							
	18	0.65	4.8	1.03	5.7	1.33	6.0	1.95	6.4	WNW	286							
	20	0.78	4.9	1.20	5.8	1.48	5.7	2.09	6.3	WNW	282							
	22	* 0.84	4.8	* 1.26	5.7	* 1.54	5.5	* 2.20	4.7	WNW	290							
	最大	0.84	4.8	1.26	5.7	1.54	5.5	2.20	4.7									
	平均	0.71	4.9	1.11	5.7	1.38	5.7	1.86	5.7									
08	00	0.83	4.6	1.31	5.3	1.64	5.5	2.33	4.7	N	352							
	02	0.79	4.6	1.22	5.1	1.50	5.0	2.01	4.7	NNW	334							
	04	0.86	4.8	1.35	5.4	1.67	5.4	2.77	5.5	NNW	344							
	06	0.87	4.8	1.38	5.6	1.79	5.5	2.76	5.0	NE	41							
	08	0.97	5.1	1.50	6.0	1.88	6.1	2.30	5.7	NW	311							
	10	0.97	5.1	1.57	5.9	1.96	5.6	2.56	5.2	WNW	303							
	12	1.16	4.9	1.82	5.8	2.27	5.9	3.12	5.5	WNW	303							
	14	1.28	5.2	2.05	6.3	2.63	6.4	* 4.10	6.0	WNW	290							
	16	1.53	5.7	2.43	6.8	3.03	6.9	3.92	6.8	WNW	303							
	18	* 1.58	5.9	* 2.47	6.8	* 3.05	6.7	3.71	6.9	WNW	290							
	20	1.49	5.7	2.35	6.9	2.95	6.9	3.49	7.7	WNW	299							
	22	1.40	5.3	2.28	6.7	2.90	6.6	3.47	6.8	WNW	299							
	最大	1.58	5.9	2.47	6.8	3.05	6.7	4.10	6.0									
	平均	1.14	5.1	1.81	6.0	2.27	6.0	3.04	5.9									

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年11月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	359 回	測得回数	342 回
										欠測回数	1 回	欠測回数	18 回
										欠 測 率	0.3 %	欠 測 率	5.0 %
機種：波向 海象計 - 50.0m - 52.0 m													
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
09	00	1.47	5.9	2.34	7.2	2.95	7.4	3.85	6.6	WNW	286		
	02	1.69	6.8	2.67	8.3	3.25	8.4	3.92	8.5	NNW	327		
	04	* 2.03	7.5	* 3.17	9.3	* 3.99	9.3	* 5.48	9.3	NW	323		
	06	1.84	7.3	2.87	9.0	3.65	9.2	4.29	11.1	NW	323		
	08	1.88	7.1	3.13	9.2	3.80	9.4	4.62	9.9	NNW	331		
	10	1.75	6.9	2.86	8.7	3.61	9.0	4.62	9.4	NNW	331		
	12	1.92	6.9	2.97	8.8	3.46	8.9	4.06	9.5	NNW	335		
	14	1.70	6.7	2.50	8.1	3.02	7.8	4.08	7.4	NNW	331		
	16	1.51	6.2	2.40	7.7	3.00	7.9	3.64	5.8	NW	319		
	18	1.35	6.0	2.16	7.5	2.67	7.9	3.47	7.1	NW	315		
	20	1.42	6.1	2.24	7.7	2.73	8.2	3.32	5.2	NNW	344		
	22	1.32	5.9	2.12	7.4	2.59	8.0	3.01	7.4	NW	323		
	最大 平均	2.03 1.66	7.5 6.6	3.17 2.62	9.3 8.2	3.99 3.23	9.3 8.5	5.48 4.03	9.3 8.1				
	10	00	1.37	5.9	2.09	7.4	2.62	7.1	3.39	7.0	N	352	
02		* 1.43	5.9	2.20	7.3	2.70	7.2	3.54	8.0	NNW	327		
04		1.33	5.5	2.06	6.7	2.55	6.4	3.57	6.6	NW	319		
06		1.42	6.1	* 2.30	7.4	* 3.12	7.3	* 4.35	6.9	NNE	20		
08		1.41	6.7	2.18	7.5	2.82	7.6	3.73	7.9	NNE	16		
10		1.20	6.3	1.87	7.7	2.29	7.8	3.01	8.7	N	4		
12		0.98	5.9	1.60	7.3	2.00	7.5	2.87	7.2	NNE	16		
14		1.03	5.7	1.63	7.1	2.01	7.0	2.67	7.9	NNE	25		
16		0.93	5.7	1.47	7.1	1.84	7.0	2.35	6.7	N	4		
18		0.96	5.5	1.53	6.7	1.88	7.0	2.42	5.9	NNW	335		
20		1.29	5.6	1.97	6.5	2.36	6.5	2.88	5.9	NNE	25		
22		1.42	6.0	2.23	7.1	2.76	6.9	3.54	6.1	NNW	331		
最大 平均		1.43 1.23	5.9 5.9	2.30 1.93	7.4 7.1	3.12 2.41	7.3 7.1	4.35 3.19	6.9 7.1				
11		00	1.27	5.7	2.08	7.2	2.61	6.7	* 4.13	6.8	NNW	340	
	02	1.34	5.8	2.10	6.9	2.67	6.9	3.28	7.6	NNE	20		
	04	1.31	5.5	2.09	7.0	2.64	7.2	3.78	7.5	NNW	331		
	06	* 1.51	6.1	* 2.33	7.2	* 2.85	7.4	3.66	5.9	NNW	331		
	08	1.35	6.0	2.24	7.7	2.75	7.6	3.40	7.7	NNE	12		
	10	1.34	6.0	2.23	7.4	2.83	7.9	3.69	6.7	NNW	327		
	12	1.38	6.5	2.12	7.9	2.57	7.5	3.42	7.2	NNW	335		
	14	1.29	6.5	2.04	7.7	2.64	8.2	3.73	7.5	NNW	335		
	16	1.00	6.0	1.61	7.4	2.04	7.4	2.55	7.8	NW	323		
	18	1.00	6.0	1.60	7.2	1.92	6.7	3.45	6.1	NNW	327		
	20	0.86	6.0	1.35	7.0	1.73	6.9	2.08	7.4	NNW	340		
	22	0.79	6.0	1.22	6.8	1.50	6.8	1.86	6.9	NNW	327		
	最大 平均	1.51 1.20	6.1 6.0	2.33 1.92	7.2 7.3	2.85 2.40	7.4 7.3	4.13 3.25	6.8 7.1				
	12	00	0.76	6.0	1.17	7.0	1.49	7.0	* 1.88	6.9	NNW	335	
02		* 0.81	6.2	* 1.28	7.1	* 1.56	7.0	1.84	7.0	NNW	335		
04		0.68	5.7	1.06	6.5	1.35	6.9	1.65	6.5	N	4		
06		0.56	5.5	0.90	6.6	1.16	6.7	1.53	7.0	NNW	344		
08		0.50	5.1	0.79	6.4	0.98	6.2	1.22	6.1	NNE	25		
10		0.43	5.1	0.70	6.4	0.88	6.5	1.05	6.5	NNW	344		
12		0.39	4.6	0.63	6.0	0.80	6.2	1.10	5.9	NNE	25		
14		0.40	4.9	0.62	6.3	0.81	6.4	1.30	6.6	NNE	16		
16		0.40	4.7	0.65	6.3	0.77	6.4	1.07	6.0	NNE	29		
18		0.33	5.0	0.52	6.2	0.66	6.1	0.93	5.5	N	4		
20		0.31	5.0	0.51	6.2	0.63	5.8	0.87	6.1	NNE	33		
22		0.28	4.9	0.45	6.1	0.53	6.0	0.69	6.1	NE	41		
最大 平均		0.81 0.49	6.2 5.2	1.28 0.77	7.1 6.4	1.56 0.97	7.0 6.4	1.88 1.26	6.9 6.3				

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	360 回	規定回数	360 回
測得回数	359 回	測得回数	342 回
欠測回数	1 回	欠測回数	18 回
欠 測 率	0.3 %	欠 測 率	5.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
13	00	0.27	4.6	0.43	5.8	0.55	5.8	0.78	5.1	NNE	29
	02	0.25	4.8	0.40	5.9	0.48	6.0	0.63	5.2	NE	49
	04	0.21	4.6	0.34	5.9	0.42	5.9	0.53	5.3	N	8
	06	0.18	4.4	0.29	6.0	0.36	6.3	0.50	6.2	NE	45
	08	0.21	4.3	0.32	4.9	0.42	5.3	0.63	5.1	欠測	欠測
	10	0.26	3.6	0.39	4.1	0.51	3.9	0.73	2.9	WNW	288
	12	0.28	3.3	0.43	3.7	0.55	3.6	0.81	3.2	NNW	336
	14	0.28	3.3	0.44	3.8	0.58	3.6	0.88	3.0	WNW	299
	16	0.32	3.4	0.50	3.8	0.63	3.6	0.83	3.1	NNW	339
	18	0.42	3.6	0.64	4.2	0.80	4.2	1.17	3.6	NW	311
	20	0.47	3.7	0.75	4.4	0.93	4.1	1.35	3.5	N	9
	22	* 0.63	4.2	* 1.01	5.0	* 1.29	4.9	* 1.84	4.8	欠測	欠測
	最大	0.63	4.2	1.01	5.0	1.29	4.9	1.84	4.8		
	平均	0.31	4.0	0.50	4.8	0.63	4.8	0.89	4.3		
14	00	0.69	4.5	1.06	5.3	1.33	5.2	1.70	5.7	欠測	欠測
	02	0.65	4.3	1.01	5.2	1.25	5.0	1.74	5.4	WNW	289
	04	0.67	4.6	1.03	5.3	1.29	5.3	1.71	5.3	N	2
	06	0.72	5.1	1.11	6.0	1.34	6.2	1.82	5.4	NW	307
	08	1.03	6.3	1.61	7.4	2.00	7.6	2.41	7.8	NNW	327
	10	* 1.18	6.5	* 1.86	7.9	* 2.26	8.0	* 2.89	7.1	NNW	331
	12	0.97	6.0	1.53	7.3	1.87	7.3	2.36	6.1	NW	311
	14	0.91	6.2	1.46	7.4	1.83	7.7	2.35	7.5	NNW	335
	16	0.84	6.0	1.33	7.1	1.65	7.1	2.59	7.3	NW	323
	18	0.78	6.2	1.22	7.4	1.46	7.2	1.83	6.4	NNW	327
	20	0.72	6.4	1.15	7.5	1.46	7.7	1.73	8.2	N	4
	22	0.78	6.5	1.23	7.2	1.53	6.9	1.91	7.7	NW	319
	最大	1.18	6.5	1.86	7.9	2.26	8.0	2.89	7.1		
	平均	0.83	5.7	1.30	6.8	1.61	6.8	2.09	6.7		
15	00	* 0.80	6.2	* 1.26	7.3	* 1.57	7.2	* 1.87	7.0	NNW	331
	02	0.67	6.0	1.03	7.0	1.31	7.0	1.57	7.1	N	352
	04	0.57	5.7	0.90	7.0	1.11	7.1	1.47	7.3	NNE	20
	06	0.55	5.8	0.90	6.9	1.14	6.8	1.49	7.3	N	352
	08	0.51	5.9	0.79	7.2	0.98	7.3	1.35	6.8	N	4
	10	0.47	5.9	0.74	7.0	0.89	6.9	1.11	7.2	NE	49
	12	0.47	5.6	0.73	6.7	0.89	7.0	1.06	7.7	NNE	33
	14	0.44	4.7	0.70	6.2	0.89	6.5	1.19	7.0	NNE	25
	16	0.44	4.5	0.67	5.9	0.83	6.1	1.02	5.5	NE	41
	18	0.55	4.1	0.86	4.8	1.09	4.5	1.67	4.1	NE	51
	20	0.56	4.3	0.86	5.2	1.04	5.3	1.45	5.4	W	276
	22	0.55	4.4	0.85	5.2	1.10	5.3	1.60	5.4	NW	311
	最大	0.80	6.2	1.26	7.3	1.57	7.2	1.87	7.0		
	平均	0.55	5.3	0.86	6.4	1.07	6.4	1.40	6.5		
16	00	0.48	4.3	0.73	5.1	0.87	5.3	1.01	7.0	WNW	301
	02	0.46	4.1	0.70	5.0	0.85	5.1	1.25	3.6	N	353
	04	0.50	4.3	0.77	5.2	0.94	5.4	1.43	5.4	NNW	342
	06	0.49	4.2	0.79	5.2	0.98	5.1	1.24	4.6	N	351
	08	0.56	4.4	0.85	5.0	1.07	5.0	1.55	4.0	NNW	334
	10	0.55	4.3	0.85	4.9	1.06	4.9	1.44	5.4	WNW	293
	12	0.57	4.4	0.88	5.0	1.06	4.7	1.63	5.4	欠測	欠測
	14	0.45	4.2	0.72	4.9	0.91	4.8	1.23	4.3	WNW	284
	16	0.43	4.2	0.68	4.8	0.83	4.8	1.14	4.1	WNW	297
	18	0.48	3.9	0.73	4.4	0.94	4.2	1.19	3.8	NW	307
	20	0.52	4.2	0.81	4.8	1.06	4.6	1.56	4.5	欠測	欠測
	22	* 0.58	4.4	* 0.97	5.3	* 1.26	5.3	* 1.79	5.4	N	354
	最大	0.58	4.4	0.97	5.3	1.26	5.3	1.79	5.4		
	平均	0.51	4.2	0.79	5.0	0.99	4.9	1.37	4.8		

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	360 回	規定回数	360 回
測得回数	359 回	測得回数	342 回
欠測回数	1 回	欠測回数	18 回
欠測率	0.3 %	欠測率	5.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
17	00	0.55	4.3	0.89	5.3	1.11	5.3	1.31	5.3	欠測	欠測
	02	0.59	4.6	0.90	5.2	1.13	5.2	1.49	5.3	欠測	欠測
	04	0.61	5.0	0.92	5.5	1.12	5.6	1.48	4.4	NE	50
	06	0.58	5.0	0.94	6.0	1.17	5.9	1.49	5.6	NNW	327
	08	0.53	5.2	0.91	6.8	1.22	6.7	1.72	6.2	NNW	327
	10	0.70	6.3	1.13	7.8	1.42	7.5	1.81	7.8	NNE	12
	12	0.74	6.3	1.21	7.8	1.55	8.0	1.81	8.5	N	8
	14	* 0.90	6.3	* 1.40	7.6	* 1.75	7.6	* 2.34	7.6	NNE	16
	16	0.76	6.2	1.18	7.6	1.42	7.3	2.19	6.9	NNE	16
	18	0.74	6.3	1.16	7.4	1.43	7.5	2.08	7.2	NNE	25
	20	0.76	6.6	1.18	7.5	1.46	7.2	1.71	7.4	NNE	29
	22	0.69	6.3	1.11	7.5	1.38	7.3	1.92	7.4	N	352
	最大	0.90	6.3	1.40	7.6	1.75	7.6	2.34	7.6		
	平均	0.68	5.7	1.08	6.8	1.35	6.8	1.78	6.6		
18	00	* 0.60	5.8	* 0.95	7.1	* 1.18	7.0	1.63	6.5	NNE	33
	02	0.56	5.9	0.91	7.4	1.15	7.3	* 1.66	7.3	NE	45
	04	0.54	4.8	0.89	6.6	1.17	7.0	1.63	7.8	NE	45
	06	0.46	4.7	0.73	6.5	0.91	6.7	1.13	5.9	NE	37
	08	0.50	4.9	0.79	6.5	1.00	7.0	1.28	6.7	NE	37
	10	0.40	4.7	0.63	6.4	0.78	7.3	1.00	7.0	欠測	欠測
	12	0.37	4.4	0.60	5.8	0.75	6.5	1.00	6.7	NE	37
	14	0.32	4.8	0.54	6.8	0.69	7.1	0.80	7.3	NE	37
	16	0.33	5.4	0.52	7.0	0.65	7.4	0.83	7.9	NNE	12
	18	0.36	5.6	0.57	7.1	0.72	7.2	0.91	7.1	NE	41
	20	0.30	5.2	0.48	6.8	0.60	6.7	0.74	8.3	欠測	欠測
	22	0.26	5.1	0.43	6.6	0.55	7.0	0.79	7.2	欠測	欠測
	最大	0.60	5.8	0.95	7.1	1.18	7.0	1.66	7.3		
	平均	0.42	5.1	0.67	6.7	0.85	7.0	1.12	7.1		
19	00	0.24	5.1	0.39	6.7	0.52	6.8	0.71	6.8	NE	49
	02	0.18	4.6	0.29	6.4	0.35	6.6	0.51	6.3	NNE	25
	04	0.16	4.3	0.26	6.1	0.32	6.2	0.46	6.0	欠測	欠測
	06	0.15	3.8	0.24	5.6	0.30	5.7	0.39	5.5	N	8
	08	0.23	3.7	0.36	4.7	0.44	5.6	0.59	4.2	欠測	欠測
	10	0.26	3.7	0.42	4.8	0.54	4.8	0.74	4.7	NW	318
	12	0.32	3.4	0.51	4.0	0.64	4.3	0.98	4.0	NNW	343
	14	* 0.42	3.9	* 0.64	4.6	* 0.83	4.7	* 1.17	4.6	NE	46
	16	0.33	4.1	0.52	5.3	0.64	5.2	0.86	3.7	NNW	327
	18	0.30	4.1	0.47	5.2	0.59	5.2	0.82	7.0	NE	48
	20	0.33	3.9	0.50	5.0	0.61	4.8	0.76	4.5	NNW	337
	22	0.33	3.9	0.51	5.0	0.65	5.4	0.90	5.5	N	359
	最大	0.42	3.9	0.64	4.6	0.83	4.7	1.17	4.6		
	平均	0.27	4.0	0.43	5.3	0.54	5.4	0.74	5.2		
20	00	0.43	3.9	0.66	5.0	0.84	5.2	1.17	5.7	W	274
	02	0.34	4.1	0.55	5.6	0.68	6.4	0.87	6.4	NE	49
	04	0.54	3.7	0.84	4.6	1.02	4.8	1.45	3.4	NW	318
	06	0.58	4.4	0.90	5.9	1.15	6.5	1.42	7.1	W	274
	08	0.70	5.0	1.10	6.8	1.35	7.4	2.15	6.6	W	274
	10	0.79	4.6	1.27	6.2	1.64	6.3	2.11	7.9	W	278
	12	0.87	4.8	1.38	6.1	1.74	6.0	2.20	5.2	WNW	290
	14	* 1.40	5.6	* 2.16	6.5	* 2.68	6.4	* 3.47	6.5	WNW	282
	16	1.24	6.0	1.99	7.4	2.52	8.0	3.13	8.2	W	270
	18	1.19	5.9	1.85	7.2	2.27	7.9	2.61	8.8	W	270
	20	1.20	6.0	1.85	7.4	2.25	7.8	3.17	7.1	W	266
	22	1.21	5.9	1.91	7.5	2.38	8.1	2.98	9.0	N	352
	最大	1.40	5.6	2.16	6.5	2.68	6.4	3.47	6.5		
	平均	0.87	5.0	1.37	6.4	1.71	6.7	2.23	6.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年11月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	1.44	6.3	2.29	8.0	2.93	8.3	3.95	8.0	WNW	282
	02	1.76	6.3	2.77	7.8	3.33	8.0	4.10	8.7	NW	319
	04	1.93	6.6	3.02	7.9	3.85	8.1	5.04	8.6	NW	315
	06	* 1.99	6.5	* 3.22	8.2	4.03	8.3	4.91	9.1	WNW	286
	08	1.91	6.6	3.16	8.1	* 4.05	8.1	* 5.38	9.2	NW	323
	10	1.76	6.9	2.82	8.4	3.46	8.3	3.98	8.2	WNW	282
	12	1.57	6.7	2.44	8.2	2.92	8.3	3.28	7.4	WNW	290
	14	1.49	6.6	2.43	8.6	3.04	8.8	4.24	8.1	NNW	348
	16	1.53	6.9	2.42	8.7	2.96	8.9	3.64	10.0	N	356
	18	1.48	7.3	2.36	9.2	2.90	9.2	3.60	9.4	N	4
	20	1.57	7.7	2.48	9.6	3.07	9.7	4.22	9.6	NNE	12
	22	1.29	7.2	2.07	9.2	2.57	9.4	3.08	10.1	NNE	20
最大		1.99	6.5	3.22	8.2	4.05	8.1	5.38	9.2		
平均		1.64	6.8	2.62	8.5	3.26	8.6	4.12	8.9		
22	00	* 1.37	7.6	* 2.14	9.2	* 2.63	9.3	* 3.43	8.5	NNE	20
	02	1.32	7.4	2.08	9.3	2.60	9.6	3.30	10.3	NNE	16
	04	1.15	6.8	1.84	8.5	2.19	8.5	2.82	9.0	NNE	25
	06	1.33	7.5	2.09	9.1	2.51	9.0	3.05	8.5	NE	37
	08	1.04	6.9	1.65	8.5	2.12	9.0	2.73	9.4	NNE	29
	10	1.02	7.1	1.64	8.6	2.07	9.2	2.54	7.8	NNE	25
	12	0.75	6.2	1.21	7.8	1.49	7.9	2.15	6.9	NNE	25
	14	1.10	5.4	1.70	6.6	2.11	6.0	2.75	5.4	N	8
	16	0.91	5.2	1.41	6.6	1.75	6.3	2.21	8.0	NNE	16
	18	1.06	5.3	1.66	6.3	2.05	6.4	2.64	6.7	W	270
	20	0.94	5.3	1.44	6.3	1.83	6.2	2.44	7.2	W	274
	22	1.01	5.1	1.54	5.9	1.90	5.8	2.35	6.6	W	266
最大		1.37	7.6	2.14	9.2	2.63	9.3	3.43	8.5		
平均		1.08	6.3	1.70	7.7	2.10	7.8	2.70	7.9		
23	00	1.13	5.0	1.82	6.0	2.30	6.2	2.90	7.3	WNW	282
	02	1.41	5.3	2.21	6.2	2.73	5.9	3.40	6.2	WNW	282
	04	1.39	5.2	2.24	6.2	2.83	6.1	3.36	6.6	NNW	327
	06	* 1.44	5.6	* 2.30	6.6	* 2.84	6.8	* 3.75	6.6	WNW	282
	08	1.31	5.7	2.12	7.0	2.65	7.1	3.60	6.6	NNE	16
	10	1.24	5.7	1.96	7.0	2.48	6.9	3.00	6.5	NW	323
	12	1.16	5.7	1.88	7.1	2.27	7.1	2.75	6.7	NNW	327
	14	1.22	5.4	2.00	6.8	2.54	6.5	3.45	5.7	NNW	331
	16	1.31	5.7	2.18	7.2	2.69	7.1	3.25	7.9	NNE	29
	18	1.25	5.5	2.02	7.0	2.65	7.2	3.56	6.5	NNE	25
	20	1.10	5.5	1.72	6.6	2.12	6.5	2.77	5.2	NNE	16
	22	0.97	5.5	1.56	6.9	1.96	7.2	2.88	5.8	NNW	327
最大		1.44	5.6	2.30	6.6	2.84	6.8	3.75	6.6		
平均		1.24	5.5	2.00	6.7	2.51	6.7	3.22	6.5		
24	00	* 0.87	5.5	* 1.36	6.6	* 1.66	6.6	* 2.40	5.8	NNW	335
	02	0.71	5.4	1.10	6.6	1.33	6.4	2.06	6.3	NW	319
	04	0.74	5.7	1.14	6.8	1.42	6.7	2.24	6.6	NNW	331
	06	0.71	5.9	1.08	6.9	1.30	6.9	1.50	8.0	N	8
	08	0.78	6.0	1.20	7.3	1.43	7.3	1.71	7.7	NW	323
	10	0.74	6.0	1.15	7.0	1.39	7.0	1.68	7.9	NW	315
	12	0.67	5.8	1.04	7.2	1.26	7.2	1.55	6.2	NNE	20
	14	0.63	5.5	1.06	6.9	1.34	7.1	1.73	7.8	NNE	20
	16	0.65	5.4	1.06	6.7	1.40	6.9	2.01	7.2	欠測	欠測
	18	0.75	5.9	1.14	6.9	1.41	6.9	2.04	7.6	NNW	340
	20	0.61	5.4	0.93	6.6	1.16	6.5	1.47	6.6	NNE	12
	22	0.59	5.5	0.96	7.0	1.19	7.1	1.52	6.7	NNW	335
最大		0.87	5.5	1.36	6.6	1.66	6.6	2.40	5.8		
平均		0.70	5.7	1.10	6.9	1.36	6.9	1.83	7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年11月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.65	5.7	1.08	7.4	* 1.38	7.8	1.99	6.6	NNW	331
	02	0.63	6.1	1.00	7.3	1.26	7.1	1.93	7.5	NNW	327
	04	0.65	6.3	1.01	7.3	1.24	7.2	1.44	7.1	NNW	331
	06	0.52	5.8	0.83	7.2	1.00	7.3	1.50	7.5	NNW	340
	08	0.53	5.7	0.84	7.1	1.04	7.0	1.43	6.5	NW	323
	10	0.57	6.0	0.86	6.8	1.06	6.7	1.28	6.6	NNW	340
	12	0.50	5.3	0.80	6.5	0.98	6.4	1.28	6.6	NNW	335
	14	0.46	5.3	0.73	6.2	0.92	6.3	1.25	6.2	NW	323
	16	0.43	4.9	0.69	6.3	0.88	6.1	1.28	4.6	NNW	344
	18	* 0.71	4.4	* 1.11	5.1	1.35	5.3	1.68	4.8	WNW	299
	20	0.66	4.3	1.05	5.1	1.34	5.2	* 2.09	4.7	NNE	32
	22	0.56	4.3	0.87	4.9	1.11	5.0	1.53	4.6	欠測	欠測
	最大	0.71	4.4	1.11	5.1	1.38	7.8	2.09	4.7		
	平均	0.57	5.3	0.91	6.4	1.13	6.5	1.56	6.1		
26	00	0.45	4.1	0.68	4.9	0.87	5.0	1.13	4.9	NNE	29
	02	0.45	4.0	0.70	4.7	0.88	4.7	1.23	4.4	NNE	25
	04	0.47	3.9	0.74	4.5	0.92	4.3	1.42	4.7	NNE	18
	06	0.58	4.1	0.90	4.6	1.10	4.5	1.44	4.4	NNE	32
	08	0.73	4.2	1.14	4.8	1.41	4.7	1.81	4.6	W	273
	10	0.98	4.7	1.58	5.5	2.05	5.6	2.69	5.4	NW	322
	12	1.04	4.9	1.64	5.7	2.06	5.7	2.87	5.4	WNW	299
	14	1.05	4.9	1.73	6.0	* 2.35	6.1	* 3.43	6.1	NW	307
	16	1.03	4.9	1.62	5.9	2.08	5.9	2.64	5.5	NNW	327
	18	1.04	4.9	1.69	5.9	2.15	5.5	2.95	5.2	NW	323
	20	* 1.16	5.5	* 1.86	6.4	2.34	6.3	3.42	6.5	NNW	331
	22	0.98	5.2	1.58	6.3	2.01	6.5	2.80	5.9	NW	323
	最大	1.16	5.5	1.86	6.4	2.35	6.1	3.43	6.1		
	平均	0.83	4.6	1.32	5.4	1.68	5.4	2.32	5.3		
27	00	0.96	5.1	* 1.54	6.1	* 1.94	6.4	2.52	6.6	NNW	340
	02	* 1.00	5.9	1.52	6.8	1.90	6.9	* 2.91	7.2	N	352
	04	0.94	5.7	1.49	7.3	1.91	7.4	2.87	7.0	NNW	327
	06	0.76	5.6	1.19	7.0	1.50	7.7	1.91	8.9	NW	311
	08	0.95	6.8	1.41	7.8	1.79	7.8	2.29	7.5	NNW	327
	10	0.87	6.5	1.36	7.5	1.73	7.6	2.03	7.6	NNW	331
	12	0.80	6.3	1.20	7.5	1.44	7.3	1.80	8.1	NNW	335
	14	0.62	6.0	0.98	7.0	1.20	7.1	1.36	6.6	NNW	327
	16	0.57	5.8	0.88	6.9	1.07	7.0	1.56	6.3	NNW	340
	18	0.52	5.4	0.86	7.0	1.08	7.0	1.48	6.3	NNW	340
	20	0.47	5.4	0.73	6.7	0.93	6.6	1.27	6.7	NNW	344
	22	0.53	4.0	0.84	5.3	1.08	5.5	1.52	3.9	NW	325
	最大	1.00	5.9	1.54	6.1	1.94	6.4	2.91	7.2		
	平均	0.75	5.7	1.17	6.9	1.46	7.0	1.96	6.9		
28	00	1.01	4.9	1.60	5.6	1.97	5.9	2.69	6.8	W	274
	02	* 1.96	5.8	* 3.14	6.7	* 3.97	6.5	* 4.88	6.2	NNW	340
	04	1.86	6.0	2.88	7.1	3.52	7.2	4.81	6.8	NNW	331
	06	1.84	6.2	2.86	7.3	3.53	7.3	4.39	7.5	NNE	12
	08	1.47	5.4	2.36	6.8	3.02	7.0	4.14	7.0	NNE	12
	10	1.41	5.4	2.20	6.4	2.73	6.8	3.67	6.1	NNE	25
	12	1.70	5.8	2.55	6.4	3.10	6.9	3.88	7.2	NNE	20
	14	1.60	6.1	2.39	7.1	3.07	6.9	3.82	6.7	NW	315
	16	1.67	6.3	2.55	7.3	3.23	7.1	4.73	7.1	NW	319
	18	1.59	6.0	2.46	7.0	2.96	7.0	3.80	7.6	NW	319
	20	1.60	6.2	2.58	7.3	3.18	7.7	3.95	9.0	NNW	327
	22	1.54	6.0	2.35	7.3	2.92	6.8	3.43	6.8	NW	319
	最大	1.96	5.8	3.14	6.7	3.97	6.5	4.88	6.2		
	平均	1.60	5.8	2.49	6.9	3.10	6.9	4.02	7.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年11月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	359 回	測得回数	342 回
欠測回数	1 回	欠測回数	18 回
欠 測 率	0.3 %	欠 測 率	5.0 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 1.62	6.1	* 2.68	7.8	* 3.34	7.7	4.25	7.3	NW	319
	02	1.55	5.8	2.48	7.4	3.15	7.6	4.67	6.6	NNW	327
	04	1.34	6.2	2.09	7.2	2.67	7.2	3.49	7.9	NNW	327
	06	1.30	6.2	2.08	7.8	2.66	7.8	* 4.81	7.6	NNW	331
	08	1.19	6.4	1.92	8.2	2.37	7.9	2.76	8.7	NNW	331
	10	1.10	6.5	1.76	7.6	2.34	7.3	3.50	8.4	NNW	327
	12	1.06	6.6	1.64	7.7	2.03	8.0	2.43	7.9	NW	319
	14	0.88	6.1	1.39	7.1	1.75	7.2	2.48	7.3	NW	319
	16	0.82	6.0	1.30	7.5	1.70	7.5	2.58	7.6	NNW	340
	18	0.88	6.1	1.47	7.6	1.97	7.6	2.67	8.2	NW	323
	20	0.71	6.0	1.15	7.3	1.43	6.8	1.87	7.2	NW	323
	22	0.70	6.0	1.11	7.2	1.38	7.1	2.29	7.5	NW	319
	最大	1.62	6.1	2.68	7.8	3.34	7.7	4.81	7.6		
	平均	1.10	6.2	1.76	7.5	2.23	7.5	3.15	7.7		
30	00	0.65	5.8	1.03	6.7	1.35	6.8	1.84	6.4	NNW	327
	02	0.66	5.1	1.06	6.6	1.35	6.5	1.70	5.2	NW	323
	04	0.61	4.7	0.96	6.0	1.21	6.2	1.70	4.8	NNW	331
	06	0.57	4.6	0.91	6.0	1.15	5.9	1.49	5.1	NNW	327
	08	0.57	4.6	0.91	5.9	1.15	5.8	1.53	4.9	NNW	331
	10	0.68	4.5	1.07	5.6	1.36	5.4	1.78	5.2	WNW	284
	12	0.74	4.6	1.17	5.5	1.47	5.5	1.95	4.7	欠測	欠測
	14	0.87	4.4	1.37	5.1	1.75	5.0	2.17	5.0	WNW	293
	16	1.00	5.0	1.57	5.7	1.91	5.7	2.37	5.8	NNW	331
	18	* 1.01	5.0	* 1.57	6.0	* 1.92	6.3	* 2.79	5.8	NNW	331
	20	0.98	5.4	1.53	6.5	1.91	6.6	2.36	6.1	NNW	331
	22	0.81	5.4	1.29	6.3	1.60	6.5	1.93	7.3	N	8
	最大	1.01	5.0	1.57	6.0	1.92	6.3	2.79	5.8		
	平均	0.76	4.9	1.20	6.0	1.51	6.0	1.97	5.5		
月最大	2.03	7.5	3.22	8.2	4.07	8.2	5.90	8.0			
起時	0904		2106		0320		0410				
平均	0.89	5.4	1.41	6.6	1.76	6.7	2.33	6.6			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年12月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.78	6.3	1.23	7.4	1.50	7.2	2.05	6.3	WNW	303
	02	0.62	5.8	1.02	7.1	1.36	7.5	1.94	7.4	NNW	327
	04	0.61	6.0	0.96	7.0	1.17	6.8	1.39	6.9	NNW	335
	06	0.52	5.9	0.84	7.0	1.04	7.3	1.22	7.2	NNW	331
	08	0.47	5.3	0.78	6.8	0.98	6.5	1.45	6.0	NW	323
	10	0.67	4.1	1.05	4.7	1.31	4.6	1.63	3.3	NE	44
	12	1.25	5.2	1.95	6.0	2.50	5.8	3.10	5.8	W	270
	14	* 1.53	5.6	* 2.45	6.8	* 3.20	6.7	* 4.03	6.8	WNW	290
	16	1.46	5.7	2.15	6.5	2.56	6.5	3.34	5.9	W	278
	18	1.23	5.5	1.87	6.6	2.25	6.3	2.63	5.8	WNW	282
	20	1.05	5.3	1.64	6.6	2.00	6.5	2.61	6.2	W	278
	22	1.04	5.5	1.62	6.6	1.98	6.4	2.42	6.3	W	278
	最大	1.53	5.6	2.45	6.8	3.20	6.7	4.03	6.8		
	平均	0.94	5.5	1.46	6.6	1.82	6.5	2.32	6.2		
06	00	* 0.88	5.3	* 1.38	6.2	* 1.77	6.1	2.28	5.7	W	270
	02	0.82	5.3	1.27	6.1	1.63	6.1	* 2.47	5.9	W	278
	04	0.78	5.4	1.24	6.2	1.60	6.3	2.18	5.8	W	270
	06	0.65	5.0	1.02	6.1	1.27	6.0	1.54	5.6	W	270
	08	0.74	5.5	1.15	6.4	1.39	6.4	1.74	5.7	WNW	286
	10	0.72	5.7	1.14	6.5	1.42	6.4	1.71	6.6	W	274
	12	0.61	4.7	0.97	6.1	1.18	5.9	1.47	6.5	WNW	282
	14	0.58	4.9	0.92	6.0	1.11	6.1	1.42	5.8	WNW	299
	16	0.52	4.6	0.82	5.7	1.02	5.2	1.26	5.4	W	278
	18	0.50	4.7	0.78	5.7	0.94	5.8	1.19	5.9	W	278
	20	0.41	4.4	0.65	5.6	0.78	5.6	0.91	6.0	NE	56
	22	0.43	4.8	0.66	5.7	0.78	5.6	1.00	5.6	NW	315
	最大	0.88	5.3	1.38	6.2	1.77	6.1	2.47	5.9		
	平均	0.64	5.0	1.00	6.0	1.24	6.0	1.60	5.9		
07	00	0.41	4.7	0.62	5.4	0.77	5.3	1.30	5.5	W	277
	02	0.80	4.5	1.24	5.0	1.53	5.0	1.86	5.4	NW	313
	04	0.95	4.7	1.53	5.5	1.92	5.3	2.80	5.0	欠測	欠測
	06	* 1.34	5.3	* 2.15	5.8	* 2.71	5.8	* 3.39	5.5	W	274
	08	1.23	5.3	1.98	6.5	2.47	6.4	3.20	6.4	WNW	282
	10	0.91	4.9	1.46	6.2	1.83	6.3	2.36	6.4	NW	311
	12	0.97	5.6	1.52	6.5	1.92	6.3	2.48	6.5	NW	307
	14	0.93	5.6	1.45	6.9	1.81	6.9	2.50	5.8	WNW	286
	16	1.02	6.1	1.62	7.5	2.00	7.5	2.42	7.8	NW	323
	18	0.97	5.8	1.54	7.2	1.91	7.3	2.46	8.4	NW	315
	20	0.91	5.5	1.48	6.9	1.93	7.3	3.01	7.1	NW	311
	22	0.99	5.6	1.54	7.1	1.90	7.2	2.39	6.8	NW	307
	最大	1.34	5.3	2.15	5.8	2.71	5.8	3.39	5.5		
	平均	0.95	5.3	1.51	6.4	1.89	6.4	2.51	6.4		
08	00	1.21	5.0	1.92	5.9	2.37	6.0	3.00	5.7	WNW	303
	02	1.65	5.5	2.67	6.4	3.28	6.2	4.21	6.3	WNW	290
	04	* 1.78	5.8	* 2.89	7.0	* 3.68	6.9	* 4.48	7.5	NW	319
	06	1.70	5.9	2.78	7.3	3.47	7.1	4.27	8.2	NW	319
	08	1.60	6.1	2.58	7.3	3.18	7.6	4.16	6.8	NW	319
	10	1.36	5.9	2.14	7.1	2.63	7.5	3.10	8.8	WNW	303
	12	1.19	5.6	1.99	6.9	2.61	7.0	3.87	6.6	NW	307
	14	1.12	5.9	1.82	7.3	2.21	7.0	2.53	7.0	NW	307
	16	1.18	6.0	1.86	7.0	2.38	7.1	3.66	7.2	WNW	286
	18	0.99	5.5	1.59	6.9	2.00	7.1	2.59	7.0	WNW	299
	20	1.02	5.4	1.67	6.6	2.13	6.4	2.46	6.5	NW	319
	22	1.08	5.7	1.66	6.4	2.07	6.7	2.73	7.5	WNW	286
	最大	1.78	5.8	2.89	7.0	3.68	6.9	4.48	7.5		
	平均	1.32	5.7	2.13	6.8	2.67	6.9	3.42	7.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年12月						波 高		波 向			
						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	356 回		
						欠測回数	0 回	欠測回数	16 回		
機種：波向 海象計 - 50.0m - 52.0 m						欠 測 率	0.0 %	欠 測 率	4.3 %		
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m			緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
09	00	0.99	5.6	1.54	6.7	1.93	6.6	* 2.92	7.2	NW	319
	02	* 1.00	5.7	* 1.56	6.8	* 1.97	6.6	2.53	6.6	NW	315
	04	0.94	5.7	1.51	7.0	1.91	7.2	2.25	6.5	NNW	327
	06	0.90	5.5	1.42	6.8	1.75	6.7	2.12	6.5	NNE	12
	08	0.83	5.4	1.31	6.9	1.60	7.3	2.06	6.6	WNW	303
	10	0.76	5.5	1.15	6.8	1.39	6.8	1.76	7.2	NW	323
	12	0.71	5.3	1.13	6.8	1.39	6.9	1.85	7.0	NNW	327
	14	0.62	5.1	1.02	6.5	1.30	6.8	1.81	6.7	NW	323
	16	0.59	5.3	0.95	6.6	1.23	6.7	1.50	6.6	NW	315
	18	0.63	5.2	0.99	6.3	1.21	6.4	1.54	6.6	WNW	295
	20	0.57	5.6	0.88	6.4	1.06	6.3	1.28	6.1	NNW	327
	22	0.44	4.8	0.68	6.1	0.85	6.1	1.24	6.8	NNW	327
	最大 平均	1.00 0.75	5.7 5.4	1.56 1.18	6.8 6.6	1.97 1.47	6.6 6.7	2.92 1.91	7.2 6.7		
	10	00	0.37	4.7	0.60	6.1	0.74	6.0	1.01	6.4	NNW
02		0.30	4.8	0.48	6.1	0.62	6.2	0.84	6.8	WNW	286
04		0.30	4.8	0.48	6.0	0.59	5.8	0.74	5.8	欠測	欠測
06		0.24	4.6	0.39	6.0	0.48	6.0	0.67	4.8	NW	307
08		0.29	4.0	0.46	5.1	0.57	4.9	0.68	4.5	NE	41
10		0.30	3.8	0.47	4.5	0.59	4.4	0.92	3.8	NE	34
12		0.38	3.6	0.61	4.2	0.75	4.1	1.05	3.4	欠測	欠測
14		0.48	3.9	0.74	4.4	0.96	4.2	1.26	4.4	N	353
16		0.55	4.2	0.85	4.9	1.06	4.9	1.37	5.5	N	7
18		0.61	4.5	0.99	5.3	1.26	5.0	* 1.60	4.8	欠測	欠測
20		* 0.69	5.0	* 1.02	5.7	* 1.29	5.5	1.49	4.7	WNW	299
22		0.62	4.9	0.96	5.9	1.19	5.7	1.51	6.4	WNW	299
最大 平均		0.69 0.43	5.0 4.4	1.02 0.67	5.7 5.4	1.29 0.84	5.5 5.2	1.60 1.10	4.8 5.1		
11		00	0.68	4.7	1.08	6.0	1.31	5.8	1.65	7.0	NW
	02	* 0.75	5.3	* 1.16	6.4	* 1.42	6.2	1.65	6.8	NW	307
	04	0.64	5.1	1.05	6.2	1.35	6.3	* 1.85	5.9	NW	307
	06	0.67	5.5	1.05	6.7	1.32	7.1	1.68	7.1	NW	323
	08	0.64	5.5	1.01	6.7	1.22	6.5	1.78	6.7	NW	319
	10	0.61	5.4	0.96	6.6	1.19	6.6	1.69	7.3	WNW	303
	12	0.62	5.5	0.98	6.6	1.26	6.7	1.68	7.0	NW	319
	14	0.54	5.2	0.87	6.5	1.07	6.7	1.50	6.0	NW	307
	16	0.50	5.1	0.81	6.4	1.03	6.1	1.33	7.4	NW	323
	18	0.57	4.7	0.88	5.9	1.08	6.0	1.39	4.2	NW	315
	20	0.50	4.8	0.84	5.9	1.09	6.2	1.49	6.5	NNW	327
	22	0.58	4.8	0.90	5.8	1.11	5.8	1.42	4.5	WNW	303
	最大 平均	0.75 0.61	5.3 5.1	1.16 0.97	6.4 6.3	1.42 1.20	6.2 6.3	1.85 1.59	5.9 6.4		
	12	00	0.63	4.7	0.96	5.4	1.21	5.0	1.52	5.6	NNE
02		0.63	4.8	0.99	5.9	1.25	6.5	1.97	6.7	WNW	299
04		0.66	5.0	1.08	6.4	1.34	6.1	1.69	5.0	NW	315
06		0.68	5.2	1.06	6.3	1.33	6.2	1.75	6.6	NNW	327
08		0.72	4.9	1.14	6.1	1.39	6.2	1.83	6.4	NW	319
10		0.69	5.1	1.09	6.0	1.37	5.9	1.89	6.3	NW	315
12		0.64	4.9	0.98	6.0	1.18	6.4	1.61	6.3	WNW	303
14		0.66	4.9	1.05	6.0	1.28	6.1	1.57	6.9	W	278
16		* 0.83	5.0	* 1.27	5.8	* 1.54	5.8	1.92	5.7	NW	323
18		0.75	5.1	1.19	5.8	1.53	5.6	* 2.25	6.0	欠測	欠測
20		0.62	4.7	1.02	5.7	1.30	5.6	1.70	5.3	NNE	25
22		0.58	4.9	0.90	5.7	1.12	5.8	1.40	5.3	WNW	299
最大 平均		0.83 0.67	5.0 4.9	1.27 1.06	5.8 5.9	1.54 1.32	5.8 5.9	2.25 1.76	6.0 6.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年12月											
機種：波向 海象計 - 50.0m - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.71	4.1	1.10	4.6	1.34	4.6	1.73	4.8	NW	304
	02	0.86	4.4	1.38	5.1	1.74	5.2	2.30	5.0	欠測	欠測
	04	1.02	4.7	1.60	5.5	1.94	5.4	2.62	5.0	欠測	欠測
	06	1.03	4.9	1.62	5.7	2.03	6.1	3.01	4.9	W	266
	08	1.49	5.7	2.35	6.6	3.03	6.4	4.92	6.2	NNW	327
	10	* 1.81	6.2	* 2.85	7.0	* 3.82	6.9	* 5.68	6.4	NNW	335
	12	1.60	6.1	2.51	7.3	3.11	7.3	4.46	7.6	NNW	331
	14	1.47	6.2	2.27	7.2	2.71	7.3	3.49	7.7	NNE	20
	16	1.10	6.1	1.73	7.3	2.14	7.0	3.18	6.6	WNW	282
	18	0.98	5.9	1.62	7.3	2.16	7.5	3.20	6.7	NW	307
	20	0.78	5.8	1.28	7.1	1.55	7.2	1.96	7.6	WNW	286
	22	1.45	5.5	2.24	6.3	2.78	6.1	3.67	6.5	W	278
最大		1.81	6.2	2.85	7.0	3.82	6.9	5.68	6.4		
平均		1.19	5.5	1.88	6.4	2.36	6.4	3.35	6.3		
14	00	2.14	6.1	3.41	7.4	4.32	7.7	5.46	7.3	欠測	欠測
	02	2.26	7.0	3.46	8.2	4.20	8.2	5.15	6.8	NW	307
	04	2.28	6.6	3.78	8.1	* 5.01	8.3	* 7.40	8.3	WNW	282
	06	2.32	6.8	3.62	8.0	4.58	8.0	5.57	7.5	NNW	335
	08	2.03	6.8	3.21	8.3	3.94	8.2	5.63	7.4	N	4
	10	* 2.48	7.5	* 3.90	8.9	4.74	9.0	6.37	9.4	NNW	331
	12	2.18	6.6	3.58	8.7	4.73	9.0	7.07	9.1	NNW	331
	14	2.19	6.8	3.48	8.4	4.09	8.3	5.05	7.6	NW	323
	16	2.17	7.0	3.50	8.8	4.48	8.9	6.23	8.4	NW	319
	18	2.02	7.0	3.19	8.5	4.07	8.5	5.14	7.7	NW	315
	20	1.76	6.3	2.86	8.1	3.54	8.4	4.36	7.5	WNW	299
	22	1.74	6.7	2.69	8.1	3.27	8.4	4.11	8.6	NNW	335
最大		2.48	7.5	3.90	8.9	5.01	8.3	7.40	8.3		
平均		2.13	6.8	3.39	8.3	4.25	8.4	5.63	8.0		
15	00	1.64	6.6	2.55	7.9	3.26	8.0	4.43	7.0	NW	323
	02	1.68	6.5	2.63	7.9	3.21	7.7	4.20	6.6	NNW	335
	04	1.75	5.9	2.82	7.3	3.59	7.3	4.66	8.0	NW	319
	06	2.06	6.5	3.42	8.4	4.22	7.9	5.10	8.7	NNW	331
	08	2.12	6.5	3.40	7.9	4.27	7.9	5.10	7.4	NW	311
	10	2.27	6.8	3.32	8.0	4.04	8.2	4.53	9.2	NNW	331
	12	* 2.56	7.3	3.87	8.6	4.82	8.5	5.70	8.0	NNW	327
	14	2.47	7.3	3.79	9.2	4.76	9.3	7.32	9.0	NW	319
	16	2.24	6.8	3.66	8.9	4.74	9.0	* 7.48	8.7	NW	315
	18	2.42	7.1	3.86	9.0	4.98	9.5	5.68	9.4	NW	315
	20	2.54	7.4	3.99	9.0	5.07	9.1	6.53	9.7	NW	319
	22	2.54	6.8	* 4.27	9.2	* 5.56	8.8	7.37	9.4	NNW	327
最大		2.56	7.3	4.27	9.2	5.56	8.8	7.48	8.7		
平均		2.19	6.8	3.46	8.4	4.38	8.4	5.68	8.4		
16	00	2.66	7.5	4.19	9.0	5.12	9.1	6.48	8.5	NNW	331
	02	2.60	7.4	4.04	9.0	4.85	8.9	5.66	10.3	WNW	303
	04	2.41	7.2	3.91	9.0	4.88	9.1	6.21	8.1	NNW	340
	06	2.37	7.2	3.79	9.1	4.72	9.1	6.70	9.0	NNW	340
	08	2.14	6.4	3.52	8.5	4.31	8.6	5.04	8.9	NNW	327
	10	2.53	7.0	3.87	8.6	4.89	9.0	5.73	10.8	NNW	340
	12	2.46	6.8	4.15	8.9	5.23	8.6	6.81	7.6	NNW	327
	14	2.45	7.2	4.04	8.8	4.98	8.7	6.57	8.1	NNW	335
	16	2.43	6.8	3.98	8.9	5.04	9.1	6.03	9.9	NNW	327
	18	2.68	6.9	4.32	8.6	5.43	8.9	6.55	9.4	NNW	331
	20	2.67	7.0	4.35	8.9	5.46	8.9	* 7.65	8.4	NW	323
	22	* 2.86	7.4	* 4.74	9.2	* 6.09	8.8	7.56	9.7	NW	323
最大		2.86	7.4	4.74	9.2	6.09	8.8	7.65	8.4		
平均		2.52	7.1	4.08	8.9	5.08	8.9	6.42	9.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年12月												波 高		波 向	
												規定回数	372 回	規定回数	372 回
												測得回数	372 回	測得回数	356 回
												欠測回数	0 回	欠測回数	16 回
												欠 測 率	0.0 %	欠 測 率	4.3 %
機種：波向 海象計 - 50.0m - 52.0 m															
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″							
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向						
									16方位	角度					
17	00	* 2.59	7.2	* 4.07	8.8	* 5.01	8.7	* 6.46	8.9	NNW	340				
	02	2.29	6.8	3.68	9.0	4.61	9.0	5.56	8.5	NW	319				
	04	2.30	7.1	3.73	8.7	4.67	8.9	6.22	8.5	NW	323				
	06	2.07	6.7	3.27	8.2	4.19	7.6	5.50	7.6	NW	323				
	08	2.53	7.6	4.01	9.2	4.93	9.1	5.96	11.0	NNW	327				
	10	2.22	7.0	3.56	8.7	4.39	8.3	5.46	7.4	NW	323				
	12	2.22	6.8	3.55	8.7	4.55	8.7	6.11	10.3	NNW	335				
	14	2.16	6.9	3.46	8.6	4.38	8.6	5.72	8.8	NW	311				
	16	2.05	7.0	3.28	8.6	3.97	8.7	5.47	7.9	NNW	331				
	18	1.89	6.4	2.95	8.0	3.66	7.8	4.34	9.1	NNW	331				
	20	1.92	6.6	3.08	8.2	3.87	8.5	5.12	7.2	NNE	20				
	22	1.89	6.9	2.91	8.3	3.64	8.5	4.95	9.3	NNW	344				
最大 平均	2.59 2.18	7.2 6.9	4.07 3.46	8.8 8.6	5.01 4.32	8.7 8.5	6.46 5.57	8.9 8.7							
18	00	1.86	6.9	2.96	8.6	3.80	8.8	4.75	9.1	NNW	348				
	02	1.75	7.0	2.70	8.7	3.41	9.0	4.17	9.3	NW	323				
	04	1.54	6.8	2.51	8.7	3.12	8.7	4.05	8.7	NW	323				
	06	1.47	6.2	2.36	7.5	3.05	8.0	4.17	9.6	NNE	12				
	08	1.26	6.0	2.02	7.6	2.45	7.7	3.40	8.6	NW	323				
	10	1.21	6.1	1.90	7.5	2.30	7.4	2.73	8.6	NNW	331				
	12	1.31	5.7	2.03	7.3	2.52	7.4	3.18	7.1	N	356				
	14	1.36	5.4	2.06	6.4	2.57	6.5	3.25	6.9	NNE	20				
	16	1.62	5.4	2.61	6.3	3.30	6.3	4.24	6.9	W	270				
	18	1.57	5.7	2.46	6.9	3.09	6.8	3.72	5.3	W	278				
	20	1.74	5.7	2.79	7.1	3.55	6.9	4.46	7.9	W	278				
	22	* 2.08	6.3	* 3.20	7.3	* 3.91	6.8	* 5.13	7.2	WNW	286				
最大 平均	2.08 1.56	6.3 6.1	3.20 2.47	7.3 7.5	3.91 3.09	6.8 7.5	5.13 3.94	7.2 7.9							
19	00	2.21	6.3	3.57	7.8	4.53	7.6	* 7.38	7.1	WNW	295				
	02	2.33	6.9	3.66	8.2	4.67	8.2	5.96	8.1	WNW	290				
	04	2.18	6.3	3.42	7.5	4.26	7.6	6.16	8.0	N	4				
	06	2.37	6.8	3.83	8.4	4.78	8.3	5.90	9.0	WNW	295				
	08	1.90	6.7	3.04	8.7	3.74	8.1	4.27	8.2	NNW	340				
	10	2.27	6.9	3.57	8.8	4.31	8.6	5.30	8.7	NNW	331				
	12	2.38	7.1	3.68	8.6	4.65	9.1	6.04	8.9	NNW	331				
	14	2.70	7.3	4.36	9.3	* 5.53	9.8	6.37	8.7	NW	319				
	16	* 3.03	8.2	* 4.38	9.6	5.28	9.7	6.09	11.4	NW	319				
	18	2.62	7.6	4.27	9.7	5.38	9.9	7.02	11.1	NNW	327				
	20	2.15	7.2	3.38	8.8	4.30	9.1	5.63	9.0	NNW	327				
	22	2.14	6.9	3.42	9.1	4.10	9.0	5.02	9.4	NNW	331				
最大 平均	3.03 2.36	8.2 7.0	4.38 3.72	9.6 8.7	5.53 4.63	9.8 8.8	7.38 5.93	7.1 9.0							
20	00	2.34	6.6	3.76	8.4	4.74	8.6	5.69	8.0	NW	319				
	02	* 2.78	7.4	* 4.29	8.7	* 5.35	8.7	* 6.94	8.0	NNW	331				
	04	2.49	7.1	4.03	8.8	5.00	8.7	6.28	8.1	NNW	344				
	06	2.62	7.5	4.15	9.4	5.08	9.6	5.57	8.4	NW	319				
	08	2.51	7.1	4.02	8.8	5.06	8.9	6.36	9.4	NNW	327				
	10	2.29	7.0	3.71	9.0	4.68	8.9	5.90	8.1	NW	323				
	12	1.98	6.3	3.16	8.1	4.11	8.0	5.82	7.7	NW	323				
	14	2.01	6.8	3.09	8.4	3.76	8.7	4.60	8.2	NW	323				
	16	1.92	6.9	3.12	8.4	4.11	8.8	6.82	8.8	NW	323				
	18	2.08	7.3	3.32	8.7	3.97	8.9	4.72	8.2	NW	319				
	20	1.82	7.0	2.84	8.8	3.62	9.1	4.64	10.1	NNW	331				
	22	1.73	6.6	2.77	8.5	3.40	8.7	4.43	8.8	NW	319				
最大 平均	2.78 2.21	7.4 7.0	4.29 3.52	8.7 8.7	5.35 4.41	8.7 8.8	6.94 5.65	8.0 8.5							

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	356 回
欠測回数	0 回	欠測回数	16 回
欠 測 率	0.0 %	欠 測 率	4.3 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	向 角度
21	00	* 1.63	6.6	2.60	8.1	3.19	8.0	3.88	8.1	WNW	299
	02	1.58	6.3	2.52	7.7	3.08	7.6	3.67	8.4	WNW	303
	04	1.62	6.0	* 2.62	7.3	* 3.31	7.7	* 4.34	7.8	NW	323
	06	1.37	5.9	2.21	7.4	2.75	7.7	3.94	7.6	NNW	327
	08	1.25	5.9	1.97	7.5	2.42	7.4	2.92	7.2	NW	323
	10	1.20	6.2	2.00	7.6	2.60	7.8	3.30	7.9	NNW	331
	12	1.10	6.0	1.81	7.5	2.27	7.7	2.95	7.8	NNW	331
	14	1.04	6.4	1.69	7.7	2.21	7.5	3.50	8.0	NNW	335
	16	0.99	6.4	1.58	7.6	1.99	7.2	2.44	6.5	NNW	335
	18	0.88	6.1	1.38	7.3	1.74	7.6	2.29	7.4	NNE	12
	20	0.79	6.0	1.28	7.5	1.60	7.4	1.95	7.8	NNE	25
	22	0.78	6.2	1.20	7.5	1.43	7.4	1.57	7.5	NNE	33
最大	1.63	6.6	2.62	7.3	3.31	7.7	4.34	7.8			
平均	1.19	6.2	1.91	7.6	2.38	7.6	3.06	7.7			
22	00	0.76	6.1	1.23	7.3	* 1.57	7.6	* 2.25	7.0	NNE	33
	02	0.66	5.8	1.06	7.1	1.40	7.6	1.71	7.8	NE	37
	04	* 0.81	6.4	* 1.24	7.5	1.52	7.8	2.10	7.3	NE	41
	06	0.69	5.9	1.12	7.5	1.44	7.4	1.76	7.5	欠測	欠測
	08	0.66	6.0	1.02	7.3	1.22	7.0	1.67	6.8	NNE	33
	10	0.65	5.3	1.02	6.3	1.27	6.5	1.64	8.0	NE	53
	12	0.61	4.9	0.96	6.1	1.19	5.9	1.76	5.8	WNW	295
	14	0.60	5.1	0.96	6.2	1.21	6.1	1.54	6.7	WNW	282
	16	0.62	5.2	0.92	6.0	1.12	6.0	1.57	5.2	欠測	欠測
	18	0.64	5.0	0.98	6.1	1.21	6.1	1.47	4.8	NNW	335
	20	0.57	4.9	0.88	5.9	1.11	6.0	1.44	5.8	WNW	286
	22	0.59	4.6	0.95	5.7	1.17	5.7	1.40	5.2	WNW	295
最大	0.81	6.4	1.24	7.5	1.57	7.6	2.25	7.0			
平均	0.66	5.4	1.03	6.6	1.29	6.6	1.69	6.5			
23	00	0.91	4.8	1.44	5.8	1.76	5.6	2.31	5.1	W	278
	02	0.85	4.9	1.32	5.8	1.66	6.1	2.57	6.2	W	266
	04	0.91	4.8	1.43	5.6	1.81	5.7	2.58	5.6	欠測	欠測
	06	0.78	5.3	1.22	6.1	1.56	6.2	2.06	5.9	W	270
	08	0.77	5.2	1.25	6.3	1.55	6.4	1.95	6.8	W	274
	10	0.77	5.2	1.19	6.3	1.48	6.0	1.95	5.1	W	266
	12	0.85	5.4	1.38	6.5	1.83	6.6	* 2.83	6.7	W	278
	14	* 0.94	5.4	* 1.49	6.9	* 1.93	6.6	2.52	6.8	NW	311
	16	0.83	5.2	1.31	6.2	1.69	6.6	2.65	6.7	WNW	282
	18	0.88	5.3	1.41	6.4	1.77	6.6	2.42	6.0	W	274
	20	0.84	5.6	1.32	6.2	1.66	6.6	2.03	6.6	NNW	327
	22	0.86	5.2	1.36	6.2	1.71	6.2	2.09	6.7	WNW	290
最大	0.94	5.4	1.49	6.9	1.93	6.6	2.83	6.7			
平均	0.85	5.2	1.34	6.2	1.70	6.3	2.33	6.2			
24	00	0.97	5.6	1.51	6.5	1.94	6.5	2.77	7.2	W	270
	02	1.09	5.8	1.75	7.1	2.20	6.9	3.00	6.7	W	266
	04	1.25	6.2	1.98	7.2	2.49	7.5	3.49	7.1	WNW	282
	06	1.18	6.1	1.85	7.3	2.47	7.3	3.47	7.2	W	278
	08	1.38	6.7	2.26	7.8	2.84	7.6	3.34	7.7	W	270
	10	* 1.54	6.6	2.39	7.8	2.93	7.9	3.71	7.9	W	278
	12	1.53	6.9	* 2.39	8.3	* 3.07	8.4	3.71	8.4	WNW	303
	14	1.30	6.4	2.14	7.7	2.78	7.9	3.61	7.5	W	274
	16	1.39	6.2	2.20	7.7	2.77	7.7	3.53	7.5	NW	311
	18	1.41	6.2	2.22	7.9	2.75	8.3	3.59	8.2	NNW	327
	20	1.40	6.5	2.23	8.1	2.72	7.9	3.46	8.8	WNW	286
	22	1.51	5.9	2.38	7.6	2.97	7.4	* 3.88	6.7	NNW	331
最大	1.54	6.6	2.39	8.3	3.07	8.4	3.88	6.7			
平均	1.33	6.3	2.11	7.6	2.66	7.6	3.46	7.6			

*は日最大波高、波向欄の空白は欠測を示す

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	356 回
欠測回数	0 回	欠測回数	16 回
欠 測 率	0.0 %	欠 測 率	4.3 %

機種：波向 海象計 - 50.0m - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度
25	00	1.60	6.1	2.49	7.6	3.25	8.0	3.92	8.2	NW	323
	02	1.52	5.7	2.41	7.0	3.01	7.2	3.50	7.4	NNW	327
	04	1.44	5.7	2.33	7.1	2.91	7.0	4.10	6.8	NW	307
	06	1.46	5.8	2.30	7.1	2.84	7.1	3.34	7.3	WNW	282
	08	1.34	5.5	2.16	6.7	2.76	7.0	3.58	6.0	W	278
	10	1.22	5.8	1.90	7.0	2.32	7.3	3.24	6.7	NW	323
	12	1.03	5.7	1.58	7.0	1.91	6.8	2.78	5.3	NW	323
	14	1.10	6.0	1.78	7.3	2.26	7.2	2.91	7.0	NNW	327
	16	1.09	6.1	1.72	7.2	2.06	7.1	2.55	6.9	NNW	331
	18	1.28	5.3	2.06	6.6	2.59	6.5	3.51	6.9	NNW	335
	20	* 1.61	6.1	2.49	7.3	3.02	7.4	3.73	6.0	NW	323
	22	1.58	6.1	* 2.52	7.7	* 3.26	8.0	* 4.18	7.8	NNW	327
	最大	1.61	6.1	2.52	7.7	3.26	8.0	4.18	7.8		
	平均	1.36	5.8	2.15	7.1	2.68	7.2	3.44	6.9		
26	00	* 1.53	6.1	* 2.33	7.5	* 2.84	7.6	3.29	6.4	NNW	335
	02	1.40	5.7	2.27	7.4	2.80	7.9	3.42	7.4	NNW	331
	04	1.38	5.9	2.22	7.4	2.79	7.7	3.57	8.5	W	278
	06	1.47	6.2	2.27	7.6	2.78	7.6	3.31	7.1	WNW	295
	08	1.35	6.2	2.12	7.6	2.59	7.2	3.52	6.3	WNW	290
	10	1.29	6.0	2.00	7.4	2.51	7.5	* 3.59	7.8	WNW	282
	12	1.25	5.9	1.95	7.2	2.51	7.2	3.20	6.8	NW	323
	14	1.10	5.3	1.78	7.0	2.27	6.9	2.70	7.2	W	270
	16	1.13	5.3	1.83	6.9	2.29	7.2	3.21	7.2	NW	323
	18	1.07	5.5	1.72	6.8	2.22	6.9	2.82	7.4	W	278
	20	1.03	5.6	1.69	7.1	2.14	7.1	2.89	6.6	WNW	286
	22	1.16	6.0	1.86	7.5	2.41	7.9	3.26	6.9	W	274
	最大	1.53	6.1	2.33	7.5	2.84	7.6	3.59	7.8		
	平均	1.26	5.8	2.00	7.3	2.51	7.4	3.23	7.1		
27	00	0.99	5.7	1.61	7.3	1.96	7.3	2.44	7.2	WNW	286
	02	* 1.12	6.3	* 1.81	7.7	* 2.22	7.5	* 2.69	7.5	WNW	282
	04	0.89	6.0	1.44	7.3	1.89	7.3	2.35	7.1	WNW	299
	06	0.81	6.0	1.32	7.5	1.67	7.4	2.29	8.3	WNW	290
	08	0.96	6.1	1.51	7.3	1.94	7.1	2.44	7.3	NNW	327
	10	0.87	6.3	1.35	7.4	1.62	7.3	2.04	7.4	NW	307
	12	0.83	6.2	1.31	7.3	1.61	7.2	2.16	6.4	WNW	282
	14	0.74	5.8	1.19	7.1	1.53	7.2	1.94	7.3	NNW	340
	16	0.61	5.1	1.02	6.5	1.31	6.7	1.66	6.1	NNW	327
	18	0.60	5.1	0.93	6.4	1.13	6.4	1.58	6.7	NW	319
	20	0.55	5.4	0.91	6.9	1.18	6.7	2.20	6.6	WNW	290
	22	0.47	5.1	0.76	6.4	0.97	6.5	1.41	6.2	NW	315
	最大	1.12	6.3	1.81	7.7	2.22	7.5	2.69	7.5		
	平均	0.79	5.8	1.26	7.1	1.59	7.1	2.10	7.0		
28	00	0.47	4.9	0.74	6.4	0.93	6.4	1.21	6.1	NNE	29
	02	0.44	4.8	0.69	5.8	0.86	5.6	1.19	5.0	NE	53
	04	0.41	4.9	0.64	5.9	0.80	5.7	1.18	6.5	WNW	290
	06	0.56	4.6	0.88	5.1	1.12	5.2	1.49	5.0	欠測	欠測
	08	0.61	4.6	0.96	5.5	1.23	5.4	1.54	4.8	NE	49
	10	0.70	4.5	1.09	5.1	1.37	5.3	* 2.05	4.7	欠測	欠測
	12	0.54	4.4	0.84	5.0	1.03	4.9	1.47	4.9	欠測	欠測
	14	0.54	4.0	0.86	5.0	1.05	4.7	1.39	4.7	NE	34
	16	0.62	4.0	0.98	4.7	1.25	4.5	1.84	4.3	欠測	欠測
	18	* 0.82	4.4	* 1.25	5.0	* 1.57	4.9	2.05	4.7	WNW	289
	20	0.74	4.3	1.19	4.9	1.47	4.9	1.98	5.1	NE	53
	22	0.72	4.7	1.13	5.4	1.42	5.3	1.75	5.0	欠測	欠測
	最大	0.82	4.4	1.25	5.0	1.57	4.9	2.05	4.7		
	平均	0.60	4.5	0.94	5.3	1.18	5.2	1.60	5.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2020年12月											波 高		波 向					
											規定回数	372 回	規定回数	372 回				
											測得回数	372 回	測得回数	356 回				
											欠測回数	0 回	欠測回数	16 回				
											欠 測 率	0.0 %	欠 測 率	4.3 %				
機種：波向 海象計 - 50.0m - 52.0 m																		
観測所：輪島港輪島崎地区											機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向								
										16方位	角度							
29	00	0.75	4.8	1.18	5.5	1.44	5.6	1.76	6.4	N	7							
	02	0.67	4.9	1.06	5.7	1.30	5.7	1.63	5.1	W	278							
	04	0.72	5.1	1.13	5.7	1.38	5.5	1.77	5.8	WNW	286							
	06	* 0.82	5.4	* 1.31	5.9	* 1.61	5.9	* 1.95	5.9	WNW	295							
	08	0.57	5.0	0.92	5.7	1.10	5.8	1.32	6.2	N	4							
	10	0.58	5.2	0.90	5.8	1.11	5.6	1.38	6.0	NNE	20							
	12	0.60	5.4	0.91	5.9	1.09	5.9	1.33	5.5	N	4							
	14	0.49	5.3	0.77	6.1	1.02	6.1	1.30	6.2	NNE	33							
	16	0.43	5.0	0.71	6.2	0.90	6.2	1.13	6.4	NNW	340							
	18	0.39	4.9	0.64	6.3	0.79	6.4	1.06	7.0	N	8							
	20	0.53	5.0	0.83	6.0	1.04	6.1	1.57	5.3	N	4							
	22	0.78	4.8	1.19	5.2	1.42	5.2	1.73	5.3	WNW	287							
	最大 平均	0.82 0.61	5.4 5.1	1.31 0.96	5.9 5.8	1.61 1.18	5.9 5.8	1.95 1.49	5.9 5.9									
	30	00	0.77	4.6	1.24	5.5	1.64	5.5	2.14	5.8	WNW	297						
02		0.74	4.8	1.19	5.9	1.47	5.8	1.77	5.7	W	266							
04		0.65	4.6	1.03	5.5	1.30	5.4	1.89	5.4	WNW	293							
06		0.83	4.4	1.26	5.1	1.54	5.1	2.02	5.3	WNW	292							
08		1.44	5.5	2.28	6.4	2.87	6.4	3.69	7.3	NNE	12							
10		2.06	6.7	3.32	8.0	4.13	8.0	5.35	7.6	NNW	327							
12		2.26	7.0	3.52	8.3	4.36	8.2	5.75	8.7	NNE	29							
14		2.85	7.4	4.36	8.4	5.48	8.5	6.95	8.3	NNE	20							
16		3.26	7.7	5.01	9.1	6.11	9.4	7.93	9.0	NNE	25							
18		3.07	7.6	4.91	9.6	5.95	9.7	7.29	9.9	NNE	16							
20		* 3.31	7.4	* 5.43	9.4	* 6.94	9.3	* 9.18	9.3	NW	323							
22		2.87	7.0	4.72	8.8	5.87	8.8	7.57	8.3	NW	307							
最大 平均		3.31 2.01	7.4 6.2	5.43 3.19	9.4 7.5	6.94 3.97	9.3 7.5	9.18 5.13	9.3 7.5									
31		00	2.87	7.2	* 4.64	9.2	* 5.89	8.7	* 7.35	9.5	NW	315						
	02	2.83	7.4	4.42	8.9	5.72	8.7	6.95	8.8	NNW	327							
	04	2.70	7.3	4.39	9.1	5.62	9.0	6.93	8.5	NNW	327							
	06	* 2.96	8.0	4.55	9.7	5.55	10.0	7.00	10.1	NNW	331							
	08	2.39	7.1	3.81	9.1	4.70	9.3	6.12	9.7	NNW	331							
	10	2.71	7.6	4.22	9.6	5.29	9.0	6.44	9.1	NNW	331							
	12	2.45	7.3	3.98	9.3	5.06	9.7	7.05	9.6	NNW	327							
	14	2.17	6.9	3.50	8.7	4.32	8.9	5.69	9.6	NW	323							
	16	2.10	7.5	3.28	9.0	3.98	9.1	4.75	9.0	NW	319							
	18	1.93	7.7	2.91	9.4	3.57	9.4	4.23	8.5	N	8							
	20	1.84	7.7	2.95	9.4	3.82	9.3	5.05	8.9	NNW	327							
	22	1.53	7.1	2.43	8.8	3.09	8.7	4.19	8.9	NNW	340							
	最大 平均	2.96 2.37	8.0 7.4	4.64 3.76	9.2 9.2	5.89 4.72	8.7 9.2	7.35 5.98	9.5 9.2									
	月最大 起時 平均	3.31 3020 1.28	7.4 3020 5.8	5.43 3020 2.03	9.4 3020 7.0	6.94 3020 2.55	9.3 3020 7.1	9.18 3020 3.32	9.3 3020 7.0									