

波浪整理表（1）

												波高		波向			
												規定回数	372 回	規定回数	372 回		
												測得回数	371 回	測得回数	353 回		
												欠測回数	1 回	欠測回数	19 回		
												欠測率	0.3 %	欠測率	5.1 %		
観測所名：輪島港輪島崎地区												機種：波高 海象計 - 52m 波向 海象計 - 52m				緯度 N 37° -25' -51 経度 E 136° -54' -08	
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向							
										16方位	角度						
01	00	4.69	9.6	4.13	9.4	3.34	8.9	2.00	6.5	NNE	20						
	02	5.95	8.6	3.71	8.5	2.97	8.3	1.88	6.6	NNE	20						
	04	5.70	8.6	* 4.44	8.7	* 3.36	8.5	1.98	6.4	NW	319						
	06	5.87	7.6	3.90	8.3	3.13	8.6	1.96	6.6	NNW	335						
	08	* 7.12	8.4	4.26	8.8	3.31	8.6	* 2.11	6.9	N	356						
	10	4.55	8.3	3.95	9.0	3.16	8.3	1.98	6.7	NNW	327						
	12	5.90	8.2	4.29	9.0	3.30	8.4	2.00	6.8	NNW	335						
	14	4.67	8.9	3.77	8.6	3.04	8.5	1.90	6.6	NW	315						
	16	5.10	8.1	3.97	9.1	3.24	9.3	1.90	6.9	NNE	33						
	18	4.40	8.6	3.41	8.6	2.77	9.2	1.68	6.7	NNE	25						
	20	4.29	9.6	3.62	10.2	2.88	9.3	1.73	6.7	NNE	25						
	22	4.84	10.6	3.48	9.0	2.79	8.9	1.69	6.3	NNE	16						
	最大	7.12	8.4	4.44	8.7	3.36	8.5	2.11	6.9								
	平均	5.26	8.8	3.91	8.9	3.11	8.7	1.90	6.6								
02	00	4.05	11.4	3.22	9.5	2.66	8.7	1.75	6.8	N	8						
	02	4.67	8.4	3.76	8.9	3.08	8.6	1.93	6.6	N	8						
	04	5.81	8.5	3.96	9.1	3.11	9.0	1.93	6.8	NNE	25						
	06	5.19	7.4	4.11	8.1	3.23	8.4	2.01	6.8	NNE	25						
	08	6.02	10.6	* 4.46	8.9	3.47	8.9	2.17	7.1	NNE	29						
	10	4.53	8.7	3.82	8.7	3.10	8.2	1.98	6.7	NNE	16						
	12	4.62	9.8	3.93	8.7	3.25	8.5	2.12	6.9	NNE	25						
	14	5.76	7.9	4.24	8.3	3.35	8.5	2.12	6.7	NNE	20						
	16	5.55	9.9	4.40	8.7	* 3.55	8.6	* 2.24	6.8	NW	323						
	18	* 6.55	8.7	4.07	9.4	3.39	8.8	2.20	6.9	NNE	20						
	20	5.20	9.4	4.13	8.9	3.39	8.9	2.14	7.0	NW	323						
	22	5.04	8.4	3.98	8.2	3.26	8.0	2.05	6.5	N	8						
	最大	6.55	8.7	4.46	8.9	3.55	8.6	2.24	6.8								
	平均	5.25	9.1	4.01	8.8	3.24	8.6	2.05	6.8								
03	00	4.91	7.7	* 3.94	8.9	* 3.17	8.5	* 2.03	6.6	NNE	25						
	02	* 5.36	8.8	3.69	8.9	2.93	8.3	1.88	6.5	NNE	33						
	04	4.38	9.5	3.35	7.9	2.79	7.8	1.80	6.5	NNW	327						
	06	4.84	7.7	3.88	8.6	3.13	8.3	1.94	6.6	NNE	20						
	08	4.09	10.1	3.52	9.4	2.89	8.9	1.91	7.1	NNE	20						
	10	4.49	8.9	3.87	8.8	3.11	8.3	1.88	6.5	NNW	327						
	12	4.41	7.3	3.51	8.3	2.92	8.9	1.84	6.8	NNE	25						
	14	4.37	9.5	3.46	8.6	2.77	8.6	1.74	6.5	NNE	20						
	16	4.47	7.7	3.93	8.6	3.15	9.0	1.93	6.6	NNE	12						
	18	4.69	8.0	3.80	8.8	2.98	8.4	1.84	6.6	NNE	25						
	20	3.77	8.4	3.05	8.9	2.56	8.4	1.69	6.6								
	22	4.17	10.0	3.25	8.1	2.55	8.0	1.56	6.2	NNE	20						
	最大	5.36	8.8	3.94	8.9	3.17	8.5	2.03	6.6								
	平均	4.50	8.6	3.60	8.7	2.91	8.5	1.84	6.6								
04	00	3.30	7.7	2.64	8.1	2.21	7.7	* 1.39	5.9	NNE	16						
	02	* 3.81	9.2	* 2.91	8.4	* 2.28	8.1	1.36	6.2								
	04	3.31	7.0	2.59	8.4	2.06	7.9	1.25	5.9	NNE	12						
	06	3.28	7.4	2.53	8.3	2.05	8.2	1.28	6.2	NNE	12						
	08	3.62	8.1	2.77	7.7	2.13	7.8	1.31	6.4	NNW	331						
	10	2.76	6.6	2.22	7.4	1.82	7.5	1.14	6.1	NNW	335						
	12	2.94	7.7	2.17	8.2	1.76	7.9	1.13	6.2	NW	323						
	14	3.02	7.7	2.27	8.1	1.89	7.8	1.15	6.2	NNW	340						
	16	2.29	7.2	1.95	7.5	1.59	7.4	0.99	5.8	NNW	344						
	18	2.16	6.8	1.80	7.5	1.46	7.3	0.92	5.8	NNW	340						
	20	2.56	7.0	1.97	7.3	1.57	7.3	0.97	5.7	N	0						
	22	2.78	6.7	1.91	7.2	1.50	7.5	0.94	5.9	NNW	327						
	最大	3.81	9.2	2.91	8.4	2.28	8.1	1.39	5.9								

		平均	2.99	7.4	2.31	7.8	1.86	7.7	1.15	6.0			
05	00		2.55	7.7	1.94	7.2	1.55	7.2	0.96	5.7	NNW	340	
	02		2.35	7.6	1.92	7.6	1.55	7.4	* 0.97	5.5	NW	319	
	04	* 2.58	7.7	* 1.99	7.5	* 1.57	7.5	0.93	5.6	NNW	335		
	06		2.45	7.4	1.77	7.2	1.42	7.2	0.93	6.0	NNW	340	
	08		2.07	7.6	1.73	7.3	1.35	7.4	0.81	5.6	WNW	303	
	10		1.99	7.9	1.66	7.7	1.28	7.2	0.76	5.4	NNW	331	
	12		2.03	5.7	1.54	7.4	1.24	7.4	0.73	5.3	NW	319	
	14		2.19	7.3	1.54	7.2	1.21	7.2	0.75	5.6	NNW	344	
	16		1.97	8.5	1.42	7.4	1.14	7.2	0.73	5.8	NNE	16	
	18		1.71	8.0	1.47	7.1	1.24	7.2	0.77	5.6	NNW	335	
	20		1.80	6.4	1.37	7.0	1.08	6.9	0.67	5.4	NNE	12	
	22		1.88	7.5	1.48	7.2	1.20	7.2	0.77	6.1	NNE	16	
	最大		2.58	7.7	1.99	7.5	1.57	7.5	0.97	5.5			
	平均		2.13	7.4	1.65	7.3	1.32	7.3	0.82	5.6			
	06	00	* 3.00	6.9	1.55	7.1	1.19	7.0	0.73	5.7	NNW	348	
		02		2.13	7.0	1.58	7.2	1.23	7.2	0.74	5.7	NNW	348
04			1.59	6.5	1.27	7.3	1.04	7.1	0.63	5.3	NNE	25	
06			1.67	6.5	1.40	7.1	1.12	7.0	0.67	5.0	NNE	16	
08			1.61	5.7	1.30	6.8	1.07	6.6	0.67	4.8	NNE	20	
10			2.07	5.7	1.49	6.4	1.16	6.5	0.72	4.9	NNW	340	
12			2.34	6.1	1.58	6.0	1.22	5.8	0.76	4.6	NNW	344	
14			2.34	5.2	1.59	6.1	1.25	5.9	0.77	4.6	NNE	12	
16			2.48	5.8	1.84	6.1	1.44	5.9	0.89	4.7	NW	319	
18			2.03	7.1	1.66	6.5	1.35	6.2	0.89	5.0	NNW	331	
20			2.43	6.0	* 1.88	6.4	* 1.49	6.6	* 0.92	5.2			
22			2.16	6.4	1.76	6.5	1.39	6.3	0.84	5.0	NNW	335	
最大			3.00	6.9	1.88	6.4	1.49	6.6	0.92	5.2			
平均			2.15	6.2	1.58	6.6	1.25	6.5	0.77	5.0			
07		00		1.96	7.3	1.58	6.8	1.25	6.3	0.77	4.9	WNW	282
		02	* 2.13	7.0	1.53	6.8	1.21	6.2	0.74	4.7	NNW	327	
	04		2.05	5.8	* 1.59	6.7	* 1.28	6.5	* 0.79	5.0	NNW	331	
	06		1.73	6.5	1.47	6.5	1.17	6.4	0.73	5.0	NNW	331	
	08		1.70	6.4	1.29	6.3	1.05	6.2	0.66	5.0	NNW	335	
	10		1.89	5.7	1.16	6.5	0.95	6.4	0.61	5.2	NNW	335	
	12		1.38	6.1	1.03	6.2	0.84	6.2	0.53	4.9	NW	323	
	14		1.36	5.4	1.11	6.4	0.89	6.2	0.55	4.9	NNW	340	
	16		1.50	5.9	1.10	6.2	0.87	6.0	0.53	4.5	WNW	286	
	18		1.43	6.3	1.03	6.0	0.82	6.1	0.51	4.6	NNW	340	
	20		1.45	6.0	1.02	6.0	0.83	5.9	0.50	4.4	NW	319	
	22		1.30	6.8	0.94	5.7	0.74	5.5	0.44	3.9			
	最大		2.13	7.0	1.59	6.7	1.28	6.5	0.79	5.0			
	平均		1.66	6.3	1.24	6.3	0.99	6.2	0.61	4.8			
	08	00		1.35	6.0	1.02	6.2	* 0.81	5.9	0.49	4.4	N	8
		02		1.20	6.2	0.93	6.1	0.76	5.7	0.49	4.4	NW	315
04			1.09	5.9	0.89	6.0	0.70	5.7	0.43	4.1	NNW	327	
06			1.22	5.6	0.97	5.7	0.78	5.9	0.50	4.5	NNW	327	
08			1.09	5.3	0.85	5.8	0.68	5.5	0.41	3.8	WNW	301	
10			1.14	5.0	0.89	5.8	0.73	5.6	0.45	4.2	NNW	330	
12			1.33	5.8	1.00	5.9	0.81	5.9	* 0.51	4.6	NW	323	
14		* 1.54	5.9	* 1.03	6.1	0.81	6.0	0.50	4.4	NW	323		
16			1.25	6.2	0.90	5.5	0.73	5.2	0.46	3.8	WNW	292	
18			1.33	6.3	0.88	5.9	0.69	5.7	0.43	4.1	WNW	303	
20			1.14	3.8	0.84	5.6	0.66	5.2	0.42	4.0	WNW	289	
22			0.91	4.7	0.73	5.5	0.59	5.0	0.38	3.8	WNW	300	
最大			1.54	5.9	1.03	6.1	0.81	5.9	0.51	4.6			
平均			1.22	5.6	0.91	5.8	0.73	5.6	0.46	4.2			
09		00		1.03	4.5	0.78	5.1	0.63	4.9	0.41	3.8	NW	313
		02		1.14	3.9	0.83	4.7	0.67	4.6	0.43	3.7	NNE	12
	04		1.17	4.1	0.82	5.3	0.66	5.0	0.42	4.1	NW	305	
	06		1.00	5.2	0.83	5.3	0.67	5.2	0.41	4.3	NNE	29	
	08		0.95	5.9	0.77	5.7	0.63	5.9	0.38	4.3			
	10		0.97	5.2	0.63	5.5	0.50	5.5	0.31	3.9	NNW	336	
	12		1.19	5.7	0.81	5.6	0.66	5.3	0.42	4.1	WNW	286	
	14		1.08	5.4	0.79	5.6	0.63	5.2	0.39	3.7	NNW	339	
	16		0.94	4.7	0.73	5.9	0.59	5.5	0.38	4.0	NNW	335	
	18		1.07	6.6	0.78	6.7	0.62	6.1	0.38	4.4	NNE	16	
	20		1.48	7.9	1.12	7.4	0.88	7.1	0.52	5.1	W	270	
	22	* 2.71	6.5	* 1.95	6.3	* 1.60	6.2	* 0.95	4.7	WNW	282		

	最大													
	平均													
10		2.71	6.5	1.95	6.3	1.60	6.2	0.95	4.7					
		1.23	5.5	0.90	5.8	0.73	5.5	0.45	4.2					
	00	2.90	7.0	2.50	6.6	2.03	6.6	1.30	5.4	NW	311			
	02	4.85	6.4	3.63	7.6	2.93	7.8	1.84	6.1	NW	307			
	04	5.29	6.5	4.25	7.9	3.47	7.9	2.25	6.7	NW	323			
	06	5.01	7.2	4.05	8.1	3.21	8.0	1.99	6.5	NW	315			
	08	5.23	10.0	3.95	8.2	3.23	8.2	2.07	6.6	NW	319			
	10	5.30	9.3	4.35	8.8	3.49	8.8	2.15	6.4	NW	307			
	12	5.41	8.8	4.13	8.7	3.30	8.1	2.05	6.2	NNW	348			
	14	5.81	7.9	4.59	9.4	3.49	8.7	2.08	6.3	NW	319			
	16	6.49	8.6	4.96	9.0	* 4.20	9.1	2.55	7.0	NNW	327			
	18	6.23	10.9	4.83	9.5	3.92	9.1	2.38	7.0	NW	319			
	20	6.71	8.8	4.87	9.0	3.85	9.0	2.36	6.9	NW	323			
	22	* 7.10	8.2	* 4.98	9.1	3.98	9.1	* 2.57	7.2	NW	323			
		最大	7.10	8.2	4.98	9.1	4.20	9.1	2.57	7.2				
		平均	5.53	8.3	4.26	8.5	3.43	8.4	2.13	6.5				
11		* 7.70	10.2	* 5.76	10.3	* 4.50	10.1	* 2.83	8.1	NNW	327			
	02	6.84	9.6	4.89	9.9	4.02	9.9	2.55	7.3	NNW	331			
	04	5.20	9.1	4.36	9.5	3.73	9.5	2.39	7.7	NNW	340			
	06	5.64	8.1	4.23	9.3	3.42	9.5	2.14	7.5	NNW	331			
	08	4.69	8.6	4.02	9.8	3.26	9.4	1.99	7.0	NNW	327			
	10	4.94	7.4	3.87	9.1	3.05	9.1	1.88	7.2	NNW	344			
	12	4.32	10.1	3.70	9.9	3.07	9.7	1.92	8.0	NW	323			
	14	4.07	8.5	3.55	9.5	2.89	9.5	1.83	7.5	NNW	327			
	16	5.05	8.1	3.92	9.7	3.02	9.6	1.85	7.7	NW	323			
	18	4.12	10.5	3.33	9.6	2.64	9.4	1.64	7.5	NNW	327			
	20	3.98	8.5	3.26	9.6	2.66	9.6	1.65	7.3	NNW	327			
	22	4.21	9.9	3.47	9.6	2.67	9.2	1.62	7.0	NNW	331			
		最大	7.70	10.2	5.76	10.3	4.50	10.1	2.83	8.1				
		平均	5.06	9.1	4.03	9.7	3.24	9.5	2.02	7.5				
	12		4.21	8.9	3.22	9.6	2.55	8.5	1.55	6.1	NNW	335		
		02	4.00	7.0	3.21	8.5	2.61	8.5	1.63	7.1	NW	323		
04		3.54	8.7	2.87	8.0	2.30	8.4	1.51	7.0	NNW	331			
06		6.09	8.9	4.23	8.3	3.31	8.2	2.09	6.7	NNW	331			
08		5.63	9.8	4.58	8.8	3.69	8.4	2.32	6.7	WNW	282			
10		* 6.65	8.6	4.64	8.4	3.76	7.9	2.25	6.4	NW	311			
12		6.05	9.1	* 4.80	8.6	* 3.83	8.4	* 2.38	6.8	W	278			
14		6.09	8.6	3.81	9.7	3.04	8.9	1.85	6.5	WNW	295			
16		5.59	9.5	3.95	9.1	3.22	9.0	1.97	7.1	W	274			
18		3.59	8.3	2.89	8.6	2.39	8.3	1.50	6.4	WNW	295			
20		3.64	8.2	3.14	8.7	2.55	8.1	1.66	6.5	NW	307			
22		4.78	6.9	3.63	8.3	2.97	8.1	1.87	6.4	WNW	295			
		最大	6.65	8.6	4.80	8.6	3.83	8.4	2.38	6.8				
		平均	4.99	8.5	3.75	8.7	3.02	8.4	1.88	6.6				
13			7.24	9.4	5.10	9.2	4.21	9.0	2.70	7.3	WNW	290		
		02	6.02	8.1	4.62	8.5	3.63	8.2	2.30	6.5	WNW	295		
	04	6.36	8.8	4.80	9.0	3.79	8.8	2.35	7.1	WNW	282			
	06	7.03	8.7	5.58	9.6	4.48	9.7	2.85	7.8	WNW	290			
	08	7.87	11.1	6.17	11.1	4.84	10.7	2.90	7.9	NW	323			
	10	7.16	10.2	5.59	9.9	4.46	9.5	2.69	7.2					
	12	7.25	10.1	6.36	10.1	5.34	9.9	3.21	7.7	NW	319			
	14	* 8.71	10.8	* 6.82	10.9	* 5.35	10.6	* 3.25	8.0	NW	315			
	16	7.18	10.7	5.35	9.9	4.27	9.6	2.70	7.4	NNW	331			
	18	5.72	10.5	4.90	9.3	4.06	9.4	2.42	6.8	NW	323			
	20	欠測												
	22	5.44	9.5	4.16	9.2	3.16	8.6	1.95	6.5	N	4			
		最大	8.71	10.8	6.82	10.9	5.35	10.6	3.25	8.0				
		平均	6.91	9.8	5.40	9.7	4.33	9.5	2.67	7.3				
	14		4.74	9.4	3.61	9.3	2.96	8.9	1.86	7.0	N	8		
		02	4.95	9.1	3.60	8.9	2.72	8.6	1.63	6.2	NW	323		
04		4.31	9.2	3.28	9.0	2.51	8.5	1.50	6.5	NW	319			
06		3.72	8.7	2.79	8.4	2.12	8.2	1.29	6.4	NNW	327			
08		2.72	8.4	2.21	8.3	1.80	8.1	1.16	6.7	NNW	327			
10		2.13	8.3	1.80	8.2	1.36	7.9	0.77	5.8	N	352			
12		2.37	6.7	1.81	7.7	1.46	7.4	0.90	5.6	N	0			
14		3.93	6.3	2.94	6.5	2.36	6.7	1.50	5.5	W	270			

	16	4.56	7.5	3.98	7.3	3.33	7.5	2.10	6.4	W	266
	18	* 6.82	7.9	* 4.81	8.5	3.75	8.6	2.37	6.8	WNW	282
	20	5.62	8.1	4.12	8.2	3.38	8.1	2.07	6.2	W	278
	22	5.92	8.8	4.61	8.4	* 3.85	8.2	* 2.44	6.9	WNW	295
	最大	6.82	7.9	4.81	8.5	3.85	8.2	2.44	6.9		
	平均	4.32	8.2	3.30	8.2	2.63	8.1	1.63	6.3		
15	00	6.69	10.3	* 5.93	9.5	* 4.92	9.9	* 3.12	8.2	NW	323
	02	7.58	9.8	5.89	9.8	4.56	9.7	2.97	8.0	NW	323
	04	* 7.60	9.1	5.56	9.0	4.43	9.6	2.80	7.5		
	06	6.61	6.8	5.26	9.0	4.25	9.3	2.52	6.9	NW	323
	08	6.01	9.0	4.95	9.8	3.99	9.9	2.50	7.3	NNW	327
	10	5.93	11.3	5.03	9.5	3.94	9.2	2.42	7.1	NW	319
	12	6.71	10.0	5.15	9.6	4.18	9.6	2.58	7.6	NNW	340
	14	6.21	9.1	4.76	9.2	3.88	9.1	2.40	7.0	NNW	331
	16	6.88	9.6	5.10	9.8	3.91	9.1	2.31	6.9	NNW	331
	18	5.92	9.9	5.18	10.1	4.15	10.0	2.41	7.6	NNW	327
	20	5.92	10.2	4.47	9.5	3.46	9.6	2.16	7.5	NNW	327
	22	5.61	9.2	4.04	9.2	3.07	9.0	1.87	7.1	NNW	327
	最大	7.60	9.1	5.93	9.5	4.92	9.9	3.12	8.2		
	平均	6.47	9.5	5.11	9.5	4.06	9.5	2.51	7.4		
16	00	4.47	9.3	* 3.73	9.6	* 3.19	9.5	* 2.12	7.8	NW	323
	02	* 4.85	8.3	3.71	9.2	2.91	9.1	1.74	7.1	NNW	340
	04	4.51	9.7	3.63	8.8	2.83	8.8	1.69	7.1	NNW	340
	06	4.30	9.5	3.51	9.5	2.86	9.4	1.69	7.5	N	8
	08	4.26	8.9	3.39	9.7	2.73	9.3	1.73	7.8	NNW	335
	10	4.31	8.6	3.03	8.9	2.42	9.1	1.49	6.8	NNE	20
	12	4.19	9.8	2.80	9.5	2.18	8.8	1.27	6.1	NNE	20
	14	3.75	8.4	2.84	9.1	2.28	8.8	1.44	6.8	NNW	348
	16	4.59	10.5	3.13	9.7	2.41	9.0	1.46	6.4	NNE	12
	18	4.39	7.4	3.22	8.5	2.49	8.4	1.56	6.5	NNE	16
	20	4.33	8.2	3.41	7.3	2.73	7.6	1.70	6.2	NNE	20
	22	4.26	6.4	3.37	7.8	2.76	7.9	1.75	6.2	NW	307
	最大	4.85	8.3	3.73	9.6	3.19	9.5	2.12	7.8		
	平均	4.35	8.8	3.31	9.0	2.65	8.8	1.64	6.9		
17	00	5.41	8.2	3.76	7.7	* 2.96	7.5	* 1.86	5.9	WNW	286
	02	* 5.67	7.9	* 3.79	8.6	2.95	7.8	1.81	6.3	WNW	290
	04	4.55	8.2	3.40	8.8	2.75	8.1	1.76	6.2	WNW	295
	06	4.05	8.3	3.39	8.8	2.77	8.3	1.69	6.4	WNW	282
	08	3.75	8.3	3.20	8.6	2.59	8.1	1.60	6.4	WNW	282
	10	3.88	9.0	3.15	8.3	2.47	8.3	1.55	6.3	W	278
	12	4.16	8.3	2.70	8.1	2.17	8.3	1.39	6.6	W	278
	14	2.95	8.5	2.38	8.2	1.92	8.4	1.21	6.4	NNE	16
	16	2.47	10.4	2.03	8.2	1.69	8.2	1.04	6.1	WNW	286
	18	2.74	9.2	2.26	8.5	1.86	8.5	1.16	6.8	NNE	25
	20	3.49	7.7	2.46	8.6	1.90	8.7	1.11	6.5	NNE	25
	22	2.75	7.3	2.10	8.2	1.68	8.0	1.03	6.4	NNW	327
	最大	5.67	7.9	3.79	8.6	2.96	7.5	1.86	5.9		
	平均	3.82	8.4	2.89	8.4	2.31	8.2	1.43	6.4		
18	00	* 2.43	7.4	* 1.99	8.8	* 1.58	8.8	* 0.98	6.6	NNE	16
	02	2.06	8.5	1.73	8.2	1.40	8.4	0.87	6.9	NNE	20
	04	1.79	6.6	1.40	8.0	1.13	7.9	0.67	5.9	NNE	16
	06	1.60	9.1	1.07	7.9	0.87	8.0	0.50	5.3	NNE	20
	08	1.38	8.5	1.07	8.2	0.82	7.9	0.49	5.5	NNE	20
	10	1.31	7.7	1.07	7.7	0.84	7.3	0.50	5.4		
	12	1.21	6.3	0.91	7.1	0.73	6.9	0.46	5.2	N	8
	14	1.10	6.1	0.81	6.5	0.65	6.5	0.39	4.9	NNE	16
	16	1.14	7.0	0.73	6.7	0.58	6.4	0.35	4.4	NNE	12
	18	1.29	5.4	1.02	6.1	0.80	6.0	0.48	4.3	W	270
	20	1.61	6.9	1.00	6.4	0.79	6.2	0.50	4.6	W	262
	22	1.31	3.9	0.99	5.8	0.79	5.4	0.50	4.1	WNW	288
	最大	2.43	7.4	1.99	8.8	1.58	8.8	0.98	6.6		
	平均	1.52	7.0	1.15	7.3	0.92	7.1	0.56	5.3		
19	00	1.85	4.5	1.53	5.5	1.23	5.6	0.77	4.5		
	02	1.67	6.6	1.37	6.4	1.10	5.9	0.67	4.3		
	04	2.18	5.4	1.64	5.1	1.36	5.3	0.88	4.4		
	06	2.69	6.2	2.11	6.1	1.65	5.8	1.02	4.5	W	262
	08	3.03	6.4	2.65	6.4	2.14	6.3	1.37	5.1		
	10	3.61	5.2	2.87	6.2	2.20	6.2	1.33	5.0	NW	307

	12	4.11	7.1	3.20	6.8	2.41	6.7	1.50	5.5	WNW	303
	14	4.80	6.5	3.05	7.1	2.39	7.0	1.48	5.6	W	270
	16	4.35	7.5	3.02	7.4	2.45	7.0	1.56	5.7	WNW	286
	18	* 4.93	8.0	3.54	7.8	2.75	7.6	1.65	5.8	WNW	299
	20	3.87	9.0	3.32	8.2	2.80	8.2	* 1.76	6.4	NW	311
	22	4.50	8.0	* 3.61	8.7	* 2.83	8.5	1.73	6.7	WNW	290
	最大	4.93	8.0	3.61	8.7	2.83	8.5	1.76	6.4		
	平均	3.47	6.7	2.66	6.8	2.11	6.7	1.31	5.3		
20	00	4.85	8.6	* 3.99	9.0	* 3.19	9.2	* 2.01	7.5	NW	307
	02	4.67	8.3	3.54	8.9	2.79	8.8	1.61	6.6	NW	323
	04	4.47	8.6	3.77	8.8	2.88	8.9	1.73	7.0	NNW	340
	06	3.87	9.3	3.34	9.0	2.60	8.5	1.60	6.6	NNW	331
	08	* 5.32	8.1	3.61	9.2	2.92	9.2	1.89	7.8	N	356
	10	4.98	8.9	3.47	8.8	2.62	8.8	1.55	6.6	NNW	331
	12	3.36	8.6	2.95	8.4	2.42	8.7	1.50	7.0	WNW	303
	14	3.51	9.3	2.94	8.8	2.38	8.7	1.42	6.7	NNW	340
	16	3.37	7.7	2.75	8.7	2.20	8.6	1.39	6.9	NNW	335
	18	3.41	8.0	2.66	8.5	2.19	8.3	1.43	7.2	N	8
	20	3.03	8.1	2.31	8.0	1.89	8.1	1.18	6.9	NNW	340
	22	3.35	7.9	2.31	8.2	1.83	8.4	1.10	6.7	NNW	327
	最大	5.32	8.1	3.99	9.0	3.19	9.2	2.01	7.5		
	平均	4.02	8.5	3.14	8.7	2.49	8.7	1.53	7.0		
21	00	2.09	7.3	1.84	7.9	* 1.53	8.3	0.94	6.4	NNE	25
	02	* 2.41	8.2	* 1.91	7.9	1.49	8.3	* 0.95	6.8	NNE	20
	04	2.27	7.5	1.72	7.7	1.37	7.9	0.85	6.4	NNE	12
	06	1.88	8.3	1.57	7.9	1.27	8.1	0.76	6.4	NNE	25
	08	1.89	8.1	1.44	8.3	1.10	8.0	0.67	6.3	NNE	16
	10	1.78	8.3	1.45	8.3	1.15	8.5	0.69	6.4	NNE	16
	12	1.88	8.4	1.28	7.8	1.06	7.6	0.65	5.9	NNE	25
	14	1.42	6.8	1.18	7.9	0.95	7.6	0.59	5.9	NNE	12
	16	1.70	6.5	1.21	7.6	0.95	7.3	0.57	5.4	N	8
	18	1.37	8.1	1.12	7.3	0.90	7.4	0.54	5.2	NNE	16
	20	1.50	6.4	0.90	7.2	0.69	6.8	0.42	4.8	NNE	25
	22	1.13	7.8	0.88	7.2	0.69	7.3	0.43	5.4	NE	37
	最大	2.41	8.2	1.91	7.9	1.53	8.3	0.95	6.8		
	平均	1.78	7.6	1.38	7.8	1.10	7.8	0.67	5.9		
22	00	1.12	7.6	* 0.86	7.2	* 0.69	7.1	* 0.42	5.2	NNE	33
	02	* 1.19	7.4	0.82	6.9	0.63	7.0	0.39	5.1	NNE	25
	04	0.93	9.4	0.79	7.1	0.59	6.9	0.34	4.5	NNE	16
	06	1.16	7.1	0.79	6.6	0.62	6.6	0.37	4.8	NNE	29
	08	0.90	6.1	0.60	6.3	0.48	6.0	0.30	4.3	NNE	16
	10	0.77	5.9	0.59	6.0	0.47	6.1	0.29	4.2	N	8
	12	0.73	4.4	0.55	6.2	0.46	5.7	0.29	4.3	NNE	29
	14	0.62	6.4	0.51	6.4	0.42	6.0	0.27	4.3	NNE	33
	16	0.62	7.0	0.46	6.3	0.37	5.6	0.23	3.9	N	10
	18	0.58	6.7	0.47	6.0	0.37	5.3	0.23	3.6	NNW	340
	20	0.58	4.9	0.43	5.5	0.35	4.9	0.22	3.3	WNW	283
	22	0.65	5.7	0.45	5.5	0.36	5.0	0.22	3.5	NE	54
	最大	1.19	7.4	0.86	7.2	0.69	7.1	0.42	5.2		
	平均	0.82	6.6	0.61	6.3	0.48	6.0	0.30	4.3		
23	00	0.66	4.7	0.44	5.1	0.35	4.8	0.22	3.4	NE	43
	02	0.59	5.0	0.42	5.2	0.33	4.8	0.21	3.3	NNE	12
	04	0.48	6.2	0.37	5.3	0.30	4.7	0.18	3.2	NW	313
	06	0.51	4.3	0.40	4.3	0.32	4.1	0.20	3.0	WNW	300
	08	1.14	4.7	0.86	4.7	0.68	4.5	0.43	3.7		
	10	1.24	5.4	0.91	4.9	0.75	4.9	0.49	4.0	NNE	24
	12	1.50	4.0	1.07	4.2	0.86	4.4	0.56	3.8	NNE	17
	14	2.63	5.6	2.04	5.4	1.65	5.2	1.05	4.5		
	16	3.39	6.8	2.48	5.8	1.99	5.8	1.29	5.0	W	274
	18	4.05	7.8	3.24	7.3	2.63	7.1	1.65	5.8	WNW	295
	20	4.89	6.8	4.24	7.4	3.35	7.4	2.02	6.0	WNW	299
	22	* 5.56	7.4	* 4.59	8.7	* 3.60	8.3	* 2.22	6.6	NW	307
	最大	5.56	7.4	4.59	8.7	3.60	8.3	2.22	6.6		
	平均	2.22	5.7	1.76	5.7	1.40	5.5	0.88	4.4		
24	00	6.03	10.9	5.22	9.7	4.18	9.5	* 2.77	8.0	NW	311
	02	6.55	10.4	5.22	10.2	4.05	9.7	2.50	7.5	WNW	299

	04	6.60	10.4	4.93	10.1	4.01	9.8	2.52	7.7	WNW	299
	06	* 6.94	9.5	4.89	9.8	3.95	10.1	2.49	8.2	NW	323
	08	5.52	9.5	4.34	9.3	3.44	9.2	2.16	7.1	NW	323
	10	5.39	8.8	4.73	9.3	3.64	8.3	2.18	6.6	WNW	299
	12	6.38	9.1	4.78	8.4	3.81	8.4	2.34	6.8	WNW	299
	14	6.80	9.0	* 5.38	9.7	* 4.22	9.4	2.57	7.3	NW	307
	16	6.08	10.0	4.76	10.2	3.63	9.5	2.19	7.2	WNW	299
	18	6.30	8.6	4.12	9.5	3.22	9.3	1.91	6.9	WNW	299
	20	5.71	9.2	3.88	9.5	2.94	9.2	1.84	7.1	WNW	295
	22	5.41	7.8	4.00	8.8	3.12	8.7	1.98	7.0	WNW	286
	最大	6.94	9.5	5.38	9.7	4.22	9.4	2.77	8.0		
	平均	6.14	9.4	4.69	9.5	3.68	9.3	2.29	7.3		
25	00	4.61	9.0	3.92	8.7	3.08	8.6	1.89	6.9	WNW	299
	02	4.96	9.5	4.13	8.8	3.29	9.0	1.97	6.9	NW	319
	04	4.88	8.2	3.82	8.9	3.08	8.4	1.97	6.7	WNW	303
	06	5.23	9.8	4.40	8.8	3.51	8.9	2.14	6.7	WNW	299
	08	5.85	8.9	* 4.81	9.6	* 4.00	9.7	* 2.50	7.8	NW	307
	10	5.48	9.5	4.66	9.4	3.78	9.3	2.29	7.3	NW	307
	12	5.51	10.3	4.10	9.6	3.19	8.8	1.89	6.2	NW	307
	14	5.29	8.3	4.00	8.5	3.24	8.4	1.96	6.5	WNW	303
	16	5.26	7.7	4.12	8.9	3.22	8.5	2.01	6.6	WNW	303
	18	* 6.03	9.2	4.11	8.9	3.32	8.8	2.00	6.9	WNW	303
	20	4.44	10.5	3.79	9.2	3.11	8.9	1.96	6.8	WNW	286
	22	5.33	8.7	3.58	8.4	2.92	8.6	1.92	7.0	WNW	299
	最大	6.03	9.2	4.81	9.6	4.00	9.7	2.50	7.8		
	平均	5.24	9.1	4.12	9.0	3.31	8.8	2.04	6.9		
26	00	3.49	8.9	2.81	8.4	2.31	8.0	1.47	6.1	WNW	303
	02	4.28	8.5	2.82	8.2	2.27	8.1	1.45	6.6	WNW	299
	04	4.02	7.6	3.11	8.9	2.38	8.8	1.38	6.3	WNW	303
	06	3.71	8.8	2.61	7.8	2.15	8.1	1.36	6.2	WNW	299
	08	3.22	7.4	2.57	7.9	2.07	7.7	1.28	5.8	WNW	295
	10	3.25	8.4	2.57	7.4	2.07	7.3	1.27	5.7	WNW	303
	12	3.88	8.1	3.01	7.1	2.32	7.0	1.42	5.6	W	278
	14	* 4.50	7.6	2.87	7.6	2.27	7.5	1.45	5.9	NW	311
	16	3.91	7.5	2.91	7.1	2.29	7.0	1.45	5.6	W	278
	18	4.19	8.1	* 3.33	7.6	* 2.65	7.6	* 1.63	6.1	NW	307
	20	3.88	8.3	2.74	7.7	2.17	7.7	1.37	6.0	WNW	286
	22	3.36	7.1	2.65	8.0	2.16	7.5	1.32	5.7	NW	307
	最大	4.50	7.6	3.33	7.6	2.65	7.6	1.63	6.1		
	平均	3.81	8.0	2.83	7.8	2.26	7.7	1.40	6.0		
27	00	3.20	5.1	2.42	7.4	1.97	7.4	1.26	5.7	WNW	295
	02	3.40	6.5	2.64	7.3	2.18	7.2	1.31	5.6	WNW	286
	04	* 3.41	8.9	* 2.78	7.7	* 2.30	7.7	* 1.51	6.5	WNW	303
	06	3.08	6.5	2.60	8.2	2.05	7.5	1.24	5.7	WNW	299
	08	3.27	8.0	2.40	7.2	1.86	7.3	1.17	5.6	WNW	299
	10	2.60	7.0	2.17	7.3	1.76	7.2	1.10	5.6	WNW	295
	12	2.72	8.0	2.23	7.7	1.81	7.6	1.11	5.9	WNW	303
	14	2.80	6.8	1.95	7.1	1.61	6.9	0.97	5.0	WNW	299
	16	2.85	6.7	2.02	7.0	1.55	6.8	0.97	5.3	NW	311
	18	2.13	7.1	1.66	6.9	1.40	6.9	0.90	5.6	W	278
	20	2.19	6.5	1.59	6.5	1.26	6.4	0.77	4.9	NW	307
	22	1.92	6.2	1.49	6.5	1.17	6.4	0.73	5.1	WNW	295
	最大	3.41	8.9	2.78	7.7	2.30	7.7	1.51	6.5		
	平均	2.80	6.9	2.16	7.2	1.74	7.1	1.09	5.5		
28	00	* 1.91	6.7	* 1.53	6.7	* 1.22	6.6	* 0.77	5.1	WNW	295
	02	1.58	6.3	1.30	6.5	1.07	6.5	0.67	5.0	WNW	286
	04	1.83	5.2	1.30	6.6	1.06	6.6	0.66	5.3	WNW	295
	06	1.54	5.6	1.22	6.1	0.99	6.1	0.62	4.9	W	278
	08	1.59	6.5	1.17	5.9	0.92	5.9	0.56	4.6	WNW	286
	10	1.52	6.2	1.05	5.5	0.85	5.6	0.52	4.4	NW	304
	12	1.24	5.6	0.95	5.6	0.77	5.6	0.49	4.5	NNW	327
	14	1.44	5.9	0.94	5.4	0.76	5.4	0.47	4.6	NNW	328
	16	1.14	5.6	0.93	5.5	0.75	5.5	0.48	4.5	NW	307
	18	1.10	5.6	0.77	5.6	0.61	5.4	0.39	4.3	W	275
	20	1.01	4.5	0.71	5.0	0.55	5.0	0.34	3.8	N	349
	22	0.89	5.1	0.60	5.1	0.47	5.1	0.29	3.9	WNW	299
	最大	1.91	6.7	1.53	6.7	1.22	6.6	0.77	5.1		

	平均	1.40	5.7	1.04	5.8	0.84	5.8	0.52	4.6		
29	00	0.92	5.2	0.60	4.6	0.46	4.8	0.28	3.6		
	02	0.64	5.7	0.50	5.3	0.39	5.3	0.24	3.7	NNE	18
	04	0.53	5.9	0.40	5.3	0.33	5.0	0.20	3.5	N	8
	06	0.61	5.4	0.39	5.3	0.30	4.8	0.19	3.3	NE	56
	08	0.49	5.1	0.35	5.4	0.29	5.0	0.18	3.3		
	10	0.42	8.9	0.34	6.1	0.28	5.4	0.17	3.4	NNE	29
	12	0.64	5.8	0.42	5.8	0.34	5.8	0.21	4.1	NW	315
	14	0.67	6.6	0.51	5.8	0.40	5.4	0.25	4.0	NNE	27
	16	0.78	6.0	0.57	4.9	0.45	4.9	0.28	3.8	WNW	302
	18	* 0.95	5.5	0.62	5.6	0.47	5.4	0.29	3.8	NE	56
	20	0.92	5.6	* 0.71	5.7	* 0.56	5.6	* 0.35	4.2	WNW	287
	22	0.85	7.8	0.64	6.3	0.50	6.1	0.31	4.3	NW	315
	最大	0.95	5.5	0.71	5.7	0.56	5.6	0.35	4.2		
	平均	0.70	6.1	0.50	5.5	0.40	5.3	0.25	3.8		
30	00	0.85	6.2	0.65	6.5	0.51	6.5	0.31	4.4	NNW	327
	02	0.89	6.0	0.66	6.3	0.51	6.2	0.31	4.3	NW	323
	04	0.84	4.5	0.60	6.4	0.47	5.9	0.29	4.1	NW	323
	06	0.89	5.6	0.66	5.5	0.53	5.3	0.34	3.9	W	271
	08	0.91	4.0	0.69	4.8	0.56	4.6	0.35	3.5	NE	38
	10	0.92	4.2	0.80	4.7	0.64	4.3	0.40	3.4	NNW	329
	12	1.64	4.5	1.19	4.7	0.98	4.7	0.61	4.0	N	349
	14	1.95	4.6	1.58	5.0	1.28	5.1	0.79	4.2		
	16	2.61	5.9	2.00	5.4	1.58	5.5	0.99	4.7		
	18	2.60	5.7	2.14	5.7	1.76	5.8	1.13	5.0	NE	41
	20	3.89	6.1	2.94	6.3	2.33	6.2	1.44	5.2	NE	41
	22	* 6.89	7.2	* 4.39	7.1	* 3.37	7.0	* 2.12	6.3	NE	41
	最大	6.89	7.2	4.39	7.1	3.37	7.0	2.12	6.3		
	平均	2.07	5.4	1.53	5.7	1.21	5.6	0.76	4.4		
31	00	5.05	8.2	4.10	7.9	3.38	7.5	2.07	6.2	NNE	25
	02	5.43	8.2	4.46	7.9	3.63	7.4	2.27	6.3	NE	41
	04	5.86	8.0	4.56	8.3	3.69	8.0	2.38	6.8	NNE	25
	06	7.68	8.1	5.64	8.0	4.36	8.1	2.71	6.9	NE	45
	08	6.71	7.9	5.26	8.5	4.30	8.7	2.66	7.0	N	4
	10	8.01	10.3	6.11	9.8	4.94	9.6	2.99	7.5	N	8
	12	7.21	8.8	5.86	8.8	4.49	8.8	2.78	7.1	NNE	16
	14	7.27	10.0	6.04	9.1	4.87	9.0	3.00	7.1	NNE	33
	16	* 11.22	8.8	* 6.94	9.2	* 5.35	9.4	* 3.27	7.5	NNE	12
	18	8.19	7.9	6.37	9.1	5.00	9.2	3.10	7.4	NNE	20
	20	7.75	9.0	5.44	9.6	4.31	9.4	2.79	7.3	NNE	16
	22	8.22	9.9	6.11	9.6	4.80	9.6	3.01	7.7	NNE	16
	最大	11.22	8.8	6.94	9.2	5.35	9.4	3.27	7.5		
	平均	7.38	8.8	5.57	8.8	4.43	8.7	2.75	7.1		
	月最大	11.22	8.8	6.94	9.2	5.35	10.6	3.27	7.5		
	起時	3116		3116		1314		3116			
	平均	3.58	7.6	2.74	7.7	2.19	7.6	1.36	5.9		

*は日最大波高、波向欄の空欄は欠測を示す

波浪整理表（1）

												波高		波向					
												規定回数	336 回	規定回数	336 回				
												測得回数	336 回	測得回数	313 回				
												欠測回数	0 回	欠測回数	23 回				
												欠測率	0.0 %	欠測率	6.8 %				
観測所名：輪島港輪島崎地区												機種：波高 海象計 - 52m 波向 海象計 - 52m				緯度 N 37° -25'-51 経度 E 136° -54'-08			
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位		角度							
01	00	* 6.77	8.4	5.04	8.8	4.02	9.0	2.56	7.2	NNE		25							
	02	6.45	7.2	* 5.09	9.5	* 4.14	8.9	* 2.59	7.4	NNE		20							
	04	5.98	7.5	4.53	9.0	3.59	8.8	2.31	7.1	NNE		16							
	06	4.61	8.6	3.85	8.9	3.07	8.9	1.86	6.6	NNE		20							
	08	5.56	8.7	4.08	8.6	3.18	8.6	1.91	6.6	NNE		20							
	10	5.18	7.1	3.81	9.6	2.98	9.4	1.85	7.0	NNE		25							
	12	4.79	8.6	3.54	8.9	2.65	8.3	1.68	6.4	NNE		25							
	14	4.74	10.7	3.80	9.2	3.08	9.2	1.89	7.2	NNE		29							
	16	4.47	9.4	3.42	8.9	2.59	8.6	1.59	6.5	NNE		29							
	18	4.17	8.0	3.31	9.0	2.71	9.1	1.65	7.0	NNE		16							
	20	3.24	6.8	2.84	8.4	2.25	8.3	1.38	6.3	NNE		20							
	22	3.40	7.3	2.59	8.3	2.07	8.3	1.28	6.4	NNE		29							
	最大	6.77	8.4	5.09	9.5	4.14	8.9	2.59	7.4										
	平均	4.95	8.2	3.83	8.9	3.03	8.8	1.88	6.8										
02	00	3.09	6.7	* 2.48	8.1	* 2.01	8.7	* 1.19	6.4	NNE		29							
	02	* 3.54	8.4	2.09	8.5	1.61	7.8	0.98	5.9	NNE		33							
	04	2.83	7.9	1.86	8.3	1.48	7.7	0.90	5.7	NNE		25							
	06	2.69	6.4	1.89	7.6	1.48	7.7	0.88	5.7	NNE		29							
	08	2.82	7.4	1.71	7.5	1.36	7.6	0.86	6.0	NNE		25							
	10	2.12	8.1	1.74	7.5	1.43	7.4	0.87	5.7	NNE		25							
	12	1.96	7.2	1.54	7.5	1.22	7.4	0.77	5.8	NNE		29							
	14	1.62	8.3	1.24	7.2	0.98	6.9	0.61	5.1	NNE		20							
	16	1.93	7.0	1.37	7.4	1.06	7.1	0.62	5.0	NNE		25							
	18	1.52	7.2	1.20	7.0	0.98	6.9	0.61	5.1	N		4							
	20	1.42	7.7	1.05	6.7	0.85	6.3	0.54	4.8	NNE		16							
	22	1.37	5.2	1.08	6.5	0.90	6.0	0.57	4.6	NE		37							
	最大	3.54	8.4	2.48	8.1	2.01	8.7	1.19	6.4										
	平均	2.24	7.3	1.60	7.5	1.28	7.3	0.78	5.5										
03	00	1.51	4.7	1.25	6.0	1.02	5.6	0.63	4.4	W		271							
	02	1.97	6.3	1.51	6.3	1.18	5.9	0.73	4.7	WSW		254							
	04	2.00	4.8	1.68	6.5	1.40	6.3	0.86	5.0	W		266							
	06	2.32	6.3	1.76	6.5	1.41	6.3	0.89	4.9	W		278							
	08	2.54	6.6	1.61	6.6	1.33	6.7	0.85	5.2	W		274							
	10	2.60	6.3	1.79	6.6	1.40	6.5	0.87	5.1	WNW		282							
	12	* 2.78	7.6	1.78	6.8	1.43	6.5	0.88	5.0	W		274							
	14	2.23	5.3	1.64	6.1	1.32	6.1	0.84	4.7	W		274							
	16	2.32	5.1	1.78	6.4	1.44	6.5	0.87	5.0	NNE		16							
	18	2.60	6.7	1.84	6.5	1.42	6.5	0.88	5.2	WNW		303							
	20	2.16	5.9	1.89	7.0	1.51	6.9	0.96	5.7	N		352							
	22	2.67	7.4	* 2.18	7.3	* 1.75	7.4	* 1.04	5.8	WNW		286							
	最大	2.78	7.6	2.18	7.3	1.75	7.4	1.04	5.8										
	平均	2.31	6.1	1.73	6.6	1.38	6.4	0.86	5.1										
04	00	3.23	8.3	* 2.84	8.0	* 2.31	8.2	* 1.46	6.9	WNW		299							
	02	3.51	8.2	2.66	8.1	2.28	8.3	1.44	7.0	WNW		290							
	04	* 3.63	7.7	2.80	8.1	2.22	8.1	1.32	6.5	NNE		12							
	06	3.01	8.0	2.46	8.2	1.91	8.1	1.16	6.5	N		356							
	08	2.99	8.1	2.35	8.1	1.84	7.9	1.11	6.2	WNW		295							
	10	2.36	6.7	1.83	7.7	1.50	7.5	0.91	5.7	WNW		303							
	12	2.53	6.8	1.87	7.2	1.43	7.2	0.88	5.9	WNW		286							
	14	2.02	7.0	1.68	7.2	1.39	7.1	0.84	5.9	WNW		286							
	16	2.50	6.5	1.58	7.0	1.23	6.9	0.77	5.6	NNE		20							
	18	1.95	6.7	1.46	6.5	1.19	6.6	0.77	5.4	NW		319							
	20	1.61	5.8	1.27	6.4	1.03	6.4	0.62	5.0	NNW		335							
	22	1.70	5.9	1.29	6.6	1.04	6.8	0.65	5.5	NNW		331							
	最大	3.63	7.7	2.84	8.0	2.31	8.2	1.46	6.9										

	平均	2.59	7.1	2.01	7.4	1.61	7.4	0.99	6.0		
05	00	1.59	6.6	1.17	6.3	0.91	6.3	0.55	5.2	NNE	12
	02	1.22	6.4	1.00	6.4	0.82	6.4	0.51	5.0	NNE	12
	04	1.13	5.0	0.85	5.7	0.71	6.0	0.45	4.8	NNE	16
	06	1.09	6.7	0.90	6.5	0.70	6.3	0.42	4.7	NW	311
	08	1.12	6.4	0.82	6.1	0.64	6.1	0.38	4.6	N	4
	10	0.98	6.3	0.75	6.4	0.60	6.2	0.37	4.8	NW	319
	12	1.19	5.6	0.76	5.8	0.58	5.3	0.35	3.7	NW	318
	14	1.22	4.1	0.95	3.9	0.74	4.3	0.46	3.5	NNE	24
	16	1.14	4.4	0.84	4.3	0.68	4.6	0.44	3.9	NNW	339
	18	1.10	3.8	0.85	4.2	0.67	4.3	0.43	3.6	W	280
	20	1.21	3.8	0.78	4.3	0.60	4.4	0.37	3.5	NW	314
	22	* 2.00	3.9	* 1.45	4.1	* 1.12	4.2	* 0.70	3.7	NNW	336
	最大	2.00	3.9	1.45	4.1	1.12	4.2	0.70	3.7		
	平均	1.25	5.3	0.93	5.3	0.73	5.4	0.45	4.3		
06	00	3.59	6.6	2.44	5.7	1.98	5.7	1.31	4.9	NW	323
	02	3.31	5.6	2.71	5.9	2.10	6.0	1.30	5.0	NW	311
	04	2.91	7.4	2.41	6.2	1.93	6.0	1.22	5.0	WNW	295
	06	3.51	7.3	2.77	6.7	2.27	6.7	1.43	5.7	NW	315
	08	4.40	7.5	2.70	7.3	2.07	7.0	1.25	5.4	NW	315
	10	3.43	8.1	2.77	7.6	2.24	7.2	1.37	5.8	NW	315
	12	* 4.74	7.4	* 3.36	7.7	* 2.52	7.6	* 1.56	6.6	WNW	295
	14	4.23	7.6	2.81	7.9	2.24	7.7	1.43	6.4	WNW	303
	16	3.48	8.0	2.95	8.2	2.29	8.2	1.38	6.3	NNW	331
	18	3.59	8.3	2.99	7.9	2.49	8.0	1.53	6.6	NW	315
	20	3.66	8.1	2.72	8.3	2.24	8.1	1.35	6.2	NNW	348
	22	3.66	8.2	2.58	7.7	1.99	7.7	1.24	6.3	NNW	327
	最大	4.74	7.4	3.36	7.7	2.52	7.6	1.56	6.6		
	平均	3.71	7.5	2.77	7.3	2.20	7.2	1.36	5.9		
07	00	* 3.18	8.3	* 2.70	8.2	* 2.18	8.3	* 1.37	6.9	NNW	331
	02	3.03	8.3	2.63	8.0	2.08	8.3	1.21	6.5	NW	307
	04	2.74	8.0	2.16	7.8	1.71	8.0	1.07	6.3	WNW	290
	06	2.49	7.8	1.99	7.8	1.57	7.8	0.95	6.4	NNW	335
	08	1.95	7.7	1.58	7.4	1.27	7.3	0.78	5.8	NW	323
	10	2.25	7.2	1.56	7.2	1.23	7.3	0.72	5.5	N	352
	12	1.42	5.8	1.13	6.9	0.90	6.5	0.56	4.6	NNW	340
	14	1.56	5.7	1.21	6.5	0.97	6.1	0.61	4.4	NNE	20
	16	1.77	5.6	1.36	5.3	1.13	5.3	0.72	4.3	WNW	291
	18	2.05	5.1	1.56	5.5	1.29	5.5	0.83	4.5	NE	53
	20	2.48	5.6	1.89	5.6	1.49	5.6	0.93	4.5		
	22	2.56	5.3	1.96	5.6	1.56	5.6	0.96	4.5	WNW	289
	最大	3.18	8.3	2.70	8.2	2.18	8.3	1.37	6.9		
	平均	2.29	6.7	1.81	6.8	1.45	6.8	0.89	5.4		
08	00	2.95	5.7	2.14	5.6	1.75	5.6	1.08	4.7	WNW	291
	02	3.57	5.9	2.69	5.9	2.15	6.0	1.34	5.0	NNW	327
	04	3.82	6.3	2.99	6.3	2.37	6.5	1.47	5.2	WNW	290
	06	4.44	7.1	3.43	7.1	2.78	7.1	1.75	5.8	NNW	331
	08	5.67	8.1	4.11	8.4	3.38	8.4	2.12	6.8	NNW	348
	10	5.67	9.0	4.53	8.8	3.69	9.0	2.30	6.9	NNW	331
	12	5.72	8.8	* 5.00	9.1	* 4.03	9.1	* 2.47	7.4	NW	319
	14	5.87	7.3	4.79	9.3	3.87	9.0	2.41	7.1	NNW	335
	16	* 6.24	9.0	4.48	9.4	3.58	9.2	2.17	7.4	NNW	344
	18	5.93	10.1	4.10	9.5	3.10	9.0	1.90	7.1	NNW	331
	20	4.20	7.8	3.64	8.7	2.87	8.7	1.79	7.1	NW	323
	22	3.66	8.6	2.83	8.1	2.30	8.2	1.46	6.7	NNW	327
	最大	6.24	9.0	5.00	9.1	4.03	9.1	2.47	7.4		
	平均	4.81	7.8	3.73	8.0	2.99	8.0	1.86	6.4		
09	00	* 3.36	8.2	* 2.60	8.5	* 2.07	8.2	* 1.30	6.9	NNW	327
	02	2.99	8.4	2.19	7.8	1.69	7.8	1.05	6.4	NNE	12
	04	2.85	7.4	1.75	7.7	1.37	7.4	0.83	5.8	NNE	16
	06	2.25	6.6	1.70	7.4	1.41	7.3	0.88	6.1	NNW	344
	08	2.20	6.8	1.84	7.1	1.49	7.2	0.90	5.8	NNW	331
	10	2.28	6.8	1.70	7.2	1.37	7.1	0.86	6.0	NNE	25
	12	2.56	6.4	1.72	7.0	1.41	7.3	0.85	5.6	NNE	12
	14	1.91	7.2	1.57	7.0	1.24	7.2	0.76	5.7	NNE	16
	16	1.66	8.0	1.25	6.8	1.04	6.9	0.65	5.3	NNE	20
	18	1.64	6.6	1.19	6.6	0.97	7.0	0.60	5.6	NNE	25
	20	1.21	6.9	1.06	7.6	0.86	7.2	0.51	5.3	NNE	25
	22	1.23	7.0	0.95	6.5	0.77	6.8	0.48	5.4	NNE	29

		最大	3.36	8.2	2.60	8.5	2.07	8.2	1.30	6.9		
		平均	2.18	7.2	1.63	7.3	1.31	7.3	0.81	5.8		
10	00		1.08	5.7	0.85	6.5	0.67	6.6	0.41	5.0	NNE	16
	02		1.21	6.5	0.89	6.3	0.65	6.3	0.37	4.6	NE	37
	04		0.98	5.9	0.69	6.1	0.56	6.1	0.34	4.5	WNW	299
	06		1.19	5.6	0.84	4.9	0.68	4.7	0.43	3.6	NE	52
	08		1.24	5.1	0.90	4.8	0.73	4.7	0.46	3.7		
	10		1.50	3.7	1.01	4.6	0.82	4.6	0.50	3.6	NW	310
	12		1.79	3.7	1.15	4.6	0.93	4.7	0.60	3.9		
	14		1.77	4.5	1.23	4.8	0.98	4.9	0.63	4.1	NNW	342
	16	* 1.92	4.8	1.21	5.0	5.0	0.94	4.9	0.60	4.2	NW	304
	18		1.57	5.3	1.19	5.2	0.95	5.3	0.60	4.3	NE	48
	20		1.85	4.8	1.27	5.5	1.02	5.4	* 0.65	4.7	WNW	298
	22		1.68	5.8	* 1.32	5.4	* 1.03	5.4	0.63	4.5		
	最大		1.92	4.8	1.32	5.4	1.03	5.4	0.65	4.7		
	平均		1.48	5.1	1.05	5.3	0.83	5.3	0.52	4.2		
11	00		1.37	5.4	1.06	5.4	0.86	5.4	0.52	4.2	WNW	282
	02		1.78	6.0	1.24	5.8	0.95	5.8	0.57	4.6	NW	315
	04		1.64	5.6	1.16	5.8	0.95	5.9	0.61	5.0	NW	311
	06		1.54	5.5	1.19	5.9	0.93	6.0	0.53	4.7	NNW	335
	08		1.73	6.6	1.24	6.0	0.98	6.1	0.59	5.0	NNE	12
	10		1.53	6.0	0.95	6.1	0.76	6.1	0.47	4.9	NNE	12
	12		0.99	6.2	0.72	6.1	0.57	6.0	0.34	4.4	NNE	20
	14		1.09	5.4	0.83	4.9	0.66	4.5	0.41	3.5		
	16		1.75	4.6	1.08	4.9	0.87	4.8	0.54	3.9	NNW	340
	18		1.31	3.9	1.06	4.2	0.83	4.4	0.53	3.7	NNW	346
	20	* 2.09	4.6	1.34	4.5	4.5	1.04	4.4	0.66	3.8	NNE	23
	22	1.98	4.6	* 1.42	4.4	4.4	* 1.09	4.4	* 0.67	3.8	NW	305
	最大		2.09	4.6	1.42	4.4	1.09	4.4	0.67	3.8		
	平均		1.57	5.4	1.11	5.3	0.87	5.3	0.54	4.3		
12	00		2.42	5.0	1.75	5.0	1.39	5.0	0.88	4.3	NE	40
	02		2.70	5.9	2.20	6.0	1.79	6.1	1.14	4.9	WNW	286
	04	* 3.75	6.4	* 2.38	6.6	6.6	* 1.88	6.3	* 1.22	5.4	WNW	282
	06		2.59	6.0	2.20	6.7	1.81	6.8	1.15	5.8	NW	307
	08		2.52	6.3	1.77	6.8	1.43	6.8	0.86	5.3	NNW	331
	10		2.49	6.9	1.88	6.9	1.55	6.9	0.95	5.7	NW	311
	12		2.20	6.6	1.67	6.8	1.35	6.6	0.83	5.3	NW	319
	14		2.19	6.8	1.79	7.0	1.42	7.0	0.88	5.5	NW	315
	16		2.10	5.4	1.65	6.6	1.34	6.9	0.81	5.4	NW	323
	18		2.13	6.3	1.59	6.8	1.25	7.0	0.76	5.4	NNW	335
	20		2.26	7.6	1.55	7.4	1.18	7.0	0.70	5.2	NNE	20
	22		1.65	6.6	1.27	6.9	1.07	7.0	0.68	5.6		
	最大		3.75	6.4	2.38	6.6	1.88	6.3	1.22	5.4		
	平均		2.42	6.3	1.81	6.6	1.46	6.6	0.91	5.3		
13	00		1.75	7.7	1.25	7.2	1.00	7.3	0.60	5.5	N	4
	02		1.55	6.5	1.16	6.8	0.93	6.7	0.58	5.5	NNE	25
	04		1.41	6.5	1.07	7.0	0.84	7.0	0.51	5.3	NNE	12
	06		1.24	6.1	0.92	6.7	0.72	5.8	0.45	4.1	NNE	25
	08		1.63	5.5	1.28	5.5	1.01	5.5	0.62	4.1	W	277
	10		1.71	6.5	1.28	5.9	1.02	5.8	0.64	4.6	W	266
	12		1.59	6.2	1.24	5.8	0.96	5.5	0.59	4.2		
	14		1.52	4.0	1.32	5.1	1.04	4.9	0.64	3.9		
	16		1.31	5.4	1.04	5.3	0.82	5.1	0.51	3.8	NNE	12
	18		1.28	4.8	1.04	5.3	0.83	5.0	0.51	3.9	NNE	30
	20		1.62	3.7	1.27	5.0	1.04	4.9	0.66	3.8	NE	42
	22	* 2.12	4.2	* 1.47	4.9	4.9	* 1.16	5.0	* 0.74	3.8		
	最大		2.12	4.2	1.47	4.9	1.16	5.0	0.74	3.8		
	平均		1.56	5.6	1.20	5.9	0.95	5.7	0.59	4.4		
14	00		1.96	4.4	1.53	5.0	1.22	4.9	0.77	3.8		
	02		2.23	7.1	1.65	6.5	1.35	5.7	0.86	4.3		
	04		2.74	5.3	2.11	5.4	1.71	5.5	1.12	4.7		
	06		2.65	5.3	1.78	5.6	1.39	5.8	0.89	4.7	WSW	258
	08		2.53	5.5	2.16	6.5	1.73	6.3	1.10	5.0	WNW	290
	10		2.93	6.2	2.37	6.5	1.90	6.4	1.12	5.0	WNW	286
	12		3.07	7.3	2.27	7.2	1.83	6.8	1.20	5.5	WNW	282
	14		2.72	7.1	2.15	6.6	1.73	6.8	1.07	5.3	WNW	295

	16	3.11	7.6	2.28	7.3	1.77	7.2	1.04	5.5	WNW	282
	18	3.31	7.7	2.92	8.7	2.44	8.5	1.51	6.8	NW	323
	20	3.95	9.8	* 3.21	9.0	* 2.62	8.9	1.52	6.7	NNW	327
	22	* 4.27	9.4	3.19	9.5	2.57	9.5	* 1.55	7.3	NNW	335
	最大	4.27	9.4	3.21	9.0	2.62	8.9	1.55	7.3		
	平均	2.96	6.9	2.30	7.0	1.86	6.9	1.15	5.4		
	15	* 5.30	9.6	* 3.25	9.6	* 2.47	9.4	* 1.49	7.4	N	356
	02	3.62	9.9	2.77	9.3	2.23	8.8	1.36	7.2	NW	319
	04	3.42	10.1	2.81	9.2	2.29	8.8	1.42	7.3	NW	323
	06	3.16	8.6	2.30	9.2	1.85	9.2	1.17	7.1	NNE	16
	08	2.89	9.6	2.11	9.0	1.65	8.7	1.03	6.3	NNW	327
	10	2.36	10.9	2.00	8.8	1.53	7.9	0.93	5.6	NNE	25
	12	3.27	9.8	2.41	8.9	1.88	8.7	1.13	6.2	NNE	20
	14	3.01	6.8	2.42	8.3	1.87	7.8	1.12	6.0	NNE	16
	16	2.90	6.4	2.32	8.3	1.83	8.0	1.11	6.1	NNE	29
	18	2.51	9.3	2.16	8.6	1.81	8.3	1.19	6.5		
	20	2.98	8.1	2.36	9.0	1.94	8.2	1.18	6.0	NNE	25
	22	3.17	8.3	2.32	8.4	1.90	8.3	1.16	6.1	NNE	20
	最大	5.30	9.6	3.25	9.6	2.47	9.4	1.49	7.4		
	平均	3.22	9.0	2.44	8.9	1.94	8.5	1.19	6.5		
	16	3.68	10.1	3.06	9.5	2.45	9.2	1.42	6.7	NNW	335
	02	4.08	8.3	3.28	8.4	2.52	7.9	1.53	5.9	NNW	335
	04	3.81	7.9	2.97	7.9	2.43	7.5	1.52	5.7	NNW	327
	06	3.69	6.2	2.85	7.6	2.23	7.1	1.40	5.4	NNW	331
	08	3.85	7.5	2.74	7.6	2.18	7.2	1.41	5.9	NNW	327
	10	4.77	6.7	3.45	6.6	2.64	6.7	1.66	5.6	NNW	331
	12	5.24	7.0	3.65	7.5	2.87	7.9	1.81	6.2	NNW	327
	14	5.03	8.3	4.02	8.1	3.20	8.0	1.96	6.2	NW	315
	16	5.60	8.7	4.35	8.7	3.52	8.5	2.17	6.7	NW	323
	18	5.60	8.2	4.58	8.9	3.71	8.6	2.40	7.0	NNW	327
	20	6.17	7.2	4.74	9.0	3.71	8.8	2.31	6.9	NNW	327
	22	* 6.59	8.8	* 5.30	8.8	* 4.22	8.8	* 2.61	7.0	NW	315
	最大	6.59	8.8	5.30	8.8	4.22	8.8	2.61	7.0		
	平均	4.84	7.9	3.75	8.2	2.97	8.0	1.85	6.3		
	17	5.94	10.0	5.21	9.4	4.28	8.9	2.67	7.2	NW	323
	02	* 7.07	10.1	* 6.04	10.3	* 4.90	9.7	* 2.86	7.5	NNW	327
	04	6.94	11.3	4.88	9.4	3.93	9.8	2.41	7.4	NNW	327
	06	4.90	9.8	4.04	9.4	3.34	9.0	2.05	6.6	NNW	327
	08	4.45	8.0	3.68	8.7	3.03	8.6	1.93	6.9	NW	315
	10	5.01	9.5	3.78	9.1	2.94	8.5	1.72	6.4	NNW	331
	12	3.67	9.2	3.06	8.6	2.50	8.5	1.61	6.7	NNW	327
	14	5.00	10.9	4.02	10.2	3.15	10.3	2.02	7.7	NNE	12
	16	5.59	13.2	4.45	12.0	3.41	10.8	2.08	8.0	NNE	12
	18	6.46	10.9	4.56	10.7	3.51	10.9	2.11	8.2	NNE	25
	20	4.79	10.8	3.53	10.3	2.98	10.2	1.93	7.9	NNE	12
	22	4.81	9.2	3.79	10.3	2.97	10.0	1.86	7.6	N	4
	最大	7.07	10.1	6.04	10.3	4.90	9.7	2.86	7.5		
	平均	5.39	10.2	4.25	9.9	3.41	9.6	2.10	7.3		
	18	4.77	9.6	3.39	10.0	2.71	9.8	* 1.69	7.5	NNE	25
	02	* 5.04	9.8	* 3.61	9.9	* 2.72	9.3	1.66	6.8	N	8
	04	3.66	8.7	3.04	8.8	2.42	8.7	1.45	6.4	NNE	25
	06	4.33	8.9	3.01	8.7	2.46	8.3	1.60	6.4	NNE	12
	08	3.82	8.3	2.94	8.8	2.41	8.7	1.55	6.7	NNE	16
	10	3.71	9.2	2.86	8.4	2.35	8.7	1.47	7.0	NNE	12
	12	3.87	8.4	2.70	8.2	2.16	8.6	1.38	7.0	NNE	16
	14	2.70	8.3	1.97	8.4	1.66	8.1	1.10	6.6	NNE	29
	16	2.59	7.4	2.07	7.7	1.68	7.5	1.08	5.6	NNE	20
	18	2.42	12.1	2.10	7.7	1.82	7.4	1.20	5.4	NNE	16
	20	3.67	5.2	2.67	5.9	2.14	6.1	1.31	4.9	NW	323
	22	3.61	7.1	2.68	6.5	2.11	6.5	1.24	5.0	NNW	335
	最大	5.04	9.8	3.61	9.9	2.72	9.3	1.69	7.5		
	平均	3.68	8.6	2.75	8.3	2.22	8.1	1.39	6.3		
	19	3.08	6.8	2.51	6.7	2.03	6.6	1.26	5.3	NW	315
	02	3.82	6.6	2.86	7.1	2.23	7.3	1.42	5.6	NNE	12
	04	* 4.13	7.1	3.17	7.3	2.44	7.1	1.56	5.8	NNE	16
	06	3.88	8.7	* 3.31	7.5	* 2.65	7.3	* 1.62	5.8	NNW	331
	08	3.71	7.2	2.75	7.6	2.19	7.4	1.38	5.8	NNW	331
	10	3.86	8.2	2.89	7.4	2.30	7.5	1.42	6.2	NNW	327

	12	3.45	6.5	2.62	7.8	2.11	7.7	1.32	6.3	N	4
	14	3.11	7.9	2.38	7.9	1.89	7.7	1.17	6.1	NNW	335
	16	2.55	8.1	2.12	7.8	1.69	7.5	1.06	5.9	NW	319
	18	2.37	6.6	1.84	7.1	1.49	7.3	0.93	5.7	NNE	16
	20	2.10	8.8	1.77	7.4	1.42	7.3	0.84	5.3	NNE	16
	22	2.10	6.7	1.48	7.3	1.20	7.1	0.75	5.7	NNE	25
	最大 平均	4.13	7.1	3.31	7.5	2.65	7.3	1.62	5.8		
		3.18	7.4	2.48	7.4	1.97	7.3	1.23	5.8		
	20	00	1.85	6.8	1.45	7.5	1.13	7.2	0.67	5.2	NNW
	02	1.51	6.7	1.32	7.3	1.09	7.1	0.68	5.4	NNE	12
	04	1.87	6.9	1.27	7.2	0.99	7.1	0.60	5.4	N	8
	06	1.47	6.3	1.06	6.9	0.86	6.8	0.57	5.2	NNE	12
	08	1.32	5.4	1.01	6.6	0.79	6.6	0.49	5.0	NNE	25
	10	1.25	7.2	0.90	6.3	0.73	5.9	0.46	4.1	NE	41
	12	2.35	5.0	1.84	5.2	1.51	5.3	0.95	4.4		
	14	2.97	5.2	2.17	5.0	1.73	5.1	1.12	4.4		
	16	3.17	5.7	2.41	5.4	2.01	5.6	1.31	4.7		
	18	5.40	7.5	4.33	7.3	3.42	7.1	2.15	5.9	WNW	282
20	* 7.04	9.7	* 5.08	8.7	3.82	8.4	2.36	6.4	WNW	303	
22	5.91	9.8	5.06	9.0	* 3.96	8.9	* 2.42	6.8	WNW	295	
最大 平均	7.04	9.7	5.08	8.7	3.96	8.9	2.42	6.8			
	3.01	6.9	2.33	6.9	1.84	6.8	1.15	5.2			
21	00	6.35	7.6	4.91	8.6	3.84	8.7	2.39	6.9	NW	311
	02	5.68	8.6	4.65	8.7	3.81	8.5	2.45	6.7	NW	319
	04	* 7.79	8.3	5.56	9.0	4.51	9.1	2.95	7.7	NNW	327
	06	7.78	8.1	* 6.07	10.0	* 4.73	10.0	* 3.05	7.9	NW	315
	08	7.62	9.8	5.36	10.1	4.09	9.8	2.55	7.5	NW	319
	10	5.73	11.0	5.01	10.7	4.13	10.2	2.59	7.9	NNW	344
	12	6.14	9.3	4.59	10.4	3.58	10.2	2.14	7.3	N	356
	14	6.09	10.3	5.38	10.6	4.34	11.0	2.66	8.5	NNW	331
	16	6.14	10.0	4.51	10.4	3.65	10.3	2.30	8.0	NNE	16
	18	5.73	9.9	3.84	9.8	3.02	9.6	1.80	7.2	NNW	327
20	4.31	8.9	3.84	10.0	3.02	9.7	1.84	7.7	NNE	20	
22	4.47	11.7	3.47	10.0	2.83	10.3	1.81	8.4	NNE	25	
最大 平均	7.79	8.3	6.07	10.0	4.73	10.0	3.05	7.9			
	6.15	9.5	4.77	9.9	3.80	9.8	2.38	7.6			
22	00	3.95	9.9	3.11	10.3	2.46	10.5	* 1.54	8.2	NNE	12
	02	* 4.27	11.1	* 3.29	10.5	* 2.52	10.7	1.50	8.1	NNE	20
	04	2.91	9.4	2.48	9.9	2.06	9.7	1.32	7.1	NNE	16
	06	3.05	7.9	2.46	9.5	2.01	9.1	1.27	6.8	NNE	16
	08	3.54	10.8	2.67	9.8	2.09	8.6	1.31	6.2	NNE	20
	10	2.70	8.4	2.17	7.9	1.84	8.1	1.20	6.1	NNE	16
	12	2.68	8.6	2.07	8.3	1.63	7.8	1.07	5.8	NNE	20
	14	3.01	6.3	2.17	6.7	1.81	6.8	1.16	5.5	W	270
	16	3.54	7.0	2.26	7.4	1.75	7.1	1.12	5.4	W	278
	18	3.36	8.0	2.60	8.0	2.02	7.6	1.24	5.9	WNW	295
20	3.23	8.0	2.22	7.7	1.75	7.8	1.09	6.0	W	262	
22	3.04	6.3	1.88	8.4	1.56	7.8	1.03	6.2	W	266	
最大 平均	4.27	11.1	3.29	10.5	2.52	10.7	1.54	8.2			
	3.27	8.5	2.45	8.7	1.96	8.5	1.24	6.4			
23	00	2.62	8.6	2.14	8.5	1.70	8.2	1.03	6.4	N	356
	02	2.65	8.3	2.03	8.0	1.60	7.8	1.02	6.3	NW	319
	04	3.50	6.5	2.50	6.8	1.95	6.4	1.19	4.9	NW	319
	06	* 4.23	5.2	2.70	6.1	2.14	6.2	1.35	5.1	NE	49
	08	3.75	6.8	* 2.98	6.4	* 2.37	6.3	* 1.50	5.3	NNE	25
	10	3.22	7.1	2.71	6.7	2.22	6.6	1.39	5.7	NNE	29
	12	3.18	6.8	2.41	6.8	1.93	6.8	1.24	5.7	NE	41
	14	2.73	5.5	2.14	6.9	1.69	6.7	1.04	4.9	NE	41
	16	2.71	6.7	2.17	6.5	1.81	6.6	1.17	5.4	NW	315
	18	3.05	6.2	2.23	7.0	1.83	6.7	1.15	5.4	NW	315
20	2.41	5.6	1.87	6.5	1.51	6.4	0.94	5.1	NNE	12	
22	2.66	6.8	1.99	7.0	1.55	6.7	0.96	5.2	NW	315	
最大 平均	4.23	5.2	2.98	6.4	2.37	6.3	1.50	5.3			
	3.06	6.7	2.32	6.9	1.86	6.8	1.17	5.5			
24	00	* 2.19	6.0	* 1.75	6.5	* 1.40	6.5	* 0.86	5.2	NNE	25
	02	2.09	6.8	1.52	6.4	1.19	6.1	0.71	4.5	NNE	20

	04	1.81	6.9	1.39	6.5	1.10	6.3	0.69	4.9	NNE	25
	06	1.60	6.3	1.19	6.3	0.97	6.0	0.62	4.5	NNE	33
	08	1.52	6.1	1.16	5.8	0.93	5.9	0.59	4.4	NNE	16
	10	1.30	5.8	1.04	6.5	0.83	5.8	0.50	4.1	NNE	25
	12	1.29	5.3	1.02	5.6	0.83	5.6	0.53	4.5	N	355
	14	1.36	6.3	1.04	6.1	0.84	5.9	0.52	4.7	NNE	20
	16	1.26	5.5	0.92	5.7	0.72	5.7	0.44	4.4	NE	53
	18	1.32	5.1	0.93	5.9	0.75	5.7	0.46	4.1	NNE	29
	20	1.56	5.3	1.22	4.9	0.94	4.9	0.59	3.9	WNW	302
	22	1.55	4.8	1.21	5.4	0.99	5.2	0.63	4.2	WNW	287
25	最大	2.19	6.0	1.75	6.5	1.40	6.5	0.86	5.2		
	平均	1.57	5.9	1.20	6.0	0.96	5.8	0.60	4.5		
	00	1.46	5.1	1.09	5.2	0.89	5.0	0.57	4.1		
	02	1.17	4.4	0.85	4.8	0.70	4.8	0.45	3.8	NE	55
	04	1.01	4.4	0.82	4.8	0.66	4.9	0.41	3.9		
	06	0.82	3.5	0.64	4.8	0.53	4.6	0.34	3.5	N	7
	08	0.97	5.1	0.72	3.6	0.57	3.8	0.37	3.2	WNW	297
	10	0.83	4.1	0.65	3.6	0.51	3.9	0.33	3.2	N	359
	12	0.84	3.5	0.61	4.2	0.49	4.1	0.32	3.3	NW	305
	14	0.69	4.5	0.48	4.2	0.39	4.0	0.25	3.2	NNW	344
26	16	0.50	4.0	0.37	4.3	0.30	4.2	0.20	3.0	WNW	291
	18	1.10	3.0	0.79	3.2	0.62	3.5	0.39	3.0	NW	323
	20	2.26	5.1	1.69	5.2	1.36	5.2	0.81	4.3		
	22	* 2.79	6.1	* 2.04	5.9	* 1.61	5.9	* 1.00	4.7	NW	307
	最大	2.79	6.1	2.04	5.9	1.61	5.9	1.00	4.7		
	平均	1.20	4.4	0.90	4.5	0.72	4.5	0.45	3.6		
	00	2.84	6.4	2.14	6.9	1.73	6.8	1.07	5.4	NW	319
	02	3.41	8.9	2.80	7.9	2.16	7.7	1.31	6.0	NW	319
	04	* 4.06	9.1	* 3.28	8.4	2.56	8.5	1.55	6.6	WNW	303
	06	3.95	8.2	3.24	8.9	* 2.62	8.7	* 1.61	6.9	NNW	327
27	08	2.86	8.4	2.21	8.0	1.80	7.9	1.10	5.8	NNW	331
	10	2.66	8.2	2.24	7.9	1.74	8.1	1.09	6.4	NNW	331
	12	2.69	8.0	2.13	7.7	1.66	7.5	1.01	5.9	NNW	335
	14	2.29	6.8	1.62	7.3	1.34	7.2	0.82	5.5	W	278
	16	1.71	5.9	1.41	7.0	1.17	6.7	0.74	5.4	NNW	331
	18	1.91	6.3	1.50	6.8	1.24	6.8	0.78	5.3	NNW	335
	20	1.95	5.8	1.46	6.4	1.13	6.5	0.69	5.0	NNE	12
	22	1.57	5.6	1.26	6.6	1.02	6.4	0.62	4.9	NW	319
	最大	4.06	9.1	3.28	8.4	2.62	8.7	1.61	6.9		
	平均	2.66	7.3	2.11	7.5	1.68	7.4	1.03	5.8		
28	00	* 1.98	6.6	* 1.45	6.7	* 1.14	6.5	* 0.70	5.1	NNW	344
	02	1.74	6.5	1.27	6.6	1.00	6.7	0.62	5.1	NNW	335
	04	1.77	6.0	1.38	6.7	1.07	6.7	0.66	5.1	NW	315
	06	1.62	6.8	1.29	6.7	1.06	6.9	0.68	5.4	N	4
	08	1.66	5.8	1.25	6.5	1.00	6.4	0.60	4.8		
	10	1.90	5.3	1.19	6.1	0.93	6.0	0.57	4.5	NNW	335
	12	1.37	6.0	1.00	6.5	0.78	6.1	0.47	4.4	NNW	335
	14	1.15	7.3	0.94	6.1	0.76	5.7	0.46	4.1	NNE	25
	16	1.41	5.8	0.96	6.2	0.78	5.8	0.50	4.3	NNW	331
	18	1.08	5.2	0.81	5.9	0.67	5.6	0.42	4.1		
29	20	1.06	6.3	0.76	5.7	0.59	5.6	0.35	4.1	N	357
	22	1.01	6.3	0.70	5.7	0.54	5.6	0.33	4.1	NNE	31
	最大	1.98	6.6	1.45	6.7	1.14	6.5	0.70	5.1		
	平均	1.48	6.2	1.08	6.3	0.86	6.1	0.53	4.6		
30	00	0.77	6.4	0.61	5.8	0.49	5.6	0.31	3.9	WNW	297
	02	0.82	4.3	0.62	5.0	0.50	4.6	0.31	3.2	NNE	29
	04	0.92	3.8	0.63	4.0	0.51	4.1	0.33	3.3	W	274
	06	0.79	6.4	0.55	4.5	0.44	4.1	0.28	3.1	W	272
	08	1.09	4.0	0.68	4.0	0.53	4.0	0.34	3.3	NW	321
	10	1.28	3.9	1.00	4.2	0.79	4.3	0.50	3.6	NW	305
	12	1.70	3.9	1.20	4.6	0.96	4.8	0.60	4.0	NNE	15
	14	* 2.18	5.0	* 1.41	5.0	* 1.09	4.8	* 0.67	4.0		
	16	1.42	4.8	1.10	5.1	0.90	4.9	0.57	4.0	WNW	290
	18	1.58	5.2	1.28	5.2	1.05	5.2	0.66	4.4		
31	20	1.59	5.0	1.22	5.4	0.99	5.0	0.63	4.4	WNW	284
	22	1.61	5.2	1.20	5.0	0.93	4.8	0.56	3.8	NNW	337
	最大	2.18	5.0	1.41	5.0	1.09	4.8	0.67	4.0		

	平均	1.31	4.8	0.96	4.8	0.77	4.7	0.48	3.8	
月最大		7.79	8.3	6.07	10.0	4.90	9.7	3.05	7.9	
起時		2104		2106		1702		2106		
平均		2.87	7.0	2.19	7.1	1.75	7.0	1.08	5.5	

*は日最大波高、波向欄の空欄は欠測を示す

波浪整理表（1）

												波高		波向			
												規定回数	372 回	規定回数	372 回		
												測得回数	192 回	測得回数	170 回		
												欠測回数	180 回	欠測回数	202 回		
												欠測率	48.4 %	欠測率	54.3 %		
観測所名：輪島港輪島崎地区												機種：波高 海象計 - 52m 波向 海象計 - 52m				緯度 N 37° -25'-51 経度 E 136° -54'-08	
日	時	H max (m)	T max (s)	H 1/10 (m)	T 1/10 (s)	H 1/3 (m)	T 1/3 (s)	H mean (m)	T mean (s)	波向 16方位		角度					
01	00	1.81	5.1	1.32	5.4	1.07	5.1	0.69	4.4	N		8					
	02	2.03	4.9	1.43	5.3	1.15	5.1	0.73	4.4								
	04	2.07	6.3	1.26	5.8	1.00	5.8	0.63	4.5	NNE		20					
	06	1.27	5.0	1.02	5.9	0.87	5.8	0.53	4.2	NE		41					
	08	1.33	5.9	1.07	5.9	0.85	6.0	0.53	4.5	NNE		12					
	10	1.39	6.2	1.05	6.1	0.85	5.9	0.54	4.5	NE		41					
	12	1.61	4.5	1.09	5.5	0.85	5.3	0.53	4.0								
	14	1.27	6.1	0.99	5.5	0.80	5.2	0.52	4.0								
	16	1.23	4.9	0.93	5.6	0.75	5.4	0.49	4.1								
	18	1.22	5.4	0.92	5.4	0.73	5.4	0.46	4.2								
	20	1.59	4.4	1.22	5.0	0.97	4.9	0.62	3.9	NNE		19					
	22	* 2.20	5.4	* 1.57	4.7	* 1.27	4.8	* 0.82	4.2	NE		38					
	最大	2.20	5.4	1.57	4.7	1.27	4.8	0.82	4.2								
	平均	1.59	5.3	1.16	5.5	0.93	5.4	0.59	4.2								
	02	00	2.19	5.5	1.65	5.2	1.28	5.0	0.82	4.2			291				
02		2.10	5.4	1.65	5.1	1.33	4.9	0.83	4.2								
04		3.10	5.1	2.36	5.3	1.89	5.4	1.18	4.5	WNW		5					
06		3.94	6.3	2.73	6.2	2.16	6.1	1.40	5.4	N		344					
08		4.23	6.1	2.82	6.8	2.24	6.7	1.37	5.3	NNW		315					
10		* 4.54	7.3	* 3.15	7.2	* 2.46	7.1	* 1.51	5.8	NW		331					
12		3.53	8.8	2.86	7.8	2.27	7.8	1.43	6.2								
14		4.54	7.2	3.05	8.1	2.28	7.8	1.36	6.3	NW		307					
16		2.75	7.4	2.29	7.5	1.91	7.6	1.16	5.8	NW		311					
18		3.43	8.6	2.56	7.7	2.06	7.8	1.28	6.2	NW		315					
20		3.63	7.8	2.48	7.8	1.93	7.7	1.15	5.9	NW		323					
22		2.71	6.5	2.27	7.8	1.82	7.4	1.14	5.8	NW		323					
最大		4.54	7.3	3.15	7.2	2.46	7.1	1.51	5.8								
平均		3.39	6.8	2.49	6.9	1.97	6.8	1.22	5.5								
03		00	2.67	7.5	* 2.13	7.4	* 1.75	7.3	* 1.08	5.8			331				
	02	2.47	8.1	1.92	7.4	1.47	7.2	0.87	5.3								
	04	2.17	7.6	1.78	7.0	1.40	7.0	0.87	5.4	NNW		319					
	06	* 2.78	7.5	2.05	7.6	1.56	7.3	0.93	5.7	NW		323					
	08	2.50	7.7	1.91	7.7	1.52	7.5	0.95	6.0	NW		315					
	10	1.90	6.8	1.57	7.2	1.23	6.7	0.74	4.9	NNW		327					
										NNE		29					
	12	1.70	7.0	1.45	7.1	1.15	6.9	0.71	5.1			25					
	14	1.88	7.1	1.44	7.2	1.14	6.6	0.71	4.8								
	16	1.56	7.2	1.24	6.9	0.97	6.7	0.60	5.2	NNW		335					
	18	1.50	5.8	1.11	6.6	0.87	6.7	0.60	5.2	NNE		33					
	20	1.16	5.5	1.00	6.6	0.87	6.4	0.53	5.0	NNE		25					
	22	1.27	7.2	1.00	6.3	0.79	6.1	0.47	4.4	NNW		331					
							6.2	0.81	4.7	N		4					
	最大	2.78	7.5	2.13	7.4	1.75	7.3	1.08	5.8								
平均	1.96	7.1	1.55	7.1	1.22	6.8	0.75	5.2									
04	00	1.17	6.3	* 0.93	6.1	* 0.73	6.1	* 0.45	4.6			335					
	02	1.09	6.1	0.81	6.0	0.66	5.9	0.40	4.4								
	04	1.01	5.2	0.80	5.9	0.61	5.6	0.38	4.2	N		352					
	06	* 1.18	5.5	0.80	5.6	0.64	5.3	0.40	4.0	WNW		293					
	08	0.71	5.1	0.59	5.2	0.47	5.0	0.29	3.4	NNE		24					
	10	0.88	4.6	0.62	5.4	0.48	5.2	0.30	3.6	NNE		31					
	12	1.05	4.1	0.62	4.6	0.49	4.3	0.32	3.3			1					
	14	0.77	3.7	0.59	4.3	0.47	4.4	0.30	3.2								
	16	0.81	4.7	0.58	4.4	0.46	4.3	0.30	3.2	W		281					
	18	0.79	4.0	0.56	4.1	0.45	4.2	0.29	3.2	W		277					
	20	0.94	3.8	0.59	4.2	0.47	4.3	0.29	3.2	N		2					
	22	0.78	3.9	0.58	4.3	0.47	4.2	0.30	3.4	N		352					
	最大	1.18	5.5	0.93	6.1	0.73	6.1	0.45	4.6								

	平均	0.93	4.8	0.67	5.0	0.53	4.9	0.34	3.6		
05	00	0.82	3.5	0.62	4.2	0.49	4.2	0.31	3.5		
	02	0.67	3.9	0.45	4.3	0.35	4.3	0.22	3.1	NNE	19
	04	0.45	4.7	0.37	4.2	0.31	4.0	0.20	3.0	NNE	14
	06	0.45	4.3	0.34	4.4	0.27	4.0	0.18	2.8		
	08	0.46	4.4	0.30	4.3	0.24	4.1	0.16	2.9	NNE	30
	10	0.46	5.1	0.36	4.3	0.28	4.1	0.18	2.9	NNW	343
	12	0.53	4.2	0.35	4.2	0.28	3.8	0.18	2.8	NE	38
	14	0.63	3.4	0.45	3.3	0.34	3.5	0.22	2.7		
	16	0.85	3.5	0.65	3.3	0.52	3.4	0.34	2.9		
	18	0.81	3.3	0.60	3.2	0.47	3.4	0.30	3.0	NE	41
	20	0.81	3.2	0.58	3.5	0.48	3.5	0.31	3.0	NNW	348
	22	* 0.99	3.1	* 0.80	3.9	* 0.62	4.0	* 0.39	3.3	NNW	344
	最大	0.99	3.1	0.80	3.9	0.62	4.0	0.39	3.3		
	平均	0.66	3.9	0.49	3.9	0.39	3.9	0.25	3.0		
06	00	1.32	4.1	0.85	4.3	0.69	4.4	0.45	3.7	NW	319
	02	1.01	4.3	0.78	4.7	0.61	4.8	0.39	3.8	N	0
	04	1.03	5.5	0.85	5.0	0.66	4.8	0.41	4.0		
	06	0.98	3.9	0.76	4.8	0.61	5.0	0.38	3.9	NNE	20
	08	0.75	5.1	0.65	4.7	0.53	4.8	0.33	3.7	NNW	345
	10	0.85	4.5	0.62	4.7	0.49	4.6	0.30	3.6	NW	308
	12	0.84	4.7	0.64	4.9	0.50	4.8	0.31	3.8	NNE	27
	14	0.91	5.3	0.69	5.1	0.55	5.2	0.35	4.0		
	16	1.20	2.6	0.93	4.7	0.73	4.5	0.45	3.5		
	18	1.87	5.0	1.43	4.8	1.16	4.7	0.75	4.0	NW	322
	20	2.25	5.1	1.74	5.2	1.45	5.2	0.93	4.4	NE	49
	22	* 3.26	5.4	* 2.43	5.7	* 1.91	6.0	* 1.20	4.9	W	274
	最大	3.26	5.4	2.43	5.7	1.91	6.0	1.20	4.9		
	平均	1.36	4.6	1.03	4.9	0.82	4.9	0.52	3.9		
07	00	* 5.06	6.4	3.57	6.8	2.86	6.8	1.75	5.7	NW	315
	02	3.80	8.4	3.11	6.8	2.46	6.8	1.54	5.5	NW	311
	04	4.27	8.1	3.13	7.5	2.50	7.2	1.57	5.8	WNW	299
	06	4.65	7.2	3.20	8.0	2.58	8.2	1.60	6.2	WNW	303
	08	欠测									
	10	欠测									
	12	4.83	11.0	* 4.46	10.2	* 3.78	10.4	* 2.48	8.6	NW	319
	14	4.63	9.4	3.63	9.7	3.08	9.9	1.95	7.7	NNW	327
	16	4.59	9.6	3.31	9.5	2.61	9.2	1.61	7.1	NNW	327
	18	4.36	10.3	3.39	9.4	2.58	8.9	1.58	6.7	NNW	327
	20	3.87	8.4	3.08	9.1	2.56	9.1	1.59	6.8	NNW	335
	22	3.42	8.0	2.50	8.6	2.03	8.5	1.31	6.6	NW	315
	最大	5.06	6.4	4.46	10.2	3.78	10.4	2.48	8.6		
	平均	4.35	8.7	3.34	8.6	2.70	8.5	1.70	6.7		
08	00	3.22	7.7	* 2.51	7.8	* 1.99	7.8	* 1.25	6.2	NNW	327
	02	3.43	8.2	2.29	8.0	1.80	7.9	1.15	6.3	NW	323
	04	2.59	9.0	2.22	7.9	1.76	7.8	1.08	6.3	NW	319
	06	* 3.47	7.9	2.23	7.7	1.71	7.8	1.01	5.7	NW	315
	08	2.38	7.9	1.76	7.2	1.43	7.0	0.87	5.7	NW	311
	10	2.58	7.1	1.90	7.4	1.53	7.3	0.96	6.1	WNW	299
	12	2.03	7.1	1.70	7.1	1.35	7.1	0.82	5.7	WNW	282
	14	2.11	7.5	1.50	7.5	1.21	7.4	0.79	5.7	NNW	335
	16	1.69	7.2	1.38	7.2	1.15	6.9	0.72	5.4	NW	323
	18	1.51	5.0	1.19	6.1	0.95	6.5	0.59	5.0	NW	323
	20	1.38	7.0	1.09	6.7	0.84	6.4	0.51	5.0	NNW	335
	22	1.23	6.7	1.01	6.7	0.80	6.8	0.49	5.1	NNW	344
	最大	3.47	7.9	2.51	7.8	1.99	7.8	1.25	6.2		
	平均	2.30	7.4	1.73	7.3	1.38	7.2	0.85	5.7		
09	00	1.18	7.3	0.92	6.9	0.71	6.6	0.44	5.0	WNW	295
	02	1.27	7.0	* 1.06	7.2	* 0.81	7.2	* 0.50	5.4	NW	311
	04	* 1.37	6.5	0.92	6.8	0.75	6.7	0.45	5.3	NW	311
	06	0.98	8.8	0.83	6.7	0.67	6.6	0.42	5.0	NNE	16
	08	0.90	5.7	0.75	6.3	0.60	6.3	0.37	4.7	WNW	295
	10	0.84	6.5	0.69	6.3	0.55	6.3	0.35	4.7	NNW	344
	12	0.78	6.2	0.61	6.3	0.49	6.0	0.30	4.2	NNE	25
	14	0.81	6.2	0.62	6.7	0.48	6.1	0.29	4.1	NNE	29
	16	0.68	7.1	0.55	6.1	0.44	5.8	0.27	3.9	NNE	20
	18	0.99	5.0	0.65	5.1	0.51	4.9	0.32	3.7	NNW	342
	20	0.58	6.8	0.46	5.8	0.37	5.5	0.22	3.7	NNE	22
	22	0.63	5.3	0.46	5.5	0.37	5.2	0.23	3.6	WNW	284

		最大	1.37	6.5	1.06	7.2	0.81	7.2	0.50	5.4		
		平均	0.92	6.5	0.71	6.3	0.56	6.1	0.35	4.4		
10	00	0.59	4.8	0.45	5.3	0.36	5.0	0.23	3.6	NE	37	
	02	0.75	6.1	0.56	5.8	0.44	5.7	0.27	4.0	NW	315	
	04	0.65	4.5	0.50	5.7	0.40	5.4	0.24	3.6	NNW	347	
	06	0.70	4.9	0.49	5.2	0.38	4.9	0.24	3.4			
	08	0.72	2.8	0.55	4.2	0.44	4.1	0.28	3.1	NE	37	
	10	0.96	4.3	0.80	3.9	0.63	4.1	0.41	3.3			
	12	1.23	4.3	0.93	4.2	0.76	4.1	0.48	3.5	NE	51	
	14	1.99	4.0	1.54	4.8	1.23	4.7	0.81	4.1			
	16	2.96	4.3	1.85	5.3	1.51	5.4	0.97	4.6	WNW	300	
	18	3.22	6.1	2.19	5.9	1.69	6.0	1.05	4.7	NNW	331	
	20	* 3.66	6.6	2.30	6.6	1.81	6.5	1.13	5.2	NNW	327	
	22	3.06	7.8	* 2.32	7.4	* 1.82	7.0	* 1.15	5.6	NNW	348	
		最大	3.66	6.6	2.32	7.4	1.82	7.0	1.15	5.6		
		平均	1.71	5.0	1.21	5.4	0.96	5.2	0.61	4.1		
11	00	2.69	8.5	2.25	7.6	1.87	7.4	1.18	5.9	NNW	331	
	02	3.06	7.7	2.56	7.6	2.10	7.7	1.27	6.0	NNW	335	
	04	2.96	7.0	2.32	7.8	1.86	7.6	1.13	5.9	NNW	331	
	06	3.36	8.4	2.68	8.3	2.18	8.1	1.34	6.3	NNW	335	
	08	3.28	8.3	2.79	8.5	2.20	8.2	1.36	6.4	NW	319	
	10	2.76	7.6	2.15	7.6	1.68	7.2	1.08	5.5	NW	323	
	12	3.18	6.6	2.46	6.7	1.96	6.8	1.24	5.3	NNW	331	
	14	3.56	6.4	2.89	7.0	2.28	7.2	1.43	5.6	NNW	340	
	16	* 5.43	7.2	3.22	7.3	2.56	6.8	1.63	5.8	NNW	335	
	18	5.03	8.4	3.71	7.7	3.05	8.1	1.95	6.4	NNW	335	
	20	4.76	9.8	* 4.03	8.6	* 3.23	8.3	* 2.02	6.7	NNW	331	
	22	4.92	10.5	4.01	8.7	3.23	8.8	1.98	6.7	NNW	348	
		最大	5.43	7.2	4.03	8.6	3.23	8.3	2.02	6.7		
		平均	3.75	8.0	2.92	7.8	2.35	7.7	1.47	6.0		
12	00	4.59	8.5	4.28	8.8	* 3.47	8.8	* 2.17	7.1	NNW	331	
	02	* 6.14	8.6	* 4.33	8.6	3.39	8.6	2.02	6.4	NNW	340	
	04	5.24	8.9	4.27	8.5	3.32	8.4	2.04	6.6	NNW	344	
	06	5.21	8.9	4.01	8.5	3.22	8.4	1.93	6.6	NNW	335	
	08	4.34	8.6	3.33	8.5	2.63	8.1	1.65	6.3	NNE	16	
	10	3.29	7.7	2.67	7.4	2.15	7.8	1.34	6.2	NNW	335	
	12	3.71	7.8	2.90	8.7	2.30	8.4	1.43	6.7	NNW	340	
	14	3.16	8.4	2.38	8.0	1.92	7.6	1.21	6.2	N	8	
	16	2.99	8.2	2.26	8.0	1.76	7.8	1.08	5.9	NNW	340	
	18	3.36	7.8	2.30	8.3	1.91	8.5	1.14	6.3	NNE	20	
	20	3.16	8.3	2.27	8.0	1.70	7.9	1.01	6.1	N	8	
	22	2.38	7.2	1.80	8.0	1.44	8.0	0.87	6.0	NNE	16	
		最大	6.14	8.6	4.33	8.6	3.47	8.8	2.17	7.1		
		平均	3.96	8.2	3.07	8.3	2.43	8.2	1.49	6.4		
13	00	2.27	8.2	1.82	8.6	* 1.49	8.4	0.90	6.6	NNE	16	
	02	* 2.34	10.0	* 1.86	9.9	1.43	9.5	* 0.91	7.4	N	8	
	04	2.17	9.9	1.67	9.7	1.27	9.3	0.77	6.7	NNE	29	
	06	1.97	9.3	1.73	10.2	1.46	10.0	0.87	7.7	NNE	25	
	08	2.08	10.0	1.43	9.6	1.13	9.5	0.64	6.6	NNE	16	
	10	1.96	8.8	1.41	10.0	1.12	9.9	0.66	7.2	NNE	12	
	12	1.90	8.5	1.40	9.5	1.11	9.1	0.66	6.3	NNE	16	
	14	1.29	7.9	1.04	8.0	0.87	7.7	0.52	5.4	NNE	16	
	16	1.36	9.4	1.04	9.4	0.83	8.6	0.49	5.5	NNE	12	
	18	1.06	8.4	0.85	8.2	0.69	8.0	0.41	5.2			
	20	0.97	8.2	0.74	6.9	0.58	6.4	0.36	4.4	NNE	25	
	22	1.33	8.8	0.96	7.5	0.76	7.0	0.46	4.8	NNE	33	
		最大	2.34	10.0	1.86	9.9	1.49	8.4	0.91	7.4		
		平均	1.73	9.0	1.33	9.0	1.06	8.6	0.64	6.2		
14	00	2.05	6.4	1.58	5.4	1.28	5.5	0.80	4.4	W	262	
	02	2.49	5.0	1.94	6.0	1.53	6.0	0.97	4.8			
	04	2.41	6.3	1.74	5.4	1.41	5.2	0.88	4.3	W	274	
	06	2.52	4.6	1.93	5.5	1.59	5.4	0.99	4.4			
	08	3.43	6.4	2.62	6.3	2.10	6.4	1.31	5.2	WNW	299	
	10	5.22	8.3	4.02	7.9	3.29	7.7	2.14	6.3	WNW	290	
	12	4.50	7.8	3.80	7.7	3.18	7.6	2.02	6.3			
	14	5.33	7.0	3.79	8.0	3.11	7.7	2.00	6.3	WNW	290	

	16		6.26	10.4	4.64	8.5	3.74	8.7	2.34	7.0	NW	315	
	18		6.79	11.4	5.66	10.7	* 4.55	11.0	* 2.75	7.8	NW	307	
	20		* 7.18	11.2	* 5.68	10.5	4.38	10.1	2.69	7.6	NW	323	
	22		6.39	12.5	5.14	10.6	4.14	10.4	2.48	7.2	NNW	331	
	最大		7.18	11.2	5.68	10.5	4.55	11.0	2.75	7.8			
	平均		4.55	8.1	3.55	7.7	2.86	7.6	1.78	6.0			
15	00		* 7.91	10.6	* 5.83	10.1	* 4.67	10.3	* 2.81	8.1	NW	323	
	02		5.54	12.5	4.78	10.0	3.97	10.2	2.53	7.9	NW	323	
	04		6.07	9.7	4.37	9.7	3.46	9.5	2.20	7.6	NNW	340	
	06		5.74	9.6	3.93	10.0	3.11	9.4	1.86	6.9	NNW	331	
	08		4.88	9.0	3.95	9.3	3.02	9.0	1.79	6.9	NNW	327	
	10		4.92	9.1	3.35	9.3	2.77	9.4	1.68	7.0	NNW	331	
	12		4.27	8.3	2.98	8.7	2.36	8.6	1.46	6.5	NW	319	
	14		2.98	8.1	2.45	8.3	2.02	7.9	1.26	5.9	NNW	331	
	16		2.78	7.0	2.32	8.1	1.87	7.5	1.15	5.6	N	352	
	18		3.73	7.4	2.32	7.8	1.83	7.9	1.14	6.2	WNW	303	
	20		3.08	7.0	2.56	8.0	2.02	7.8	1.27	6.4	NNW	327	
	22		3.18	8.5	2.38	8.8	1.87	8.0	1.18	6.3	NNE	16	
	最大		7.91	10.6	5.83	10.1	4.67	10.3	2.81	8.1			
	平均		4.59	8.9	3.44	9.0	2.75	8.8	1.69	6.8			
	16	00		* 2.84	8.4	2.31	8.6	1.85	8.3	1.15	6.3	NNE	25
		02		2.74	8.5	* 2.40	8.9	* 1.97	8.6	* 1.24	6.9	NNE	25
		04		2.68	7.4	2.06	8.3	1.60	7.8	0.98	5.8	NNE	25
		06		2.55	8.7	1.95	8.2	1.56	7.6	1.00	5.7	NNE	25
		08		2.46	8.2	1.94	7.1	1.56	7.1	0.97	5.6	W	278
10			2.29	8.0	2.01	7.3	1.58	7.2	0.95	5.2	W	274	
12			2.27	7.9	1.88	7.2	1.55	7.2	0.97	5.6	W	266	
14			2.35	6.9	1.95	6.8	1.58	6.8	0.98	5.3	WSW	258	
16			2.61	7.1	1.98	6.8	1.61	6.7	0.99	5.3	W	274	
18			2.33	7.6	1.87	6.9	1.50	6.8	0.96	5.4	W	270	
20			2.13	6.5	1.73	7.7	1.41	7.2	0.89	5.6	W	270	
22			2.14	7.9	1.81	7.4	1.48	7.4	0.91	5.5	W	274	
最大			2.84	8.4	2.40	8.9	1.97	8.6	1.24	6.9			
平均			2.45	7.8	1.99	7.6	1.60	7.4	1.00	5.7			
17		00		* 2.33	7.2	* 1.86	7.7	* 1.45	7.5	* 0.90	5.8	WNW	282
		02		1.93	7.3	1.48	7.5	1.18	7.0	0.75	5.4	W	266
		04		欠测									
		06		欠测									
		08		欠测									
	10		欠测										
	12		欠测										
	14		欠测										
	16		欠测										
	18		欠测										
	20		欠测										
	22		欠测										
	最大		2.33	7.2	1.86	7.7	1.45	7.5	0.90	5.8			
	平均		2.13	7.3	1.67	7.6	1.32	7.3	0.83	5.6			
	18	00		欠测									
		02		欠测									
		04		欠测									
		06		欠测									
		08		欠测									
10			欠测										
12			欠测										
14			欠测										
16			欠测										
18			欠测										
20			欠测										
22			欠测										
最大													
平均													
19		00		欠测									
		02		欠测									
		04		欠测									
		06		欠测									
		08		欠测									
	10		欠测										

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大平均									
	00	欠測								
	02	欠測								
20	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大平均										
	月最大	7.91	10.6	5.83	10.1	4.67	10.3	2.81	8.1		
	起時	1500		1500		1500		1500			
	平均	2.49	6.9	1.90	6.9	1.52	6.7	0.94	5.2		

*は日最大波高、波向欄の空欄は欠測を示す

波高		波向	
規定回数	360 回	規定回数	360 回
測得回数	0 回	測得回数	0 回
欠測回数	360 回	欠測回数	360 回
欠測率	100.0 %	欠測率	100.0 %

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
	月最大 起時 平均										

*は日最大波高、波向欄の空欄は欠測を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
月最大											
起時											
平均											

*は日最大波高、波向欄の空欄は欠測を示す

		波向	
360 回	規定回数	360 回	
0 回	測得回数	0 回	
360 回	欠測回数	360 回	
100.0 %	欠測率	100.0 %	

観測所名：輪島港輪島崎地区

機種：波高 海象計 - 52m 波向 海象計 - 52m

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
	月最大 起時 平均										

*は日最大波高、波向欄の空欄は欠測を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

[illegible]

[illegible]

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
月最大 起時 平均											

*は日最大波高、波向欄の空欄は欠測を示す

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	0 回	測得回数	0 回
欠測回数	372 回	欠測回数	372 回
欠測率	100.0 %	欠測率	100.0 %

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

	最大 平均										
10	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
11	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
12	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
13	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
14	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14		欠測 欠測								

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
月最大											
起時											
平均											

*は日最大波高、波向欄の空欄は欠測を示す

		波向	
360 回	規定回数	360 回	
0 回	測得回数	0 回	
360 回	欠測回数	360 回	
100.0 %	欠測率	100.0 %	

緯度 N 37° -25'-51 經度 E 136° -54'-08

[illegible]

[illegible]

	16 18 20 22	欠測 欠測 欠測 欠測								
	最大平均									
15	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測								
	最大平均									
16	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測								
	最大平均									
17	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測								
	最大平均									
18	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22	欠測 欠測 欠測 欠測 欠測 欠測								
	最大平均									
19	00 02 04 06 08 10	欠測 欠測 欠測 欠測 欠測 欠測								

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大 平均										
	月最大 起時 平均										

*は日最大波高、波向欄の空欄は欠測を示す

緯度 N 37° -25'-51 經度 E 136° -54'-08

機種：波高 海象計 - 52m 波向 海象計 - 52m

[illegible]

	最大 平均										
10	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
11	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
12	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
13	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14 16 18 20 22		欠測 欠測 欠測 欠測 欠測								
	最大 平均										
14	00 02 04 06 08 10		欠測 欠測 欠測 欠測 欠測								
	12 14		欠測 欠測								

[illegible]

	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
20	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
21	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
22	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
23	00	欠測								
	02	欠測								
	04	欠測								
	06	欠測								
	08	欠測								
	10	欠測								
	12	欠測								
	14	欠測								
	16	欠測								
	18	欠測								
	20	欠測								
	22	欠測								
	最大									
	平均									
24	00	欠測								
	02	欠測								

[illegible]

	平均										
29	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
30	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
31	00	欠測									
	02	欠測									
	04	欠測									
	06	欠測									
	08	欠測									
	10	欠測									
	12	欠測									
	14	欠測									
	16	欠測									
	18	欠測									
	20	欠測									
	22	欠測									
	最大										
	平均										
月最大											
起時											
平均											

*は日最大波高、波向欄の空欄は欠測を示す

緯度 N 37° -25'-51 經度 E 136° -54'-08

機種：波高 海象計 - 52m 波向 海象計 - 52m

[illegible]

	平均											
05	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大平均											
06	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大平均											
07	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大平均											
08	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	欠测										
	18	欠测										
	20	欠测										
	22	欠测										
	最大平均											
09	00	欠测										
	02	欠测										
	04	欠测										
	06	欠测										
	08	欠测										
	10	欠测										
	12	欠测										
	14	欠测										
	16	* 0.74	4.3	* 0.49	4.9	* 0.42	4.9	* 0.27	3.9	NNE		28
	18	0.67	4.0	0.47	4.4	0.37	4.2	0.23	3.2			
	20	0.66	3.1	0.49	4.2	0.39	4.0	0.25	3.2	NE		37
	22	0.57	3.3	0.40	4.3	0.31	4.3	0.20	3.1	NW		325

		最大	0.74	4.3	0.49	4.9	0.42	4.9	0.27	3.9		
		平均	0.66	3.7	0.46	4.5	0.37	4.4	0.24	3.4		
10	00		0.53	3.5	0.39	4.7	0.32	4.5	0.21	3.6	WNW	294
	02		0.80	9.6	0.51	8.9	0.38	6.6	0.23	4.3	NNW	327
	04		1.20	9.5	0.86	9.7	0.70	9.3	0.42	6.5	WNW	303
	06		2.25	8.7	1.33	9.1	1.09	9.3	0.69	7.7	NW	323
	08		1.98	9.3	1.64	9.2	1.33	9.3	0.79	7.6	NW	323
	10		2.27	9.0	1.89	8.4	1.54	8.7	0.98	7.7	NNW	327
	12		2.60	8.2	1.85	8.2	1.39	8.1	0.85	6.9	NW	319
	14		2.25	8.3	1.78	8.1	1.44	8.0	0.87	6.5	NNW	327
	16	欠测										
	18		3.01	8.0	2.30	7.7	1.78	7.7	1.13	6.5	NNW	340
	20	* 3.43		8.2	* 2.60	7.7	* 2.11	7.7	1.28	6.2	NNE	16
	22	2.77		8.1	2.47	7.6	2.02	7.5	* 1.29	6.0	NNE	16
	最大		3.43	8.2	2.60	7.7	2.11	7.7	1.29	6.0		
	平均		2.10	8.2	1.60	8.1	1.28	7.9	0.79	6.3		
11	00		3.53	8.1	2.74	7.1	2.15	7.1	1.33	5.8	NNE	12
	02		3.72	7.2	2.90	6.9	2.27	7.0	1.41	5.7	NNE	16
	04		3.85	8.3	2.95	7.3	2.42	7.3	1.59	5.9	NNE	16
	06		3.81	7.0	2.93	6.8	2.34	6.9	1.47	5.6	NNW	335
	08		4.74	6.3	3.72	7.0	3.03	6.8	1.85	5.8	NNE	29
	10		5.80	7.7	4.51	7.4	3.47	7.5	2.19	6.3	NNE	20
	12	* 6.50		7.8	4.83	7.9	3.92	8.2	* 2.48	6.9	NNE	25
	14	6.46		7.4	5.09	8.4	* 4.07	8.5	2.47	6.9	NNE	29
	16	6.50		8.2	* 5.21	8.2	3.93	8.1	2.41	6.8	NNE	25
	18	5.78		8.0	4.57	8.1	3.71	8.1	2.39	7.0	NNE	12
	20	6.44		9.0	4.45	8.2	3.32	7.8	2.01	6.4	NNE	25
	22	5.43		7.7	3.88	8.2	3.08	8.3	1.98	6.6	NNE	20
	最大		6.50	7.8	5.21	8.2	4.07	8.5	2.48	6.9		
	平均		5.21	7.7	3.98	7.6	3.14	7.6	1.97	6.3		
12	00	* 6.20		8.5	* 4.52	8.4	* 3.58	8.2	* 2.20	6.7	NNE	25
	02	5.28		7.9	4.27	8.2	3.40	8.3	2.20	6.9	NNE	25
	04	4.98		9.0	4.24	9.0	3.28	8.7	2.04	7.1	NNE	29
	06	5.02		9.4	4.06	8.7	3.21	8.6	1.98	6.8	NNE	25
	08	5.37		7.5	3.72	8.1	2.92	8.2	1.80	6.7	NNE	25
	10	4.70		7.2	3.50	8.0	2.79	7.9	1.72	6.1	NNE	29
	12	3.24		9.4	2.84	7.3	2.28	7.3	1.47	6.1	NNE	29
	14	3.47		7.0	2.90	7.3	2.33	7.2	1.47	5.8	NNE	20
	16	2.89		6.7	2.42	7.0	2.00	7.2	1.27	5.7	NW	319
	18	3.07		6.7	2.35	7.3	1.93	7.4	1.20	5.8	NNW	327
	20	3.04		7.2	2.28	7.3	1.89	6.9	1.18	5.4	N	8
	22	3.21		7.0	2.51	7.4	2.02	7.3	1.26	5.9	NNE	25
	最大		6.20	8.5	4.52	8.4	3.58	8.2	2.20	6.7		
	平均		4.21	7.8	3.30	7.8	2.64	7.8	1.65	6.3		
13	00	2.47		7.9	* 2.09	7.2	* 1.60	7.2	0.97	5.7	NNE	25
	02	* 2.82		7.4	2.02	7.4	1.55	7.2	0.92	5.5	NNE	20
	04	2.16		5.7	1.74	6.9	1.45	7.0	* 0.98	6.1	N	8
	06	2.43		6.5	1.74	7.2	1.43	7.3	0.91	6.3	NNE	16
	08	1.97		7.3	1.50	6.9	1.22	7.1	0.76	5.8	NNW	348
	10	1.51		5.6	1.25	6.5	1.01	6.7	0.66	5.6	NNE	12
	12	1.49		6.1	1.15	6.6	0.93	6.4	0.59	5.4	NW	319
	14	1.43		6.3	1.08	6.4	0.87	6.5	0.56	5.6	NNE	20
	16	1.34		6.9	0.98	6.5	0.76	6.3	0.47	4.9	N	356
	18	1.30		6.2	1.04	6.0	0.85	5.9	0.54	4.7	NNE	16
	20	1.38		5.5	1.17	5.6	0.94	5.5	0.59	4.5	NNE	18
	22	2.37		4.6	1.59	5.7	1.26	5.8	0.80	5.0	NE	41
	最大		2.82	7.4	2.09	7.2	1.60	7.2	0.98	6.1		
	平均		1.89	6.3	1.45	6.6	1.16	6.6	0.73	5.4		
14	00	1.77		5.4	1.28	5.9	1.03	5.9	0.64	4.9	NE	37
	02	2.07		6.2	1.24	5.9	0.95	6.0	0.59	5.1	NE	41
	04	2.11		5.4	1.28	5.8	1.03	5.8	0.64	4.9	NE	53
	06	2.00		5.9	1.57	5.2	1.20	5.1	0.75	4.3	WNW	292
	08	1.79		4.8	1.32	4.7	1.06	5.0	0.68	4.3	W	270
	10	1.80		4.6	1.25	5.0	0.96	5.0	0.59	4.1	NW	309
	12	1.63		4.8	1.26	4.5	1.00	4.6	0.64	4.0	NNE	16
	14	2.00		5.0	1.43	4.7	1.12	4.6	0.73	4.1	NE	46

	16	2.20	4.5	1.59	5.0	1.24	5.0	0.77	4.2	NE	35
	18	* 2.72	5.3	* 1.96	5.2	* 1.52	5.4	0.96	4.6	WNW	283
	20	2.51	6.3	1.91	5.7	1.51	5.7	* 0.97	5.0	WNW	286
	22	2.50	5.3	1.81	5.9	1.42	5.9	0.90	5.0	WNW	295
	最大	2.72	5.3	1.96	5.2	1.52	5.4	0.97	5.0		
	平均	2.09	5.3	1.49	5.3	1.17	5.3	0.74	4.5		
15	00	2.99	5.3	2.37	5.7	1.90	6.0	1.27	5.5	WNW	282
	02	4.18	6.2	3.22	6.2	2.44	6.4	1.54	5.5	WNW	295
	04	5.01	7.1	4.14	7.5	3.29	7.6	2.09	6.6	WNW	290
	06	6.60	7.5	4.43	8.3	3.62	8.0	2.29	6.6	W	274
	08	6.53	10.5	5.01	9.0	3.83	8.9	2.37	7.2	W	278
	10	6.89	9.8	5.12	8.8	4.11	8.8	2.53	7.1	WNW	299
	12	6.25	8.7	4.77	9.0	3.90	9.3	2.30	6.9	WNW	303
	14	* 7.17	9.3	* 5.41	10.1	* 4.34	9.9	* 2.76	7.4	NW	311
	16	6.38	11.5	4.91	9.8	4.04	9.3	2.48	7.5	NW	307
	18	6.31	10.7	5.24	10.0	4.13	9.3	2.57	7.3	NW	315
	20	6.91	9.7	5.20	9.9	4.14	9.6	2.72	7.7	WNW	290
	22	6.39	10.3	5.22	10.0	4.07	9.9	2.43	7.3	NNW	327
	最大	7.17	9.3	5.41	10.1	4.34	9.9	2.76	7.4		
	平均	5.97	8.9	4.59	8.7	3.65	8.6	2.28	6.9		
16	00	* 7.01	9.9	* 5.39	10.0	* 4.24	9.8	2.56	7.7	NNW	327
	02	6.88	8.6	5.35	9.6	4.05	9.6	2.38	7.2	NNW	331
	04	6.49	9.9	4.79	10.6	4.08	10.6	2.54	7.9	NNE	12
	06	5.99	12.3	5.33	10.7	4.19	10.5	* 2.60	8.0	N	4
	08	6.00	9.9	5.07	10.0	4.13	9.7	2.57	7.4	WNW	290
	10	5.05	9.4	4.34	11.0	3.66	10.2	2.34	7.9	N	4
	12	4.94	10.5	4.24	10.6	3.46	10.0	2.17	8.1	NNE	12
	14	6.84	9.9	4.20	9.8	3.33	9.6	2.03	7.3	N	8
	16	4.79	10.3	3.80	9.3	2.99	8.7	1.92	6.7	N	4
	18	4.76	9.8	3.61	9.5	2.93	8.8	1.81	7.0	N	352
	20	4.42	10.8	3.27	8.8	2.61	8.3	1.60	6.2	WNW	299
	22	4.23	10.0	3.62	9.2	2.92	9.0	1.89	7.3	NNW	344
	最大	7.01	9.9	5.39	10.0	4.24	9.8	2.60	8.0		
	平均	5.62	10.1	4.42	9.9	3.55	9.6	2.20	7.4		
17	00	3.89	9.4	3.26	9.0	* 2.72	8.7	* 1.74	7.0	NNW	335
	02	3.62	9.4	3.10	8.7	2.42	8.5	1.57	6.6	NNW	348
	04	3.82	7.6	2.73	8.9	2.18	8.5	1.36	6.5	NNW	340
	06	3.34	7.2	2.92	8.0	2.40	8.0	1.52	6.4	NNW	344
	08	4.21	8.6	3.34	9.1	2.60	8.4	1.59	6.4	N	0
	10	* 5.58	8.7	* 3.52	8.3	2.67	8.1	1.58	6.3	NNW	348
	12	4.25	9.1	3.08	8.7	2.48	8.0	1.55	6.3	NNW	331
	14	3.85	7.3	3.30	7.9	2.66	7.9	1.72	6.5	NNW	335
	16	3.77	7.5	3.09	7.7	2.54	7.2	1.59	5.8	NNW	331
	18	4.41	7.4	3.13	7.4	2.46	7.0	1.53	5.8	NNW	327
	20	3.80	6.9	3.08	7.3	2.50	7.0	1.61	5.8	NNW	331
	22	3.98	8.7	3.17	7.4	2.55	7.1	1.62	6.2	NNW	327
	最大	5.58	8.7	3.52	8.3	2.72	8.7	1.74	7.0		
	平均	4.04	8.2	3.14	8.2	2.52	7.9	1.58	6.3		
18	00	4.58	6.4	3.05	6.8	2.43	6.8	1.54	5.8	NNE	29
	02	4.55	6.4	3.43	6.8	2.62	6.8	1.63	5.7	NNE	16
	04	4.91	6.6	3.21	7.0	2.53	7.0	1.59	5.8	NNW	335
	06	4.37	5.9	3.19	7.0	2.50	6.6	1.63	5.8	NW	323
	08	4.85	7.9	* 3.94	7.7	3.10	7.5	1.96	6.2	NNW	327
	10	* 5.04	7.5	3.90	8.1	* 3.17	7.9	* 1.99	6.4	NNW	327
	12	4.42	5.9	3.62	7.8	2.94	7.6	1.92	6.4	NNW	335
	14	3.75	7.7	3.11	7.5	2.53	7.3	1.61	6.0	NNW	327
	16	3.42	6.8	2.95	7.4	2.36	7.5	1.49	5.8	NNW	344
	18	3.52	9.0	2.74	7.9	2.18	7.8	1.34	6.2	N	352
	20	2.79	6.1	2.56	7.7	2.09	7.5	1.34	6.2	NW	323
	22	2.99	8.1	2.21	7.9	1.76	7.9	1.11	6.3	NNW	340
	最大	5.04	7.5	3.94	7.7	3.17	7.9	1.99	6.4		
	平均	4.10	7.0	3.16	7.5	2.52	7.4	1.60	6.1		
19	00	2.62	7.1	2.15	8.0	1.66	7.7	1.02	6.2		
	02	2.47	8.5	2.00	8.2	1.55	8.0	0.90	6.0	NNW	331
	04	2.62	7.3	1.90	7.7	1.51	7.7	0.93	6.4	NNW	327
	06	1.86	8.1	1.57	7.8	1.28	7.6	0.81	6.4	NNW	327
	08	2.47	7.4	1.67	7.6	1.23	7.5	0.73	6.2	NNW	327
	10	1.53	7.7	1.31	7.2	1.01	7.0	0.62	5.3	NNW	331

	12	2.74	5.1	1.95	5.5	1.56	5.6	0.98	4.7		
	14	3.00	5.2	2.15	5.6	1.70	5.6	1.07	4.8	N	352
	16	3.64	6.0	2.75	6.3	2.17	6.3	1.41	5.3	NW	319
	18	* 4.22	6.0	3.07	6.9	2.39	6.8	1.50	5.8	NW	319
	20	3.30	5.3	2.76	7.2	2.23	6.9	1.41	5.7	NW	319
	22	4.20	6.8	* 3.31	7.0	* 2.68	7.0	* 1.68	6.2	WNW	303
	最大										
	平均	4.22	6.0	3.31	7.0	2.68	7.0	1.68	6.2		
		2.89	6.7	2.22	7.1	1.75	7.0	1.09	5.8		
20	00	* 3.91	7.4	* 2.98	8.1	* 2.43	7.8	1.50	6.1	NW	315
	02	3.64	6.7	2.90	8.3	2.39	8.1	* 1.52	6.5	NW	307
	04	3.58	7.1	2.50	7.8	2.03	7.5	1.28	6.0	WNW	299
	06	2.99	6.5	2.44	6.7	1.90	6.9	1.18	5.7	WNW	299
	08	3.39	7.4	2.35	7.1	1.78	6.9	1.08	5.4	NW	323
	10	2.85	6.9	1.99	6.5	1.63	6.5	1.06	5.4	NNE	12
	12	2.50	6.5	2.05	6.7	1.61	6.6	0.97	5.3	NNE	25
	14	2.55	6.5	1.95	6.6	1.62	6.8	1.04	5.7	NNW	331
	16	2.48	7.1	2.05	7.2	1.64	7.2	1.02	5.8	NNW	327
	18	1.92	6.5	1.64	6.8	1.32	6.8	0.81	5.5	NW	323
	20	1.56	6.2	1.41	6.5	1.10	6.5	0.68	5.3	NNW	331
	22	2.11	5.8	1.36	6.1	1.07	5.7	0.66	4.5	NW	315
	最大										
	平均	3.91	7.4	2.98	8.1	2.43	7.8	1.52	6.5		
		2.79	6.7	2.14	7.0	1.71	6.9	1.07	5.6		
21	00	2.16	5.0	1.75	5.0	1.35	5.3	0.89	4.5	NW	320
	02	2.13	5.6	1.62	5.3	1.25	5.4	0.76	4.5		
	04	3.39	5.1	2.28	5.5	1.83	5.7	1.17	5.0	W	274
	06	4.58	6.9	3.37	6.8	2.74	6.6	1.69	5.7	NW	307
	08	4.88	7.3	3.77	7.6	2.97	7.5	1.87	6.2	NW	319
	10	* 6.04	7.6	* 4.45	8.3	* 3.73	8.4	* 2.44	7.1	NW	311
	12	4.91	9.1	3.67	8.2	3.08	8.4	1.98	6.6	WNW	290
	14	3.69	9.0	3.12	8.2	2.49	7.8	1.58	6.4	WNW	295
	16	4.21	8.7	3.03	7.9	2.42	7.7	1.55	6.1	WNW	290
	18	5.14	7.8	3.37	8.0	2.72	8.0	1.73	6.5	NW	315
	20	3.95	8.3	3.20	8.4	2.63	8.5	1.72	7.1	NW	319
	22	3.67	8.0	2.91	8.1	2.38	8.4	1.50	6.6	WNW	286
	最大										
	平均	6.04	7.6	4.45	8.3	3.73	8.4	2.44	7.1		
		4.06	7.4	3.05	7.3	2.47	7.3	1.57	6.0		
22	00	3.18	7.6	* 2.73	8.2	* 2.30	8.2	* 1.50	7.0	NNW	335
	02	* 3.44	7.8	2.65	8.3	2.13	8.1	1.36	6.7	NNW	335
	04	2.84	7.1	2.47	7.8	1.99	7.7	1.24	6.4	NW	319
	06	3.19	7.4	2.35	7.7	1.83	7.7	1.12	6.4	NW	319
	08	2.40	7.3	1.99	7.3	1.54	7.3	0.97	6.2	NNW	327
	10	1.99	6.2	1.59	7.0	1.24	7.0	0.75	5.5	NW	319
	12	1.68	7.5	1.38	7.5	1.12	7.3	0.69	5.8	WNW	290
	14	1.57	6.8	1.26	7.3	1.00	7.1	0.63	5.6	WNW	286
	16	1.05	6.4	0.85	7.0	0.71	6.8	0.44	5.1	NNW	340
	18	0.92	7.1	0.77	6.6	0.64	6.7	0.40	5.0	NW	315
	20	0.99	6.0	0.73	6.3	0.56	6.5	0.35	4.9	WNW	295
	22	0.80	5.2	0.65	6.5	0.53	6.4	0.32	4.7	NNW	331
	最大										
	平均	3.44	7.8	2.73	8.2	2.30	8.2	1.50	7.0		
		2.00	6.9	1.62	7.3	1.30	7.2	0.81	5.8		
23	00	1.43	5.0	1.10	4.8	0.87	4.8	0.56	4.1	NNW	332
	02	1.92	5.3	1.36	4.8	1.04	4.9	0.66	4.3		
	04	1.40	4.4	0.96	5.4	0.77	5.3	0.50	4.3		
	06	1.41	6.2	1.19	5.8	0.93	6.0	0.57	4.8	WNW	299
	08	1.82	6.4	1.50	6.2	1.21	6.2	0.77	5.4	WNW	299
	10	2.24	5.9	1.81	6.6	1.43	6.6	0.92	5.5	NW	319
	12	* 2.91	5.4	* 2.12	6.2	* 1.69	6.4	* 1.07	5.4	WNW	290
	14	2.53	6.5	1.79	6.3	1.48	6.3	0.97	5.4	W	278
	16	2.13	6.2	1.69	6.2	1.39	6.1	0.93	5.3	WNW	282
	18	2.16	6.5	1.56	6.3	1.24	6.2	0.77	5.1	NW	315
	20	2.47	6.9	1.72	6.9	1.36	6.6	0.85	5.6	NW	311
	22	2.34	6.3	1.92	7.2	1.50	7.3	0.93	6.1	NNW	327
	最大										
	平均	2.91	5.4	2.12	6.2	1.69	6.4	1.07	5.4		
		2.06	5.9	1.56	6.1	1.24	6.1	0.79	5.1		
24	00	2.09	7.8	* 1.86	7.1	* 1.50	7.4	* 0.93	6.1	WNW	290
	02	* 2.21	6.1	1.62	7.3	1.26	7.0	0.77	5.6	WNW	295

	04		1.97	7.1	1.50	7.1	1.23	7.2	0.80	6.2	W	278
	06		1.69	6.4	1.35	7.5	1.10	7.3	0.66	5.8	WNW	295
	08		1.78	6.5	1.32	7.1	1.05	6.9	0.66	5.6	WNW	290
	10		1.60	6.4	1.36	6.9	1.05	6.7	0.64	5.6	WNW	286
	12		1.34	6.2	1.09	6.4	0.87	6.6	0.55	5.5	NW	315
	14		1.33	5.7	1.05	6.1	0.85	6.2	0.53	5.2	WNW	290
	16		1.14	5.4	0.87	6.1	0.71	5.9	0.45	4.8	NW	323
	18		1.28	4.7	0.83	5.8	0.67	5.8	0.41	4.7	NW	307
	20		0.91	5.9	0.68	5.6	0.52	5.8	0.33	4.4	W	278
	22		0.72	5.8	0.56	5.7	0.44	5.8	0.28	4.2	WNW	286
25	最大		2.21	6.1	1.86	7.1	1.50	7.4	0.93	6.1		
	平均		1.51	6.2	1.17	6.6	0.94	6.6	0.58	5.3		
	00		0.64	4.6	0.55	5.4	0.45	5.4	0.27	4.1		
	02		0.83	6.0	0.55	5.5	0.45	5.2	0.28	3.9		
	04		0.63	5.6	0.51	5.3	0.41	5.2	0.26	4.1		
	06		0.70	5.3	0.46	5.3	0.35	5.1	0.21	3.7	NW	314
	08		0.54	5.1	0.42	5.3	0.33	5.1	0.21	3.9	NNE	12
	10		0.66	4.3	0.40	4.8	0.32	4.6	0.20	3.4		
	12		0.57	4.8	0.42	4.4	0.35	4.4	0.22	3.4	NE	35
	14		0.62	3.7	0.43	4.2	0.35	4.4	0.23	3.4	WNW	282
26	16		0.67	4.4	0.43	4.7	0.34	4.5	0.22	3.3		
	18		0.75	4.1	0.45	4.2	0.35	4.2	0.22	3.2	NNW	340
	20		0.83	2.8	0.58	3.4	0.45	3.6	0.28	3.1	N	354
	22		* 1.18	3.6	* 0.76	3.6	* 0.60	3.7	* 0.37	3.2	WNW	295
	最大		1.18	3.6	0.76	3.6	0.60	3.7	0.37	3.2		
	平均		0.72	4.5	0.50	4.7	0.40	4.6	0.25	3.6		
	00		1.00	4.1	0.74	3.6	0.59	3.7	0.37	3.2	NW	305
	02		* 1.69	3.5	1.14	4.1	0.89	4.0	0.57	3.6	NNE	26
	04		1.29	3.8	0.95	4.2	0.78	4.2	0.50	3.7		
	06		1.37	5.3	1.10	4.9	0.91	4.9	0.59	4.4	NNW	327
27	08		1.49	5.3	1.13	5.1	0.89	5.2	0.55	4.4	W	278
	10		1.32	5.3	1.04	5.3	0.80	5.1	0.48	4.2	NNW	348
	12		1.33	5.0	1.00	5.3	0.82	5.4	0.53	4.6	NNW	341
	14		1.09	4.6	0.91	5.1	0.74	5.2	0.47	4.4		
	16		1.42	5.0	0.90	5.6	0.71	5.5	0.44	4.6	NE	48
	18		1.33	4.5	0.93	5.4	0.72	5.5	0.43	4.4	NW	307
	20		1.38	5.7	1.02	5.7	0.80	6.1	0.50	5.1	NW	319
	22		1.59	7.9	* 1.23	6.7	* 0.95	6.8	* 0.60	5.5	NNW	348
	最大		1.69	3.5	1.23	6.7	0.95	6.8	0.60	5.5		
	平均		1.36	5.0	1.01	5.1	0.80	5.1	0.50	4.3		
28	00		1.59	5.8	1.11	6.6	0.93	6.6	0.60	5.5	WNW	299
	02		1.67	7.4	1.31	6.9	1.07	7.2	0.68	6.0	NW	319
	04		1.22	7.0	1.04	6.9	0.86	6.9	0.54	5.6	N	8
	06		1.36	7.4	1.08	6.7	0.86	6.8	0.55	5.8	NNE	12
	08		1.38	6.3	0.95	6.5	0.74	6.6	0.48	5.5	N	4
	10		1.22	6.3	0.81	6.5	0.62	6.5	0.38	5.3	N	0
	12		1.50	6.7	1.04	6.2	0.81	6.1	0.50	4.7		
	14		1.97	5.4	1.35	5.1	1.04	4.9	0.63	4.2		
	16		2.01	5.6	* 1.56	5.5	* 1.26	5.5	* 0.82	4.8	W	274
	18		1.77	5.8	1.39	5.5	1.12	5.6	0.72	4.6	WNW	295
29	20		* 2.14	4.3	1.46	4.6	1.15	4.8	0.75	4.4	NW	320
	22		1.96	5.1	1.37	5.1	1.11	5.1	0.69	4.2		
	最大		2.14	4.3	1.56	5.5	1.26	5.5	0.82	4.8		
	平均		1.65	6.1	1.21	6.0	0.96	6.1	0.61	5.1		
30	00		2.97	5.1	1.68	5.1	1.34	5.2	0.84	4.5	NE	56
	02		2.36	4.5	1.89	5.2	1.50	5.2	0.93	4.4	NNW	344
	04		2.88	6.0	2.22	5.9	1.86	5.9	1.18	5.0	NW	323
	06		3.48	6.4	2.42	6.3	1.93	6.2	1.25	5.4	NNW	327
	08		3.12	7.3	2.27	6.3	1.82	6.2	1.13	5.2	NNW	327
	10		3.62	8.8	2.84	8.0	2.27	7.9	1.43	6.6	NNW	335
	12		4.11	8.7	* 3.23	8.6	* 2.60	8.7	* 1.60	7.0	NNW	327
	14		3.78	9.8	3.11	8.7	2.37	8.4	1.52	7.2	NW	323
	16		* 4.25	6.8	2.81	8.2	2.14	8.0	1.35	6.5	NNW	331
	18		3.06	7.2	2.58	7.9	2.16	8.2	1.35	6.5	NNW	327
31	20		3.33	7.6	2.55	8.3	1.97	7.7	1.31	6.3	NNW	327
	22		3.18	8.4	2.49	8.5	2.01	8.3	1.23	6.3	NNW	331
	最大		4.25	6.8	3.23	8.6	2.60	8.7	1.60	7.0		

	平均	3.35	7.2	2.51	7.3	2.00	7.2	1.26	5.9		
29	00	2.75	8.8	* 2.08	8.1	* 1.74	8.0	* 1.12	6.6	NW	319
	02	* 2.89	8.0	2.04	7.6	1.57	7.7	1.01	6.4	NW	323
	04	2.46	6.6	1.92	7.6	1.53	7.7	0.98	6.6	NW	323
	06	2.22	7.8	1.61	7.7	1.34	7.6	0.84	6.2	NNW	331
	08	1.95	7.9	1.48	7.6	1.15	7.3	0.72	5.8	NNW	340
	10	2.25	6.9	1.58	7.5	1.24	7.6	0.77	5.9	NNE	20
	12	2.15	8.3	1.65	8.1	1.30	8.0	0.78	6.0	NNE	16
	14	2.01	7.1	1.59	7.9	1.31	8.1	0.82	6.2	NNE	20
	16	2.10	7.6	1.48	7.8	1.19	7.6	0.72	5.4	NNE	16
	18	2.26	7.9	1.45	7.3	1.13	7.0	0.70	5.3	NNE	12
	20	1.90	6.0	1.28	7.9	1.03	7.1	0.66	5.5	NNE	16
	22	1.53	6.7	1.15	7.6	0.92	7.4	0.58	5.5	NNE	25
	最大	2.89	8.0	2.08	8.1	1.74	8.0	1.12	6.6		
	平均	2.21	7.5	1.61	7.7	1.29	7.6	0.81	6.0		
30	00	1.62	7.0	1.13	6.9	0.91	7.0	0.56	5.2	NNE	20
	02	1.12	6.9	0.91	6.5	0.76	6.3	0.49	4.8	NNE	16
	04	* 1.96	3.5	* 1.30	5.0	* 1.05	5.1	* 0.68	4.3	WNW	290
	06	1.61	5.2	1.18	4.8	0.94	4.9	0.60	4.2	NNW	334
	08	1.36	4.1	1.01	4.8	0.79	4.9	0.48	4.0	NE	43
	10	1.12	4.0	0.93	5.6	0.73	5.4	0.46	4.2	NE	47
	12	1.71	5.0	0.97	5.4	0.78	5.2	0.51	4.1	NNE	17
	14	1.23	4.1	0.93	5.0	0.73	5.0	0.46	4.0	NW	307
	16	1.24	4.4	0.84	5.1	0.65	5.1	0.41	3.8	NNW	333
	18	1.10	4.6	0.79	4.6	0.64	4.7	0.40	3.8	NNE	33
	20	1.09	3.9	0.86	4.3	0.68	4.3	0.44	3.8	WNW	299
	22	0.97	4.8	0.73	4.9	0.60	4.7	0.38	4.0		
	最大	1.96	3.5	1.30	5.0	1.05	5.1	0.68	4.3		
	平均	1.34	4.8	0.97	5.2	0.77	5.2	0.49	4.2		
月最大		7.17	9.3	5.41	10.1	4.34	9.9	2.76	7.4		
起時		1514		1514		1514		1514			
平均		2.88	6.8	2.20	7.0	1.75	6.9	1.10	5.6		

*は日最大波高、波向欄の空欄は欠測を示す

波浪整理表（1）

2009年 12月

波高		波向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	354 回
欠測回数	0 回	欠測回数	18 回
欠測率	0.0 %	欠測率	4.8 %

観測所名：輪島港輪島崎地区

機種：波高 海象計 - 52m 波向 海象計 - 52m

緯度 N 37° -25' -51 経度 E 136° -54' -08

日	時	H max	T max	H 1/10	T 1/10	H 1/3	T 1/3	H mean	T mean	波向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.90	4.1	* 0.69	4.8	* 0.54	4.7	* 0.34	3.9	NW	325
	02	0.69	5.3	0.54	4.7	0.44	4.8	0.27	3.7	NE	47
	04	0.63	5.3	0.49	4.7	0.40	4.7	0.24	3.5	WNW	292
	06	0.73	5.9	0.48	4.8	0.36	4.6	0.22	3.4	NE	52
	08	0.66	4.3	0.44	4.8	0.35	4.8	0.22	3.7		
	10	0.75	4.4	0.48	5.0	0.37	4.7	0.23	3.6	WNW	284
	12	0.60	4.3	0.40	4.9	0.32	4.8	0.20	3.6	N	8
	14	0.57	5.2	0.39	5.1	0.32	4.8	0.20	3.7	WNW	299
	16	0.69	4.9	0.42	4.8	0.32	4.6	0.20	3.3	NW	317
	18	0.60	4.8	0.43	3.7	0.33	3.7	0.21	2.9	NNE	14
	20	0.72	3.4	0.51	3.5	0.42	3.7	0.27	3.2	NE	40
	22	0.45	3.8	0.33	3.8	0.27	3.7	0.17	2.9	NE	42
	最大	0.90	4.1	0.69	4.8	0.54	4.7	0.34	3.9		
	平均	0.67	4.6	0.47	4.6	0.37	4.5	0.23	3.5		
02	00	0.81	3.9	0.57	3.9	0.44	3.8	0.28	3.2	NW	306
	02	1.07	3.8	0.82	4.8	0.66	4.7	0.42	3.9	N	2
	04	1.22	4.2	0.91	4.9	0.73	4.8	0.46	4.0	NNE	31
	06	1.50	5.8	* 1.13	5.6	* 0.89	5.5	* 0.58	4.7	WNW	292
	08	* 1.53	5.2	1.00	5.4	0.78	5.4	0.47	4.3	W	273
	10	1.43	5.4	1.01	5.5	0.80	5.4	0.50	4.4	NE	38
	12	1.11	4.4	0.83	4.8	0.67	4.8	0.42	3.8	NNE	31
	14	0.99	5.5	0.70	5.0	0.57	4.9	0.37	4.2	N	10
	16	0.78	5.0	0.66	4.9	0.54	4.9	0.35	4.2	NNE	29
	18	0.83	4.4	0.62	4.7	0.50	4.7	0.31	3.9	W	279
	20	0.85	4.2	0.63	4.9	0.49	4.9	0.31	4.0	NW	309
	22	0.94	5.5	0.75	5.6	0.61	5.5	0.38	4.4	WNW	302
	最大	1.53	5.2	1.13	5.6	0.89	5.5	0.58	4.7		
	平均	1.09	4.8	0.80	5.0	0.64	4.9	0.40	4.1		
03	00	0.97	6.5	0.79	5.9	0.64	6.0	0.40	4.8	NNW	331
	02	0.75	5.7	0.67	6.0	0.55	6.0	0.34	4.6	NNW	340
	04	0.72	5.3	0.54	5.8	0.42	5.7	0.26	4.2	WNW	303
	06	0.58	5.8	0.41	5.6	0.33	5.3	0.20	3.7	NW	309
	08	0.44	4.4	0.39	6.0	0.33	5.7	0.21	4.0	NNE	20
	10	0.62	6.0	0.42	5.7	0.32	5.5	0.19	3.6		
	12	0.64	5.6	0.49	5.4	0.40	5.2	0.24	3.9	N	11
	14	0.65	5.4	0.48	5.5	0.38	5.4	0.24	3.9	NE	50
	16	0.73	5.7	0.55	5.6	0.43	5.7	0.26	4.1	NNE	33
	18	* 1.22	4.5	* 0.86	4.5	* 0.69	4.4	* 0.44	3.7	NW	306
	20	0.90	4.2	0.66	4.3	0.54	4.5	0.36	3.7	N	351
	22	0.86	4.9	0.54	5.4	0.43	5.2	0.28	3.8	N	3
	最大	1.22	4.5	0.86	4.5	0.69	4.4	0.44	3.7		
	平均	0.76	5.3	0.57	5.5	0.46	5.4	0.29	4.0		
04	00	2.63	4.9	2.01	4.5	1.60	4.7	1.01	4.2		
	02	4.89	7.2	4.27	7.7	* 3.49	8.2	* 2.25	6.7	NNW	340
	04	4.84	7.6	3.76	8.1	3.12	8.1	1.93	6.3	N	352
	06	5.10	8.7	3.82	8.2	3.17	8.3	2.03	6.6	NNE	16
	08	* 5.69	9.0	* 4.34	8.8	3.25	8.4	1.96	6.6	NNE	16
	10	4.58	9.0	3.65	8.5	3.02	8.4	1.89	6.5	NNE	16
	12	3.96	7.2	3.22	8.2	2.64	8.4	1.63	6.4	NNE	16
	14	4.52	7.8	2.75	8.2	2.21	7.9	1.38	6.2	NNE	16
	16	3.64	7.7	2.81	8.4	2.35	7.9	1.54	6.7	NNE	25
	18	3.05	7.2	2.40	8.0	1.92	7.4	1.17	5.7	NNE	25
	20	3.28	8.3	2.59	7.9	2.09	7.8	1.31	6.5	NNE	29
	22	2.64	7.3	2.26	7.3	1.86	7.4	1.15	6.2	NNE	25
	最大	5.69	9.0	4.34	8.8	3.49	8.2	2.25	6.7		

	平均	4.07	7.7	3.16	7.8	2.56	7.7	1.60	6.2		
05	00	2.32	7.1	1.79	7.2	1.39	7.2	0.87	5.6	NE	45
	02	2.18	7.5	1.73	7.2	1.35	7.2	0.84	5.6	NNE	29
	04	2.09	7.3	1.39	6.5	1.12	6.8	0.70	5.4	NNE	16
	06	1.54	6.4	1.23	6.8	1.00	6.4	0.65	5.5	NNE	33
	08	1.77	7.1	1.30	6.5	1.03	6.6	0.65	5.4	NE	37
	10	1.37	5.8	1.00	5.8	0.79	6.1	0.50	4.9	NNE	29
	12	1.36	5.9	0.92	6.3	0.74	6.2	0.46	5.0	NNE	33
	14	1.58	5.9	1.26	5.7	0.99	5.9	0.65	5.1	WSW	258
	16	1.51	7.0	1.10	6.0	0.84	5.7	0.51	4.3	WSW	258
	18	1.66	4.3	1.22	5.8	0.97	5.7	0.62	4.4	WSW	258
	20	3.40	6.2	2.69	5.9	2.16	6.4	1.37	5.4	WSW	258
	22	* 5.47	8.4	* 4.23	8.4	* 3.28	8.5	* 2.02	6.7	W	278
	最大	5.47	8.4	4.23	8.4	3.28	8.5	2.02	6.7		
	平均	2.19	6.6	1.66	6.5	1.31	6.6	0.82	5.3		
06	00	5.97	9.4	4.45	9.3	3.38	9.4	2.06	7.1	WNW	299
	02	5.23	9.0	4.22	9.7	3.45	9.2	2.28	7.5	WNW	299
	04	5.46	11.3	4.20	9.9	3.28	9.0	2.01	7.1	WNW	290
	06	5.07	8.9	4.15	8.7	3.29	8.7	2.03	6.7	WNW	299
	08	6.75	8.6	4.54	8.7	3.54	9.1	2.29	7.6	WNW	299
	10	5.50	10.1	4.11	9.8	3.25	9.0	2.11	7.1	WNW	303
	12	6.94	11.4	4.80	9.1	3.73	9.1	2.24	7.0	NW	307
	14	5.76	10.2	4.85	10.2	4.18	9.9	2.66	7.7	NW	307
	16	* 7.36	7.9	* 5.69	10.4	* 4.55	10.6	* 2.86	8.3	NW	311
	18	6.37	8.5	5.15	10.3	4.16	10.3	2.57	7.9	NNW	327
	20	6.19	8.6	4.85	11.0	3.94	10.1	2.46	7.7	NW	315
	22	6.70	8.2	4.76	10.3	3.72	9.7	2.23	7.2	NNW	331
	最大	7.36	7.9	5.69	10.4	4.55	10.6	2.86	8.3		
	平均	6.11	9.3	4.65	9.8	3.71	9.5	2.32	7.4		
07	00	* 6.84	9.8	* 5.35	11.1	* 4.30	10.8	* 2.71	8.3	WNW	299
	02	6.16	9.8	4.91	10.5	4.05	10.0	2.56	8.1	NW	319
	04	5.32	9.6	4.52	9.8	3.65	10.0	2.15	7.1	NNW	327
	06	6.58	9.1	4.86	9.8	3.90	10.0	2.40	7.9	NNW	327
	08	5.58	9.0	3.90	9.1	3.15	8.9	2.02	7.3	NNW	335
	10	4.91	9.0	4.20	9.1	3.38	8.9	2.06	6.9	NNW	335
	12	5.53	10.4	4.31	9.6	3.40	9.6	1.97	7.2	NNW	331
	14	5.80	7.8	3.89	9.1	3.07	8.9	1.91	7.0	NNW	331
	16	5.78	9.5	4.01	9.0	3.14	8.9	1.95	6.8	NNW	331
	18	5.66	7.5	3.87	8.6	2.99	8.7	1.86	6.9	NNW	331
	20	4.67	8.4	3.71	8.8	2.91	8.8	1.75	6.7	NW	323
	22	5.19	8.8	3.61	9.0	2.76	8.6	1.68	6.7	NNW	335
	最大	6.84	9.8	5.35	11.1	4.30	10.8	2.71	8.3		
	平均	5.67	9.1	4.26	9.5	3.39	9.3	2.09	7.2		
08	00	* 4.63	8.3	* 3.40	8.7	2.69	8.9	1.63	7.1	NNW	340
	02	4.53	8.9	3.19	8.6	2.54	8.6	1.62	7.2	NNW	344
	04	4.29	9.2	3.29	9.0	* 2.71	8.9	* 1.73	7.5	NW	323
	06	3.57	10.0	3.09	8.7	2.51	8.6	1.60	7.1	NNW	344
	08	3.64	8.3	2.96	8.4	2.38	8.3	1.54	7.1	NNW	340
	10	3.67	8.4	2.87	8.2	2.29	8.3	1.46	7.1	N	0
	12	3.06	7.6	2.27	8.2	1.82	8.1	1.15	6.4	NNW	335
	14	2.65	8.0	1.96	7.7	1.53	7.6	0.96	6.1	NNW	348
	16	2.34	7.9	1.87	8.2	1.50	7.9	0.96	6.2	NNE	12
	18	2.27	9.1	1.82	7.9	1.46	8.2	0.94	6.7	N	8
	20	2.43	9.6	1.79	8.8	1.38	8.4	0.86	6.6	NNE	16
	22	2.28	8.5	1.75	8.8	1.43	8.4	0.91	7.1	NNE	25
	最大	4.63	8.3	3.40	8.7	2.71	8.9	1.73	7.5		
	平均	3.28	8.7	2.52	8.4	2.02	8.4	1.28	6.9		
09	00	* 2.46	10.0	* 1.80	8.4	* 1.42	8.7	* 0.84	6.8	NNE	16
	02	2.31	9.2	1.50	8.9	1.18	8.8	0.73	6.7	NNE	16
	04	1.85	9.4	1.42	9.1	1.13	8.9	0.67	6.7	NNE	20
	06	1.63	8.8	1.26	8.7	1.01	8.8	0.62	6.7	NNE	12
	08	1.25	8.9	1.00	9.0	0.83	9.0	0.51	6.6	NNE	12
	10	1.41	10.8	0.96	9.3	0.75	9.1	0.47	6.5		
	12	1.14	9.2	0.97	9.4	0.79	9.0	0.48	6.4	NNE	16
	14	1.27	8.0	0.97	8.9	0.79	8.2	0.50	6.1	NNE	20
	16	1.51	8.5	1.07	7.9	0.85	8.0	0.51	5.7	NNE	25
	18	1.27	8.0	1.05	8.2	0.85	8.3	0.53	6.1	NNE	12
	20	1.59	8.9	1.15	7.9	0.90	6.9	0.57	5.1	NNE	12
	22	1.77	5.4	1.26	6.1	1.00	5.9	0.63	4.7	NNE	20

		最大	2.46	10.0	1.80	8.4	1.42	8.7	0.84	6.8		
		平均	1.62	8.8	1.20	8.5	0.96	8.3	0.59	6.2		
10	00		1.56	5.6	1.21	5.6	0.97	5.3	0.62	4.4	NE	47
	02		2.23	4.9	1.48	5.4	* 1.19	5.4	* 0.74	4.5	NNW	328
	04		1.85	4.5	1.41	5.4	1.13	5.4	0.72	4.5	NE	49
	06	* 2.28	5.7	* 1.49	5.5	5.5	1.16	5.1	0.72	4.5	NNE	24
	08	1.59	9.9	1.40	5.1	5.1	1.11	5.0	0.73	4.4	WNW	302
	10	1.59	4.5	1.30	5.3	5.3	1.04	5.3	0.68	4.6		
	12	1.65	6.5	1.25	5.8	5.8	0.97	5.7	0.62	4.7	NNE	25
	14	1.56	6.2	1.25	5.5	5.5	1.03	5.6	0.67	4.6	NE	42
	16	2.02	4.9	1.26	5.7	5.7	0.98	5.7	0.64	4.6	NNE	16
	18	1.58	5.7	1.17	6.2	6.2	0.94	6.0	0.61	4.7	NNE	25
	20	1.43	5.6	1.14	5.5	5.5	0.90	5.5	0.57	4.5	NNE	32
	22	1.44	5.1	1.07	5.6	5.6	0.85	5.8	0.53	4.6	NNE	12
	最大	2.28	5.7	1.49	5.5	5.5	1.19	5.4	0.74	4.5		
	平均	1.73	5.8	1.29	5.6	5.6	1.02	5.5	0.65	4.6		
11	00		1.36	5.4	1.02	5.4	0.82	5.3	0.52	4.5	NE	51
	02		1.31	5.4	0.94	5.0	0.76	5.3	0.49	4.5		
	04		1.65	5.5	0.95	5.3	0.74	5.4	0.46	4.6	N	352
	06		1.04	5.2	0.83	5.8	0.69	5.6	0.44	4.6	NNW	342
	08		0.97	5.2	0.76	5.4	0.62	5.4	0.40	4.6		
	10		1.32	5.5	0.85	5.4	0.66	5.6	0.40	4.4	WNW	294
	12	1.16	5.1	0.91	5.1	5.1	0.73	4.9	0.47	4.2	NE	40
	14	* 1.95	5.0	* 1.18	5.1	5.1	* 0.91	4.9	* 0.58	4.2	N	4
	16	1.44	5.3	1.07	5.0	5.0	0.83	5.1	0.52	4.3		
	18	1.25	5.6	1.01	5.7	5.7	0.83	5.7	0.52	4.7	NE	53
	20	1.57	5.5	1.03	6.0	6.0	0.78	5.8	0.47	4.6		
	22	1.19	5.6	0.89	5.9	5.9	0.71	5.8	0.43	4.7		
	最大	1.95	5.0	1.18	5.1	5.1	0.91	4.9	0.58	4.2		
	平均	1.35	5.4	0.95	5.4	5.4	0.76	5.4	0.48	4.5		
12	00		1.10	6.6	0.75	6.1	0.59	6.1	0.36	4.5		
	02		0.90	5.8	0.64	5.7	0.50	5.7	0.31	4.6		
	04		0.77	5.1	0.60	5.8	0.49	5.7	0.30	4.4	NE	49
	06		1.15	3.7	0.77	4.9	0.64	4.9	0.41	3.8		
	08		1.47	4.9	1.06	4.1	0.82	4.4	0.53	3.8		
	10		2.13	4.4	1.50	4.6	1.24	4.7	0.80	4.2	N	353
	12	2.66	4.4	2.01	5.2	5.2	1.63	5.4	1.06	4.9		
	14	3.11	6.1	2.55	6.2	6.2	2.00	6.0	1.24	5.1	NW	307
	16	3.45	5.9	2.70	6.6	6.6	2.07	6.5	1.33	5.4	WNW	282
	18	3.47	6.4	2.82	6.8	6.8	2.28	6.6	1.43	5.6	WNW	286
	20	3.62	6.3	2.88	7.5	7.5	2.25	7.5	1.44	6.2	WNW	282
	22	* 4.74	7.1	* 2.99	7.6	7.6	* 2.39	7.8	* 1.53	6.6	NW	319
	最大	4.74	7.1	2.99	7.6	7.6	2.39	7.8	1.53	6.6		
	平均	2.38	5.6	1.77	5.9	5.9	1.41	5.9	0.90	4.9		
13	00		3.57	8.7	2.87	8.2	2.37	8.2	1.43	6.4	NW	323
	02	* 4.50	9.0	* 3.62	9.0	9.0	* 2.92	9.0	1.71	7.0	NW	323
	04	4.38	10.3	3.48	8.9	8.9	2.77	8.7	* 1.77	7.4	NNW	335
	06	4.08	9.3	3.30	8.9	8.9	2.50	8.7	1.52	6.7	NNW	327
	08	3.66	8.4	3.00	8.6	8.6	2.42	8.7	1.57	7.0	NNW	335
	10	3.75	8.7	2.81	8.6	8.6	2.24	8.2	1.38	6.2	NW	307
	12	3.52	7.4	2.63	7.9	7.9	2.11	7.6	1.31	6.2	N	352
	14	3.33	8.9	2.54	7.8	7.8	2.07	8.0	1.34	6.5	NW	323
	16	3.08	8.1	2.25	8.1	8.1	1.80	7.9	1.13	6.1	NNW	331
	18	2.50	7.2	2.12	7.9	7.9	1.78	7.9	1.09	6.2	NNW	331
	20	2.73	7.6	1.96	8.0	8.0	1.50	7.5	0.95	6.1	NNE	20
	22	2.33	7.4	1.99	7.7	7.7	1.63	7.6	1.02	6.2	NNW	340
	最大	4.50	9.0	3.62	9.0	9.0	2.92	9.0	1.77	7.4		
	平均	3.45	8.4	2.71	8.3	8.3	2.18	8.2	1.35	6.5		
14	00		2.61	7.4	1.82	7.3	1.39	7.2	0.87	5.4	NNW	331
	02		2.32	6.5	1.82	7.3	1.47	7.5	0.93	6.0	NNW	335
	04		2.85	8.2	2.16	7.8	1.66	7.7	1.02	6.2	NNW	327
	06		2.60	7.9	2.04	7.7	1.64	7.8	1.02	6.6	NNW	335
	08		2.76	7.7	2.15	7.8	1.70	7.6	1.04	5.8	NNW	327
	10		2.85	8.0	2.24	6.7	1.81	6.5	1.12	5.3	NNW	331
	12	3.10	6.2	2.40	6.6	6.6	1.87	6.1	1.17	5.1	NNW	344
	14	2.65	7.0	2.21	6.4	6.4	1.78	6.2	1.15	5.2	NW	311

	16	3.50	6.4	2.70	6.3	2.11	6.1	1.29	4.9	NNE	20
	18	3.74	5.8	3.10	6.4	2.53	6.4	1.60	5.4	NNW	344
	20	4.50	7.2	* 3.46	7.3	* 2.71	7.1	* 1.73	6.1	NNW	335
	22	* 4.72	7.1	3.31	7.0	2.65	7.0	1.61	5.8	NNW	327
	最大	4.72	7.1	3.46	7.3	2.71	7.1	1.73	6.1		
	平均	3.18	7.1	2.45	7.1	1.94	6.9	1.21	5.7		
	15	* 4.56	7.3	3.13	7.6	* 2.58	7.6	* 1.60	6.1	NW	323
	02	4.33	7.8	* 3.19	7.5	2.51	7.4	1.55	6.1	NW	319
	04	3.34	7.6	2.53	7.5	1.96	7.1	1.23	5.7	NNW	327
	06	3.56	8.4	2.83	8.2	2.25	8.0	1.41	6.5	NNW	335
	08	3.56	7.6	2.60	8.2	2.11	8.2	1.34	6.7	NNW	335
	10	3.10	7.7	2.40	8.1	1.92	8.1	1.19	6.6	NNW	327
	12	2.88	7.8	1.95	8.2	1.50	8.0	0.90	6.2	NNW	348
	14	3.14	8.7	2.58	7.2	2.11	6.7	1.36	5.7	NNW	331
	16	3.59	7.8	2.68	7.5	2.08	7.5	1.32	5.8	NNW	340
	18	4.05	7.2	2.94	7.1	2.27	7.6	1.40	6.2	NNW	335
	20	3.46	7.5	2.76	7.4	2.24	7.6	1.40	6.3	W	274
	22	3.71	8.1	2.75	7.4	2.18	7.6	1.34	5.8	NNW	335
	最大	4.56	7.3	3.19	7.5	2.58	7.6	1.60	6.1		
	16	3.61	7.8	2.70	7.7	2.14	7.6	1.34	6.1		
	00	3.57	8.9	2.85	8.2	2.23	8.2	1.36	6.4	N	8
	02	3.83	8.8	2.76	8.1	2.14	8.2	1.30	6.5	NNW	327
	04	3.99	8.4	3.06	8.5	2.44	8.0	1.53	6.7	NNW	344
	06	3.66	9.2	2.70	8.3	2.17	8.1	1.34	6.2	NNW	340
	08	3.89	6.9	2.70	7.8	2.18	7.8	1.33	5.9	NNW	344
	10	4.06	8.7	2.99	7.8	2.34	7.7	1.45	6.3	NNW	340
	12	3.94	7.8	2.98	7.9	2.32	7.7	1.47	6.4	NNW	327
	14	4.81	8.2	3.39	8.4	2.71	8.2	1.66	6.6	NW	323
	16	3.88	7.9	2.94	8.1	2.35	7.9	1.49	6.4	NNW	331
	18	4.21	8.3	3.06	8.1	2.39	8.1	1.56	6.4	NNW	335
	20	* 5.03	7.6	3.42	7.2	2.75	7.4	1.71	6.0	NNW	331
	22	4.26	7.3	* 3.76	7.3	* 3.04	7.7	* 1.91	6.3	NNW	335
	最大	5.03	7.6	3.76	7.3	3.04	7.7	1.91	6.3		
	平均	4.09	8.2	3.05	8.0	2.42	7.9	1.51	6.3		
	17	3.99	7.5	3.27	7.7	2.61	7.7	1.65	5.9	NNW	331
	02	3.76	5.8	3.21	7.7	2.71	7.3	1.69	6.0	NW	323
	04	3.62	6.1	2.83	7.2	2.35	7.7	1.48	6.2	NNW	340
	06	3.85	7.9	2.66	7.5	2.03	7.4	1.28	5.9	NNW	335
	08	2.87	7.4	2.44	7.3	1.97	7.4	1.19	5.9	NNW	335
	10	2.82	7.6	2.30	7.3	1.81	7.2	1.10	6.0	NW	323
	12	3.40	6.0	2.53	6.9	2.03	6.8	1.27	5.4	NNW	327
	14	3.82	7.3	2.95	7.2	2.36	6.7	1.50	5.7	W	278
	16	4.37	6.5	3.62	7.6	3.00	7.4	1.90	6.2	W	270
	18	5.35	7.6	3.92	8.1	3.13	7.7	1.95	6.1	WNW	290
	20	5.40	8.5	4.32	7.8	3.44	8.2	2.12	6.4	W	274
	22	* 8.26	7.5	* 5.94	8.7	* 4.84	8.7	* 3.16	7.7		
	最大	8.26	7.5	5.94	8.7	4.84	8.7	3.16	7.7		
	平均	4.29	7.1	3.33	7.6	2.69	7.5	1.69	6.1		
	18	5.16	8.1	4.38	7.9	3.68	8.0	2.27	6.6	NNW	331
	02	5.99	8.3	3.94	7.8	3.28	7.7	2.18	6.5	NW	323
	04	5.50	7.9	4.46	8.1	3.53	8.0	2.07	6.2	W	278
	06	4.98	8.9	4.04	8.1	3.26	7.7	2.03	6.2	WNW	299
	08	4.63	8.4	3.84	7.7	3.21	7.9	1.93	6.0	W	274
	10	5.14	8.9	4.39	8.3	3.51	7.8	2.17	6.6	NNW	327
	12	6.76	8.2	5.81	8.8	4.61	9.0	2.84	7.4	NNW	327
	14	* 7.20	9.2	* 5.92	9.9	4.85	9.9	2.93	7.8	NNW	340
	16	6.82	9.1	4.84	9.3	3.76	8.6	2.25	6.8	NNW	335
	18	6.09	7.7	4.52	9.6	3.75	9.3	2.33	7.4	NNW	331
	20	6.62	6.9	4.60	9.0	3.54	8.3	2.17	6.6	NNW	340
	22	6.99	8.6	5.83	8.8	* 4.93	9.3	* 3.25	7.9	NNW	331
	最大	7.20	9.2	5.92	9.9	4.93	9.3	3.25	7.9		
	平均	5.99	8.4	4.71	8.6	3.83	8.5	2.37	6.8		
	19	* 9.39	7.7	* 6.31	8.9	* 5.21	9.2	* 3.35	8.1	NNW	335
	02	7.42	9.6	6.18	9.4	4.95	9.2	3.09	7.4	NW	323
	04	6.90	8.7	5.40	8.2	4.36	8.7	2.71	7.1	NNW	335
	06	7.01	8.4	5.62	9.2	4.57	9.3	3.10	8.1	NW	315
	08	6.12	10.1	5.18	9.8	4.33	9.9	2.78	8.0	NNW	331
	10	6.85	8.2	4.43	9.1	3.52	9.1	2.18	7.0	NW	323

	12	6.13	8.3	4.49	9.0	3.71	8.9	2.32	7.3	NNW	340	
	14	5.32	7.7	3.96	8.6	3.09	8.6	1.90	6.7	NW	323	
	16	6.89	9.0	4.76	8.8	3.62	8.8	2.20	6.9	NNW	344	
	18	5.62	9.3	4.56	8.5	3.56	8.5	2.22	6.7	NNW	327	
	20	5.52	9.5	4.23	8.4	3.36	8.4	2.13	7.0	NNW	335	
	22	4.04	9.2	3.50	8.8	2.97	8.9	1.94	7.0	NNW	340	
	最大 平均	9.39	7.7	6.31	8.9	5.21	9.2	3.35	8.1			
		6.43	8.8	4.89	8.9	3.94	9.0	2.49	7.3			
	20	00	5.26	8.7	4.05	9.3	3.19	9.0	1.97	7.1	NNW	335
		02	4.69	7.1	4.05	9.2	3.38	8.9	2.23	7.5	NNW	331
04		5.66	9.1	4.06	9.1	3.31	8.9	2.04	7.4	NNW	348	
06		6.18	8.6	3.97	8.9	3.00	8.6	1.92	7.2	NNW	340	
08		4.76	8.6	3.47	8.6	2.74	8.4	1.70	6.6	NNW	327	
10		4.19	9.6	3.47	8.4	2.88	8.1	1.81	6.3	NNW	327	
12		3.93	7.1	3.00	7.9	2.36	7.5	1.53	6.5	W	270	
		14	5.47	7.2	3.98	7.7	3.08	7.6	1.96	6.3		
		16	4.98	8.3	4.07	8.1	3.21	7.9	2.06	6.5	W	262
		18	5.71	7.5	* 4.67	7.9	* 3.79	8.2	* 2.39	6.6	W	274
	20	6.05	8.7	4.26	8.6	3.42	8.8	2.14	7.0	WNW	282	
	22	* 6.28	6.8	4.45	7.9	3.53	8.3	2.24	6.8	WNW	290	
最大 平均	6.28	6.8	4.67	7.9	3.79	8.2	2.39	6.6				
	5.26	8.1	3.96	8.5	3.16	8.4	2.00	6.8				
21	00	5.83	7.0	5.02	8.6	4.08	8.2	2.54	6.8	WNW	286	
	02	6.40	7.6	5.56	9.3	4.65	9.0	2.96	7.6	NW	323	
	04	* 8.82	9.6	* 5.74	9.0	* 4.66	9.2	* 2.99	7.5	NW	319	
	06	6.81	8.6	5.23	8.8	4.11	9.0	2.58	7.5	WNW	286	
	08	6.47	9.6	4.78	9.1	3.98	9.2	2.55	7.5	NNW	327	
	10	4.90	11.0	4.17	9.4	3.51	9.1	2.24	6.9	NNW	335	
	12	5.97	10.7	4.50	9.4	3.75	9.2	2.38	7.3	NNW	344	
		14	5.07	7.7	3.85	8.6	3.07	9.0	1.98	7.0	NNW	335
		16	4.92	8.9	3.84	9.1	3.15	8.9	1.91	6.8	NW	311
		18	3.62	8.7	3.14	8.6	2.61	8.1	1.63	6.4	NNW	327
20		3.18	8.2	2.78	8.2	2.35	8.3	1.59	7.0	NNW	331	
22		3.39	8.3	2.79	8.2	2.27	8.3	1.42	6.6	NNW	327	
最大 平均	8.82	9.6	5.74	9.0	4.66	9.2	2.99	7.5				
	5.45	8.8	4.28	8.9	3.52	8.8	2.23	7.1				
22	00	3.23	7.6	2.55	8.0	2.10	7.8	1.34	6.2	NNW	340	
	02	3.71	8.6	2.57	7.7	2.01	7.8	1.27	6.2	NNW	335	
	04	3.08	8.6	2.39	8.2	1.93	8.3	1.18	6.5	NW	323	
	06	3.50	8.0	2.56	8.1	2.04	8.0	1.30	6.6	NW	323	
	08	3.06	7.1	2.37	7.2	1.86	7.1	1.18	5.7	NW	319	
	10	4.04	6.3	2.73	6.6	2.19	6.7	1.46	5.9	W	270	
	12	4.60	7.1	* 3.55	7.2	2.68	7.1	1.69	6.1	W	270	
		14	3.47	5.6	2.78	6.8	2.27	6.8	1.44	5.6	NW	323
		16	3.38	7.0	2.96	7.2	2.37	7.1	1.44	5.9	WNW	282
		18	4.34	7.3	3.07	6.9	2.39	6.9	1.47	5.8	NW	315
20		* 4.75	8.3	3.35	8.0	* 2.71	8.0	* 1.77	7.0	WNW	286	
22		3.23	6.5	2.44	7.8	1.99	7.6	1.27	6.0	WNW	282	
最大 平均	4.75	8.3	3.55	7.2	2.71	8.0	1.77	7.0				
	3.70	7.3	2.78	7.5	2.21	7.4	1.40	6.1				
23	00	* 3.31	8.1	2.18	7.5	1.79	7.7	1.10	6.1	WNW	290	
	02	3.31	8.2	2.15	7.3	1.79	7.5	1.11	5.8	WNW	286	
	04	2.40	5.8	2.10	7.4	1.72	7.0	1.11	5.8	W	274	
	06	2.38	6.4	2.02	7.2	1.71	7.0	1.09	5.6	WNW	282	
	08	2.51	6.9	1.89	7.1	1.58	7.0	1.00	5.8	WNW	290	
	10	2.38	6.9	1.87	6.6	1.50	6.7	0.96	5.6	WNW	303	
	12	2.40	6.1	1.91	6.6	1.53	6.4	0.93	5.3	WNW	282	
		14	3.01	6.3	2.22	6.0	1.80	6.0	1.15	5.1	WNW	282
		16	3.14	7.0	* 2.46	6.5	* 1.92	6.3	* 1.19	5.3	W	270
		18	3.31	6.3	2.26	7.0	1.74	6.5	1.10	5.4	W	266
20		2.72	5.2	2.06	6.3	1.60	6.3	0.98	5.1	W	274	
22		2.76	5.7	2.11	6.2	1.75	6.1	1.14	5.2	WNW	282	
最大 平均	3.31	8.1	2.46	6.5	1.92	6.3	1.19	5.3				
	2.80	6.6	2.10	6.8	1.70	6.7	1.07	5.5				
24	00	2.83	5.8	1.99	6.1	1.56	5.9	1.02	5.1	WNW	282	
	02	2.27	6.5	1.80	6.2	1.42	6.2	0.90	5.0	WNW	282	

	04	2.56	6.2	1.91	6.2	1.56	6.2	* 1.03	5.4	WNW	282
	06	* 3.01	6.4	* 2.12	6.4	* 1.66	6.5	1.02	5.4	NNW	335
	08	2.45	5.8	1.87	6.1	1.50	6.2	0.99	5.5	WNW	303
	10	2.16	6.0	1.63	6.2	1.29	6.3	0.83	5.3	WNW	295
	12	1.93	6.0	1.64	6.2	1.35	6.2	0.85	5.4	NW	315
	14	2.29	6.9	1.76	6.9	1.41	6.8	0.88	5.7	NW	323
	16	2.30	7.7	1.77	7.0	1.42	7.1	0.91	6.0	NW	323
	18	2.17	5.9	1.65	6.8	1.28	7.1	0.78	5.8	NNW	340
	20	1.91	6.4	1.51	7.0	1.17	6.8	0.72	5.5	NNW	327
	22	2.15	5.8	1.47	6.7	1.17	6.6	0.73	5.5	NNW	327
	最大	3.01	6.4	2.12	6.4	1.66	6.5	1.03	5.4		
	平均	2.34	6.3	1.76	6.5	1.40	6.5	0.89	5.5		
25	00	1.69	6.2	* 1.35	6.7	* 1.08	6.5	* 0.69	5.5	NNE	12
	02	1.52	7.5	1.22	6.7	0.99	6.7	0.63	5.6	N	0
	04	1.63	6.6	1.26	6.9	1.04	6.7	0.68	5.8	NNW	335
	06	1.55	7.3	1.28	6.7	1.03	6.7	0.64	5.4	NNW	327
	08	1.46	6.1	1.15	6.6	0.96	6.8	0.61	5.6	N	0
	10	1.37	6.3	1.13	7.1	0.93	6.9	0.58	5.4	NNW	340
	12	* 1.72	6.2	1.05	6.7	0.83	6.6	0.50	5.1	N	8
	14	1.34	6.5	1.08	7.0	0.88	6.8	0.56	5.6	NNW	344
	16	1.39	5.7	1.14	6.5	0.92	6.6	0.58	5.3	NNE	16
	18	1.40	6.3	1.04	6.7	0.84	6.6	0.53	5.2	NNW	340
	20	1.12	5.9	0.93	6.6	0.75	6.5	0.47	5.1	N	8
	22	0.99	7.2	0.83	6.2	0.69	6.2	0.44	4.9	NNE	29
	最大	1.72	6.2	1.35	6.7	1.08	6.5	0.69	5.5		
	平均	1.43	6.5	1.12	6.7	0.91	6.6	0.58	5.4		
26	00	1.15	6.9	0.84	6.7	0.68	6.5	0.41	4.7	NNE	16
	02	1.03	6.2	0.75	6.0	0.63	6.1	0.40	4.9	NNE	12
	04	1.62	4.2	1.18	5.3	0.96	5.1	0.61	4.3		
	06	1.87	5.3	1.36	5.2	1.05	5.2	0.66	4.3	NW	320
	08	2.88	5.0	1.98	5.3	1.53	5.1	0.93	4.4	W	274
	10	3.98	6.4	2.96	6.3	2.39	6.5	1.49	5.4	W	270
	12	4.98	7.7	3.40	7.2	2.79	7.3	1.72	6.0	WNW	303
	14	4.92	7.3	3.97	7.4	3.20	7.5	2.04	6.4	W	266
	16	* 6.66	9.1	* 4.53	8.4	* 3.70	8.6	* 2.35	7.0	NW	319
	18	5.81	9.8	3.82	9.0	3.02	8.8	1.85	6.8	NW	315
	20	5.61	8.9	4.25	8.8	3.27	8.7	2.07	7.3	WNW	286
	22	4.75	9.8	3.99	9.3	3.24	8.6	1.97	6.7	WNW	299
	最大	6.66	9.1	4.53	8.4	3.70	8.6	2.35	7.0		
	平均	3.77	7.2	2.75	7.1	2.21	7.0	1.38	5.7		
27	00	5.17	10.4	4.20	9.7	3.28	9.3	2.08	7.2	NNW	331
	02	* 7.11	12.1	* 5.45	10.8	* 4.24	10.3	2.53	8.0	NNW	335
	04	6.77	9.2	5.07	10.9	4.14	10.7	* 2.63	9.0	NW	319
	06	5.35	10.8	4.44	10.5	3.80	10.7	2.41	8.7	NW	323
	08	4.23	9.6	3.34	9.3	2.76	9.5	1.76	7.4	NW	323
	10	4.42	10.6	3.63	9.9	2.86	9.9	1.77	7.8	NNW	327
	12	3.52	9.1	3.14	9.5	2.61	9.5	1.63	7.9	NW	323
	14	3.90	10.5	2.98	9.6	2.35	9.4	1.41	7.2	NNW	344
	16	3.71	8.7	2.84	9.6	2.21	9.2	1.28	6.9	NNW	344
	18	4.98	9.2	3.04	9.5	2.47	9.2	1.57	8.2	NW	315
	20	2.65	9.2	2.39	8.8	1.95	9.0	1.19	7.4	NNW	340
	22	2.54	7.9	2.26	8.9	1.80	8.9	1.10	6.9	NNE	25
	最大	7.11	12.1	5.45	10.8	4.24	10.3	2.63	9.0		
	平均	4.53	9.8	3.57	9.8	2.87	9.6	1.78	7.7		
28	00	2.58	9.8	2.16	8.6	1.74	8.4	1.06	7.0	NW	315
	02	2.55	7.5	1.99	8.3	1.58	8.4	1.02	7.4	NNE	25
	04	2.44	9.0	1.96	8.7	1.55	8.4	1.00	7.3	NNE	29
	06	2.06	8.5	1.63	8.6	1.30	8.5	0.79	6.2	NNE	20
	08	2.53	8.5	2.22	6.2	1.80	6.3	1.17	5.2	WSW	258
	10	4.37	5.5	3.54	6.4	2.73	6.5	1.69	5.6	WNW	282
	12	4.71	6.6	3.84	7.1	3.09	7.2	1.92	6.0	WNW	282
	14	4.84	8.4	3.75	7.9	2.99	7.9	1.82	6.2	W	278
	16	5.70	7.3	3.92	8.2	3.18	8.1	2.01	6.5	W	278
	18	* 6.52	8.5	4.39	8.8	* 3.71	8.7	* 2.41	7.3	NW	319
	20	5.24	8.9	4.40	9.3	3.62	9.3	2.28	7.4	NNW	327
	22	5.56	9.9	* 4.51	9.1	3.57	9.5	2.24	7.4	NNW	331
	最大	6.52	8.5	4.51	9.1	3.71	8.7	2.41	7.3		

	平均	4.09	8.2	3.19	8.1	2.57	8.1	1.62	6.6		
29	00	5.07	9.7	4.36	9.9	3.59	9.5	* 2.24	7.3	NNW	340
	02	5.06	9.2	4.11	9.7	3.37	9.5	2.09	7.3	NNW	335
	04	5.59	9.8	* 4.56	10.1	* 3.66	10.2	2.23	8.2	NNW	331
	06	* 5.96	9.9	4.30	9.7	3.43	9.6	2.14	8.2	NNW	331
	08	3.93	8.9	3.27	9.2	2.59	9.5	1.60	7.3	NNW	331
	10	5.54	10.6	4.12	10.0	3.11	9.8	1.87	7.9	NNW	331
	12	3.96	9.8	3.36	9.6	2.59	9.1	1.51	7.1	NNW	335
	14	3.98	10.2	2.86	9.5	2.36	9.3	1.45	7.5	NNW	327
	16	3.38	8.6	2.48	9.0	2.02	8.9	1.17	7.0	NNW	327
	18	3.06	8.2	2.39	8.9	1.87	8.9	1.15	7.6	NNW	335
	20	2.61	8.4	2.01	8.2	1.63	8.6	1.01	7.0	NNW	331
	22	2.94	8.5	2.16	8.5	1.66	8.4	1.02	6.9	NNW	335
	最大	5.96	9.9	4.56	10.1	3.66	10.2	2.24	7.3		
	平均	4.26	9.3	3.33	9.4	2.66	9.3	1.62	7.4		
30	00	2.32	8.5	1.68	8.0	1.33	7.9	0.84	6.1	N	356
	02	2.26	8.7	1.63	8.4	1.28	7.9	0.78	6.2	NNW	348
	04	1.91	7.8	1.45	7.4	1.15	7.3	0.72	5.8	NW	311
	06	1.95	5.2	1.62	6.5	1.32	6.5	0.82	5.5	W	266
	08	2.43	7.7	1.87	6.9	1.49	6.8	0.95	5.6	W	274
	10	2.66	6.4	2.20	7.4	1.73	7.2	1.09	6.2	W	270
	12	3.23	6.5	2.23	7.3	1.66	7.1	1.02	6.0	W	262
	14	2.04	7.2	1.77	6.2	1.40	6.7	0.89	5.5	WSW	258
	16	2.65	7.0	1.93	6.8	1.53	6.4	0.96	5.0	W	266
	18	3.34	6.7	2.56	6.4	1.99	6.5	1.28	5.2	W	278
	20	4.45	7.3	3.55	7.5	2.78	7.5	1.76	6.0	W	278
	22	* 6.13	8.5	* 4.53	8.6	* 3.70	8.5	* 2.37	6.9	WNW	290
	最大	6.13	8.5	4.53	8.6	3.70	8.5	2.37	6.9		
	平均	2.95	7.3	2.25	7.3	1.78	7.2	1.12	5.8		
31	00	6.29	9.3	4.79	9.1	3.73	8.7	2.38	7.0	WNW	282
	02	5.27	8.9	4.36	9.1	3.66	9.0	2.34	7.5	W	278
	04	6.85	9.3	4.41	9.5	3.49	9.3	2.16	7.3	WNW	286
	06	3.98	7.6	3.31	8.8	2.84	8.3	1.78	6.6	WNW	290
	08	5.36	8.4	4.22	9.5	3.29	9.2	2.09	7.4	WNW	282
	10	7.70	10.3	5.09	9.6	4.00	9.5	2.55	7.5	NNW	327
	12	7.78	9.7	5.50	9.8	4.44	9.6	2.88	7.9	NW	319
	14	* 8.11	9.5	6.05	9.5	5.00	9.4	3.12	7.7	NNW	331
	16	8.06	11.0	* 6.38	9.7	5.00	9.2	3.14	7.7	NNW	331
	18	6.57	9.7	5.57	9.7	4.50	9.6	2.83	7.6	NW	311
	20	6.93	8.2	5.81	9.6	4.66	9.8	2.94	7.7	NNW	340
	22	7.53	9.8	6.36	10.5	* 5.07	10.6	* 3.22	8.3	NNW	335
	最大	8.11	9.5	6.38	9.7	5.07	10.6	3.22	8.3		
	平均	6.70	9.3	5.15	9.5	4.14	9.4	2.62	7.5		
	月最大	9.39	7.7	6.38	9.7	5.21	9.2	3.35	8.1		
	起時	1900		3116		1900		1900			
	平均	3.52	7.5	2.69	7.6	2.16	7.5	1.35	6.0		

*は日最大波高、波向欄の空欄は欠測を示す