

波浪整理表（1）

1997年 1月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.49	3.9	0.77	4.6	0.96	4.8	1.28	5.8	NE	35
	02	0.52	4.0	0.82	5.0	1.00	5.0	1.47	4.1	NW	313
	04	* 0.69	4.3	* 1.06	5.0	* 1.35	4.9	1.73	4.5	欠測	欠測
	06	0.55	4.4	0.88	5.5	1.11	5.3	1.52	5.4	欠測	欠測
	08	0.53	4.7	0.84	5.8	1.03	6.1	1.41	5.9	W	266
	10	0.52	4.8	0.85	5.9	1.08	6.0	* 2.01	6.2	W	266
	12	0.50	4.2	0.80	5.5	0.98	5.5	1.27	5.4	NNE	17
	14	0.49	4.3	0.78	5.5	0.97	5.7	1.21	5.9	NNE	25
	16	0.41	4.2	0.64	5.2	0.79	5.4	1.14	6.0	NNW	345
	18	0.39	4.4	0.62	5.5	0.75	5.5	1.10	5.5	NNW	333
	20	0.37	3.8	0.59	5.1	0.74	5.4	1.02	6.1	欠測	欠測
	22	0.37	4.0	0.62	5.4	0.79	5.7	0.95	6.2	N	9
	最大	0.69	4.3	1.06	5.0	1.35	4.9	2.01	6.2		
	平均	0.49	4.3	0.77	5.3	0.96	5.4	1.34	5.6		
02	00	0.98	4.4	1.48	5.2	1.77	5.1	2.28	4.8	欠測	欠測
	02	1.40	5.3	2.22	6.6	2.71	6.5	3.26	6.7	WNW	295
	04	2.29	6.8	3.66	8.7	4.45	9.0	5.73	9.2	WNW	290
	06	2.44	7.6	3.98	10.4	4.85	10.8	6.08	9.5	WNW	295
	08	3.08	8.6	* 4.92	11.3	* 5.98	11.5	6.84	9.2	WNW	290
	10	* 3.14	8.8	4.85	11.8	5.76	11.8	6.95	13.0	WNW	295
	12	2.76	8.4	4.34	11.2	5.17	11.8	5.61	14.0	WNW	299
	14	2.51	7.0	4.23	9.9	5.29	10.3	* 7.29	8.8	WNW	299
	16	2.67	7.8	4.11	10.0	5.12	10.1	6.76	8.5	NW	311
	18	2.73	7.9	4.43	10.6	5.34	10.7	5.80	8.6	WNW	303
	20	2.57	7.5	4.25	10.3	5.33	10.6	6.38	10.9	WNW	299
	22	2.45	6.9	3.91	9.2	4.69	9.5	5.74	9.1	WNW	303
	最大	3.14	8.8	4.92	11.3	5.98	11.5	7.29	8.8		
	平均	2.42	7.3	3.86	9.6	4.70	9.8	5.73	9.4		
03	00	2.50	7.3	4.05	9.4	5.15	9.4	6.43	9.0	NW	323
	02	2.37	7.0	3.78	9.0	4.60	9.1	5.68	9.2	WNW	299
	04	2.61	7.3	4.10	9.8	5.09	9.7	6.30	8.9	NW	315
	06	2.52	6.9	4.01	8.7	4.99	8.6	5.96	6.1	NNW	327
	08	* 2.98	7.7	* 4.60	9.7	* 5.54	9.3	7.26	9.4	NNW	327
	10	2.70	7.5	4.12	9.1	4.89	9.2	5.92	9.8	NW	319
	12	2.76	7.3	4.36	9.1	5.46	9.5	6.22	10.1	WNW	299
	14	2.52	6.9	4.15	9.6	5.13	9.3	6.28	7.7	NW	307
	16	2.80	7.5	4.33	9.4	5.30	9.5	* 7.39	9.8	WNW	295
	18	2.81	7.8	4.47	9.9	5.52	9.6	6.34	9.3	NNW	327
	20	2.50	7.0	4.10	9.3	5.01	9.6	6.57	8.8	NNW	340
	22	2.53	7.3	4.04	9.3	5.02	8.6	5.69	8.1	NW	323
	最大	2.98	7.7	4.60	9.7	5.54	9.3	7.39	9.8		
	平均	2.63	7.3	4.18	9.4	5.14	9.3	6.34	8.8		
04	00	2.43	7.1	3.86	9.0	4.69	8.9	5.62	6.9	WNW	290
	02	* 2.49	7.1	3.96	9.0	* 4.92	8.7	5.57	8.8	NNW	331
	04	2.21	6.7	3.52	8.8	4.43	9.2	6.64	11.4	NNW	331
	06	2.43	7.5	* 3.96	10.2	4.68	10.5	5.55	11.7	NNE	16
	08	2.26	7.4	3.63	9.8	4.47	9.9	6.06	8.7	NNE	16
	10	2.39	7.6	3.74	9.6	4.51	10.0	5.84	7.3	NNW	340
	12	2.07	7.2	3.41	10.0	4.30	10.5	* 6.83	10.3	NNE	20
	14	2.14	7.6	3.21	9.6	3.97	9.9	5.29	10.4	NNE	20
	16	1.93	7.1	3.11	9.8	3.97	10.2	5.70	10.5	N	8
	18	1.68	6.6	2.74	9.1	3.39	9.8	4.55	10.7	NNE	16
	20	1.76	7.1	2.92	9.7	3.74	10.5	4.47	10.4	N	8
	22	1.54	6.9	2.49	9.3	3.05	9.1	4.01	10.6	NNE	16
	最大	2.49	7.1	3.96	10.2	4.92	8.7	6.83	10.3		
	平均	2.11	7.2	3.38	9.5	4.18	9.8	5.51	9.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	365 回
											欠測回数	0 回	欠測回数	7 回
											欠 測 率	0.0 %	欠 測 率	1.9 %
機種：波向 海象計 - 50.0m														
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m			
											緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
05	00	* 1.54	7.3	2.37	9.1	3.04	9.9	3.61	10.6	N	8			
	02	1.49	6.8	* 2.47	9.2	* 3.05	9.7	* 4.52	9.7	NNE	25			
	04	1.35	6.6	2.19	8.8	2.79	9.0	3.59	7.3	NNE	20			
	06	1.29	6.5	2.09	8.6	2.55	9.5	4.00	9.8	NNE	16			
	08	1.25	6.4	2.06	8.8	2.53	8.7	3.08	8.7	N	4			
	10	1.18	6.4	1.83	8.2	2.26	8.8	2.61	9.1	N	0			
	12	1.00	5.6	1.65	7.8	2.06	8.6	3.14	7.3	NNE	16			
	14	0.98	5.7	1.63	8.3	2.10	8.6	2.69	8.9	NNE	16			
	16	0.98	5.6	1.58	7.6	1.93	8.0	2.52	7.5	NNE	20			
	18	0.89	5.3	1.41	7.6	1.73	8.2	2.27	7.3	NNE	20			
	20	0.92	5.1	1.48	6.9	1.91	7.1	2.49	6.0	N	4			
	22	0.95	5.6	1.50	7.2	1.83	7.1	2.26	7.5	NNE	16			
	最大 平均	1.54 1.15	7.3 6.1	2.47 1.85	9.2 8.2	3.05 2.31	9.7 8.6	4.52 3.06	9.7 8.3					
	06	00	0.91	5.6	1.49	7.1	1.93	7.1	2.78	7.2	NNE	29		
02		0.93	6.0	1.46	7.5	1.77	7.8	2.29	7.2	欠測	欠測			
04		0.89	4.9	1.44	6.6	1.82	6.9	2.40	7.2	NNE	33			
06		1.08	5.2	1.72	6.7	2.17	6.4	2.76	5.3	WSW	258			
08		0.96	5.4	1.53	6.9	1.93	7.0	2.77	7.8	WSW	250			
10		1.46	5.8	2.33	7.6	2.97	8.1	4.20	7.5	WSW	241			
12		2.05	6.8	3.11	8.8	3.91	9.0	4.94	9.8	WNW	286			
14		* 2.45	6.8	* 3.95	8.6	* 4.88	8.8	* 6.68	7.7	WNW	295			
16		2.15	6.0	3.62	8.1	4.47	8.5	5.29	7.6	WNW	290			
18		2.32	6.7	3.73	8.8	4.79	8.7	5.66	9.3	WNW	295			
20		1.99	6.7	3.07	8.3	3.79	8.3	4.61	8.8	WNW	299			
22		1.92	6.8	3.05	8.7	3.87	9.1	4.68	7.0	W	278			
最大 平均		2.45 1.59	6.8 6.1	3.95 2.54	8.6 7.8	4.88 3.19	8.8 8.0	6.68 4.09	7.7 7.7					
07		00	2.47	7.8	3.87	9.8	4.82	10.1	6.00	8.1	NNW	344		
	02	2.81	7.8	4.40	9.7	5.44	10.2	6.91	11.3	N	356			
	04	2.75	7.2	4.45	9.4	5.38	9.2	6.03	8.9	N	352			
	06	3.27	7.7	5.12	9.9	* 6.26	10.0	* 7.86	9.2	NNE	16			
	08	* 3.41	8.5	* 5.19	10.9	6.18	10.7	7.35	10.5	N	4			
	10	2.92	7.6	4.86	10.1	6.04	10.5	6.75	11.3	NNE	12			
	12	2.75	7.6	4.35	10.2	5.19	10.9	7.17	11.6	NNE	29			
	14	2.29	7.0	3.71	9.6	4.74	9.6	5.97	11.3	NNE	33			
	16	2.28	7.3	3.61	9.3	4.47	9.6	5.31	9.9	NNE	25			
	18	1.99	6.7	3.16	8.5	4.02	9.2	5.67	8.6	NNE	29			
	20	1.60	6.0	2.64	7.8	3.38	8.6	4.35	9.9	NNE	29			
	22	1.85	6.7	2.87	8.6	3.55	8.7	4.86	9.5	NNE	20			
	最大 平均	3.41 2.53	8.5 7.3	5.19 4.02	10.9 9.5	6.26 4.96	10.0 9.8	7.86 6.19	9.2 10.0					
	08	00	1.46	5.7	2.36	7.9	3.00	8.2	3.52	9.0	NNE	25		
02		1.44	5.9	2.33	7.7	2.79	8.1	3.68	7.8	NNE	25			
04		1.31	5.7	2.05	7.7	2.59	7.9	3.70	8.6	NNE	20			
06		1.22	5.7	1.95	7.3	2.44	7.6	2.96	7.3	NNE	20			
08		0.99	5.1	1.62	7.1	2.02	7.7	2.54	6.2	NNE	25			
10		1.16	6.3	1.80	7.7	2.11	8.0	2.92	9.0	NNE	16			
12		1.02	5.5	1.64	7.4	2.06	7.5	2.53	7.5	NNE	16			
14		1.40	5.4	2.28	6.7	2.92	7.0	* 4.78	6.8	NNE	20			
16		1.62	5.5	2.58	6.9	3.15	7.1	4.05	6.6	NNE	16			
18		* 1.77	5.8	* 2.92	7.2	* 3.62	7.1	4.35	8.3	NNE	20			
20		1.73	6.2	2.69	7.4	3.35	7.5	4.44	7.5	NNE	16			
22		1.28	5.7	2.06	7.1	2.60	7.0	3.35	7.9	NNE	20			
最大 平均		1.77 1.37	5.8 5.7	2.92 2.19	7.2 7.3	3.62 2.72	7.1 7.6	4.78 3.57	6.8 7.7					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	365 回
欠測回数	0 回	欠測回数	7 回
欠 測 率	0.0 %	欠 測 率	1.9 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	1.17	5.3	1.88	6.8	2.33	7.2	* 3.44	6.8	NNE	25
	02	1.15	5.9	1.87	7.3	2.43	7.3	3.33	6.5	NW	323
	04	1.06	5.7	1.66	7.2	2.08	7.0	2.80	6.4	NW	307
	06	1.07	5.5	1.71	7.2	2.11	7.5	2.80	8.2	NW	323
	08	1.10	5.4	1.73	7.1	2.20	7.1	2.98	6.3	NW	315
	10	1.10	5.5	1.82	7.4	2.37	7.3	3.02	6.3	NW	319
	12	1.14	5.3	1.77	7.0	2.10	6.8	2.61	6.8	NNW	327
	14	1.21	5.4	1.89	6.7	2.38	7.0	2.88	9.3	N	4
	16	* 1.38	5.7	* 2.17	7.2	* 2.73	7.2	3.34	7.8	NW	323
	18	1.10	5.1	1.74	6.4	2.16	6.8	2.58	6.1	NNW	335
	20	1.07	4.9	1.73	6.3	2.12	6.9	2.90	7.8	NW	315
	22	1.02	5.0	1.61	6.4	2.09	6.8	2.81	6.5	NNW	331
	最大	1.38	5.7	2.17	7.2	2.73	7.2	3.44	6.8		
	平均	1.13	5.4	1.80	6.9	2.26	7.1	2.96	7.1		
10	00	1.04	5.3	1.66	6.7	2.07	6.4	2.38	6.2	NW	323
	02	1.02	5.3	1.58	6.4	1.96	6.5	2.50	5.6	NW	319
	04	1.04	5.0	1.65	6.3	2.02	6.0	2.59	7.1	NW	323
	06	1.01	5.1	1.57	6.3	1.94	6.6	2.63	6.8	NW	323
	08	1.04	5.1	1.69	6.5	2.17	6.6	2.81	7.5	NW	319
	10	1.02	4.9	1.59	6.1	1.92	6.1	2.47	5.1	NNW	327
	12	1.01	5.1	1.58	6.5	1.99	6.5	3.06	6.8	NNW	331
	14	1.06	5.0	1.71	6.3	2.26	6.5	* 3.41	7.2	NW	307
	16	1.01	4.8	1.68	6.0	2.13	6.3	2.48	6.6	WNW	303
	18	0.96	5.0	1.50	6.1	1.88	6.3	2.81	7.0	NNW	327
	20	1.05	5.1	1.65	6.2	2.10	6.3	2.65	5.4	NW	323
	22	* 1.19	5.1	* 1.87	6.3	* 2.35	6.4	3.23	6.0	NNW	327
	最大	1.19	5.1	1.87	6.3	2.35	6.4	3.41	7.2		
	平均	1.04	5.1	1.64	6.3	2.07	6.4	2.75	6.4		
11	00	* 1.09	4.8	* 1.77	6.1	* 2.24	6.3	* 3.09	6.9	NNW	327
	02	0.95	4.8	1.50	6.1	1.87	5.8	2.45	5.9	WNW	303
	04	0.85	4.7	1.35	5.9	1.68	6.1	2.04	7.0	WNW	303
	06	0.88	5.0	1.35	6.2	1.63	6.0	1.97	5.7	NW	311
	08	0.72	4.9	1.14	6.2	1.48	6.3	2.16	6.5	NW	307
	10	0.69	4.9	1.11	6.5	1.37	6.5	1.79	6.1	NW	315
	12	0.69	4.8	1.11	6.4	1.38	6.6	1.78	6.6	NNW	327
	14	0.69	4.7	1.14	6.1	1.44	6.5	1.94	5.8	NNW	331
	16	0.69	4.9	1.11	6.4	1.40	6.4	1.83	5.9	N	8
	18	0.71	5.2	1.14	6.9	1.39	6.8	1.64	6.8	N	352
	20	0.85	5.8	1.45	7.6	1.82	7.6	2.18	8.5	NNE	29
	22	0.79	5.6	1.35	7.4	1.78	7.4	2.47	8.1	NE	37
	最大	1.09	4.8	1.77	6.1	2.24	6.3	3.09	6.9		
	平均	0.80	5.0	1.29	6.5	1.62	6.5	2.11	6.6		
12	00	0.77	5.7	1.29	7.4	1.63	7.3	2.04	6.8	NNE	25
	02	* 0.80	5.6	* 1.31	7.3	* 1.63	7.5	* 2.29	7.9	NNE	25
	04	0.77	4.9	1.24	6.6	1.58	6.8	2.14	7.3	NNE	20
	06	0.64	4.6	1.07	6.3	1.34	6.9	1.75	6.7	NNW	340
	08	0.60	4.8	0.99	6.5	1.24	6.8	1.93	6.6	NNE	20
	10	0.55	4.4	0.93	6.0	1.16	6.4	1.56	6.1	NNE	29
	12	0.54	4.6	0.89	6.1	1.09	6.5	1.34	6.6	NW	323
	14	0.52	4.6	0.84	6.2	1.05	6.6	1.35	5.4	NNW	340
	16	0.49	4.5	0.80	6.1	1.02	6.3	1.45	6.1	NW	315
	18	0.52	4.9	0.86	6.4	1.08	6.3	1.40	6.3	NNE	12
	20	0.46	4.5	0.76	6.2	0.95	6.4	1.15	5.8	NNE	20
	22	0.41	4.1	0.67	5.7	0.84	5.8	1.56	6.4	NNE	33
	最大	0.80	5.6	1.31	7.3	1.63	7.5	2.29	7.9		
	平均	0.59	4.8	0.97	6.4	1.22	6.6	1.66	6.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月		波 高						波 向			
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		365 回			
		欠測回数		0 回		欠測回数		7 回			
		欠 測 率		0.0 %		欠 測 率		1.9 %			
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 50.0m						緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度	
13	00	* 0.39	4.2	* 0.62	5.6	* 0.76	5.8	* 1.09	6.1	NNE	12
	02	0.35	4.1	0.56	5.7	0.71	5.8	0.98	5.0	NNW	344
	04	0.33	4.0	0.55	5.7	0.69	5.7	0.94	5.9	NNE	25
	06	0.30	3.9	0.48	5.4	0.58	5.6	0.70	5.6	WNW	284
	08	0.28	3.9	0.45	5.5	0.56	5.8	0.71	4.5	W	276
	10	0.28	3.9	0.45	5.5	0.56	5.5	0.69	5.7	N	4
	12	0.31	4.2	0.48	5.3	0.62	5.4	0.88	5.1	NNE	19
	14	0.28	3.7	0.44	5.0	0.54	5.1	0.71	4.3	WNW	299
	16	0.26	3.7	0.42	4.9	0.52	4.9	0.64	4.6	NW	306
	18	0.24	3.4	0.39	4.6	0.48	4.8	0.73	4.8	NE	39
	20	0.22	3.5	0.34	5.0	0.42	5.3	0.53	5.7	NNE	19
	22	0.19	3.2	0.31	4.8	0.40	5.2	0.54	4.7	NE	39
最大 平均	0.39 0.29	4.2 3.8	0.62 0.46	5.6 5.2	0.76 0.57	5.8 5.4	1.09 0.76	6.1 5.2			
14	00	0.17	3.1	0.27	4.8	0.35	5.2	0.46	4.4	NNW	342
	02	0.15	3.0	0.24	4.4	0.31	4.7	0.41	3.8	欠測	欠測
	04	0.28	3.2	0.45	4.3	0.60	4.5	0.88	4.6	WNW	287
	06	0.42	4.1	0.64	5.0	0.78	5.0	0.96	5.1	N	358
	08	0.47	3.6	0.73	4.8	0.94	5.0	1.34	4.6	N	5
	10	0.65	4.1	1.01	5.2	1.23	5.6	1.54	7.2	NE	36
	12	0.66	4.1	1.06	5.4	1.34	5.6	1.60	4.9	欠測	欠測
	14	1.13	5.1	1.73	6.0	2.12	6.0	2.72	5.0	W	270
	16	1.62	5.7	2.55	7.1	3.16	7.0	3.91	7.8	NW	311
	18	1.60	5.7	* 2.56	7.3	3.12	7.7	3.80	7.8	WNW	295
	20	* 1.62	5.9	2.45	7.1	2.92	7.7	3.54	7.4	WNW	286
	22	1.59	5.8	2.49	7.5	* 3.21	7.4	* 4.98	7.2	W	278
最大 平均	1.62 0.86	5.9 4.5	2.56 1.35	7.3 5.7	3.21 1.67	7.4 6.0	4.98 2.18	7.2 5.8			
15	00	* 2.00	7.0	* 3.18	8.8	* 3.96	8.6	* 5.47	8.6	NNW	327
	02	1.64	6.7	2.75	8.9	3.57	9.3	4.35	8.2	NNW	327
	04	1.62	7.0	2.64	9.1	3.33	8.9	3.94	9.4	NW	323
	06	1.44	6.2	2.32	8.2	2.96	8.4	4.53	8.3	NW	319
	08	1.34	6.1	2.15	7.8	2.65	8.0	3.67	7.3	NNW	331
	10	1.38	5.8	2.28	7.9	2.93	8.0	4.81	6.9	NNW	331
	12	1.30	6.0	2.19	8.2	2.85	8.1	3.89	8.4	NNW	331
	14	1.22	6.0	2.04	7.9	2.66	8.1	3.07	8.5	NNW	327
	16	1.07	5.8	1.81	7.8	2.29	8.5	2.84	8.4	NNW	331
	18	1.11	6.2	1.77	7.8	2.24	8.2	2.59	6.7	NW	323
	20	1.04	5.9	1.76	7.7	2.17	7.8	2.48	6.5	NNW	331
	22	0.96	6.4	1.52	7.9	1.91	8.2	2.33	7.8	NNW	340
最大 平均	2.00 1.34	7.0 6.3	3.18 2.20	8.8 8.2	3.96 2.79	8.6 8.3	5.47 3.66	8.6 7.9			
16	00	* 0.87	6.0	* 1.41	7.9	* 1.75	7.9	* 2.45	7.4	NNE	16
	02	0.80	5.6	1.30	7.2	1.63	7.4	2.31	7.0	NNW	327
	04	0.82	6.1	1.30	7.5	1.64	7.6	1.91	8.6	NNW	344
	06	0.79	6.0	1.26	7.6	1.58	7.8	2.04	7.6	NNW	344
	08	0.71	5.9	1.17	7.4	1.48	7.3	1.99	7.8	NNE	25
	10	0.63	5.7	1.04	7.1	1.28	6.9	1.61	6.9	NNW	340
	12	0.58	5.6	0.97	7.2	1.19	7.2	1.53	6.9	NNW	340
	14	0.54	5.2	0.92	6.9	1.19	7.1	1.45	7.2	NNE	20
	16	0.59	4.9	0.92	6.5	1.12	6.4	1.28	5.3	NNW	335
	18	0.55	4.6	0.87	6.2	1.12	6.4	1.48	6.0	NNW	331
	20	0.59	4.7	0.95	6.4	1.19	6.3	1.49	6.4	NE	37
	22	0.54	4.3	0.89	5.8	1.09	6.0	1.45	4.8	NNE	25
最大 平均	0.87 0.67	6.0 5.4	1.41 1.08	7.9 7.0	1.75 1.36	7.9 7.0	2.45 1.75	7.4 6.8			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	0.57	4.4	0.89	5.7	1.11	5.9	1.38	7.1	NE	41
	02	0.51	4.5	0.82	6.1	1.00	6.1	1.63	5.4	NNE	25
	04	0.47	4.3	0.75	5.9	0.93	6.3	1.23	6.8	N	352
	06	0.54	4.8	0.87	6.3	1.09	6.0	1.65	5.7	NNE	16
	08	0.50	4.6	0.80	6.0	1.02	5.8	1.39	6.2	NNE	29
	10	0.57	4.9	0.91	6.2	1.13	6.2	1.66	5.9	NNE	25
	12	* 0.59	4.8	* 0.97	6.3	* 1.22	6.2	* 1.69	6.1	N	356
	14	0.48	4.9	0.78	6.5	0.99	6.7	1.31	5.9	N	8
	16	0.46	4.8	0.75	6.5	0.94	6.2	1.26	6.6	NNE	25
	18	0.50	4.8	0.84	6.4	1.06	6.7	1.38	6.5	NNE	29
	20	0.52	5.1	0.88	6.7	1.11	6.8	1.49	7.2	NE	37
	22	0.48	5.4	0.75	7.0	0.91	6.7	1.12	7.1	NNW	331
	最大	0.59	4.8	0.97	6.3	1.22	6.2	1.69	6.1		
	平均	0.52	4.8	0.83	6.3	1.04	6.3	1.43	6.4		
18	00	0.45	4.6	0.72	6.4	0.92	6.6	1.14	5.0	NW	323
	02	0.62	4.0	1.02	5.1	1.28	5.2	1.66	6.0	NE	39
	04	0.94	4.6	1.46	5.6	1.82	5.7	2.44	5.8	W	274
	06	1.55	5.7	2.47	7.0	3.04	7.2	3.89	7.1	WNW	303
	08	* 2.08	6.6	* 3.20	7.9	3.83	7.7	5.04	7.4	NW	315
	10	2.02	6.4	3.19	7.9	3.90	8.0	4.62	7.7	NW	319
	12	1.96	6.6	3.11	8.1	* 4.03	8.2	5.10	8.5	NW	311
	14	2.00	6.8	3.18	9.0	3.99	9.3	5.17	9.6	NW	311
	16	1.70	6.5	2.70	8.4	3.37	8.4	4.44	7.8	NW	315
	18	1.70	6.6	2.64	8.2	3.16	7.9	3.88	9.2	NW	307
	20	1.73	6.3	2.80	8.1	3.64	8.2	* 5.24	7.7	NNW	327
	22	1.62	6.3	2.60	8.0	3.12	7.9	3.85	8.4	NNW	331
	最大	2.08	6.6	3.20	7.9	4.03	8.2	5.24	7.7		
	平均	1.53	5.9	2.42	7.5	3.01	7.5	3.87	7.5		
19	00	1.61	6.3	2.51	8.1	3.07	8.3	3.61	9.5	NW	319
	02	* 1.62	6.0	* 2.56	7.9	3.08	8.2	3.82	7.9	NW	319
	04	1.51	6.0	2.42	7.6	* 3.11	7.6	3.90	7.6	NW	315
	06	1.42	5.9	2.30	7.9	2.96	8.0	3.61	7.8	NNW	327
	08	1.43	6.1	2.27	7.6	2.87	7.9	* 4.01	8.6	NNW	327
	10	1.35	6.4	2.12	7.9	2.71	7.9	3.44	6.2	NNW	335
	12	1.18	6.3	1.74	7.8	2.12	8.1	2.82	7.5	NNW	335
	14	1.11	6.1	1.80	7.8	2.28	7.9	2.82	9.1	N	8
	16	0.95	5.8	1.54	7.9	1.95	8.1	2.36	8.8	NNW	335
	18	1.00	6.1	1.64	7.7	2.07	7.9	2.63	8.0	NW	307
	20	0.95	6.4	1.50	8.1	1.82	8.5	2.46	7.7	NW	319
	22	1.09	6.9	1.74	9.1	2.07	9.4	2.43	8.1	NNE	33
	最大	1.62	6.0	2.56	7.9	3.11	7.6	4.01	8.6		
	平均	1.27	6.2	2.01	7.9	2.51	8.2	3.16	8.1		
20	00	1.20	7.6	1.94	9.8	2.41	10.3	3.18	10.6	NNE	29
	02	1.02	7.0	1.73	9.3	2.19	9.4	3.33	9.7	NNE	29
	04	1.04	6.2	1.74	8.9	2.17	9.1	2.88	9.3	NNE	29
	06	1.17	5.4	1.90	7.2	2.40	7.6	3.24	6.2	NNE	29
	08	1.26	5.2	1.98	6.7	2.46	6.5	3.13	5.7	NNE	25
	10	1.18	5.1	1.95	6.7	2.48	7.1	3.23	6.7	NNE	12
	12	* 1.35	5.3	* 2.10	6.7	* 2.59	6.9	3.35	5.7	WNW	286
	14	1.32	5.4	2.03	6.7	2.53	6.8	3.55	5.5	NW	319
	16	1.10	4.8	1.76	5.9	2.28	6.3	3.69	6.1	WNW	303
	18	1.25	5.4	1.88	6.4	2.29	6.5	2.79	6.9	WNW	290
	20	1.29	5.4	2.01	6.6	2.46	6.4	3.19	7.0	W	278
	22	1.13	5.1	1.83	6.7	2.32	6.5	* 4.15	6.4	WNW	295
	最大	1.35	5.3	2.10	6.7	2.59	6.9	4.15	6.4		
	平均	1.19	5.7	1.90	7.3	2.38	7.5	3.31	7.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	1.23	5.2	1.94	6.4	2.45	6.9	2.93	7.7	WNW	286
	02	1.04	5.1	1.69	6.5	2.13	6.6	3.02	4.8	WNW	286
	04	1.13	4.9	1.78	6.2	2.22	6.2	2.80	5.9	NW	319
	06	1.28	5.2	1.99	6.4	2.55	6.4	3.22	6.4	NW	319
	08	1.18	5.4	1.90	6.5	2.40	6.6	2.92	7.1	NW	307
	10	1.13	5.0	1.73	6.2	2.21	6.0	2.97	6.3	NNE	25
	12	2.05	5.9	3.12	6.7	3.88	6.6	5.03	6.9	NNE	20
	14	2.57	6.6	4.12	8.1	5.24	8.1	6.87	7.1	N	352
	16	2.73	6.9	4.47	9.1	* 5.45	9.4	6.28	8.3	N	4
	18	2.72	7.1	4.27	8.7	5.19	8.7	6.56	10.2	NW	315
	20	* 2.86	7.3	* 4.47	9.4	5.39	9.0	* 7.31	10.5	NW	311
	22	2.69	7.1	4.25	9.1	5.19	9.2	6.46	8.8	NW	323
最大		2.86	7.3	4.47	9.4	5.45	9.4	7.31	10.5		
平均		1.88	6.0	2.98	7.4	3.69	7.5	4.70	7.5		
22	00	2.52	6.8	4.23	9.1	5.17	9.6	5.82	9.7	NNW	327
	02	2.57	7.1	4.06	8.9	5.01	9.1	5.98	9.7	NW	311
	04	2.54	7.1	4.16	9.4	5.14	9.9	6.16	8.3	NW	319
	06	2.62	6.7	4.07	8.5	5.12	9.3	6.50	9.6	NW	315
	08	3.22	7.6	4.99	9.5	6.07	9.8	7.21	9.1	NW	323
	10	* 3.58	8.5	* 5.69	10.8	* 6.65	10.9	* 8.47	12.3	NW	323
	12	2.99	7.6	4.78	10.2	5.83	10.0	7.09	9.3	NNW	331
	14	2.91	7.4	4.78	9.4	6.03	9.2	6.74	7.4	N	0
	16	2.49	7.1	4.09	9.4	5.18	9.2	6.28	9.2	NNW	335
	18	2.46	6.9	4.17	9.7	5.02	10.0	5.33	12.1	NNW	319
	20	2.35	7.3	3.76	9.6	4.70	9.7	6.19	10.5	NW	323
	22	2.54	8.0	4.07	9.8	4.91	9.8	6.10	8.9	NNE	16
最大		3.58	8.5	5.69	10.8	6.65	10.9	8.47	12.3		
平均		2.73	7.3	4.40	9.5	5.40	9.7	6.49	9.7		
23	00	2.30	8.2	3.52	10.1	4.29	10.5	5.07	11.0	NNE	20
	02	* 2.39	8.0	* 3.78	10.1	* 4.83	10.1	* 5.73	10.8	N	8
	04	2.03	7.3	3.37	10.2	4.04	10.1	5.23	10.1	NNE	25
	06	1.99	7.6	3.38	9.8	4.27	10.4	5.34	9.2	NNE	20
	08	2.02	8.1	3.14	10.6	3.96	10.6	4.59	9.6	NNE	16
	10	1.50	6.8	2.50	9.5	3.13	9.9	4.52	7.2	NNE	20
	12	1.55	6.8	2.52	9.6	3.19	10.0	3.94	10.1	NNE	20
	14	1.28	6.0	2.20	8.9	2.85	9.0	3.81	9.0	NNE	16
	16	1.20	6.4	2.04	8.9	2.53	8.9	3.24	7.8	NNE	16
	18	1.06	6.1	1.76	8.3	2.22	8.6	2.69	7.7	NNE	20
	20	1.11	6.1	1.81	8.4	2.29	8.9	2.69	10.1	NNE	16
	22	1.46	5.6	2.37	7.0	2.94	6.7	3.48	8.1	W	270
最大		2.39	8.0	3.78	10.1	4.83	10.1	5.73	10.8		
平均		1.66	6.9	2.70	9.3	3.38	9.5	4.19	9.2		
24	00	* 1.67	6.0	2.59	7.3	3.21	7.6	* 4.38	6.8	W	278
	02	1.63	5.8	* 2.62	7.2	* 3.27	7.3	3.89	7.6	WNW	286
	04	1.52	5.8	2.48	7.2	3.03	6.9	3.56	6.1	W	274
	06	1.33	5.6	2.08	7.4	2.53	7.6	3.24	8.1	W	270
	08	1.25	5.3	2.06	6.9	2.67	7.2	3.85	5.2	W	270
	10	1.24	5.5	2.00	6.9	2.51	7.0	2.99	6.1	N	352
	12	1.30	5.8	2.03	7.3	2.48	7.5	3.02	6.9	NNE	12
	14	1.40	5.9	2.27	7.4	2.81	7.3	3.26	8.7	N	352
	16	1.40	5.7	2.18	7.3	2.61	7.3	3.27	7.8	NNW	331
	18	1.21	5.7	1.93	7.2	2.40	6.9	3.61	7.6	NNW	335
	20	1.16	5.0	1.84	6.3	2.26	6.4	3.29	6.6	NNW	331
	22	1.18	5.1	1.88	6.4	2.33	6.9	2.96	7.0	NNW	331
最大		1.67	6.0	2.62	7.2	3.27	7.3	4.38	6.8		
平均		1.36	5.6	2.16	7.1	2.68	7.2	3.44	7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	1.24	5.2	1.95	6.6	2.38	6.7	2.85	4.9	NW	323
	02	1.21	5.1	1.97	6.3	2.43	6.7	2.91	5.6	N	0
	04	1.57	5.6	2.59	7.1	3.34	7.0	5.25	7.0	NW	323
	06	1.78	5.8	2.78	6.9	3.39	6.9	4.26	8.7	NW	307
	08	2.30	6.3	3.63	7.5	4.57	7.6	6.65	7.2	WNW	303
	10	2.40	6.3	3.97	7.9	5.06	8.0	* 7.06	7.6	NW	319
	12	2.72	6.9	4.18	8.4	5.33	8.5	6.67	8.4	NW	319
	14	* 2.83	7.3	* 4.48	8.6	* 5.53	8.6	6.95	8.8	NW	319
	16	2.30	6.8	3.71	8.7	4.55	8.7	5.92	9.3	NNW	327
	18	2.47	6.9	4.03	8.8	4.99	8.8	6.69	8.2	NNW	327
	20	2.30	6.5	3.90	8.4	4.77	8.4	6.18	9.7	NNW	331
	22	2.17	6.4	3.51	8.3	4.31	8.3	5.63	9.8	NNW	331
	最大	2.83	7.3	4.48	8.6	5.53	8.6	7.06	7.6		
	平均	2.11	6.3	3.39	7.8	4.22	7.9	5.59	7.9		
26	00	2.10	6.6	3.33	8.5	4.22	8.6	5.23	8.6	NNW	348
	02	1.64	6.5	2.65	8.3	3.26	8.1	4.48	7.3	NNW	331
	04	1.71	6.6	2.82	8.6	3.48	8.8	5.04	8.1	NNW	344
	06	1.90	6.2	2.98	7.6	3.80	7.9	4.62	7.0	NNW	327
	08	2.00	6.0	3.16	7.7	3.88	7.2	4.70	7.4	WNW	282
	10	2.03	6.1	3.30	7.7	4.12	7.6	* 6.64	7.3	WNW	286
	12	* 2.21	6.2	* 3.48	7.8	* 4.27	7.9	5.18	8.0	WNW	290
	14	1.99	6.4	3.15	8.1	3.94	8.1	5.59	8.8	NW	323
	16	1.78	6.3	2.92	8.2	3.53	7.9	4.93	9.1	NNW	331
	18	1.71	6.3	2.73	7.9	3.39	8.3	4.16	8.4	WNW	295
	20	1.66	6.6	2.53	8.4	3.04	7.9	3.57	7.4	NNW	340
	22	1.58	6.5	2.61	8.6	3.33	8.7	4.16	9.5	NNW	331
	最大	2.21	6.2	3.48	7.8	4.27	7.9	6.64	7.3		
	平均	1.86	6.4	2.97	8.1	3.69	8.1	4.86	8.1		
27	00	* 1.52	6.4	* 2.44	8.6	* 3.04	8.7	* 4.13	8.8	NW	315
	02	1.39	6.6	2.17	8.1	2.77	8.2	3.33	8.5	NNW	340
	04	1.38	6.8	2.16	8.2	2.61	8.1	3.54	8.7	NNW	327
	06	1.17	5.6	1.87	7.6	2.35	7.4	3.53	8.6	W	270
	08	1.26	5.4	1.96	6.5	2.41	6.5	3.08	4.8	NNW	331
	10	1.22	5.3	1.91	6.4	2.41	6.5	3.33	7.5	NNW	331
	12	1.09	4.7	1.73	5.8	2.22	6.1	3.47	6.3	NW	323
	14	1.13	5.0	1.77	6.2	2.12	6.4	3.16	6.4	NNW	331
	16	1.07	5.1	1.72	6.4	2.18	6.4	2.90	6.9	NNW	327
	18	0.97	5.0	1.57	6.3	1.97	6.3	2.63	5.7	WNW	290
	20	0.88	5.0	1.43	6.3	1.79	6.6	2.27	5.5	NNW	327
	22	1.06	5.4	1.70	7.1	2.10	6.9	2.94	7.0	N	356
	最大	1.52	6.4	2.44	8.6	3.04	8.7	4.13	8.8		
	平均	1.18	5.5	1.87	7.0	2.33	7.0	3.19	7.1		
28	00	1.07	5.3	1.73	6.9	2.18	7.1	2.66	6.3	N	0
	02	1.06	5.6	1.69	7.1	2.08	7.3	2.71	7.6	NNW	335
	04	0.93	5.4	1.49	6.9	1.84	7.0	3.01	7.4	NNW	331
	06	0.98	5.9	1.59	7.5	2.01	7.2	2.62	7.6	NW	319
	08	0.85	5.6	1.37	7.0	1.74	7.0	2.32	7.7	NNW	348
	10	0.82	5.6	1.30	7.3	1.55	7.1	1.75	6.6	NNW	335
	12	0.69	5.0	1.16	6.8	1.50	7.1	1.93	6.1	NNW	331
	14	0.60	4.8	0.99	6.5	1.25	6.7	1.45	5.8	NW	323
	16	0.65	4.7	1.05	6.5	1.35	6.7	1.88	6.5	NNW	344
	18	0.91	4.7	1.42	5.7	1.85	5.9	3.39	5.7	W	262
	20	1.25	4.8	2.03	5.9	2.61	6.0	3.62	5.6	WSW	258
	22	* 1.57	5.7	* 2.47	6.6	* 3.11	6.7	* 4.23	7.7	W	274
	最大	1.57	5.7	2.47	6.6	3.11	6.7	4.23	7.7		
	平均	0.95	5.3	1.52	6.7	1.92	6.8	2.63	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 1月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	365 回
欠測回数	0 回	欠測回数	7 回
欠 測 率	0.0 %	欠 測 率	1.9 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	1.68	5.9	2.69	7.3	3.40	7.5	4.08	6.8	W	270
	02	1.85	5.9	2.97	7.5	3.68	7.8	4.21	8.6	WNW	282
	04	1.86	5.9	3.07	7.6	3.99	8.3	5.17	8.6	WNW	282
	06	2.03	6.4	3.24	8.1	3.85	7.8	4.68	8.2	NNW	327
	08	1.96	6.5	3.13	8.1	3.84	8.2	4.91	9.1	NNW	327
	10	* 2.07	6.5	* 3.37	8.2	* 4.21	8.6	5.70	8.5	NNW	327
	12	1.96	6.2	3.21	8.3	4.10	8.5	* 6.12	8.4	NW	315
	14	1.70	6.2	2.69	7.9	3.48	7.9	4.49	7.5	NW	323
	16	1.64	6.3	2.56	8.0	3.16	8.1	4.39	8.4	NW	319
	18	1.46	6.1	2.35	7.6	3.03	7.5	3.85	7.4	NW	319
	20	1.35	5.9	2.14	7.5	2.81	7.5	3.88	6.5	NW	319
	22	1.61	6.1	2.65	7.8	3.38	7.7	4.68	6.9	NW	315
	最大	2.07	6.5	3.37	8.2	4.21	8.6	6.12	8.4		
	平均	1.76	6.2	2.84	7.8	3.58	8.0	4.68	7.9		
30	00	1.85	6.0	2.86	7.4	3.44	7.2	4.39	7.2	NNW	327
	02	1.82	5.9	2.99	7.3	3.92	7.9	5.34	7.4	NW	323
	04	* 2.06	6.1	* 3.21	7.7	* 3.96	7.8	5.22	8.5	NNW	340
	06	2.00	6.3	3.14	7.9	3.84	7.7	4.51	9.2	WNW	282
	08	1.83	6.2	2.99	8.0	3.68	8.2	4.95	8.1	NW	307
	10	1.93	6.1	2.96	7.3	3.65	7.3	* 5.91	6.4	NW	323
	12	1.74	5.8	2.87	7.5	3.63	7.6	5.15	7.9	NNW	331
	14	1.90	6.5	2.91	7.9	3.58	8.2	4.36	7.6	NNW	327
	16	1.54	5.7	2.54	7.5	3.18	7.8	4.09	6.4	W	278
	18	1.33	5.6	2.16	7.1	2.68	7.0	3.26	6.5	WNW	295
	20	1.41	5.9	2.28	7.2	2.85	7.5	3.70	8.3	WNW	282
	22	1.21	5.7	1.94	7.2	2.49	7.6	3.19	7.4	NW	311
	最大	2.06	6.1	3.21	7.7	3.96	7.8	5.91	6.4		
	平均	1.72	6.0	2.74	7.5	3.41	7.6	4.51	7.6		
31	00	* 1.19	5.6	* 1.94	7.2	* 2.41	7.6	* 3.09	7.9	NW	311
	02	1.13	5.7	1.84	7.3	2.26	7.2	2.84	6.6	WNW	295
	04	1.02	5.3	1.59	6.8	1.89	7.1	2.24	7.2	WNW	295
	06	0.95	5.1	1.56	6.8	1.98	7.2	2.71	6.7	NW	315
	08	0.93	5.1	1.48	7.0	1.85	7.0	2.25	7.1	NW	307
	10	0.90	5.5	1.43	7.0	1.77	7.2	2.53	6.9	WNW	295
	12	0.85	5.1	1.36	6.6	1.73	6.8	2.10	6.8	WNW	303
	14	0.77	5.1	1.26	6.5	1.64	6.9	2.04	7.4	NW	319
	16	0.77	5.1	1.23	6.8	1.58	7.1	2.22	6.8	NNE	20
	18	0.83	5.4	1.31	6.9	1.63	6.8	2.16	5.4	NNE	16
	20	0.77	4.9	1.23	6.4	1.52	6.5	2.25	6.1	NNW	331
	22	0.73	4.7	1.17	6.1	1.42	6.5	1.73	7.2	NW	319
	最大	1.19	5.6	1.94	7.2	2.41	7.6	3.09	7.9		
	平均	0.90	5.2	1.45	6.8	1.81	7.0	2.35	6.8		
月最大		3.58	8.5	5.69	10.8	6.65	10.9	8.47	12.3		
	起時	2210		2210		2210		2210			
平均		1.41	5.8	2.25	7.5	2.80	7.6	3.61	7.6		

波浪整理表（1）

1997年 2月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.68	4.7	1.07	6.1	1.32	6.4	1.61	5.2	NNE	12
	02	0.71	5.1	1.17	6.8	1.47	6.9	1.75	7.2	NNE	33
	04	0.68	4.9	1.11	6.6	1.42	6.8	1.78	6.7	NNE	12
	06	0.73	4.5	1.18	6.3	1.47	6.4	2.17	7.5	NNE	25
	08	0.86	5.1	1.33	6.7	1.60	6.6	2.17	6.3	NNE	20
	10	1.02	5.3	1.64	6.5	1.96	6.0	2.25	6.1	N	8
	12	1.11	5.1	1.73	6.3	2.10	6.4	2.77	6.3	NNW	344
	14	0.97	5.1	1.53	6.3	1.88	6.4	2.63	6.3	NNW	348
	16	0.91	4.9	1.42	6.3	1.73	6.7	2.40	5.6	NNW	340
	18	1.06	5.3	1.64	6.6	2.01	6.5	2.64	6.9	NNE	16
	20	* 1.18	5.5	* 1.83	7.0	* 2.28	7.4	2.76	7.1	N	8
	22	1.06	5.4	1.72	7.0	2.13	7.5	* 2.82	7.5	NNW	331
最大		1.18	5.5	1.83	7.0	2.28	7.4	2.82	7.5		
平均		0.91	5.1	1.45	6.5	1.78	6.7	2.31	6.6		
02	00	* 1.11	5.5	* 1.76	7.1	* 2.20	7.4	2.50	7.8	NNE	12
	02	1.03	5.5	1.71	7.3	2.17	7.5	* 3.15	6.4	N	8
	04	1.01	5.6	1.66	7.3	2.04	7.4	2.92	7.7	NNW	327
	06	1.02	6.1	1.64	7.4	2.04	7.6	2.32	8.7	NNW	348
	08	1.06	6.3	1.65	7.7	2.06	7.3	2.41	8.4	N	4
	10	0.88	5.7	1.46	7.2	1.90	7.4	2.59	7.2	NNE	29
	12	0.83	5.5	1.35	7.1	1.69	7.1	2.17	7.1	NNE	16
	14	0.96	6.1	1.53	7.4	1.92	7.4	2.25	6.8	NW	323
	16	0.84	5.3	1.35	6.9	1.69	6.8	2.23	7.0	NW	323
	18	0.81	5.8	1.28	7.0	1.64	7.0	2.03	6.8	NNE	33
	20	0.66	5.5	1.07	6.9	1.37	7.2	1.72	7.9	NNE	29
	22	0.61	5.3	1.01	7.0	1.26	7.2	1.49	7.0	NNE	20
最大		1.11	5.5	1.76	7.1	2.20	7.4	3.15	6.4		
平均		0.90	5.7	1.46	7.2	1.83	7.3	2.31	7.4		
03	00	0.56	5.5	0.92	7.0	1.19	7.0	1.81	7.4	NNE	16
	02	0.57	5.8	0.91	7.1	1.13	7.1	1.65	7.1	NE	37
	04	0.46	5.1	0.77	7.1	0.96	7.1	1.13	7.0	NNE	33
	06	0.42	4.6	0.73	7.0	0.93	7.1	1.19	6.5	NNE	29
	08	0.52	4.0	0.83	5.6	1.03	5.8	1.29	6.4	NNE	29
	10	0.91	4.2	1.43	4.8	1.79	4.9	2.52	4.8	欠測	欠測
	12	1.12	4.8	1.79	5.7	2.17	5.6	2.71	5.5	WNW	290
	14	1.45	5.1	2.43	6.5	3.26	7.1	4.37	6.7	NNW	331
	16	1.56	5.7	2.48	6.8	3.16	7.0	* 5.28	6.7	NNW	331
	18	1.65	5.5	2.78	7.2	3.60	7.4	4.66	8.0	NNW	340
	20	1.79	5.7	2.79	6.9	3.58	6.9	4.48	7.0	NW	319
	22	* 2.17	6.2	* 3.49	7.3	* 4.23	7.9	5.10	7.9	WNW	303
最大		2.17	6.2	3.49	7.3	4.23	7.9	5.28	6.7		
平均		1.10	5.2	1.78	6.6	2.25	6.7	3.02	6.8		
04	00	2.16	6.3	3.46	7.8	4.20	8.0	4.60	7.7	WNW	299
	02	2.43	6.6	3.99	8.2	5.06	8.3	6.35	8.2	NW	315
	04	* 2.65	6.8	* 4.16	8.2	5.10	8.3	* 6.71	7.8	NW	307
	06	2.42	6.5	4.02	7.9	* 5.32	8.3	6.39	8.9	NW	315
	08	2.41	6.8	3.87	8.8	4.66	8.5	5.93	8.2	NNW	327
	10	2.17	6.4	3.55	8.2	4.40	8.4	5.46	8.7	NW	319
	12	2.34	6.7	3.81	8.7	4.65	8.7	5.70	8.4	WNW	303
	14	2.15	7.1	3.38	8.8	4.30	9.1	5.68	8.1	NNE	12
	16	2.11	7.1	3.45	9.0	4.52	9.2	5.70	7.6	NNE	12
	18	2.13	7.1	3.37	9.0	4.23	9.2	5.38	8.5	NNE	16
	20	2.04	7.2	3.26	9.3	4.12	9.6	5.59	8.1	N	8
	22	1.91	7.2	3.10	9.4	3.87	9.8	4.41	9.1	NNE	20
最大		2.65	6.8	4.16	8.2	5.32	8.3	6.71	7.8		
平均		2.24	6.8	3.62	8.6	4.54	8.8	5.66	8.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月

波 高		波 向	
規定回数	336 回	規定回数	336 回
測得回数	336 回	測得回数	327 回
欠測回数	0 回	欠測回数	9 回
欠 測 率	0.0 %	欠 測 率	2.7 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	* 2.11	8.1	* 3.39	10.5	* 4.28	10.6	* 5.00	12.0	N	8
	02	1.73	6.9	2.90	9.3	3.66	9.5	4.55	8.7	NNE	20
	04	1.70	7.5	2.62	9.5	3.25	9.2	3.47	7.5	NNE	25
	06	1.60	7.4	2.53	9.2	3.21	9.2	4.09	8.6	NNE	16
	08	1.25	6.5	2.03	8.8	2.55	8.6	3.23	9.9	N	0
	10	1.28	6.5	2.11	8.6	2.69	8.6	3.52	8.7	NNE	33
	12	1.03	5.8	1.69	7.7	2.13	7.7	2.41	6.8	NNE	29
	14	0.93	5.8	1.56	7.7	1.95	8.1	2.63	8.1	NNE	29
	16	0.81	5.5	1.35	7.4	1.72	7.4	2.27	6.1	NNE	20
	18	0.79	5.6	1.30	7.4	1.64	7.8	1.92	7.5	NNE	33
	20	0.77	5.9	1.25	7.3	1.60	7.2	2.01	8.2	NNE	20
	22	0.63	5.3	1.01	6.8	1.27	7.0	1.66	7.0	NNE	25
	最大	2.11	8.1	3.39	10.5	4.28	10.6	5.00	12.0		
	平均	1.22	6.4	1.98	8.3	2.50	8.4	3.06	8.3		
06	00	0.61	5.5	1.00	7.1	1.25	6.9	1.71	7.8	NE	41
	02	0.59	5.3	0.96	6.6	1.19	6.6	1.45	6.7	NNE	29
	04	0.54	5.2	0.88	6.8	1.11	6.9	1.57	7.2	NNE	25
	06	0.51	5.1	0.86	6.5	1.10	6.7	1.41	7.3	NNE	29
	08	0.49	5.1	0.81	6.4	1.03	6.4	1.46	7.2	NNE	25
	10	0.41	4.9	0.67	6.5	0.83	7.1	1.26	7.0	NNW	327
	12	0.44	4.2	0.72	5.6	0.90	6.1	1.29	6.0	WNW	299
	14	0.78	4.2	1.28	5.0	1.60	4.8	2.12	5.0	NNW	329
	16	0.99	4.4	1.56	5.0	1.97	5.1	3.21	4.4	NNE	31
	18	* 1.20	4.6	* 1.98	5.6	* 2.55	5.7	* 3.80	6.0	WNW	303
	20	1.05	4.7	1.70	5.7	2.07	5.7	2.61	5.5	WNW	282
	22	1.16	5.0	1.78	5.9	2.20	5.9	2.72	6.4	W	278
	最大	1.20	4.6	1.98	5.6	2.55	5.7	3.80	6.0		
	平均	0.73	4.9	1.18	6.1	1.48	6.2	2.05	6.4		
07	00	1.07	4.9	1.75	6.1	2.18	6.1	3.82	5.6	WNW	295
	02	1.33	4.9	2.21	6.2	2.82	6.4	3.54	7.1	WNW	299
	04	1.57	5.5	2.55	6.7	3.30	7.0	* 4.42	6.0	NW	307
	06	1.54	5.7	2.40	7.1	3.07	7.0	4.28	7.9	NW	311
	08	* 1.78	6.2	* 2.71	7.4	* 3.37	7.5	4.07	6.9	NNW	327
	10	1.60	6.0	2.55	7.4	3.15	7.8	4.09	7.4	NNW	327
	12	1.46	6.2	2.30	7.7	2.93	7.8	3.79	6.5	NNW	327
	14	1.38	6.6	2.23	8.4	2.75	8.4	4.13	8.8	NW	319
	16	1.41	6.9	2.18	8.2	2.73	7.7	3.35	8.0	NNW	327
	18	1.23	6.7	1.94	8.0	2.50	8.3	3.83	7.8	NNW	327
	20	0.98	5.9	1.62	7.5	2.07	7.6	3.40	6.4	NW	323
	22	0.91	5.7	1.50	7.0	1.94	7.3	2.83	7.2	NW	323
	最大	1.78	6.2	2.71	7.4	3.37	7.5	4.42	6.0		
	平均	1.36	5.9	2.16	7.3	2.73	7.4	3.80	7.1		
08	00	* 0.91	5.9	* 1.45	7.0	* 1.80	7.0	* 2.27	6.7	NNW	331
	02	0.81	5.7	1.35	7.1	1.68	7.0	2.21	7.0	NNW	331
	04	0.76	5.6	1.20	7.0	1.49	7.2	1.92	6.3	NNW	340
	06	0.64	5.3	1.07	6.8	1.31	6.6	1.56	6.4	NNW	327
	08	0.58	5.1	0.95	6.5	1.19	6.7	1.91	6.7	NNW	344
	10	0.50	4.6	0.87	6.4	1.13	6.7	1.69	6.3	NNE	16
	12	0.43	4.6	0.70	6.3	0.88	6.3	1.16	6.0	NNE	20
	14	0.45	4.6	0.74	6.1	0.95	6.4	1.33	6.7	NNE	12
	16	0.41	4.4	0.67	6.0	0.85	6.2	1.23	6.6	NNW	344
	18	0.34	4.1	0.56	5.8	0.71	6.0	0.92	6.1	NE	45
	20	0.31	3.9	0.52	5.5	0.67	6.0	0.97	6.1	NNW	336
	22	0.29	3.6	0.46	5.1	0.58	5.3	0.85	5.0	NE	42
	最大	0.91	5.9	1.45	7.0	1.80	7.0	2.27	6.7		
	平均	0.54	4.8	0.88	6.3	1.10	6.4	1.50	6.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月										波 高		波 向	
										規定回数	336 回	規定回数	336 回
										測得回数	336 回	測得回数	327 回
										欠測回数	0 回	欠測回数	9 回
										欠 測 率	0.0 %	欠 測 率	2.7 %
機種：波向 海象計 - 50.0m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 50.0m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
09	00	0.29	3.7	0.46	4.8	0.56	5.3	0.71	4.4	W	271		
	02	0.38	3.3	0.61	4.2	0.75	4.3	0.97	4.6	NNE	19		
	04	0.47	3.7	0.75	4.6	0.95	4.6	1.39	4.2	NNW	335		
	06	0.43	3.8	0.67	4.6	0.83	4.8	1.16	4.7	NNE	14		
	08	0.41	3.8	0.66	4.7	0.84	4.9	1.36	5.1	NW	319		
	10	0.38	3.7	0.60	4.6	0.74	4.4	0.90	5.4	N	351		
	12	0.47	4.2	0.73	5.2	0.89	5.1	1.15	4.8	NNW	343		
	14	0.47	4.0	0.76	5.3	0.96	5.4	1.33	5.6	欠測	欠測		
	16	* 0.49	4.2	* 0.80	5.6	1.00	5.8	1.46	5.5	N	4		
	18	0.48	4.6	0.76	5.8	0.93	5.8	1.21	6.5	NNE	16		
	20	0.46	4.3	0.77	5.6	* 1.02	5.8	1.44	6.2	NE	41		
	22	0.46	4.5	0.76	5.7	0.98	5.9	* 1.53	5.4	NNE	16		
	最大 平均	0.49 0.43	4.2 4.0	0.80 0.69	5.6 5.1	1.02 0.87	5.8 5.2	1.53 1.22	5.4 5.2				
	10	00	0.42	4.4	0.67	5.8	0.87	5.7	1.14	5.1	N	0	
02		0.36	4.3	0.57	5.5	0.73	5.4	1.14	5.8	欠測	欠測		
04		0.35	3.9	0.60	5.5	0.76	5.7	0.94	5.5	欠測	欠測		
06		0.39	4.1	0.65	5.9	0.81	6.1	1.17	5.9	N	4		
08		0.50	4.5	0.79	5.8	0.98	6.1	1.17	6.3	NNE	12		
10		0.46	4.2	0.77	5.5	1.00	5.7	1.32	6.1	NE	37		
12		0.52	4.6	0.84	6.2	1.05	6.3	1.49	6.8	NNE	20		
14		* 0.59	4.8	0.90	5.7	1.08	6.0	1.22	5.6	NNW	344		
16		0.52	4.4	0.85	5.7	1.07	5.8	1.41	5.4	NNE	16		
18		0.57	4.9	0.91	6.1	1.15	6.4	1.68	6.3	N	0		
20		0.57	5.0	* 0.94	6.4	* 1.21	6.5	* 1.70	6.6	WNW	303		
22		0.47	4.7	0.75	6.0	0.93	5.9	1.27	4.9	NNW	344		
最大 平均		0.59 0.48	4.8 4.5	0.94 0.77	6.4 5.8	1.21 0.97	6.5 6.0	1.70 1.30	6.6 5.9				
11		00	0.42	4.6	0.69	6.0	0.86	5.9	1.03	6.9	WNW	282	
	02	0.42	4.6	0.70	6.1	0.88	6.3	1.17	6.4	NW	307		
	04	0.41	4.7	0.67	6.2	0.84	6.3	1.09	5.6	N	0		
	06	0.39	4.9	0.62	6.5	0.75	6.6	0.88	5.4	NNE	20		
	08	0.31	4.3	0.54	6.4	0.70	6.9	1.01	7.3	NNE	12		
	10	1.30	4.8	1.97	5.3	2.42	5.2	3.11	5.5	欠測	欠測		
	12	1.65	5.6	2.63	6.7	3.31	6.9	4.09	6.4	W	274		
	14	1.68	5.6	2.75	7.1	3.45	6.7	* 5.55	7.0	WNW	286		
	16	1.22	5.7	1.85	6.8	2.25	6.8	2.87	7.4	W	274		
	18	1.38	5.6	2.17	6.9	2.79	6.9	3.79	7.2	WSW	258		
	20	1.42	5.6	2.30	7.2	2.85	7.3	3.55	7.3	NW	307		
	22	* 1.90	5.6	* 2.99	7.0	* 3.55	6.7	4.84	7.5	NNW	327		
	最大 平均	1.90 1.04	5.6 5.1	2.99 1.66	7.0 6.5	3.55 2.05	6.7 6.5	5.55 2.75	7.0 6.7				
	12	00	* 2.64	6.8	* 4.24	8.5	* 5.30	9.0	* 6.76	8.4	NNW	340	
02		2.30	6.5	3.87	8.6	4.75	8.8	5.65	8.5	NNE	12		
04		2.21	6.6	3.56	8.3	4.45	8.4	5.87	8.1	NNE	12		
06		1.92	6.3	3.07	8.0	3.76	8.4	4.33	9.0	NNE	16		
08		1.86	6.5	3.03	8.3	3.87	8.3	5.44	7.6	NNE	25		
10		1.62	6.3	2.65	8.6	3.35	8.7	3.81	7.4	WNW	282		
12		1.85	6.5	2.92	8.3	3.65	8.5	5.18	8.4	NNE	29		
14		1.90	6.3	3.15	8.1	3.97	8.2	4.56	9.7	WNW	295		
16		1.76	6.1	2.73	7.6	3.41	7.3	4.87	6.7	WNW	282		
18		1.76	5.7	2.87	7.4	3.64	7.5	4.84	7.9	NNE	25		
20		1.54	5.7	2.55	7.3	3.19	7.4	4.18	6.5	NNW	348		
22		1.52	5.6	2.52	7.4	3.25	7.8	4.55	8.4	WNW	290		
最大 平均		2.64 1.91	6.8 6.2	4.24 3.10	8.5 8.0	5.30 3.88	9.0 8.2	6.76 5.00	8.4 8.1				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月											波 高		波 向					
											規定回数	336 回	規定回数	336 回				
											測得回数	336 回	測得回数	327 回				
											欠測回数	0 回	欠測回数	9 回				
											欠 測 率	0.0 %	欠 測 率	2.7 %				
機種：波向 海象計 - 50.0m																		
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度								
13	00	* 1.62	5.9	2.62	7.6	3.15	7.8	* 4.80	7.4	NNW	331							
	02	1.55	5.5	2.51	7.1	3.08	7.3	4.23	6.5	WNW	286							
	04	1.55	5.7	2.57	7.6	3.20	7.6	3.88	8.0	WNW	295							
	06	1.62	5.8	* 2.63	7.3	* 3.40	7.5	4.60	7.0	NW	319							
	08	1.55	6.0	2.52	7.6	3.09	8.0	3.71	7.1	NNW	327							
	10	1.28	5.7	2.16	7.5	2.76	7.7	3.60	8.0	NW	323							
	12	1.19	5.6	1.99	7.3	2.51	7.6	3.54	7.8	WNW	303							
	14	1.16	5.8	1.85	7.6	2.28	7.5	2.96	7.0	NW	323							
	16	1.04	5.8	1.68	7.2	2.19	7.6	3.07	6.9	NW	319							
	18	1.06	5.7	1.79	7.4	2.23	7.5	2.78	7.9	NW	319							
	20	0.96	5.6	1.53	6.9	1.93	6.9	2.51	7.1	NW	323							
	22	0.87	5.3	1.39	6.5	1.79	6.6	2.47	6.9	NNW	340							
最大 平均		1.62 1.29	5.9 5.7	2.63 2.10	7.3 7.3	3.40 2.63	7.5 7.5	4.80 3.51	7.4 7.3									
14	00	0.87	4.9	1.40	6.3	1.70	6.4	1.99	5.6	NNE	16							
	02	0.95	4.9	1.54	6.5	1.95	6.5	2.59	6.5	NNW	340							
	04	1.05	5.0	1.66	6.1	2.08	6.3	2.57	7.8	N	356							
	06	* 1.13	4.9	* 1.81	5.8	* 2.41	6.1	* 3.36	6.3	NNW	340							
	08	1.06	4.9	1.68	6.1	2.14	6.0	2.83	6.3	NNW	348							
	10	1.07	5.3	1.75	6.7	2.23	6.5	2.59	6.4	N	8							
	12	0.94	5.0	1.54	6.7	1.92	6.4	2.66	6.6	WNW	299							
	14	1.06	5.8	1.63	6.9	1.99	6.7	2.74	7.0	NNE	20							
	16	0.92	5.5	1.47	6.7	1.82	6.9	2.17	7.1	WNW	286							
	18	0.75	5.2	1.18	6.3	1.43	6.3	1.94	6.9	W	278							
	20	0.61	5.0	0.99	6.4	1.23	6.7	1.67	6.6	NNW	335							
	22	0.54	5.0	0.88	6.3	1.11	6.4	1.41	6.1	NNW	348							
最大 平均		1.13 0.91	4.9 5.1	1.81 1.46	5.8 6.4	2.41 1.83	6.1 6.4	3.36 2.38	6.3 6.6									
15	00	0.48	4.7	0.78	6.1	0.99	6.1	* 1.54	5.5	N	0							
	02	0.46	4.6	0.79	6.2	1.03	6.1	1.25	6.2	NNE	12							
	04	0.39	4.5	0.67	6.0	0.82	5.9	1.18	5.6	NNE	25							
	06	0.40	4.7	0.64	6.0	0.80	6.4	1.12	6.2	NW	307							
	08	0.44	4.6	0.72	6.1	0.87	6.1	1.08	6.3	NNE	33							
	10	0.48	4.4	0.76	5.6	0.96	5.7	1.30	5.7	N	4							
	12	0.48	4.3	0.78	5.8	0.96	5.9	1.29	5.9	NW	311							
	14	* 0.51	4.4	* 0.84	5.7	* 1.06	5.9	1.37	6.3	NNW	327							
	16	0.47	4.6	0.76	5.8	0.95	5.8	1.16	6.3	WNW	303							
	18	0.43	4.5	0.68	5.7	0.83	5.7	1.13	5.8	NW	315							
	20	0.41	4.5	0.67	5.7	0.85	6.2	1.24	6.1	NW	323							
	22	0.40	4.3	0.63	5.5	0.79	5.4	0.99	5.3	NW	316							
最大 平均		0.51 0.45	4.4 4.5	0.84 0.73	5.7 5.9	1.06 0.91	5.9 5.9	1.54 1.22	5.5 5.9									
16	00	0.49	4.3	0.79	5.4	0.96	5.5	1.24	4.6	欠測	欠測							
	02	0.50	4.6	0.75	5.3	0.91	5.4	1.27	4.8	NNW	338							
	04	0.46	4.3	0.72	5.3	0.91	5.3	1.17	5.6	NNW	346							
	06	0.43	4.5	0.69	5.7	0.86	5.6	1.05	6.2	W	278							
	08	0.41	4.5	0.65	5.8	0.80	5.8	0.99	5.9	WSW	258							
	10	0.39	4.6	0.64	6.1	0.79	6.2	1.07	6.0	W	266							
	12	0.54	4.2	0.85	5.3	1.10	5.4	1.64	4.9	NNW	342							
	14	0.80	4.1	1.25	4.9	1.59	5.1	2.21	3.7	NE	51							
	16	1.33	5.1	2.03	6.0	2.53	6.1	3.17	5.6	W	270							
	18	1.61	5.5	2.58	6.6	3.34	6.9	* 4.67	5.9	W	274							
	20	1.69	5.8	2.65	7.0	3.25	7.2	4.32	6.4	WNW	286							
	22	* 1.86	6.1	* 2.95	7.4	* 3.69	7.3	4.36	6.7	WNW	299							
最大 平均		1.86 0.88	6.1 4.8	2.95 1.38	7.4 5.9	3.69 1.73	7.3 6.0	4.67 2.26	5.9 5.5									

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月											波 高		波 向	
											規定回数	336 回	規定回数	336 回
											測得回数	336 回	測得回数	327 回
											欠測回数	0 回	欠測回数	9 回
											欠 測 率	0.0 %	欠 測 率	2.7 %
機種：波向 海象計 - 50.0m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 50.0m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
17	00	2.12	6.7	3.36	8.5	4.32	8.7	5.54	9.1	NW	315			
	02	2.18	6.5	3.67	8.6	4.75	8.8	6.05	7.4	NW	319			
	04	* 2.81	7.9	* 4.61	10.6	* 5.74	10.2	* 6.90	9.5	NW	323			
	06	2.59	7.6	4.06	9.9	4.90	10.4	6.36	10.1	NW	319			
	08	2.24	7.0	3.51	9.1	4.33	9.4	5.68	7.1	NW	315			
	10	2.08	6.6	3.37	8.8	4.16	9.2	4.93	8.8	NW	319			
	12	1.91	6.6	3.14	8.9	3.76	9.2	4.67	9.5	NW	319			
	14	1.82	6.2	3.04	8.2	4.01	8.4	5.17	9.9	NNW	327			
	16	2.01	6.9	3.19	8.5	3.99	8.2	4.67	8.0	NNW	331			
	18	2.04	7.1	3.32	8.7	4.22	8.6	5.63	7.6	NW	323			
	20	1.95	6.5	3.31	8.7	4.17	9.2	5.64	9.1	NNW	340			
	22	1.66	6.3	2.72	8.3	3.46	8.6	4.16	8.3	NNW	331			
最大 平均	2.81 2.12	7.9 6.8	4.61 3.44	10.6 8.9	5.74 4.32	10.2 9.1	6.90 5.45	9.5 8.7						
18	00	1.76	6.3	2.82	8.4	3.49	8.9	* 4.69	8.8	NNW	331			
	02	1.73	6.4	2.79	8.4	* 3.59	9.1	4.46	9.8	NNW	331			
	04	1.67	6.1	2.77	8.3	3.54	8.4	4.35	8.5	NW	315			
	06	* 1.84	6.6	* 2.92	8.4	3.59	8.4	4.44	6.9	NW	323			
	08	1.76	6.8	2.84	8.5	3.45	8.4	4.04	9.5	NNE	12			
	10	1.59	6.2	2.53	8.2	3.19	8.4	4.08	8.5	WNW	303			
	12	1.63	6.6	2.58	8.3	3.15	8.1	4.58	7.6	NNW	331			
	14	1.76	6.7	2.75	8.5	3.40	8.5	4.56	9.8	NNW	331			
	16	1.59	6.5	2.55	8.1	3.14	8.2	3.73	6.4	N	8			
	18	1.65	7.0	2.63	8.5	3.17	8.4	4.15	8.5	NNW	331			
	20	1.30	6.0	2.12	8.1	2.56	8.1	3.15	9.4	N	4			
	22	1.41	5.9	2.16	7.6	2.72	8.5	3.33	8.3	NNW	340			
最大 平均	1.84 1.64	6.6 6.4	2.92 2.62	8.4 8.3	3.59 3.25	9.1 8.4	4.69 4.13	8.8 8.5						
19	00	1.50	5.6	2.35	7.1	2.92	7.5	3.86	5.8	NNW	344			
	02	1.66	5.6	2.77	7.3	3.48	7.6	4.03	8.0	WNW	299			
	04	1.62	5.7	2.68	7.4	3.52	7.8	4.55	6.7	WNW	295			
	06	* 2.07	6.6	* 3.22	8.2	* 3.99	8.2	* 6.35	7.2	WNW	286			
	08	1.95	6.1	3.07	7.6	3.80	7.7	4.64	6.6	NNW	327			
	10	1.89	6.5	2.90	8.0	3.66	8.2	4.37	7.9	NW	319			
	12	1.87	6.2	2.98	7.7	3.79	7.5	5.52	7.2	NW	323			
	14	1.74	6.1	2.74	7.7	3.44	7.6	4.60	6.8	NNW	331			
	16	1.54	6.1	2.48	7.9	3.00	8.1	4.09	8.3	NW	323			
	18	1.27	5.8	2.13	7.9	2.58	7.9	3.41	8.8	NNW	331			
	20	1.44	6.0	2.24	7.4	2.64	7.7	3.47	7.4	NNE	25			
	22	1.39	5.9	2.17	7.3	2.76	7.5	3.72	7.2	NNE	12			
最大 平均	2.07 1.66	6.6 6.0	3.22 2.64	8.2 7.6	3.99 3.30	8.2 7.8	6.35 4.38	7.2 7.3						
20	00	1.51	5.7	2.41	7.1	3.12	7.3	* 4.94	7.3	NNW	327			
	02	1.57	5.8	2.46	7.0	3.14	7.5	4.20	7.5	NNW	335			
	04	1.45	6.2	2.25	7.3	2.63	7.3	3.22	7.2	NNW	327			
	06	1.42	6.0	2.16	7.3	2.63	7.1	3.14	7.2	WNW	286			
	08	1.33	6.1	2.14	7.6	2.73	7.4	3.56	7.4	WNW	286			
	10	1.27	5.3	2.09	6.9	2.68	6.9	3.07	6.2	NNW	327			
	12	1.67	6.6	2.61	7.8	3.20	8.3	4.09	8.2	WNW	282			
	14	1.51	6.4	2.45	8.2	3.16	8.1	4.59	8.8	NW	315			
	16	1.53	5.8	2.51	7.7	3.18	8.0	4.01	7.9	NW	319			
	18	1.66	6.4	2.60	7.8	3.26	8.0	4.63	7.3	NW	319			
	20	* 1.71	6.5	2.66	8.0	* 3.32	8.6	3.69	9.1	NW	315			
	22	1.62	5.8	* 2.69	7.9	3.29	7.6	3.91	7.6	NNW	327			
最大 平均	1.71 1.52	6.5 6.0	2.69 2.42	7.9 7.5	3.32 3.03	8.6 7.7	4.94 3.92	7.3 7.6						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月

波 高		波 向	
規定回数	336 回	規定回数	336 回
測得回数	336 回	測得回数	327 回
欠測回数	0 回	欠測回数	9 回
欠 測 率	0.0 %	欠 測 率	2.7 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	1.88	6.7	2.96	8.5	3.76	8.4	4.60	7.4	NW	319
	02	1.72	6.9	2.81	8.7	3.54	8.4	5.31	8.0	NW	323
	04	1.84	6.6	3.04	8.5	3.67	8.4	4.47	9.1	NW	319
	06	2.30	6.6	3.84	8.8	4.75	8.8	6.06	9.2	NNW	327
	08	2.63	6.9	4.12	8.5	5.06	8.5	6.56	8.5	NNW	331
	10	2.74	7.0	4.32	8.5	5.22	8.8	6.38	8.7	WNW	295
	12	3.44	8.1	4.96	9.1	5.73	9.4	6.65	8.2	NW	315
	14	3.05	7.5	4.83	9.8	5.83	10.0	6.81	10.6	WNW	303
	16	* 3.51	8.2	* 5.43	10.5	6.42	10.4	* 7.60	11.7	NW	315
	18	3.10	7.8	4.78	10.2	5.72	10.6	6.80	9.7	WNW	303
	20	3.46	8.6	5.42	11.1	* 6.45	10.8	7.15	11.5	NNW	327
	22	3.27	8.1	4.98	10.1	5.87	10.2	6.76	9.9	NNW	335
	最大	3.51	8.2	5.43	10.5	6.45	10.8	7.60	11.7		
	平均	2.75	7.4	4.29	9.4	5.17	9.4	6.26	9.4		
22	00	* 3.30	8.3	4.86	10.3	5.71	9.9	6.50	9.4	NNW	344
	02	2.80	7.2	4.35	9.5	5.17	9.4	6.10	9.0	NNW	335
	04	2.80	7.3	4.59	9.9	5.57	9.9	6.96	9.8	NNW	327
	06	2.71	7.1	4.41	9.9	5.39	10.3	7.04	9.8	N	8
	08	3.10	8.1	* 4.88	10.9	* 5.88	11.1	* 7.10	10.6	NNE	16
	10	2.96	7.6	4.67	10.0	5.65	9.9	6.75	10.6	NNE	16
	12	2.49	7.2	4.04	9.5	5.16	9.9	6.20	10.3	NNE	12
	14	2.50	7.3	4.05	9.9	4.94	10.0	5.91	9.4	NNE	20
	16	2.68	7.8	4.32	10.2	5.04	10.7	5.64	9.4	NNE	20
	18	2.17	7.2	3.46	9.3	4.30	10.0	5.04	8.9	NNE	16
	20	2.05	7.4	3.36	9.7	4.22	9.5	6.34	9.8	NNE	20
	22	2.22	7.7	3.58	9.7	4.49	9.6	5.24	9.9	NNE	33
	最大	3.30	8.3	4.88	10.9	5.88	11.1	7.10	10.6		
	平均	2.65	7.5	4.21	9.9	5.13	10.0	6.23	9.7		
23	00	1.80	6.9	2.93	9.1	3.67	9.9	4.56	10.2	NNE	33
	02	* 2.00	7.9	* 3.04	9.9	* 3.83	9.9	* 4.91	10.0	NNE	25
	04	1.52	6.8	2.58	9.3	3.18	9.0	3.75	8.1	NNE	29
	06	1.48	7.0	2.30	8.7	2.83	9.4	3.44	9.3	NNE	20
	08	1.33	6.6	2.16	8.5	2.68	8.6	3.71	8.7	NNE	16
	10	1.16	5.9	1.94	8.1	2.43	8.5	3.33	9.2	NNE	29
	12	1.14	6.2	1.81	8.2	2.21	8.2	2.84	8.1	NNE	20
	14	0.90	5.7	1.50	7.6	1.97	8.1	2.80	9.0	NNE	16
	16	0.89	6.0	1.45	7.6	1.86	8.3	2.32	7.1	NNE	16
	18	0.83	5.9	1.37	7.8	1.81	8.1	2.98	7.7	NNE	16
	20	0.79	5.4	1.36	7.6	1.79	7.9	2.58	8.8	NNE	33
	22	0.70	5.6	1.16	7.3	1.50	7.7	2.12	7.3	NNE	20
	最大	2.00	7.9	3.04	9.9	3.83	9.9	4.91	10.0		
	平均	1.21	6.3	1.97	8.3	2.48	8.6	3.28	8.6		
24	00	* 0.72	5.9	* 1.13	7.2	* 1.48	7.4	* 1.97	7.5	NNE	16
	02	0.66	5.6	1.10	7.2	1.39	7.0	1.67	6.0	NNE	16
	04	0.60	5.6	0.98	7.0	1.27	7.1	1.77	7.1	N	0
	06	0.56	5.3	0.93	6.8	1.16	7.0	1.39	7.6	NNE	12
	08	0.50	4.9	0.80	6.7	1.01	6.8	1.30	6.4	NNE	12
	10	0.44	5.1	0.72	6.7	0.89	6.9	1.11	7.4	NNE	20
	12	0.42	4.0	0.68	5.7	0.86	6.1	1.32	6.9	N	8
	14	0.43	3.9	0.67	5.1	0.85	5.2	0.99	5.6	NW	308
	16	0.49	4.2	0.79	5.6	1.00	5.7	1.16	6.1	NNW	327
	18	0.50	4.4	0.79	5.4	0.95	5.4	1.20	4.9	N	1
	20	0.46	4.4	0.74	5.5	0.93	5.4	1.21	5.8	NW	318
	22	0.41	4.1	0.67	5.2	0.84	5.2	1.28	4.8	WNW	292
	最大	0.72	5.9	1.13	7.2	1.48	7.4	1.97	7.5		
	平均	0.52	4.8	0.83	6.2	1.05	6.3	1.36	6.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 2月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.36	4.0	0.59	5.2	0.75	5.2	1.01	5.3	WNW	292
	02	0.33	3.9	0.53	5.1	0.65	5.2	0.77	6.2	NNW	344
	04	0.32	3.7	0.51	4.9	0.62	4.8	0.93	5.0	欠測	欠測
	06	0.31	3.6	0.50	4.6	0.63	5.0	0.88	4.9	NE	52
	08	0.35	3.8	0.56	4.6	0.70	4.6	1.08	4.3	W	272
	10	0.33	3.9	0.53	4.8	0.64	4.9	0.77	4.8	NNE	13
	12	0.35	3.5	0.56	4.4	0.72	4.5	1.06	5.1	NNE	14
	14	0.37	3.4	0.58	4.3	0.74	4.2	1.02	4.2	WNW	286
	16	0.47	4.0	0.72	4.7	0.89	4.7	1.08	4.2	W	274
	18	0.62	4.5	0.97	5.1	1.20	5.1	1.69	5.2	N	11
	20	0.77	4.5	1.18	5.3	1.43	5.4	* 1.98	5.2	NW	321
	22	* 0.84	4.2	* 1.28	5.0	* 1.59	4.9	1.92	5.4	N	4
	最大	0.84	4.2	1.28	5.0	1.59	4.9	1.98	5.2		
	平均	0.45	3.9	0.71	4.8	0.88	4.9	1.18	5.0		
26	00	0.80	4.5	1.24	5.5	1.51	5.7	2.08	6.1	W	275
	02	0.72	3.9	1.10	4.5	1.36	4.4	2.39	4.6	NE	44
	04	0.77	4.0	1.23	4.7	1.53	4.8	1.98	4.9	欠測	欠測
	06	* 1.05	4.7	* 1.63	5.4	2.01	5.6	2.67	5.8	WNW	284
	08	0.96	4.7	1.52	5.9	1.82	5.8	2.46	5.7	NNW	340
	10	0.95	4.9	1.52	6.1	1.82	6.2	2.40	6.3	NNW	340
	12	0.97	5.0	1.60	6.4	* 2.01	6.4	* 2.70	6.1	NNW	327
	14	0.96	5.1	1.57	6.5	1.92	6.3	2.39	6.5	NNW	335
	16	0.92	5.3	1.50	6.5	1.89	6.7	2.45	6.0	NNW	348
	18	0.84	5.2	1.32	6.1	1.69	6.4	2.24	5.8	W	270
	20	0.87	5.3	1.39	6.8	1.69	6.7	2.45	5.9	NNW	335
	22	0.93	5.7	1.48	7.0	1.84	6.9	2.21	6.6	NNW	344
	最大	1.05	4.7	1.63	5.4	2.01	6.4	2.70	6.1		
	平均	0.89	4.9	1.42	6.0	1.76	6.0	2.37	5.9		
27	00	0.98	5.7	1.60	7.4	1.93	7.1	2.13	8.5	NNW	340
	02	* 1.10	5.9	1.77	7.9	2.19	8.0	2.60	7.5	NNW	335
	04	1.06	5.8	* 1.81	7.8	* 2.24	8.0	* 3.13	8.0	NNE	16
	06	1.05	6.1	1.73	8.0	2.08	8.1	2.49	7.9	NNW	335
	08	1.00	6.5	1.57	7.9	1.96	8.0	2.37	8.1	NNW	340
	10	0.83	5.5	1.38	7.6	1.77	7.6	2.35	7.9	NNW	335
	12	0.81	5.7	1.36	7.6	1.73	7.9	2.10	7.8	N	8
	14	0.79	5.8	1.25	7.5	1.53	7.5	1.99	6.8	NNE	25
	16	0.78	5.9	1.29	7.7	1.65	7.5	2.25	7.9	NNE	29
	18	0.76	6.0	1.21	7.6	1.51	7.5	1.87	8.4	NNE	25
	20	0.60	5.2	0.98	7.1	1.21	7.3	1.95	6.9	NE	37
	22	0.58	5.3	0.93	6.7	1.15	6.8	1.57	6.8	NNE	25
	最大	1.10	5.9	1.81	7.8	2.24	8.0	3.13	8.0		
	平均	0.86	5.8	1.41	7.6	1.75	7.6	2.23	7.7		
28	00	* 0.58	5.6	* 0.90	6.6	* 1.09	6.4	1.26	6.2	NNE	20
	02	0.47	4.8	0.83	6.6	1.08	6.4	1.37	6.1	N	8
	04	0.40	4.5	0.64	6.2	0.83	6.6	1.13	5.6	N	4
	06	0.41	5.0	0.64	6.7	0.77	6.8	0.99	6.4	N	8
	08	0.39	4.8	0.63	6.6	0.77	6.9	0.95	7.1	NNE	25
	10	0.34	4.5	0.55	6.1	0.69	6.4	0.90	6.0	NNE	25
	12	0.39	3.3	0.61	4.5	0.77	4.9	1.00	5.5	N	1
	14	0.39	3.4	0.59	4.2	0.73	4.4	0.99	6.9	NNE	17
	16	0.55	4.1	0.88	5.4	1.08	5.5	* 1.52	5.1	NE	38
	18	0.39	3.9	0.63	5.0	0.79	5.2	0.95	4.8	W	281
	20	0.36	3.4	0.57	4.8	0.71	5.2	0.95	4.5	欠測	欠測
	22	0.45	3.4	0.70	4.0	0.86	3.7	1.10	3.8	W	276
	最大	0.58	5.6	0.90	6.6	1.09	6.4	1.52	5.1		
	平均	0.43	4.2	0.68	5.6	0.85	5.7	1.09	5.7		
月最大		3.51	8.2	5.43	10.5	6.45	10.8	7.60	11.7		
起時		2116		2116		2120		2116			
平均		1.18	5.5	1.89	7.1	2.36	7.2	3.05	7.1		

波浪整理表（1）

1997年 3月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.52	3.5	0.80	4.4	0.99	4.6	1.47	4.2	NE	56
	02	0.56	3.5	0.85	4.3	1.06	4.6	1.55	6.3	NNW	345
	04	0.69	3.9	1.07	4.9	1.34	5.1	1.73	3.6	NNE	16
	06	0.68	3.9	1.07	4.9	1.34	5.1	1.79	5.0	NNW	339
	08	0.92	4.3	1.43	4.8	1.81	4.7	2.94	4.6	欠測	欠測
	10	1.22	4.9	1.92	5.7	2.35	5.7	2.62	6.1	NW	311
	12	1.22	5.1	1.94	6.1	2.47	5.9	3.35	6.4	NNW	327
	14	1.44	5.5	2.35	6.9	2.85	7.0	3.54	6.8	NW	307
	16	* 1.68	6.1	* 2.70	7.5	* 3.49	7.5	* 4.68	7.6	NW	311
	18	1.59	5.8	2.63	7.6	3.25	7.7	4.52	6.7	NW	323
	20	1.58	6.2	2.55	7.7	3.17	7.9	4.49	8.2	NNW	340
	22	1.64	6.7	2.49	8.3	3.08	8.7	3.94	8.3	NNW	335
	最大	1.68	6.1	2.70	7.5	3.49	7.5	4.68	7.6		
	平均	1.15	5.0	1.82	6.1	2.27	6.2	3.05	6.1		
02	00	1.38	6.5	2.27	8.5	2.89	8.5	4.26	7.4	NNW	327
	02	1.33	6.4	2.20	8.5	2.83	8.9	3.54	9.3	NNW	331
	04	1.36	6.8	2.17	8.4	2.77	8.5	3.25	6.7	NNW	335
	06	1.37	7.0	2.11	8.5	2.72	8.9	3.29	7.4	N	352
	08	1.11	6.4	1.79	8.1	2.33	8.3	2.91	8.3	NNW	331
	10	0.79	5.9	1.31	7.6	1.65	8.0	1.96	6.5	NNW	340
	12	0.77	5.1	1.24	7.2	1.63	7.5	2.15	7.3	N	356
	14	0.96	4.6	1.51	6.1	1.85	6.5	2.32	4.7	N	4
	16	1.40	5.1	2.16	6.1	2.63	6.2	2.95	4.9	W	274
	18	1.40	5.1	2.28	6.2	2.97	6.4	3.93	6.8	W	270
	20	1.64	5.7	2.65	7.2	3.33	7.1	4.03	7.4	WNW	286
	22	* 1.93	6.1	* 3.02	7.7	* 3.68	7.5	* 4.31	7.7	NW	315
	最大	1.93	6.1	3.02	7.7	3.68	7.5	4.31	7.7		
	平均	1.29	5.9	2.06	7.5	2.61	7.7	3.24	7.0		
03	00	* 1.86	6.7	2.88	8.1	3.57	8.4	4.19	7.9	WNW	290
	02	1.63	5.8	2.55	7.3	3.26	7.5	4.31	8.2	WNW	282
	04	1.70	6.2	2.74	7.8	3.35	8.1	4.01	7.5	WNW	286
	06	1.50	6.2	2.46	8.0	2.94	8.1	3.53	8.8	NW	307
	08	1.70	6.8	* 2.88	9.2	* 3.62	9.8	* 4.45	10.1	NNW	340
	10	1.76	7.7	2.74	9.1	3.30	9.2	3.91	9.3	NNW	331
	12	1.45	6.9	2.31	8.7	3.03	9.0	4.26	8.0	NNW	340
	14	1.30	6.9	2.11	8.5	2.63	8.7	3.18	8.9	NNW	327
	16	1.16	6.4	1.84	8.1	2.35	8.5	2.87	8.5	NNW	335
	18	1.11	6.3	1.79	7.9	2.31	8.1	2.82	8.0	NW	315
	20	1.03	6.1	1.75	7.8	2.18	8.1	3.29	7.9	NNE	20
	22	0.91	6.0	1.52	7.7	1.95	7.5	2.48	7.4	NNW	335
	最大	1.86	6.7	2.88	9.2	3.62	9.8	4.45	10.1		
	平均	1.43	6.5	2.30	8.2	2.87	8.4	3.61	8.4		
04	00	0.86	6.2	1.34	7.5	1.62	7.7	1.94	8.2	NNE	12
	02	0.65	5.8	1.04	7.5	1.31	7.5	1.74	7.8	NNE	25
	04	0.59	6.1	0.91	7.5	1.10	7.2	1.44	7.1	N	4
	06	1.00	4.4	1.56	5.1	1.88	5.0	2.18	5.7	NE	43
	08	0.84	4.5	1.33	5.5	1.66	5.6	2.05	5.9	NNE	18
	10	0.89	4.6	1.39	5.4	1.73	5.3	2.64	4.7	WNW	298
	12	0.85	4.9	1.33	5.9	1.69	5.9	2.15	6.0	W	278
	14	* 1.31	5.3	* 2.02	6.3	* 2.47	6.3	* 2.91	6.1	NW	319
	16	1.03	5.3	1.64	6.8	2.16	6.8	2.67	6.9	WNW	290
	18	0.88	5.3	1.41	6.7	1.76	7.1	2.22	6.5	NW	307
	20	0.82	5.3	1.34	6.8	1.64	6.7	2.01	6.4	NW	311
	22	0.96	5.6	1.54	7.2	2.02	7.1	2.68	6.5	NW	319
	最大	1.31	5.3	2.02	6.3	2.47	6.3	2.91	6.1		
	平均	0.89	5.3	1.40	6.5	1.75	6.5	2.22	6.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	349 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
05	00	0.90	5.2	1.45	6.9	1.89	6.8	2.69	7.0	W	278
	02	0.94	5.3	1.53	6.8	1.94	7.1	2.71	7.2	NW	307
	04	1.04	5.4	1.62	6.8	2.02	6.9	2.49	6.6	WNW	295
	06	1.00	5.6	1.59	6.5	1.93	6.6	2.48	7.0	WNW	290
	08	* 1.21	5.3	* 1.87	6.2	* 2.42	6.2	* 3.58	6.0	NNW	327
	10	1.03	5.1	1.66	6.3	1.99	6.6	2.48	6.8	NW	315
	12	1.18	5.7	1.83	6.7	2.30	6.4	3.02	6.2	WNW	295
	14	0.95	5.4	1.53	6.5	1.85	6.4	2.47	6.1	WNW	286
	16	0.80	5.0	1.33	6.4	1.69	6.5	2.11	6.4	NW	307
	18	0.87	5.5	1.41	6.8	1.78	6.8	2.87	6.3	NW	311
	20	0.74	5.6	1.16	6.8	1.44	6.6	2.04	6.6	WNW	282
	22	0.61	5.1	0.97	6.4	1.22	6.3	1.62	7.2	W	278
	最大	1.21	5.3	1.87	6.2	2.42	6.2	3.58	6.0		
	平均	0.94	5.4	1.50	6.6	1.87	6.6	2.55	6.6		
06	00	0.65	5.4	1.01	6.5	1.22	6.7	1.62	6.3	WNW	290
	02	* 0.66	5.4	* 1.03	6.5	* 1.27	6.6	* 1.83	6.6	NW	311
	04	0.61	5.5	0.95	6.6	1.22	6.5	1.51	6.6	W	278
	06	0.49	4.8	0.80	6.2	1.00	6.4	1.27	5.5	WNW	295
	08	0.45	4.9	0.73	6.1	0.87	6.2	1.09	5.9	WNW	303
	10	0.46	4.9	0.75	6.3	0.94	6.3	1.26	6.3	NW	315
	12	0.43	3.9	0.70	5.3	0.87	5.3	1.08	5.7	WNW	293
	14	0.41	3.6	0.66	5.0	0.83	5.4	1.21	4.3	WNW	284
	16	0.38	3.6	0.61	4.7	0.74	5.0	0.96	4.7	NW	320
	18	0.36	3.9	0.59	5.2	0.75	5.2	1.04	5.2	NE	44
	20	0.36	4.0	0.57	5.3	0.69	5.3	0.90	5.2	NE	43
	22	0.32	3.7	0.52	5.0	0.64	5.0	0.84	5.5	NNE	33
	最大	0.66	5.4	1.03	6.5	1.27	6.6	1.83	6.6		
	平均	0.47	4.5	0.74	5.7	0.92	5.8	1.22	5.7		
07	00	0.43	3.9	0.67	4.7	0.82	4.5	1.22	3.9	NE	54
	02	0.66	3.7	0.98	4.3	1.18	4.1	1.50	5.1	NW	304
	04	0.62	3.8	1.00	4.6	1.25	4.9	1.77	4.4	NNW	330
	06	0.80	4.5	1.20	5.5	1.49	5.7	2.04	4.4	欠測	欠測
	08	0.87	5.4	1.34	6.8	1.69	7.4	2.09	7.2	WNW	286
	10	0.84	5.6	1.35	7.2	1.70	7.3	1.96	7.1	WNW	282
	12	0.85	5.1	1.39	7.0	1.79	7.4	* 2.64	7.9	WNW	295
	14	0.86	5.4	1.36	6.9	1.67	7.2	2.44	8.8	WNW	295
	16	0.82	4.7	1.30	6.4	1.62	6.5	2.42	5.2	W	278
	18	* 0.89	4.8	* 1.40	6.0	* 1.81	6.3	2.45	7.1	WNW	295
	20	0.87	4.7	1.38	5.8	1.68	6.1	2.14	5.3	NW	323
	22	0.84	4.8	1.36	5.9	1.71	6.0	2.18	6.0	WNW	286
	最大	0.89	4.8	1.40	6.0	1.81	6.3	2.64	7.9		
	平均	0.78	4.7	1.23	5.9	1.53	6.1	2.07	6.0		
08	00	0.75	4.8	1.27	6.3	1.66	6.3	2.03	5.9	NW	323
	02	0.74	5.0	1.26	6.5	1.61	6.7	2.57	6.3	NNW	344
	04	0.87	5.8	1.40	7.0	1.78	7.2	2.11	7.0	NNW	340
	06	0.71	5.4	1.15	7.0	1.49	7.1	2.12	6.8	NNW	348
	08	0.75	4.9	1.23	6.5	1.51	6.8	1.73	5.9	NNW	340
	10	0.98	4.8	1.55	5.9	1.90	5.9	2.93	5.9	W	278
	12	0.97	4.7	1.65	6.1	2.14	6.1	2.56	5.8	WNW	303
	14	1.17	4.8	1.88	6.1	2.41	5.9	3.12	6.8	NNW	344
	16	1.28	5.1	2.09	6.6	2.57	6.8	3.10	7.4	NW	323
	18	1.36	5.4	2.16	6.5	* 2.77	6.5	* 4.37	6.8	WNW	282
	20	1.30	5.4	2.09	6.5	2.62	6.8	3.27	7.0	NW	311
	22	* 1.39	6.2	* 2.20	7.2	2.73	7.6	3.25	7.4	W	278
	最大	1.39	6.2	2.20	7.2	2.77	6.5	4.37	6.8		
	平均	1.02	5.2	1.66	6.5	2.10	6.6	2.76	6.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	1.01	5.4	1.65	6.9	2.04	6.9	2.77	6.5	W	278
	02	1.06	5.8	1.80	7.4	2.38	7.5	2.89	7.5	WNW	282
	04	1.19	6.1	1.96	7.6	2.41	7.6	3.03	7.9	WNW	282
	06	1.24	6.0	1.98	7.5	2.45	7.8	3.27	7.1	NNW	344
	08	1.14	5.6	1.83	7.5	2.34	7.4	3.21	7.8	NNW	340
	10	1.13	5.4	1.84	7.5	2.31	7.8	3.27	7.0	NNW	331
	12	1.26	5.9	2.07	7.8	2.61	8.1	3.20	8.3	N	0
	14	1.16	5.6	1.86	7.4	2.29	7.5	3.19	6.3	NNE	16
	16	1.15	5.6	1.82	7.4	2.22	7.2	2.79	9.1	N	352
	18	1.33	6.0	2.15	7.5	2.68	7.6	3.29	7.8	N	356
	20	* 1.45	6.2	* 2.27	7.8	* 2.77	8.0	* 3.56	7.8	NNW	327
	22	1.42	6.5	2.22	8.3	2.74	8.2	3.41	7.6	N	0
	最大	1.45	6.2	2.27	7.8	2.77	8.0	3.56	7.8		
	平均	1.21	5.8	1.95	7.5	2.44	7.6	3.16	7.6		
10	00	* 1.43	6.5	* 2.39	8.1	* 3.03	8.6	* 4.12	7.9	NNW	327
	02	1.37	6.4	2.26	8.1	2.74	8.5	3.15	7.4	NNW	335
	04	1.28	6.7	2.04	8.4	2.61	8.4	3.48	7.6	NNW	340
	06	1.32	6.7	2.10	8.1	2.65	8.5	3.52	7.4	NNW	327
	08	1.06	6.5	1.67	8.1	2.01	8.1	2.94	8.2	NNW	335
	10	0.96	6.3	1.53	7.9	1.90	8.1	2.57	7.7	NNW	348
	12	0.74	5.7	1.21	7.3	1.48	7.1	1.70	6.4	NNE	12
	14	0.64	5.4	1.05	7.3	1.36	7.5	1.99	7.6	NNW	331
	16	0.60	5.4	1.00	7.2	1.28	7.2	1.64	6.6	NNE	20
	18	0.56	5.6	0.92	7.3	1.17	7.5	1.50	7.6	NNE	20
	20	0.47	5.3	0.77	7.4	0.95	7.7	1.34	8.0	NNE	25
	22	0.58	4.0	0.93	5.1	1.14	5.5	1.46	4.2	欠測	欠測
	最大	1.43	6.5	2.39	8.1	3.03	8.6	4.12	7.9		
	平均	0.92	5.9	1.49	7.5	1.86	7.7	2.45	7.2		
11	00	0.66	4.3	1.03	5.8	1.31	6.3	1.77	7.9	NE	37
	02	0.75	4.6	1.17	5.6	1.42	5.7	1.90	4.5	W	262
	04	0.77	4.3	1.20	5.5	1.51	5.6	1.92	7.1	欠測	欠測
	06	0.96	4.6	1.50	5.3	1.84	5.1	2.28	5.5	WNW	292
	08	1.38	5.3	2.13	6.4	2.77	6.1	3.92	5.5	WNW	282
	10	1.49	5.5	2.39	6.8	3.02	6.4	4.01	6.6	NNW	327
	12	1.34	5.7	2.20	7.3	2.72	7.3	3.45	8.0	NW	323
	14	* 1.71	6.8	* 2.65	8.4	* 3.26	8.5	* 4.25	8.3	NNW	327
	16	1.54	6.3	2.46	7.9	3.10	7.8	4.18	7.8	NNW	335
	18	1.48	6.2	2.28	7.5	2.96	7.5	4.10	8.4	NNW	327
	20	1.31	6.0	2.10	7.5	2.60	7.5	3.10	8.1	NNW	335
	22	1.03	5.3	1.74	6.8	2.21	6.9	2.90	6.7	NW	319
	最大	1.71	6.8	2.65	8.4	3.26	8.5	4.25	8.3		
	平均	1.20	5.4	1.90	6.7	2.39	6.7	3.15	7.0		
12	00	1.12	5.9	1.80	7.1	2.29	7.2	2.94	7.0	NNW	331
	02	1.00	5.9	1.60	7.4	1.99	7.6	2.54	7.3	WNW	299
	04	1.04	5.7	1.78	7.4	* 2.37	7.5	* 3.28	7.6	NW	311
	06	* 1.15	6.2	* 1.80	7.6	2.24	7.7	3.15	8.1	NNW	335
	08	1.12	5.9	1.78	7.4	2.26	7.3	2.83	6.6	NNW	327
	10	1.04	5.8	1.73	7.4	2.25	7.1	3.09	6.8	NNW	331
	12	1.05	5.8	1.72	6.9	2.27	6.8	2.48	6.2	NNW	344
	14	0.98	5.8	1.58	7.2	1.94	7.2	2.56	7.0	NNW	331
	16	0.93	5.9	1.50	7.3	1.87	7.5	2.39	8.1	NNW	331
	18	0.73	5.3	1.18	6.9	1.51	7.1	1.84	7.2	NNW	340
	20	0.69	5.2	1.09	6.8	1.37	6.7	1.69	6.5	NNW	340
	22	0.59	5.1	0.96	6.5	1.24	6.5	1.66	6.4	NNW	340
	最大	1.15	6.2	1.80	7.6	2.37	7.5	3.28	7.6		
	平均	0.95	5.7	1.54	7.2	1.97	7.2	2.54	7.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	349 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
									16方位	角度
13 00	* 0.68	5.7	1.08	7.0	1.36	6.8	1.82	7.3	NNE	16
	0.56	5.0	0.97	6.7	1.20	6.6	1.50	6.6	NNE	16
	0.66	5.4	1.06	6.8	1.28	6.7	1.48	7.1	NNE	16
	0.65	5.3	1.06	6.7	1.32	6.5	1.75	7.2	NNE	20
	0.67	5.2	* 1.09	6.6	* 1.38	6.7	* 1.86	6.9	N	8
	0.60	4.9	0.99	6.6	1.24	6.8	1.68	6.8	NNE	12
	0.54	4.9	0.91	6.5	1.16	6.6	1.61	7.5	NNE	16
	0.47	4.3	0.74	5.7	0.97	5.9	1.22	6.8	NNE	20
	0.46	4.1	0.73	5.2	0.92	5.4	1.23	4.8	NNE	28
	0.39	4.4	0.63	6.0	0.81	6.2	1.05	6.2	NNE	20
	0.36	4.5	0.59	6.1	0.71	6.4	0.97	6.4	NNE	29
13 02	0.37	4.7	0.61	6.3	0.77	6.4	0.91	6.1	NNE	25
	最大	0.68	5.7	1.09	6.6	1.38	6.7	1.86	6.9	
	平均	0.53	4.9	0.87	6.4	1.09	6.4	1.42	6.6	
14 00	0.35	4.2	0.58	5.9	0.74	6.1	0.93	5.0	NNE	25
	0.33	4.0	0.54	5.8	0.66	6.1	0.83	6.4	NNE	25
	0.29	3.8	0.47	5.4	0.59	5.5	0.82	6.3	NW	305
	0.26	3.9	0.42	5.5	0.52	5.5	0.72	6.5	欠測	欠測
	0.23	3.6	0.38	5.2	0.47	5.5	0.59	5.3	W	274
	0.22	3.5	0.36	5.2	0.44	5.5	0.59	4.6	NW	323
	0.25	2.9	0.40	3.8	0.50	3.9	0.86	4.1	N	5
	0.37	3.3	0.58	3.8	0.72	3.7	1.26	3.5	欠測	欠測
	0.55	3.5	0.89	4.1	1.12	4.0	1.35	4.2	WNW	298
	0.79	4.0	1.25	4.6	1.63	4.6	2.24	4.8	WNW	303
	0.90	4.3	1.40	5.3	1.77	5.2	2.30	4.5	NNE	33
14 02	* 1.13	4.8	* 1.77	5.8	* 2.27	5.8	* 3.66	5.9	NNE	25
	最大	1.13	4.8	1.77	5.8	2.27	5.8	3.66	5.9	
	平均	0.47	3.8	0.75	5.0	0.95	5.1	1.35	5.1	
15 00	1.27	5.1	1.98	5.9	2.50	6.0	3.25	5.8	NNE	16
	1.23	5.2	1.94	6.2	2.48	5.9	3.10	5.1	NNW	340
	1.21	5.1	1.87	6.2	2.37	5.9	3.14	5.1	NNW	331
	1.19	5.1	1.96	6.5	2.55	6.8	3.48	5.7	NNW	340
	1.28	5.7	* 2.07	6.9	* 2.55	7.1	* 3.50	7.4	NW	323
	1.21	5.7	1.92	7.2	2.43	7.6	3.16	7.5	NW	315
	1.15	5.7	1.83	7.2	2.24	7.1	2.66	6.9	NNW	335
	1.08	5.7	1.79	7.7	2.16	7.4	2.51	8.2	NNE	20
	1.21	6.3	1.89	7.9	2.33	7.9	3.34	7.8	NNE	12
	1.26	6.1	2.00	7.7	2.51	7.6	3.17	8.4	NNW	335
	1.22	6.0	1.95	7.7	2.47	7.5	3.19	6.6	NNE	12
15 02	* 1.28	6.4	1.99	7.8	2.40	8.2	3.02	7.3	NNW	331
	最大	1.28	6.4	2.07	6.9	2.55	7.1	3.50	7.4	
	平均	1.22	5.7	1.93	7.1	2.42	7.1	3.13	6.8	
16 00	1.20	6.2	1.99	7.8	2.49	7.8	3.36	7.2	NNW	340
	1.27	6.6	2.11	8.1	2.68	8.1	4.51	8.1	NNW	331
	1.39	6.8	2.25	8.3	2.77	8.7	3.15	8.7	NNE	12
	1.29	6.3	2.01	7.8	2.44	7.8	3.30	7.0	NNW	340
	1.31	6.2	2.07	7.7	2.55	7.9	2.95	7.7	NW	323
	1.33	6.1	2.09	7.8	2.49	7.8	3.09	7.5	N	356
	1.46	5.7	2.30	7.2	2.89	7.4	3.76	7.3	N	8
	1.54	5.8	2.44	7.3	3.08	7.6	4.09	7.3	NNW	335
	1.63	6.1	2.56	8.1	3.15	8.1	4.14	7.8	NNW	327
	* 1.92	6.3	* 3.09	7.8	* 3.84	8.0	4.63	7.8	NNW	340
	1.69	6.0	2.83	7.7	3.48	7.3	4.09	5.8	NNE	20
16 02	1.65	5.9	2.71	7.6	3.51	7.5	* 5.03	7.6	NNW	335
	最大	1.92	6.3	3.09	7.8	3.84	8.0	5.03	7.6	
	平均	1.47	6.2	2.37	7.8	2.95	7.8	3.84	7.5	

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	349 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	* 1.62	5.8	* 2.65	7.6	* 3.29	7.4	* 3.87	8.1	NNE	16
	02	1.47	5.7	2.37	7.4	3.01	7.8	3.69	6.6	NNE	20
	04	1.21	5.3	1.93	7.0	2.35	7.3	3.00	7.1	NNE	12
	06	1.18	5.4	1.86	7.1	2.32	7.2	2.90	8.0	NNE	25
	08	1.04	5.3	1.67	6.9	2.01	6.9	2.51	7.0	NE	37
	10	0.91	5.0	1.45	6.6	1.84	6.9	2.66	6.1	NE	41
	12	0.92	5.3	1.52	6.7	1.89	7.0	2.35	7.0	NNE	33
	14	0.71	5.1	1.12	6.5	1.40	6.2	1.83	6.5	NNE	33
	16	0.69	5.0	1.13	6.5	1.41	6.7	1.75	6.0	NE	37
	18	0.64	4.9	1.01	6.2	1.28	6.2	1.69	5.5	NE	41
	20	0.61	5.1	0.95	6.5	1.18	6.6	1.40	7.8	NE	37
	22	0.53	4.7	0.85	6.2	1.10	6.2	1.56	6.2	NE	41
	最大	1.62	5.8	2.65	7.6	3.29	7.4	3.87	8.1		
	平均	0.96	5.2	1.54	6.8	1.92	6.9	2.43	6.8		
18	00	* 0.55	4.7	* 0.88	5.9	* 1.06	5.8	* 1.54	5.0	NE	37
	02	0.49	4.3	0.79	5.7	0.99	5.9	1.37	4.7	NE	41
	04	0.47	4.5	0.75	5.7	0.93	5.8	1.25	5.2	NNE	33
	06	0.39	4.2	0.67	5.6	0.84	5.6	1.00	5.3	NNE	16
	08	0.42	4.5	0.68	5.7	0.87	5.9	1.20	5.8	NNE	20
	10	0.44	4.8	0.68	5.8	0.84	5.7	1.12	5.2	NNE	25
	12	0.45	4.8	0.73	5.8	0.92	5.9	1.20	5.7	N	8
	14	0.44	4.8	0.70	5.9	0.90	5.7	1.17	5.6	N	8
	16	0.45	4.7	0.70	5.9	0.89	6.0	1.07	6.0	NNW	344
	18	0.43	4.6	0.71	5.9	0.93	6.0	1.23	6.5	N	0
	20	0.41	4.2	0.65	5.6	0.79	5.7	0.99	5.3	NNE	20
	22	0.38	4.7	0.61	6.0	0.77	5.8	1.00	5.6	NE	41
	最大	0.55	4.7	0.88	5.9	1.06	5.8	1.54	5.0		
	平均	0.44	4.6	0.71	5.8	0.89	5.8	1.18	5.5		
19	00	0.28	4.0	0.47	5.6	0.60	5.7	0.76	5.6	N	8
	02	* 0.32	4.4	* 0.52	5.9	* 0.64	6.0	* 0.89	5.7	NNE	33
	04	0.28	4.2	0.45	5.6	0.57	5.9	0.73	6.6	NNE	33
	06	0.26	4.1	0.42	5.6	0.52	5.7	0.72	5.1	N	0
	08	0.22	3.4	0.35	5.0	0.44	5.1	0.70	5.9	N	4
	10	0.21	3.2	0.34	4.8	0.42	5.1	0.56	4.6	W	281
	12	0.20	3.4	0.32	4.9	0.40	5.3	0.54	5.2	NE	38
	14	0.20	3.4	0.31	4.9	0.39	5.5	0.51	6.5	NW	319
	16	0.21	3.5	0.34	5.5	0.44	5.8	0.57	5.9	欠測	欠測
	18	0.20	3.8	0.32	5.6	0.42	6.3	0.54	6.9	N	356
	20	0.19	3.6	0.30	5.5	0.39	5.9	0.48	7.4	WNW	284
	22	0.19	3.5	0.32	5.4	0.40	5.6	0.49	5.3	NNW	336
	最大	0.32	4.4	0.52	5.9	0.64	6.0	0.89	5.7		
	平均	0.23	3.7	0.37	5.4	0.47	5.7	0.62	5.9		
20	00	欠測	欠測	0.50	欠測	欠測	欠測	0.80	欠測	欠測	欠測
	02	0.42	3.5	0.67	4.4	* 0.84	4.4	* 1.14	4.4	NNE	20
	04	0.41	3.4	0.63	4.4	0.79	4.4	1.00	4.1	NNE	27
	06	* 0.44	3.6	* 0.68	4.4	0.83	4.7	1.13	3.6	NNE	24
	08	0.36	3.4	0.57	4.3	0.72	4.2	0.88	5.8	N	352
	10	0.35	3.5	0.55	4.6	0.67	4.5	1.03	4.1	NNW	334
	12	0.33	3.4	0.52	4.3	0.64	4.6	0.98	4.7	NNE	33
	14	0.33	3.0	0.51	3.8	0.62	4.0	0.78	3.2	N	352
	16	0.35	3.2	0.54	3.9	0.70	3.5	1.02	3.6	NNE	26
	18	0.32	3.0	0.48	3.6	0.60	3.6	0.90	3.3	欠測	欠測
	20	0.29	3.0	0.45	3.8	0.56	3.8	0.70	3.9	NNE	21
	22	0.27	3.1	0.42	4.1	0.52	4.2	0.71	4.5	NE	40
	最大	0.44	3.6	0.68	4.4	0.84	4.4	1.14	4.4		
	平均	0.35	3.3	0.54	4.1	0.68	4.2	0.92	4.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.25	3.1	0.40	4.2	0.51	4.4	* 0.79	3.7	N	356
	02	* 0.28	3.5	* 0.45	4.7	* 0.55	4.8	0.69	4.7	N	349
	04	0.25	3.5	0.41	4.6	0.51	4.6	0.68	4.8	NNE	18
	06	0.22	3.3	0.35	4.6	0.46	4.7	0.64	5.3	NE	36
	08	0.21	3.3	0.34	4.4	0.42	4.2	0.64	4.3	WNW	295
	10	0.21	3.3	0.33	4.4	0.41	4.6	0.66	4.4	欠測	欠測
	12	0.20	3.1	0.32	4.2	0.40	4.3	0.54	4.3	N	3
	14	0.19	3.0	0.30	4.1	0.37	4.5	0.59	4.6	WNW	286
	16	0.17	3.1	0.27	4.4	0.35	4.5	0.46	4.0	N	353
	18	0.20	3.2	0.31	4.2	0.38	4.3	0.55	4.8	NE	55
	20	0.19	3.2	0.30	4.1	0.38	4.0	0.49	4.3	WNW	285
	22	0.15	3.0	0.23	4.2	0.29	4.7	0.37	5.0	欠測	欠測
	最大	0.28	3.5	0.45	4.7	0.55	4.8	0.79	3.7		
	平均	0.21	3.2	0.33	4.3	0.42	4.5	0.59	4.5		
22	00	0.14	2.7	0.21	3.8	0.26	4.3	0.35	4.0	欠測	欠測
	02	0.15	2.8	0.24	4.2	0.31	4.7	0.45	5.1	欠測	欠測
	04	0.15	2.8	0.23	4.2	0.29	4.7	0.38	4.4	欠測	欠測
	06	0.28	3.0	0.43	3.6	0.53	3.7	0.75	4.3	W	271
	08	0.30	2.9	0.48	3.4	0.61	3.4	0.82	2.8	N	355
	10	0.58	3.5	0.91	3.9	1.12	3.8	1.41	3.9	NNW	344
	12	0.51	3.4	0.82	3.9	1.04	3.8	1.40	4.1	NNE	23
	14	0.65	3.8	1.03	4.6	1.33	4.7	* 2.14	5.0	WNW	289
	16	0.76	4.2	1.20	5.1	1.47	5.2	1.76	4.5	NNW	341
	18	0.82	4.5	1.35	5.4	1.72	5.6	2.11	5.1	N	11
	20	0.75	4.5	1.23	5.6	1.59	5.7	1.97	5.9	NNW	348
	22	* 0.88	5.1	* 1.41	6.3	* 1.73	6.2	2.11	6.2	NNW	331
	最大	0.88	5.1	1.41	6.3	1.73	6.2	2.14	5.0		
	平均	0.50	3.6	0.80	4.5	1.00	4.7	1.30	4.6		
23	00	0.85	5.3	1.37	6.4	1.74	6.6	2.12	6.9	NW	319
	02	0.86	5.2	1.43	6.8	1.79	6.9	2.27	6.7	NNW	340
	04	0.83	5.3	1.35	6.6	1.73	6.7	2.20	6.9	NNW	331
	06	* 0.93	5.6	* 1.49	6.8	* 1.83	7.0	* 2.36	7.0	NNW	331
	08	0.77	5.2	1.27	6.7	1.62	6.8	2.18	5.9	NNE	16
	10	0.73	5.1	1.20	6.6	1.52	6.7	1.92	7.2	NNW	340
	12	0.66	5.1	1.08	6.5	1.34	6.4	1.85	5.3	NNE	12
	14	0.73	5.0	1.20	6.6	1.51	6.7	2.09	6.6	欠測	欠測
	16	0.68	5.3	1.11	7.1	1.40	7.0	2.01	7.1	NE	53
	18	0.68	5.3	1.11	6.8	1.42	6.6	1.72	6.6	欠測	欠測
	20	0.59	4.3	0.99	5.8	1.21	6.1	1.72	6.3	NE	37
	22	0.65	4.0	1.01	5.0	1.25	4.8	1.71	4.1	NNW	339
	最大	0.93	5.6	1.49	6.8	1.83	7.0	2.36	7.0		
	平均	0.75	5.1	1.22	6.5	1.53	6.5	2.01	6.4		
24	00	1.39	4.8	2.18	5.6	2.66	5.6	3.26	5.8	NNW	327
	02	2.02	6.1	3.07	7.1	3.76	7.0	* 5.35	6.9	NW	323
	04	* 2.06	6.3	* 3.28	7.9	* 4.22	8.2	5.20	8.2	WNW	303
	06	1.70	6.2	2.71	7.6	3.25	7.8	4.23	9.6	NW	319
	08	1.76	6.4	2.84	8.0	3.58	8.5	5.18	7.7	NW	311
	10	1.46	5.6	2.36	7.3	2.85	7.8	3.70	8.7	NNW	331
	12	1.41	5.8	2.22	7.2	2.73	7.4	3.46	6.0	NW	307
	14	1.26	5.9	2.01	7.4	2.50	7.6	3.44	7.9	NW	319
	16	1.33	6.5	2.05	7.4	2.39	7.7	2.96	7.1	NW	315
	18	0.94	5.3	1.57	6.8	2.03	7.1	3.10	7.9	NW	311
	20	0.92	5.4	1.48	6.7	1.84	6.8	2.42	5.6	NNW	327
	22	0.91	5.5	1.47	6.8	1.77	6.9	2.36	6.4	NNE	16
	最大	2.06	6.3	3.28	7.9	4.22	8.2	5.35	6.9		
	平均	1.43	5.8	2.27	7.1	2.80	7.4	3.72	7.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月										波 高		波 向							
										規定回数	372 回	規定回数	372 回						
										測得回数	372 回	測得回数	349 回						
										欠測回数	0 回	欠測回数	23 回						
										欠 測 率	0.0 %	欠 測 率	6.2 %						
										機種：波向 海象計 - 50.0m									
観測所：輪島港輪島崎地区										機種：波高 海象計 - 50.0m									
										緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″									
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向									
										16方位	角度								
25	00	0.92	5.2	1.50	6.5	1.85	6.6	2.41	6.0	NNW	335								
	02	0.91	5.1	1.43	6.5	1.70	6.5	2.10	5.5	NNW	344								
	04	0.83	4.7	1.37	5.8	1.68	5.9	2.34	5.8	NNW	327								
	06	0.87	5.1	1.34	6.0	1.64	5.9	1.96	5.5	NNW	327								
	08	0.96	4.9	1.55	6.0	1.93	6.1	2.64	6.1	NW	311								
	10	1.15	5.5	1.89	6.9	2.43	6.8	* 3.48	6.9	WNW	299								
	12	* 1.24	5.9	* 1.96	6.9	* 2.43	7.1	2.84	7.4	NW	311								
	14	1.17	5.6	1.90	6.9	2.39	7.2	3.14	6.9	WNW	303								
	16	1.03	5.2	1.65	6.7	2.11	6.6	2.71	6.9	WNW	295								
	18	0.98	5.3	1.58	6.8	2.00	6.9	2.60	7.8	W	278								
	20	0.87	5.2	1.36	6.5	1.66	6.5	2.51	5.5	W	270								
	22	0.84	5.2	1.35	6.5	1.71	6.4	2.13	6.4	W	274								
	最大 平均	1.24 0.98	5.9 5.2	1.96 1.57	6.9 6.5	2.43 1.96	7.1 6.5	3.48 2.57	6.9 6.4										
	26	00	0.82	5.1	1.34	6.8	1.72	6.9	2.12	7.3	W	278							
02		* 0.91	5.5	* 1.50	7.1	* 1.92	7.1	* 2.86	7.8	W	274								
04		0.88	5.5	1.43	7.1	1.79	7.2	2.53	7.0	W	274								
06		0.84	5.8	1.34	7.1	1.73	6.9	2.06	6.6	WNW	295								
08		0.80	5.8	1.31	7.2	1.67	7.1	2.22	6.8	NW	307								
10		0.70	5.6	1.15	7.4	1.43	7.6	1.89	7.3	NW	315								
12		0.60	5.3	0.98	6.9	1.23	7.1	1.56	7.1	NW	319								
14		0.61	4.3	0.99	6.0	1.22	6.1	1.68	5.9	NW	307								
16		0.69	4.0	1.09	5.1	1.38	5.1	1.94	4.6	欠測	欠測								
18		0.65	4.0	1.03	4.9	1.26	4.8	1.82	4.7	NW	320								
20		0.57	4.1	0.87	5.0	1.04	5.5	1.34	4.8	WNW	297								
22		0.52	3.9	0.83	5.0	1.03	5.1	1.47	6.2	WNW	292								
最大 平均		0.91 0.72	5.5 4.9	1.50 1.16	7.1 6.3	1.92 1.45	7.1 6.4	2.86 1.96	7.8 6.3										
27		00	0.47	3.9	0.75	5.1	0.94	5.2	1.21	4.6	N	350							
	02	0.46	4.2	0.72	5.4	0.85	5.3	1.07	5.0	NNE	24								
	04	0.39	4.0	0.63	5.1	0.77	5.3	0.96	5.3	NE	34								
	06	0.41	4.3	0.66	5.7	0.81	5.9	1.00	6.5	NNW	348								
	08	0.44	3.5	0.70	4.6	0.88	4.9	1.30	4.4	NW	321								
	10	* 0.48	3.7	* 0.77	4.6	0.95	4.8	1.21	3.8	NNW	327								
	12	0.46	3.8	0.75	4.8	* 0.95	4.9	* 1.38	3.3	NNE	20								
	14	0.46	3.8	0.73	4.8	0.89	5.0	1.14	6.3	NNW	327								
	16	0.40	4.0	0.63	4.9	0.78	5.1	1.02	5.0	NW	322								
	18	0.37	4.0	0.59	5.2	0.76	5.3	0.99	5.6	NNW	347								
	20	0.37	4.0	0.56	5.1	0.70	5.1	0.96	4.3	N	358								
	22	0.33	4.2	0.52	5.4	0.65	5.6	0.87	5.8	NNW	332								
	最大 平均	0.48 0.42	3.7 4.0	0.77 0.67	4.6 5.1	0.95 0.83	4.9 5.2	1.38 1.09	3.3 5.0										
	28	00	0.33	4.4	0.52	5.8	0.65	6.2	0.83	6.2	NNE	25							
02		0.30	4.1	0.50	5.7	0.64	5.9	0.96	5.8	N	0								
04		0.28	4.0	0.45	5.6	0.56	5.7	1.06	5.4	NNE	29								
06		0.22	3.6	0.36	5.4	0.46	5.6	0.68	4.9	NNW	346								
08		0.21	3.2	0.33	4.5	0.42	4.8	0.65	5.1	WNW	301								
10		0.23	3.0	0.37	3.9	0.46	4.2	0.58	6.0	NNE	27								
12		0.31	3.0	0.49	3.5	0.59	3.5	0.75	3.6	欠測	欠測								
14		* 0.36	3.1	* 0.56	3.5	* 0.69	3.6	* 1.09	3.2	NW	308								
16		0.35	3.4	0.54	4.0	0.68	3.9	0.84	4.4	N	1								
18		0.35	3.5	0.53	4.3	0.67	4.2	0.87	4.4	NW	316								
20		0.29	3.4	0.46	4.3	0.58	4.2	0.78	4.4	欠測	欠測								
22		0.28	3.5	0.46	4.5	0.60	4.5	0.94	4.1	NNE	31								
最大 平均		0.36 0.29	3.1 3.5	0.56 0.46	3.5 4.6	0.69 0.58	3.6 4.7	1.09 0.84	3.2 4.8										

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 3月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

規定回数	372 回
測得回数	372 回
欠測回数	0 回
欠 測 率	0.0 %

波 向

規定回数	372 回
測得回数	349 回
欠測回数	23 回
欠 測 率	6.2 %

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度	
29	00	0.27	3.4	0.43	4.6	0.54	4.5	0.83	4.6	WNW	291
	02	0.28	3.5	0.43	4.7	0.53	4.7	0.69	5.2	NNE	19
	04	0.28	3.6	0.45	4.9	0.56	4.9	0.81	5.6	NW	325
	06	0.31	3.7	0.50	4.7	0.63	5.0	0.84	5.2	WNW	297
	08	* 0.41	4.2	* 0.65	5.2	* 0.79	5.1	0.97	5.2	WNW	284
	10	0.35	3.9	0.58	5.1	0.75	5.1	* 1.19	5.0	NNE	31
	12	0.35	4.2	0.57	5.3	0.72	5.3	0.93	5.4	欠測	欠測
	14	0.32	4.0	0.53	5.3	0.68	5.4	0.89	4.9	欠測	欠測
	16	0.34	4.2	0.53	5.4	0.68	5.4	0.86	5.3	WNW	285
	18	0.34	3.3	0.53	4.3	0.69	4.6	1.14	4.4	欠測	欠測
	20	0.35	3.5	0.56	4.6	0.70	5.2	1.00	6.0	NNW	342
	22	0.33	4.4	0.53	5.8	0.66	6.0	0.88	5.2	W	270
	最大	0.41	4.2	0.65	5.2	0.79	5.1	1.19	5.0		
	平均	0.33	3.8	0.52	5.0	0.66	5.1	0.92	5.2		
30	00	0.42	4.7	0.66	6.2	0.82	6.1	1.14	6.5	W	274
	02	0.57	4.2	0.89	5.2	1.11	5.6	1.40	6.1	NNW	341
	04	0.70	4.4	1.10	5.4	1.33	5.5	1.72	6.3	N	9
	06	0.77	4.4	1.21	5.2	1.50	5.4	2.19	5.4	欠測	欠測
	08	1.11	4.7	1.76	5.7	2.22	5.5	3.26	5.9	WNW	290
	10	1.47	5.1	2.43	6.3	3.07	6.4	3.83	6.6	WNW	303
	12	1.93	6.2	3.04	7.3	3.82	7.2	* 5.75	7.2	WNW	303
	14	1.79	6.2	2.82	7.4	3.53	7.3	4.68	6.1	NW	315
	16	1.76	6.1	2.81	7.9	3.43	7.8	4.33	8.6	NW	319
	18	1.65	6.4	2.62	8.3	3.22	8.5	4.31	8.0	NNW	327
	20	1.94	6.6	3.20	8.4	* 4.14	8.9	4.92	7.0	NW	315
	22	* 2.07	6.6	* 3.30	8.9	4.03	9.1	5.16	9.5	NW	323
	最大	2.07	6.6	3.30	8.9	4.14	8.9	5.75	7.2		
	平均	1.35	5.5	2.15	6.9	2.69	6.9	3.56	6.9		
31	00	* 2.25	7.3	* 3.58	9.0	* 4.49	9.3	* 5.64	9.6	WNW	303
	02	1.93	6.6	3.07	8.5	3.77	8.6	4.48	8.6	NW	323
	04	1.56	6.4	2.68	8.6	3.31	8.8	4.45	9.0	NW	319
	06	1.77	7.1	2.69	9.0	3.21	9.1	4.12	9.4	NW	323
	08	1.48	6.5	2.46	8.3	3.10	8.8	3.45	9.7	NNW	331
	10	1.53	6.9	2.47	8.9	3.10	9.3	4.10	9.0	NW	319
	12	1.37	6.2	2.24	8.5	2.77	8.9	3.69	8.6	NW	319
	14	1.49	5.9	2.31	7.7	2.94	7.6	4.02	8.9	NW	323
	16	1.60	5.9	2.49	7.1	3.13	7.4	4.32	7.7	NW	315
	18	1.42	5.9	2.31	7.6	2.86	7.5	4.12	7.7	NNW	327
	20	1.38	5.8	2.18	7.3	2.64	7.4	3.20	8.0	NW	319
	22	1.28	5.9	2.01	7.7	2.47	7.6	2.90	7.3	NNW	327
	最大	2.25	7.3	3.58	9.0	4.49	9.3	5.64	9.6		
	平均	1.59	6.4	2.54	8.2	3.15	8.4	4.04	8.6		
	月最大	2.25	7.3	3.58	9.0	4.49	9.3	5.75	7.2		
	起時	3100		3100		3100		3012			
	平均	0.86	5.0	1.37	6.3	1.71	6.4	2.24	6.3		

波浪整理表（1）

1997年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	309 回
欠測回数	0 回	欠測回数	51 回
欠 測 率	0.0 %	欠 測 率	14.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
01	00	* 1.21	5.5	* 1.97	7.2	* 2.55	7.7	* 3.55	8.0	NNW	340
	02	1.18	6.0	1.87	7.5	2.38	7.7	3.02	7.6	NNW	335
	04	1.14	6.5	1.79	7.8	2.14	7.5	2.53	7.2	NW	319
	06	0.92	6.0	1.53	7.8	1.93	7.2	2.35	6.8	NNW	327
	08	0.84	6.0	1.38	7.4	1.77	7.5	2.21	7.1	NNW	335
	10	0.86	6.0	1.33	7.2	1.56	7.2	1.81	6.8	NNW	335
	12	0.71	5.3	1.13	6.7	1.47	6.7	1.83	6.6	NW	323
	14	0.65	5.3	1.04	6.8	1.25	6.7	1.73	6.0	NW	315
	16	0.62	5.1	1.01	6.7	1.30	6.8	1.93	6.1	NNW	331
	18	0.59	5.0	0.95	6.3	1.22	6.5	1.86	5.9	NNW	327
	20	0.54	4.8	0.88	6.0	1.13	6.2	1.44	6.2	NW	307
	22	0.46	4.9	0.73	6.1	0.90	6.2	1.18	6.0	NW	307
	最大	1.21	5.5	1.97	7.2	2.55	7.7	3.55	8.0		
	平均	0.81	5.5	1.30	7.0	1.63	7.0	2.12	6.7		
02	00	0.45	4.8	0.70	5.9	0.86	6.0	1.22	5.6	NW	307
	02	0.41	4.6	0.68	6.0	0.83	6.1	1.16	5.3	NW	319
	04	0.39	4.6	0.65	6.1	0.82	6.3	0.99	5.1	NW	307
	06	* 0.45	5.2	* 0.73	6.5	* 0.96	6.5	1.15	6.1	NW	319
	08	0.42	4.9	0.69	6.4	0.85	6.2	* 1.23	6.3	NW	307
	10	0.42	5.1	0.63	6.1	0.76	6.2	0.95	6.2	WNW	290
	12	0.33	4.5	0.54	6.0	0.67	5.9	1.02	5.6	NW	319
	14	0.31	4.0	0.50	5.7	0.59	6.0	0.68	5.7	NW	323
	16	0.30	4.0	0.49	5.5	0.61	5.7	0.76	6.7	NNW	345
	18	0.36	3.9	0.55	5.2	0.68	5.3	0.95	6.2	NNE	27
	20	0.28	3.5	0.45	4.7	0.57	5.1	0.83	5.8	欠測	欠測
	22	0.25	3.6	0.40	4.9	0.51	5.1	0.71	4.8	W	270
	最大	0.45	5.2	0.73	6.5	0.96	6.5	1.23	6.3		
	平均	0.36	4.4	0.58	5.8	0.73	5.9	0.97	5.8		
03	00	0.28	3.7	0.44	4.6	0.55	4.8	0.76	4.6	N	3
	02	0.32	3.6	0.49	4.6	0.62	4.6	0.90	3.9	欠測	欠測
	04	0.46	3.7	0.73	4.4	0.92	4.3	1.20	4.0	欠測	欠測
	06	0.57	3.8	0.91	4.3	1.14	4.3	1.54	3.9	欠測	欠測
	08	0.59	3.7	0.92	4.1	1.13	4.1	1.36	4.0	NE	53
	10	0.52	3.6	0.85	4.3	1.10	4.3	1.52	4.2	NE	35
	12	0.57	4.0	0.92	4.7	1.12	4.7	1.42	5.0	NE	36
	14	0.59	3.9	0.96	4.9	1.21	4.9	1.64	5.1	NE	55
	16	0.65	4.1	1.06	5.1	1.32	5.2	* 1.96	5.5	NNW	329
	18	* 0.68	4.3	1.08	5.1	1.32	5.4	1.58	5.6	NE	39
	20	0.68	4.3	* 1.08	5.2	* 1.40	5.3	1.72	5.5	NNE	26
	22	0.64	4.2	1.05	5.1	1.29	5.2	1.63	5.9	NNE	20
	最大	0.68	4.3	1.08	5.2	1.40	5.3	1.96	5.5		
	平均	0.55	3.9	0.87	4.7	1.09	4.8	1.44	4.8		
04	00	* 0.66	4.5	* 1.03	5.3	* 1.30	5.4	* 2.13	5.2	NW	318
	02	0.62	4.3	0.99	5.3	1.25	5.4	1.82	4.6	NNW	339
	04	0.59	4.2	0.90	5.1	1.10	5.3	1.38	5.0	欠測	欠測
	06	0.54	4.1	0.88	5.0	1.12	5.0	1.44	5.1	NE	54
	08	0.51	4.2	0.80	5.1	1.03	5.0	1.47	5.4	NNE	23
	10	0.46	3.9	0.74	4.9	0.94	5.0	1.34	5.1	WNW	285
	12	0.44	3.9	0.70	4.9	0.82	4.8	1.01	3.9	NE	41
	14	0.41	3.7	0.64	4.7	0.82	4.9	1.03	5.2	NNE	21
	16	0.44	3.8	0.69	4.8	0.86	4.9	1.13	4.3	NW	307
	18	0.43	3.6	0.66	4.4	0.85	4.5	1.50	3.7	N	1
	20	0.36	3.7	0.56	4.8	0.67	4.9	1.00	5.0	NE	55
	22	0.32	3.6	0.53	4.7	0.66	4.9	0.92	4.3	NNE	33
	最大	0.66	4.5	1.03	5.3	1.30	5.4	2.13	5.2		
	平均	0.48	4.0	0.76	4.9	0.95	5.0	1.35	4.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.29	3.4	0.46	4.5	0.56	4.7	0.77	5.2	欠測	欠測
	02	0.32	3.6	0.50	4.3	0.62	4.6	0.84	4.7	欠測	欠測
	04	0.32	3.6	0.51	4.5	0.63	4.3	1.01	4.5	欠測	欠測
	06	0.38	3.2	0.60	3.9	0.77	3.8	1.10	4.0	WNW	299
	08	0.50	3.4	0.81	4.1	1.01	4.1	1.33	3.6	NNE	12
	10	* 0.56	3.9	0.86	4.6	1.05	4.7	1.34	5.2	W	276
	12	0.56	3.9	* 0.89	4.7	* 1.09	4.6	1.59	4.6	N	351
	14	0.52	4.1	0.83	4.9	1.01	4.8	* 1.65	4.2	NNW	332
	16	0.50	4.1	0.83	5.1	1.01	5.2	1.38	5.1	NNW	345
	18	0.46	4.0	0.73	4.9	0.92	5.0	1.35	4.9	NNE	14
	20	0.45	3.7	0.71	4.5	0.90	4.7	1.27	5.1	欠測	欠測
	22	0.47	3.7	0.76	4.5	0.96	4.6	1.30	4.2	N	353
	最大	0.56	3.9	0.89	4.7	1.09	4.6	1.65	4.2		
	平均	0.44	3.7	0.71	4.5	0.88	4.6	1.24	4.6		
06	00	0.40	3.6	0.65	4.7	0.81	4.7	1.03	4.3	NE	56
	02	0.42	3.9	0.66	4.8	0.83	4.8	1.11	4.9	NNW	343
	04	0.36	3.6	0.58	4.4	0.72	4.4	1.04	4.3	NNE	30
	06	0.35	3.4	0.55	4.3	0.69	4.4	1.06	5.0	NNW	332
	08	0.34	3.4	0.53	4.1	0.68	4.2	0.89	4.9	WNW	298
	10	0.36	3.2	0.56	3.8	0.69	3.7	0.91	3.4	NNE	19
	12	0.38	3.3	0.60	3.9	0.75	3.8	0.99	4.2	NE	43
	14	0.35	3.2	0.56	4.0	0.69	4.0	0.90	3.6	NNE	31
	16	0.33	3.3	0.52	4.1	0.64	4.1	0.82	3.9	欠測	欠測
	18	0.41	3.4	0.64	3.9	0.80	3.9	1.13	3.9	NNW	338
	20	0.41	3.5	0.68	4.3	0.87	4.3	1.07	4.7	NNW	347
	22	* 0.47	4.0	* 0.73	4.8	* 0.92	4.8	* 1.14	4.5	NNE	26
	最大	0.47	4.0	0.73	4.8	0.92	4.8	1.14	4.5		
	平均	0.38	3.5	0.60	4.3	0.76	4.3	1.01	4.3		
07	00	0.38	3.7	0.61	4.6	0.77	4.6	1.03	4.5	NNW	336
	02	0.37	3.6	0.59	4.4	0.72	4.5	1.03	4.0	NE	37
	04	0.30	3.3	0.47	4.3	0.58	4.3	0.81	5.2	NW	305
	06	0.41	3.2	0.64	3.7	0.78	3.7	1.10	4.0	NNW	339
	08	0.38	3.2	0.59	3.7	0.73	3.7	1.03	3.3	NE	39
	10	0.40	3.3	0.65	4.0	0.81	3.9	1.02	4.3	NNW	340
	12	0.45	3.3	0.73	3.9	0.92	3.9	1.25	3.0	N	9
	14	0.51	3.6	0.81	4.3	1.02	4.2	1.29	4.0	NNW	335
	16	0.53	3.8	0.84	4.4	1.06	4.5	1.48	4.2	WNW	296
	18	0.61	3.9	0.95	4.6	1.17	4.7	1.54	4.2	W	277
	20	0.86	4.3	1.38	5.0	1.77	4.9	2.26	4.9	欠測	欠測
	22	* 0.92	4.4	* 1.44	5.1	* 1.79	5.1	* 2.39	4.7	欠測	欠測
	最大	0.92	4.4	1.44	5.1	1.79	5.1	2.39	4.7		
	平均	0.51	3.6	0.81	4.3	1.01	4.3	1.35	4.2		
08	00	* 1.11	4.8	* 1.71	5.7	* 2.11	5.5	2.52	4.9	NW	319
	02	1.00	4.8	1.56	5.7	1.97	5.9	2.51	5.8	NNW	331
	04	0.97	4.5	1.56	5.7	2.02	6.1	* 2.94	6.1	NW	319
	06	0.96	4.7	1.56	5.6	1.95	5.8	2.34	6.1	NNW	340
	08	0.81	4.7	1.29	5.7	1.63	5.8	2.52	5.8	NW	319
	10	0.73	4.4	1.20	5.4	1.54	5.4	2.11	5.4	NNW	335
	12	0.70	4.3	1.14	5.5	1.42	5.4	1.71	5.6	N	8
	14	0.57	4.3	0.93	5.2	1.17	5.2	1.57	5.0	欠測	欠測
	16	0.56	4.2	0.89	5.2	1.13	5.4	1.53	5.9	欠測	欠測
	18	0.48	3.9	0.78	5.0	1.01	5.1	1.33	3.8	NNW	338
	20	0.45	4.0	0.71	5.0	0.88	5.0	1.19	4.3	欠測	欠測
	22	0.41	4.0	0.64	4.8	0.81	4.9	1.09	5.2	欠測	欠測
	最大	1.11	4.8	1.71	5.7	2.11	5.5	2.94	6.1		
	平均	0.73	4.4	1.16	5.4	1.47	5.5	1.95	5.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	309 回
欠測回数	0 回	欠測回数	51 回
欠 測 率	0.0 %	欠 測 率	14.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	0.36	3.8	0.58	4.7	0.73	4.8	0.88	4.7	N	2
	02	0.34	3.6	0.54	4.6	0.70	4.6	1.01	5.0	NW	313
	04	0.45	3.6	0.68	4.2	0.86	4.3	1.12	4.7	NNW	327
	06	0.36	3.4	0.57	4.3	0.71	4.5	1.18	3.8	NW	311
	08	0.42	3.6	0.66	4.4	0.84	4.6	1.04	4.5	N	3
	10	0.56	3.8	0.89	4.5	1.12	4.4	1.59	4.9	NE	36
	12	0.65	4.1	1.01	4.9	1.26	5.0	1.72	4.4	欠測	欠測
	14	0.78	4.6	* 1.29	5.6	* 1.70	5.7	2.15	6.5	WNW	286
	16	0.74	4.6	1.17	5.7	1.50	5.8	* 2.37	5.4	NW	307
	18	* 0.79	4.7	1.27	5.9	1.56	6.0	1.78	7.9	WNW	282
	20	0.76	4.4	1.20	5.6	1.47	5.8	1.86	6.0	WNW	282
	22	0.68	4.7	1.05	5.8	1.31	5.8	1.92	5.3	W	274
	最大	0.79	4.7	1.29	5.6	1.70	5.7	2.37	5.4		
	平均	0.57	4.1	0.91	5.0	1.15	5.1	1.55	5.3		
10	00	0.69	5.1	1.10	6.0	1.34	5.9	1.73	6.2	NW	315
	02	0.76	4.7	1.20	6.1	1.51	6.0	2.03	5.6	WNW	286
	04	1.03	5.2	1.57	6.3	1.86	5.8	2.32	6.7	WNW	286
	06	1.03	5.0	1.67	6.4	2.10	6.5	2.67	5.5	NW	307
	08	* 1.16	5.6	* 1.81	6.8	2.23	6.8	2.92	6.4	WNW	303
	10	1.04	5.5	1.71	7.1	* 2.33	7.0	* 3.69	6.8	WNW	303
	12	0.81	5.2	1.31	6.6	1.61	6.6	2.20	6.3	NW	315
	14	0.73	4.8	1.20	6.3	1.53	6.5	1.82	6.5	WNW	282
	16	0.76	4.5	1.21	6.0	1.57	6.3	2.62	5.9	WNW	290
	18	0.77	4.6	1.23	5.8	1.51	6.0	1.96	5.9	NW	315
	20	0.74	5.0	1.16	6.0	1.43	6.3	1.92	5.6	NW	315
	22	0.73	4.9	1.14	6.2	1.43	6.1	1.67	6.3	NW	315
	最大	1.16	5.6	1.81	6.8	2.33	7.0	3.69	6.8		
	平均	0.85	5.0	1.36	6.3	1.70	6.3	2.30	6.1		
11	00	0.75	5.0	1.20	6.2	1.49	6.2	1.99	5.6	NW	319
	02	0.79	4.6	1.28	6.0	1.65	6.1	2.46	5.9	NW	315
	04	0.67	4.4	1.11	5.8	1.40	6.0	1.82	5.0	NW	323
	06	0.72	4.7	1.20	6.2	1.50	6.3	2.12	5.8	NW	315
	08	0.96	5.3	1.49	6.5	1.82	6.8	2.59	6.4	WNW	282
	10	0.79	4.5	1.30	6.2	1.69	6.3	2.42	6.5	NW	311
	12	0.84	5.0	1.36	6.5	1.70	6.5	2.27	6.5	W	278
	14	0.82	4.9	1.36	6.6	1.67	6.9	2.15	7.3	WNW	286
	16	0.88	4.8	1.43	6.1	1.80	5.9	2.41	6.1	WNW	282
	18	* 1.00	5.3	* 1.61	6.2	* 2.04	6.5	2.38	7.3	NW	319
	20	0.94	5.2	1.55	6.5	1.98	6.5	* 2.74	6.8	NW	311
	22	0.90	5.5	1.47	6.6	1.79	6.7	2.17	6.7	NNW	327
	最大	1.00	5.3	1.61	6.2	2.04	6.5	2.74	6.8		
	平均	0.84	4.9	1.36	6.3	1.71	6.4	2.29	6.3		
12	00	0.76	5.3	1.24	6.5	1.58	6.8	2.08	6.8	NNW	327
	02	0.69	5.1	1.13	6.3	1.45	6.4	1.85	6.2	NW	323
	04	0.58	4.5	0.96	6.0	1.18	6.1	1.48	6.6	NW	319
	06	0.64	4.3	1.00	5.3	1.26	5.5	1.66	5.8	WNW	286
	08	0.95	4.6	1.49	5.6	1.89	5.8	2.34	4.9	W	278
	10	* 1.02	5.0	* 1.62	6.1	2.00	6.0	2.42	5.5	W	274
	12	1.00	5.0	1.60	6.2	* 2.04	6.4	* 2.75	6.3	W	274
	14	1.00	5.3	1.59	6.7	1.99	6.8	2.65	6.8	NW	315
	16	0.97	5.0	1.52	6.5	1.91	6.3	2.71	6.8	WNW	290
	18	0.84	5.0	1.35	6.3	1.72	6.6	2.15	6.5	WNW	286
	20	0.75	4.7	1.19	6.1	1.47	6.3	1.68	6.0	WNW	286
	22	0.64	4.4	1.01	5.9	1.25	5.9	1.59	4.9	WNW	282
	最大	1.02	5.0	1.62	6.1	2.04	6.4	2.75	6.3		
	平均	0.82	4.8	1.31	6.1	1.64	6.2	2.11	6.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	309 回
欠測回数	0 回	欠測回数	51 回
欠 測 率	0.0 %	欠 測 率	14.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	0.73	4.6	1.18	6.1	1.50	6.0	1.98	6.4	WNW	286
	02	0.65	4.4	1.03	6.0	1.28	5.9	1.63	6.2	W	274
	04	0.81	4.8	1.31	6.4	1.65	6.6	2.27	7.9	WNW	282
	06	0.87	5.2	1.40	6.7	1.80	7.1	2.36	6.0	WNW	282
	08	0.82	5.0	1.34	6.5	1.67	7.0	2.31	6.6	WNW	299
	10	0.81	4.9	1.31	6.5	1.69	6.9	2.32	6.9	WNW	290
	12	* 1.00	5.2	* 1.61	7.1	* 2.04	7.5	* 2.54	7.5	WNW	286
	14	0.81	4.8	1.29	6.3	1.59	6.8	2.09	6.3	WNW	290
	16	0.77	4.7	1.18	6.0	1.49	5.9	2.33	6.2	W	274
	18	0.62	4.2	1.01	5.6	1.24	6.4	1.57	7.0	WNW	286
	20	0.64	5.2	0.97	6.5	1.19	6.5	1.62	6.5	WNW	295
	22	0.57	4.9	0.92	6.3	1.14	6.3	1.54	6.3	WNW	286
	最大	1.00	5.2	1.61	7.1	2.04	7.5	2.54	7.5		
	平均	0.76	4.8	1.21	6.3	1.52	6.6	2.05	6.6		
14	00	* 0.58	4.7	* 0.89	6.1	* 1.13	6.0	* 1.62	5.8	W	278
	02	0.48	4.2	0.77	5.8	0.97	6.1	1.21	6.2	W	274
	04	0.50	4.6	0.80	6.0	0.97	6.3	1.33	6.3	WNW	282
	06	0.49	4.7	0.78	6.0	0.98	6.1	1.26	6.4	WNW	290
	08	0.47	4.6	0.73	5.7	0.90	5.6	1.32	6.4	WSW	258
	10	0.39	3.9	0.64	5.3	0.83	5.6	1.02	5.9	NNE	13
	12	0.32	4.2	0.52	5.6	0.64	5.8	0.82	6.2	W	278
	14	0.34	4.1	0.55	5.5	0.68	5.6	0.81	5.7	欠測	欠測
	16	0.34	3.5	0.54	4.9	0.67	5.1	0.88	8.2	NW	316
	18	0.49	3.3	0.79	3.9	0.98	3.8	1.21	4.2	NNE	24
	20	0.50	3.4	0.79	4.1	1.00	4.2	1.51	3.6	NNE	29
	22	0.42	3.6	0.66	4.5	0.85	4.4	1.11	4.2	NNW	338
	最大	0.58	4.7	0.89	6.1	1.13	6.0	1.62	5.8		
	平均	0.44	4.1	0.71	5.3	0.88	5.4	1.18	5.8		
15	00	0.38	3.6	0.59	4.6	0.74	4.4	1.09	4.2	WNW	288
	02	* 0.38	3.8	* 0.59	4.9	0.75	4.6	0.99	4.0	NNE	25
	04	0.35	3.4	0.56	4.4	0.70	4.4	0.95	4.9	NE	35
	06	0.37	3.4	0.59	4.2	* 0.76	4.2	* 1.23	4.0	NNE	13
	08	0.37	3.3	0.59	4.1	0.74	3.9	1.01	3.4	N	353
	10	0.32	3.0	0.51	3.8	0.62	3.8	0.90	3.0	欠測	欠測
	12	0.27	3.0	0.43	3.8	0.54	3.8	0.77	3.4	N	8
	14	0.24	3.2	0.37	4.1	0.45	4.3	0.59	3.9	NNW	339
	16	0.22	3.1	0.35	4.4	0.43	4.3	0.56	3.1	NE	44
	18	0.22	3.0	0.33	4.0	0.41	4.3	0.56	4.1	NNW	342
	20	0.25	3.1	0.39	4.0	0.49	3.9	0.63	3.8	NE	47
	22	0.31	3.0	0.48	3.5	0.60	3.5	0.81	3.4	NW	325
	最大	0.38	3.8	0.59	4.9	0.76	4.2	1.23	4.0		
	平均	0.31	3.2	0.48	4.2	0.60	4.1	0.84	3.8		
16	00	0.34	3.0	0.54	3.7	0.68	3.6	0.95	3.6	N	4
	02	0.42	3.5	0.68	4.4	0.86	4.3	1.14	4.5	WNW	293
	04	0.42	3.5	0.68	4.4	0.84	4.5	1.11	4.3	NW	315
	06	0.62	3.9	* 1.02	4.7	* 1.29	4.7	* 1.91	4.8	欠測	欠測
	08	* 0.63	4.1	0.99	4.9	1.20	4.9	1.65	5.3	NW	324
	10	0.51	3.8	0.81	4.8	1.01	4.9	1.47	5.2	NW	306
	12	0.49	3.7	0.80	4.7	1.00	4.8	1.35	4.6	N	5
	14	0.45	3.6	0.73	4.4	0.91	4.4	1.22	5.5	WNW	285
	16	0.41	3.6	0.63	4.4	0.79	4.5	1.22	4.6	欠測	欠測
	18	0.41	3.5	0.66	4.5	0.82	4.6	1.06	4.3	NE	51
	20	0.41	3.7	0.63	4.8	0.79	4.7	1.04	4.5	NNE	21
	22	0.34	3.6	0.55	4.6	0.71	4.7	1.07	4.1	NNW	340
	最大	0.63	4.1	1.02	4.7	1.29	4.7	1.91	4.8		
	平均	0.45	3.6	0.73	4.5	0.91	4.6	1.27	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月											波 高		波 向					
											規定回数	360 回	規定回数	360 回				
											測得回数	360 回	測得回数	309 回				
											欠測回数	0 回	欠測回数	51 回				
											欠 測 率	0.0 %	欠 測 率	14.2 %				
機種：波向 海象計 - 50.0m																		
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向								
										16方位	角度							
17	00	0.33	3.8	0.52	4.9	0.64	4.8	0.83	4.9	N	355							
	02	0.30	3.6	0.50	4.9	0.65	5.1	* 1.17	5.0	N	358							
	04	* 0.36	4.3	* 0.55	5.5	* 0.66	5.7	0.83	5.3	N	355							
	06	0.34	3.9	0.54	5.0	0.66	5.3	0.90	5.3	NNW	338							
	08	0.33	4.0	0.52	5.0	0.66	4.9	0.87	5.1	NNE	15							
	10	0.29	3.8	0.47	4.9	0.60	4.9	0.84	5.5	W	277							
	12	0.31	3.5	0.49	4.5	0.63	4.4	1.06	4.5	WNW	294							
	14	0.30	3.4	0.48	4.3	0.60	4.2	0.75	3.7	NNW	345							
	16	0.30	3.5	0.48	4.3	0.60	4.3	0.82	3.8	NE	44							
	18	0.25	3.3	0.40	4.3	0.50	4.2	0.65	4.9	欠測	欠測							
18	20	0.19	3.0	0.30	4.1	0.37	4.4	0.45	4.8	NNW	337							
	22	0.17	2.9	0.27	3.9	0.34	4.3	0.51	5.1	欠測	欠測							
	最大 平均	0.36 0.29	4.3 3.6	0.55 0.46	5.5 4.6	0.66 0.58	5.7 4.7	1.17 0.81	5.0 4.8									
	00	0.24	2.8	0.38	3.5	0.46	3.5	0.58	3.8	WNW	296							
	02	0.29	3.1	0.46	3.8	0.60	3.7	0.75	4.2	NNE	33							
	04	0.26	3.0	0.40	3.5	0.50	3.6	0.61	3.6	WNW	291							
	06	0.27	3.1	0.43	3.9	0.54	3.9	0.79	3.9	NW	323							
	08	0.27	3.1	0.43	3.8	0.53	3.7	0.74	3.4	NE	55							
	10	0.26	3.2	0.40	4.0	0.49	4.2	0.76	4.9	NNE	18							
	12	0.27	3.3	0.45	4.3	0.57	4.5	0.91	3.9	WNW	283							
19	14	0.36	3.6	0.57	4.5	0.71	4.7	0.84	4.8	欠測	欠測							
	16	* 0.55	3.9	* 0.86	4.6	* 1.09	4.6	* 1.41	4.1	NE	52							
	18	0.52	4.1	0.81	4.9	0.99	4.9	1.20	5.5	欠測	欠測							
	20	0.48	4.0	0.77	4.9	0.95	4.8	1.26	4.9	W	280							
	22	0.38	4.0	0.61	4.9	0.77	4.8	0.98	4.4	NW	318							
	最大 平均	0.55 0.35	3.9 3.4	0.86 0.55	4.6 4.2	1.09 0.68	4.6 4.2	1.41 0.90	4.1 4.3									
	00	0.37	3.9	0.58	4.9	0.73	4.9	* 1.07	4.6	NE	35							
	02	* 0.40	3.6	* 0.64	4.7	* 0.79	4.8	1.07	4.2	W	272							
	04	0.35	3.6	0.57	4.8	0.72	4.9	0.99	4.2	N	353							
	06	0.34	3.9	0.54	5.0	0.68	5.1	1.03	4.5	欠測	欠測							
08	0.33	3.7	0.53	4.7	0.67	5.0	1.05	4.1	欠測	欠測								
10	0.29	3.7	0.47	4.9	0.58	4.9	0.75	4.7	欠測	欠測								
20	12	0.32	4.0	0.51	5.0	0.64	5.0	0.88	4.9	NNW	344							
	14	0.25	3.6	0.40	4.6	0.50	4.7	0.75	5.0	欠測	欠測							
	16	0.27	3.7	0.42	4.7	0.51	4.7	0.68	4.9	N	359							
	18	0.21	3.2	0.34	4.3	0.42	4.5	0.58	5.7	NNW	346							
	20	0.22	3.3	0.34	4.3	0.43	4.4	0.53	5.0	NW	312							
	22	0.18	3.0	0.29	4.1	0.36	4.4	0.50	4.3	NE	54							
	最大 平均	0.40 0.29	3.6 3.6	0.64 0.47	4.7 4.7	0.79 0.59	4.8 4.8	1.07 0.82	4.6 4.7									
	00	0.17	2.8	0.28	4.0	0.36	4.2	0.47	4.1	NE	43							
	02	0.21	2.9	0.33	3.9	0.41	4.0	0.60	3.7	欠測	欠測							
	04	0.16	2.6	0.24	3.7	0.29	4.2	0.39	5.4	欠測	欠測							
06	0.17	2.9	0.26	4.1	0.33	4.3	0.50	4.3	WNW	286								
08	0.14	3.0	0.21	3.9	0.26	4.3	0.35	3.2	欠測	欠測								
10	0.14	2.6	0.21	3.6	0.27	4.0	0.33	3.9	欠測	欠測								
21	12	0.27	2.8	0.43	3.1	0.54	3.1	0.75	2.9	NNE	22							
	14	0.40	3.2	0.62	3.6	0.80	3.5	1.25	3.4	NW	315							
	16	* 0.48	3.3	* 0.78	3.7	* 0.98	3.7	* 1.45	3.4	NNW	336							
	18	0.33	3.1	0.52	3.6	0.64	3.5	0.74	4.0	欠測	欠測							
	20	0.30	3.0	0.49	3.7	0.63	3.6	0.84	3.7	N	10							
	22	0.24	3.1	0.38	3.7	0.48	3.7	0.67	3.4	NNE	28							
	最大 平均	0.48 0.25	3.3 2.9	0.78 0.40	3.7 3.7	0.98 0.50	3.7 3.8	1.45 0.70	3.4 3.8									

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.24	2.9	0.38	3.7	0.48	3.8	0.61	3.9	NE	56
	02	0.27	3.1	0.43	4.0	0.55	4.0	0.82	4.1	NE	44
	04	0.26	3.3	0.42	4.2	0.51	4.3	0.67	4.5	WNW	285
	06	0.26	3.2	0.40	4.3	0.50	4.5	0.77	5.0	NNW	336
	08	0.25	2.8	0.38	3.6	0.48	3.8	0.63	4.7	欠測	欠測
	10	0.28	2.9	0.44	3.8	0.53	3.9	0.71	3.3	W	277
	12	0.29	3.2	0.45	4.2	0.58	4.3	0.88	2.8	N	359
	14	0.30	3.1	0.47	3.9	0.56	3.8	0.79	4.8	N	353
	16	0.36	3.1	0.57	3.5	0.73	3.5	1.03	3.8	欠測	欠測
	18	0.41	3.4	0.65	4.1	0.79	4.2	0.98	3.8	NE	54
22	20	* 0.47	3.9	* 0.73	4.7	* 0.90	4.7	* 1.17	4.2	NW	313
	22	0.38	3.7	0.61	4.6	0.75	4.6	1.03	4.8	N	349
	最大	0.47	3.9	0.73	4.7	0.90	4.7	1.17	4.2		
	平均	0.31	3.2	0.49	4.1	0.61	4.1	0.84	4.1		
22	00	0.28	3.3	0.46	4.4	0.58	4.4	0.96	4.5	WNW	288
	02	0.28	3.4	0.44	4.2	0.56	4.4	0.71	3.9	欠測	欠測
	04	0.28	3.5	0.43	4.2	0.53	4.1	0.67	3.8	欠測	欠測
	06	0.25	3.4	0.39	4.1	0.47	4.0	0.63	4.1	N	354
	08	0.23	3.2	0.35	3.9	0.43	3.8	0.53	4.3	欠測	欠測
	10	0.22	3.6	0.34	4.4	0.42	4.4	0.51	4.5	NE	48
	12	0.25	3.8	0.39	4.5	0.49	4.5	0.70	4.5	N	3
	14	0.26	3.5	0.40	4.4	0.49	4.4	0.60	3.8	WNW	284
	16	0.24	3.3	0.38	4.4	0.47	4.5	0.69	4.7	欠測	欠測
	18	0.23	3.0	0.35	4.0	0.44	4.2	0.61	2.9	NNW	346
23	20	0.30	2.8	0.47	3.4	0.58	3.3	0.76	2.9	N	356
	22	* 0.40	3.1	* 0.64	3.7	* 0.85	3.6	* 1.13	3.7	WNW	301
	最大	0.40	3.1	0.64	3.7	0.85	3.6	1.13	3.7		
	平均	0.27	3.3	0.42	4.1	0.53	4.1	0.71	4.0		
23	00	0.54	3.6	0.84	4.1	1.06	4.0	1.57	4.1	NW	313
	02	0.67	3.8	1.06	4.6	1.33	4.5	1.58	4.8	NNE	33
	04	0.69	3.9	1.10	4.7	1.44	4.8	2.01	4.3	NNW	331
	06	0.70	4.0	1.16	5.0	1.46	5.2	2.05	5.3	NNW	329
	08	* 0.87	4.7	* 1.38	5.7	* 1.72	5.5	* 2.23	5.1	NNW	327
	10	0.82	4.7	1.31	5.4	1.64	5.4	2.06	5.1	NE	49
	12	0.80	4.8	1.21	5.4	1.48	5.3	1.69	5.6	WNW	285
	14	0.63	4.3	1.01	5.2	1.28	5.4	1.88	5.0	W	279
	16	0.61	4.2	0.98	5.2	1.24	5.2	1.67	5.6	WNW	291
	18	0.63	4.4	0.96	5.2	1.15	5.3	1.52	4.9	欠測	欠測
24	20	0.65	4.2	1.09	5.3	1.38	5.6	2.07	4.9	NNE	15
	22	0.64	4.2	1.00	5.3	1.22	5.1	1.69	5.1	NE	35
	最大	0.87	4.7	1.38	5.7	1.72	5.5	2.23	5.1		
	平均	0.69	4.2	1.09	5.1	1.37	5.1	1.84	5.0		
24	00	0.75	4.4	1.17	5.6	1.41	5.5	1.60	5.2	N	4
	02	0.82	5.0	1.30	6.6	1.69	6.9	2.19	6.7	N	4
	04	0.85	5.1	1.40	6.9	1.70	6.9	2.24	8.1	NNE	29
	06	0.92	5.6	1.49	7.1	1.86	7.1	2.44	7.7	NNE	12
	08	0.92	5.6	1.51	7.7	1.90	7.8	2.64	7.0	NNE	25
	10	0.94	5.5	1.54	7.5	1.97	7.7	2.57	8.6	NNE	20
	12	0.94	5.5	1.56	7.5	* 2.02	8.0	2.41	7.9	NNE	12
	14	0.82	4.6	1.34	6.4	1.67	6.9	2.21	7.5	NNE	12
	16	欠測	欠測	1.38	欠測	欠測	欠測	2.20	欠測	欠測	欠測
	18	0.99	4.7	1.53	5.7	1.85	5.6	2.48	5.4	WNW	282
25	20	* 1.05	4.9	* 1.65	5.9	2.01	5.7	* 2.81	4.6	WNW	303
	22	0.92	4.8	1.52	6.0	1.93	6.2	2.47	5.8	W	278
	最大	1.05	4.9	1.65	5.9	2.02	8.0	2.81	4.6		
	平均	0.90	5.1	1.45	6.6	1.82	6.8	2.36	6.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

波 向

規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	309 回
欠測回数	0 回	欠測回数	51 回
欠 測 率	0.0 %	欠 測 率	14.2 %

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度	
25	00	* 0.90	5.1	* 1.42	6.1	* 1.82	6.4	* 2.66	6.1	NW	311
	02	0.69	4.8	1.10	6.2	1.37	6.0	1.69	6.5	WNW	286
	04	0.68	5.0	1.08	6.4	1.35	6.4	1.95	5.7	NNE	20
	06	0.57	4.9	0.91	6.0	1.16	6.1	1.73	6.0	NNE	25
	08	0.56	4.5	0.90	5.8	1.12	5.8	1.58	5.8	WNW	299
	10	0.51	4.2	0.78	5.3	0.97	5.2	1.28	4.9	NE	52
	12	0.52	3.8	0.81	4.8	1.00	5.0	1.31	5.4	NW	323
	14	0.48	3.7	0.76	4.7	0.95	4.9	1.21	4.3	WNW	282
	16	0.52	3.8	0.80	4.7	0.96	4.6	1.27	4.2	欠測	欠測
	18	0.43	3.7	0.68	4.6	0.82	4.7	0.93	5.3	欠測	欠測
	20	0.42	3.9	0.67	4.9	0.82	5.0	1.03	4.3	欠測	欠測
	22	0.43	4.3	0.68	5.6	0.84	6.2	1.17	5.0	NE	37
	最大	0.90	5.1	1.42	6.1	1.82	6.4	2.66	6.1		
	平均	0.56	4.3	0.88	5.4	1.10	5.5	1.48	5.3		
26	00	0.49	4.8	0.75	6.4	0.92	7.3	1.15	5.3	NNE	25
	02	0.45	4.2	0.70	6.0	0.87	7.2	1.05	8.7	NNE	20
	04	0.45	4.4	0.73	6.2	0.95	6.9	1.19	4.9	N	8
	06	0.45	4.3	0.73	5.8	0.92	6.6	1.24	7.1	N	8
	08	0.46	4.2	0.72	5.7	0.90	5.9	1.07	5.5	NNE	25
	10	* 0.50	4.1	* 0.80	5.6	* 1.02	6.1	* 1.52	7.2	NNE	16
	12	0.45	3.8	0.70	5.4	0.88	6.0	1.12	7.4	欠測	欠測
	14	0.47	3.8	0.71	4.7	0.85	5.4	1.05	4.7	NW	311
	16	0.40	3.8	0.64	4.9	0.79	5.6	0.99	5.7	NW	310
	18	0.33	4.0	0.53	5.7	0.67	6.2	0.99	6.2	NNE	25
	20	0.29	4.0	0.45	5.6	0.58	6.3	0.81	5.0	NNE	20
	22	0.25	3.6	0.41	5.2	0.53	5.7	0.68	6.9	WNW	294
	最大	0.50	4.1	0.80	5.6	1.02	6.1	1.52	7.2		
	平均	0.42	4.1	0.66	5.6	0.82	6.3	1.07	6.2		
27	00	0.24	3.4	0.37	4.6	0.45	5.1	0.60	4.3	W	275
	02	0.28	3.2	0.44	4.3	0.56	4.5	0.73	3.6	NE	34
	04	0.34	3.0	0.53	3.5	0.70	3.5	1.00	3.8	欠測	欠測
	06	0.35	3.2	0.55	3.9	0.69	3.9	0.88	4.3	NE	51
	08	0.47	3.7	0.74	4.4	0.89	4.4	1.14	4.3	NW	310
	10	* 0.57	3.7	* 0.91	4.5	* 1.13	4.6	1.36	4.4	NW	312
	12	0.54	3.7	0.82	4.4	0.98	4.3	1.31	3.6	NNE	32
	14	0.53	3.7	0.83	4.4	1.06	4.4	* 1.46	3.3	NE	46
	16	0.51	3.9	0.82	4.9	1.00	4.7	1.37	4.2	NE	54
	18	0.38	4.1	0.61	5.1	0.77	5.3	1.17	5.3	N	351
	20	0.35	4.2	0.58	5.3	0.71	5.4	0.85	5.9	欠測	欠測
	22	0.35	4.3	0.57	5.7	0.70	5.7	0.89	5.3	W	274
	最大	0.57	3.7	0.91	4.5	1.13	4.6	1.46	3.3		
	平均	0.41	3.7	0.65	4.6	0.80	4.7	1.06	4.4		
28	00	0.38	4.4	0.61	5.8	0.76	6.0	0.96	6.4	WNW	282
	02	0.49	4.9	0.76	6.0	0.90	5.9	1.11	5.4	W	274
	04	* 0.50	4.8	* 0.81	5.8	* 1.04	5.8	* 1.28	6.2	WNW	299
	06	0.43	4.5	0.68	5.7	0.84	5.7	1.13	5.1	W	278
	08	0.40	4.5	0.64	6.0	0.82	6.1	1.10	5.5	WNW	299
	10	0.41	4.4	0.68	6.1	0.87	6.1	1.17	6.5	NW	307
	12	0.39	4.5	0.63	5.9	0.78	5.9	1.01	6.1	WNW	303
	14	0.34	4.4	0.55	6.0	0.69	6.0	0.96	6.3	NW	315
	16	0.37	4.9	0.58	6.0	0.75	6.0	1.11	5.6	WNW	290
	18	0.33	4.4	0.52	5.5	0.64	5.6	0.79	5.9	NNW	344
	20	0.27	4.0	0.44	5.4	0.55	5.2	0.64	5.4	N	3
	22	0.26	3.7	0.41	5.0	0.53	5.1	0.86	5.6	N	355
	最大	0.50	4.8	0.81	5.8	1.04	5.8	1.28	6.2		
	平均	0.38	4.5	0.61	5.8	0.76	5.8	1.01	5.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 4月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

規定回数	360 回
測得回数	360 回
欠測回数	0 回
欠 測 率	0.0 %

波 向

規定回数	360 回
測得回数	309 回
欠測回数	51 回
欠 測 率	14.2 %

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.27	3.4	0.44	4.9	0.57	5.3	0.96	5.2	WNW	287
	02	0.31	3.6	0.50	4.7	0.62	5.1	0.78	3.3	N	356
	04	0.33	3.4	0.53	4.6	0.66	4.5	0.90	5.1	欠測	欠測
	06	0.37	3.9	0.59	5.0	0.73	5.2	0.93	4.7	NNW	339
	08	0.37	3.7	0.58	4.6	0.73	4.5	1.10	4.9	欠測	欠測
	10	0.37	3.4	0.59	4.3	0.73	4.5	0.94	5.1	NE	52
	12	0.43	3.7	0.67	4.6	0.83	4.6	1.16	5.0	NE	34
	14	0.50	3.8	0.80	4.9	0.98	4.8	1.26	5.6	欠測	欠測
	16	0.53	4.1	0.85	5.3	1.07	5.5	1.41	5.6	W	273
	18	0.53	4.0	0.85	5.3	1.06	5.4	1.49	5.7	N	350
	20	0.54	3.9	0.84	4.9	1.05	5.1	1.38	4.9	NNE	27
	22	* 0.63	4.3	* 0.97	5.6	* 1.19	6.0	* 1.65	6.3	W	274
	最大	0.63	4.3	0.97	5.6	1.19	6.0	1.65	6.3		
	平均	0.43	3.8	0.68	4.9	0.85	5.0	1.16	5.1		
30	00	0.49	4.9	0.85	7.1	1.07	7.0	1.65	5.8	W	278
	02	0.61	5.1	0.97	6.8	1.22	7.5	1.48	7.9	W	262
	04	0.66	5.2	1.11	7.3	* 1.47	7.4	2.09	6.4	W	278
	06	* 0.68	5.6	1.11	7.2	1.42	7.3	* 2.29	6.6	W	270
	08	0.68	5.6	* 1.12	7.3	1.33	7.5	1.46	7.2	W	274
	10	0.66	5.6	1.07	7.5	1.38	8.0	1.93	6.3	W	278
	12	0.55	5.2	0.87	6.9	1.11	7.3	1.36	7.2	W	270
	14	0.61	5.7	0.99	7.4	1.21	7.3	1.66	5.7	W	262
	16	0.52	5.4	0.85	7.3	1.03	7.2	1.30	7.5	W	266
	18	0.44	4.2	0.72	6.2	0.94	6.6	1.38	7.2	W	262
	20	0.40	4.2	0.67	6.0	0.85	6.4	1.12	6.4	WSW	254
	22	0.46	4.4	0.74	6.1	0.93	6.0	1.55	6.9	WSW	258
	最大	0.68	5.6	1.12	7.3	1.47	7.4	2.29	6.6		
	平均	0.56	5.1	0.92	6.9	1.16	7.1	1.61	6.8		
月最大	1.21	5.5	1.97	7.2	2.55	7.7	3.69	6.8			
	起時	0100		0100		0100		1010			
	平均	0.51	4.1	0.82	5.2	1.03	5.3	1.38	5.2		

波浪整理表（1）

1997年 5月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.42	4.3	0.67	5.7	0.84	5.9	* 1.23	5.1	WSW	258
	02	* 0.43	4.3	* 0.69	5.3	* 0.88	5.2	1.08	5.6	NNE	33
	04	0.41	4.1	0.66	5.4	0.84	5.3	1.00	4.8	WNW	297
	06	0.41	4.3	0.67	5.5	0.84	5.6	1.04	7.0	N	10
	08	0.39	3.9	0.65	5.1	0.85	5.3	1.14	5.1	N	355
	10	0.38	4.1	0.58	4.9	0.72	4.9	0.98	5.0	NNW	339
	12	0.32	3.6	0.52	4.9	0.66	5.0	0.80	5.1	NE	53
	14	0.32	3.5	0.50	4.7	0.63	4.5	1.16	4.3	WNW	298
	16	0.27	3.4	0.43	4.7	0.53	5.2	0.77	5.8	N	5
	18	0.25	3.3	0.39	4.7	0.47	4.9	0.60	4.7	NE	38
	20	0.21	3.2	0.34	4.7	0.43	5.2	0.68	5.7	WNW	290
	22	0.17	3.1	0.26	4.5	0.33	5.1	0.43	4.1	NW	317
	最大	0.43	4.3	0.69	5.3	0.88	5.2	1.23	5.1		
	平均	0.33	3.8	0.53	5.0	0.67	5.2	0.91	5.2		
02	00	0.21	2.8	0.32	3.8	0.40	4.3	0.58	2.9	NNW	342
	02	0.20	3.3	0.31	4.8	0.38	5.5	0.48	5.1	WNW	297
	04	0.22	2.7	0.35	3.4	0.44	3.4	0.67	3.6	N	10
	06	0.25	2.8	0.40	3.4	0.50	3.4	0.66	3.3	NW	323
	08	0.43	3.5	0.65	4.1	0.82	3.7	1.25	3.3	NE	51
	10	0.49	3.5	0.77	4.1	0.97	4.1	1.44	4.0	NNW	341
	12	0.61	3.6	0.95	4.3	1.15	4.1	1.57	3.4	NE	53
	14	0.62	4.2	0.99	5.2	1.24	5.0	1.65	5.5	欠測	欠測
	16	* 0.64	4.9	1.01	6.1	1.24	6.1	1.48	5.8	WNW	290
	18	0.63	5.0	* 1.04	6.2	* 1.32	6.0	* 1.73	5.9	WNW	295
	20	0.60	4.9	1.00	6.3	1.24	6.2	1.54	6.5	WNW	282
	22	0.51	4.9	0.83	6.4	1.04	6.3	1.28	6.0	W	266
	最大	0.64	4.9	1.04	6.2	1.32	6.0	1.73	5.9		
	平均	0.45	3.8	0.72	4.8	0.90	4.8	1.19	4.6		
03	00	* 0.53	4.9	0.82	6.1	* 1.02	6.1	1.21	5.5	WNW	282
	02	0.45	4.8	0.69	6.1	0.85	6.0	1.04	6.0	WNW	299
	04	0.43	4.8	0.73	6.2	0.94	6.4	1.27	6.3	WNW	295
	06	0.44	4.8	0.73	6.7	0.93	6.6	1.06	7.3	WNW	303
	08	0.44	4.1	0.71	5.9	0.88	6.0	1.13	6.5	WNW	286
	10	0.48	3.8	0.75	4.8	0.95	5.1	1.22	4.4	N	357
	12	0.53	3.7	* 0.84	4.5	0.99	4.4	* 1.30	3.7	WNW	301
	14	0.47	3.8	0.73	4.8	0.93	5.0	1.16	4.3	欠測	欠測
	16	0.39	3.7	0.60	4.7	0.75	4.6	1.18	4.6	欠測	欠測
	18	0.29	3.5	0.45	4.8	0.54	5.3	0.68	5.3	NNW	340
	20	0.24	3.4	0.39	5.0	0.49	5.2	0.60	6.0	W	271
	22	0.26	3.7	0.40	4.9	0.50	5.1	0.70	5.5	NE	37
	最大	0.53	4.9	0.84	4.5	1.02	6.1	1.30	3.7		
	平均	0.41	4.1	0.65	5.4	0.81	5.5	1.05	5.5		
04	00	0.29	3.5	0.48	4.8	0.61	4.9	0.77	4.5	欠測	欠測
	02	0.34	4.1	0.54	4.9	0.67	5.0	0.99	5.2	NNE	30
	04	0.28	3.8	0.44	4.7	0.55	4.6	0.86	4.4	NNW	333
	06	0.28	3.8	0.45	4.6	0.58	4.5	0.74	5.1	NE	47
	08	0.32	2.8	0.50	3.3	0.65	3.2	0.97	3.8	NNE	23
	10	0.34	3.1	0.53	3.6	0.68	3.3	1.02	2.5	NW	316
	12	0.36	3.1	0.58	3.8	0.74	3.6	1.11	3.1	N	349
	14	0.33	3.0	0.52	3.5	0.66	3.5	0.89	3.9	NE	56
	16	* 0.43	3.3	* 0.66	3.7	* 0.84	3.5	1.00	4.3	WNW	298
	18	0.37	3.2	0.58	3.7	0.75	3.6	* 1.12	3.6	NW	321
	20	0.29	3.0	0.45	3.7	0.55	3.7	0.78	3.1	欠測	欠測
	22	0.23	3.2	0.36	4.5	0.43	4.8	0.58	5.1	欠測	欠測
	最大	0.43	3.3	0.66	3.7	0.84	3.5	1.12	3.6		
	平均	0.32	3.3	0.51	4.1	0.64	4.0	0.90	4.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	317 回
										欠測回数	0 回	欠測回数	55 回
										欠 測 率	0.0 %	欠 測 率	14.8 %
機種：波向 海象計 - 50.0m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 50.0m							緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
05	00	0.34	3.2	0.55	4.2	0.70	4.3	0.88	2.9	NE	53		
	02	* 0.54	4.4	* 0.85	5.8	* 1.05	5.9	* 1.48	6.9	WNW	286		
	04	0.42	4.3	0.68	5.8	0.90	6.0	1.38	5.8	W	270		
	06	0.40	4.4	0.65	6.0	0.79	6.3	1.07	6.4	W	262		
	08	0.42	3.8	0.68	5.1	0.87	5.9	1.06	6.4	NE	44		
	10	0.38	3.9	0.61	5.4	0.77	5.7	1.12	7.4	NNW	341		
	12	0.39	3.6	0.61	4.8	0.74	5.3	0.86	4.0	W	275		
	14	0.40	4.1	0.63	5.6	0.77	5.8	0.98	6.0	WNW	282		
	16	0.38	3.9	0.62	5.7	0.80	6.3	1.16	5.7	W	270		
	18	0.42	4.3	0.69	6.0	0.88	6.8	1.22	8.7	W	278		
	20	0.41	4.8	0.67	6.5	0.85	7.0	1.27	5.9	W	266		
	22	0.37	4.3	0.60	5.8	0.74	6.2	0.99	6.8	W	262		
	最大 平均	0.54 0.41	4.4 4.1	0.85 0.65	5.8 5.6	1.05 0.82	5.9 6.0	1.48 1.12	6.9 6.1				
	06	00	0.36	4.5	0.60	6.2	0.76	6.4	1.02	5.8	W	266	
02		0.38	4.4	0.62	6.2	0.77	6.4	1.12	6.5	W	270		
04		0.36	3.6	0.57	4.9	0.70	5.6	0.83	7.4	N	9		
06		0.38	3.2	0.60	4.1	0.74	3.9	1.04	2.9	欠測	欠測		
08		0.47	3.2	0.75	3.7	0.96	3.6	1.28	3.4	NNE	27		
10		0.43	3.4	0.69	4.3	0.84	4.3	1.18	3.6	欠測	欠測		
12		0.51	3.4	0.82	4.3	1.04	4.5	1.43	4.6	N	356		
14		0.56	4.1	0.90	5.3	1.13	5.5	1.49	5.6	欠測	欠測		
16		0.81	5.5	1.33	7.2	1.69	7.2	2.18	6.7	WNW	299		
18		* 0.86	5.6	* 1.38	7.1	* 1.75	7.1	* 2.39	6.8	W	266		
20		0.73	5.4	1.17	7.2	1.46	7.3	1.82	7.2	W	262		
22		0.64	5.3	1.04	7.4	1.31	7.5	1.75	7.7	W	274		
最大 平均		0.86 0.54	5.6 4.3	1.38 0.87	7.1 5.7	1.75 1.10	7.1 5.8	2.39 1.46	6.8 5.7				
07		00	* 0.62	5.5	* 1.03	7.8	* 1.30	8.4	* 1.78	7.8	W	274	
	02	0.54	5.1	0.87	6.9	1.10	7.2	1.39	8.8	W	274		
	04	0.50	5.0	0.81	6.9	0.99	7.5	1.27	7.6	W	266		
	06	0.48	3.9	0.74	5.1	0.96	5.7	1.50	6.1	欠測	欠測		
	08	0.38	3.8	0.59	5.1	0.75	5.3	0.97	6.5	NE	55		
	10	0.38	4.1	0.59	5.5	0.75	5.9	1.19	5.7	NE	42		
	12	0.43	3.7	0.68	4.5	0.86	4.4	1.07	4.9	欠測	欠測		
	14	0.53	4.0	0.83	4.8	1.06	5.0	1.54	3.8	NNW	342		
	16	0.48	4.0	0.75	4.9	0.93	5.4	1.64	5.8	N	356		
	18	0.39	4.3	0.62	5.7	0.75	5.7	0.89	5.7	NW	323		
	20	0.33	3.9	0.53	5.6	0.68	6.1	0.93	6.1	NNW	331		
	22	0.25	3.7	0.42	5.4	0.53	6.1	0.67	6.7	N	0		
	最大 平均	0.62 0.44	5.5 4.2	1.03 0.70	7.8 5.7	1.30 0.89	8.4 6.1	1.78 1.24	7.8 6.3				
	08	00	0.33	3.2	0.52	4.3	0.65	4.5	0.85	5.5	NE	41	
02		0.52	3.4	0.82	4.1	1.04	4.0	1.44	3.3	N	5		
04		0.67	3.6	1.06	4.4	1.33	4.2	1.65	4.6	W	275		
06		0.55	3.3	0.88	4.1	1.08	4.0	1.39	4.6	欠測	欠測		
08		0.56	3.1	0.86	3.6	1.09	3.7	1.58	2.6	欠測	欠測		
10		0.58	3.3	0.91	4.2	1.12	4.4	1.46	5.8	欠測	欠測		
12		0.61	3.9	0.97	5.2	1.26	5.4	1.70	4.5	欠測	欠測		
14		0.79	5.1	* 1.32	6.8	1.65	7.1	2.08	8.4	WNW	290		
16		0.76	4.8	1.20	6.7	1.50	7.6	1.96	8.3	WNW	286		
18		0.75	4.5	1.22	5.9	1.55	6.4	2.08	4.8	WSW	237		
20		0.78	4.6	1.30	6.2	* 1.67	5.8	* 2.67	5.1	WNW	286		
22		* 0.83	4.9	1.32	6.0	1.63	5.9	1.97	6.5	NNW	331		
最大 平均		0.83 0.64	4.9 4.0	1.32 1.03	6.8 5.1	1.67 1.30	5.8 5.2	2.67 1.74	5.1 5.3				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	317 回
欠測回数	0 回	欠測回数	55 回
欠 測 率	0.0 %	欠 測 率	14.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.81	4.7	1.31	6.0	1.66	6.1	2.15	6.7	NNW	340
	02	0.94	5.1	1.48	6.5	1.85	6.9	2.36	6.2	N	352
	04	0.99	5.1	1.56	6.6	1.95	6.4	2.56	5.9	WNW	290
	06	* 1.14	5.4	* 1.78	6.7	* 2.24	7.3	3.11	8.1	N	352
	08	1.09	5.5	1.73	7.2	2.12	7.0	* 3.14	7.4	N	352
	10	1.01	5.5	1.70	7.1	2.20	7.4	2.57	6.7	N	8
	12	0.89	5.3	1.49	6.9	1.88	6.8	2.24	6.2	NNE	12
	14	0.86	5.5	1.42	6.8	1.78	6.7	2.68	7.1	NNE	20
	16	0.68	5.2	1.12	6.6	1.43	6.5	1.92	7.0	NNE	16
	18	0.59	4.5	1.03	6.6	1.34	7.2	2.07	7.2	NNE	29
	20	0.65	5.0	1.04	6.8	1.27	7.1	1.47	5.8	NE	37
	22	0.68	4.5	1.07	5.8	1.34	6.1	1.73	5.2	NNE	29
	最大	1.14	5.4	1.78	6.7	2.24	7.3	3.14	7.4		
	平均	0.86	5.1	1.39	6.6	1.75	6.8	2.33	6.6		
10	00	0.68	4.5	1.08	5.8	1.40	5.8	2.07	5.0	NNE	33
	02	* 0.74	4.5	* 1.18	5.5	* 1.50	5.2	1.96	5.5	欠測	欠測
	04	0.59	4.6	0.95	5.8	1.16	5.8	1.45	4.9	WNW	303
	06	0.60	4.5	0.95	5.8	1.16	5.8	1.48	5.7	NW	307
	08	0.61	4.3	0.98	5.8	1.24	5.8	1.50	4.9	WNW	290
	10	0.58	4.4	0.94	5.7	1.17	6.0	1.51	5.3	WNW	282
	12	0.55	4.3	0.86	5.7	1.07	6.1	1.33	6.1	W	274
	14	0.66	4.7	1.04	6.2	1.33	6.3	* 2.17	6.7	WNW	290
	16	0.59	4.7	0.95	6.2	1.21	6.7	1.54	6.5	W	274
	18	0.61	5.0	0.98	6.7	1.33	6.2	2.03	6.8	WNW	290
	20	0.63	5.0	1.04	6.4	1.24	6.5	1.56	6.5	W	278
	22	0.50	4.3	0.80	5.9	1.04	6.2	1.54	5.9	W	278
	最大	0.74	4.5	1.18	5.5	1.50	5.2	2.17	6.7		
	平均	0.61	4.6	0.98	6.0	1.24	6.0	1.68	5.8		
11	00	0.46	4.3	0.75	6.0	0.92	6.3	1.24	6.8	WNW	286
	02	0.53	4.3	0.85	6.2	1.04	6.6	1.32	6.3	NW	307
	04	0.86	5.4	1.39	7.1	1.72	7.5	2.02	7.5	NW	311
	06	* 0.94	5.5	* 1.52	7.0	* 1.92	7.4	* 2.44	7.5	NW	311
	08	0.82	5.6	1.30	6.8	1.60	7.0	2.02	6.3	NW	319
	10	0.68	4.6	1.13	6.5	1.42	6.9	2.04	6.6	WNW	290
	12	0.80	5.2	1.28	6.7	1.58	6.9	2.01	7.3	NW	307
	14	0.79	5.0	1.27	6.5	1.58	7.1	2.01	7.1	WNW	286
	16	0.63	4.8	1.06	6.7	1.39	6.8	1.95	6.6	NW	307
	18	0.70	5.2	1.11	7.0	1.34	7.2	1.77	6.9	NW	307
	20	0.70	5.4	1.16	7.4	1.49	7.4	2.02	7.2	NW	319
	22	0.73	5.9	1.14	7.4	1.46	7.3	1.87	7.7	NW	311
	最大	0.94	5.5	1.52	7.0	1.92	7.4	2.44	7.5		
	平均	0.72	5.1	1.16	6.8	1.46	7.0	1.89	7.0		
12	00	* 0.73	5.8	* 1.23	7.2	* 1.61	6.9	* 2.51	7.0	NW	307
	02	0.66	5.4	1.11	7.0	1.45	7.1	1.97	7.0	NW	311
	04	0.65	5.5	1.03	6.8	1.29	7.0	1.67	7.3	WNW	303
	06	0.51	5.2	0.78	6.4	0.96	6.4	1.32	6.3	NW	311
	08	0.49	4.8	0.78	6.1	0.99	6.2	1.58	5.5	WNW	290
	10	0.49	3.7	0.77	4.6	0.97	4.9	1.43	6.6	欠測	欠測
	12	欠測	欠測	1.00	欠測	欠測	欠測	1.60	欠測	欠測	欠測
	14	0.57	3.6	0.93	4.3	1.19	4.4	1.52	4.0	NNE	16
	16	0.54	3.7	0.86	4.4	1.10	4.5	1.51	4.5	NW	325
	18	0.50	3.8	0.78	4.6	0.97	4.5	1.54	4.4	NNE	17
	20	0.47	3.8	0.73	4.6	0.93	4.7	1.15	4.4	N	6
	22	0.42	3.8	0.65	4.9	0.84	4.9	1.13	3.9	W	274
	最大	0.73	5.8	1.23	7.2	1.61	6.9	2.51	7.0		
	平均	0.55	4.5	0.89	5.5	1.12	5.6	1.58	5.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	317 回
欠測回数	0 回	欠測回数	55 回
欠 測 率	0.0 %	欠 測 率	14.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.40	3.8	* 0.65	4.6	0.82	4.8	* 1.17	4.7	WNW	293
	02	* 0.40	3.9	0.64	4.7	* 0.83	4.7	1.12	5.5	N	355
	04	0.35	3.7	0.57	4.8	0.71	4.7	1.10	4.3	欠測	欠測
	06	0.34	3.9	0.52	4.7	0.66	4.8	0.94	4.9	NE	49
	08	0.31	3.7	0.49	4.8	0.61	4.7	0.79	4.3	NNW	340
	10	0.32	3.6	0.51	4.5	0.63	4.5	0.78	4.7	NE	38
	12	0.28	3.6	0.44	4.6	0.55	4.5	0.79	4.4	NW	307
	14	0.26	3.7	0.41	4.8	0.52	4.6	0.72	4.7	欠測	欠測
	16	0.27	3.6	0.43	4.5	0.53	4.3	0.66	3.8	NE	39
	18	0.24	3.4	0.39	4.4	0.49	4.7	0.64	5.8	N	6
	20	0.22	3.5	0.34	4.5	0.43	4.4	0.60	4.8	NE	53
	22	0.24	3.4	0.37	4.3	0.45	4.2	0.57	4.3	NW	316
	最大	0.40	3.9	0.65	4.6	0.83	4.7	1.17	4.7		
	平均	0.30	3.6	0.48	4.6	0.60	4.6	0.82	4.7		
14	00	0.20	3.1	0.31	4.1	0.39	4.2	0.58	4.0	N	8
	02	0.21	3.4	0.32	4.5	0.38	4.9	0.49	5.0	欠測	欠測
	04	0.19	3.0	0.30	4.0	0.38	4.1	0.49	4.0	NE	41
	06	0.18	3.2	0.27	4.4	0.33	4.5	0.47	4.3	NE	48
	08	0.16	2.9	0.24	4.1	0.30	4.4	0.37	4.6	欠測	欠測
	10	欠測	欠測	0.25	欠測	欠測	欠測	0.40	欠測	欠測	欠測
	12	0.24	2.9	0.37	3.7	0.46	4.0	0.56	6.7	NW	318
	14	0.25	3.2	0.41	4.2	0.51	4.6	0.65	4.3	W	274
	16	0.30	3.5	0.48	5.1	0.59	5.8	0.72	6.5	WNW	298
	18	* 0.39	3.9	* 0.62	5.3	* 0.76	5.7	* 1.07	6.1	欠測	欠測
	20	0.37	3.9	0.59	5.4	0.73	6.0	1.03	7.1	欠測	欠測
	22	0.29	3.7	0.47	5.4	0.59	6.1	0.75	6.6	NW	319
	最大	0.39	3.9	0.62	5.3	0.76	5.7	1.07	6.1		
	平均	0.25	3.3	0.39	4.6	0.49	4.9	0.63	5.4		
15	00	0.34	4.0	* 0.54	5.6	0.66	5.6	0.86	6.3	W	274
	02	0.32	3.8	0.53	5.5	0.67	5.8	* 0.95	5.8	欠測	欠測
	04	0.28	4.0	0.45	5.3	0.58	5.6	0.80	5.6	NW	316
	06	0.28	3.9	0.44	5.5	0.56	5.7	0.75	5.5	NNW	330
	08	0.26	3.4	0.43	5.0	0.53	5.1	0.67	5.1	欠測	欠測
	10	欠測	欠測	0.38	欠測	欠測	欠測	0.60	欠測	欠測	欠測
	12	0.32	3.6	0.51	4.6	0.64	4.9	0.80	4.2	WNW	284
	14	* 0.35	3.4	0.54	4.1	* 0.71	4.1	0.92	2.9	WNW	294
	16	0.28	3.3	0.44	4.5	0.55	4.7	0.75	5.9	NNW	343
	18	0.30	3.3	0.47	4.4	0.61	4.6	0.83	4.4	N	10
	20	0.27	3.2	0.41	4.2	0.51	4.1	0.81	3.3	NW	314
	22	0.26	3.1	0.41	4.2	0.52	4.5	0.69	6.0	NE	50
	最大	0.35	3.4	0.54	5.6	0.71	4.1	0.95	5.8		
	平均	0.30	3.5	0.46	4.8	0.59	5.0	0.79	5.0		
16	00	0.25	3.1	0.39	4.0	0.49	4.1	0.65	5.4	N	0
	02	0.24	3.5	0.36	4.9	0.44	5.0	0.60	4.2	N	359
	04	0.24	3.2	0.38	4.6	0.47	4.6	0.64	4.9	NE	52
	06	0.27	3.6	0.42	5.0	0.53	5.8	0.75	5.2	欠測	欠測
	08	0.30	3.9	0.49	5.5	0.63	5.9	* 0.93	5.3	WNW	298
	10	0.24	3.5	0.39	5.0	0.50	5.7	0.64	5.7	W	272
	12	0.31	3.5	0.49	4.7	0.61	4.8	0.71	4.9	NNW	340
	14	0.33	3.3	0.52	4.3	0.65	4.4	0.85	5.4	NE	51
	16	0.32	3.0	0.51	3.9	0.62	4.3	0.85	3.9	NE	55
	18	0.28	3.9	0.47	5.7	0.62	6.2	0.90	6.2	NNW	327
	20	0.28	4.1	0.48	5.8	0.61	6.1	0.88	6.1	N	0
	22	* 0.34	4.3	* 0.55	5.5	* 0.69	5.8	0.92	5.5	NNW	338
	最大	0.34	4.3	0.55	5.5	0.69	5.8	0.93	5.3		
	平均	0.28	3.6	0.45	4.9	0.57	5.2	0.78	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	317 回
欠測回数	0 回	欠測回数	55 回
欠 測 率	0.0 %	欠 測 率	14.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	0.30	4.0	0.48	5.5	0.62	5.9	0.91	6.1	NNE	13
	02	0.33	4.0	0.52	5.4	0.64	6.0	0.77	6.1	欠測	欠測
	04	0.46	3.9	0.73	5.0	0.90	4.9	1.21	3.7	W	272
	06	0.50	4.0	0.77	5.1	0.92	5.4	1.35	5.5	欠測	欠測
	08	0.52	4.4	0.83	5.4	0.99	5.5	1.16	5.2	欠測	欠測
	10	0.53	4.3	0.85	5.4	1.06	5.4	1.35	4.8	欠測	欠測
	12	* 0.58	4.3	* 0.89	5.5	* 1.13	5.8	* 1.58	5.4	NNE	14
	14	0.52	4.5	0.81	5.8	1.00	5.6	1.51	5.7	W	270
	16	0.53	4.6	0.84	5.9	1.07	6.1	1.36	5.5	NNW	331
	18	0.48	4.6	0.78	6.1	0.96	6.4	1.21	6.3	W	270
	20	0.48	5.0	0.79	6.5	0.98	6.6	1.24	7.2	W	278
	22	0.48	5.2	0.77	6.8	0.97	7.0	1.28	6.6	N	0
	最大	0.58	4.3	0.89	5.5	1.13	5.8	1.58	5.4		
	平均	0.48	4.4	0.75	5.7	0.94	5.9	1.24	5.7		
18	00	0.47	5.2	0.73	6.9	0.93	6.8	1.23	6.5	N	0
	02	0.53	5.1	0.86	7.1	1.07	7.0	1.81	6.5	N	356
	04	0.57	5.1	0.93	6.9	1.19	6.9	1.57	7.1	NW	315
	06	0.57	4.7	0.95	6.7	1.21	7.2	1.59	6.4	WNW	299
	08	0.62	4.2	0.95	5.7	1.16	6.2	1.54	7.5	WNW	286
	10	0.67	3.9	1.09	5.3	1.41	5.5	2.14	6.5	WNW	298
	12	0.64	4.5	1.00	6.3	1.22	6.4	1.67	8.1	W	278
	14	0.86	5.5	* 1.43	7.2	* 1.87	7.5	2.45	8.8	WNW	286
	16	0.87	5.6	1.40	7.6	1.73	8.1	* 2.72	7.5	WNW	282
	18	* 0.87	5.7	1.41	7.7	1.72	8.1	2.35	8.8	W	278
	20	0.86	6.4	1.39	8.1	1.71	7.8	2.23	7.7	W	270
	22	0.78	6.3	1.31	8.4	1.65	8.3	1.96	8.5	NNE	16
	最大	0.87	5.7	1.43	7.2	1.87	7.5	2.72	7.5		
	平均	0.69	5.2	1.12	7.0	1.41	7.1	1.94	7.5		
19	00	* 0.83	7.1	* 1.35	8.9	* 1.69	8.8	* 2.85	8.0	NNE	12
	02	0.72	6.3	1.19	8.2	1.58	8.8	2.22	8.0	NNE	12
	04	0.66	6.1	1.06	7.9	1.32	8.2	1.56	7.9	N	8
	06	0.59	5.4	0.97	7.1	1.18	7.1	1.40	6.6	W	278
	08	0.61	5.3	1.01	7.4	1.28	7.8	2.00	6.5	N	8
	10	0.63	5.7	1.02	7.6	1.27	8.0	1.50	7.4	NNE	12
	12	0.60	5.5	0.99	7.6	1.21	8.4	1.43	8.1	N	8
	14	0.56	5.0	0.89	6.9	1.12	7.4	1.43	8.3	N	8
	16	0.56	4.6	0.88	6.2	1.06	6.8	1.23	6.8	N	8
	18	0.56	5.1	0.91	6.7	1.14	6.9	1.64	5.5	NNE	25
	20	0.63	5.4	1.01	7.1	1.27	6.7	1.58	6.8	NNE	12
	22	0.55	4.6	0.89	6.2	1.10	6.5	1.33	8.0	N	8
	最大	0.83	7.1	1.35	8.9	1.69	8.8	2.85	8.0		
	平均	0.63	5.5	1.01	7.3	1.27	7.6	1.68	7.3		
20	00	0.55	4.6	0.91	6.1	1.12	6.4	1.76	6.5	N	356
	02	0.50	4.4	0.81	5.8	1.03	5.9	1.53	6.8	N	356
	04	0.54	4.9	0.89	6.5	1.11	6.6	1.36	6.9	N	4
	06	0.54	5.0	0.90	6.5	1.12	6.4	1.31	5.7	N	8
	08	0.51	4.6	0.88	6.2	1.15	6.6	1.45	6.8	NNE	12
	10	0.57	5.0	0.90	6.2	1.14	6.2	1.52	5.7	N	356
	12	0.64	5.0	1.02	6.8	1.29	7.0	1.68	5.6	N	352
	14	0.65	4.9	1.08	6.7	1.42	7.2	2.22	6.8	N	352
	16	0.77	5.5	1.22	7.1	* 1.51	7.3	* 2.30	6.9	N	0
	18	* 0.78	5.5	* 1.22	7.2	1.50	7.4	1.74	8.6	N	356
	20	0.74	5.8	1.16	7.3	1.41	7.1	1.76	6.9	N	8
	22	0.69	5.1	1.14	6.9	1.46	7.1	1.80	7.5	N	4
	最大	0.78	5.5	1.22	7.2	1.51	7.3	2.30	6.9		
	平均	0.62	5.0	1.01	6.6	1.27	6.8	1.70	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	317 回
欠測回数	0 回	欠測回数	55 回
欠 測 率	0.0 %	欠 測 率	14.8 %

機種：波高 海象計 - 50.0m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.43	3.7	0.66	4.5	0.81	4.5	1.28	4.1	NE	46
	02	0.32	3.7	0.50	4.7	0.61	4.6	0.77	4.6	WNW	300
	04	0.26	3.8	0.42	4.8	0.52	4.8	0.69	4.5	NW	305
	06	0.28	3.7	0.44	4.9	0.56	4.8	0.85	4.6	欠測	欠測
	08	0.27	3.7	0.44	5.0	0.54	5.1	0.62	6.4	NNE	28
	10	0.36	3.9	0.55	5.4	0.68	5.6	0.95	7.3	NE	49
	12	0.42	3.8	0.66	5.2	0.81	5.6	1.07	5.9	NNE	24
	14	0.49	4.0	0.75	5.1	0.90	5.2	1.10	6.3	NNE	24
	16	0.49	4.0	0.78	4.9	0.95	5.2	1.23	5.7	WNW	293
	18	0.47	4.1	0.73	5.1	0.89	5.5	1.13	5.0	W	275
	20	* 0.65	4.2	* 1.00	5.1	* 1.28	5.1	* 1.67	4.7	欠測	欠測
	22	0.60	4.4	0.97	5.7	1.22	6.1	1.58	6.5	WNW	282
	最大	0.65	4.2	1.00	5.1	1.28	5.1	1.67	4.7		
	平均	0.42	3.9	0.66	5.0	0.81	5.2	1.08	5.5		
26	00	0.73	5.3	1.15	6.4	1.49	6.7	2.31	6.7	WNW	286
	02	0.94	6.4	1.47	7.2	1.77	7.4	2.24	8.1	W	278
	04	0.94	6.4	* 1.48	7.8	1.81	7.9	* 2.41	7.4	WNW	282
	06	0.87	6.1	1.37	7.2	1.70	7.1	2.23	6.8	WNW	286
	08	* 0.95	5.1	1.48	6.0	* 1.82	6.0	2.15	7.2	W	274
	10	0.72	4.6	1.15	5.8	1.51	5.6	2.01	5.1	WNW	286
	12	0.71	4.6	1.13	5.6	1.40	5.6	2.01	6.5	WNW	282
	14	0.52	4.3	0.83	5.7	1.07	5.8	1.46	5.4	WNW	286
	16	0.56	4.0	0.85	5.0	1.05	5.1	1.54	5.8	NW	326
	18	0.57	4.3	0.91	5.4	1.15	5.6	1.50	5.3	欠測	欠測
	20	0.47	4.2	0.75	5.5	0.94	5.7	1.26	4.8	NW	309
	22	0.47	4.4	0.76	5.7	0.99	5.7	1.47	6.3	WNW	303
	最大	0.95	5.1	1.48	7.8	1.82	6.0	2.41	7.4		
	平均	0.70	5.0	1.11	6.1	1.39	6.2	1.88	6.3		
27	00	0.44	4.2	0.73	5.4	0.97	5.5	1.26	5.3	WNW	283
	02	0.50	4.3	0.79	5.5	0.99	5.6	1.19	6.4	NNE	22
	04	0.54	4.0	0.86	5.0	1.07	5.2	1.38	5.7	NNE	30
	06	* 0.58	4.3	* 0.89	5.1	* 1.12	5.3	1.38	5.4	NNW	348
	08	0.55	4.0	0.85	4.9	1.04	5.0	* 1.46	4.6	欠測	欠測
	10	0.47	4.2	0.77	5.2	0.99	5.2	1.32	4.7	NE	36
	12	0.41	4.3	0.65	5.4	0.81	5.3	1.04	5.0	N	10
	14	0.42	4.4	0.66	5.4	0.81	5.4	1.08	5.1	NW	313
	16	0.41	4.0	0.68	5.4	0.86	5.6	1.06	5.7	WNW	286
	18	0.44	3.9	0.69	5.1	0.87	5.3	1.14	3.9	NE	46
	20	0.50	4.0	0.79	4.9	0.97	4.9	1.29	5.0	欠測	欠測
	22	0.50	4.1	0.81	5.0	1.02	5.1	1.41	4.6	NE	43
	最大	0.58	4.3	0.89	5.1	1.12	5.3	1.46	4.6		
	平均	0.48	4.1	0.76	5.2	0.96	5.3	1.25	5.1		
28	00	* 0.52	4.2	* 0.84	5.0	* 1.06	5.0	* 1.51	4.3	W	275
	02	0.51	4.0	0.77	4.8	0.93	4.8	1.33	4.4	WNW	286
	04	0.45	3.5	0.70	4.3	0.88	4.4	1.29	4.4	NW	324
	06	0.42	3.6	0.67	4.4	0.84	4.5	1.11	4.2	欠測	欠測
	08	0.36	3.6	0.57	4.2	0.69	4.3	0.81	4.2	W	276
	10	0.30	3.5	0.47	4.4	0.62	4.4	0.77	4.8	N	349
	12	0.29	3.5	0.47	4.5	0.58	4.6	0.86	4.2	NNW	328
	14	0.26	3.4	0.42	4.5	0.53	4.4	0.72	4.6	欠測	欠測
	16	0.26	3.3	0.41	4.3	0.51	4.3	0.69	4.0	欠測	欠測
	18	0.31	3.1	0.49	3.8	0.64	4.0	0.84	3.5	W	272
	20	0.30	3.3	0.47	4.1	0.59	4.2	0.74	4.1	NNE	22
	22	0.22	3.1	0.34	4.1	0.42	4.4	0.53	3.9	欠測	欠測
	最大	0.52	4.2	0.84	5.0	1.06	5.0	1.51	4.3		
	平均	0.35	3.5	0.55	4.4	0.69	4.4	0.93	4.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 5月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	317 回
欠測回数	0 回	欠測回数	55 回
欠 測 率	0.0 %	欠 測 率	14.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	0.24	3.4	0.37	4.2	0.45	4.2	0.56	3.5	WNW	301
	02	0.21	3.3	0.32	4.2	0.41	4.2	0.61	4.9	NNE	26
	04	0.18	3.1	0.28	4.1	0.35	4.3	0.47	3.7	W	277
	06	0.17	3.2	0.28	4.5	0.35	4.6	0.49	4.2	NNE	30
	08	0.19	3.3	0.30	4.3	0.38	4.3	0.51	4.7	WNW	301
	10	0.18	3.3	0.27	3.9	0.33	4.0	0.41	4.0	NNE	16
	12	0.24	2.9	0.38	3.5	0.48	3.4	0.65	5.5	WNW	303
	14	0.26	3.0	0.40	3.3	0.50	3.1	0.67	2.8	WNW	291
	16	* 0.39	3.5	* 0.61	4.0	* 0.79	4.0	* 1.15	4.9	W	274
	18	0.31	3.5	0.51	4.3	0.66	4.3	0.91	4.0	NNE	14
	20	0.24	3.2	0.38	3.8	0.46	3.9	0.61	3.5	WNW	286
	22	0.17	2.9	0.25	3.6	0.31	3.7	0.41	4.2	欠測	欠測
	最大	0.39	3.5	0.61	4.0	0.79	4.0	1.15	4.9		
	平均	0.23	3.2	0.36	4.0	0.46	4.0	0.62	4.2		
30	00	0.14	2.7	0.21	3.5	0.26	3.5	0.35	3.9	欠測	欠測
	02	0.17	3.4	0.27	4.9	0.33	5.5	0.44	5.0	WNW	283
	04	0.13	2.6	0.19	3.6	0.24	4.1	0.32	3.6	欠測	欠測
	06	0.11	2.5	0.15	3.4	0.19	3.8	0.26	3.1	欠測	欠測
	08	0.12	2.5	0.17	3.4	0.21	4.0	0.29	3.4	欠測	欠測
	10	0.15	2.5	0.23	3.2	0.29	3.4	0.40	5.0	欠測	欠測
	12	0.24	2.9	0.37	3.3	0.46	3.2	0.64	3.3	N	353
	14	* 0.33	3.0	0.51	3.4	0.62	3.5	0.84	3.0	NE	50
	16	0.33	3.0	* 0.52	3.4	* 0.66	3.3	* 1.04	2.9	N	2
	18	0.22	2.8	0.34	3.5	0.44	3.5	0.66	3.3	NNW	346
	20	0.17	2.9	0.26	3.8	0.32	4.0	0.39	3.7	W	275
	22	0.13	2.6	0.19	3.5	0.23	4.0	0.32	4.1	欠測	欠測
	最大	0.33	3.0	0.52	3.4	0.66	3.3	1.04	2.9		
	平均	0.19	2.8	0.28	3.6	0.35	3.8	0.50	3.7		
31	00	0.11	2.6	0.16	3.7	0.20	4.5	0.28	3.9	欠測	欠測
	02	0.27	3.0	0.42	3.9	0.52	4.1	0.71	5.5	W	276
	04	0.24	3.1	0.39	4.2	0.49	4.3	0.71	4.5	NNE	31
	06	0.28	3.0	0.44	3.8	0.56	3.9	0.92	3.7	NNW	342
	08	0.40	3.2	0.65	3.7	0.83	3.5	1.14	4.0	NE	46
	10	* 0.42	3.5	* 0.67	4.2	* 0.86	4.2	* 1.23	3.2	NW	322
	12	0.36	3.1	0.58	3.7	0.73	3.7	0.91	3.2	NE	47
	14	0.30	3.1	0.47	3.7	0.58	3.7	0.79	4.0	N	6
	16	0.30	3.2	0.46	3.9	0.57	3.9	0.78	3.4	NW	324
	18	0.34	3.3	0.53	4.0	0.67	4.0	0.94	3.3	N	354
	20	0.36	3.8	0.57	4.8	0.71	5.0	1.02	5.2	NE	46
	22	0.33	4.0	0.52	5.0	0.64	5.2	0.89	5.2	NE	36
	最大	0.42	3.5	0.67	4.2	0.86	4.2	1.23	3.2		
	平均	0.31	3.2	0.49	4.0	0.61	4.2	0.86	4.1		
月最大	起時	1.14	5.4	1.78	6.7	2.24	7.3	3.14	7.4		
		0906		0906		0906		0908			
	平均	0.47	4.1	0.75	5.4	0.95	5.5	1.28	5.5		

波浪整理表（1）

1997年 6月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.30	4.2	0.49	5.7	0.62	5.8	0.90	4.8	W	274
	02	0.43	4.8	0.69	6.0	0.87	6.0	1.35	6.0	WNW	303
	04	0.50	5.0	0.81	6.0	1.03	6.0	1.39	5.9	WNW	290
	06	0.50	4.9	0.80	5.8	1.00	5.8	1.36	6.0	NW	307
	08	0.52	4.7	0.82	5.6	0.99	5.5	1.50	6.0	WNW	286
	10	* 0.52	4.9	* 0.85	5.9	* 1.06	5.9	1.40	5.8	W	278
	12	0.51	5.1	0.79	6.4	0.98	6.3	1.39	5.6	NW	307
	14	0.48	5.1	0.77	6.4	0.99	6.6	* 1.55	5.6	WNW	295
	16	0.52	4.4	0.83	5.9	1.04	6.4	1.30	7.0	WNW	295
	18	0.46	4.1	0.75	6.0	0.94	6.3	1.27	5.7	NW	311
	20	0.39	4.4	0.64	6.3	0.82	6.7	1.16	6.7	N	356
	22	0.40	4.7	0.66	6.6	0.82	6.8	1.01	6.6	NNW	340
	最大	0.52	4.9	0.85	5.9	1.06	5.9	1.55	5.6		
	平均	0.46	4.7	0.74	6.0	0.93	6.2	1.30	6.0		
02	00	0.36	5.0	0.58	7.1	0.73	7.1	0.93	7.5	N	356
	02	0.38	5.2	0.61	7.3	0.76	7.4	0.91	7.4	N	8
	04	0.34	4.8	0.57	7.2	0.75	7.1	1.11	7.8	N	4
	06	0.33	4.9	0.56	7.3	0.72	7.7	0.92	6.6	NNE	12
	08	* 0.39	5.3	* 0.65	7.3	* 0.81	7.4	1.20	7.0	N	0
	10	0.34	5.0	0.56	7.0	0.68	7.1	0.85	7.9	N	352
	12	0.36	4.0	0.56	5.8	0.69	6.7	1.15	6.5	NNE	25
	14	0.34	4.0	0.55	5.9	0.71	6.7	1.00	6.6	N	8
	16	0.39	4.2	0.63	5.7	0.78	6.3	1.07	4.2	NNE	16
	18	0.36	4.3	0.57	5.9	0.72	6.4	* 1.21	6.6	NNE	12
	20	0.32	4.2	0.51	6.3	0.64	7.1	0.88	6.9	N	8
	22	0.32	4.7	0.52	6.6	0.67	6.8	0.84	6.8	NNE	12
	最大	0.39	5.3	0.65	7.3	0.81	7.4	1.21	6.6		
	平均	0.35	4.6	0.57	6.6	0.72	7.0	1.01	6.8		
03	00	0.30	3.6	0.49	5.4	0.64	6.1	0.84	6.4	欠測	欠測
	02	0.34	3.7	0.53	5.0	0.66	5.5	0.82	3.8	欠測	欠測
	04	0.45	4.1	0.71	5.3	0.88	5.6	1.18	5.0	NE	35
	06	0.40	4.5	0.63	5.7	0.80	5.6	* 1.22	5.9	N	8
	08	* 0.46	4.9	* 0.72	6.2	* 0.90	6.5	1.10	6.8	NNE	25
	10	0.44	4.9	0.70	6.3	0.85	6.5	1.13	7.4	W	274
	12	0.37	4.5	0.61	6.2	0.76	6.3	0.90	5.9	NE	49
	14	0.36	4.3	0.58	6.0	0.75	6.0	1.22	5.9	欠測	欠測
	16	0.33	4.6	0.52	6.3	0.64	6.3	0.79	6.3	NNE	25
	18	0.31	4.7	0.50	6.1	0.61	5.8	0.76	6.0	N	356
	20	0.29	4.2	0.49	6.0	0.61	6.1	0.82	5.6	NNE	20
	22	0.30	4.7	0.50	6.3	0.65	6.5	0.87	6.1	NNE	25
	最大	0.46	4.9	0.72	6.2	0.90	6.5	1.22	5.9		
	平均	0.36	4.4	0.58	5.9	0.73	6.1	0.97	5.9		
04	00	0.31	4.8	0.48	6.0	0.61	6.0	0.77	6.7	NNE	33
	02	0.31	4.7	0.49	6.0	0.62	6.2	0.80	6.9	NNW	331
	04	0.28	4.3	0.45	5.6	0.56	5.5	0.84	5.2	N	4
	06	0.26	4.5	0.41	5.8	0.49	6.1	0.72	6.1	NNW	344
	08	0.28	4.5	0.44	5.8	0.56	6.3	0.71	5.2	NNW	340
	10	0.28	4.6	0.45	6.1	0.55	6.1	0.77	5.3	N	352
	12	0.27	4.6	0.43	6.1	0.51	6.6	0.61	9.6	NNW	344
	14	0.27	4.5	0.43	6.2	0.53	6.7	0.64	5.1	N	8
	16	0.22	3.6	0.36	5.5	0.46	5.9	0.57	6.9	NNE	15
	18	* 0.32	3.4	* 0.51	4.4	0.63	4.5	0.83	3.8	NNE	23
	20	0.31	3.3	0.51	4.4	* 0.65	4.5	* 0.87	4.8	欠測	欠測
	22	0.27	3.6	0.42	4.8	0.53	5.1	0.69	3.9	N	351
	最大	0.32	3.4	0.51	4.4	0.65	4.5	0.87	4.8		
	平均	0.28	4.2	0.45	5.6	0.56	5.8	0.73	5.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月											波 高		波 向																			
											規定回数	360 回	規定回数	360 回																		
											測得回数	360 回	測得回数	248 回																		
											欠測回数	0 回	欠測回数	112 回																		
											欠 測 率	0.0 %	欠 測 率	31.1 %																		
											機種：波向 海象計 - 50.0m																					
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m											緯度：N 37° -25′-51″ 経度：E 136° -54′-08″										
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向																						
										16方位	角度																					
05	00	* 0.28	3.5	* 0.44	4.5	* 0.55	4.6	0.67	4.9	NW	313																					
	02	0.24	3.6	0.39	4.7	0.48	4.8	0.64	5.4	NNW	333																					
	04	0.24	3.4	0.38	4.5	0.48	4.9	0.66	5.5	NW	313																					
	06	0.23	3.4	0.36	4.8	0.47	5.0	0.63	4.0	NE	54																					
	08	0.26	3.6	0.40	4.7	0.48	5.2	0.57	7.0	NNW	330																					
	10	0.25	3.8	0.41	5.2	0.50	5.3	0.69	6.2	NE	38																					
	12	0.24	3.5	0.37	4.8	0.46	5.1	0.57	6.1	NNE	29																					
	14	0.24	3.2	0.39	4.3	0.49	4.9	0.63	7.2	NE	44																					
	16	0.26	3.0	0.41	4.1	0.49	4.5	0.64	3.7	NNW	338																					
	18	0.23	3.2	0.35	4.4	0.46	4.5	* 0.75	4.0	N	350																					
	20	0.22	3.3	0.34	4.3	0.43	4.5	0.65	4.8	NNE	16																					
	22	0.19	3.4	0.30	4.6	0.38	4.7	0.50	4.3	NNW	331																					
	最大	0.28	3.5	0.44	4.5	0.55	4.6	0.75	4.0																							
	平均	0.24	3.4	0.38	4.6	0.47	4.8	0.63	5.3																							
06	00	0.19	3.3	0.29	4.4	0.38	4.6	0.57	4.2	W	272																					
	02	0.23	3.6	0.36	4.9	0.46	5.0	0.63	4.8	欠測	欠測																					
	04	0.20	3.1	0.32	4.3	0.41	4.4	0.55	5.4	欠測	欠測																					
	06	0.17	3.1	0.27	4.3	0.33	4.7	0.43	5.4	NW	317																					
	08	0.17	2.9	0.26	4.2	0.33	4.4	0.43	4.8	NW	310																					
	10	0.18	3.0	0.27	4.1	0.34	4.4	0.43	4.7	N	352																					
	12	0.17	2.9	0.27	4.1	0.33	4.4	0.42	4.3	N	352																					
	14	0.16	2.9	0.24	4.1	0.30	4.4	0.42	3.4	欠測	欠測																					
	16	0.18	2.9	0.27	4.0	0.34	4.3	0.44	4.0	欠測	欠測																					
	18	* 0.24	3.0	* 0.39	3.8	* 0.48	3.8	* 0.68	3.4	NNE	33																					
	20	0.23	3.0	0.35	3.7	0.44	3.9	0.64	3.4	NNW	342																					
	22	0.21	2.9	0.32	3.8	0.39	3.8	0.51	3.2	NW	311																					
	最大	0.24	3.0	0.39	3.8	0.48	3.8	0.68	3.4																							
	平均	0.19	3.0	0.30	4.1	0.38	4.3	0.51	4.3																							
07	00	0.23	2.9	0.36	3.8	0.46	3.7	0.61	6.4	NNW	340																					
	02	0.22	3.2	0.35	4.3	0.44	4.6	0.67	3.9	NNW	330																					
	04	0.20	3.2	0.31	4.2	0.38	4.3	0.56	3.6	欠測	欠測																					
	06	0.20	3.0	0.33	4.0	0.41	4.1	0.50	3.5	NNE	29																					
	08	0.22	3.2	0.35	4.5	0.43	4.7	0.67	5.4	NE	35																					
	10	0.22	3.3	0.36	4.7	0.44	5.2	0.60	4.8	WNW	303																					
	12	0.22	3.3	0.36	4.6	0.45	4.9	0.72	5.1	NNW	333																					
	14	0.23	3.6	0.36	4.8	0.45	5.1	0.59	4.6	N	4																					
	16	0.26	3.6	0.41	5.0	0.51	5.2	0.76	4.7	NNW	341																					
	18	0.27	3.9	0.43	5.3	0.55	5.5	0.70	6.1	NE	38																					
	20	0.30	3.9	0.49	5.4	* 0.62	5.6	* 0.85	5.3	N	355																					
	22	* 0.32	4.4	* 0.50	5.6	0.62	5.6	0.73	7.2	NNE	20																					
	最大	0.32	4.4	0.50	5.6	0.62	5.6	0.85	5.3																							
	平均	0.24	3.5	0.38	4.7	0.48	4.9	0.66	5.0																							
08	00	0.29	4.1	0.47	5.7	0.60	5.8	0.83	6.5	N	4																					
	02	0.32	4.6	0.50	6.1	0.61	6.5	0.68	8.9	NNE	12																					
	04	0.32	4.7	0.51	6.1	0.65	6.1	0.87	5.6	N	4																					
	06	0.26	4.3	0.42	5.7	0.52	6.2	0.70	7.5	NNE	25																					
	08	0.32	4.1	0.49	5.6	0.60	6.2	0.88	6.5	NNE	12																					
	10	0.28	3.8	0.45	5.4	0.58	5.8	0.79	5.8	W	280																					
	12	0.38	3.5	0.61	4.4	0.76	4.5	1.04	7.3	NNE	17																					
	14	0.50	3.6	0.80	4.2	0.99	4.2	1.34	3.8	欠測	欠測																					
	16	* 0.56	3.7	* 0.87	4.4	* 1.08	4.3	* 1.89	3.2	欠測	欠測																					
	18	0.45	3.9	0.70	4.8	0.86	4.8	1.13	4.0	NNW	332																					
	20	0.46	4.2	0.71	5.3	0.88	5.5	1.24	4.7	W	280																					
	22	0.46	4.4	0.72	5.4	0.89	5.5	1.21	5.3	NNW	345																					
	最大	0.56	3.7	0.87	4.4	1.08	4.3	1.89	3.2																							
	平均	0.38	4.1	0.60	5.3	0.75	5.4	1.05	5.8																							

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	* 0.47	4.7	* 0.74	5.6	* 0.91	5.5	* 1.28	5.7	NNE	20
	02	0.44	4.7	0.71	5.6	0.88	5.6	1.18	5.3	NNE	16
	04	0.37	4.2	0.62	5.5	0.77	5.6	0.95	7.3	NE	42
	06	0.38	4.4	0.61	5.5	0.76	5.7	0.94	5.5	NE	50
	08	0.35	4.1	0.58	5.2	0.73	5.3	1.07	5.7	欠測	欠測
	10	0.40	4.1	0.64	5.1	0.80	4.9	1.06	5.2	NNE	24
	12	0.36	3.9	0.56	4.7	0.71	4.5	0.95	3.6	欠測	欠測
	14	0.37	3.7	0.62	4.9	0.80	4.9	1.07	4.9	欠測	欠測
	16	0.39	3.9	0.63	5.1	0.75	5.0	0.94	4.9	欠測	欠測
	18	0.36	4.2	0.60	6.2	0.74	6.4	0.87	5.0	NNE	25
	20	0.39	4.6	0.63	6.0	0.79	6.1	0.97	6.8	NNE	20
	22	0.38	4.8	0.61	6.2	0.78	6.5	1.05	6.5	NNE	29
	最大	0.47	4.7	0.74	5.6	0.91	5.5	1.28	5.7		
	平均	0.39	4.3	0.63	5.5	0.79	5.5	1.03	5.5		
10	00	* 0.40	4.6	* 0.63	5.8	* 0.76	5.9	0.97	5.9	NNE	20
	02	0.35	4.4	0.57	6.1	0.69	6.3	0.78	6.4	NNE	20
	04	0.28	3.9	0.45	5.4	0.57	5.7	0.83	5.7	W	279
	06	0.29	3.4	0.45	4.9	0.57	5.2	0.77	3.9	欠測	欠測
	08	0.31	3.4	0.48	4.7	0.60	5.3	0.77	6.0	NNE	18
	10	0.37	3.5	0.57	4.3	0.69	4.5	0.87	3.2	NE	38
	12	0.35	3.3	0.56	4.3	0.69	4.2	0.88	3.8	N	359
	14	0.33	3.4	0.53	4.5	0.69	4.8	0.85	4.1	NW	311
	16	0.33	3.5	0.53	4.6	0.65	4.6	* 1.01	6.5	欠測	欠測
	18	0.33	3.7	0.52	4.6	0.66	4.5	0.96	4.8	WNW	302
	20	0.32	3.8	0.51	4.6	0.61	4.6	0.79	4.2	N	6
	22	0.33	4.1	0.51	4.8	0.63	4.6	0.89	4.3	WNW	286
	最大	0.40	4.6	0.63	5.8	0.76	5.9	1.01	6.5		
	平均	0.33	3.8	0.53	4.9	0.65	5.0	0.86	4.9		
11	00	* 0.32	3.8	* 0.51	4.7	* 0.64	4.8	* 0.84	5.0	欠測	欠測
	02	0.30	3.8	0.47	4.8	0.57	5.0	0.76	7.2	欠測	欠測
	04	0.29	3.9	0.46	4.6	0.57	4.8	0.82	3.8	NNE	30
	06	0.27	3.8	0.43	5.1	0.53	5.0	0.66	5.0	NW	306
	08	0.27	3.8	0.43	5.2	0.51	5.5	0.67	5.0	NNE	21
	10	0.26	3.9	0.41	5.1	0.51	5.1	0.65	4.1	欠測	欠測
	12	0.25	3.9	0.41	5.0	0.50	5.1	0.65	6.4	NNE	28
	14	0.25	3.9	0.39	5.3	0.48	5.6	0.58	5.3	NNE	30
	16	0.22	3.8	0.36	5.6	0.43	6.1	0.60	5.3	N	0
	18	0.23	3.7	0.36	5.4	0.47	5.8	0.60	5.1	欠測	欠測
	20	0.27	3.9	0.42	5.4	0.52	5.9	0.71	5.7	NE	44
	22	0.24	4.2	0.38	5.9	0.48	6.4	0.63	7.1	N	8
	最大	0.32	3.8	0.51	4.7	0.64	4.8	0.84	5.0		
	平均	0.26	3.9	0.42	5.2	0.52	5.4	0.68	5.4		
12	00	0.23	4.1	0.39	6.0	0.49	6.2	0.65	7.1	N	4
	02	* 0.28	4.5	* 0.46	6.2	* 0.58	6.2	0.77	6.6	NNE	33
	04	0.27	4.1	0.45	5.7	0.56	5.9	* 0.80	5.6	NNE	16
	06	0.24	4.0	0.39	5.5	0.49	6.0	0.67	5.5	欠測	欠測
	08	0.24	4.1	0.37	5.0	0.46	5.4	0.68	5.6	WNW	290
	10	0.25	4.0	0.38	5.5	0.47	5.4	0.66	4.6	NNE	12
	12	0.26	3.5	0.40	4.8	0.49	5.0	0.66	6.0	NE	43
	14	0.23	3.9	0.38	5.5	0.48	5.7	0.66	6.4	欠測	欠測
	16	0.22	3.7	0.36	5.2	0.47	5.8	0.65	4.3	NNE	33
	18	0.23	3.5	0.37	5.0	0.46	5.1	0.57	4.2	NNW	340
	20	0.26	3.8	0.40	5.1	0.49	5.3	0.63	5.1	欠測	欠測
	22	0.21	4.0	0.34	5.4	0.42	5.5	0.59	4.8	WNW	292
	最大	0.28	4.5	0.46	6.2	0.58	6.2	0.80	5.6		
	平均	0.24	3.9	0.39	5.4	0.49	5.6	0.67	5.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

波 向

規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	248 回
欠測回数	0 回	欠測回数	112 回
欠 測 率	0.0 %	欠 測 率	31.1 %

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	* 0.22	3.9	* 0.35	5.3	* 0.45	5.5	0.60	5.6	W	280
	02	0.20	3.7	0.33	5.3	0.41	5.5	0.52	6.3	NE	56
	04	0.17	3.4	0.28	4.8	0.35	5.4	0.48	5.8	NNE	12
	06	0.19	3.5	0.30	4.9	0.38	5.2	* 0.61	5.2	NNE	25
	08	0.19	3.1	0.29	4.2	0.36	4.4	0.54	3.3	欠測	欠測
	10	0.17	3.0	0.27	4.0	0.34	4.5	0.49	4.9	W	279
	12	0.16	3.2	0.25	4.2	0.31	4.4	0.40	4.3	欠測	欠測
	14	0.15	3.3	0.24	4.5	0.31	4.7	0.38	4.8	欠測	欠測
	16	0.18	3.6	0.28	5.0	0.35	5.1	0.49	7.5	N	3
	18	0.14	3.0	0.22	4.2	0.27	4.6	0.36	5.9	欠測	欠測
	20	0.15	3.1	0.25	4.4	0.31	4.8	0.45	4.5	欠測	欠測
	22	0.13	2.8	0.19	4.0	0.23	4.9	0.30	3.6	欠測	欠測
最大		0.22	3.9	0.35	5.3	0.45	5.5	0.61	5.2		
平均		0.17	3.3	0.27	4.6	0.34	4.9	0.47	5.1		
14	00	0.13	3.0	0.20	4.5	0.25	4.9	0.34	4.4	欠測	欠測
	02	0.15	3.1	0.23	4.5	0.28	4.7	0.41	4.7	欠測	欠測
	04	0.13	2.9	0.19	4.1	0.24	4.4	0.30	4.8	欠測	欠測
	06	0.12	2.7	0.19	3.7	0.23	4.2	0.31	4.9	欠測	欠測
	08	0.12	2.8	0.19	4.0	0.24	4.2	0.32	4.5	欠測	欠測
	10	0.12	2.7	0.18	3.8	0.22	4.3	0.29	2.3	欠測	欠測
	12	0.13	2.7	0.20	3.6	0.24	4.2	0.31	4.5	欠測	欠測
	14	0.13	2.5	0.18	3.4	0.23	3.8	0.29	5.3	欠測	欠測
	16	* 0.19	3.0	* 0.29	3.9	* 0.37	4.1	* 0.63	3.1	欠測	欠測
	18	0.14	2.5	0.22	3.2	0.27	3.6	0.36	3.1	欠測	欠測
	20	0.15	2.7	0.24	3.9	0.30	4.4	0.39	3.4	欠測	欠測
	22	0.15	2.7	0.23	3.6	0.28	3.9	0.37	3.4	欠測	欠測
最大		0.19	3.0	0.29	3.9	0.37	4.1	0.63	3.1		
平均		0.14	2.8	0.21	3.9	0.26	4.2	0.36	4.0		
15	00	0.15	2.5	0.24	3.3	0.30	3.4	0.43	2.5	欠測	欠測
	02	0.14	2.8	0.21	3.9	0.26	4.2	0.37	8.0	欠測	欠測
	04	0.12	2.5	0.17	3.5	0.21	3.8	0.28	4.7	欠測	欠測
	06	0.12	2.7	0.19	3.6	0.23	4.1	0.29	4.1	欠測	欠測
	08	0.12	2.8	0.19	3.7	0.23	3.9	0.31	3.0	欠測	欠測
	10	0.13	2.5	0.19	3.3	0.24	3.8	0.32	3.2	欠測	欠測
	12	0.23	2.7	0.35	3.1	0.44	2.9	0.57	2.9	N	9
	14	0.22	2.7	0.33	3.1	0.42	3.2	0.62	2.8	NE	52
	16	0.21	2.9	0.32	3.5	0.40	3.5	0.55	2.9	欠測	欠測
	18	0.23	2.7	0.37	3.1	0.47	3.2	0.64	2.7	W	271
	20	* 0.25	2.7	* 0.39	3.3	* 0.49	2.9	* 0.68	2.6	欠測	欠測
	22	0.24	2.9	0.37	3.4	0.45	3.4	0.54	3.1	WNW	283
最大		0.25	2.7	0.39	3.3	0.49	2.9	0.68	2.6		
平均		0.18	2.7	0.28	3.4	0.35	3.5	0.47	3.5		
16	00	0.28	3.2	0.44	3.7	0.56	3.8	0.84	3.6	欠測	欠測
	02	0.27	3.1	0.42	3.8	0.53	3.8	0.68	4.3	NW	323
	04	0.27	3.0	0.42	3.5	0.53	3.6	0.67	3.1	欠測	欠測
	06	0.30	3.0	0.47	3.6	0.59	3.4	0.79	3.9	NNE	28
	08	* 0.32	3.1	* 0.50	3.6	* 0.62	3.5	* 0.89	3.7	NNE	27
	10	0.27	3.0	0.44	3.8	0.55	3.9	0.76	3.6	NNW	332
	12	0.27	3.3	0.42	4.0	0.52	4.1	0.62	3.8	WNW	290
	14	0.23	3.2	0.38	4.3	0.48	4.3	0.66	4.2	N	353
	16	0.27	3.3	0.43	4.3	0.55	4.2	0.81	3.6	NE	41
	18	0.24	3.2	0.38	4.3	0.47	4.5	0.61	3.6	NNW	341
	20	0.27	3.7	0.42	4.7	0.53	4.9	0.73	3.9	N	353
	22	0.23	3.5	0.37	4.7	0.45	4.8	0.59	6.6	欠測	欠測
最大		0.32	3.1	0.50	3.6	0.62	3.5	0.89	3.7		
平均		0.27	3.2	0.42	4.0	0.53	4.1	0.72	4.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月										
機種：波向 海象計 - 50.0m										
観測所：輪島港輪島崎地区										
機種：波高 海象計 - 50.0m										
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″										
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度
17	00	0.22	3.2	0.34	4.3	0.43	4.3	0.64	4.2	NW 315
	02	0.25	3.5	0.39	4.6	0.48	4.9	0.62	2.9	N 10
	04	0.22	3.7	0.34	4.6	0.42	4.7	0.53	4.8	NE 49
	06	0.19	3.4	0.29	4.8	0.37	4.9	0.51	4.2	NW 315
	08	0.19	3.8	0.30	4.7	0.36	5.0	0.56	5.1	NNW 343
	10	0.20	4.0	0.32	5.5	0.41	5.9	0.63	5.5	欠測 欠測
	12	0.25	4.5	0.40	5.6	0.49	5.4	0.64	5.9	NNE 25
	14	0.26	4.5	0.40	5.8	0.49	5.8	0.64	4.9	NNE 20
	16	0.29	4.4	* 0.48	5.8	0.58	6.0	0.77	6.4	NNE 29
	18	* 0.29	4.5	0.47	5.7	* 0.61	5.8	* 0.78	5.9	NNE 20
	20	0.23	3.4	0.36	4.8	0.45	5.4	0.64	5.2	NW 314
	22	0.21	3.7	0.35	5.2	0.45	5.5	0.61	5.7	欠測 欠測
	最大	0.29	4.5	0.48	5.8	0.61	5.8	0.78	5.9	
	平均	0.23	3.9	0.37	5.1	0.46	5.3	0.63	5.1	
18	00	* 0.20	3.7	* 0.33	5.2	* 0.42	5.8	* 0.65	5.9	NNE 24
	02	0.19	3.6	0.30	5.1	0.37	5.3	0.48	5.7	欠測 欠測
	04	0.17	3.3	0.27	4.7	0.32	5.0	0.38	5.1	W 272
	06	0.17	3.3	0.28	4.6	0.34	4.8	0.49	4.4	欠測 欠測
	08	0.19	3.1	0.29	4.2	0.37	4.3	0.48	4.2	NNE 27
	10	0.14	3.0	0.23	4.2	0.29	4.8	0.41	4.9	欠測 欠測
	12	0.15	3.1	0.23	4.2	0.28	4.6	0.37	3.8	欠測 欠測
	14	0.18	3.1	0.29	4.0	0.37	4.3	0.48	4.0	NNW 337
	16	0.17	3.5	0.26	4.8	0.31	5.1	0.39	5.8	NNE 16
	18	0.14	3.1	0.22	3.8	0.26	4.2	0.34	3.9	欠測 欠測
	20	0.17	3.4	0.25	4.2	0.31	4.2	0.54	3.9	欠測 欠測
	22	0.13	2.9	0.21	3.9	0.26	4.0	0.32	4.7	欠測 欠測
	最大	0.20	3.7	0.33	5.2	0.42	5.8	0.65	5.9	
	平均	0.17	3.3	0.26	4.4	0.33	4.7	0.44	4.7	
19	00	0.16	2.9	0.24	3.7	0.31	3.8	0.47	4.3	欠測 欠測
	02	0.16	3.1	0.24	4.1	0.30	4.1	0.40	4.8	欠測 欠測
	04	0.14	2.8	0.21	3.7	0.26	3.8	0.41	4.5	欠測 欠測
	06	0.11	2.5	0.17	3.3	0.20	3.7	0.27	4.0	欠測 欠測
	08	0.11	2.6	0.17	3.6	0.21	4.1	0.27	5.9	欠測 欠測
	10	0.12	2.7	0.19	3.6	0.23	3.9	0.32	4.0	欠測 欠測
	12	0.13	2.8	0.20	3.6	0.25	3.9	0.35	3.7	欠測 欠測
	14	0.26	2.8	0.41	3.2	0.52	3.0	0.70	3.3	WNW 299
	16	* 0.35	3.0	* 0.54	3.3	* 0.68	3.2	0.84	3.6	W 281
	18	0.29	2.9	0.46	3.3	0.59	3.2	* 1.05	3.4	欠測 欠測
	20	0.21	2.7	0.33	3.4	0.42	3.1	0.71	3.2	NNE 32
	22	0.16	2.8	0.25	3.7	0.31	3.6	0.41	3.1	欠測 欠測
	最大	0.35	3.0	0.54	3.3	0.68	3.2	1.05	3.4	
	平均	0.18	2.8	0.28	3.5	0.36	3.6	0.52	4.0	
20	00	0.18	2.9	0.28	3.6	0.34	3.8	0.45	3.7	NE 36
	02	0.19	3.1	0.28	3.8	0.34	4.2	0.40	3.0	欠測 欠測
	04	0.18	2.7	0.29	3.4	0.36	3.7	0.46	3.0	N 11
	06	0.26	2.9	0.42	3.4	0.53	3.3	0.69	3.1	WNW 295
	08	0.25	2.9	0.38	3.4	0.48	3.3	0.60	3.1	欠測 欠測
	10	0.30	3.0	0.48	3.4	0.60	3.4	0.82	3.2	NNE 33
	12	0.45	3.4	0.70	3.8	0.87	3.7	1.10	3.7	欠測 欠測
	14	0.65	3.9	1.05	4.5	1.36	4.3	1.97	3.6	NW 314
	16	0.70	4.2	1.15	4.9	1.51	4.9	* 2.46	4.7	NW 309
	18	* 0.86	4.8	* 1.35	5.5	* 1.68	5.6	2.14	5.4	NE 39
	20	0.73	4.6	1.16	5.6	1.49	5.6	2.07	5.2	NE 37
	22	0.65	4.2	1.05	5.2	1.29	5.2	1.75	5.2	欠測 欠測
	最大	0.86	4.8	1.35	5.5	1.68	5.6	2.46	4.7	
	平均	0.45	3.6	0.72	4.2	0.90	4.3	1.24	3.9	

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	248 回
										欠測回数	0 回	欠測回数	112 回
										欠 測 率	0.0 %	欠 測 率	31.1 %
機種：波向 海象計 - 50.0m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 50.0m			
										緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
21	00	* 0.69	4.5	* 1.06	5.4	* 1.31	5.5	* 1.87	5.5	欠測	欠測		
	02	0.56	4.0	0.92	5.1	1.18	5.2	1.65	5.1	欠測	欠測		
	04	0.60	4.4	0.93	5.3	1.13	5.5	1.33	5.3	欠測	欠測		
	06	0.57	4.4	0.89	5.4	1.10	5.4	1.56	5.1	欠測	欠測		
	08	0.46	4.1	0.73	5.0	0.92	5.1	1.20	5.2	欠測	欠測		
	10	0.38	4.0	0.61	5.0	0.74	5.2	0.93	5.1	NNE	14		
	12	0.42	3.9	0.68	5.2	0.83	5.2	1.14	4.2	NE	56		
	14	0.43	4.4	0.68	5.4	0.84	5.3	1.15	5.1	WNW	302		
	16	0.34	3.8	0.53	5.0	0.64	5.0	0.85	6.3	NNW	340		
	18	0.33	4.4	0.51	5.6	0.65	5.5	0.83	5.7	NNE	33		
	20	0.34	4.3	0.55	5.8	0.70	6.4	0.94	6.1	NE	49		
	22	0.27	4.1	0.44	5.4	0.55	5.9	0.79	7.0	W	275		
最大		0.69	4.5	1.06	5.4	1.31	5.5	1.87	5.5				
平均		0.45	4.2	0.71	5.3	0.88	5.4	1.19	5.5				
22	00	0.28	4.0	0.45	5.4	0.57	5.5	0.73	6.5	NNW	339		
	02	* 0.33	4.2	* 0.52	5.2	* 0.65	5.3	* 1.07	4.8	欠測	欠測		
	04	0.28	3.8	0.44	5.0	0.52	4.9	0.71	4.2	NW	312		
	06	0.25	3.9	0.38	4.8	0.46	4.9	0.63	4.0	欠測	欠測		
	08	0.24	3.7	0.37	4.4	0.44	4.6	0.63	4.6	NNW	337		
	10	0.20	3.8	0.31	4.6	0.38	4.6	0.50	4.8	NNE	16		
	12	0.19	3.1	0.30	4.4	0.39	4.8	0.51	4.2	NE	56		
	14	0.18	2.8	0.29	3.9	0.37	4.1	0.57	4.6	NNE	24		
	16	0.20	3.1	0.31	4.3	0.38	4.5	0.58	4.0	WNW	283		
	18	0.17	3.0	0.26	4.0	0.33	4.2	0.42	3.4	NE	42		
	20	0.20	3.3	0.30	4.1	0.38	4.1	0.51	3.5	NW	304		
	22	0.16	3.1	0.25	4.1	0.31	4.5	0.49	4.6	欠測	欠測		
最大		0.33	4.2	0.52	5.2	0.65	5.3	1.07	4.8				
平均		0.22	3.5	0.35	4.5	0.43	4.7	0.61	4.4				
23	00	0.16	3.1	0.25	4.2	0.31	4.5	0.44	4.5	欠測	欠測		
	02	0.15	3.1	0.24	4.0	0.29	4.1	0.39	4.4	欠測	欠測		
	04	0.15	2.9	0.23	4.0	0.29	4.2	0.39	4.2	欠測	欠測		
	06	0.14	2.8	0.22	3.9	0.28	4.1	0.43	4.2	欠測	欠測		
	08	0.14	2.9	0.21	3.8	0.27	4.1	0.40	4.0	欠測	欠測		
	10	0.15	3.6	0.24	4.4	0.29	4.6	0.36	4.0	欠測	欠測		
	12	0.17	3.2	0.27	4.6	0.33	4.8	0.45	4.4	NNW	332		
	14	* 0.20	3.0	0.30	4.2	0.37	4.4	0.49	4.8	NE	49		
	16	0.19	2.8	0.30	3.7	* 0.38	3.6	* 0.58	4.9	NW	324		
	18	0.19	3.0	0.29	4.2	0.36	4.9	0.46	4.8	NNE	16		
	20	0.19	3.2	* 0.30	4.3	0.36	4.4	0.44	4.3	NNW	337		
	22	0.15	3.2	0.23	4.2	0.28	4.3	0.38	4.8	欠測	欠測		
最大		0.20	3.0	0.30	4.3	0.38	3.6	0.58	4.9				
平均		0.16	3.1	0.26	4.1	0.32	4.3	0.43	4.4				
24	00	0.16	3.3	0.25	4.4	0.32	4.3	0.42	4.4	欠測	欠測		
	02	* 0.19	3.4	* 0.28	4.5	* 0.34	4.9	* 0.45	5.0	NE	53		
	04	0.15	3.0	0.23	4.2	0.27	4.5	0.37	4.4	欠測	欠測		
	06	0.14	3.1	0.21	4.2	0.26	4.2	0.37	3.3	欠測	欠測		
	08	0.12	2.9	0.18	3.8	0.22	3.9	0.32	4.2	欠測	欠測		
	10	0.12	2.8	0.18	3.9	0.22	4.4	0.27	5.6	欠測	欠測		
	12	0.12	2.8	0.17	3.8	0.22	4.3	0.27	3.4	欠測	欠測		
	14	0.13	2.7	0.19	3.7	0.24	3.7	0.34	3.6	欠測	欠測		
	16	0.13	2.9	0.20	4.0	0.24	4.4	0.32	4.1	欠測	欠測		
	18	0.13	2.9	0.19	3.9	0.24	4.5	0.32	3.7	欠測	欠測		
	20	0.11	3.1	0.17	3.9	0.20	4.3	0.23	9.6	欠測	欠測		
	22	0.11	2.6	0.17	3.6	0.21	3.7	0.32	4.2	欠測	欠測		
最大		0.19	3.4	0.28	4.5	0.34	4.9	0.45	5.0				
平均		0.13	3.0	0.20	4.0	0.25	4.3	0.33	4.6				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	248 回
										欠測回数	0 回	欠測回数	112 回
										欠 測 率	0.0 %	欠 測 率	31.1 %
機種：波向 海象計 - 50.0m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 50.0m			
										緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
25	00	0.14	2.8	0.21	3.8	0.27	3.9	0.37	4.4	欠測	欠測		
	02	0.14	3.3	0.22	5.0	0.26	6.0	0.33	6.7	欠測	欠測		
	04	0.11	2.7	0.17	3.7	0.21	3.8	0.29	2.4	欠測	欠測		
	06	0.12	2.8	0.19	3.7	0.23	4.3	0.32	5.4	欠測	欠測		
	08	0.13	2.8	0.19	3.7	0.24	3.9	0.35	4.1	欠測	欠測		
	10	0.17	2.7	0.26	3.4	0.31	3.6	0.48	5.5	N	9		
	12	0.23	2.8	0.36	3.1	0.46	3.0	0.65	3.1	WNW	290		
	14	0.21	2.7	0.33	3.3	0.42	3.2	0.66	2.7	欠測	欠測		
	16	0.25	2.9	* 0.40	3.4	* 0.52	3.3	0.77	3.2	NE	37		
	18	* 0.26	3.2	0.39	3.8	0.49	3.9	0.78	3.7	NE	38		
	20	0.25	3.3	0.39	4.1	0.50	4.3	* 0.83	4.3	NW	307		
	22	0.18	3.3	0.28	4.5	0.35	4.8	0.62	4.3	NNW	343		
最大		0.26	3.2	0.40	3.4	0.52	3.3	0.83	4.3				
平均		0.18	2.9	0.28	3.8	0.35	4.0	0.54	4.2				
26	00	0.21	3.9	0.33	5.2	0.40	5.3	0.67	5.1	NNW	332		
	02	0.23	4.3	0.37	5.9	0.46	6.0	0.71	6.0	W	278		
	04	0.20	4.0	0.33	5.6	0.41	5.8	0.61	5.3	W	270		
	06	0.21	4.3	0.33	5.7	0.40	5.9	0.48	6.0	W	262		
	08	0.32	3.4	0.51	4.6	0.64	4.5	0.78	6.9	NNW	338		
	10	0.55	4.5	0.90	5.5	1.13	5.4	1.49	5.6	WNW	295		
	12	* 0.59	4.2	* 0.97	5.2	* 1.20	5.1	* 1.71	5.5	欠測	欠測		
	14	0.53	3.7	0.84	4.5	1.06	4.6	1.58	4.0	NE	48		
	16	0.43	3.6	0.67	4.5	0.85	4.4	1.37	4.5	WNW	285		
	18	0.42	3.6	0.65	4.1	0.80	4.1	1.05	4.2	N	356		
	20	0.35	3.5	0.54	4.4	0.67	4.6	0.85	5.0	欠測	欠測		
	22	0.34	3.9	0.53	5.1	0.69	5.0	0.99	4.9	N	9		
最大		0.59	4.2	0.97	5.2	1.20	5.1	1.71	5.5				
平均		0.36	3.9	0.58	5.0	0.73	5.1	1.02	5.3				
27	00	0.34	4.4	0.56	5.4	0.70	5.5	0.98	4.9	NNW	344		
	02	0.40	4.6	0.62	5.7	0.79	5.6	1.08	5.5	W	278		
	04	0.39	4.6	0.60	5.5	0.73	5.4	0.96	4.8	W	277		
	06	0.41	4.3	0.64	5.4	0.78	5.5	0.93	5.4	NE	48		
	08	0.49	3.8	0.80	4.7	1.01	4.8	* 1.33	4.7	NE	56		
	10	* 0.52	3.8	* 0.83	4.5	* 1.03	4.6	1.21	4.7	N	358		
	12	0.43	3.6	0.68	4.5	0.85	4.6	1.10	5.1	NE	45		
	14	0.41	3.9	0.64	4.8	0.78	4.9	0.94	4.7	NW	326		
	16	0.34	3.7	0.56	4.8	0.71	4.8	0.95	5.8	NNE	16		
	18	0.35	3.9	0.56	5.2	0.69	5.4	0.92	5.0	N	358		
	20	0.36	4.3	0.56	5.3	0.70	5.3	0.95	4.6	NNE	23		
	22	0.36	4.5	0.56	5.6	0.70	5.6	0.89	4.8	WNW	282		
最大		0.52	3.8	0.83	4.5	1.03	4.6	1.33	4.7				
平均		0.40	4.1	0.63	5.1	0.79	5.2	1.02	5.0				
28	00	0.35	4.6	0.55	5.5	0.65	5.7	0.83	5.8	WNW	296		
	02	0.31	4.4	0.48	5.4	0.61	5.5	0.81	5.4	NNW	339		
	04	0.30	4.4	0.47	5.4	0.56	5.2	0.69	5.6	NNE	18		
	06	0.28	4.2	0.45	5.3	0.55	5.2	0.77	5.5	N	10		
	08	0.26	4.1	0.40	5.0	0.51	4.9	0.68	5.2	NNE	14		
	10	0.25	3.4	0.41	4.7	0.52	4.8	0.67	5.6	N	356		
	12	0.30	3.4	0.46	4.3	0.56	4.3	0.73	4.0	NW	315		
	14	0.39	3.0	0.61	3.3	0.77	3.1	1.01	2.7	NNE	28		
	16	0.58	3.5	0.92	3.9	1.18	3.9	1.62	4.0	NE	43		
	18	0.80	3.8	1.25	4.2	1.65	4.4	2.12	4.5	WNW	293		
	20	1.16	4.4	1.85	5.1	2.33	5.2	* 3.21	5.1	欠測	欠測		
	22	* 1.31	4.8	* 2.08	5.7	* 2.67	5.6	3.19	5.3	欠測	欠測		
最大		1.31	4.8	2.08	5.7	2.67	5.6	3.21	5.1				
平均		0.52	4.0	0.83	4.8	1.05	4.8	1.36	4.9				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 6月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	248 回
欠測回数	0 回	欠測回数	112 回
欠 測 率	0.0 %	欠 測 率	31.1 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 1.67	5.4	* 2.73	6.6	* 3.53	6.6	* 5.20	6.7	欠測	欠測
	02	1.49	5.5	2.44	6.9	3.03	7.1	3.85	7.2	NNE	33
	04	1.31	5.7	2.13	7.0	2.61	7.2	3.23	7.3	NE	45
	06	1.13	5.1	1.85	6.6	2.40	6.9	3.09	6.8	NE	45
	08	0.99	4.7	1.56	5.8	1.97	6.2	2.53	6.1	NE	49
	10	0.91	4.8	1.43	5.7	1.75	5.9	2.28	5.6	NE	45
	12	0.72	4.5	1.18	5.9	1.46	6.1	1.81	5.9	NE	49
	14	0.76	4.6	1.17	5.2	1.45	5.3	2.06	4.9	N	2
	16	0.68	4.6	1.06	5.6	1.28	5.6	1.51	5.6	NE	41
	18	0.64	4.7	0.99	5.6	1.20	5.4	1.51	5.4	NE	45
	20	0.60	4.8	0.97	5.8	1.21	5.8	1.48	5.9	NE	37
	22	0.53	4.9	0.86	6.0	1.03	5.9	1.22	6.2	NNE	25
	最大	1.67	5.4	2.73	6.6	3.53	6.6	5.20	6.7		
	平均	0.95	4.9	1.53	6.1	1.91	6.2	2.48	6.1		
30	00	0.50	5.0	0.80	6.2	0.98	6.2	1.42	6.0	NNE	20
	02	* 0.58	5.6	* 0.90	6.4	* 1.13	6.3	* 1.58	6.1	NNE	20
	04	0.51	5.0	0.82	6.4	1.03	6.6	1.57	6.6	NNE	16
	06	0.49	5.1	0.78	6.3	0.97	6.4	1.14	5.8	NNE	25
	08	0.51	4.7	0.85	6.3	1.05	6.3	1.36	6.2	NNE	20
	10	0.45	4.6	0.73	5.9	0.89	6.2	1.16	5.9	N	4
	12	0.42	4.6	0.69	6.2	0.89	6.5	1.28	6.8	NNE	29
	14	0.45	5.4	0.72	6.7	0.85	6.7	1.18	6.4	NNE	25
	16	0.39	4.9	0.64	6.3	0.83	6.5	1.34	5.9	NNE	20
	18	0.32	4.9	0.51	6.5	0.64	6.6	0.78	6.6	NNE	25
	20	0.32	4.5	0.49	6.0	0.60	5.9	0.74	5.7	NNE	16
	22	0.27	4.5	0.45	6.4	0.56	6.3	0.80	6.6	NNE	20
	最大	0.58	5.6	0.90	6.4	1.13	6.3	1.58	6.1		
	平均	0.43	4.9	0.70	6.3	0.87	6.4	1.20	6.2		
月最大	1.67	5.4	2.73	6.6	3.53	6.6	5.20	6.7			
	起時	2900		2900		2900		2900			
	平均	0.31	3.7	0.50	4.9	0.62	5.0	0.84	5.0		

波浪整理表（1）

1997年 7月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.29	4.7	* 0.47	6.2	* 0.58	6.3	0.71	5.7	NNE	25
	02	0.27	4.1	0.45	5.7	0.57	5.7	* 0.75	6.0	NNE	33
	04	0.24	4.0	0.40	5.4	0.51	5.4	0.65	6.1	NW	316
	06	0.22	3.9	0.36	5.4	0.44	5.5	0.59	5.6	欠測	欠測
	08	0.20	4.1	0.30	5.2	0.39	5.3	0.54	5.0	NNE	26
	10	0.18	3.8	0.28	4.9	0.37	4.7	0.50	5.5	N	5
	12	0.18	3.5	0.28	5.0	0.35	5.1	0.48	4.9	NNE	17
	14	0.19	3.2	0.29	4.5	0.36	5.0	0.59	4.6	N	7
	16	0.18	3.5	0.29	5.0	0.37	5.2	0.57	5.4	NW	306
	18	0.13	3.0	0.21	4.7	0.27	5.5	0.41	5.8	欠測	欠測
	20	0.14	3.6	0.22	5.3	0.27	5.8	0.39	5.6	欠測	欠測
	22	0.15	3.1	0.23	4.9	0.29	5.7	0.38	6.3	欠測	欠測
	最大	0.29	4.7	0.47	6.2	0.58	6.3	0.75	6.0		
	平均	0.20	3.7	0.32	5.2	0.40	5.4	0.55	5.5		
02	00	0.13	3.1	0.21	4.8	0.26	5.6	0.33	4.8	欠測	欠測
	02	0.15	3.4	0.24	5.4	0.30	6.1	0.38	6.9	欠測	欠測
	04	0.18	2.7	0.27	3.5	0.34	3.5	0.45	2.4	N	0
	06	0.40	3.4	0.64	4.0	0.81	4.0	1.05	3.8	N	357
	08	0.42	3.6	0.65	4.8	0.82	4.9	1.37	4.4	NNE	19
	10	0.34	3.3	0.53	4.1	0.67	4.2	0.91	3.2	欠測	欠測
	12	0.43	3.9	0.67	4.8	0.82	4.9	1.02	4.1	欠測	欠測
	14	0.39	3.9	0.64	5.7	0.81	6.7	1.16	5.6	WNW	299
	16	* 0.54	4.9	* 0.88	6.7	* 1.10	6.7	1.34	7.1	WNW	282
	18	0.51	4.8	0.81	6.5	1.00	6.6	1.12	7.3	W	278
	20	0.41	4.6	0.67	6.3	0.82	6.5	1.08	5.1	WSW	258
	22	0.39	4.8	0.63	6.4	0.80	6.9	* 1.44	5.9	WNW	286
	最大	0.54	4.9	0.88	6.7	1.10	6.7	1.44	5.9		
	平均	0.36	3.9	0.57	5.3	0.71	5.6	0.97	5.0		
03	00	0.38	4.7	0.60	6.1	0.78	6.2	1.19	6.2	NW	311
	02	0.44	4.4	0.71	5.7	0.87	6.0	1.15	5.2	WNW	303
	04	0.59	3.9	0.90	4.8	1.10	5.0	1.39	5.4	N	356
	06	0.63	4.1	0.97	5.1	1.17	5.0	1.83	5.5	NE	36
	08	0.60	4.0	0.97	5.0	1.21	5.0	1.85	5.4	N	10
	10	0.63	4.1	1.00	4.8	1.25	4.8	1.79	4.8	NW	312
	12	0.49	3.7	0.76	4.6	0.96	4.9	1.24	4.6	NNE	31
	14	0.54	3.6	0.85	4.6	1.04	4.6	1.38	4.2	NE	50
	16	0.49	3.6	0.80	5.0	1.00	5.6	1.52	4.0	W	278
	18	0.74	4.6	1.13	5.9	1.37	6.4	1.89	6.4	W	274
	20	0.81	5.2	1.29	6.8	1.60	7.5	2.09	6.1	WNW	290
	22	* 0.96	5.8	* 1.55	7.5	* 2.01	7.7	* 2.43	8.5	WNW	282
	最大	0.96	5.8	1.55	7.5	2.01	7.7	2.43	8.5		
	平均	0.61	4.3	0.96	5.5	1.20	5.7	1.65	5.5		
04	00	1.06	5.3	1.75	7.2	2.20	7.5	3.27	7.6	WNW	290
	02	1.05	5.5	1.63	6.8	2.05	7.1	2.86	8.0	WNW	295
	04	1.02	5.7	1.58	7.1	2.02	7.4	3.03	7.8	WNW	290
	06	0.96	5.2	1.53	7.0	1.91	7.3	2.49	6.7	WNW	286
	08	1.14	5.2	1.79	6.8	2.23	7.0	3.10	6.5	WNW	290
	10	1.07	5.4	1.72	7.7	2.13	8.0	2.79	7.6	WNW	282
	12	1.08	5.4	1.69	7.6	2.17	7.9	2.97	7.5	WNW	295
	14	1.12	5.6	1.79	7.8	2.30	8.1	2.99	7.8	WNW	286
	16	1.10	5.4	1.77	7.3	2.23	7.9	2.70	7.9	WNW	295
	18	1.13	5.4	1.82	7.0	2.27	7.2	3.07	7.9	WNW	295
	20	* 1.18	5.6	* 1.86	7.3	* 2.35	7.9	* 3.43	7.5	WNW	295
	22	1.04	5.5	1.65	7.2	2.03	7.3	2.42	5.8	WNW	299
	最大	1.18	5.6	1.86	7.3	2.35	7.9	3.43	7.5		
	平均	1.08	5.4	1.71	7.2	2.16	7.6	2.93	7.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	287 回
欠測回数	0 回	欠測回数	85 回
欠 測 率	0.0 %	欠 測 率	22.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	* 1.44	6.0	2.25	7.5	2.86	7.8	4.08	7.7	WNW	295
	02	1.12	5.5	1.83	7.4	2.20	8.0	2.54	7.1	WNW	286
	04	1.09	5.8	1.79	7.7	2.29	7.9	3.55	6.0	WNW	290
	06	0.97	5.6	1.57	7.6	1.99	8.1	2.93	6.9	WNW	282
	08	1.05	5.4	1.70	7.1	2.05	7.3	2.40	8.1	WNW	290
	10	1.24	6.1	1.97	8.0	2.36	7.8	3.20	7.8	WNW	290
	12	1.20	5.4	1.92	7.1	2.37	7.8	2.82	8.3	WNW	295
	14	1.43	5.8	* 2.26	7.3	* 2.93	7.3	* 4.26	8.3	W	278
	16	1.27	5.7	1.98	7.5	2.52	7.6	3.35	6.7	WNW	286
	18	0.97	5.7	1.58	7.7	1.91	8.1	2.18	7.6	WNW	290
	20	0.86	4.8	1.38	6.3	1.69	6.8	2.38	7.7	W	278
	22	0.87	5.7	1.40	7.7	1.72	7.5	2.37	7.3	WSW	258
	最大	1.44	6.0	2.26	7.3	2.93	7.3	4.26	8.3		
	平均	1.13	5.6	1.80	7.4	2.24	7.7	3.01	7.5		
06	00	0.87	5.6	1.33	7.3	1.66	8.0	1.97	7.2	W	278
	02	0.86	5.2	1.37	7.1	1.70	7.8	2.60	5.7	WNW	282
	04	* 0.96	5.4	* 1.56	7.6	* 2.02	8.2	* 3.69	7.6	W	278
	06	0.85	5.5	1.34	7.2	1.70	7.3	2.59	7.6	WNW	286
	08	0.85	5.7	1.38	7.2	1.78	7.0	2.26	7.1	WNW	282
	10	0.59	5.0	1.00	7.3	1.25	7.6	1.55	8.1	W	278
	12	0.51	5.2	0.84	7.2	1.06	7.5	1.42	7.2	W	262
	14	0.56	5.9	0.88	7.3	1.06	7.5	1.41	6.4	W	266
	16	0.51	5.1	0.83	6.9	1.06	7.0	1.31	7.0	W	262
	18	0.54	5.4	0.86	6.9	1.05	6.8	1.39	6.7	W	262
	20	0.57	5.3	0.92	6.7	1.16	7.2	1.55	7.6	W	274
	22	0.56	5.2	0.93	6.8	1.18	6.5	1.54	6.2	W	274
	最大	0.96	5.4	1.56	7.6	2.02	8.2	3.69	7.6		
	平均	0.69	5.4	1.10	7.1	1.39	7.4	1.94	7.0		
07	00	0.45	5.2	0.73	6.6	0.93	6.6	1.21	6.7	W	266
	02	0.39	5.2	0.63	7.1	0.80	7.0	1.10	6.3	W	278
	04	0.41	4.4	0.67	6.4	0.83	6.5	1.10	7.2	WNW	290
	06	0.57	4.7	0.88	6.0	1.08	6.4	1.38	5.8	WNW	282
	08	* 0.63	4.7	* 1.01	6.1	* 1.21	6.6	1.45	6.7	W	270
	10	0.60	4.5	0.96	5.8	1.18	6.2	1.50	6.8	W	270
	12	0.57	4.2	0.92	5.5	1.19	5.9	* 1.54	6.8	WNW	299
	14	0.50	4.1	0.80	5.5	1.02	5.8	1.29	5.5	NE	53
	16	0.47	4.4	0.74	6.1	0.92	7.2	1.26	5.7	WSW	258
	18	0.50	4.7	0.82	6.4	1.04	6.8	1.30	7.7	W	278
	20	0.43	4.4	0.68	6.1	0.85	6.4	1.17	7.4	W	274
	22	0.37	4.4	0.61	6.2	0.76	6.1	1.00	6.9	WSW	254
	最大	0.63	4.7	1.01	6.1	1.21	6.6	1.54	6.8		
	平均	0.49	4.6	0.79	6.1	0.98	6.5	1.28	6.6		
08	00	0.34	4.5	0.56	6.8	0.72	7.1	0.92	7.6	WSW	258
	02	0.50	6.1	0.79	7.6	0.99	7.7	1.23	8.0	W	266
	04	0.53	6.4	0.87	8.2	1.12	8.3	1.50	8.4	NNW	344
	06	0.73	6.4	1.18	7.5	1.50	7.4	1.94	7.0	NNW	335
	08	0.80	6.4	1.26	7.6	1.51	7.5	1.85	7.1	NNW	348
	10	0.67	5.7	1.09	7.5	1.36	7.5	1.82	6.1	NNW	344
	12	0.72	6.0	1.14	7.5	1.43	7.2	1.80	7.0	N	352
	14	0.68	5.7	1.09	7.7	1.33	7.8	1.72	7.7	N	356
	16	0.65	6.3	1.04	8.4	1.29	8.3	1.55	7.8	N	0
	18	0.67	6.3	1.12	8.7	1.47	8.9	1.87	8.5	NNE	16
	20	0.79	6.8	* 1.35	8.8	* 1.66	8.9	2.41	8.6	NNE	12
	22	* 0.81	7.2	1.27	8.5	1.63	8.6	* 2.60	8.4	NNE	20
	最大	0.81	7.2	1.35	8.8	1.66	8.9	2.60	8.4		
	平均	0.66	6.1	1.06	7.9	1.33	7.9	1.77	7.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	287 回
欠測回数	0 回	欠測回数	85 回
欠 測 率	0.0 %	欠 測 率	22.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	0.75	6.9	1.21	8.5	1.60	8.3	* 2.20	8.0	N	8
	02	0.77	6.5	1.26	8.0	1.59	7.9	2.04	7.5	NNE	12
	04	0.73	6.8	1.12	7.6	1.34	7.8	1.77	6.7	NNE	20
	06	* 0.79	4.5	* 1.27	5.4	* 1.61	5.7	1.95	5.2	N	1
	08	0.79	4.5	1.23	5.4	1.53	5.7	1.88	5.8	NE	38
	10	0.59	4.5	0.91	5.6	1.10	5.7	1.74	5.9	NNE	16
	12	0.49	4.6	0.76	5.6	0.91	5.5	1.23	4.5	NNE	16
	14	0.41	4.4	0.64	5.5	0.79	5.6	1.27	6.1	欠測	欠測
	16	0.35	4.4	0.55	5.8	0.67	5.9	0.93	5.5	N	4
	18	0.33	4.4	0.54	5.9	0.68	6.1	0.99	5.3	N	0
	20	0.29	4.1	0.48	5.6	0.61	5.8	0.83	5.5	NE	49
	22	0.29	4.6	0.46	6.1	0.56	6.2	0.79	6.2	NNE	29
	最大	0.79	4.5	1.27	5.4	1.61	5.7	2.20	8.0		
	平均	0.55	5.0	0.87	6.2	1.08	6.4	1.47	6.0		
10	00	0.30	4.3	0.50	5.7	* 0.63	6.1	0.78	5.6	NNE	16
	02	0.31	4.2	0.49	5.4	0.61	5.7	0.74	7.3	NW	320
	04	* 0.31	4.5	* 0.50	5.8	0.60	6.0	* 0.82	5.1	NNE	25
	06	0.30	4.4	0.46	5.5	0.57	5.8	0.76	6.6	N	10
	08	0.26	4.0	0.41	5.4	0.50	5.2	0.62	6.2	N	11
	10	0.22	3.9	0.37	5.6	0.45	6.1	0.66	3.7	N	0
	12	0.23	4.0	0.37	6.0	0.46	6.5	0.56	5.9	NNW	340
	14	0.23	3.5	0.37	5.0	0.45	5.4	0.62	5.1	NNW	346
	16	0.27	3.5	0.43	4.9	0.53	4.7	0.67	5.0	NNE	13
	18	0.24	3.6	0.38	5.1	0.48	5.3	0.60	5.1	欠測	欠測
	20	0.25	3.6	0.40	5.0	0.51	4.8	0.64	4.7	N	356
	22	0.22	3.5	0.34	4.7	0.41	4.8	0.56	5.5	NE	55
	最大	0.31	4.5	0.50	5.8	0.63	6.1	0.82	5.1		
	平均	0.26	3.9	0.42	5.3	0.52	5.5	0.67	5.5		
11	00	0.18	3.1	0.29	4.4	0.36	4.7	0.47	3.7	NE	35
	02	0.18	3.1	0.28	4.3	0.35	4.8	0.53	4.2	WNW	288
	04	0.17	3.1	0.26	4.1	0.32	4.5	0.44	4.3	N	356
	06	0.16	2.8	0.24	3.9	0.29	4.1	0.38	3.5	欠測	欠測
	08	0.18	2.9	0.27	3.7	0.34	3.8	0.51	2.8	WNW	294
	10	0.22	2.8	0.34	3.5	0.43	3.4	0.53	2.4	NNE	15
	12	0.22	2.8	0.34	3.4	0.42	3.3	0.49	4.6	NE	52
	14	0.23	2.9	0.36	3.6	0.44	3.6	0.64	3.1	欠測	欠測
	16	* 0.26	3.2	* 0.41	3.8	* 0.51	3.9	* 0.73	3.7	NW	305
	18	0.22	3.1	0.36	3.8	0.45	4.0	0.65	3.7	WNW	303
	20	0.24	3.1	0.38	3.8	0.47	3.9	0.72	3.7	欠測	欠測
	22	0.20	2.9	0.31	3.7	0.39	3.8	0.52	4.6	NNW	329
	最大	0.26	3.2	0.41	3.8	0.51	3.9	0.73	3.7		
	平均	0.20	3.0	0.32	3.8	0.40	4.0	0.55	3.7		
12	00	0.19	3.0	0.30	3.9	0.38	3.7	0.49	3.3	欠測	欠測
	02	0.17	3.0	0.27	3.9	0.34	4.2	0.45	3.8	NW	314
	04	0.19	3.1	0.29	3.8	0.36	3.7	0.46	3.7	NW	324
	06	0.15	3.1	0.24	4.2	0.29	4.3	0.40	3.2	欠測	欠測
	08	0.16	2.8	0.24	3.7	0.28	3.9	0.36	3.9	欠測	欠測
	10	* 0.25	3.0	* 0.39	3.6	* 0.51	3.6	* 0.70	3.3	WNW	295
	12	0.22	3.0	0.36	3.9	0.46	3.9	0.68	4.5	N	352
	14	0.20	3.0	0.31	3.7	0.39	3.8	0.66	4.0	W	281
	16	0.21	3.2	0.32	4.1	0.41	4.1	0.58	4.0	NE	42
	18	0.22	3.4	0.34	4.1	0.42	4.2	0.51	3.7	NNE	31
	20	0.21	3.4	0.32	4.0	0.39	3.8	0.55	3.8	NW	313
	22	0.16	3.0	0.25	4.1	0.30	4.3	0.43	4.7	欠測	欠測
	最大	0.25	3.0	0.39	3.6	0.51	3.6	0.70	3.3		
	平均	0.19	3.1	0.30	3.9	0.38	4.0	0.52	3.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	287 回
欠測回数	0 回	欠測回数	85 回
欠 測 率	0.0 %	欠 測 率	22.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	0.16	3.1	0.25	4.0	0.31	4.2	0.42	4.1	欠測	欠測
	02	0.17	3.2	0.28	4.4	0.35	4.5	0.53	4.0	NE	54
	04	0.16	3.0	0.24	4.0	0.31	4.1	0.39	4.1	欠測	欠測
	06	0.15	3.1	0.22	4.0	0.27	4.0	0.36	3.4	欠測	欠測
	08	0.13	3.1	0.21	3.8	0.25	4.1	0.32	3.5	欠測	欠測
	10	0.18	3.5	0.27	4.4	0.34	5.0	0.51	3.7	NW	316
	12	0.20	4.1	0.30	5.5	0.38	6.0	0.48	4.9	NW	324
	14	0.19	4.2	0.30	6.0	0.38	6.3	0.59	6.2	W	266
	16	* 0.23	4.1	* 0.38	6.2	* 0.47	6.4	* 0.67	6.1	W	266
	18	0.23	3.8	0.38	5.5	0.47	5.8	0.65	5.2	NNE	27
	20	0.22	3.8	0.36	5.5	0.43	5.5	0.56	4.9	N	3
	22	0.19	3.9	0.31	5.6	0.39	5.6	0.57	5.4	W	262
	最大	0.23	4.1	0.38	6.2	0.47	6.4	0.67	6.1		
	平均	0.18	3.6	0.29	4.9	0.36	5.1	0.50	4.6		
14	00	0.24	3.9	0.38	5.4	0.46	5.4	0.58	5.7	NE	49
	02	0.27	3.6	0.43	5.1	0.53	5.3	0.74	5.0	NE	42
	04	0.29	3.7	0.46	5.0	0.55	5.3	0.80	4.4	NNW	341
	06	0.36	3.9	0.56	4.7	0.71	4.9	1.05	4.8	欠測	欠測
	08	0.37	3.7	0.57	4.7	0.72	4.7	0.98	4.8	N	5
	10	* 0.40	3.8	0.61	4.4	0.75	4.6	1.06	4.9	NE	37
	12	0.34	3.5	0.51	4.3	0.61	4.3	0.79	5.7	欠測	欠測
	14	0.40	3.6	* 0.64	4.4	* 0.80	4.3	* 1.13	3.9	NE	53
	16	0.35	3.7	0.54	4.5	0.70	4.8	0.92	4.6	NNE	13
	18	0.35	3.7	0.58	4.8	0.70	4.9	1.01	4.8	NE	53
	20	0.29	3.6	0.47	4.8	0.58	4.9	0.71	5.1	NW	307
	22	0.34	3.8	0.52	4.8	0.64	4.8	0.87	4.9	NE	48
	最大	0.40	3.8	0.64	4.4	0.80	4.3	1.13	3.9		
	平均	0.33	3.7	0.52	4.7	0.65	4.8	0.89	4.9		
15	00	0.35	3.6	0.56	4.7	0.70	4.8	0.93	4.4	NNW	334
	02	0.31	3.6	0.48	4.6	0.60	4.4	0.72	6.0	N	11
	04	0.39	3.3	0.61	4.0	0.78	3.9	0.99	3.5	欠測	欠測
	06	0.48	3.6	0.76	4.5	0.94	4.3	1.36	4.6	N	7
	08	0.37	3.6	0.59	4.6	0.75	4.8	1.22	4.2	NE	43
	10	0.54	4.0	0.85	4.7	1.09	4.7	* 1.76	4.2	W	279
	12	* 0.71	4.2	* 1.11	4.7	* 1.33	4.7	1.70	4.1	NNW	341
	14	0.65	4.0	1.03	4.6	1.31	4.4	1.64	4.5	NE	34
	16	0.51	3.6	0.81	4.4	1.00	4.4	1.33	5.0	欠測	欠測
	18	0.60	3.7	0.95	4.5	1.18	4.6	1.50	6.0	NE	44
	20	0.61	4.0	0.94	5.0	1.18	5.2	1.58	4.6	NW	312
	22	0.58	4.2	0.91	5.4	1.16	5.4	1.56	5.4	欠測	欠測
	最大	0.71	4.2	1.11	4.7	1.33	4.7	1.76	4.2		
	平均	0.51	3.8	0.80	4.6	1.00	4.6	1.36	4.7		
16	00	0.50	4.1	0.80	5.2	1.00	5.5	1.73	6.0	N	6
	02	0.54	4.3	0.87	5.6	1.08	5.8	1.58	6.5	W	278
	04	0.50	4.2	0.78	5.5	0.99	5.9	1.26	5.7	NNW	348
	06	0.54	4.2	0.88	5.8	1.13	5.7	1.65	6.0	W	270
	08	0.70	4.1	1.11	5.1	1.39	5.4	1.76	5.1	N	359
	10	0.70	4.1	1.11	4.9	1.41	4.7	1.78	4.8	NW	310
	12	0.68	4.1	1.09	5.0	1.43	5.4	2.29	4.4	NW	308
	14	0.90	4.5	1.39	5.4	1.74	5.4	2.17	6.5	NW	319
	16	* 0.92	4.6	* 1.47	5.6	* 1.86	5.5	* 2.51	5.4	WNW	282
	18	0.70	4.8	1.13	6.4	1.42	6.7	1.92	6.6	W	274
	20	0.52	4.4	0.81	5.7	1.02	5.9	1.34	7.2	W	274
	22	0.42	4.4	0.70	6.3	0.92	6.9	1.55	6.8	W	266
	最大	0.92	4.6	1.47	5.6	1.86	5.5	2.51	5.4		
	平均	0.64	4.3	1.01	5.5	1.28	5.7	1.79	5.9		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	287 回
欠測回数	0 回	欠測回数	85 回
欠 測 率	0.0 %	欠 測 率	22.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	0.47	5.2	0.76	6.5	1.00	6.8	1.50	7.3	W	262
	02	0.51	5.5	0.84	7.2	1.08	7.3	1.35	6.9	W	266
	04	0.50	5.5	0.84	7.4	1.08	7.6	1.57	7.8	W	266
	06	* 0.63	4.7	* 1.02	6.4	* 1.27	6.7	* 1.70	7.0	W	270
	08	0.50	4.5	0.80	6.1	0.99	6.5	1.38	6.1	W	266
	10	0.44	4.6	0.73	6.3	0.92	6.3	1.26	5.9	W	270
	12	0.37	4.0	0.61	5.6	0.78	5.9	1.07	6.2	W	274
	14	0.39	3.9	0.61	5.2	0.78	5.7	1.14	5.9	WNW	284
	16	0.38	4.2	0.58	5.2	0.71	5.6	1.05	6.0	NNE	14
	18	0.30	3.6	0.48	4.8	0.61	5.1	0.79	4.0	NNE	32
	20	0.28	3.7	0.45	4.9	0.57	4.7	0.81	3.4	NNW	334
	22	0.28	4.0	0.45	5.5	0.55	6.1	0.80	4.9	NNW	332
	最大	0.63	4.7	1.02	6.4	1.27	6.7	1.70	7.0		
	平均	0.42	4.5	0.68	5.9	0.86	6.2	1.20	6.0		
18	00	0.32	4.4	0.50	6.2	0.60	6.4	0.85	6.0	NNE	12
	02	0.37	4.8	0.59	6.6	0.74	6.7	0.86	7.5	NNE	12
	04	0.37	4.9	0.60	6.6	0.74	6.6	0.94	8.1	NNE	29
	06	0.43	5.0	0.71	6.9	0.87	7.1	1.18	7.0	NE	41
	08	* 0.51	5.5	* 0.82	7.1	* 1.02	7.2	* 1.40	7.1	NNE	29
	10	0.47	5.2	0.78	6.8	0.98	6.5	1.21	7.5	NNE	25
	12	0.40	4.9	0.62	6.2	0.76	6.3	0.95	7.3	NE	37
	14	0.34	4.5	0.55	5.6	0.67	5.6	0.88	6.0	NNE	33
	16	0.33	4.4	0.56	6.0	0.72	6.2	0.97	5.7	NNE	16
	18	0.30	4.6	0.47	5.9	0.60	6.0	0.76	5.3	N	0
	20	0.32	4.8	0.50	6.2	0.63	6.6	0.83	5.1	NNE	16
	22	0.31	4.4	0.53	6.1	0.68	6.2	1.01	6.9	NNE	20
	最大	0.51	5.5	0.82	7.1	1.02	7.2	1.40	7.1		
	平均	0.37	4.8	0.60	6.3	0.75	6.5	0.99	6.6		
19	00	* 0.36	4.8	* 0.57	6.0	* 0.69	6.0	0.88	6.6	NNE	12
	02	0.33	4.6	0.52	5.9	0.68	6.1	* 1.05	5.9	NNE	20
	04	0.28	4.2	0.46	5.6	0.57	5.5	0.76	5.4	NNE	20
	06	0.26	3.9	0.39	5.0	0.47	5.2	0.60	5.0	NE	37
	08	0.22	3.9	0.35	5.1	0.44	5.4	0.57	4.9	NE	54
	10	0.18	3.4	0.28	5.0	0.35	4.9	0.53	4.7	欠測	欠測
	12	0.18	3.0	0.29	4.2	0.37	4.6	0.52	3.6	N	351
	14	0.19	2.9	0.29	3.7	0.36	3.7	0.54	2.8	NW	317
	16	0.23	3.1	0.35	3.9	0.45	3.7	0.57	5.3	NNW	345
	18	0.20	3.0	0.30	3.9	0.37	4.2	0.51	3.7	NNW	346
	20	0.16	2.9	0.25	3.9	0.31	3.9	0.39	4.3	欠測	欠測
	22	0.15	3.0	0.22	4.2	0.27	4.4	0.39	3.8	欠測	欠測
	最大	0.36	4.8	0.57	6.0	0.69	6.0	1.05	5.9		
	平均	0.23	3.6	0.36	4.7	0.44	4.8	0.61	4.7		
20	00	0.13	2.8	0.20	3.9	0.27	4.5	0.36	4.5	欠測	欠測
	02	0.15	3.4	0.25	5.4	0.31	5.9	* 0.46	4.9	欠測	欠測
	04	0.12	2.8	0.17	3.9	0.22	5.0	0.31	4.5	欠測	欠測
	06	0.11	2.6	0.16	3.7	0.20	4.3	0.28	6.6	欠測	欠測
	08	0.12	2.9	0.18	3.9	0.22	4.0	0.32	3.9	欠測	欠測
	10	0.12	2.7	0.18	3.9	0.22	4.3	0.29	6.7	欠測	欠測
	12	0.15	2.6	0.22	3.4	0.27	3.6	0.36	3.9	欠測	欠測
	14	* 0.18	2.8	* 0.26	3.5	* 0.32	3.9	0.42	3.0	N	354
	16	0.15	2.9	0.24	4.0	0.29	4.8	0.40	5.8	欠測	欠測
	18	0.15	3.3	0.24	4.6	0.29	5.3	0.35	5.2	欠測	欠測
	20	0.13	3.0	0.20	4.1	0.25	4.4	0.34	5.3	欠測	欠測
	22	0.11	2.9	0.16	4.0	0.20	4.4	0.26	6.2	欠測	欠測
	最大	0.18	2.8	0.26	3.5	0.32	3.9	0.46	4.9		
	平均	0.13	2.9	0.20	4.0	0.26	4.5	0.35	5.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.11	2.7	0.18	3.8	0.23	4.4	0.31	5.6	欠測	欠測
	02	0.11	2.7	0.16	3.8	0.20	4.3	0.33	3.8	欠測	欠測
	04	0.10	2.7	0.16	4.0	0.20	4.5	0.29	4.3	欠測	欠測
	06	0.11	2.7	0.16	3.8	0.20	4.5	0.27	5.0	欠測	欠測
	08	0.10	3.1	0.14	4.1	0.17	4.5	0.24	3.6	欠測	欠測
	10	0.11	3.0	0.16	4.1	0.21	4.0	0.27	4.4	欠測	欠測
	12	0.11	3.1	0.16	4.3	0.20	4.3	0.30	4.2	欠測	欠測
	14	0.11	2.8	0.17	3.8	0.20	3.8	0.28	3.1	欠測	欠測
	16	0.11	3.3	0.16	4.2	0.20	4.3	0.27	4.1	欠測	欠測
	18	0.10	3.1	0.15	4.6	0.18	5.6	0.22	3.6	欠測	欠測
	20	* 0.13	3.1	* 0.20	4.8	* 0.26	5.4	* 0.38	6.5	欠測	欠測
22	02	0.12	2.9	0.18	4.2	0.23	4.6	0.33	4.6	欠測	欠測
	最大	0.13	3.1	0.20	4.8	0.26	5.4	0.38	6.5		
	平均	0.11	2.9	0.16	4.1	0.21	4.5	0.29	4.4		
	22	00	0.12	2.7	0.18	0.22	4.6	0.27	6.9	欠測	欠測
	02	0.14	3.1	0.21	4.5	0.26	5.1	0.41	4.4	欠測	欠測
	04	0.12	2.6	0.18	3.4	0.21	3.9	0.29	3.6	欠測	欠測
	06	0.14	2.8	0.21	3.6	0.26	3.8	0.38	4.6	欠測	欠測
	08	0.12	2.6	0.17	3.5	0.21	3.7	0.34	3.9	欠測	欠測
	10	0.12	2.8	0.18	3.8	0.23	3.8	0.29	4.3	欠測	欠測
	12	0.15	2.7	0.23	3.6	0.29	4.0	0.36	5.2	欠測	欠測
	14	0.18	2.7	0.26	3.5	0.33	3.6	0.45	4.9	NNW	335
	16	* 0.23	2.9	* 0.36	3.4	* 0.46	3.4	* 0.70	2.3	NNE	31
	18	0.21	2.8	0.33	3.2	0.41	3.1	0.57	2.5	NNE	30
	20	0.17	2.8	0.27	3.5	0.33	3.7	0.44	3.7	N	354
	22	0.14	2.8	0.22	3.7	0.27	4.0	0.35	3.5	欠測	欠測
	最大	0.23	2.9	0.36	3.4	0.46	3.4	0.70	2.3		
	平均	0.15	2.8	0.23	3.6	0.29	3.9	0.40	4.1		
23	00	0.14	2.8	0.22	3.6	0.26	3.6	0.42	3.6	欠測	欠測
	02	0.17	3.2	0.27	4.5	0.35	4.9	0.48	3.2	N	353
	04	0.14	2.8	0.22	3.7	0.28	3.8	0.47	4.3	欠測	欠測
	06	0.15	2.9	0.24	3.9	0.29	3.8	0.40	4.1	欠測	欠測
	08	0.13	2.7	0.19	3.5	0.23	3.7	0.30	3.2	欠測	欠測
	10	0.12	2.9	0.19	3.5	0.23	3.8	0.29	5.2	欠測	欠測
	12	0.12	2.7	0.18	3.5	0.23	4.0	0.32	4.0	欠測	欠測
	14	0.15	2.6	0.23	3.3	0.29	3.5	0.39	3.3	欠測	欠測
	16	0.21	2.8	* 0.33	3.4	* 0.42	3.4	* 0.66	4.4	NNE	17
	18	* 0.22	2.9	0.33	3.4	0.41	3.3	0.56	3.3	N	9
	20	0.18	2.9	0.27	3.4	0.34	3.5	0.43	3.2	N	350
	22	0.19	2.9	0.29	3.6	0.36	3.5	0.45	3.4	NW	309
	最大	0.22	2.9	0.33	3.4	0.42	3.4	0.66	4.4		
	平均	0.16	2.8	0.25	3.6	0.31	3.7	0.43	3.8		
24	00	0.16	2.8	0.25	3.6	0.33	3.6	* 0.51	3.3	欠測	欠測
	02	0.17	3.1	0.26	4.1	0.32	4.2	0.42	3.6	N	9
	04	0.15	3.0	0.24	3.8	0.30	3.9	0.36	3.9	欠測	欠測
	06	0.15	2.9	0.23	3.8	0.29	4.1	0.41	3.8	欠測	欠測
	08	0.15	3.0	0.24	3.9	0.30	3.9	0.43	5.1	欠測	欠測
	10	0.17	3.2	0.26	4.0	0.31	3.9	0.41	4.3	NNE	23
	12	0.19	3.5	0.28	4.2	0.35	4.0	0.41	4.3	N	6
	14	0.16	3.2	0.25	3.9	0.31	4.1	0.39	3.8	欠測	欠測
	16	* 0.20	3.6	* 0.30	4.4	* 0.36	4.3	0.47	4.5	NW	304
	18	0.14	3.2	0.22	4.3	0.27	4.4	0.39	3.9	欠測	欠測
	20	0.13	3.0	0.21	4.2	0.25	4.7	0.30	4.1	欠測	欠測
	22	0.15	3.0	0.23	4.1	0.29	4.2	0.37	4.6	欠測	欠測
	最大	0.20	3.6	0.30	4.4	0.36	4.3	0.51	3.3		
	平均	0.16	3.1	0.25	4.0	0.31	4.1	0.41	4.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	287 回
欠測回数	0 回	欠測回数	85 回
欠 測 率	0.0 %	欠 測 率	22.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.14	3.0	0.22	4.0	0.28	4.2	0.43	4.3	欠測	欠測
	02	0.17	3.5	0.26	4.9	0.32	5.1	0.39	5.7	NNW	332
	04	0.11	2.8	0.18	3.9	0.22	4.3	0.34	4.0	欠測	欠測
	06	0.12	2.9	0.18	3.9	0.22	4.2	0.32	4.3	欠測	欠測
	08	0.13	2.8	0.20	3.7	0.26	3.7	0.36	4.1	欠測	欠測
	10	0.16	2.8	0.25	3.7	0.32	3.6	0.47	3.2	欠測	欠測
	12	0.19	2.8	0.30	3.3	0.37	3.3	0.47	3.4	N	8
	14	0.17	2.6	0.26	3.3	0.34	3.6	0.44	3.9	NNE	17
	16	0.18	2.8	0.27	3.5	0.35	3.8	0.52	3.5	N	4
	18	* 0.22	2.8	* 0.34	3.5	* 0.44	3.4	* 0.60	2.4	N	7
	20	0.20	2.8	0.30	3.3	0.38	3.4	0.55	3.4	NNW	342
	22	0.20	3.0	0.31	3.5	0.39	3.4	0.58	3.1	N	8
	最大	0.22	2.8	0.34	3.5	0.44	3.4	0.60	2.4		
	平均	0.17	2.9	0.26	3.7	0.32	3.8	0.46	3.8		
26	00	0.23	3.4	0.36	3.8	0.44	3.8	0.54	3.7	NE	43
	02	0.25	3.6	0.40	4.0	0.51	4.0	0.69	3.8	NNE	18
	04	0.30	3.6	0.48	4.1	0.61	4.1	0.82	4.1	N	10
	06	0.25	3.5	0.38	4.1	0.47	4.0	0.60	3.3	N	1
	08	0.31	3.8	0.48	4.3	0.62	4.4	0.90	3.7	N	354
	10	0.39	3.9	0.60	4.6	0.75	4.7	1.01	4.4	N	3
	12	0.53	4.0	0.83	4.7	1.04	4.7	1.47	3.9	N	359
	14	0.57	4.0	0.90	4.9	1.13	5.0	* 1.75	4.8	NNE	20
	16	* 0.63	4.0	* 0.97	4.7	* 1.19	4.7	1.70	4.9	N	11
	18	0.54	4.3	0.88	5.0	1.14	4.7	1.42	4.4	NNE	21
	20	0.49	4.1	0.75	4.8	0.95	4.7	1.28	5.3	N	8
	22	0.40	3.7	0.64	4.3	0.82	4.3	1.05	4.0	NNE	15
	最大	0.63	4.0	0.97	4.7	1.19	4.7	1.75	4.8		
	平均	0.41	3.8	0.64	4.4	0.81	4.4	1.10	4.2		
27	00	0.34	3.7	0.54	4.6	0.69	4.6	1.05	3.9	欠測	欠測
	02	0.45	4.5	* 0.72	5.6	* 0.92	5.6	* 1.27	5.9	欠測	欠測
	04	* 0.45	4.6	0.70	5.5	0.90	5.5	1.13	5.8	N	6
	06	0.38	4.3	0.61	5.2	0.76	5.2	0.95	5.0	N	3
	08	0.32	3.9	0.52	5.0	0.68	5.2	0.96	4.9	NNE	13
	10	0.35	4.2	0.57	5.5	0.72	5.6	1.10	5.3	NNE	29
	12	0.31	4.0	0.51	5.3	0.65	5.4	0.86	5.8	NE	35
	14	0.32	3.7	0.51	4.8	0.63	4.9	0.88	5.2	NNE	13
	16	0.26	3.4	0.40	4.5	0.49	4.7	0.66	4.8	NNE	26
	18	0.26	3.1	0.39	3.9	0.47	4.1	0.60	4.6	NE	35
	20	0.25	3.6	0.38	4.6	0.47	4.7	0.64	3.3	N	356
	22	0.23	3.6	0.36	4.8	0.43	5.1	0.53	5.4	NE	38
	最大	0.45	4.6	0.72	5.6	0.92	5.6	1.27	5.9		
	平均	0.33	3.9	0.52	4.9	0.65	5.0	0.89	5.0		
28	00	0.26	3.8	0.42	4.8	0.51	4.8	0.65	4.9	NNE	12
	02	0.25	3.7	0.41	4.7	0.52	4.8	0.73	5.2	NNW	347
	04	0.31	4.0	0.48	4.9	0.58	4.9	0.79	4.5	欠測	欠測
	06	* 0.32	3.6	* 0.51	4.7	* 0.64	4.8	* 0.93	6.0	NE	48
	08	0.30	3.8	0.47	4.9	0.58	5.0	0.72	4.8	N	10
	10	0.30	4.1	0.47	5.2	0.58	5.2	0.77	5.7	NE	36
	12	0.26	4.0	0.41	5.2	0.52	5.3	0.73	5.0	N	353
	14	0.22	3.6	0.35	4.7	0.45	4.9	0.64	4.7	N	8
	16	0.23	3.5	0.36	4.6	0.43	4.9	0.53	5.0	N	6
	18	0.19	3.4	0.30	4.9	0.37	5.4	0.46	5.1	N	356
	20	0.17	3.4	0.27	4.9	0.34	5.2	0.41	5.8	NNE	16
	22	0.19	3.6	0.31	5.0	0.39	5.4	0.50	6.1	NNE	31
	最大	0.32	3.6	0.51	4.7	0.64	4.8	0.93	6.0		
	平均	0.25	3.7	0.40	4.9	0.49	5.0	0.66	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

						波 高		波 向			
1997年 7月						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	287 回		
						欠測回数	0 回	欠測回数	85 回		
						欠 測 率	0.0 %	欠 測 率	22.8 %		
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区						機種：波高 海象計 - 50.0m					
						緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
29	00	0.23	3.7	0.37	5.0	0.45	4.9	0.57	5.1	N	353
	02	0.31	3.8	0.50	5.0	0.62	4.9	0.80	4.8	WNW	284
	04	0.30	3.8	0.48	5.0	0.59	5.1	0.76	4.5	W	278
	06	0.35	4.1	0.56	5.2	0.70	5.3	1.00	5.1	N	2
	08	0.32	3.9	0.51	5.3	0.66	5.3	0.89	6.2	NNW	347
	10	0.31	3.9	0.49	5.2	0.61	5.3	1.00	4.1	N	8
	12	0.33	3.9	0.54	5.5	0.68	5.7	0.90	6.0	NNE	22
	14	0.38	4.5	0.61	5.9	0.75	6.1	0.94	6.3	N	0
	16	* 0.40	4.4	* 0.65	5.6	* 0.83	5.7	* 1.24	5.5	N	0
	18	0.39	4.2	0.60	5.3	0.73	5.5	0.91	4.9	N	10
	20	0.36	4.1	0.55	5.3	0.67	5.3	0.90	5.1	N	6
	22	0.33	3.9	0.55	5.3	0.73	5.5	1.13	6.0	N	356
	最大 平均	0.40 0.33	4.4 4.0	0.65 0.53	5.6 5.3	0.83 0.67	5.7 5.4	1.24 0.92	5.5 5.3		
	30	00	0.36	4.0	0.59	5.4	0.75	5.5	0.93	5.0	N
02		0.33	3.8	0.54	5.1	0.67	5.2	0.79	6.0	欠測	欠測
04		0.31	3.8	0.49	5.1	0.62	5.4	1.01	4.9	欠測	欠測
06		0.34	3.9	0.55	5.4	0.66	5.5	0.82	6.1	NNE	14
08		0.36	4.1	0.57	5.5	0.71	5.8	0.86	5.7	N	357
10		0.36	4.3	0.59	5.5	0.75	5.5	0.91	5.8	NNW	339
12		0.34	4.1	0.55	5.4	0.70	6.0	0.84	6.3	NNE	16
14		0.40	4.5	0.65	6.0	0.80	6.0	1.03	5.8	NNW	348
16		* 0.47	4.6	* 0.75	5.8	* 0.99	5.8	* 1.26	6.3	N	356
18		0.42	4.8	0.66	5.9	0.83	6.1	1.03	6.5	NNW	344
20		0.36	4.1	0.59	5.8	0.74	6.2	1.04	5.9	NNW	348
22		0.37	4.1	0.60	5.5	0.75	5.9	1.00	6.2	NNW	343
最大 平均		0.47 0.37	4.6 4.2	0.75 0.59	5.8 5.5	0.99 0.75	5.8 5.7	1.26 0.96	6.3 5.9		
31		00	* 0.35	4.4	0.56	5.7	0.70	5.7	0.88	4.3	N
	02	0.35	4.3	* 0.57	5.6	* 0.71	5.8	0.89	5.7	NNW	348
	04	0.31	3.7	0.50	5.0	0.61	5.6	0.79	5.9	NNE	12
	06	0.34	4.4	0.54	5.6	0.66	5.9	0.86	6.1	N	8
	08	0.32	4.4	0.53	5.9	0.67	5.9	* 0.99	5.1	N	0
	10	0.33	3.9	0.52	5.2	0.63	5.4	0.79	4.9	N	5
	12	0.33	4.1	0.52	5.4	0.63	5.6	0.80	5.6	NNE	16
	14	0.30	4.0	0.49	5.4	0.60	5.5	0.78	4.9	N	5
	16	0.30	4.1	0.48	5.3	0.58	5.1	0.83	3.6	NNE	17
	18	0.30	3.9	0.48	5.4	0.63	5.8	0.97	5.4	NNE	21
	20	0.28	3.6	0.44	4.7	0.54	4.9	0.67	3.5	N	0
	22	0.28	3.8	0.44	4.9	0.55	5.2	0.77	4.0	WNW	293
	最大 平均	0.35 0.32	4.4 4.0	0.57 0.51	5.6 5.3	0.71 0.63	5.8 5.5	0.99 0.83	5.1 4.9		
	月最大		1.44	6.0	2.26	7.3	2.93	7.3	4.26	8.3	
起時		0500		0514		0514		0514			
平均		0.39	4.0	0.61	5.2	0.77	5.4	1.04	5.3		

波浪整理表（1）

1997年 8月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	* 0.29	3.8	* 0.44	4.6	* 0.53	4.6	* 0.69	4.4	NE	39
	02	0.25	3.7	0.39	4.6	0.49	4.5	0.64	6.2	W	276
	04	0.25	3.7	0.39	4.5	0.48	4.5	0.66	4.2	N	6
	06	0.24	3.8	0.38	4.8	0.46	4.7	0.58	5.6	NNW	341
	08	0.24	3.8	0.36	4.7	0.45	4.8	0.64	4.9	N	0
	10	0.20	3.4	0.31	4.6	0.39	4.8	0.50	5.3	NNE	22
	12	0.21	3.6	0.33	5.0	0.42	5.1	0.58	5.0	NE	41
	14	0.17	3.2	0.27	4.4	0.33	4.6	0.44	4.2	NNE	31
	16	0.19	3.5	0.31	4.9	0.39	5.4	0.55	5.3	NNE	20
	18	0.21	3.3	0.33	4.2	0.42	4.4	0.54	3.8	W	270
	20	0.21	3.1	0.34	3.8	0.41	3.8	0.58	3.0	NNE	13
	22	0.19	3.4	0.29	4.5	0.35	4.7	0.54	4.7	N	1
	最大	0.29	3.8	0.44	4.6	0.53	4.6	0.69	4.4		
	平均	0.22	3.5	0.34	4.5	0.43	4.7	0.58	4.7		
02	00	0.17	3.3	0.25	4.3	0.31	4.4	0.40	5.5	欠測	欠測
	02	0.16	3.2	0.25	4.4	0.31	4.8	0.45	6.9	欠測	欠測
	04	0.17	3.2	0.26	4.0	0.32	3.9	0.39	5.2	N	9
	06	0.16	3.2	0.25	4.1	0.32	4.3	0.47	3.2	欠測	欠測
	08	0.13	3.1	0.19	4.2	0.24	4.4	0.36	3.6	欠測	欠測
	10	0.17	2.6	0.26	3.5	0.32	3.9	0.44	3.2	N	2
	12	* 0.24	2.8	* 0.37	3.0	* 0.45	3.0	* 0.68	3.6	N	9
	14	0.22	2.7	0.34	3.2	0.43	3.0	0.62	2.7	N	9
	16	0.20	2.8	0.31	3.4	0.40	3.4	0.60	2.8	NNE	12
	18	0.16	2.8	0.24	3.7	0.31	3.9	0.48	4.5	欠測	欠測
	20	0.14	2.8	0.21	3.5	0.25	3.5	0.32	3.3	欠測	欠測
	22	0.13	2.7	0.20	3.6	0.25	3.6	0.30	3.8	欠測	欠測
	最大	0.24	2.8	0.37	3.0	0.45	3.0	0.68	3.6		
	平均	0.17	2.9	0.26	3.7	0.33	3.8	0.46	4.0		
03	00	0.12	2.7	0.17	3.7	0.21	4.1	0.31	4.2	欠測	欠測
	02	0.13	3.0	0.20	4.5	0.26	5.3	0.33	6.8	欠測	欠測
	04	0.10	2.7	0.15	4.0	0.18	5.2	0.24	3.4	欠測	欠測
	06	0.12	2.8	0.18	4.1	0.23	4.6	0.30	8.4	欠測	欠測
	08	0.16	3.0	0.24	4.0	0.31	4.6	0.46	4.6	欠測	欠測
	10	0.23	2.9	0.36	3.7	0.45	3.8	0.62	3.2	NNE	16
	12	0.48	3.8	0.74	4.4	0.89	4.4	1.05	4.3	NNE	18
	14	0.47	3.6	0.71	4.2	0.88	4.3	1.18	4.1	N	5
	16	0.53	3.8	0.85	4.5	* 1.08	4.6	1.50	4.2	NNE	23
	18	0.50	4.1	0.79	5.0	1.01	4.9	1.28	5.1	N	11
	20	* 0.54	4.5	* 0.85	5.3	1.05	5.3	* 1.55	5.3	NNE	17
	22	0.43	4.2	0.70	5.3	0.89	5.2	1.20	5.7	WNW	283
	最大	0.54	4.5	0.85	5.3	1.08	4.6	1.55	5.3		
	平均	0.32	3.4	0.50	4.4	0.62	4.7	0.83	4.9		
04	00	0.37	4.3	0.59	5.6	0.77	6.0	1.05	5.7	W	270
	02	0.35	4.1	0.56	5.6	0.67	5.9	0.79	4.8	WSW	254
	04	0.38	4.1	0.61	5.6	0.75	5.5	0.95	4.6	WNW	282
	06	0.37	4.0	0.61	5.2	0.76	5.3	1.02	5.4	NW	308
	08	0.45	4.1	0.72	5.2	0.94	5.0	1.11	4.7	N	8
	10	0.45	4.0	0.71	4.9	0.91	5.1	1.21	4.8	NW	318
	12	0.41	4.2	0.66	5.3	0.82	5.3	1.29	5.2	NNE	28
	14	0.32	3.6	0.52	5.1	0.63	5.5	0.82	4.1	NE	42
	16	0.32	4.2	0.51	6.0	0.64	6.1	0.83	6.6	W	274
	18	0.26	4.0	0.40	5.4	0.50	5.4	0.67	7.1	NNE	15
	20	0.28	4.1	0.45	5.5	0.58	5.4	0.74	5.1	W	280
	22	* 0.65	4.1	* 1.01	4.7	* 1.26	4.8	* 1.65	4.2	N	4
	最大	0.65	4.1	1.01	4.7	1.26	4.8	1.65	4.2		
	平均	0.38	4.1	0.61	5.3	0.77	5.4	1.01	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	304 回
欠測回数	3 回	欠測回数	68 回
欠 測 率	0.8 %	欠 測 率	18.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
05	00	0.59	4.3	0.96	5.3	1.26	5.5	1.62	5.0	欠測	欠測
	02	0.55	4.6	0.85	5.8	1.06	5.7	1.47	6.2	WNW	299
	04	0.56	5.3	0.87	6.3	1.05	6.5	1.27	7.2	W	278
	06	0.67	5.0	1.06	6.6	1.32	6.5	1.67	6.5	WNW	282
	08	0.97	5.2	1.53	6.6	1.89	6.9	2.43	6.6	WNW	282
	10	1.26	5.7	* 2.04	7.1	* 2.62	7.5	* 3.67	7.5	WNW	286
	12	* 1.28	5.8	1.95	7.1	2.40	7.0	3.23	7.1	WNW	282
	14	0.96	5.5	1.54	7.1	1.90	7.0	2.26	7.4	W	278
	16	0.66	5.1	1.06	6.7	1.34	7.0	1.76	6.8	W	270
	18	0.60	5.3	0.99	7.1	1.25	7.1	1.55	7.8	W	278
	20	0.66	5.5	1.03	6.7	1.26	7.0	1.56	6.6	W	278
	22	0.65	5.0	1.03	6.2	1.28	6.0	1.58	6.8	W	262
	最大	1.28	5.8	2.04	7.1	2.62	7.5	3.67	7.5		
	平均	0.78	5.2	1.24	6.6	1.55	6.6	2.01	6.8		
06	00	* 0.61	4.9	* 0.95	5.7	1.14	5.8	1.42	6.4	W	274
	02	0.54	4.8	0.83	5.9	1.04	5.9	1.39	5.9	W	270
	04	0.55	4.9	0.90	6.1	* 1.14	6.1	1.40	6.2	W	278
	06	0.56	4.9	0.88	6.0	1.08	5.9	* 1.55	6.1	W	274
	08	0.49	4.7	0.76	5.6	0.99	5.4	1.37	5.8	WSW	258
	10	0.49	4.3	0.74	5.3	0.91	5.2	1.37	4.8	欠測	欠測
	12	0.49	4.4	0.77	5.4	0.99	5.4	1.24	5.9	NW	310
	14	0.43	4.4	0.66	5.2	0.82	5.3	1.01	5.7	NE	39
	16	0.38	4.1	0.61	5.2	0.76	5.3	1.11	5.9	欠測	欠測
	18	0.36	4.2	0.55	5.4	0.69	5.6	0.92	5.3	N	356
	20	0.31	4.3	0.50	5.5	0.64	5.8	0.89	6.2	WNW	302
	22	0.25	4.4	0.39	5.6	0.47	5.7	0.60	5.1	WSW	241
	最大	0.61	4.9	0.95	5.7	1.14	6.1	1.55	6.1		
	平均	0.46	4.5	0.71	5.6	0.89	5.6	1.19	5.8		
07	00	0.20	4.2	0.31	5.9	0.39	5.9	0.50	6.2	NE	45
	02	0.27	4.5	0.41	5.9	0.49	5.9	0.54	7.7	NE	49
	04	0.21	4.0	0.33	5.5	0.41	5.8	0.51	4.4	欠測	欠測
	06	0.20	3.9	0.31	5.2	0.38	5.3	0.54	4.9	NE	40
	08	0.21	3.5	0.34	4.8	0.42	5.2	0.56	5.3	N	8
	10	0.24	3.1	0.38	4.0	0.48	4.1	0.69	3.8	NNE	29
	12	0.30	3.1	0.47	3.6	0.58	3.4	0.80	3.8	NNE	21
	14	0.29	3.1	0.46	3.6	0.58	3.6	0.74	4.1	N	358
	16	0.25	3.1	0.38	3.8	0.47	3.7	0.61	4.3	NNE	31
	18	欠測	欠測	0.50	欠測	欠測	欠測	0.80	欠測	欠測	欠測
	20	* 0.33	3.2	* 0.51	3.7	* 0.66	3.9	* 0.88	4.2	NW	311
	22	0.31	3.4	0.49	4.0	0.62	3.8	0.77	3.7	欠測	欠測
	最大	0.33	3.2	0.51	3.7	0.66	3.9	0.88	4.2		
	平均	0.26	3.6	0.41	4.5	0.50	4.6	0.66	4.8		
08	00	0.26	3.2	0.42	3.9	0.52	4.0	0.67	3.9	欠測	欠測
	02	0.24	3.4	0.37	4.4	0.44	4.3	0.58	4.3	WNW	286
	04	0.43	3.8	0.66	4.4	0.83	4.3	1.08	4.2	NNW	329
	06	* 0.47	3.5	* 0.74	4.1	* 0.94	4.0	* 1.27	4.0	N	4
	08	0.43	3.7	0.68	4.5	0.85	4.4	1.13	4.2	欠測	欠測
	10	0.40	4.0	0.63	4.6	0.79	4.5	1.01	5.5	NE	48
	12	0.26	3.5	0.42	4.4	0.53	4.4	0.66	5.2	N	356
	14	0.22	3.0	0.34	4.1	0.41	4.4	0.54	4.4	N	357
	16	0.23	3.2	0.36	4.2	0.44	4.4	0.66	2.9	NNE	14
	18	0.22	3.4	0.36	4.7	0.45	4.6	0.61	5.5	N	8
	20	0.22	3.8	0.34	5.2	0.42	5.3	0.51	5.7	NW	326
	22	0.27	3.2	0.42	4.0	0.53	4.0	0.73	3.9	欠測	欠測
	最大	0.47	3.5	0.74	4.1	0.94	4.0	1.27	4.0		
	平均	0.30	3.5	0.48	4.4	0.60	4.4	0.79	4.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

波 向

規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	304 回
欠測回数	3 回	欠測回数	68 回
欠 測 率	0.8 %	欠 測 率	18.3 %

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	0.47	3.6	0.74	4.0	0.91	3.9	1.14	4.4	欠測	欠測
	02	0.50	3.7	0.77	4.3	0.99	4.3	1.32	4.6	W	278
	04	0.50	3.9	0.79	4.8	0.99	4.9	1.25	5.3	欠測	欠測
	06	0.50	3.9	0.77	4.6	0.94	4.4	1.18	4.7	NNE	26
	08	0.49	3.9	0.76	4.7	0.96	4.6	1.21	5.3	欠測	欠測
	10	0.43	3.4	0.66	4.2	0.82	4.7	1.08	5.3	N	4
	12	0.43	3.2	0.69	3.8	0.86	3.7	1.07	6.0	NW	316
	14	0.34	3.3	0.53	4.3	0.66	4.5	0.89	3.0	N	350
	16	0.33	3.4	0.52	4.6	0.66	4.8	0.86	6.1	NNE	33
	18	0.33	3.4	0.51	4.5	0.63	4.6	0.88	3.5	NE	34
	20	0.40	3.6	0.63	4.4	0.79	4.5	1.03	4.4	NW	307
	22	* 0.59	3.8	* 0.89	4.3	* 1.12	4.4	* 1.48	3.9	NNE	28
	最大	0.59	3.8	0.89	4.3	1.12	4.4	1.48	3.9		
	平均	0.44	3.6	0.69	4.4	0.86	4.4	1.12	4.7		
10	00	0.71	4.3	1.11	5.6	1.38	5.6	1.71	5.6	W	274
	02	0.72	4.5	1.15	5.7	1.49	5.4	1.73	6.3	WNW	295
	04	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測
	06	* 1.01	5.7	* 1.68	7.7	* 2.20	8.9	* 3.81	8.3	WNW	290
	08	0.98	5.9	1.59	7.7	2.05	8.0	2.50	8.4	WNW	299
	10	0.77	5.4	1.20	6.9	1.50	7.0	1.86	6.7	WNW	295
	12	0.65	5.4	1.04	6.8	1.34	7.2	1.75	6.7	W	266
	14	0.56	5.2	0.92	6.9	1.21	7.4	1.75	5.7	WSW	258
	16	0.47	4.8	0.77	6.6	0.96	6.7	1.17	7.3	W	270
	18	0.45	4.9	0.71	6.4	0.86	6.5	1.05	6.1	W	274
	20	0.58	5.7	0.93	6.6	1.17	6.5	1.57	6.8	NW	315
	22	0.48	5.2	0.77	6.5	0.99	6.3	1.54	6.3	WNW	295
	最大	1.01	5.7	1.68	7.7	2.20	8.9	3.81	8.3		
	平均	0.67	5.2	1.08	6.7	1.38	6.9	1.86	6.7		
11	00	0.44	5.3	0.70	6.7	0.86	6.3	1.26	6.4	NNW	331
	02	0.49	5.8	0.80	7.4	1.02	7.1	1.55	7.0	NNE	25
	04	0.61	5.6	1.03	7.8	1.33	7.9	1.73	7.9	N	356
	06	0.63	5.5	1.09	7.7	1.39	7.7	* 2.21	7.8	N	4
	08	0.74	6.0	1.21	8.1	1.58	8.4	2.08	8.0	N	352
	10	0.71	5.9	1.22	8.0	1.55	8.1	1.91	7.3	NNE	20
	12	* 0.85	6.5	* 1.37	8.1	* 1.72	7.8	2.08	8.0	NNE	33
	14	0.65	5.9	1.10	8.0	1.44	8.2	1.77	8.8	NNE	20
	16	0.69	6.4	1.11	7.9	1.42	7.9	2.19	8.0	NNE	25
	18	0.71	6.7	1.16	7.8	1.46	7.8	1.69	7.5	N	0
	20	0.74	6.4	1.16	7.5	1.37	7.4	1.94	7.4	N	356
	22	0.55	5.6	0.93	7.0	1.13	6.7	1.45	7.2	NNW	348
	最大	0.85	6.5	1.37	8.1	1.72	7.8	2.21	7.8		
	平均	0.65	6.0	1.07	7.7	1.36	7.6	1.82	7.6		
12	00	0.54	5.3	0.87	6.6	1.15	6.7	1.62	6.7	NNE	25
	02	0.54	5.0	0.87	7.1	1.08	7.1	1.52	5.7	NNE	20
	04	0.51	5.4	0.84	6.9	1.08	7.0	1.84	7.2	N	352
	06	0.46	5.4	0.76	7.0	0.96	7.2	1.18	6.6	NNE	12
	08	0.47	5.5	0.78	6.9	0.98	6.9	1.28	7.6	NNE	12
	10	0.42	5.5	0.70	6.9	0.89	7.1	1.10	6.8	NNE	16
	12	0.45	4.4	0.74	6.3	0.96	6.4	1.52	6.8	N	4
	14	0.51	4.2	0.80	5.3	0.99	5.3	1.18	6.3	NE	55
	16	0.53	4.5	0.84	6.6	1.11	7.2	1.45	8.1	NW	307
	18	* 0.76	5.2	* 1.24	6.7	* 1.50	6.9	* 1.90	6.5	W	278
	20	0.67	4.9	1.02	6.2	1.24	6.3	1.81	6.1	WNW	290
	22	0.64	4.6	1.00	6.0	1.26	6.3	1.50	7.0	NW	307
	最大	0.76	5.2	1.24	6.7	1.50	6.9	1.90	6.5		
	平均	0.54	5.0	0.87	6.5	1.10	6.7	1.49	6.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	304 回
欠測回数	3 回	欠測回数	68 回
欠 測 率	0.8 %	欠 測 率	18.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	0.55	4.5	0.90	5.9	1.11	6.1	1.39	6.7	N	352
	02	0.59	4.9	0.92	6.5	1.14	6.9	1.69	6.3	NNW	335
	04	0.53	4.8	0.87	6.4	1.10	6.7	1.48	5.7	NNE	20
	06	0.57	5.0	0.90	6.2	1.13	6.7	1.76	6.5	NNE	12
	08	0.66	5.1	1.04	6.6	1.29	6.3	1.64	6.8	NNE	12
	10	0.63	4.7	1.01	6.3	1.24	6.4	1.84	5.9	N	4
	12	0.66	4.9	1.02	6.3	1.26	6.4	1.63	5.8	NNW	348
	14	0.67	4.8	1.07	6.3	1.32	6.6	1.72	7.2	NNW	348
	16	* 0.80	5.4	1.24	6.8	1.53	7.0	1.89	6.1	NNW	344
	18	0.80	5.2	* 1.31	6.7	1.59	6.8	* 2.30	6.5	N	4
	20	0.79	5.1	1.30	7.0	* 1.62	7.2	2.18	7.4	NNE	16
	22	0.75	5.2	1.19	6.6	1.49	7.1	1.78	6.5	N	0
	最大	0.80	5.4	1.31	6.7	1.62	7.2	2.30	6.5		
	平均	0.67	5.0	1.06	6.5	1.32	6.7	1.78	6.5		
14	00	0.73	5.5	1.15	7.0	1.45	7.0	1.79	6.5	N	356
	02	0.70	5.4	1.12	6.8	1.36	6.7	1.67	7.1	NNE	25
	04	0.71	4.8	1.11	6.5	1.34	6.1	1.62	5.2	NNE	25
	06	0.72	4.6	* 1.20	6.4	1.51	6.5	* 2.23	7.1	NNE	16
	08	0.70	4.5	1.12	5.8	1.38	5.9	1.81	6.6	N	8
	10	0.66	4.6	1.05	5.6	1.29	5.4	1.68	4.8	NNE	20
	12	0.67	4.4	1.05	5.3	1.34	5.2	2.02	5.7	N	8
	14	0.72	4.5	1.18	5.5	1.50	5.6	1.85	6.5	N	10
	16	0.73	4.7	1.14	5.8	1.39	5.9	1.87	6.0	NNW	348
	18	0.70	4.4	1.09	5.3	1.36	5.3	1.73	5.8	NNE	17
	20	0.74	4.4	1.16	5.3	1.51	5.3	2.04	5.7	NNW	338
	22	* 0.75	4.6	1.19	5.7	* 1.52	5.6	1.87	5.6	NE	37
	最大	0.75	4.6	1.20	6.4	1.52	5.6	2.23	7.1		
	平均	0.71	4.7	1.13	5.9	1.41	5.9	1.85	6.0		
15	00	* 0.78	4.4	* 1.26	5.3	* 1.58	5.4	* 2.13	5.5	欠測	欠測
	02	0.68	4.4	1.13	5.7	1.37	5.7	1.96	5.2	NNE	25
	04	0.66	4.3	1.07	5.3	1.35	5.4	1.71	5.2	NNW	340
	06	0.63	4.1	1.00	5.0	1.25	4.9	1.66	5.8	N	352
	08	0.60	4.2	0.97	5.2	1.19	5.3	1.44	4.7	NNW	347
	10	0.54	3.9	0.90	5.1	1.12	5.1	1.41	4.4	NNE	23
	12	0.63	4.1	0.98	4.9	1.21	4.9	1.52	4.9	NNE	18
	14	0.59	4.1	0.96	5.2	1.23	5.0	2.02	5.4	N	8
	16	0.54	4.1	0.90	5.5	1.20	5.7	1.96	5.3	WNW	291
	18	0.61	4.6	0.96	5.8	1.16	5.8	1.59	5.1	NNE	20
	20	0.51	4.4	0.83	5.6	1.05	5.8	1.49	5.3	NNW	348
	22	0.61	4.6	0.95	5.4	1.13	5.8	1.38	5.6	欠測	欠測
	最大	0.78	4.4	1.26	5.3	1.58	5.4	2.13	5.5		
	平均	0.62	4.3	0.99	5.3	1.24	5.4	1.69	5.2		
16	00	0.61	4.6	0.98	5.4	1.24	5.4	1.69	4.9	NW	311
	02	* 0.72	4.7	* 1.15	5.5	* 1.40	5.5	* 1.94	5.1	欠測	欠測
	04	0.57	4.2	0.90	5.4	1.10	5.5	1.38	5.8	NE	54
	06	0.67	4.5	1.08	5.7	1.36	5.6	1.91	4.8	NNW	348
	08	0.59	4.4	0.95	5.7	1.15	5.7	1.53	6.3	NNW	344
	10	0.62	4.6	1.02	5.6	1.28	5.6	1.61	5.3	N	4
	12	0.58	4.5	0.95	5.7	1.20	5.7	1.53	5.6	N	352
	14	0.63	4.7	1.02	5.7	1.31	5.8	1.92	5.7	N	8
	16	0.50	4.4	0.84	5.6	1.09	5.6	1.52	6.0	NNE	33
	18	0.51	4.1	0.82	5.3	1.02	5.9	1.30	5.0	欠測	欠測
	20	0.49	4.6	0.78	5.6	0.97	5.8	1.23	5.7	NNE	16
	22	0.51	4.5	0.81	5.4	1.01	5.5	1.33	4.3	N	11
	最大	0.72	4.7	1.15	5.5	1.40	5.5	1.94	5.1		
	平均	0.58	4.5	0.94	5.6	1.18	5.6	1.57	5.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月											波 高		波 向																			
											規定回数	372 回	規定回数	372 回																		
											測得回数	369 回	測得回数	304 回																		
											欠測回数	3 回	欠測回数	68 回																		
											欠 測 率	0.8 %	欠 測 率	18.3 %																		
											機種：波向 海象計 - 50.0m																					
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m											緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″										
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向																						
										16方位	角度																					
17	00	0.47	4.4	0.74	5.5	0.92	5.5	1.27	5.2	N	353																					
	02	0.49	4.6	0.80	5.6	1.00	5.4	1.19	5.1	NNE	29																					
	04	* 0.52	4.9	* 0.81	5.8	* 1.00	5.7	* 1.42	5.7	NNE	25																					
	06	0.43	4.6	0.69	5.7	0.90	5.6	1.28	5.8	N	4																					
	08	0.41	4.4	0.65	5.4	0.81	5.4	1.07	5.9	NNE	27																					
	10	0.32	4.1	0.55	5.2	0.74	5.2	1.11	5.7	WNW	299																					
	12	0.36	4.5	0.58	5.3	0.75	5.3	1.10	5.7	NNE	23																					
	14	0.35	4.4	0.56	5.3	0.71	5.4	0.86	4.6	NNE	18																					
	16	0.37	4.6	0.58	5.8	0.76	5.9	1.11	6.4	NNE	29																					
	18	0.40	4.8	0.65	6.5	0.80	6.4	0.95	6.5	NNE	20																					
	20	0.39	4.8	0.63	6.4	0.80	6.4	1.26	6.8	NNE	20																					
	22	0.32	4.8	0.52	6.2	0.66	6.4	0.84	6.7	NNE	16																					
最大 平均		0.52	4.9	0.81	5.8	1.00	5.7	1.42	5.7																							
		0.40	4.6	0.65	5.7	0.82	5.7	1.12	5.8																							
18	00	0.34	4.9	0.54	6.1	0.67	6.0	* 1.06	5.6	NNE	20																					
	02	0.30	4.5	0.47	5.8	0.58	5.9	0.68	6.0	NNE	29																					
	04	0.29	4.6	0.48	6.3	0.60	6.3	0.80	5.4	NNE	33																					
	06	0.32	4.9	0.52	6.4	0.66	6.1	0.80	6.3	NNE	12																					
	08	0.35	4.5	0.54	5.6	0.68	5.9	1.03	6.7	NNE	20																					
	10	0.31	4.3	0.50	5.4	0.63	5.3	0.80	5.4	N	8																					
	12	0.31	4.1	0.49	5.3	0.62	5.7	0.93	6.0	NNW	345																					
	14	0.30	3.7	0.48	5.1	0.60	5.5	0.76	7.6	N	8																					
	16	* 0.38	4.1	0.58	5.5	0.71	5.7	0.87	5.9	NE	35																					
	18	0.36	4.1	* 0.59	5.8	* 0.71	6.4	0.86	6.3	NNE	16																					
	20	0.31	4.3	0.51	6.0	0.63	6.3	0.90	6.2	NNE	33																					
	22	0.28	4.6	0.44	6.2	0.55	6.3	0.78	6.3	NNE	33																					
最大 平均		0.38	4.1	0.59	5.8	0.71	6.4	1.06	5.6																							
		0.32	4.4	0.51	5.8	0.64	5.9	0.86	6.1																							
19	00	* 0.30	4.8	* 0.48	6.4	* 0.59	6.2	0.74	4.8	NNE	16																					
	02	0.26	4.3	0.42	6.2	0.50	6.7	0.69	6.7	NNE	16																					
	04	0.29	4.6	0.46	6.3	0.59	6.2	* 0.82	5.7	NNE	16																					
	06	0.24	4.2	0.39	5.9	0.49	6.0	0.69	6.1	NNE	20																					
	08	0.24	4.1	0.40	5.5	0.52	5.9	0.63	6.5	N	3																					
	10	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測																					
	12	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測																					
	14	0.27	4.0	0.42	5.0	0.54	5.1	0.80	5.1	NNE	27																					
	16	0.23	3.6	0.40	5.0	0.52	5.2	0.75	4.9	N	11																					
	18	0.24	3.8	0.37	4.6	0.44	4.5	0.62	4.4	N	355																					
	20	0.21	4.0	0.34	5.4	0.41	5.6	0.47	6.7	欠測	欠測																					
	22	0.19	3.9	0.29	5.3	0.35	5.6	0.43	4.9	欠測	欠測																					
最大 平均		0.30	4.8	0.48	6.4	0.59	6.2	0.82	5.7																							
		0.25	4.1	0.40	5.6	0.50	5.7	0.66	5.6																							
20	00	0.18	3.9	0.28	5.3	0.36	5.9	0.48	5.6	NW	312																					
	02	0.21	4.3	0.32	5.7	0.39	5.8	0.47	5.7	NNE	12																					
	04	* 0.22	4.5	* 0.37	5.9	* 0.46	6.0	0.59	5.9	NNE	16																					
	06	0.21	4.2	0.34	5.6	0.43	5.5	* 0.63	5.7	NNE	29																					
	08	0.21	4.2	0.33	5.3	0.42	5.2	0.62	5.2	W	271																					
	10	0.19	3.8	0.30	5.3	0.37	5.4	0.47	4.6	WNW	300																					
	12	0.18	3.5	0.28	4.8	0.35	5.0	0.49	5.2	欠測	欠測																					
	14	0.16	3.3	0.24	4.8	0.29	5.3	0.42	4.1	欠測	欠測																					
	16	0.16	3.2	0.25	4.6	0.31	5.1	0.43	4.5	欠測	欠測																					
	18	0.15	3.4	0.24	5.1	0.30	5.9	0.36	7.6	欠測	欠測																					
	20	0.16	3.8	0.25	5.6	0.31	6.7	0.41	8.7	欠測	欠測																					
	22	0.14	3.8	0.23	6.2	0.29	7.2	0.37	6.6	欠測	欠測																					
最大 平均		0.22	4.5	0.37	5.9	0.46	6.0	0.63	5.7																							
		0.18	3.8	0.29	5.4	0.36	5.8	0.48	5.8																							

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	0.16	3.3	0.26	5.1	0.33	6.4	0.44	9.0	N	0
	02	0.18	3.5	0.27	5.2	0.33	6.9	0.44	7.4	NW	311
	04	0.15	3.3	0.23	4.7	0.28	5.4	0.36	7.3	欠測	欠測
	06	0.18	3.6	0.28	5.3	0.36	6.1	0.50	9.1	欠測	欠測
	08	0.19	3.4	0.31	4.5	0.38	4.6	* 0.57	3.3	NE	48
	10	0.15	3.3	0.24	4.7	0.30	5.2	0.43	7.5	欠測	欠測
	12	0.17	3.5	0.26	4.9	0.33	5.7	0.42	6.1	NNE	30
	14	0.15	3.1	0.23	4.5	0.29	5.4	0.38	7.2	欠測	欠測
	16	0.15	3.1	0.23	4.5	0.28	4.9	0.37	5.2	欠測	欠測
	18	* 0.20	2.9	* 0.32	3.6	* 0.40	3.9	0.53	2.9	NNE	29
	20	0.16	3.2	0.25	4.4	0.31	4.7	0.42	7.5	欠測	欠測
	22	0.13	3.1	0.20	4.6	0.26	5.7	0.39	4.0	欠測	欠測
	最大	0.20	2.9	0.32	3.6	0.40	3.9	0.57	3.3		
	平均	0.16	3.3	0.26	4.7	0.32	5.4	0.44	6.4		
22	00	0.12	3.1	0.18	4.6	0.23	5.4	0.28	6.0	欠測	欠測
	02	0.13	3.2	0.21	4.8	0.26	5.4	0.37	7.5	欠測	欠測
	04	0.13	3.1	0.20	4.4	0.25	5.0	0.34	6.2	欠測	欠測
	06	0.16	3.0	0.25	4.2	0.31	5.1	0.42	7.0	欠測	欠測
	08	0.15	2.8	0.23	3.7	0.29	4.5	0.38	5.1	欠測	欠測
	10	0.23	3.0	0.35	3.7	0.43	3.7	0.55	2.9	NE	48
	12	0.22	3.1	0.33	3.8	0.41	4.1	0.54	4.8	NW	321
	14	0.41	3.7	0.64	4.7	0.80	4.8	1.09	4.9	NW	316
	16	0.64	4.9	0.98	5.7	1.21	5.6	1.66	5.7	WNW	295
	18	* 0.95	5.5	* 1.52	6.6	* 1.96	6.8	* 3.05	5.8	WNW	290
	20	0.82	5.4	1.32	6.8	1.66	7.0	2.07	7.5	WNW	286
	22	0.66	5.3	1.04	6.9	1.34	6.9	1.91	7.0	WNW	282
	最大	0.95	5.5	1.52	6.6	1.96	6.8	3.05	5.8		
	平均	0.38	3.8	0.60	5.0	0.76	5.4	1.05	5.9		
23	00	0.54	4.8	0.90	6.6	1.10	6.7	1.30	8.1	W	274
	02	0.57	5.1	0.91	6.6	1.11	6.8	1.38	6.5	WNW	290
	04	0.66	5.6	1.01	7.3	1.23	7.0	1.86	7.5	NW	319
	06	0.74	6.0	1.22	7.4	1.52	7.2	1.88	6.5	WNW	303
	08	* 0.78	5.8	* 1.28	7.3	* 1.59	7.4	1.94	7.6	WNW	290
	10	0.74	5.2	1.19	6.8	1.49	7.2	2.08	7.7	NW	311
	12	0.76	5.2	1.21	6.4	1.54	6.3	* 2.14	6.7	NW	311
	14	0.66	4.5	1.06	5.8	1.33	5.9	1.87	6.0	WNW	286
	16	0.63	4.8	1.03	6.3	1.29	6.1	2.05	6.0	WNW	295
	18	0.48	4.8	0.76	6.3	0.96	6.4	1.47	6.0	WNW	299
	20	0.49	5.1	0.78	6.5	0.92	6.8	1.37	5.2	WNW	290
	22	0.51	4.5	0.82	5.8	1.03	5.6	1.35	6.5	WNW	299
	最大	0.78	5.8	1.28	7.3	1.59	7.4	2.14	6.7		
	平均	0.63	5.1	1.01	6.6	1.26	6.6	1.72	6.7		
24	00	* 0.57	4.4	* 0.90	5.5	1.09	5.5	1.55	4.6	N	7
	02	0.55	4.2	0.89	5.5	* 1.11	5.6	* 1.89	5.0	NNE	17
	04	0.51	4.2	0.78	5.3	1.00	5.4	1.37	5.1	欠測	欠測
	06	0.50	4.3	0.78	5.3	0.97	5.4	1.24	4.7	欠測	欠測
	08	0.40	4.1	0.65	5.2	0.81	5.5	1.17	5.2	NE	34
	10	0.40	4.2	0.64	5.4	0.80	5.4	1.07	4.8	NE	52
	12	0.37	4.2	0.60	5.5	0.76	5.6	0.96	4.5	W	279
	14	0.34	4.0	0.54	5.3	0.67	5.6	0.78	5.7	欠測	欠測
	16	0.35	4.3	0.54	5.4	0.68	5.7	0.89	5.4	NNE	32
	18	0.37	4.5	0.57	5.7	0.70	5.6	0.82	6.2	NNW	331
	20	0.34	4.3	0.54	5.4	0.68	5.4	0.96	5.3	NNE	15
	22	0.32	4.1	0.50	5.3	0.62	5.3	0.95	5.9	N	7
	最大	0.57	4.4	0.90	5.5	1.11	5.6	1.89	5.0		
	平均	0.42	4.2	0.66	5.4	0.82	5.5	1.14	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	304 回
欠測回数	3 回	欠測回数	68 回
欠 測 率	0.8 %	欠 測 率	18.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.32	4.0	0.51	5.4	0.64	5.5	0.94	5.6	NE	42
	02	0.34	4.2	0.54	5.4	0.67	5.7	0.93	5.5	NE	54
	04	0.40	4.8	0.67	6.9	0.83	7.5	1.04	6.1	NNE	16
	06	0.46	5.3	0.75	7.4	0.97	8.2	1.21	8.1	NNE	12
	08	0.57	6.0	0.91	7.8	1.16	7.8	1.50	8.4	N	356
	10	0.68	6.1	1.09	7.9	1.38	7.8	1.68	8.5	NNW	348
	12	* 0.88	6.5	* 1.43	8.5	* 1.84	8.7	* 2.29	9.0	N	0
	14	0.81	6.1	1.30	8.2	1.60	8.5	1.86	8.2	N	352
	16	0.69	5.9	1.13	8.1	1.42	8.7	1.93	9.5	N	0
	18	0.76	6.6	1.21	8.9	1.51	8.5	2.09	8.3	N	0
	20	0.74	6.4	1.22	8.2	1.61	8.4	2.06	8.1	N	4
	22	0.64	5.9	1.09	7.9	1.38	8.2	1.95	7.9	NNE	16
	最大	0.88	6.5	1.43	8.5	1.84	8.7	2.29	9.0		
	平均	0.61	5.6	0.99	7.6	1.25	7.8	1.62	7.8		
26	00	0.64	6.0	1.04	7.7	1.32	7.6	1.53	8.2	NNW	348
	02	0.72	6.4	1.13	7.6	1.39	7.8	* 1.94	7.5	NNE	16
	04	* 0.73	6.5	* 1.16	7.5	* 1.43	7.3	1.93	6.7	NNE	12
	06	0.64	6.1	1.02	7.2	1.26	7.4	1.73	8.7	NNE	12
	08	0.51	5.6	0.79	6.8	0.98	6.8	1.27	7.1	NNW	344
	10	0.52	5.3	0.83	6.6	1.04	6.4	1.49	6.5	NNW	340
	12	0.49	5.0	0.81	6.8	1.02	6.9	1.47	7.4	N	356
	14	0.51	5.2	0.86	6.7	1.12	6.8	1.73	7.3	NNE	16
	16	0.45	5.2	0.72	6.7	0.87	6.9	0.99	7.8	NNE	20
	18	0.40	5.1	0.66	6.7	0.85	6.9	1.23	6.3	N	8
	20	0.40	5.6	0.61	6.4	0.73	6.6	0.91	6.5	N	8
	22	0.34	5.0	0.57	6.3	0.71	6.3	1.01	5.8	N	0
	最大	0.73	6.5	1.16	7.5	1.43	7.3	1.94	7.5		
	平均	0.53	5.6	0.85	6.9	1.06	7.0	1.44	7.1		
27	00	0.30	4.6	0.50	5.8	0.63	6.0	* 0.83	6.0	NNE	25
	02	0.32	4.7	0.52	6.0	* 0.66	6.0	0.77	6.5	NNE	16
	04	0.31	4.4	0.49	5.4	0.60	5.6	0.74	5.3	WNW	297
	06	* 0.33	4.6	* 0.53	5.4	0.64	5.3	0.75	4.9	N	350
	08	0.30	3.9	0.47	5.0	0.59	5.0	0.78	6.2	NE	38
	10	0.26	3.5	0.41	4.7	0.52	4.8	0.74	4.7	NNE	15
	12	0.22	3.6	0.35	5.0	0.43	4.8	0.55	5.0	NE	43
	14	0.22	3.5	0.34	4.9	0.42	4.9	0.51	4.6	NNW	335
	16	0.26	3.2	0.41	4.1	0.50	3.9	0.68	4.0	NNW	344
	18	0.23	3.3	0.36	4.2	0.44	4.7	0.63	3.9	NE	34
	20	0.21	3.3	0.32	4.3	0.39	4.5	0.47	5.8	NE	43
	22	0.17	3.1	0.27	4.2	0.34	4.4	0.47	4.0	NE	41
	最大	0.33	4.6	0.53	5.4	0.66	6.0	0.83	6.0		
	平均	0.26	3.8	0.41	4.9	0.51	5.0	0.66	5.1		
28	00	0.18	3.0	0.27	3.9	0.35	3.9	0.43	2.6	欠測	欠測
	02	0.19	3.3	0.31	4.7	0.40	5.3	0.53	7.4	NNW	346
	04	0.18	3.0	0.27	4.0	0.32	3.9	0.42	3.0	NNE	24
	06	0.21	2.9	0.34	3.6	0.43	3.7	0.62	3.3	NE	47
	08	0.29	3.3	0.45	3.9	0.57	3.8	0.78	3.4	N	8
	10	0.25	3.3	0.40	4.0	0.50	4.0	0.61	3.3	NE	44
	12	0.24	3.4	0.37	4.2	0.46	4.4	0.62	4.0	N	2
	14	0.28	3.7	0.44	4.7	0.55	5.0	0.75	5.4	NNE	32
	16	0.30	3.8	0.48	4.8	* 0.62	4.8	0.81	4.4	NNE	12
	18	* 0.32	4.1	* 0.49	4.7	0.61	4.6	0.81	4.2	NNE	33
	20	0.28	3.8	0.43	4.7	0.54	4.8	* 0.87	4.0	NNW	327
	22	0.27	3.9	0.41	4.7	0.50	4.6	0.66	4.3	NNW	327
	最大	0.32	4.1	0.49	4.7	0.62	4.8	0.87	4.0		
	平均	0.25	3.5	0.39	4.3	0.49	4.4	0.66	4.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 8月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	369 回	測得回数	304 回
欠測回数	3 回	欠測回数	68 回
欠 測 率	0.8 %	欠 測 率	18.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.22	3.8	0.36	4.8	0.44	4.8	0.56	4.0	NE	40
	02	0.22	3.9	0.35	5.4	0.45	5.5	0.53	5.8	NNW	340
	04	0.16	3.4	0.26	4.6	0.32	4.8	0.46	4.8	欠測	欠測
	06	0.15	3.2	0.24	4.6	0.31	4.8	0.41	5.0	欠測	欠測
	08	0.15	3.1	0.23	4.2	0.27	4.7	0.35	4.9	欠測	欠測
	10	0.23	3.0	0.35	3.6	0.44	3.8	0.58	4.4	NNE	28
	12	0.27	3.2	0.42	3.7	0.51	3.6	0.72	4.0	NNE	24
	14	0.30	3.6	0.47	4.3	0.59	4.4	0.75	4.4	NE	48
	16	0.33	3.7	0.53	4.5	0.68	4.6	* 1.20	4.4	NNE	32
	18	* 0.45	3.8	* 0.71	4.4	* 0.86	4.4	1.12	4.2	N	354
	20	0.41	4.1	0.64	4.8	0.79	4.8	0.98	4.3	N	356
	22	0.37	3.8	0.58	4.7	0.74	4.8	1.09	4.6	N	4
	最大	0.45	3.8	0.71	4.4	0.86	4.4	1.20	4.4		
	平均	0.27	3.6	0.43	4.5	0.53	4.6	0.73	4.6		
30	00	0.29	3.8	0.45	4.8	0.56	5.2	0.75	5.3	欠測	欠測
	02	0.26	3.9	0.41	5.4	0.52	5.6	0.71	5.8	N	5
	04	0.28	3.9	0.44	5.2	0.57	5.6	0.72	6.3	NNW	346
	06	0.29	3.8	0.45	5.1	0.56	5.3	0.78	5.4	NE	38
	08	* 0.31	3.7	* 0.49	5.0	* 0.60	4.9	0.74	4.1	NNE	28
	10	0.28	3.5	0.44	4.5	0.53	4.6	0.67	4.4	N	7
	12	0.24	3.6	0.39	4.8	0.50	5.0	0.66	5.3	NNW	330
	14	0.25	3.7	0.40	4.9	0.50	4.9	0.67	4.8	NNW	343
	16	0.25	3.6	0.40	4.6	0.50	4.9	0.75	4.6	NE	46
	18	0.26	3.7	0.41	4.7	0.51	4.8	* 0.88	5.6	NNE	25
	20	0.25	3.7	0.40	4.7	0.51	4.8	0.67	4.7	NE	51
	22	0.23	3.7	0.36	4.7	0.45	4.6	0.57	5.2	NE	36
	最大	0.31	3.7	0.49	5.0	0.60	4.9	0.88	5.6		
	平均	0.27	3.7	0.42	4.9	0.53	5.0	0.71	5.1		
31	00	0.19	3.5	0.29	4.5	0.35	4.6	0.49	4.0	NW	305
	02	0.19	3.6	0.30	4.7	0.36	4.6	0.47	4.9	欠測	欠測
	04	0.16	3.5	0.25	4.9	0.32	4.8	0.45	4.4	欠測	欠測
	06	0.17	3.2	0.28	4.5	0.36	4.5	* 0.58	4.0	N	354
	08	0.14	3.1	0.21	4.2	0.27	4.5	0.36	4.1	欠測	欠測
	10	0.13	2.9	0.21	3.9	0.26	4.1	0.38	4.0	欠測	欠測
	12	0.16	2.8	0.25	3.8	0.31	4.0	0.44	6.1	欠測	欠測
	14	0.16	3.1	0.24	4.0	0.29	4.4	0.39	6.0	欠測	欠測
	16	0.13	3.1	0.20	4.5	0.25	5.3	0.37	5.5	欠測	欠測
	18	0.15	3.2	0.23	4.1	0.28	4.1	0.36	2.6	欠測	欠測
	20	0.13	2.9	0.20	3.8	0.25	4.0	0.31	4.3	欠測	欠測
	22	* 0.20	3.0	* 0.32	3.9	* 0.41	4.2	0.57	3.2	NNE	12
	最大	0.20	3.0	0.32	3.9	0.41	4.2	0.58	4.0		
	平均	0.16	3.2	0.25	4.2	0.31	4.4	0.43	4.4		
月最大	1.28	5.8	2.04	7.1	2.62	7.5	3.81	8.3			
起時	0512		0510		0510		1006				
平均	0.42	4.2	0.66	5.4	0.83	5.6	1.11	5.7			

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.21	3.5	0.33	4.9	0.42	5.1	0.55	4.0	WNW	298
	02	0.23	3.5	0.36	4.7	0.47	5.1	0.68	4.3	NNE	23
	04	0.28	3.5	0.45	4.4	0.56	4.5	0.71	4.5	N	359
	06	0.25	3.5	0.39	4.4	0.49	4.4	0.61	2.8	WNW	293
	08	0.26	3.4	0.42	4.5	0.55	4.9	0.70	4.9	NNW	347
	10	0.30	3.3	0.48	4.3	0.60	4.4	0.75	3.5	欠測	欠測
	12	0.39	3.6	0.62	4.3	0.79	4.4	0.95	4.4	NE	39
	14	0.40	3.7	0.64	4.3	0.80	4.4	1.03	3.7	W	271
	16	* 0.40	3.8	* 0.64	4.7	* 0.83	4.9	* 1.19	4.7	NNW	345
	18	0.39	3.8	0.61	4.7	0.73	4.5	0.84	3.6	NNW	335
	20	0.37	4.1	0.57	4.7	0.69	4.8	0.92	4.8	WNW	300
	22	0.32	4.0	0.50	4.7	0.64	4.8	0.98	4.7	NNE	14
	最大	0.40	3.8	0.64	4.7	0.83	4.9	1.19	4.7		
	平均	0.32	3.6	0.50	4.6	0.63	4.7	0.83	4.2		
02	00	0.28	3.8	0.45	4.7	0.56	4.6	0.73	4.6	NW	320
	02	0.26	3.7	0.42	4.8	0.55	4.8	0.74	4.6	NE	56
	04	0.25	3.6	0.40	4.6	0.50	4.5	0.67	5.1	欠測	欠測
	06	0.21	3.5	0.34	4.7	0.43	4.7	0.60	4.4	NW	308
	08	0.29	3.7	0.45	4.5	0.55	4.7	0.77	4.0	WNW	301
	10	0.41	3.4	0.63	3.9	0.81	3.6	* 1.17	3.0	NNE	23
	12	0.34	3.3	0.54	4.2	0.67	4.2	0.87	3.9	欠測	欠測
	14	0.31	3.5	0.51	4.3	0.66	4.3	0.97	4.7	NNE	17
	16	* 0.43	3.6	* 0.68	4.3	* 0.84	4.4	1.15	4.7	NNE	31
	18	0.39	4.0	0.64	5.0	0.81	4.9	1.05	5.1	NNE	28
	20	0.31	4.0	0.50	5.0	0.63	4.9	0.94	5.4	N	4
	22	0.34	4.2	0.54	5.0	0.66	5.1	0.97	4.3	N	350
	最大	0.43	3.6	0.68	4.3	0.84	4.4	1.17	3.0		
	平均	0.32	3.7	0.51	4.6	0.64	4.6	0.89	4.5		
03	00	0.28	4.1	0.45	5.2	0.56	5.3	0.76	4.6	N	350
	02	0.36	4.4	0.56	5.4	0.69	5.4	0.93	4.8	N	359
	04	0.37	4.0	0.58	5.4	0.72	5.2	0.90	4.7	WNW	303
	06	0.31	4.0	0.51	5.6	0.65	5.7	0.95	5.9	WNW	286
	08	0.33	4.6	0.52	5.9	0.64	5.8	0.74	6.1	WNW	282
	10	0.36	5.1	0.57	6.2	0.71	6.2	1.05	6.4	WNW	282
	12	0.40	5.0	0.65	6.1	0.80	6.2	0.94	6.3	W	278
	14	0.41	5.2	0.66	6.0	0.85	5.9	1.19	5.8	NW	323
	16	0.53	4.9	0.88	6.1	1.13	6.1	1.74	6.1	NW	323
	18	1.14	4.9	1.79	5.7	2.23	5.9	2.85	5.9	NW	315
	20	* 1.23	5.1	* 1.92	6.0	* 2.45	5.9	* 4.00	4.9	NNW	340
	22	1.08	5.0	1.67	6.0	2.00	6.2	2.68	4.9	NNW	335
	最大	1.23	5.1	1.92	6.0	2.45	5.9	4.00	4.9		
	平均	0.57	4.7	0.90	5.8	1.12	5.8	1.56	5.5		
04	00	0.94	4.9	1.51	6.1	1.90	6.0	2.41	5.9	NNE	12
	02	0.83	4.9	1.32	6.1	1.70	6.1	2.49	6.4	NNE	12
	04	0.83	5.0	1.30	5.9	1.65	6.1	2.09	6.3	NNE	16
	06	0.94	5.4	1.44	6.3	1.81	6.3	* 2.93	5.7	NNW	327
	08	0.98	5.4	1.51	6.3	1.89	6.2	2.77	6.2	NNW	327
	10	* 1.05	5.6	* 1.57	6.2	* 1.90	6.2	2.63	5.8	NNW	327
	12	0.92	5.2	1.43	6.0	1.76	6.1	2.24	5.7	NNE	25
	14	0.80	5.2	1.27	6.1	1.51	5.9	2.08	5.4	NNE	16
	16	0.74	5.2	1.13	6.2	1.42	6.1	1.85	5.2	NNE	16
	18	0.58	5.0	0.91	5.9	1.15	6.0	1.82	5.5	NNE	33
	20	0.53	4.8	0.85	6.1	1.06	6.3	1.27	6.3	NNE	29
	22	0.45	4.8	0.74	6.2	0.95	6.1	1.35	6.1	NNE	20
	最大	1.05	5.6	1.57	6.2	1.90	6.2	2.93	5.7		
	平均	0.80	5.1	1.25	6.1	1.56	6.1	2.16	5.9		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.43	4.8	0.67	5.9	0.83	5.9	1.26	6.3	NE	37
	02	0.48	5.1	0.78	6.2	1.00	6.1	1.29	6.2	NNE	29
	04	0.50	5.1	0.82	6.2	1.01	6.1	1.18	5.9	NNE	25
	06	* 0.52	5.0	* 0.86	6.2	* 1.15	6.0	* 1.66	6.1	NE	37
	08	0.43	4.8	0.69	5.8	0.85	5.8	1.08	5.3	NNE	33
	10	0.51	4.9	0.85	5.7	1.07	5.7	1.38	5.6	NNE	33
	12	0.40	4.4	0.65	5.4	0.84	5.5	1.26	5.3	NE	47
	14	0.36	4.2	0.58	5.2	0.73	5.2	0.92	5.0	NW	310
	16	0.33	3.9	0.52	5.2	0.65	5.1	0.88	4.9	N	7
	18	0.28	3.6	0.44	4.8	0.55	4.8	0.72	5.0	N	8
	20	0.25	3.5	0.40	4.8	0.52	4.9	0.65	4.4	欠測	欠測
	22	0.21	3.5	0.34	4.8	0.43	5.1	0.52	5.7	NNE	27
最大		0.52	5.0	0.86	6.2	1.15	6.0	1.66	6.1		
平均		0.39	4.4	0.63	5.5	0.80	5.5	1.07	5.5		
06	00	* 0.22	3.6	* 0.35	4.7	* 0.45	4.8	* 0.68	4.8	NE	51
	02	0.22	3.6	0.35	4.6	0.44	4.5	0.57	3.3	NNE	28
	04	0.21	3.5	0.32	4.3	0.39	4.3	0.52	4.0	NE	39
	06	0.18	3.4	0.29	4.5	0.36	4.5	0.55	4.7	WNW	282
	08	0.16	3.3	0.26	4.3	0.33	4.3	0.43	3.6	N	9
	10	0.17	3.2	0.26	4.2	0.33	4.2	0.41	3.9	WNW	287
	12	0.14	3.0	0.22	4.1	0.28	4.2	0.36	4.3	欠測	欠測
	14	0.13	3.0	0.21	4.1	0.26	4.2	0.31	5.9	欠測	欠測
	16	0.12	3.0	0.18	4.3	0.22	4.5	0.35	4.2	欠測	欠測
	18	0.11	2.9	0.17	4.2	0.20	4.7	0.27	4.7	欠測	欠測
	20	0.09	2.8	0.14	4.0	0.18	4.8	0.24	4.5	欠測	欠測
	22	0.10	3.0	0.15	3.8	0.18	4.7	0.26	4.6	欠測	欠測
最大		0.22	3.6	0.35	4.7	0.45	4.8	0.68	4.8		
平均		0.15	3.2	0.24	4.3	0.30	4.5	0.41	4.4		
07	00	0.10	2.8	0.16	3.5	0.19	3.8	0.30	3.1	欠測	欠測
	02	0.18	3.8	0.28	5.1	0.35	5.8	0.51	6.7	NE	55
	04	0.13	2.9	0.20	3.9	0.24	4.1	0.31	3.8	欠測	欠測
	06	0.13	3.0	0.20	4.1	0.24	4.2	0.35	3.7	欠測	欠測
	08	0.12	2.8	0.19	3.8	0.24	4.1	0.41	4.1	欠測	欠測
	10	* 0.43	3.4	* 0.65	3.5	* 0.81	3.5	* 0.99	4.3	NE	51
	12	0.33	3.5	0.54	4.4	0.71	4.5	0.91	3.9	欠測	欠測
	14	0.23	3.2	0.36	3.9	0.43	4.0	0.56	3.4	欠測	欠測
	16	0.24	3.2	0.36	3.7	0.45	3.6	0.58	4.4	NE	47
	18	0.21	3.1	0.33	3.9	0.40	3.9	0.53	4.0	NNE	15
	20	0.18	3.3	0.29	4.2	0.37	4.3	0.45	4.2	WNW	294
	22	0.18	3.2	0.28	4.5	0.36	4.7	0.54	4.7	NNE	18
最大		0.43	3.4	0.65	3.5	0.81	3.5	0.99	4.3		
平均		0.21	3.2	0.32	4.0	0.40	4.2	0.54	4.2		
08	00	0.23	3.1	0.36	4.1	0.44	4.1	0.53	4.1	欠測	欠測
	02	0.29	3.6	0.46	4.9	0.56	5.1	0.74	5.9	NW	307
	04	0.25	4.0	0.40	5.3	0.49	5.4	0.69	5.4	欠測	欠測
	06	0.22	3.7	0.34	4.9	0.44	5.0	0.61	5.4	NNE	17
	08	0.20	3.6	0.31	4.4	0.38	4.5	0.49	4.3	WNW	302
	10	0.20	3.7	0.30	4.3	0.38	4.4	0.51	4.0	N	357
	12	0.21	3.4	0.35	4.3	0.43	4.3	0.51	4.0	NNE	15
	14	0.30	3.4	0.47	4.1	0.59	4.1	0.95	4.0	NE	50
	16	0.30	3.3	0.48	4.1	0.60	4.2	0.81	4.4	W	275
	18	0.29	3.5	0.46	4.4	0.57	4.3	0.80	3.7	W	276
	20	0.38	4.0	0.60	4.9	0.75	4.8	1.06	4.8	NE	45
	22	* 0.43	4.1	* 0.68	4.7	* 0.85	4.7	* 1.17	5.2	NNE	18
最大		0.43	4.1	0.68	4.7	0.85	4.7	1.17	5.2		
平均		0.27	3.6	0.43	4.5	0.54	4.6	0.74	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	* 0.41	3.7	* 0.66	4.5	* 0.84	4.4	* 1.11	5.1	NNE	18
	02	0.39	4.0	0.63	5.0	0.80	5.0	1.05	5.3	NNE	31
	04	0.34	4.1	0.52	4.7	0.65	4.8	0.91	4.8	N	6
	06	0.30	3.9	0.46	4.8	0.58	4.8	0.80	4.8	NE	45
	08	0.31	3.8	0.49	4.5	0.61	4.5	0.76	4.3	N	4
	10	0.32	3.4	0.51	4.1	0.65	4.1	0.84	4.2	WNW	299
	12	0.32	3.5	0.50	4.2	0.61	4.1	0.76	4.2	N	357
	14	0.24	3.4	0.37	4.1	0.46	4.0	0.63	3.3	NE	42
	16	0.20	3.3	0.32	4.2	0.38	4.2	0.59	3.2	NNE	15
	18	0.20	3.4	0.30	4.2	0.37	4.2	0.51	4.5	N	354
	20	0.17	3.2	0.27	4.3	0.33	4.3	0.49	4.0	N	10
	22	0.14	3.1	0.21	4.2	0.26	4.4	0.32	4.3	欠測	欠測
	最大	0.41	3.7	0.66	4.5	0.84	4.4	1.11	5.1		
	平均	0.28	3.6	0.44	4.4	0.55	4.4	0.73	4.3		
10	00	0.15	3.2	0.23	4.2	0.28	4.1	0.37	4.2	欠測	欠測
	02	0.17	3.4	0.27	4.8	0.34	5.0	0.48	4.4	NW	323
	04	0.12	2.9	0.19	4.0	0.24	4.3	0.31	4.7	欠測	欠測
	06	0.17	2.8	0.26	3.7	0.33	3.9	0.44	4.3	NNW	346
	08	0.15	2.8	0.24	3.7	0.30	4.0	0.36	5.3	欠測	欠測
	10	0.21	2.8	0.32	3.3	0.39	3.2	0.54	3.4	NNW	338
	12	0.23	3.1	0.37	3.7	0.45	3.6	0.58	3.3	NNE	15
	14	0.25	3.4	0.39	4.1	0.48	4.0	0.60	4.2	欠測	欠測
	16	0.34	3.7	0.54	4.3	0.67	4.2	0.79	4.1	NNW	336
	18	0.42	4.3	0.67	5.3	0.83	5.3	1.41	6.3	NNW	344
	20	* 1.02	5.3	* 1.64	7.0	* 2.14	7.7	* 3.12	6.7	NNW	327
	22	0.96	4.9	1.52	6.0	1.93	5.9	2.76	6.2	NW	323
	最大	1.02	5.3	1.64	7.0	2.14	7.7	3.12	6.7		
	平均	0.35	3.5	0.55	4.5	0.70	4.6	0.98	4.8		
11	00	0.92	5.3	1.44	6.8	1.78	7.0	2.29	7.1	NW	323
	02	* 1.00	5.7	* 1.56	6.7	* 1.99	6.7	2.76	6.2	NNW	331
	04	0.88	5.3	1.45	6.7	1.83	6.6	* 2.79	6.8	NNW	340
	06	0.96	5.4	1.55	6.7	1.94	6.6	2.61	6.7	NNW	335
	08	0.90	5.2	1.45	6.3	1.80	6.1	2.17	6.5	NNW	331
	10	0.75	4.6	1.21	5.9	1.53	6.2	2.20	6.3	NNW	335
	12	0.67	4.6	1.07	5.9	1.37	6.0	1.73	6.0	NNW	331
	14	0.71	4.9	1.10	6.0	1.35	5.9	1.59	5.6	NW	319
	16	0.58	4.5	0.92	5.7	1.14	5.9	1.45	5.8	NW	323
	18	0.57	4.0	0.94	5.1	1.18	5.0	1.47	4.5	NW	310
	20	0.60	3.9	0.97	4.7	1.27	4.9	1.69	4.1	欠測	欠測
	22	0.54	4.1	0.84	5.0	1.05	5.2	1.20	6.4	WNW	291
	最大	1.00	5.7	1.56	6.7	1.99	6.7	2.79	6.8		
	平均	0.76	4.8	1.21	6.0	1.52	6.0	2.00	6.0		
12	00	0.46	4.4	0.73	5.2	0.93	5.0	1.30	4.5	NNE	24
	02	0.46	4.4	0.74	5.4	0.91	5.6	1.11	4.8	WNW	302
	04	0.37	3.6	0.60	4.7	0.75	4.7	0.97	4.5	N	7
	06	0.48	3.7	0.72	4.2	0.91	4.1	1.11	3.7	W	275
	08	0.49	3.7	0.77	4.3	0.96	4.3	1.31	4.6	NE	43
	10	0.54	3.8	0.84	4.4	1.06	4.2	1.49	4.7	NW	312
	12	0.55	3.9	0.84	4.5	1.05	4.6	1.35	4.2	NE	55
	14	0.53	3.9	0.83	4.6	1.05	4.8	1.40	5.1	NE	34
	16	0.44	3.8	0.70	4.7	0.87	4.8	1.07	5.1	NE	35
	18	0.54	3.9	0.83	4.4	1.04	4.4	1.34	4.7	NNW	341
	20	* 0.64	4.1	* 0.99	4.7	* 1.23	4.6	* 1.76	4.7	W	272
	22	0.58	4.1	0.89	4.8	1.09	5.1	1.59	4.9	N	9
	最大	0.64	4.1	0.99	4.7	1.23	4.6	1.76	4.7		
	平均	0.51	3.9	0.79	4.7	0.99	4.7	1.32	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.62	4.3	0.99	5.0	1.23	5.0	1.66	5.0	WNW	288
	02	0.56	4.1	0.86	4.8	1.12	4.9	1.67	4.7	NW	307
	04	0.46	4.1	0.72	4.8	0.94	4.9	1.39	5.2	NE	52
	06	0.53	4.4	0.82	5.3	1.01	5.3	1.58	5.3	NNE	12
	08	0.60	4.2	0.91	5.2	1.13	5.0	1.80	4.4	NE	36
	10	0.70	4.7	1.08	5.4	1.33	5.6	1.67	4.8	欠測	欠測
	12	0.84	4.8	1.37	5.9	1.70	6.1	2.06	7.1	欠測	欠測
	14	* 0.96	5.2	* 1.56	6.4	* 2.02	6.3	* 2.64	6.6	NE	37
	16	0.84	5.2	1.34	6.5	1.67	6.7	2.05	6.2	NE	45
	18	0.85	4.9	1.34	6.1	1.72	6.1	2.58	5.8	NE	53
	20	0.72	4.6	1.17	5.9	1.46	6.2	1.87	5.9	NE	45
	22	0.82	4.8	1.33	5.9	1.67	5.9	1.97	6.2	NE	45
	最大	0.96	5.2	1.56	6.4	2.02	6.3	2.64	6.6		
	平均	0.71	4.6	1.12	5.6	1.42	5.7	1.91	5.6		
14	00	0.87	4.5	1.39	5.7	1.72	5.9	2.27	7.1	N	0
	02	1.24	5.1	1.96	6.0	2.43	5.8	* 3.40	5.2	NNE	25
	04	* 1.29	5.3	* 2.13	6.4	* 2.63	6.3	3.15	6.1	NNE	20
	06	1.08	4.9	1.69	6.1	2.12	6.4	2.67	5.2	NNE	20
	08	1.13	5.1	1.80	6.3	2.29	6.0	2.87	5.5	NNE	29
	10	1.12	5.2	1.76	6.0	2.21	5.8	2.66	5.6	NE	53
	12	0.95	4.7	1.47	5.7	1.85	5.7	2.52	5.3	NE	53
	14	0.88	4.6	1.35	5.5	1.71	5.6	2.27	5.2	NE	51
	16	1.00	4.7	1.56	5.4	1.98	5.2	2.71	5.4	NE	39
	18	0.91	4.4	1.38	5.1	1.67	5.1	2.11	5.5	WNW	291
	20	0.85	4.5	1.32	5.3	1.64	5.3	2.03	5.1	N	356
	22	0.72	4.4	1.18	5.4	1.53	5.5	2.34	5.5	NE	54
	最大	1.29	5.3	2.13	6.4	2.63	6.3	3.40	5.2		
	平均	1.00	4.8	1.58	5.7	1.98	5.7	2.58	5.6		
15	00	0.65	4.6	1.01	5.6	1.28	5.7	1.73	5.3	N	8
	02	0.62	4.1	0.98	4.9	1.28	4.8	1.70	4.2	欠測	欠測
	04	0.50	3.7	0.82	4.6	1.05	4.6	1.55	4.6	NNW	335
	06	0.48	3.9	0.76	4.9	0.96	4.9	1.35	4.8	NE	41
	08	0.75	4.0	1.21	4.8	1.55	4.8	2.20	4.4	NW	321
	10	0.68	4.3	1.10	5.2	1.37	5.1	1.74	5.1	WNW	297
	12	0.61	4.3	0.99	5.4	1.24	5.5	1.58	5.9	欠測	欠測
	14	1.11	4.7	1.77	5.6	2.19	5.6	2.79	5.9	NNE	20
	16	1.16	4.8	1.84	5.9	2.33	6.0	2.90	5.7	NNE	25
	18	1.30	5.1	2.07	6.2	2.57	6.1	3.19	6.3	NNE	20
	20	1.18	5.0	1.90	6.0	2.33	6.1	3.32	6.9	NNE	29
	22	* 1.33	5.2	* 2.09	6.1	* 2.66	6.1	* 4.24	6.3	NNE	29
	最大	1.33	5.2	2.09	6.1	2.66	6.1	4.24	6.3		
	平均	0.86	4.5	1.38	5.4	1.73	5.4	2.36	5.4		
16	00	* 1.25	5.2	* 1.93	6.2	* 2.43	6.1	3.03	5.4	NE	45
	02	1.15	5.1	1.78	6.2	2.12	6.0	2.43	5.4	NE	41
	04	1.21	5.2	1.87	6.3	2.30	6.2	2.91	5.8	NNE	33
	06	1.09	5.3	1.75	6.4	2.33	6.4	2.96	7.2	NNE	33
	08	0.99	5.1	1.60	6.4	2.10	6.7	* 3.80	6.6	NE	45
	10	1.11	5.7	1.77	6.8	2.24	6.9	3.06	6.9	NNE	29
	12	1.02	5.8	1.64	7.0	2.04	7.1	2.61	6.8	NE	37
	14	0.94	5.6	1.49	7.2	1.86	7.0	2.40	6.4	NNE	12
	16	0.97	5.6	1.49	6.9	1.76	7.0	2.08	7.2	NNE	29
	18	0.92	5.3	1.49	6.7	1.88	6.8	2.82	6.2	NNE	16
	20	0.92	5.4	1.52	6.8	1.94	6.9	2.77	6.0	NNE	25
	22	1.13	5.7	1.77	6.9	2.16	6.9	3.12	6.3	NNE	25
	最大	1.25	5.2	1.93	6.2	2.43	6.1	3.80	6.6		
	平均	1.06	5.4	1.67	6.6	2.10	6.7	2.83	6.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	309 回
欠測回数	0 回	欠測回数	51 回
欠 測 率	0.0 %	欠 測 率	14.2 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
17	00	* 0.93	5.3	* 1.56	6.8	1.96	7.1	* 2.72	7.0	NE	37
	02	0.92	5.3	1.52	6.8	* 1.98	6.8	2.51	7.3	NE	37
	04	0.82	4.7	1.28	6.0	1.63	6.4	2.38	6.4	NE	37
	06	0.80	4.6	1.32	5.9	1.72	6.1	2.56	6.5	欠測	欠測
	08	0.82	5.1	1.30	6.0	1.61	6.0	2.11	6.4	NE	53
	10	0.83	5.0	1.36	6.2	1.76	6.3	2.30	6.1	欠測	欠測
	12	0.80	5.3	1.22	6.1	1.49	6.0	1.80	6.0	欠測	欠測
	14	0.60	4.9	0.95	5.7	1.20	5.8	1.73	5.0	欠測	欠測
	16	0.55	4.7	0.91	5.5	1.16	5.5	2.00	5.4	欠測	欠測
	18	0.40	3.7	0.65	5.2	0.83	5.7	1.16	4.4	N	9
	20	0.38	3.8	0.59	5.1	0.74	5.6	1.08	5.7	NNE	16
	22	0.37	3.7	0.58	4.8	0.72	5.4	0.87	8.5	NNE	32
	最大	0.93	5.3	1.56	6.8	1.98	6.8	2.72	7.0		
	平均	0.68	4.7	1.10	5.8	1.40	6.1	1.94	6.2		
18	00	0.41	3.8	0.65	5.1	0.82	6.0	1.05	6.7	NE	49
	02	0.56	3.8	0.85	4.5	1.07	4.7	1.48	4.3	W	278
	04	0.63	3.9	0.98	4.7	1.21	4.8	1.52	4.5	欠測	欠測
	06	0.64	4.2	0.99	5.0	1.18	4.9	1.44	5.9	欠測	欠測
	08	0.74	4.1	1.16	4.8	1.40	4.9	1.77	5.1	NE	41
	10	1.03	4.5	1.65	5.4	2.01	5.2	2.45	4.4	NNE	15
	12	* 1.21	4.9	* 1.89	5.8	* 2.25	5.8	2.81	5.8	NNE	12
	14	1.15	4.7	1.78	5.7	2.25	5.7	* 3.05	6.5	NNE	25
	16	0.99	4.9	1.57	5.8	2.10	5.9	2.93	6.3	NNE	33
	18	1.08	5.1	1.72	6.2	2.17	6.2	2.96	5.7	NNE	29
	20	1.04	4.9	1.61	5.9	2.04	5.9	2.95	6.4	NNE	29
	22	1.08	5.0	1.73	6.3	2.16	6.3	2.79	6.8	NNE	25
	最大	1.21	4.9	1.89	5.8	2.25	5.8	3.05	6.5		
	平均	0.88	4.5	1.38	5.4	1.72	5.5	2.27	5.7		
19	00	欠測	欠測	1.62	欠測	欠測	欠測	2.60	欠測	欠測	欠測
	02	1.28	5.3	2.01	6.3	2.48	6.3	3.17	7.1	NNE	25
	04	* 1.37	5.5	* 2.23	6.9	* 2.83	6.9	3.74	6.8	NNE	33
	06	1.36	5.6	2.17	6.9	2.70	7.0	3.37	6.3	NE	37
	08	1.16	5.3	1.87	6.8	2.34	6.9	3.58	7.7	NNE	29
	10	1.18	5.0	1.92	6.5	2.45	7.0	3.74	6.6	NNE	20
	12	1.36	5.4	2.11	6.7	2.60	6.5	3.12	6.2	NNE	16
	14	1.33	5.7	2.06	6.9	2.59	6.9	3.27	7.7	NNE	20
	16	1.21	5.5	1.91	7.0	2.44	7.3	* 3.74	7.2	NNE	29
	18	1.19	5.5	1.93	6.9	2.45	6.9	3.31	6.5	NNE	16
	20	1.21	5.7	1.94	7.1	2.53	7.5	3.45	8.7	NNE	33
	22	1.19	6.1	1.95	7.7	2.51	7.4	3.57	7.4	NNE	29
	最大	1.37	5.5	2.23	6.9	2.83	6.9	3.74	7.2		
	平均	1.26	5.5	1.98	6.9	2.54	7.0	3.39	7.1		
20	00	* 1.16	5.9	* 1.83	7.0	* 2.34	7.4	* 3.51	7.0	NNE	29
	02	1.02	5.4	1.70	7.1	2.14	7.1	2.64	7.0	NNE	25
	04	1.01	5.7	1.60	7.1	2.02	7.0	2.31	7.1	NE	37
	06	0.94	5.6	1.50	7.1	1.96	7.1	2.36	7.6	NE	37
	08	0.93	5.8	1.43	6.8	1.71	6.7	2.03	7.3	NNE	20
	10	0.87	5.7	1.40	7.0	1.74	7.0	2.06	6.9	NNE	25
	12	0.94	5.9	1.48	7.2	1.86	7.4	2.60	7.1	NNE	16
	14	0.92	6.0	1.47	7.4	1.85	7.1	2.36	6.9	NNE	12
	16	0.82	5.6	1.37	7.2	1.84	7.0	2.24	6.3	NNE	16
	18	0.76	5.7	1.26	7.4	1.66	7.4	2.29	7.6	NNE	20
	20	0.82	6.5	1.27	7.7	1.64	7.7	2.18	6.5	NNE	20
	22	0.60	5.7	0.97	7.2	1.20	7.3	1.56	7.1	NNE	29
	最大	1.16	5.9	1.83	7.0	2.34	7.4	3.51	7.0		
	平均	0.90	5.8	1.44	7.2	1.83	7.2	2.34	7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	0.67	6.1	1.12	7.6	* 1.48	7.5	* 2.01	7.4	NE	37
	02	* 0.73	6.6	* 1.14	7.6	1.35	7.5	1.67	8.8	N	4
	04	0.67	6.5	1.07	7.9	1.35	7.9	1.62	7.5	NNE	20
	06	0.65	6.6	1.05	7.7	1.31	7.6	1.68	7.9	NNE	16
	08	0.54	6.0	0.90	7.6	1.20	7.6	1.49	8.2	NNE	20
	10	0.51	5.2	0.83	6.9	1.01	6.7	1.29	6.4	NNE	20
	12	0.46	5.0	0.75	6.6	0.95	7.1	1.20	6.8	NNE	29
	14	0.43	5.0	0.73	7.0	0.91	7.1	1.18	6.6	NNE	25
	16	0.40	5.0	0.67	6.8	0.85	7.1	1.17	7.3	NNE	25
	18	0.33	4.5	0.54	6.1	0.70	6.4	0.94	6.2	NNE	25
	20	0.30	4.3	0.46	5.7	0.58	6.0	0.75	5.9	NNE	20
	22	0.30	4.5	0.49	6.1	0.61	6.4	0.86	6.9	N	8
	最大	0.73	6.6	1.14	7.6	1.48	7.5	2.01	7.4		
	平均	0.50	5.4	0.81	7.0	1.02	7.1	1.32	7.2		
22	00	0.31	4.4	0.50	6.0	0.64	6.2	0.79	5.6	NNE	33
	02	0.58	4.1	0.91	5.3	1.11	5.7	1.45	6.7	NE	55
	04	0.94	4.6	1.46	5.5	1.84	5.8	2.59	5.9	WNW	298
	06	0.99	4.5	1.61	5.7	2.09	5.6	2.70	6.1	NW	323
	08	* 1.11	4.9	* 1.79	6.0	* 2.22	6.1	* 2.81	6.7	NNW	327
	10	1.01	5.0	1.55	5.8	1.95	6.2	2.46	6.1	NW	315
	12	0.85	4.8	1.32	5.7	1.67	5.9	2.81	5.8	NNW	327
	14	0.83	4.5	1.34	5.6	1.67	5.4	2.24	5.7	NW	315
	16	0.77	4.6	1.21	5.4	1.50	5.5	1.93	5.3	N	358
	18	0.79	4.5	1.28	5.4	1.59	5.1	1.98	4.8	WNW	289
	20	0.67	4.2	1.08	5.2	1.40	5.5	2.24	5.8	欠測	欠測
	22	0.77	4.3	1.21	5.1	1.54	4.8	2.02	4.7	欠測	欠測
	最大	1.11	4.9	1.79	6.0	2.22	6.1	2.81	6.7		
	平均	0.80	4.5	1.27	5.6	1.60	5.6	2.17	5.8		
23	00	0.83	4.5	1.37	5.3	1.81	5.4	2.36	5.7	NNE	24
	02	0.97	4.7	1.48	5.5	1.81	5.4	2.50	5.0	NE	56
	04	0.93	4.4	1.45	5.3	1.79	5.3	2.55	4.7	WNW	285
	06	* 1.15	4.9	* 1.81	5.6	* 2.34	5.6	3.01	5.2	NNE	25
	08	1.07	4.8	1.72	5.7	2.20	5.6	* 3.22	5.4	NNE	20
	10	0.98	4.5	1.55	5.4	1.97	5.4	3.18	5.2	欠測	欠測
	12	1.01	4.6	1.65	5.8	2.07	5.8	2.58	5.8	N	4
	14	0.97	4.9	1.50	5.7	1.84	5.6	2.28	5.6	NNE	25
	16	0.93	4.9	1.43	5.8	1.72	5.9	2.41	4.7	N	8
	18	0.77	4.3	1.26	5.3	1.65	5.4	2.23	5.6	NW	322
	20	0.79	4.4	1.25	5.3	1.62	5.4	2.12	6.0	NE	44
	22	0.80	4.4	1.26	5.4	1.56	5.4	2.11	5.8	欠測	欠測
	最大	1.15	4.9	1.81	5.6	2.34	5.6	3.22	5.4		
	平均	0.93	4.6	1.48	5.5	1.87	5.5	2.55	5.4		
24	00	* 0.68	4.2	* 1.10	5.2	* 1.39	5.1	* 2.07	5.1	NNE	21
	02	0.67	4.2	1.04	5.1	1.25	5.2	1.67	5.0	NW	304
	04	0.62	4.0	1.00	5.0	1.27	5.0	1.78	4.4	欠測	欠測
	06	0.61	3.8	1.02	5.0	1.32	5.1	1.95	4.7	NNE	18
	08	0.53	3.9	0.82	4.9	1.02	4.8	1.49	3.9	NNE	15
	10	0.50	3.9	0.78	4.8	0.97	4.9	1.32	4.1	WNW	303
	12	0.52	3.8	0.81	4.6	1.00	4.5	1.39	4.6	NNE	22
	14	0.45	3.8	0.71	4.5	0.87	4.7	1.03	4.0	N	11
	16	0.46	3.8	0.73	4.4	0.93	4.2	1.35	4.6	WNW	291
	18	0.43	3.8	0.69	5.0	0.88	5.0	1.12	4.2	N	8
	20	0.47	4.3	0.74	5.3	0.94	5.4	1.11	5.2	欠測	欠測
	22	0.51	4.5	0.84	5.7	1.07	5.7	1.45	6.1	NNE	20
	最大	0.68	4.2	1.10	5.2	1.39	5.1	2.07	5.1		
	平均	0.54	4.0	0.86	5.0	1.08	5.0	1.48	4.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.55	4.7	0.88	6.1	1.10	6.0	1.59	5.8	N	8
	02	* 0.67	5.2	* 1.04	6.6	* 1.31	6.3	* 1.76	6.2	NNE	12
	04	0.57	5.0	0.91	6.3	1.11	6.4	1.40	6.4	NNE	16
	06	0.56	4.8	0.90	5.8	1.13	6.0	1.36	5.8	NNE	25
	08	0.46	4.5	0.74	5.8	0.91	5.9	1.08	6.6	NNE	16
	10	0.48	4.8	0.74	5.8	0.93	5.9	1.15	6.3	NNE	33
	12	0.45	4.7	0.71	5.8	0.90	5.8	1.21	5.5	N	8
	14	0.40	4.4	0.65	5.4	0.82	5.5	1.00	6.0	欠測	欠測
	16	0.38	4.3	0.59	5.2	0.72	5.3	0.93	4.9	NE	39
	18	0.33	4.1	0.51	5.1	0.63	5.3	0.95	4.5	欠測	欠測
	20	0.27	4.0	0.44	5.3	0.54	5.4	0.69	4.4	NW	319
	22	0.23	3.5	0.37	4.8	0.44	5.0	0.66	5.5	NW	325
最大		0.67	5.2	1.04	6.6	1.31	6.3	1.76	6.2		
平均		0.45	4.5	0.71	5.7	0.88	5.7	1.15	5.7		
26	00	0.19	3.8	0.29	5.3	0.37	5.4	0.53	5.4	欠測	欠測
	02	0.18	3.6	0.28	4.8	0.36	5.1	0.50	4.7	N	350
	04	0.17	3.4	0.26	4.5	0.31	4.4	0.41	4.5	欠測	欠測
	06	0.14	3.0	0.22	4.1	0.28	4.5	0.37	5.4	欠測	欠測
	08	0.27	2.9	0.43	3.2	0.56	3.0	0.79	3.3	NNE	30
	10	0.18	2.7	0.27	3.5	0.34	3.4	0.50	4.9	N	355
	12	0.16	3.0	0.25	3.8	0.32	4.1	0.47	6.2	欠測	欠測
	14	0.27	2.8	0.41	3.4	0.51	3.4	0.76	4.8	N	358
	16	0.24	2.8	0.38	3.5	0.48	3.4	0.68	5.6	欠測	欠測
	18	0.45	3.8	0.70	4.6	0.85	4.3	1.38	3.9	欠測	欠測
	20	0.51	3.9	0.80	4.7	1.01	4.8	1.23	5.5	欠測	欠測
	22	* 0.67	4.8	* 1.08	6.1	* 1.37	6.2	* 1.69	5.7	WSW	258
最大		0.67	4.8	1.08	6.1	1.37	6.2	1.69	5.7		
平均		0.29	3.4	0.45	4.3	0.56	4.3	0.78	5.0		
27	00	0.69	5.2	1.12	6.5	1.43	6.6	1.93	5.9	W	278
	02	0.85	5.6	1.33	6.9	1.60	6.8	1.90	6.0	WSW	258
	04	0.94	5.7	1.51	7.6	1.87	7.9	2.39	7.7	W	266
	06	1.16	6.0	1.96	8.0	2.48	8.4	3.80	8.3	W	278
	08	1.24	5.4	1.96	7.4	2.35	7.8	3.34	8.8	WNW	286
	10	1.11	6.4	1.72	8.1	2.05	8.2	2.23	7.2	WNW	282
	12	1.07	6.1	1.69	8.0	2.10	8.0	3.46	8.2	NW	307
	14	1.07	6.4	1.69	8.1	2.13	8.6	2.69	8.9	WNW	286
	16	0.99	5.1	1.59	6.9	1.98	6.6	2.71	8.8	WNW	290
	18	1.19	5.3	1.89	6.5	2.34	6.6	2.97	7.2	WNW	295
	20	* 1.82	6.9	* 2.89	8.6	* 3.59	9.1	* 4.97	7.6	NNW	348
	22	1.70	6.8	2.77	9.1	3.55	8.8	4.66	9.6	N	356
最大		1.82	6.9	2.89	8.6	3.59	9.1	4.97	7.6		
平均		1.15	5.9	1.84	7.6	2.29	7.8	3.09	7.9		
28	00	* 1.45	5.9	* 2.44	8.0	* 2.99	8.2	* 4.47	8.4	NNW	348
	02	1.38	6.2	2.23	8.3	2.75	8.8	3.20	8.8	N	0
	04	1.30	5.8	2.11	7.6	2.60	7.6	3.35	8.1	N	8
	06	1.40	5.9	2.17	7.3	2.61	7.4	3.68	7.0	N	0
	08	1.37	5.7	2.16	7.4	2.62	7.3	3.21	7.8	N	0
	10	1.39	5.7	2.16	7.3	2.59	7.5	3.00	7.0	N	8
	12	1.42	6.0	2.22	8.0	2.71	7.7	3.22	7.2	NNE	12
	14	1.36	6.1	2.17	7.7	2.75	7.9	3.09	7.6	NW	315
	16	1.37	6.6	2.17	8.3	2.69	8.6	3.62	8.6	NNE	29
	18	1.18	6.1	1.94	8.2	2.33	8.2	3.18	8.1	NNE	16
	20	1.09	6.1	1.80	8.1	2.25	8.2	3.29	8.0	N	8
	22	1.17	6.7	1.80	8.1	2.16	8.6	2.90	9.0	NNE	25
最大		1.45	5.9	2.44	8.0	2.99	8.2	4.47	8.4		
平均		1.32	6.1	2.11	7.9	2.59	8.0	3.35	8.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年 9月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

規定回数	360 回
測得回数	360 回
欠測回数	0 回
欠 測 率	0.0 %

波 向

規定回数	360 回
測得回数	309 回
欠測回数	51 回
欠 測 率	14.2 %

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	1.19	6.7	1.93	8.7	2.31	8.9	2.74	8.7	NNE	25
	02	1.17	6.4	1.87	8.2	2.34	8.7	3.12	8.8	NNE	29
	04	1.19	6.4	1.91	8.4	2.44	8.4	3.04	9.1	NNE	16
	06	1.19	6.6	1.92	8.8	2.46	9.1	3.13	7.8	NNE	25
	08	1.17	6.9	1.85	8.9	2.30	9.1	3.04	9.7	NNE	20
	10	* 1.26	7.4	* 1.99	9.1	* 2.46	9.4	* 3.71	9.6	NNE	33
	12	1.22	7.0	1.85	8.5	2.36	8.9	3.12	7.5	NNE	25
	14	1.10	6.7	1.78	8.7	2.18	9.0	2.54	8.3	NNE	25
	16	0.98	6.6	1.60	8.5	1.99	8.8	2.34	9.3	NNE	20
	18	0.94	6.4	1.59	9.1	2.07	9.6	2.62	9.3	NNE	25
	20	1.04	6.9	1.76	9.3	2.33	9.4	3.48	9.6	NNE	25
	22	0.98	7.2	1.60	9.1	1.94	9.0	2.37	8.9	NNE	20
最大	1.26	7.4	1.99	9.1	2.46	9.4	3.71	9.6			
	平均	1.12	6.8	1.80	8.8	2.27	9.0	2.94	8.9		
30	00	* 0.96	7.4	1.50	9.1	* 1.91	8.8	* 2.71	7.9	NNE	25
	02	0.94	6.8	* 1.52	8.6	1.88	8.7	2.33	8.7	NNE	29
	04	0.90	6.2	1.50	8.5	1.87	8.7	2.15	8.4	NNE	25
	06	0.79	5.7	1.26	7.6	1.53	8.2	1.82	7.5	NNE	25
	08	0.85	5.8	1.41	7.7	1.81	7.7	2.24	8.1	NNE	20
	10	0.85	5.9	1.33	7.3	1.68	7.4	2.54	8.4	NNE	25
	12	0.73	5.4	1.14	6.6	1.43	6.6	2.20	5.7	NNE	33
	14	0.67	5.2	1.06	6.7	1.28	6.6	1.58	6.6	NNE	33
	16	0.72	5.5	1.13	7.1	1.41	6.9	1.75	6.2	NNE	33
	18	0.60	5.0	0.95	6.5	1.18	6.8	1.49	7.5	NNE	33
	20	0.51	4.7	0.82	6.1	1.03	6.2	1.45	6.2	NNE	33
	22	0.51	4.8	0.82	6.2	1.04	6.4	1.32	5.7	NNE	25
最大	0.96	7.4	1.52	8.6	1.91	8.8	2.71	7.9			
	平均	0.75	5.7	1.20	7.3	1.50	7.4	1.96	7.2		
月最大	1.82	6.9	2.89	8.6	3.59	9.1	4.97	7.6			
	起時	2720		2720		2720					
	平均	0.67	4.6	1.07	5.7	1.33	5.8	1.79	5.8		

波浪整理表（1）

1997年10月		波 高						波 向			
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		343 回			
		欠測回数		0 回		欠測回数		29 回			
		欠 測 率		0.0 %		欠 測 率		7.8 %			
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 50.0m						緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″		
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
01	00	* 0.50	4.8	0.79	6.2	0.99	6.3	1.38	6.4	NNE	25
	02	0.50	4.8	* 0.82	6.3	* 1.02	6.4	* 1.56	6.0	NNE	16
	04	0.45	4.7	0.72	6.2	0.90	6.4	1.24	5.9	NNE	20
	06	0.44	4.7	0.72	6.2	0.91	6.5	1.21	7.4	NNE	29
	08	0.37	4.6	0.61	6.1	0.74	6.0	0.97	6.0	NNE	20
	10	0.36	4.4	0.60	6.1	0.75	6.2	1.00	5.8	NNE	29
	12	0.40	4.0	0.63	5.6	0.79	5.8	1.01	6.9	NNE	29
	14	0.40	3.7	0.63	4.9	0.78	5.0	1.07	3.1	NE	56
	16	0.43	3.7	0.67	4.7	0.84	5.1	1.07	5.8	NNE	30
	18	0.40	3.8	0.64	5.0	0.81	5.3	1.28	5.3	NW	323
	20	0.40	4.3	0.64	5.7	0.79	5.6	1.02	4.9	NNE	12
	22	0.39	4.1	0.63	5.3	0.79	5.0	1.10	5.7	NW	323
	最大	0.50	4.8	0.82	6.3	1.02	6.4	1.56	6.0		
	平均	0.42	4.3	0.67	5.7	0.84	5.8	1.16	5.8		
02	00	* 0.35	3.9	* 0.56	4.8	* 0.71	4.9	0.82	5.2	NE	48
	02	0.33	3.8	0.51	4.6	0.63	4.7	0.79	4.6	NNE	16
	04	0.33	3.9	0.51	4.8	0.63	4.9	0.82	5.4	NNE	15
	06	0.27	3.7	0.44	4.7	0.54	4.8	* 0.84	5.7	N	10
	08	0.23	3.8	0.36	4.9	0.44	5.0	0.61	4.5	NW	318
	10	0.24	3.6	0.37	4.4	0.47	4.4	0.60	3.9	N	357
	12	0.21	3.8	0.32	4.6	0.40	4.5	0.52	3.8	NNE	15
	14	0.21	3.5	0.33	4.3	0.40	4.4	0.58	4.6	W	275
	16	0.23	3.3	0.36	4.2	0.47	4.2	0.67	3.4	NE	50
	18	0.19	3.4	0.29	4.3	0.37	4.3	0.50	4.9	NW	314
	20	0.18	3.4	0.28	4.3	0.36	4.5	0.46	4.3	NNE	25
	22	0.18	3.4	0.27	4.4	0.34	4.4	0.51	4.7	NNE	13
	最大	0.35	3.9	0.56	4.8	0.71	4.9	0.84	5.7		
	平均	0.25	3.6	0.38	4.5	0.48	4.6	0.64	4.6		
03	00	0.17	3.3	0.27	4.4	0.33	4.4	0.45	4.5	NE	56
	02	* 0.26	3.7	* 0.39	4.4	* 0.48	4.3	0.59	4.1	欠測	欠測
	04	0.22	3.4	0.34	4.2	0.42	4.2	0.58	4.1	WNW	298
	06	0.21	3.3	0.33	4.2	0.42	4.4	* 0.76	4.3	NNW	347
	08	0.18	3.1	0.28	4.0	0.34	4.0	0.46	3.4	NE	45
	10	0.16	3.3	0.25	4.4	0.31	4.5	0.40	4.6	欠測	欠測
	12	0.16	3.2	0.25	4.1	0.31	4.3	0.43	4.1	欠測	欠測
	14	0.18	2.9	0.29	4.0	0.36	4.0	0.56	3.6	N	8
	16	0.22	2.9	0.33	3.5	0.41	3.6	0.55	4.2	WNW	299
	18	0.21	2.8	0.33	3.7	0.40	3.7	0.56	3.3	NNE	19
	20	0.18	3.2	0.29	4.3	0.36	4.3	0.55	4.9	N	6
	22	0.14	3.1	0.21	4.2	0.27	4.4	0.33	4.2	欠測	欠測
	最大	0.26	3.7	0.39	4.4	0.48	4.3	0.76	4.3		
	平均	0.19	3.2	0.30	4.1	0.37	4.2	0.52	4.1		
04	00	0.14	3.3	0.20	4.6	0.26	4.8	0.33	5.2	欠測	欠測
	02	0.12	3.3	0.20	4.8	0.25	6.0	0.32	4.9	欠測	欠測
	04	0.12	3.1	0.19	4.6	0.24	5.3	0.35	6.9	欠測	欠測
	06	0.12	3.2	0.19	4.7	0.23	5.4	0.30	6.7	欠測	欠測
	08	0.11	2.9	0.16	4.3	0.20	4.9	0.26	8.5	欠測	欠測
	10	0.13	3.4	0.20	4.2	0.25	4.4	0.31	4.6	欠測	欠測
	12	0.23	3.4	0.38	4.4	0.47	4.4	0.61	5.0	NE	38
	14	0.37	3.5	0.61	4.2	0.77	4.3	1.05	4.8	NNW	338
	16	* 0.43	3.7	* 0.68	4.3	* 0.81	4.2	* 1.11	3.8	NNE	28
	18	0.36	3.6	0.56	4.4	0.69	4.3	0.92	4.5	N	11
	20	0.28	3.6	0.44	4.6	0.55	4.8	0.88	5.0	N	3
	22	0.26	3.6	0.41	4.6	0.51	4.8	0.69	4.3	N	356
	最大	0.43	3.7	0.68	4.3	0.81	4.2	1.11	3.8		
	平均	0.22	3.4	0.35	4.5	0.44	4.8	0.59	5.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	343 回
欠測回数	0 回	欠測回数	29 回
欠 測 率	0.0 %	欠 測 率	7.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
05	00	0.31	3.5	0.48	4.3	0.60	4.4	0.84	3.2	N	353
	02	0.31	3.4	0.48	4.1	0.59	4.0	0.74	5.6	NNW	335
	04	0.32	3.4	0.48	4.1	0.59	4.2	0.89	3.9	NNE	26
	06	0.31	3.4	0.47	4.2	0.58	4.2	0.84	3.2	欠測	欠測
	08	0.32	4.2	0.50	5.7	0.63	5.4	0.83	6.7	NW	315
	10	0.41	5.2	0.64	7.0	0.83	7.0	1.19	6.7	NW	315
	12	0.40	4.9	0.64	6.4	0.83	6.3	1.10	5.4	NW	323
	14	0.47	4.9	0.75	6.5	0.95	6.5	1.28	6.5	NW	319
	16	0.55	3.9	0.84	4.8	1.04	5.2	1.39	5.2	NNW	345
	18	1.03	4.6	1.59	5.5	1.93	5.4	2.33	5.7	欠測	欠測
	20	* 1.04	5.0	* 1.64	5.9	* 2.05	5.7	2.61	5.9	NNW	331
	22	1.01	5.1	1.54	6.2	1.90	6.0	* 2.78	6.2	NNW	340
	最大	1.04	5.0	1.64	5.9	2.05	5.7	2.78	6.2		
	平均	0.54	4.3	0.84	5.4	1.04	5.4	1.40	5.4		
06	00	* 0.89	4.7	* 1.43	5.9	* 1.73	5.8	* 2.46	5.8	NW	311
	02	0.78	4.6	1.26	5.8	1.57	5.8	1.90	6.3	NNW	331
	04	0.72	4.7	1.17	5.9	1.49	5.9	1.95	6.0	NNE	16
	06	0.75	5.1	1.17	5.9	1.41	5.8	1.58	6.0	NNE	12
	08	0.70	5.1	1.11	6.1	1.36	6.0	1.76	4.9	NNE	25
	10	0.69	5.0	1.14	6.2	1.46	6.2	2.10	6.4	NNE	33
	12	0.71	5.0	1.10	6.1	1.35	6.0	1.80	5.6	NNW	340
	14	0.73	5.0	1.18	6.2	1.49	5.8	1.99	6.5	NNW	327
	16	0.73	4.8	1.15	6.0	1.41	5.9	1.82	5.6	NNE	33
	18	0.70	5.2	1.11	6.3	1.41	5.9	1.88	6.0	NE	45
	20	0.64	5.1	1.03	6.2	1.28	6.2	1.98	5.8	NE	37
	22	0.53	5.0	0.85	6.2	1.08	6.6	1.53	6.3	NNE	33
	最大	0.89	4.7	1.43	5.9	1.73	5.8	2.46	5.8		
	平均	0.71	4.9	1.14	6.1	1.42	6.0	1.90	5.9		
07	00	0.50	4.7	0.82	6.1	1.04	6.4	1.54	6.7	NE	49
	02	0.50	4.9	0.80	6.1	1.01	6.3	1.47	7.0	NNE	20
	04	0.39	4.8	0.65	6.1	0.83	6.2	1.08	5.8	欠測	欠測
	06	0.42	5.1	0.70	6.4	0.90	6.4	1.19	6.6	NNE	25
	08	0.31	4.3	0.51	6.0	0.67	6.0	0.83	5.5	NNE	29
	10	0.45	3.8	0.69	4.3	0.85	4.4	1.02	5.4	WNW	283
	12	0.58	3.8	0.93	4.4	1.13	4.3	1.33	4.8	NNE	27
	14	0.58	3.9	0.93	4.5	1.17	4.6	1.71	3.7	NNE	22
	16	0.48	3.8	0.75	4.6	0.94	4.6	1.33	4.9	NNE	27
	18	0.44	3.8	0.67	4.4	0.82	4.4	1.08	4.4	NE	49
	20	0.54	4.3	0.84	5.1	1.08	5.2	1.41	6.3	NNE	13
	22	* 0.68	4.2	* 1.07	4.8	* 1.37	4.7	* 1.77	4.6	NNE	14
	最大	0.68	4.2	1.07	4.8	1.37	4.7	1.77	4.6		
	平均	0.49	4.3	0.78	5.2	0.98	5.3	1.31	5.5		
08	00	0.82	4.3	1.31	5.0	1.69	5.1	2.27	4.6	欠測	欠測
	02	0.93	5.2	1.50	6.1	1.92	6.1	2.62	5.9	W	270
	04	1.03	4.8	1.64	5.9	2.01	5.8	2.51	5.6	W	274
	06	1.15	5.3	1.81	6.2	2.27	6.2	3.08	6.0	WNW	290
	08	1.07	5.0	1.79	6.2	2.33	6.7	3.06	6.1	W	274
	10	1.03	5.1	1.59	6.2	1.97	6.3	3.05	7.0	NW	307
	12	1.56	5.3	2.52	6.4	2.99	6.4	3.73	5.0	WNW	290
	14	1.61	5.4	2.67	6.8	3.49	6.8	* 5.59	6.6	NW	307
	16	1.83	6.2	2.83	7.2	3.40	7.5	4.32	8.6	NNW	327
	18	1.67	6.1	2.74	7.4	3.41	7.6	4.55	7.6	NW	323
	20	* 1.83	6.9	* 2.86	8.2	* 3.56	8.6	4.67	8.9	NW	315
	22	1.46	6.3	2.41	8.0	3.06	8.3	3.99	8.7	NNW	340
	最大	1.83	6.9	2.86	8.2	3.56	8.6	5.59	6.6		
	平均	1.33	5.5	2.14	6.6	2.68	6.8	3.62	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	343 回
欠測回数	0 回	欠測回数	29 回
欠 測 率	0.0 %	欠 測 率	7.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	* 1.66	7.1	* 2.56	8.4	* 3.13	8.3	3.93	8.2	NNW	335
	02	1.41	6.5	2.36	8.3	2.93	8.5	* 4.43	8.1	NNW	340
	04	1.33	6.5	2.12	7.7	2.65	8.1	3.75	7.6	NNW	335
	06	1.33	6.8	2.02	8.0	2.42	7.8	3.21	7.1	NNW	344
	08	1.16	6.2	1.83	7.5	2.23	6.9	2.80	6.1	NNW	335
	10	1.14	6.5	1.78	7.5	2.28	7.4	3.27	7.8	NNW	340
	12	0.96	5.9	1.56	7.2	1.90	7.1	2.61	6.0	NNW	344
	14	0.75	5.8	1.20	7.0	1.49	7.1	1.81	8.0	NNW	327
	16	0.58	5.4	0.91	6.6	1.10	6.7	1.34	7.0	NNW	340
	18	0.47	5.2	0.73	6.8	0.87	6.9	1.01	7.0	NNW	348
	20	0.42	5.4	0.67	7.3	0.85	7.3	1.07	8.1	N	4
	22	0.35	4.9	0.56	6.6	0.67	7.2	0.99	7.2	N	352
	最大	1.66	7.1	2.56	8.4	3.13	8.3	4.43	8.1		
	平均	0.96	6.0	1.53	7.4	1.88	7.4	2.52	7.4		
10	00	0.29	4.3	0.47	6.3	0.59	6.5	0.72	6.8	N	352
	02	0.39	4.0	0.62	5.1	0.77	5.1	1.12	5.1	欠測	欠測
	04	0.70	4.6	1.04	5.1	1.29	5.0	1.66	4.5	NE	49
	06	0.68	4.7	1.04	5.7	1.28	5.8	1.59	5.3	W	270
	08	0.80	5.2	1.32	6.6	1.65	6.6	2.32	6.2	WNW	290
	10	0.76	5.2	1.25	6.9	1.55	6.7	1.99	7.1	WNW	290
	12	0.83	5.4	1.33	7.1	1.67	7.2	2.30	7.8	WNW	295
	14	1.00	5.4	1.58	7.0	1.97	7.1	2.95	6.8	NW	307
	16	1.00	5.8	1.61	7.2	2.05	7.3	2.71	7.0	W	278
	18	1.06	5.7	1.70	7.0	2.19	7.1	2.60	6.8	WNW	290
	20	1.04	5.8	1.73	7.6	2.11	7.7	2.61	7.6	WNW	299
	22	* 1.22	6.4	* 2.00	7.6	* 2.57	7.7	* 3.28	7.2	WNW	290
	最大	1.22	6.4	2.00	7.6	2.57	7.7	3.28	7.2		
	平均	0.81	5.2	1.31	6.6	1.64	6.7	2.15	6.5		
11	00	1.40	6.3	2.13	7.7	2.61	7.5	3.34	7.6	WNW	295
	02	1.44	6.8	2.19	8.1	2.56	8.5	2.85	8.1	WNW	295
	04	1.29	5.8	2.02	7.3	2.52	7.6	3.02	8.4	WNW	290
	06	1.26	5.4	2.05	6.8	2.53	6.8	3.15	7.0	WNW	299
	08	1.19	5.5	1.86	6.9	2.37	7.1	3.10	5.7	WNW	282
	10	1.15	6.0	1.83	7.6	2.25	7.5	2.87	7.1	NW	323
	12	1.40	7.0	2.12	8.5	2.56	8.5	3.07	8.4	NNW	340
	14	* 1.48	7.0	* 2.39	8.9	* 3.01	8.8	* 3.85	8.5	NNW	331
	16	1.28	6.6	2.09	8.1	2.65	8.3	3.59	8.1	NNW	335
	18	1.28	6.7	1.98	7.8	2.51	7.7	3.54	7.3	NW	323
	20	1.26	6.1	2.02	7.5	2.58	7.5	3.43	6.9	NNW	331
	22	1.39	5.5	2.21	7.2	2.64	7.2	3.65	7.5	NNW	331
	最大	1.48	7.0	2.39	8.9	3.01	8.8	3.85	8.5		
	平均	1.32	6.2	2.07	7.7	2.57	7.8	3.29	7.6		
12	00	1.32	5.5	2.03	6.9	2.56	7.2	3.37	7.7	NNW	327
	02	1.37	5.3	2.21	6.6	2.73	6.9	3.19	7.9	NNW	331
	04	1.13	5.4	1.83	7.3	2.37	7.0	2.98	6.2	NNW	331
	06	1.01	5.5	1.56	6.5	1.95	6.8	2.54	4.9	NNW	331
	08	1.01	5.0	1.59	6.4	1.95	7.0	2.29	7.3	N	356
	10	1.07	5.1	1.70	6.4	2.16	6.6	2.74	6.0	WNW	282
	12	1.12	5.4	1.76	6.8	2.23	7.0	2.81	7.1	NNW	327
	14	* 1.37	5.9	* 2.22	7.2	* 2.83	7.4	* 3.98	7.3	NNW	344
	16	1.19	5.4	1.96	6.9	2.54	6.9	3.39	6.8	NNW	335
	18	1.09	5.1	1.75	6.5	2.16	6.8	2.82	6.5	NNW	344
	20	1.28	5.6	2.02	7.0	2.36	7.0	2.88	7.4	NW	319
	22	1.34	5.5	2.09	6.6	2.68	6.5	3.63	5.8	NNW	335
	最大	1.37	5.9	2.22	7.2	2.83	7.4	3.98	7.3		
	平均	1.19	5.4	1.89	6.8	2.38	6.9	3.05	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
13	00	1.15	5.2	1.86	6.8	* 2.44	7.3	* 3.67	7.3	NNW	335
	02	1.16	5.6	1.87	7.3	2.37	7.5	3.11	8.1	NNW	335
	04	1.20	5.5	* 1.94	6.9	2.42	7.3	3.04	7.3	NNW	340
	06	1.21	6.2	1.88	7.6	2.35	7.4	3.09	7.7	NNW	340
	08	* 1.26	6.1	1.92	7.1	2.32	7.0	2.69	7.5	NNW	335
	10	1.24	6.0	1.86	7.0	2.31	7.0	2.81	7.8	NNW	340
	12	1.03	5.3	1.61	6.7	1.97	6.7	2.48	6.4	NNW	331
	14	0.88	5.4	1.41	6.8	1.78	6.7	2.25	5.5	NNW	335
	16	0.86	5.2	1.34	6.3	1.63	6.2	2.18	5.8	NNW	335
	18	0.84	5.1	1.32	6.1	1.63	6.2	2.28	5.4	NNW	348
	20	0.77	4.7	1.22	5.8	1.50	5.9	2.10	7.1	NNW	335
	22	0.99	4.9	1.54	5.9	1.88	6.0	2.87	5.2	NNW	335
最大		1.26	6.1	1.94	6.9	2.44	7.3	3.67	7.3		
平均		1.05	5.4	1.65	6.7	2.05	6.8	2.71	6.8		
14	00	0.94	5.1	1.44	5.9	1.75	5.9	2.10	5.7	NW	323
	02	0.86	5.1	1.35	5.8	1.63	6.3	2.06	6.6	NW	323
	04	0.86	5.4	1.30	6.1	1.59	6.0	2.22	5.3	NNW	331
	06	0.72	4.8	1.16	5.8	1.41	5.9	1.69	5.8	NW	307
	08	0.62	4.9	1.01	6.2	1.32	6.2	1.67	6.4	WNW	299
	10	0.73	5.2	1.15	6.1	1.40	6.1	1.74	5.5	WNW	299
	12	0.80	4.7	1.23	6.0	1.56	6.2	2.00	6.4	WSW	258
	14	0.90	5.1	1.34	6.1	1.63	6.0	1.92	6.4	WNW	286
	16	1.03	5.6	1.60	6.8	1.98	6.8	2.49	6.0	W	266
	18	1.12	5.8	1.81	7.5	2.20	7.8	3.00	7.6	WNW	282
	20	1.17	5.4	1.88	7.0	2.33	6.7	2.91	5.7	W	270
	22	* 1.26	5.8	* 1.96	7.1	* 2.39	7.2	* 3.17	6.9	WNW	290
最大		1.26	5.8	1.96	7.1	2.39	7.2	3.17	6.9		
平均		0.92	5.2	1.44	6.4	1.77	6.4	2.25	6.2		
15	00	1.28	5.7	2.01	6.6	2.54	6.7	3.17	7.0	WNW	286
	02	1.18	5.2	1.88	6.5	2.36	6.5	3.62	5.6	W	274
	04	1.06	4.8	1.69	5.9	2.18	6.1	2.81	5.9	NW	311
	06	1.12	5.0	1.75	5.8	2.22	6.0	3.04	7.1	W	278
	08	1.15	4.9	1.85	6.1	2.36	6.1	2.87	6.2	WNW	286
	10	0.95	4.7	1.49	5.9	1.80	5.9	2.53	5.1	NNE	16
	12	1.05	5.0	1.68	6.2	2.05	6.1	2.54	5.8	W	274
	14	1.07	4.9	1.65	5.5	2.06	5.5	2.48	4.9	NE	41
	16	1.39	5.1	2.15	5.9	2.70	6.1	3.62	6.5	WNW	295
	18	1.39	5.5	2.21	6.5	2.68	6.2	3.94	5.8	NNW	327
	20	* 1.54	5.8	* 2.48	7.0	* 3.12	7.0	* 4.11	6.7	NNW	340
	22	1.27	5.4	2.07	6.8	2.61	7.0	3.71	6.3	NW	319
最大		1.54	5.8	2.48	7.0	3.12	7.0	4.11	6.7		
平均		1.20	5.2	1.91	6.2	2.39	6.3	3.20	6.1		
16	00	* 1.39	6.0	* 2.18	7.1	* 2.83	7.3	* 4.48	7.1	NW	319
	02	1.07	5.9	1.66	7.0	2.06	6.9	2.50	6.1	NNW	335
	04	0.97	5.6	1.59	6.9	1.99	7.0	2.40	7.2	NNW	327
	06	0.83	5.3	1.35	6.8	1.71	6.7	2.30	6.4	NW	323
	08	0.78	5.3	1.30	6.6	1.60	6.6	2.01	6.8	NNE	12
	10	0.75	5.2	1.25	6.7	1.61	6.8	2.08	6.6	NNE	16
	12	0.77	5.3	1.22	6.6	1.45	6.7	1.69	7.7	N	0
	14	0.77	5.1	1.21	6.3	1.52	6.4	1.99	5.2	NNW	348
	16	0.73	5.2	1.20	6.5	1.49	6.5	1.86	6.1	NNW	340
	18	0.66	5.0	1.02	5.9	1.29	6.2	1.69	7.1	NNW	340
	20	0.53	4.6	0.84	6.0	1.04	6.0	1.49	6.1	NNW	344
	22	0.44	4.7	0.73	6.1	0.90	6.1	1.41	6.2	N	8
最大		1.39	6.0	2.18	7.1	2.83	7.3	4.48	7.1		
平均		0.81	5.3	1.30	6.5	1.62	6.6	2.16	6.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月										
機種：波向 海象計 - 50.0m										
観測所：輪島港輪島崎地区										
機種：波高 海象計 - 50.0m										
緯度：N 37° -25' -51" 経度：E 136° -54' -08"										
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位 角度
17	00	0.36	4.3	0.59	5.8	0.75	6.3	1.07	6.0	NNW 344
	02	0.32	4.5	0.52	6.2	0.65	6.0	0.82	6.2	NNE 25
	04	0.33	4.8	0.53	6.4	0.65	6.5	1.03	5.6	NNE 25
	06	0.29	4.2	0.48	6.1	0.61	6.3	0.88	6.7	NNE 12
	08	0.36	4.2	0.56	5.1	0.67	5.1	0.83	3.8	WNW 290
	10	0.35	3.9	0.57	4.9	0.71	4.7	0.90	5.3	W 280
	12	0.44	3.9	0.68	4.6	0.87	4.6	1.18	4.7	WNW 298
	14	0.43	3.7	0.69	4.6	0.87	4.6	1.14	4.6	NNE 16
	16	* 0.52	3.8	* 0.83	4.4	* 1.05	4.0	* 1.41	3.8	欠測 欠測
	18	0.43	4.1	0.65	4.8	0.81	4.9	1.13	4.9	欠測 欠測
	20	0.42	4.1	0.65	4.9	0.81	4.9	1.03	6.6	NNW 348
	22	0.48	4.3	0.77	5.2	0.97	5.2	1.28	4.7	NNE 32
	最大	0.52	3.8	0.83	4.4	1.05	4.0	1.41	3.8	
	平均	0.39	4.1	0.63	5.3	0.79	5.3	1.06	5.2	
18	00	0.82	5.3	1.35	6.4	1.72	6.2	2.44	6.8	WNW 303
	02	* 1.23	6.4	* 1.82	7.1	* 2.20	6.8	* 2.75	6.9	NW 307
	04	1.00	5.6	1.61	6.6	2.03	6.6	2.39	5.8	WNW 303
	06	0.86	5.1	1.36	6.1	1.71	6.2	2.53	6.2	WNW 282
	08	0.88	5.5	1.35	6.3	1.68	6.3	2.05	5.4	WNW 286
	10	0.90	4.8	1.38	5.9	1.71	6.2	2.10	5.7	W 274
	12	0.89	4.7	1.40	5.7	1.70	5.6	2.24	5.3	W 266
	14	0.67	4.3	1.05	5.6	1.32	5.7	1.71	6.1	W 270
	16	0.70	4.7	1.12	5.9	1.40	6.1	1.67	6.7	W 266
	18	0.62	4.7	0.98	5.8	1.22	5.8	1.56	5.0	W 274
	20	0.65	4.8	1.09	5.8	1.36	6.0	1.96	5.9	W 270
	22	0.75	5.2	1.22	6.3	1.58	6.2	1.89	6.0	W 266
	最大	1.23	6.4	1.82	7.1	2.20	6.8	2.75	6.9	
	平均	0.83	5.1	1.31	6.1	1.64	6.1	2.11	6.0	
19	00	* 0.89	5.7	1.39	6.6	1.69	6.3	2.06	6.1	NNW 331
	02	0.87	5.6	* 1.41	6.7	* 1.77	6.8	* 2.28	6.8	NW 315
	04	0.73	5.5	1.19	6.6	1.48	6.9	1.83	6.3	NNW 331
	06	0.68	5.6	1.06	6.7	1.32	6.9	1.68	7.1	WNW 286
	08	0.69	5.8	1.06	6.6	1.25	6.4	1.54	5.8	NNW 327
	10	0.64	5.6	0.99	6.4	1.25	6.3	1.54	6.1	NW 323
	12	0.50	4.7	0.78	6.0	0.98	6.3	1.34	5.7	W 278
	14	0.46	4.3	0.72	5.7	0.90	5.7	1.17	5.3	W 274
	16	0.45	4.1	0.70	5.2	0.85	5.6	1.28	4.9	NNW 341
	18	0.45	4.3	0.71	5.1	0.86	5.3	1.13	5.3	NNW 331
	20	0.45	4.1	0.71	5.1	0.89	5.0	1.17	4.8	欠測 欠測
	22	0.45	4.1	0.72	4.9	0.92	5.0	1.14	5.3	N 6
	最大	0.89	5.7	1.41	6.7	1.77	6.8	2.28	6.8	
	平均	0.61	5.0	0.95	6.0	1.18	6.0	1.51	5.8	
20	00	0.50	4.2	0.77	5.2	0.97	5.1	1.22	5.0	N 9
	02	0.64	4.4	0.98	5.1	1.20	5.1	1.51	5.3	欠測 欠測
	04	0.65	4.3	1.04	5.5	1.29	5.8	1.57	4.2	NE 56
	06	0.60	4.4	0.94	5.5	1.20	5.6	1.67	5.4	NE 39
	08	0.73	4.5	1.12	5.4	1.37	5.4	1.73	4.5	NNW 342
	10	1.02	5.1	1.57	6.6	1.93	6.8	2.33	5.1	WNW 286
	12	* 1.34	6.2	* 2.16	7.8	* 2.73	8.0	3.27	8.8	WNW 299
	14	1.23	5.9	2.00	7.7	2.53	8.1	* 3.30	6.5	WNW 290
	16	0.99	5.4	1.61	7.2	2.03	7.8	2.68	7.7	W 278
	18	0.91	5.9	1.43	7.4	1.80	7.3	2.46	7.7	WNW 286
	20	0.73	5.6	1.16	7.4	1.44	7.4	1.73	7.6	W 266
	22	0.66	5.4	1.08	6.9	1.36	7.0	1.58	7.2	WNW 299
	最大	1.34	6.2	2.16	7.8	2.73	8.0	3.30	6.5	
	平均	0.83	5.1	1.32	6.5	1.65	6.6	2.09	6.3	

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

波 高

波 向

規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	343 回
欠測回数	0 回	欠測回数	29 回
欠 測 率	0.0 %	欠 測 率	7.8 %

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.60	5.2	0.97	6.8	1.25	7.5	1.62	6.0	W	270
	02	0.57	4.9	0.95	6.6	1.20	6.5	1.85	6.7	W	270
	04	0.56	4.9	0.86	5.9	1.04	6.2	1.31	4.9	W	278
	06	0.58	4.3	0.91	5.5	1.12	5.6	1.38	5.4	NNE	26
	08	0.66	4.5	1.04	5.4	1.31	5.3	1.87	4.9	NE	37
	10	0.68	4.1	1.10	5.3	1.41	5.4	1.73	5.5	W	271
	12	* 0.99	4.9	* 1.59	5.8	* 2.02	5.7	* 3.37	5.7	W	278
	14	0.92	5.0	1.49	6.0	1.89	6.0	2.37	6.0	WNW	286
	16	0.82	5.1	1.21	6.1	1.43	6.1	1.88	6.1	WNW	286
	18	0.89	5.5	1.41	7.3	1.83	7.8	2.38	9.2	W	274
	20	0.75	5.3	1.24	7.2	1.56	7.4	2.06	7.1	WNW	286
	22	0.88	5.0	1.37	6.8	1.68	6.9	1.93	6.7	W	274
	最大	0.99	4.9	1.59	5.8	2.02	5.7	3.37	5.7		
	平均	0.74	4.9	1.18	6.2	1.48	6.4	1.98	6.2		
22	00	0.72	4.8	1.13	6.0	1.46	6.8	2.38	6.6	W	270
	02	0.83	4.9	1.37	6.6	1.72	6.8	2.30	6.5	WNW	282
	04	0.83	4.7	1.33	6.2	1.63	6.1	2.19	7.0	WNW	282
	06	1.01	5.5	1.62	7.0	1.94	7.1	2.17	5.8	NNW	327
	08	* 1.11	5.6	* 1.80	7.3	* 2.28	7.4	* 2.98	8.2	NNW	344
	10	1.08	5.6	1.66	6.9	2.01	7.4	2.54	6.9	NNW	344
	12	0.83	5.1	1.35	6.7	1.68	7.1	2.28	7.3	NNW	327
	14	0.82	5.1	1.31	6.5	1.62	6.4	2.06	6.5	NNW	331
	16	0.75	4.5	1.17	5.9	1.50	6.3	2.20	5.9	NNW	331
	18	0.60	4.2	0.97	5.4	1.18	5.6	1.69	5.5	NNE	16
	20	0.60	4.3	0.94	5.3	1.15	5.1	1.40	5.9	WNW	286
	22	0.49	4.1	0.79	5.3	1.00	5.5	1.37	5.7	WNW	293
	最大	1.11	5.6	1.80	7.3	2.28	7.4	2.98	8.2		
	平均	0.81	4.9	1.29	6.3	1.60	6.5	2.13	6.5		
23	00	* 0.46	4.4	* 0.72	5.4	0.89	5.6	1.19	6.2	NNE	12
	02	0.43	4.3	0.71	5.7	* 0.89	5.7	* 1.34	5.1	NNW	335
	04	0.41	4.5	0.68	5.8	0.87	5.8	1.19	4.8	NNW	340
	06	0.41	4.6	0.66	5.9	0.82	5.9	1.04	5.2	NNW	331
	08	0.36	4.3	0.58	5.7	0.73	5.6	0.97	4.7	NNW	335
	10	0.40	4.5	0.63	5.5	0.79	5.6	1.00	5.1	NW	307
	12	0.29	4.3	0.47	5.4	0.61	5.5	1.01	5.5	NW	317
	14	0.29	3.9	0.47	5.1	0.59	5.2	0.78	4.6	欠測	欠測
	16	0.30	3.8	0.49	5.0	0.62	5.1	0.81	6.5	NW	306
	18	0.29	4.0	0.46	5.1	0.58	5.2	0.80	4.9	N	357
	20	0.24	3.5	0.37	4.5	0.47	4.6	0.64	6.1	WNW	283
	22	0.19	3.5	0.31	4.7	0.38	5.2	0.52	4.8	N	351
	最大	0.46	4.4	0.72	5.4	0.89	5.7	1.34	5.1		
	平均	0.34	4.1	0.55	5.3	0.69	5.4	0.94	5.3		
24	00	0.16	3.2	0.25	4.5	0.32	4.9	0.38	5.1	欠測	欠測
	02	0.18	3.5	0.29	4.7	0.34	4.9	0.42	4.3	NNW	346
	04	0.14	3.2	0.22	4.6	0.28	4.9	0.37	5.5	欠測	欠測
	06	0.15	3.3	0.24	4.6	0.31	4.8	0.50	4.3	欠測	欠測
	08	0.12	3.2	0.19	4.6	0.24	5.3	0.34	3.4	欠測	欠測
	10	0.13	3.4	0.20	4.5	0.25	4.8	0.32	4.3	欠測	欠測
	12	0.15	3.2	0.23	4.3	0.28	4.4	0.37	3.7	欠測	欠測
	14	0.20	3.0	0.31	3.8	0.39	4.1	0.51	4.2	N	358
	16	0.20	3.0	0.31	3.6	0.39	3.8	0.50	5.0	NNW	348
	18	0.18	3.1	0.28	3.8	0.35	3.8	0.53	3.6	NW	324
	20	0.18	3.0	0.28	3.9	0.35	4.1	0.45	3.6	欠測	欠測
	22	* 0.21	3.0	* 0.34	3.7	* 0.43	3.7	* 0.59	3.8	N	0
	最大	0.21	3.0	0.34	3.7	0.43	3.7	0.59	3.8		
	平均	0.17	3.2	0.26	4.2	0.33	4.5	0.44	4.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.31	3.2	0.48	3.6	0.61	3.6	0.80	3.3	欠測	欠測
	02	0.48	3.6	0.77	4.1	0.99	4.0	1.35	4.2	欠測	欠測
	04	0.52	3.9	0.84	4.6	1.05	4.5	1.40	4.8	N	6
	06	0.66	4.4	1.04	5.3	1.32	5.0	1.90	5.0	WNW	283
	08	0.77	5.2	1.18	6.8	1.50	7.4	1.99	8.9	NNW	327
	10	0.84	5.3	1.37	6.9	1.67	7.0	2.18	7.8	NNW	335
	12	0.97	5.3	1.54	6.8	1.93	6.7	2.73	7.4	NNW	331
	14	1.24	5.4	1.98	6.7	2.46	6.9	3.75	6.0	WNW	282
	16	1.45	5.9	2.25	6.8	2.75	6.9	3.28	7.3	NW	311
	18	1.72	5.7	2.79	7.1	3.61	7.1	4.69	7.9	NW	315
	20	* 1.99	6.5	* 3.10	7.9	* 3.84	7.9	4.37	7.3	WNW	299
	22	1.75	6.3	2.85	8.2	3.60	8.3	* 4.75	7.5	WNW	282
	最大	1.99	6.5	3.10	7.9	3.84	7.9	4.75	7.5		
	平均	1.06	5.1	1.68	6.2	2.11	6.3	2.77	6.4		
26	00	1.73	5.8	2.86	7.6	3.64	7.8	4.68	7.7	WNW	303
	02	1.67	6.1	2.72	7.8	3.29	7.9	4.01	8.0	WNW	290
	04	1.68	6.0	2.75	7.7	3.49	7.8	4.77	7.9	WNW	286
	06	1.74	6.7	2.71	8.1	3.27	7.8	3.81	7.4	WNW	303
	08	1.54	6.6	2.43	8.0	3.09	8.3	3.81	9.6	WNW	295
	10	1.40	5.7	2.21	7.5	2.76	7.9	4.00	7.9	WNW	295
	12	1.28	5.5	2.13	7.3	2.75	7.7	4.15	6.2	WNW	290
	14	1.60	5.9	2.58	7.7	3.23	7.8	3.96	8.2	WNW	299
	16	1.87	6.1	2.99	7.3	3.79	7.5	4.80	6.9	WNW	303
	18	1.52	5.8	2.45	7.5	3.17	7.4	3.84	6.4	WNW	282
	20	* 2.08	6.4	* 3.35	7.9	* 4.29	8.0	* 5.48	8.2	WNW	299
	22	1.86	6.3	3.07	7.9	3.81	8.5	4.96	7.2	WNW	290
	最大	2.08	6.4	3.35	7.9	4.29	8.0	5.48	8.2		
	平均	1.66	6.1	2.69	7.7	3.38	7.9	4.36	7.6		
27	00	1.72	6.3	2.71	8.4	3.36	8.5	4.18	7.7	WNW	290
	02	1.60	6.0	2.49	7.6	3.17	7.6	3.82	7.3	WNW	286
	04	1.93	6.3	3.06	7.7	3.85	7.7	4.86	8.3	WNW	286
	06	1.85	6.3	2.85	7.5	3.67	7.7	4.55	7.3	WNW	295
	08	2.07	6.4	3.22	8.2	3.78	8.3	4.71	9.6	WNW	295
	10	2.14	6.3	3.52	8.0	4.52	8.3	5.97	9.0	WNW	282
	12	2.54	7.0	3.95	8.5	* 5.21	8.5	* 7.55	9.4	WNW	295
	14	* 2.66	7.3	* 4.20	9.3	5.17	9.1	7.05	8.4	NW	307
	16	2.30	7.0	3.67	9.2	4.68	9.2	7.35	8.8	WNW	286
	18	2.32	7.2	3.80	9.4	4.78	9.3	5.74	9.5	NNW	327
	20	2.29	7.0	3.72	9.2	4.65	8.9	5.97	9.3	NW	319
	22	2.09	6.8	3.33	8.5	4.42	8.8	5.71	9.1	NNW	331
	最大	2.66	7.3	4.20	9.3	5.21	8.5	7.55	9.4		
	平均	2.13	6.7	3.38	8.5	4.27	8.5	5.62	8.6		
28	00	1.75	6.4	2.75	8.3	3.39	8.1	4.31	8.9	NNW	327
	02	* 1.91	6.7	* 3.19	8.7	* 3.85	8.5	* 4.82	8.2	NW	323
	04	1.67	6.4	2.78	8.4	3.63	9.0	4.62	9.0	NNW	331
	06	1.71	6.6	2.82	8.7	3.62	8.5	4.62	8.5	NNW	327
	08	1.72	6.6	2.77	8.1	3.50	8.2	4.82	8.2	NW	323
	10	1.48	6.6	2.34	8.0	2.92	7.9	3.71	7.4	NW	323
	12	1.39	6.0	2.31	7.7	3.03	8.2	4.26	8.5	NNW	331
	14	1.17	6.2	1.82	7.5	2.20	8.0	2.86	7.9	NNW	331
	16	0.94	5.4	1.56	7.3	1.95	7.4	3.02	6.7	NNW	331
	18	0.97	6.0	1.55	7.8	2.02	7.8	2.73	7.9	NNW	331
	20	0.99	6.4	1.56	8.2	1.93	8.2	2.22	7.6	NNW	335
	22	1.06	6.8	1.63	8.4	2.04	8.3	3.11	7.8	NNW	331
	最大	1.91	6.7	3.19	8.7	3.85	8.5	4.82	8.2		
	平均	1.40	6.3	2.26	8.1	2.84	8.2	3.76	8.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年10月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	343 回
欠測回数	0 回	欠測回数	29 回
欠 測 率	0.0 %	欠 測 率	7.8 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	0.94	6.5	1.52	8.5	1.81	8.2	2.25	7.8	NW	323
	02	0.88	6.7	1.39	8.3	1.76	8.2	2.40	7.4	NW	323
	04	0.88	6.8	1.44	8.5	1.72	8.7	2.01	11.6	NNE	20
	06	0.74	7.0	1.18	8.3	1.53	8.7	1.92	8.3	NNE	20
	08	0.63	5.3	1.00	6.9	1.26	7.5	1.49	7.6	NNW	327
	10	0.59	4.8	0.95	6.2	1.18	6.3	1.77	6.5	W	270
	12	0.65	4.7	1.04	5.9	1.28	6.1	1.68	5.6	W	262
	14	0.87	4.9	1.35	5.9	1.61	6.1	1.90	6.3	WSW	258
	16	1.01	5.0	1.58	5.9	1.98	6.1	* 2.99	4.5	W	270
	18	* 1.04	4.8	* 1.64	5.9	* 2.05	5.9	2.52	5.6	W	262
	20	0.97	5.0	1.53	6.0	1.89	6.1	2.53	5.4	W	262
	22	0.94	5.2	1.43	6.3	1.69	6.3	2.02	5.3	WSW	258
	最大	1.04	4.8	1.64	5.9	2.05	5.9	2.99	4.5		
	平均	0.85	5.6	1.34	6.9	1.65	7.0	2.12	6.8		
30	00	0.74	4.8	1.20	6.4	1.51	6.4	1.97	6.6	W	270
	02	0.96	5.4	1.52	6.4	1.92	6.3	2.39	4.9	W	266
	04	1.00	5.7	1.53	6.5	1.90	6.4	2.24	6.4	WSW	254
	06	1.40	5.7	2.27	6.9	2.90	7.1	3.59	7.9	W	274
	08	1.35	6.5	2.08	7.7	2.60	7.5	3.01	6.3	WNW	295
	10	1.24	5.5	2.00	7.1	2.41	7.0	3.02	7.8	WNW	286
	12	1.32	6.0	2.06	7.6	2.59	7.4	4.02	7.6	WNW	295
	14	1.34	5.8	2.14	7.2	2.73	7.3	3.51	7.3	WNW	290
	16	1.68	6.2	2.65	7.6	3.36	7.5	4.00	6.5	WNW	290
	18	1.83	6.3	2.87	7.7	3.59	7.5	4.75	9.0	WNW	295
	20	* 2.05	6.8	* 3.18	8.2	* 3.91	8.0	* 5.03	7.9	WNW	286
	22	1.88	6.4	3.01	8.2	3.64	8.4	4.63	7.5	WNW	303
	最大	2.05	6.8	3.18	8.2	3.91	8.0	5.03	7.9		
	平均	1.40	5.9	2.21	7.3	2.75	7.2	3.51	7.1		
31	00	* 2.03	6.3	* 3.25	8.0	* 4.10	8.2	4.94	8.7	NW	307
	02	1.83	6.2	2.90	7.4	3.78	7.4	* 5.76	7.4	NW	311
	04	1.54	5.6	2.57	7.4	3.28	7.5	4.31	7.1	NW	319
	06	1.30	5.7	2.09	7.1	2.53	7.1	3.22	6.5	NW	307
	08	1.09	5.5	1.79	7.2	2.25	7.1	3.06	6.7	W	278
	10	1.02	5.4	1.66	7.0	2.04	7.1	2.72	8.1	NW	323
	12	0.94	5.6	1.46	6.7	1.76	6.8	2.16	6.2	NNW	327
	14	1.03	5.4	1.61	6.8	2.00	6.7	2.65	7.2	NNW	327
	16	1.35	5.1	2.09	6.2	2.60	6.2	3.07	6.7	NW	323
	18	1.26	5.0	1.99	6.2	2.52	6.3	3.42	6.6	NW	311
	20	1.55	5.6	2.42	6.7	3.00	7.2	3.65	7.7	NNW	327
	22	1.53	5.5	2.46	6.7	3.09	6.8	4.14	7.3	NW	311
	最大	2.03	6.3	3.25	8.0	4.10	8.2	5.76	7.4		
	平均	1.37	5.6	2.19	7.0	2.75	7.0	3.59	7.2		
月最大	起時	2.66	7.3	4.20	9.3	5.21	8.5	7.55	9.4		
		2714		2714		2712		2712			
	平均	0.87	5.0	1.38	6.3	1.73	6.3	2.27	6.3		

波浪整理表（1）

1997年11月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	337 回
											欠測回数	0 回	欠測回数	23 回
											欠 測 率	0.0 %	欠 測 率	6.4 %
機種：波向 海象計 - 50.0m														
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m			
											緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
		16方位									角度			
01	00	1.37	5.2	2.24	6.4	2.77	6.8	3.24	7.4	WNW	282			
	02	1.57	5.6	2.49	6.8	3.11	7.3	4.21	7.0	NW	323			
	04	1.92	6.4	2.97	7.6	3.64	8.0	4.55	7.2	NW	311			
	06	1.68	6.0	2.72	7.8	3.41	7.7	4.58	7.1	NNW	335			
	08	1.81	6.0	2.92	8.1	3.62	8.3	4.63	8.1	NNW	335			
	10	* 2.30	7.1	* 3.52	8.6	4.13	8.8	5.34	8.4	NNW	340			
	12	2.05	6.3	3.27	8.0	* 4.26	8.3	* 5.64	8.0	NNW	327			
	14	1.78	6.3	2.89	7.8	3.62	8.0	4.94	8.0	NNW	331			
	16	1.58	6.2	2.59	8.3	3.31	8.1	4.45	8.6	NW	307			
	18	1.40	6.2	2.27	8.0	2.95	8.1	3.95	8.8	NW	319			
	20	1.35	6.4	2.22	8.1	2.70	8.5	3.45	8.5	NNW	327			
	22	1.35	7.0	2.18	8.8	2.88	8.7	3.83	9.1	NNE	25			
最大		2.30	7.1	3.52	8.6	4.26	8.3	5.64	8.0					
平均		1.68	6.2	2.69	7.9	3.37	8.0	4.40	8.0					
02	00	* 1.17	6.2	* 1.89	8.0	* 2.33	8.7	* 2.97	7.5	NW	319			
	02	1.15	6.5	1.77	8.0	2.14	8.4	2.60	9.9	NW	319			
	04	1.08	6.4	1.69	8.2	2.08	8.3	2.54	9.0	NW	311			
	06	0.95	6.1	1.55	7.9	1.97	8.1	2.47	8.6	NNE	16			
	08	0.91	6.1	1.50	7.9	1.92	7.7	2.50	8.4	NNW	327			
	10	0.89	6.5	1.40	8.0	1.72	7.4	2.32	6.9	NNE	20			
	12	0.74	5.8	1.20	7.6	1.55	7.5	2.14	5.8	NNE	20			
	14	0.73	5.4	1.20	7.2	1.48	7.2	1.90	8.0	NNW	327			
	16	0.64	5.3	1.01	6.7	1.29	6.5	1.68	6.8	NW	319			
	18	0.54	5.4	0.87	6.7	1.10	6.8	1.68	6.5	NNE	12			
	20	0.48	5.0	0.79	6.7	0.97	7.1	1.20	6.9	NNE	20			
	22	0.51	5.4	0.81	6.6	0.99	6.5	1.25	6.6	NNW	327			
最大		1.17	6.2	1.89	8.0	2.33	8.7	2.97	7.5					
平均		0.82	5.8	1.31	7.5	1.63	7.5	2.10	7.6					
03	00	* 0.49	5.1	* 0.79	6.2	* 1.03	6.3	* 1.70	6.6	NNW	335			
	02	0.38	4.7	0.62	6.2	0.79	6.5	1.11	6.0	NNW	331			
	04	0.40	4.9	0.62	6.1	0.79	6.0	1.26	6.0	N	356			
	06	0.32	4.4	0.52	5.8	0.69	5.8	1.02	5.9	NNW	327			
	08	0.27	4.4	0.43	5.7	0.52	6.0	0.64	5.4	N	352			
	10	0.25	4.3	0.40	5.7	0.51	5.9	0.67	5.7	欠測	欠測			
	12	0.25	3.8	0.40	5.2	0.50	5.3	0.76	5.9	W	280			
	14	0.37	4.0	0.57	4.9	0.71	5.1	0.87	4.2	N	7			
	16	0.40	4.3	0.64	5.2	0.83	5.3	1.24	4.8	W	279			
	18	0.36	4.1	0.58	5.1	0.71	5.0	0.97	5.4	N	10			
	20	0.30	3.9	0.49	5.2	0.62	5.1	0.80	4.6	NNW	340			
	22	0.29	3.9	0.46	5.0	0.56	5.3	0.68	5.2	欠測	欠測			
最大		0.49	5.1	0.79	6.2	1.03	6.3	1.70	6.6					
平均		0.34	4.3	0.54	5.5	0.69	5.6	0.98	5.5					
04	00	0.30	4.1	0.47	5.0	0.58	5.1	0.75	5.0	欠測	欠測			
	02	0.29	3.9	0.46	4.9	0.58	5.1	0.82	5.3	NNW	330			
	04	0.26	3.9	0.42	5.1	0.51	5.2	0.73	4.9	NE	43			
	06	0.31	4.1	0.51	5.2	0.66	5.3	0.93	5.4	NNW	340			
	08	0.35	4.4	0.58	5.5	0.72	5.5	1.10	5.3	N	11			
	10	0.39	4.7	0.64	5.8	0.79	5.6	1.07	5.2	WNW	290			
	12	0.44	4.8	0.71	6.0	0.88	6.0	* 1.32	5.7	WNW	299			
	14	0.50	4.5	0.76	5.7	0.94	5.5	1.06	5.4	WNW	295			
	16	0.43	4.5	0.70	5.9	0.90	6.1	1.26	5.2	WNW	295			
	18	0.46	4.5	0.71	5.5	0.90	5.4	1.14	5.7	WNW	297			
	20	* 0.51	4.6	* 0.81	5.7	* 1.00	5.5	1.29	4.7	WNW	286			
	22	0.48	4.3	0.76	5.2	0.93	5.2	1.26	6.1	NNE	14			
最大		0.51	4.6	0.81	5.7	1.00	5.5	1.32	5.7					
平均		0.39	4.4	0.63	5.5	0.78	5.5	1.06	5.3					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	337 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.4 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向		
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度	
05	00	0.50	4.0	0.77	4.6	0.97	4.5	1.49	5.1	欠測	欠測	
	02	0.51	3.8	0.80	4.6	0.98	4.7	1.25	3.4	NNE	13	
	04	0.64	3.9	1.00	4.4	1.24	4.4	1.59	4.2	WNW	286	
	06	0.77	4.1	1.22	4.7	1.52	4.8	2.21	4.7	N	3	
	08	0.94	4.6	1.45	5.5	1.78	5.5	2.39	4.6	欠測	欠測	
	10	1.09	5.3	1.79	6.6	2.25	6.6	3.00	7.2	NW	319	
	12	1.39	6.0	2.19	7.1	2.73	7.2	3.87	6.8	NW	323	
	14	1.34	5.8	2.10	7.3	2.60	7.3	3.62	7.0	NW	323	
	16	1.53	5.8	2.56	7.5	3.28	7.8	4.36	7.0	NNW	327	
	18	* 1.68	6.6	* 2.73	8.0	* 3.38	8.1	4.37	7.3	NNW	327	
	20	1.42	6.0	2.40	7.6	3.05	7.7	* 4.40	8.2	NW	323	
	22	1.49	6.5	2.30	7.9	2.79	7.6	3.35	7.5	NW	323	
	最大	1.68	6.6	2.73	8.0	3.38	8.1	4.40	8.2			
	平均	1.11	5.2	1.78	6.3	2.21	6.3	2.99	6.1			
	06	00	1.13	5.6	1.90	7.5	2.42	7.6	3.26	7.7	NNW	331
		02	* 1.33	6.3	* 2.11	7.7	* 2.54	7.7	* 3.47	7.8	NNW	331
04		1.14	5.7	1.80	7.5	2.29	7.6	3.02	8.3	NNW	335	
06		1.13	5.7	1.81	7.5	2.17	7.2	2.69	7.1	NNW	335	
08		0.89	5.1	1.41	6.7	1.78	6.9	2.43	6.0	NNW	327	
10		0.84	5.1	1.39	6.7	1.72	7.2	2.16	6.7	NNW	340	
12		0.83	5.3	1.34	6.7	1.72	6.7	2.33	6.8	NNW	344	
14		0.79	5.1	1.25	6.4	1.53	6.3	2.12	6.0	NNW	331	
16		0.84	5.2	1.38	6.8	1.65	6.7	2.41	6.6	NNW	344	
18		0.92	5.2	1.51	6.8	1.91	6.9	2.76	6.8	NNW	335	
20		1.12	5.9	1.76	7.0	2.18	7.0	2.70	7.7	NNW	331	
22		0.99	5.5	1.62	7.1	2.01	7.1	2.72	7.4	NNW	340	
最大		1.33	6.3	2.11	7.7	2.54	7.7	3.47	7.8			
平均		1.00	5.5	1.61	7.0	1.99	7.1	2.67	7.1			
07		00	0.93	5.5	1.52	6.9	1.92	7.5	* 2.63	7.9	NNW	331
		02	0.78	4.9	1.27	6.5	1.58	7.1	2.13	5.8	NNW	331
	04	0.80	5.1	1.23	6.3	1.53	6.5	1.82	7.5	NNW	331	
	06	0.77	4.8	1.25	6.2	1.57	6.2	2.37	6.2	NNW	340	
	08	* 1.07	5.7	1.64	6.7	* 2.02	6.6	2.45	6.5	NNW	335	
	10	1.02	5.6	1.65	7.1	1.97	7.0	2.26	7.5	N	352	
	12	1.07	5.6	* 1.66	6.9	1.97	7.2	2.20	6.7	NNW	340	
	14	0.90	5.1	1.47	6.6	1.83	6.6	2.50	6.6	NNW	331	
	16	0.87	5.4	1.40	6.7	1.76	6.6	2.53	6.2	NNW	331	
	18	0.82	5.3	1.29	6.6	1.56	6.5	1.90	7.2	NNW	344	
	20	0.67	5.0	1.06	6.4	1.28	6.4	1.73	5.5	NNE	16	
	22	0.55	4.8	0.90	6.2	1.17	6.3	1.64	6.2	N	352	
	最大	1.07	5.7	1.66	6.9	2.02	6.6	2.63	7.9			
	平均	0.85	5.2	1.36	6.6	1.68	6.7	2.18	6.7			
	08	00	* 0.59	5.0	* 0.94	6.1	* 1.16	6.1	1.45	5.9	NNE	20
		02	0.51	4.9	0.81	6.4	1.05	6.4	1.33	6.9	NNE	33
04		0.50	4.9	0.80	6.5	1.01	6.6	* 1.54	7.0	N	8	
06		0.47	5.1	0.76	7.0	0.92	7.5	1.15	8.7	NE	37	
08		0.49	5.0	0.79	6.7	0.98	7.0	1.13	8.8	NNE	33	
10		0.46	4.8	0.74	6.3	0.91	6.6	1.34	6.7	NE	41	
12		0.48	4.7	0.77	6.0	0.96	6.2	1.26	5.2	NNE	29	
14		0.52	4.8	0.84	6.0	1.06	6.0	1.25	5.9	WNW	303	
16		0.51	4.6	0.81	5.7	1.02	5.9	1.24	5.9	NNW	335	
18		0.46	4.3	0.76	5.7	0.97	5.8	1.23	5.7	NNE	25	
20		0.46	4.5	0.73	5.6	0.87	5.7	1.18	5.6	N	4	
22		0.49	4.5	0.77	5.9	0.98	6.0	1.36	5.1	N	4	
最大		0.59	5.0	0.94	6.1	1.16	6.1	1.54	7.0			
平均		0.50	4.8	0.79	6.2	0.99	6.3	1.29	6.4			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.56	4.5	0.92	6.1	1.14	6.5	1.46	6.4	N	356
	02	0.61	4.3	0.96	5.6	1.21	5.8	1.55	6.6	N	352
	04	0.70	4.3	1.13	5.6	1.44	5.6	1.96	6.4	N	352
	06	* 0.77	4.3	* 1.23	5.3	* 1.55	5.4	* 2.09	4.5	N	352
	08	0.74	4.7	1.16	5.6	1.46	5.3	2.07	5.1	NNW	344
	10	0.65	4.7	1.00	5.7	1.26	5.6	1.62	5.4	NNW	344
	12	0.61	4.9	0.94	5.9	1.19	5.6	1.42	5.4	NNW	340
	14	0.51	4.5	0.79	5.7	0.97	5.7	1.22	6.0	NNW	327
	16	0.52	4.7	0.82	5.7	1.00	5.7	1.16	5.0	N	352
	18	0.51	4.7	0.80	5.9	1.00	6.0	1.21	5.8	NNW	335
	20	0.44	4.7	0.70	5.8	0.88	5.7	1.21	5.1	N	356
	22	0.45	4.6	0.72	5.7	0.91	5.8	1.32	6.0	N	4
	最大	0.77	4.3	1.23	5.3	1.55	5.4	2.09	4.5		
	平均	0.59	4.6	0.93	5.7	1.17	5.7	1.52	5.6		
10	00	0.44	4.6	0.70	5.6	0.87	5.4	* 1.44	5.7	N	356
	02	0.39	4.2	0.64	5.4	0.84	5.5	1.37	5.4	欠測	欠測
	04	* 0.48	4.8	* 0.77	5.7	* 0.98	5.8	1.32	4.9	N	0
	06	0.39	4.4	0.64	5.6	0.80	5.8	1.07	5.5	NNW	340
	08	0.40	4.8	0.64	5.9	0.82	5.9	1.07	6.8	NNE	33
	10	0.34	4.6	0.56	5.7	0.70	5.5	0.96	5.1	NNW	348
	12	0.34	4.6	0.54	5.8	0.67	5.7	0.93	5.7	NNW	340
	14	0.31	4.2	0.49	5.3	0.61	5.3	0.95	5.0	NNW	336
	16	0.31	4.3	0.48	5.6	0.59	5.5	0.81	6.1	NNE	29
	18	0.26	4.1	0.43	5.6	0.55	5.9	0.77	5.6	NE	49
	20	0.24	3.9	0.37	5.4	0.47	5.7	0.66	4.1	NNE	17
	22	0.21	4.1	0.34	5.8	0.43	5.9	0.61	5.5	N	4
	最大	0.48	4.8	0.77	5.7	0.98	5.8	1.44	5.7		
	平均	0.34	4.4	0.55	5.6	0.69	5.7	1.00	5.5		
11	00	0.19	3.9	0.32	5.8	0.41	6.2	0.62	5.8	NNE	16
	02	0.27	3.2	0.43	4.0	0.55	4.3	0.68	6.9	NNW	332
	04	0.39	3.5	0.61	4.1	0.75	3.9	1.03	4.0	NNW	339
	06	0.31	3.2	0.50	3.9	0.61	3.9	0.84	4.1	NE	56
	08	0.59	4.0	0.92	4.4	1.15	4.5	1.81	4.3	NW	318
	10	* 0.67	4.1	* 1.10	5.0	* 1.38	5.1	1.87	5.1	NW	310
	12	0.64	4.1	1.06	4.9	1.36	4.7	* 1.92	4.0	NNE	21
	14	0.55	4.2	0.86	5.0	1.03	4.9	1.41	5.0	NW	324
	16	0.45	4.1	0.71	5.0	0.89	4.9	1.18	5.9	W	271
	18	0.40	4.0	0.64	4.9	0.81	4.9	1.20	4.6	NNE	32
	20	0.39	4.2	0.60	4.8	0.77	4.8	1.16	5.0	W	280
	22	0.37	3.9	0.61	5.0	0.75	5.0	0.93	5.7	N	355
	最大	0.67	4.1	1.10	5.0	1.38	5.1	1.92	4.0		
	平均	0.44	3.9	0.70	4.7	0.87	4.8	1.22	5.0		
12	00	0.31	4.0	0.50	4.8	0.65	4.9	0.88	4.5	N	3
	02	0.28	3.8	0.45	4.7	0.57	4.9	0.74	5.0	W	277
	04	0.25	3.6	0.41	4.7	0.52	4.7	0.64	4.9	NE	36
	06	0.26	3.4	0.43	4.5	0.55	4.4	0.75	4.9	NE	44
	08	0.24	3.2	0.39	4.2	0.49	4.2	0.61	5.2	NE	40
	10	0.26	3.6	0.42	4.4	0.53	4.3	0.74	3.7	NW	317
	12	0.32	3.5	0.51	4.0	0.62	3.9	0.95	3.8	NNW	331
	14	* 0.52	3.8	* 0.80	4.4	0.99	4.3	1.36	4.4	欠測	欠測
	16	0.46	3.8	0.73	4.6	0.94	4.6	* 1.51	4.2	欠測	欠測
	18	0.47	3.6	0.78	4.5	* 0.99	4.5	1.39	4.2	欠測	欠測
	20	0.47	3.8	0.73	4.5	0.88	4.7	1.17	3.3	欠測	欠測
	22	0.45	3.2	0.73	3.9	0.94	3.9	1.45	3.3	NNW	346
	最大	0.52	3.8	0.80	4.4	0.99	4.5	1.51	4.2		
	平均	0.36	3.6	0.57	4.4	0.72	4.4	1.02	4.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	0.53	3.6	0.83	4.2	1.04	4.4	1.40	5.0	NE	35
	02	0.53	3.9	0.84	4.9	1.05	5.0	1.35	4.8	WNW	299
	04	0.80	4.0	1.31	5.0	1.60	4.9	2.07	4.8	NNW	336
	06	0.88	4.4	1.42	5.3	1.87	5.3	2.87	5.0	NE	53
	08	1.12	5.0	1.78	5.9	2.26	5.9	2.98	5.7	NNE	16
	10	1.37	5.3	2.21	6.4	2.82	6.5	3.69	6.7	NNE	20
	12	* 1.44	5.5	* 2.32	6.8	* 2.90	7.0	3.54	6.2	NW	319
	14	1.37	5.8	2.24	7.0	2.83	7.2	3.45	7.2	NW	319
	16	1.33	5.9	2.08	7.4	2.58	7.3	* 4.04	7.4	NW	323
	18	1.22	5.5	1.97	7.1	2.50	7.3	3.48	7.8	NNW	335
	20	1.11	5.4	1.83	7.2	2.40	7.7	3.22	7.7	NNE	25
	22	1.05	5.4	1.69	7.0	2.14	7.2	2.88	7.2	N	4
	最大	1.44	5.5	2.32	6.8	2.90	7.0	4.04	7.4		
	平均	1.06	5.0	1.71	6.2	2.17	6.3	2.91	6.3		
14	00	* 0.99	5.3	* 1.60	7.0	* 2.00	7.0	* 2.37	7.2	NNW	344
	02	0.86	5.2	1.37	6.7	1.73	6.8	2.14	5.7	NNE	16
	04	0.75	5.0	1.20	6.3	1.55	6.7	2.16	5.8	NW	323
	06	0.69	5.2	1.11	6.7	1.38	6.6	1.81	7.1	NW	319
	08	0.67	5.2	1.08	6.6	1.33	6.6	1.68	6.5	NNW	331
	10	0.60	5.2	0.98	6.7	1.22	6.5	1.50	5.0	NW	323
	12	0.57	5.0	0.98	6.6	1.19	6.6	1.48	8.1	NW	323
	14	0.64	5.2	1.01	6.5	1.28	6.6	1.77	8.2	NNE	29
	16	0.63	5.2	0.97	6.5	1.21	6.5	1.49	8.3	NNE	29
	18	0.56	4.9	0.91	6.3	1.17	6.3	1.45	4.9	NNE	16
	20	0.50	4.5	0.82	6.1	1.04	6.4	1.71	6.7	NNE	16
	22	0.45	4.9	0.72	6.6	0.88	6.8	1.12	7.0	NNE	16
	最大	0.99	5.3	1.60	7.0	2.00	7.0	2.37	7.2		
	平均	0.66	5.1	1.06	6.5	1.33	6.6	1.72	6.7		
15	00	0.37	4.1	0.59	5.7	0.75	6.0	0.93	7.2	NNE	20
	02	0.40	4.1	0.63	5.5	0.76	6.1	0.96	7.8	欠測	欠測
	04	0.40	3.9	0.62	5.1	0.76	5.6	0.94	6.2	NE	36
	06	0.39	3.8	0.60	4.9	0.74	4.7	1.06	6.1	WNW	283
	08	0.41	3.8	0.65	4.8	0.81	5.1	1.05	6.8	N	1
	10	0.39	3.6	0.63	4.5	0.80	4.5	1.08	4.0	N	6
	12	0.41	3.4	0.63	4.1	0.76	4.1	0.97	4.9	WNW	287
	14	0.41	3.5	0.62	4.3	0.75	4.3	1.01	3.4	WNW	301
	16	0.41	3.7	0.64	4.5	0.82	4.6	1.10	3.6	NW	314
	18	0.38	3.4	0.61	4.3	0.76	4.4	1.00	4.3	NW	316
	20	0.45	3.6	0.70	4.3	0.87	4.5	1.10	4.3	WNW	283
	22	* 0.52	3.6	* 0.85	4.3	* 1.10	4.3	* 1.80	4.8	N	11
	最大	0.52	3.6	0.85	4.3	1.10	4.3	1.80	4.8		
	平均	0.41	3.7	0.65	4.7	0.81	4.8	1.08	5.3		
16	00	* 0.55	3.9	* 0.86	4.7	* 1.08	4.6	1.49	4.6	NNE	27
	02	0.53	3.9	0.84	4.6	1.05	4.7	* 1.57	4.2	NW	325
	04	0.49	3.7	0.76	4.7	0.96	4.8	1.36	5.3	NNW	347
	06	0.49	3.6	0.80	4.5	1.05	4.4	1.53	4.8	N	11
	08	0.53	3.7	0.85	4.4	1.05	4.4	1.54	2.9	N	0
	10	0.50	4.0	0.75	4.5	0.95	4.5	1.50	4.4	NNE	14
	12	0.41	3.9	0.63	4.7	0.79	4.6	0.98	3.7	NNE	31
	14	0.39	4.0	0.61	4.6	0.77	4.6	1.20	4.5	NNE	30
	16	0.33	3.7	0.52	4.5	0.64	4.4	0.86	4.0	NNE	27
	18	0.34	3.8	0.52	4.6	0.65	4.7	0.88	4.4	NNW	348
	20	0.33	3.6	0.54	4.5	0.68	4.3	0.90	4.1	W	271
	22	0.34	3.8	0.53	4.5	0.65	4.5	0.82	4.2	N	356
	最大	0.55	3.9	0.86	4.7	1.08	4.6	1.57	4.2		
	平均	0.44	3.8	0.68	4.6	0.86	4.5	1.22	4.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月										
機種：波向 海象計 - 50.0m										
観測所：輪島港輪島崎地区										
機種：波高 海象計 - 50.0m										
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″										
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位 角度
17	00	0.32	3.7	0.50	4.4	0.63	4.3	0.85	4.3	欠測 欠測
	02	0.31	3.7	0.48	4.3	0.60	4.3	0.82	3.6	N 10
	04	0.28	3.6	0.44	4.4	0.55	4.4	0.75	4.5	W 280
	06	0.27	3.6	0.43	4.5	0.53	4.4	0.68	4.4	欠測 欠測
	08	0.27	3.6	0.42	4.4	0.52	4.4	0.86	4.3	NNE 19
	10	0.30	3.5	0.48	4.4	0.62	4.3	0.91	3.6	欠測 欠測
	12	0.30	3.5	0.48	4.4	0.59	4.4	0.72	4.2	NE 47
	14	0.43	3.7	0.70	4.3	0.89	4.3	1.24	4.2	NE 45
	16	0.41	3.7	0.64	4.6	0.78	4.8	1.11	4.1	NNW 340
	18	0.33	3.6	0.55	5.1	0.67	5.4	0.84	3.9	WNW 284
	20	0.94	4.2	1.43	4.9	1.75	4.8	2.38	4.7	WNW 291
	22	* 1.20	4.7	* 1.92	5.7	* 2.39	5.8	* 3.65	5.8	NNW 331
	最大	1.20	4.7	1.92	5.7	2.39	5.8	3.65	5.8	
	平均	0.45	3.8	0.71	4.6	0.88	4.6	1.23	4.3	
18	00	1.48	5.2	2.26	5.8	2.69	5.7	3.03	5.6	WNW 286
	02	1.56	5.4	2.36	6.2	2.81	6.4	3.72	5.7	WNW 282
	04	1.86	6.1	2.94	7.4	3.64	7.2	4.51	8.4	WNW 282
	06	1.65	5.9	2.59	7.1	3.10	7.3	3.42	7.1	W 274
	08	2.02	6.7	3.13	8.2	3.91	7.9	5.29	7.7	NW 307
	10	2.00	6.2	3.34	7.8	4.15	8.0	6.78	8.7	NW 311
	12	2.05	6.4	3.30	8.1	4.12	8.6	5.34	8.6	WNW 286
	14	2.42	6.9	3.89	9.1	4.77	9.1	6.08	10.6	NW 315
	16	2.69	7.5	4.26	9.6	5.42	9.9	6.37	10.3	NW 315
	18	2.41	7.3	4.05	9.8	5.21	10.4	6.31	10.2	NNW 335
	20	* 2.92	8.3	* 4.61	10.6	* 5.64	10.1	* 7.45	11.2	NNE 20
	22	2.55	7.7	4.07	10.3	4.95	10.0	5.65	11.0	NW 311
	最大	2.92	8.3	4.61	10.6	5.64	10.1	7.45	11.2	
	平均	2.13	6.6	3.40	8.3	4.20	8.4	5.33	8.8	
19	00	2.37	7.4	3.90	9.8	4.94	10.1	6.03	11.3	NW 319
	02	2.25	7.2	3.63	9.8	4.51	9.9	5.38	10.9	NNE 16
	04	* 2.59	7.9	* 4.21	10.3	* 5.55	11.4	6.92	11.7	NNE 12
	06	2.28	7.4	3.86	9.7	5.08	10.3	* 7.52	10.5	NW 311
	08	2.16	7.7	3.42	9.7	4.22	9.5	5.48	9.0	NNE 20
	10	2.19	7.6	3.61	9.5	4.92	9.9	6.85	10.3	NNE 29
	12	1.94	7.2	3.17	9.1	4.12	9.4	5.42	9.1	NE 37
	14	1.65	7.2	2.68	9.3	3.28	9.3	4.12	10.3	NNE 12
	16	1.51	7.3	2.39	8.9	3.00	8.9	3.96	8.2	NNE 20
	18	1.30	6.9	2.08	9.0	2.59	9.2	3.16	9.0	NNE 12
	20	1.17	6.6	1.95	8.4	2.53	8.6	3.20	9.7	NNE 12
	22	1.21	7.3	2.01	9.1	2.60	9.1	3.33	9.1	NNE 33
	最大	2.59	7.9	4.21	10.3	5.55	11.4	7.52	10.5	
	平均	1.89	7.3	3.08	9.4	3.94	9.6	5.11	9.9	
20	00	* 1.05	6.5	* 1.71	8.3	* 2.16	8.4	* 3.21	7.6	NNW 327
	02	1.03	7.2	1.68	8.4	2.09	8.5	2.86	8.7	NNW 331
	04	0.92	6.7	1.48	8.8	1.79	8.4	2.48	9.8	NNE 20
	06	0.81	6.5	1.34	8.6	1.71	8.6	2.47	8.7	NNE 25
	08	0.82	6.6	1.29	8.1	1.59	8.3	2.13	7.2	NNE 20
	10	0.61	6.0	0.99	7.8	1.22	7.7	1.45	7.4	NNE 20
	12	0.51	6.1	0.80	7.9	0.98	8.0	1.29	9.3	NNE 16
	14	0.50	4.9	0.81	6.6	1.03	7.0	1.39	6.7	NE 37
	16	0.50	4.2	0.83	5.4	1.03	6.1	1.30	5.7	N 3
	18	0.44	4.3	0.71	5.4	0.88	5.7	1.21	4.2	NW 304
	20	0.40	4.3	0.63	5.7	0.77	5.8	1.06	4.9	NNE 33
	22	0.33	4.2	0.55	5.7	0.69	6.1	0.89	7.7	NNE 12
	最大	1.05	6.5	1.71	8.3	2.16	8.4	3.21	7.6	
	平均	0.66	5.6	1.07	7.2	1.33	7.4	1.81	7.3	

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	337 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.4 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	* 0.35	4.7	* 0.57	6.6	* 0.73	6.7	1.07	6.1	NNE	29
	02	0.35	4.5	0.56	5.6	0.70	5.1	0.89	4.7	N	4
	04	0.33	4.2	0.54	5.5	0.67	5.5	0.91	5.2	W	281
	06	0.35	4.3	0.57	5.4	0.73	5.3	* 1.08	4.5	NW	311
	08	0.31	4.3	0.50	5.2	0.62	4.9	0.90	5.1	WNW	298
	10	0.29	4.3	0.45	5.2	0.57	4.8	0.76	4.8	N	9
	12	0.25	3.7	0.40	4.9	0.52	5.0	0.66	5.3	W	273
	14	0.26	3.9	0.40	4.7	0.50	4.8	0.64	4.2	NW	324
	16	0.26	3.9	0.41	5.1	0.51	5.1	0.69	4.4	W	280
	18	0.25	3.9	0.40	5.1	0.51	5.1	0.72	5.9	N	350
	20	0.26	3.9	0.41	4.9	0.51	5.1	0.70	5.4	欠測	欠測
	22	0.22	3.3	0.35	4.4	0.43	4.7	0.59	4.4	欠測	欠測
	最大	0.35	4.7	0.57	6.6	0.73	6.7	1.08	4.5		
	平均	0.29	4.1	0.46	5.2	0.58	5.2	0.80	5.0		
22	00	0.26	3.3	0.41	4.1	0.52	4.1	0.81	4.2	WNW	295
	02	0.27	3.5	0.42	4.0	0.54	3.9	0.76	4.4	欠測	欠測
	04	0.27	3.3	0.44	3.9	0.56	4.1	0.73	4.6	NNW	342
	06	0.37	3.3	0.57	3.9	0.72	3.9	1.02	3.4	NE	40
	08	0.54	3.9	0.86	4.5	1.09	4.6	1.53	4.0	NW	317
	10	0.82	5.1	1.29	5.7	1.63	5.6	2.08	5.7	NNE	16
	12	0.92	5.3	1.52	6.7	1.92	6.7	2.48	7.0	NNE	16
	14	1.60	6.4	2.45	7.4	2.87	7.5	3.29	5.8	NNE	12
	16	* 1.94	6.2	* 3.10	7.9	3.78	7.8	* 4.92	7.3	NNE	25
	18	1.81	6.0	2.98	7.6	* 3.90	7.8	4.76	7.6	NNE	16
	20	1.77	5.8	2.90	7.1	3.76	7.0	4.88	7.0	NNE	33
	22	1.66	5.6	2.67	7.0	3.22	7.2	4.37	7.2	NNE	25
	最大	1.94	6.2	3.10	7.9	3.90	7.8	4.92	7.3		
	平均	1.02	4.8	1.63	5.8	2.04	5.9	2.64	5.7		
23	00	1.73	6.0	2.62	7.1	3.29	7.1	4.26	8.0	NNE	29
	02	1.66	5.7	2.65	7.1	3.38	7.3	5.16	6.7	NE	41
	04	1.74	5.9	2.65	7.0	3.23	6.8	3.89	6.3	NNE	20
	06	1.66	6.0	2.60	7.8	3.31	7.9	* 5.24	7.9	NNE	25
	08	* 1.78	6.2	2.80	7.7	3.41	7.7	3.93	8.3	NNE	20
	10	1.65	5.8	* 2.81	7.8	* 3.60	7.8	4.81	7.8	NNE	29
	12	1.75	6.5	2.77	8.0	3.38	7.9	4.58	8.3	NNE	12
	14	1.50	6.1	2.42	7.8	3.07	7.7	3.68	8.5	NNE	20
	16	1.63	6.5	2.58	8.3	3.19	8.4	4.70	6.9	NNE	25
	18	1.74	7.0	2.76	8.9	3.47	9.2	4.20	7.4	NNE	20
	20	1.60	7.0	2.62	8.7	3.30	8.4	4.97	8.6	NNE	20
	22	1.59	6.9	2.66	9.3	3.38	9.2	4.71	9.1	NNE	20
	最大	1.78	6.2	2.81	7.8	3.60	7.8	5.24	7.9		
	平均	1.67	6.3	2.66	8.0	3.33	8.0	4.51	7.8		
24	00	1.41	6.8	2.27	8.9	2.79	9.1	4.10	7.6	NNE	16
	02	1.36	6.6	* 2.33	9.1	* 2.94	9.1	* 4.51	8.5	NNE	16
	04	* 1.43	7.2	2.24	8.8	2.77	8.5	3.55	9.4	NNE	16
	06	1.14	6.7	1.80	8.9	2.21	8.5	2.69	6.8	NNE	16
	08	1.10	6.8	1.75	8.7	2.26	8.8	3.00	8.3	NNE	20
	10	1.01	6.6	1.60	8.5	1.95	8.4	2.42	9.4	NNE	33
	12	0.95	6.4	1.50	8.2	1.89	8.2	2.67	8.5	NNE	16
	14	0.87	6.1	1.47	8.0	1.98	8.5	2.78	8.9	NNE	20
	16	0.87	6.3	1.39	7.6	1.72	7.5	2.37	7.7	NNE	16
	18	0.82	5.9	1.39	7.5	1.74	7.8	2.25	8.2	NNE	20
	20	0.73	5.8	1.15	7.5	1.42	8.0	1.72	7.7	NNE	16
	22	0.73	6.2	1.13	7.5	1.44	7.5	2.06	7.4	NNE	20
	最大	1.43	7.2	2.33	9.1	2.94	9.1	4.51	8.5		
	平均	1.03	6.4	1.67	8.3	2.09	8.3	2.84	8.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	* 0.56	5.8	* 0.90	7.4	1.08	7.5	1.33	6.9	N	8
	02	0.49	5.4	0.82	7.2	* 1.10	7.6	* 1.81	7.9	NNE	16
	04	0.44	5.4	0.74	7.4	0.96	7.8	1.37	7.5	NNE	33
	06	0.47	5.9	0.74	7.7	0.90	7.8	1.12	7.8	NNE	20
	08	0.41	5.6	0.67	7.2	0.83	7.1	1.05	7.2	NNE	33
	10	0.36	5.2	0.60	7.2	0.79	7.6	1.13	7.8	NNE	25
	12	0.38	5.5	0.64	6.9	0.82	7.1	1.10	7.2	NNE	29
	14	0.31	4.5	0.52	6.4	0.67	6.8	0.90	6.2	NNE	29
	16	0.30	4.6	0.48	6.2	0.59	6.3	0.80	5.7	N	4
	18	0.26	4.0	0.42	5.6	0.55	5.7	0.96	6.9	NNE	25
	20	0.25	3.5	0.39	4.9	0.50	5.5	0.80	6.6	NNW	343
	22	0.25	3.3	0.39	4.5	0.49	5.0	0.66	4.3	WNW	296
	最大	0.56	5.8	0.90	7.4	1.10	7.6	1.81	7.9		
	平均	0.37	4.9	0.61	6.6	0.77	6.8	1.09	6.8		
26	00	0.30	3.5	0.49	4.4	0.64	4.5	0.95	3.6	欠測	欠測
	02	0.35	3.7	0.55	4.4	0.71	4.4	0.91	4.5	欠測	欠測
	04	0.34	3.6	0.55	4.6	0.72	4.6	1.02	4.3	欠測	欠測
	06	0.46	4.5	0.71	5.5	0.89	5.5	1.05	4.8	WNW	294
	08	0.47	3.4	0.74	4.3	0.94	4.8	1.34	5.5	NW	315
	10	0.54	4.4	0.88	5.9	1.13	6.1	1.39	5.6	W	262
	12	0.50	4.6	0.79	5.9	1.00	5.9	1.48	5.3	WSW	250
	14	0.44	4.0	0.72	5.4	0.90	5.5	1.43	5.9	NNE	27
	16	0.42	4.2	0.68	5.9	0.85	6.6	1.07	6.6	W	274
	18	0.37	4.1	0.59	5.6	0.74	5.9	0.85	8.3	W	270
	20	0.70	4.0	1.12	4.9	1.39	4.9	1.72	5.1	WNW	288
	22	* 0.86	4.4	* 1.30	5.0	* 1.58	5.2	* 2.18	4.7	W	272
	最大	0.86	4.4	1.30	5.0	1.58	5.2	2.18	4.7		
	平均	0.48	4.0	0.76	5.1	0.96	5.3	1.28	5.3		
27	00	0.92	4.4	1.48	5.2	1.90	5.5	3.02	4.6	欠測	欠測
	02	1.33	5.3	2.11	6.1	2.72	6.1	3.18	5.5	WNW	303
	04	1.57	6.0	2.51	7.6	3.19	7.6	4.29	7.6	WNW	303
	06	1.28	6.1	2.03	7.6	2.43	7.4	3.08	6.9	W	278
	08	1.57	5.8	2.58	7.1	3.24	7.8	4.02	9.1	NW	307
	10	1.63	6.1	2.60	7.4	3.21	7.2	3.92	7.8	WNW	286
	12	1.76	6.0	2.73	7.4	3.30	7.4	4.32	6.9	W	270
	14	1.87	6.1	3.10	8.0	4.04	7.6	5.28	7.7	NNW	335
	16	1.91	6.9	3.03	9.0	3.62	9.2	4.10	9.5	NNW	331
	18	1.88	6.8	3.04	9.0	3.86	9.1	4.95	10.1	NNW	340
	20	* 2.25	7.8	* 3.69	10.2	* 4.61	10.1	* 5.50	10.4	NNW	331
	22	1.99	7.5	3.26	9.7	4.18	10.5	5.49	11.0	NNW	327
	最大	2.25	7.8	3.69	10.2	4.61	10.1	5.50	10.4		
	平均	1.66	6.2	2.68	7.9	3.36	8.0	4.26	8.1		
28	00	* 2.08	7.9	* 3.34	9.6	* 4.16	9.8	* 4.95	10.1	NNW	340
	02	1.79	7.8	2.92	10.0	3.62	9.7	4.70	9.7	NNW	327
	04	1.67	7.9	2.57	9.4	3.11	9.9	3.90	11.2	NNW	335
	06	1.41	7.1	2.28	8.8	2.92	9.4	3.78	9.4	NNW	335
	08	1.49	7.0	2.45	9.2	2.94	9.5	3.24	10.1	N	352
	10	1.34	7.0	2.13	8.7	2.60	8.8	3.39	11.1	NNW	344
	12	1.44	7.4	2.28	9.7	2.75	9.6	3.42	9.3	NNW	340
	14	1.34	7.1	2.12	9.2	2.58	9.7	3.06	10.3	NNE	16
	16	1.26	7.3	1.94	9.6	2.36	10.0	2.91	8.7	NNE	12
	18	1.23	7.0	1.96	9.4	2.40	9.9	3.40	8.8	NNE	25
	20	0.98	6.1	1.70	9.3	2.19	9.9	2.69	9.7	NNE	16
	22	0.99	6.4	1.59	9.0	1.93	9.3	2.45	5.0	N	8
	最大	2.08	7.9	3.34	9.6	4.16	9.8	4.95	10.1		
	平均	1.42	7.2	2.27	9.3	2.80	9.6	3.49	9.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年11月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	337 回
欠測回数	0 回	欠測回数	23 回
欠 測 率	0.0 %	欠 測 率	6.4 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 0.94	5.9	* 1.52	8.2	* 1.87	9.0	2.28	9.3	NNE	12
	02	0.79	5.5	1.31	7.7	1.67	8.5	* 2.30	9.5	NNE	20
	04	0.79	5.8	1.28	7.7	1.57	7.8	2.22	10.0	NNE	16
	06	0.73	5.5	1.16	7.1	1.48	7.1	2.03	6.6	NNE	16
	08	0.74	5.9	1.18	7.5	1.41	7.3	1.60	6.4	NNE	20
	10	0.73	5.5	1.16	7.3	1.46	7.6	2.30	6.9	NNE	20
	12	0.65	5.5	1.03	7.0	1.31	7.5	1.77	6.1	NNE	20
	14	0.49	4.7	0.81	6.3	1.04	6.8	1.22	8.3	NNE	20
	16	0.40	4.8	0.67	6.7	0.84	6.9	1.22	7.0	N	8
	18	0.47	4.1	0.76	6.0	0.97	6.6	1.29	4.7	NNE	29
	20	0.50	4.1	0.80	5.5	1.00	6.2	1.29	5.7	欠測	欠測
	22	0.63	3.9	1.00	5.0	1.24	4.8	1.80	5.4	欠測	欠測
最大	0.94	5.9	1.52	8.2	1.87	9.0	2.30	9.5			
平均	0.66	5.1	1.06	6.8	1.32	7.2	1.78	7.2			
30	00	0.73	4.1	1.11	4.5	1.37	4.4	1.85	3.5	WNW	295
	02	1.03	4.5	1.62	5.3	2.14	5.4	2.89	5.0	NE	45
	04	1.26	5.1	1.95	5.8	2.38	5.7	3.03	5.8	WNW	290
	06	1.60	5.7	2.62	7.1	3.36	7.1	4.13	7.4	NW	323
	08	1.51	5.9	2.37	7.2	2.89	7.4	3.52	6.9	NNW	340
	10	1.28	5.6	2.06	7.4	2.55	7.5	3.20	6.5	NNW	335
	12	1.24	5.7	1.96	7.5	2.44	8.2	3.15	8.2	N	4
	14	1.36	6.0	2.20	7.8	2.71	8.9	3.86	9.4	NNE	12
	16	1.48	6.5	2.32	8.8	2.94	9.1	4.67	8.4	NNE	25
	18	1.63	6.8	2.55	8.7	3.18	9.4	4.07	10.3	N	8
	20	2.18	7.7	* 3.63	9.9	* 4.69	9.8	* 5.55	9.6	NW	315
	22	* 2.26	7.8	3.55	9.5	4.38	10.0	5.17	10.0	NNE	16
最大	2.26	7.8	3.63	9.9	4.69	9.8	5.55	9.6			
平均	1.46	6.0	2.33	7.5	2.92	7.7	3.76	7.6			
月最大	2.92	8.3	4.61	10.6	5.64	10.1	7.52	10.5			
	起時	1820		1820		1820		1906			
	平均	0.87	5.1	1.40	6.5	1.75	6.6	2.31	6.6		

波浪整理表（1）

											波 高		波 向				
1997年12月											規定回数	372 回	規定回数	372 回			
											測得回数	370 回	測得回数	356 回			
											欠測回数	2 回	欠測回数	16 回			
											欠 測 率	0.5 %	欠 測 率	4.3 %			
機種：波向 海象計 - 50.0m																	
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m						
											緯度：N 37° -25' -51" 経度：E 136° -54' -08"						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度						
01	00	* 1.97	7.3	* 3.10	9.2	3.78	9.2	4.71	9.1	N	356						
	02	1.83	7.6	2.99	9.4	* 3.81	9.5	* 5.03	7.2	NNW	327						
	04	1.38	6.9	2.25	8.6	2.91	9.0	3.69	9.4	NW	315						
	06	1.13	6.8	1.87	8.5	2.33	8.9	2.97	7.7	NNW	331						
	08	1.05	6.8	1.72	8.8	2.13	8.9	2.89	9.6	NNE	12						
	10	0.98	7.3	1.55	9.1	1.94	8.8	2.42	8.9	NNE	16						
	12	0.80	6.7	1.28	8.2	1.65	8.4	2.24	8.5	NNW	331						
	14	0.88	6.2	1.42	8.2	1.79	8.3	2.12	8.1	NW	323						
	16	0.94	5.2	1.49	7.0	1.84	7.1	2.46	7.6	NNW	344						
	18	1.05	5.1	1.71	6.7	2.11	7.2	3.04	5.8	NNE	20						
	20	0.95	5.1	1.54	6.5	1.96	6.5	2.85	6.4	NNW	344						
	22	1.02	5.2	1.64	6.6	1.98	6.8	2.47	8.3	NNW	340						
	最大	1.97	7.3	3.10	9.2	3.81	9.5	5.03	7.2								
	平均	1.17	6.4	1.88	8.1	2.35	8.2	3.07	8.0								
02	00	1.18	4.9	1.87	6.3	2.37	6.4	3.70	6.3	N	4						
	02	1.53	5.2	2.36	6.2	2.87	6.4	3.59	6.4	NNW	344						
	04	1.89	6.1	2.85	7.4	3.38	6.7	4.52	7.1	NNE	16						
	06	1.74	6.2	2.72	7.4	3.30	7.7	3.84	7.8	NNE	25						
	08	1.93	6.6	3.10	8.0	3.84	8.1	4.77	7.4	NNE	25						
	10	1.78	6.6	2.83	7.9	3.41	7.9	4.94	7.4	NNE	29						
	12	1.77	6.7	2.86	8.0	3.64	8.1	4.74	8.0	NNE	25						
	14	1.98	6.0	3.09	7.1	3.86	6.8	5.05	6.2	NNW	327						
	16	* 2.75	6.9	4.28	8.0	* 5.40	8.2	6.01	8.2	NNE	25						
	18	2.21	6.1	3.77	8.0	4.85	7.8	6.12	8.0	N	4						
	20	2.39	6.3	3.75	8.1	4.74	7.8	5.79	7.6	N	0						
	22	2.56	6.6	* 4.29	8.3	5.35	8.2	* 6.38	8.8	NNW	344						
	最大	2.75	6.9	4.29	8.3	5.40	8.2	6.38	8.8								
	平均	1.98	6.2	3.15	7.6	3.92	7.5	4.95	7.4								
03	00	* 2.91	7.5	4.54	9.0	5.66	9.2	7.25	9.7	WNW	295						
	02	2.83	7.1	4.51	9.1	5.58	8.8	7.41	8.5	WNW	295						
	04	2.90	7.4	4.49	9.0	5.34	9.3	6.34	8.1	NW	319						
	06	2.87	7.2	4.63	9.1	5.72	9.0	6.99	7.4	WNW	295						
	08	2.83	7.3	* 4.66	9.2	* 5.84	9.4	* 7.77	8.7	NW	307						
	10	2.82	7.6	4.61	9.5	5.75	9.5	7.39	8.8	NW	311						
	12	2.23	6.9	3.55	9.0	4.26	9.1	5.40	9.9	WNW	303						
	14	2.07	7.1	3.27	8.8	4.24	8.5	6.20	8.5	WNW	286						
	16	2.15	7.3	3.45	9.6	4.42	9.5	5.77	9.4	NW	319						
	18	1.98	7.2	3.22	9.7	4.10	9.8	4.74	9.9	NNW	331						
	20	1.73	6.7	2.90	8.9	3.83	8.6	5.60	9.3	NW	315						
	22	1.86	7.2	2.93	9.0	3.64	8.9	5.73	7.9	NW	323						
	最大	2.91	7.5	4.66	9.2	5.84	9.4	7.77	8.7								
	平均	2.43	7.2	3.90	9.2	4.87	9.1	6.38	8.8								
04	00	* 1.70	6.9	* 2.76	8.7	* 3.42	9.0	* 4.73	9.6	NNW	327						
	02	1.60	6.3	2.56	8.3	3.19	8.0	3.90	9.5	NNW	335						
	04	1.42	6.1	2.23	7.8	2.72	8.1	3.61	8.3	NNW	331						
	06	1.48	6.5	2.47	8.3	3.15	8.4	4.54	9.4	NNW	327						
	08	1.21	6.2	1.97	8.1	2.51	8.0	3.56	8.1	NNW	344						
	10	1.11	6.2	1.82	8.0	2.33	7.8	3.55	7.8	NNW	331						
	12	0.99	6.1	1.57	7.6	1.95	7.6	2.41	7.0	NW	319						
	14	1.06	6.4	1.71	7.8	2.18	7.7	2.88	6.5	NW	319						
	16	1.04	6.4	1.67	7.7	2.13	7.5	2.54	6.6	NNW	340						
	18	0.84	6.1	1.31	7.3	1.65	7.2	1.99	6.7	NNW	331						
	20	0.78	5.8	1.24	7.2	1.51	7.4	1.95	7.4	NNW	335						
	22	0.65	5.6	1.07	6.9	1.38	7.0	1.83	7.6	NNW	348						
	最大	1.70	6.9	2.76	8.7	3.42	9.0	4.73	9.6								
	平均	1.16	6.2	1.87	7.8	2.34	7.8	3.12	7.9								

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月										
機種：波向 海象計 - 50.0m										
観測所：輪島港輪島崎地区										
機種：波高 海象計 - 50.0m										
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″										
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度
05	00	0.51	4.7	0.82	6.2	1.01	6.4	1.41	6.0	NNW 335
	02	0.58	4.4	0.93	6.0	1.16	5.7	1.52	4.0	NNW 344
	04	0.53	4.3	0.83	5.5	1.03	5.6	1.37	5.1	N 354
	06	0.65	4.6	1.08	5.7	1.37	5.9	1.60	6.6	WNW 303
	08	* 0.74	4.8	* 1.19	5.9	* 1.47	5.9	1.74	5.7	NW 319
	10	0.64	4.8	0.99	5.6	1.19	5.5	1.53	5.9	WNW 286
	12	0.66	4.9	1.02	5.6	1.26	5.4	* 1.76	5.9	NW 319
	14	0.57	4.6	0.86	5.4	1.03	5.4	1.41	5.6	NNE 25
	16	0.52	4.5	0.80	5.5	0.95	5.3	1.14	5.2	NW 311
	18	0.49	4.4	0.79	5.5	0.95	5.5	1.06	6.7	WNW 289
	20	0.48	4.5	0.76	5.7	0.94	5.7	1.17	5.5	NW 307
	22	0.45	4.3	0.74	5.5	0.96	5.6	1.36	6.5	欠測 欠測
	最大	0.74	4.8	1.19	5.9	1.47	5.9	1.76	5.9	
	平均	0.57	4.6	0.90	5.7	1.11	5.7	1.42	5.7	
06	00	* 0.46	4.6	* 0.74	5.6	* 0.94	5.5	1.10	5.5	WNW 282
	02	0.42	4.6	0.68	5.9	0.84	6.1	1.13	5.3	NW 307
	04	0.42	4.7	0.67	6.0	0.83	6.0	1.03	6.2	WNW 295
	06	0.45	5.3	0.71	6.4	0.92	6.5	* 1.26	6.1	WNW 295
	08	0.38	4.9	0.62	6.3	0.77	6.3	0.92	6.0	NW 315
	10	0.30	4.4	0.49	5.8	0.63	5.6	0.78	5.3	WNW 295
	12	0.32	4.4	0.53	5.8	0.64	5.7	0.83	5.2	欠測 欠測
	14	0.28	4.0	0.47	5.9	0.59	6.2	0.88	5.8	WNW 290
	16	0.29	3.6	0.46	5.2	0.56	5.3	0.74	4.7	NW 321
	18	0.27	3.8	0.41	5.1	0.51	5.4	0.65	6.4	NNW 338
	20	0.26	3.7	0.40	4.9	0.50	5.6	0.73	5.8	N 356
	22	0.25	3.7	0.39	4.9	0.49	5.1	0.76	4.5	NE 56
	最大	0.46	4.6	0.74	5.6	0.94	5.5	1.26	6.1	
	平均	0.34	4.3	0.55	5.6	0.68	5.8	0.90	5.6	
07	00	0.23	3.6	0.36	4.7	0.42	4.8	0.50	5.4	欠測 欠測
	02	0.22	3.8	0.35	5.0	0.45	5.1	0.57	6.6	WNW 295
	04	0.19	3.7	0.30	4.7	0.37	4.6	0.48	4.8	N 352
	06	0.27	3.8	0.44	5.2	0.55	5.4	0.73	5.6	NNE 12
	08	0.38	3.7	0.60	4.8	0.73	5.0	0.90	4.8	WNW 296
	10	0.38	4.0	0.59	4.8	0.73	4.9	1.09	5.2	NNE 16
	12	0.38	3.7	0.61	4.7	0.76	4.8	0.98	4.2	W 275
	14	0.39	3.9	0.61	4.8	0.78	5.1	1.11	5.2	NNW 336
	16	0.36	3.9	0.56	4.9	0.72	5.2	0.93	5.7	NE 34
	18	0.57	4.7	0.92	6.0	1.17	6.3	1.58	7.6	W 270
	20	0.70	4.9	1.10	6.3	1.38	6.3	1.76	6.4	WSW 254
	22	* 0.77	4.6	* 1.23	6.2	* 1.51	5.9	* 2.07	7.1	WSW 258
	最大	0.77	4.6	1.23	6.2	1.51	5.9	2.07	7.1	
	平均	0.40	4.0	0.64	5.2	0.80	5.3	1.06	5.7	
08	00	0.87	4.8	1.40	6.2	1.68	6.2	2.11	5.9	W 262
	02	0.91	5.0	1.43	6.3	1.75	6.4	2.31	6.2	WNW 286
	04	0.99	5.2	1.54	6.5	1.86	6.8	2.65	7.2	W 270
	06	1.03	5.9	1.58	7.2	1.92	7.0	2.69	7.0	WNW 290
	08	1.09	6.2	1.74	7.9	2.24	7.8	2.69	9.0	NNE 12
	10	1.19	6.5	1.94	8.0	2.47	8.3	3.55	9.0	N 0
	12	1.38	7.5	2.15	8.9	2.70	9.2	3.39	9.0	N 8
	14	1.30	7.0	2.03	9.0	2.49	9.0	3.16	9.2	N 0
	16	* 1.39	7.3	* 2.25	9.2	* 2.92	9.2	* 3.65	8.5	NNE 12
	18	1.22	7.0	1.97	9.0	2.55	9.0	3.47	7.9	NNE 20
	20	1.27	7.6	1.88	8.5	2.28	8.6	3.15	7.1	NNE 29
	22	1.30	7.2	2.08	8.8	2.52	8.4	2.97	7.3	NNE 16
	最大	1.39	7.3	2.25	9.2	2.92	9.2	3.65	8.5	
	平均	1.16	6.4	1.83	8.0	2.28	8.0	2.98	7.8	

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	1.04	6.0	1.66	8.1	2.03	8.4	2.31	7.4	NNE	12
	02	1.36	5.2	2.15	6.6	2.60	6.6	3.16	5.5	NNE	29
	04	1.40	5.1	2.18	6.2	2.75	6.0	3.39	5.5	W	270
	06	1.92	6.3	3.08	7.6	* 4.03	7.6	5.31	7.5	W	278
	08	* 1.93	6.1	* 3.12	8.1	3.78	8.1	* 5.42	8.3	WNW	282
	10	1.82	6.4	2.88	8.0	3.72	8.8	5.17	7.8	WNW	286
	12	1.73	6.6	2.87	9.3	3.50	9.2	4.54	7.6	NW	307
	14	1.79	7.3	2.81	9.1	3.62	9.6	4.53	10.6	WNW	299
	16	1.56	7.0	2.46	8.7	2.96	8.8	3.89	9.7	WNW	290
	18	1.65	7.5	2.58	9.1	3.32	9.0	4.52	8.9	WNW	295
	20	1.59	7.5	2.42	9.3	2.89	9.3	4.08	8.8	WNW	286
	22	1.65	6.6	2.65	8.7	3.32	9.5	4.02	10.0	NW	323
	最大	1.93	6.1	3.12	8.1	4.03	7.6	5.42	8.3		
	平均	1.62	6.5	2.57	8.2	3.21	8.4	4.20	8.1		
10	00	1.78	6.8	2.74	8.7	3.35	9.1	4.42	8.8	NNW	327
	02	1.83	6.5	2.97	8.2	3.73	8.4	4.46	7.2	NNW	340
	04	1.90	6.8	2.98	8.3	3.60	8.3	4.42	7.7	NNW	331
	06	1.94	6.6	2.97	8.2	3.60	8.0	4.44	7.7	NNW	327
	08	1.88	6.3	3.00	8.2	3.53	8.1	4.37	8.7	NNW	344
	10	2.00	6.2	3.18	7.5	3.99	7.8	4.81	7.3	W	274
	12	2.27	6.9	3.66	8.6	4.39	8.6	4.81	8.2	W	270
	14	2.55	7.2	4.21	9.3	5.31	9.4	6.36	9.3	WNW	286
	16	2.83	7.7	* 4.53	9.6	* 5.77	9.5	6.69	11.0	WNW	295
	18	* 2.84	7.9	4.48	9.7	5.75	10.8	7.16	9.6	WNW	299
	20	2.74	7.6	4.41	9.7	5.33	9.8	5.94	9.0	WNW	290
	22	2.79	8.7	4.38	9.9	5.50	9.7	* 7.20	10.3	WNW	299
	最大	2.84	7.9	4.53	9.6	5.77	9.5	7.20	10.3		
	平均	2.28	7.1	3.63	8.8	4.49	9.0	5.42	8.7		
11	00	* 2.75	8.8	* 4.19	10.0	* 5.08	9.8	* 6.57	10.1	W	278
	02	2.29	7.8	3.57	9.7	4.42	9.9	5.01	9.6	NNW	344
	04	2.04	7.6	3.33	9.6	4.23	9.6	5.64	10.1	WNW	299
	06	1.87	7.3	2.91	9.1	3.59	9.2	4.12	9.8	WNW	282
	08	1.66	6.9	2.63	9.0	3.17	9.1	4.14	8.6	WNW	286
	10	1.29	6.7	2.10	8.4	2.55	8.3	3.20	7.8	NNW	335
	12	1.62	7.0	2.40	8.4	2.90	8.2	3.60	8.4	WNW	282
	14	1.41	6.1	2.23	7.8	2.77	7.7	3.93	7.1	NNW	340
	16	1.38	6.7	2.25	8.0	2.85	8.2	3.39	8.4	NNW	327
	18	1.56	6.9	2.42	8.0	2.96	8.1	3.60	7.7	WNW	290
	20	1.63	5.7	2.66	7.4	3.35	7.2	4.01	7.3	WNW	282
	22	2.14	6.4	3.36	8.3	4.16	8.0	5.70	7.3	WNW	290
	最大	2.75	8.8	4.19	10.0	5.08	9.8	6.57	10.1		
	平均	1.80	7.0	2.84	8.6	3.50	8.6	4.41	8.5		
12	00	2.43	7.2	3.80	9.0	4.74	9.0	6.82	9.9	WNW	282
	02	2.41	6.7	3.90	8.6	4.91	9.2	5.85	8.9	WNW	299
	04	2.15	6.8	3.51	9.0	4.41	9.7	6.23	9.8	WNW	286
	06	* 2.92	8.0	* 4.50	9.1	* 5.56	9.3	* 7.53	10.3	W	278
	08	2.27	7.0	3.80	9.3	4.74	9.3	5.99	9.5	WNW	286
	10	2.10	7.3	3.38	9.0	4.36	8.9	6.02	9.4	WNW	282
	12	1.75	7.1	2.88	8.7	3.59	8.6	4.54	8.6	WNW	295
	14	1.48	6.5	2.47	8.3	3.39	8.3	4.82	8.0	WNW	282
	16	1.52	5.9	2.43	7.6	2.95	7.5	4.57	8.6	NNW	340
	18	1.79	5.7	2.86	7.2	3.85	7.5	5.06	7.1	W	278
	20	1.90	6.2	3.05	7.5	3.80	7.7	4.92	6.9	WNW	282
	22	2.07	6.1	3.38	7.7	4.29	7.8	6.92	7.4	WNW	290
	最大	2.92	8.0	4.50	9.1	5.56	9.3	7.53	10.3		
	平均	2.07	6.7	3.33	8.4	4.22	8.6	5.77	8.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	370 回	測得回数	356 回
欠測回数	2 回	欠測回数	16 回
欠 測 率	0.5 %	欠 測 率	4.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
13	00	1.84	6.0	2.94	7.3	3.66	7.7	4.58	7.5	WNW	290
	02	1.84	5.7	3.03	7.0	* 3.95	7.2	* 5.35	6.1	WNW	282
	04	* 1.95	6.2	* 3.09	7.7	3.84	7.7	5.02	6.8	NW	323
	06	1.66	5.9	2.80	7.8	3.65	7.6	4.54	8.2	WNW	286
	08	1.85	6.5	2.94	7.8	3.74	7.4	4.94	7.0	NNW	344
	10	1.48	6.1	2.49	7.9	3.20	8.2	4.65	7.0	WNW	286
	12	1.41	6.3	2.26	7.9	2.81	8.2	3.40	8.6	WNW	303
	14	1.39	6.6	2.15	7.9	2.67	7.8	3.84	7.7	NNW	331
	16	1.33	6.5	2.12	7.7	2.58	7.8	3.21	8.5	NNW	331
	18	0.98	5.7	1.60	7.3	2.02	7.9	3.04	6.7	NW	307
	20	1.04	6.3	1.61	7.5	2.01	7.3	2.77	7.2	NNW	331
	22	0.85	5.7	1.36	7.3	1.82	7.3	2.58	6.3	NNW	335
	最大	1.95	6.2	3.09	7.7	3.95	7.2	5.35	6.1		
	平均	1.47	6.1	2.37	7.6	3.00	7.7	3.99	7.3		
14	00	0.75	5.4	1.22	6.9	1.51	7.1	1.93	6.6	NW	323
	02	* 0.78	5.7	* 1.26	7.4	* 1.63	7.3	* 2.41	7.0	NW	319
	04	0.68	5.4	1.13	7.0	1.46	6.8	2.20	6.3	NNE	16
	06	0.66	5.3	1.10	6.8	1.44	7.0	2.06	6.9	NW	311
	08	0.65	5.5	1.04	6.8	1.26	6.8	1.67	6.0	NW	315
	10	0.62	5.5	1.00	6.6	1.23	6.8	1.47	7.1	NNW	335
	12	0.50	5.4	0.82	6.6	1.05	6.7	1.34	6.3	NNW	331
	14	0.50	5.4	0.81	6.6	1.00	6.7	1.39	6.2	NNW	327
	16	0.42	5.2	0.68	6.7	0.86	6.7	1.24	6.6	NNW	327
	18	0.35	4.4	0.58	6.4	0.73	6.3	0.90	7.0	NNE	29
	20	0.35	4.2	0.59	5.8	0.75	5.6	1.02	5.6	NNE	20
	22	0.42	4.2	0.68	5.5	0.84	5.7	1.10	5.7	NE	56
	最大	0.78	5.7	1.26	7.4	1.63	7.3	2.41	7.0		
	平均	0.56	5.1	0.91	6.6	1.15	6.6	1.56	6.4		
15	00	0.50	4.5	0.79	5.5	1.01	5.4	1.50	6.0	NNE	24
	02	0.47	4.2	0.76	5.4	0.95	5.3	1.17	4.7	WNW	286
	04	0.91	4.6	1.46	5.8	1.81	5.8	2.26	4.9	W	278
	06	1.19	5.0	1.88	6.3	2.49	6.6	3.47	5.6	WNW	282
	08	1.09	5.4	1.78	6.9	2.27	6.7	3.00	6.6	W	270
	10	1.13	5.2	1.80	6.3	2.26	6.5	3.19	5.8	W	262
	12	1.10	4.8	1.81	6.1	2.23	6.0	3.00	7.0	W	274
	14	1.08	4.8	1.72	5.8	2.14	5.8	2.78	4.7	W	270
	16	1.40	5.0	2.31	6.1	3.00	6.3	3.69	5.5	W	278
	18	1.91	5.9	3.05	7.2	3.70	7.3	4.63	8.1	NW	323
	20	* 2.14	6.9	* 3.24	8.2	3.83	8.4	4.50	8.7	WNW	286
	22	1.88	6.1	3.07	7.8	* 3.87	8.0	* 5.57	7.7	WNW	286
	最大	2.14	6.9	3.24	8.2	3.87	8.0	5.57	7.7		
	平均	1.23	5.2	1.97	6.4	2.46	6.5	3.23	6.3		
16	00	* 1.53	6.3	* 2.39	7.6	* 3.01	7.8	* 3.90	8.3	WNW	286
	02	1.16	5.6	1.91	7.3	2.38	7.5	3.22	6.7	WNW	290
	04	1.22	5.8	1.91	7.4	2.39	7.3	3.39	7.1	WNW	295
	06	0.97	5.6	1.54	7.0	1.91	7.2	2.81	7.4	W	278
	08	0.97	5.6	1.57	7.0	1.98	7.3	2.63	6.3	W	274
	10	0.90	5.4	1.43	6.9	1.81	7.0	2.25	6.7	W	274
	12	0.83	5.0	1.37	6.6	1.75	7.0	2.73	6.8	WNW	282
	14	0.87	5.5	1.36	6.6	1.62	6.7	2.07	7.5	WNW	303
	16	1.01	5.9	1.62	7.1	2.04	7.5	2.46	7.6	NNW	327
	18	0.92	5.7	1.50	7.0	1.85	7.0	2.20	6.9	NW	311
	20	0.94	6.0	1.48	7.2	1.84	7.1	2.20	7.8	NNW	327
	22	0.77	5.9	1.19	7.1	1.45	6.9	1.81	7.6	NNW	327
	最大	1.53	6.3	2.39	7.6	3.01	7.8	3.90	8.3		
	平均	1.01	5.7	1.61	7.1	2.00	7.2	2.64	7.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月											
機種：波向 海象計 - 50.0m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 50.0m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
17	00	* 0.78	5.9	* 1.24	7.0	* 1.56	7.1	* 1.96	6.6	NNW	327
	02	0.67	5.7	1.08	7.2	1.36	6.9	1.59	7.4	NNW	327
	04	0.66	5.5	1.09	6.9	1.42	7.0	1.80	7.6	N	0
	06	0.66	5.5	1.12	6.9	1.41	6.9	1.70	6.7	NNW	327
	08	0.61	5.5	0.96	6.6	1.21	6.6	1.59	6.0	NW	323
	10	0.55	5.3	0.92	6.5	1.17	6.6	1.58	7.0	NNW	344
	12	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測
	14	0.51	4.9	0.84	6.2	1.07	6.2	1.31	6.4	NW	319
	16	0.44	4.8	0.70	6.3	0.86	6.6	1.04	6.7	WNW	303
	18	0.37	4.4	0.60	5.9	0.73	6.4	0.87	5.6	NNW	327
	20	0.36	4.5	0.57	5.8	0.71	5.9	0.90	5.2	NW	307
	22	0.31	4.6	0.49	6.2	0.59	6.4	0.69	7.7	NNE	33
	最大	0.78	5.9	1.24	7.0	1.56	7.1	1.96	6.6		
	平均	0.54	5.1	0.87	6.5	1.10	6.6	1.37	6.6		
18	00	0.25	4.1	0.40	5.7	0.50	5.8	0.72	5.7	NNE	20
	02	0.26	4.1	0.42	5.9	0.52	6.0	0.63	5.6	NE	49
	04	0.26	3.9	0.41	5.4	0.51	5.6	0.67	4.8	N	352
	06	0.23	3.9	0.37	5.3	0.46	5.5	0.67	5.6	NW	304
	08	0.24	3.8	0.38	5.3	0.47	5.6	0.64	5.6	N	10
	10	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測
	12	0.90	4.3	1.37	4.7	1.70	4.7	2.10	4.3	欠測	欠測
	14	0.94	4.5	1.53	5.2	1.96	5.2	2.89	5.1	NE	46
	16	1.01	4.7	1.54	5.4	1.87	5.3	2.28	4.0	NE	45
	18	* 1.04	4.7	* 1.62	5.7	* 2.10	5.9	* 2.97	5.4	NW	307
	20	1.00	4.9	1.58	6.0	1.89	6.0	2.51	6.3	NW	307
	22	0.93	4.7	1.52	5.8	1.93	6.1	2.56	5.5	WNW	286
	最大	1.04	4.7	1.62	5.7	2.10	5.9	2.97	5.4		
	平均	0.64	4.3	1.01	5.5	1.26	5.6	1.69	5.3		
19	00	* 1.05	5.2	* 1.61	6.3	* 2.00	6.3	* 2.67	6.3	WNW	290
	02	0.98	5.0	1.54	6.4	1.89	6.4	2.38	6.3	NW	307
	04	0.99	5.3	1.57	6.7	1.90	6.7	2.50	7.4	NW	315
	06	0.84	5.4	1.32	6.4	1.69	6.3	2.24	4.9	NW	319
	08	0.78	5.3	1.28	6.4	1.69	6.7	2.47	6.9	WNW	303
	10	0.70	5.3	1.14	6.5	1.47	6.7	1.81	5.8	NW	311
	12	0.63	4.7	1.04	6.3	1.32	6.5	1.90	6.1	WNW	299
	14	0.64	4.9	1.03	6.1	1.27	6.2	1.69	6.1	WNW	303
	16	0.63	4.6	1.01	6.0	1.32	5.9	2.04	6.3	W	278
	18	0.64	4.9	1.01	6.0	1.28	6.1	1.65	7.2	W	278
	20	0.76	5.2	1.24	6.2	1.58	6.3	2.60	6.4	WNW	286
	22	1.00	5.5	1.57	6.4	1.92	6.1	2.58	6.4	W	278
	最大	1.05	5.2	1.61	6.3	2.00	6.3	2.67	6.3		
	平均	0.80	5.1	1.28	6.3	1.61	6.4	2.21	6.3		
20	00	1.00	5.6	1.56	6.7	1.85	6.7	2.29	6.9	WNW	290
	02	0.96	5.7	1.53	7.1	1.95	7.0	2.58	5.5	W	270
	04	1.08	6.0	1.72	7.6	2.13	7.6	2.55	9.1	WNW	299
	06	0.94	5.6	1.55	7.2	2.00	7.1	2.85	7.4	W	274
	08	1.04	5.8	1.63	7.2	1.97	7.3	2.38	7.3	W	278
	10	1.00	5.2	1.59	6.8	1.92	6.7	2.70	7.4	WNW	286
	12	0.91	4.7	1.52	6.2	1.92	6.4	2.81	5.8	W	278
	14	0.97	5.2	1.52	6.4	1.86	6.5	2.43	5.5	WNW	282
	16	0.93	5.0	1.52	6.5	1.86	6.6	2.25	5.3	NW	319
	18	0.98	5.2	1.62	6.7	2.04	7.2	* 2.87	7.7	NW	311
	20	1.12	5.7	1.80	7.0	2.22	6.8	2.74	5.0	NNW	340
	22	* 1.12	5.9	* 1.80	7.3	* 2.24	7.2	2.69	7.7	NW	323
	最大	1.12	5.9	1.80	7.3	2.24	7.2	2.87	7.7		
	平均	1.00	5.5	1.61	6.9	2.00	6.9	2.59	6.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	370 回	測得回数	356 回
欠測回数	2 回	欠測回数	16 回
欠 測 率	0.5 %	欠 測 率	4.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	1.23	6.1	2.05	8.4	2.61	8.6	3.03	7.6	NNW	327
	02	1.35	6.7	2.16	8.6	2.72	9.1	3.45	9.2	NNW	331
	04	1.38	6.6	* 2.26	8.5	* 2.89	8.4	* 3.97	7.9	NW	323
	06	1.32	6.6	2.10	8.3	2.66	8.3	3.15	8.0	NW	319
	08	1.34	6.3	2.15	8.4	2.61	8.2	3.46	8.3	NW	319
	10	1.19	5.7	1.98	7.7	2.50	8.1	3.22	8.6	NNW	327
	12	1.19	5.8	1.86	7.6	2.33	7.6	2.94	8.2	NW	315
	14	1.16	5.9	1.79	7.4	2.19	7.8	3.22	8.4	NNW	327
	16	1.06	5.3	1.67	6.8	2.08	7.2	2.41	8.5	NW	319
	18	1.19	5.6	1.86	7.5	2.20	7.7	3.08	7.5	NNW	331
	20	1.29	5.9	2.11	7.6	2.65	7.5	3.60	7.7	N	8
	22	* 1.39	6.3	2.20	7.8	2.64	8.0	3.82	7.4	NNW	327
	最大	1.39	6.3	2.26	8.5	2.89	8.4	3.97	7.9		
	平均	1.26	6.1	2.02	7.9	2.51	8.0	3.28	8.1		
22	00	1.22	6.1	2.02	7.9	2.55	8.0	* 3.60	7.7	NNW	327
	02	1.28	6.4	* 2.09	8.2	* 2.62	8.0	3.10	8.6	NNW	331
	04	* 1.31	6.7	2.03	7.9	2.42	7.8	2.86	8.3	NNE	20
	06	1.13	6.5	1.73	7.8	2.13	7.9	2.47	8.0	NW	311
	08	1.30	6.9	2.03	8.2	2.58	8.2	3.32	7.2	NNW	335
	10	1.01	6.3	1.68	8.1	2.12	8.2	3.27	7.6	NW	307
	12	0.83	5.9	1.34	7.7	1.66	7.8	2.01	8.0	NW	319
	14	0.96	6.4	1.58	8.1	2.00	8.1	2.54	8.1	NW	319
	16	0.98	6.8	1.47	8.1	1.77	7.9	2.25	8.5	WNW	303
	18	0.92	6.2	1.49	8.0	1.99	7.5	2.70	7.8	WNW	303
	20	0.94	6.9	1.49	8.0	1.92	7.7	2.81	8.4	NNW	327
	22	0.84	6.3	1.33	7.7	1.69	7.7	2.18	8.2	WNW	303
	最大	1.31	6.7	2.09	8.2	2.62	8.0	3.60	7.7		
	平均	1.06	6.4	1.69	8.0	2.12	7.9	2.76	8.0		
23	00	0.75	6.1	1.19	7.6	1.48	7.7	1.89	8.7	NNW	327
	02	0.66	5.2	1.08	7.3	1.30	7.3	1.71	7.3	NNW	327
	04	0.62	5.0	1.00	6.9	1.28	7.0	1.88	7.5	NW	323
	06	0.64	4.7	1.07	6.4	1.35	6.8	1.81	7.3	NW	323
	08	0.67	4.1	1.07	5.5	1.38	6.1	2.21	4.4	NNW	346
	10	0.75	4.6	1.21	6.3	1.47	6.4	2.01	7.3	NW	323
	12	0.68	4.4	1.08	5.6	1.36	6.2	1.98	5.4	NNW	335
	14	0.79	4.7	1.22	6.0	1.49	6.2	1.82	7.6	NNW	327
	16	0.80	4.6	1.25	5.8	1.50	6.2	1.86	6.5	NW	315
	18	0.92	4.3	1.45	5.2	1.85	5.3	* 2.33	5.3	NNE	16
	20	* 0.92	4.6	* 1.48	5.8	* 1.88	6.0	2.21	6.2	NW	311
	22	0.83	4.7	1.31	5.7	1.64	5.7	2.25	6.4	NNW	327
	最大	0.92	4.6	1.48	5.8	1.88	6.0	2.33	5.3		
	平均	0.75	4.8	1.20	6.2	1.50	6.4	2.00	6.7		
24	00	0.79	4.4	* 1.26	5.6	* 1.56	5.8	1.92	5.4	NNW	327
	02	* 0.79	4.6	1.25	5.8	1.51	6.1	* 2.32	6.0	NNW	331
	04	0.71	4.4	1.16	5.6	1.47	5.7	1.93	6.5	NW	311
	06	0.73	4.6	1.14	5.9	1.33	5.8	1.69	6.7	NNW	331
	08	0.66	4.2	1.03	5.4	1.27	5.4	1.66	5.9	欠測	欠測
	10	0.65	4.4	1.04	5.6	1.32	6.0	1.54	4.7	NNW	331
	12	0.63	4.4	0.98	5.7	1.19	5.6	1.62	5.0	NW	323
	14	0.62	4.2	0.94	5.2	1.12	5.4	1.45	6.9	N	354
	16	0.57	4.1	0.89	5.0	1.09	5.0	1.39	5.1	欠測	欠測
	18	0.53	3.9	0.84	5.1	1.06	5.4	1.34	4.7	NNE	31
	20	0.55	3.9	0.88	4.7	1.15	5.0	1.77	5.4	WNW	285
	22	0.65	4.3	1.01	5.1	1.27	5.1	1.84	4.6	NNE	31
	最大	0.79	4.6	1.26	5.6	1.56	5.8	2.32	6.0		
	平均	0.66	4.3	1.03	5.4	1.28	5.5	1.71	5.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

											波 高		波 向				
1997年12月											規定回数	372 回	規定回数	372 回			
											測得回数	370 回	測得回数	356 回			
											欠測回数	2 回	欠測回数	16 回			
											欠 測 率	0.5 %	欠 測 率	4.3 %			
機種：波向 海象計 - 50.0m																	
観測所：輪島港輪島崎地区											機種：波高 海象計 - 50.0m						
											緯度：N 37° -25' -51" 経度：E 136° -54' -08"						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位	角度						
25	00	0.66	3.9	1.07	4.7	1.37	4.8	1.84	4.5	NNW	336						
	02	* 0.75	4.1	* 1.22	5.0	1.50	5.0	1.80	4.5	欠測	欠測						
	04	0.73	4.0	1.16	4.8	1.48	4.8	1.77	4.5	NW	305						
	06	0.75	4.0	1.20	4.8	* 1.51	4.9	* 1.84	5.3	NE	56						
	08	0.62	3.9	0.95	4.5	1.16	4.4	1.72	4.5	NW	315						
	10	0.54	3.8	0.83	4.3	1.02	4.2	1.37	4.3	N	3						
	12	0.48	3.5	0.76	4.1	0.96	4.1	1.32	4.8	W	271						
	14	0.49	3.5	0.79	4.0	1.02	4.0	1.43	3.7	WNW	291						
	16	0.45	3.5	0.69	4.2	0.88	4.1	1.25	4.0	NW	307						
	18	0.43	3.6	0.70	4.3	0.87	4.2	1.16	4.0	NE	45						
	20	0.39	3.4	0.64	4.2	0.82	4.0	1.08	3.7	欠測	欠測						
	22	0.40	3.5	0.62	4.1	0.75	4.0	1.08	3.4	N	1						
最大		0.75	4.1	1.22	5.0	1.51	4.9	1.84	5.3								
平均		0.56	3.7	0.89	4.4	1.11	4.4	1.47	4.3								
26	00	0.36	3.4	* 0.59	4.3	* 0.77	4.3	0.97	3.8	NNW	348						
	02	* 0.37	3.7	0.58	4.5	0.75	4.5	* 1.08	4.8	NNE	29						
	04	0.33	3.6	0.53	4.4	0.68	4.7	1.08	4.4	N	3						
	06	0.31	3.5	0.50	4.4	0.64	4.5	1.05	3.8	W	273						
	08	0.30	3.7	0.47	4.6	0.59	4.3	0.75	4.2	欠測	欠測						
	10	0.28	3.3	0.44	4.3	0.56	4.4	0.82	4.1	NW	321						
	12	0.27	3.4	0.41	4.3	0.51	4.4	0.63	5.5	NNW	327						
	14	0.29	3.2	0.45	3.9	0.57	4.0	0.73	4.9	NE	56						
	16	0.33	3.2	0.50	3.7	0.64	3.6	0.83	3.2	NNE	25						
	18	0.28	3.4	0.43	4.1	0.53	4.0	0.65	4.0	NE	39						
	20	0.23	3.2	0.37	4.1	0.46	4.1	0.70	3.5	N	355						
	22	0.20	3.2	0.32	4.2	0.39	4.3	0.55	4.5	NE	43						
最大		0.37	3.7	0.59	4.3	0.77	4.3	1.08	4.8								
平均		0.30	3.4	0.47	4.2	0.59	4.3	0.82	4.2								
27	00	0.18	3.2	0.28	4.2	0.34	4.4	0.48	4.4	NE	55						
	02	0.18	3.3	0.28	4.6	0.35	4.5	0.48	4.4	欠測	欠測						
	04	0.17	2.9	0.27	3.9	0.33	4.2	0.47	4.1	NNE	27						
	06	0.42	4.0	0.68	4.9	0.86	4.8	1.20	4.6	欠測	欠測						
	08	0.48	4.0	0.76	4.7	0.95	4.7	1.36	4.9	W	277						
	10	0.40	3.6	0.63	4.3	0.79	4.3	1.08	3.6	欠測	欠測						
	12	0.42	3.3	0.67	3.8	0.85	3.8	1.08	3.4	NNE	15						
	14	0.66	4.0	1.02	4.3	1.32	4.2	2.05	4.2	WNW	300						
	16	0.56	3.7	0.88	4.4	1.11	4.5	1.65	4.4	WNW	294						
	18	0.75	4.0	1.19	4.5	1.49	4.5	2.19	4.2	N	350						
	20	0.78	4.1	1.27	5.0	1.57	5.0	2.00	5.3	欠測	欠測						
	22	* 1.01	4.8	* 1.58	5.6	* 2.00	5.4	* 2.90	5.1	WNW	299						
最大		1.01	4.8	1.58	5.6	2.00	5.4	2.90	5.1								
平均		0.50	3.7	0.79	4.5	1.00	4.5	1.41	4.4								
28	00	1.12	5.0	1.84	6.1	* 2.41	6.1	2.90	6.5	WNW	303						
	02	1.07	4.9	1.76	6.3	2.22	6.5	2.59	7.0	NW	323						
	04	* 1.17	5.3	1.86	6.5	2.31	6.4	3.24	6.9	NW	319						
	06	1.06	5.2	1.67	6.3	2.19	6.5	2.76	6.6	NW	307						
	08	0.90	4.8	1.45	6.6	1.84	6.5	2.47	6.5	WNW	303						
	10	0.89	4.9	1.43	6.1	1.81	6.1	2.61	6.2	WNW	303						
	12	0.96	5.1	1.58	6.9	2.02	7.1	2.61	7.8	NNW	327						
	14	1.04	5.3	1.73	7.3	2.25	7.2	2.67	8.4	NNW	344						
	16	1.05	5.4	1.71	7.1	2.24	7.2	3.22	8.1	NNW	344						
	18	1.12	5.6	1.85	7.2	2.32	7.0	2.81	6.0	NNW	340						
	20	1.15	5.4	* 1.87	7.1	2.33	7.3	* 3.36	7.3	NNW	327						
	22	1.09	5.8	1.76	7.3	2.20	7.5	3.02	6.4	NW	323						
最大		1.17	5.3	1.87	7.1	2.41	6.1	3.36	7.3								
平均		1.05	5.2	1.71	6.7	2.18	6.8	2.86	7.0								

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

1997年12月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	370 回	測得回数	356 回
欠測回数	2 回	欠測回数	16 回
欠 測 率	0.5 %	欠 測 率	4.3 %

機種：波向 海象計 - 50.0m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 50.0m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	1.07	5.9	1.68	7.7	2.08	7.7	2.47	8.0	NW	315
	02	* 1.12	6.3	1.77	7.7	2.12	7.5	* 3.20	7.0	NNW	340
	04	1.12	6.2	* 1.79	7.9	* 2.23	7.9	2.95	8.2	NW	319
	06	0.90	5.8	1.41	7.5	1.75	7.3	2.43	7.9	NW	311
	08	0.95	5.7	1.53	7.1	1.94	7.2	2.50	7.4	NNW	327
	10	0.94	6.1	1.46	7.5	1.87	7.5	2.39	7.3	NW	323
	12	0.85	5.9	1.42	7.3	1.87	7.1	3.20	6.6	N	4
	14	0.85	5.7	1.41	7.1	1.77	7.3	2.15	7.0	NNW	335
	16	0.71	5.6	1.18	6.9	1.43	7.0	1.66	6.6	N	8
	18	0.72	5.5	1.15	7.1	1.45	6.9	1.75	7.0	NNW	331
	20	0.62	5.4	1.00	6.8	1.25	6.7	1.60	7.0	NW	319
	22	0.65	5.7	1.03	6.6	1.32	6.8	1.73	7.3	NNW	327
	最大	1.12	6.3	1.79	7.9	2.23	7.9	3.20	7.0		
	平均	0.88	5.8	1.40	7.3	1.76	7.2	2.34	7.3		
30	00	0.50	5.3	0.79	6.4	0.94	6.4	1.17	6.8	NNW	344
	02	0.46	5.2	0.75	6.4	0.93	6.4	1.35	6.2	N	8
	04	0.37	4.7	0.65	6.4	0.85	6.5	1.13	6.3	NNE	29
	06	0.31	4.1	0.53	6.1	0.68	6.2	1.08	6.7	欠測	欠測
	08	0.41	4.1	0.66	5.5	0.84	5.7	1.05	6.7	NNE	26
	10	0.43	4.3	0.68	5.3	0.83	5.4	1.04	4.7	N	8
	12	0.41	4.0	0.66	4.9	0.83	5.1	1.12	5.5	WNW	283
	14	0.45	3.7	0.71	4.6	0.89	4.6	1.20	3.6	N	5
	16	0.61	3.6	0.95	4.2	1.17	4.1	1.63	3.3	N	355
	18	0.87	4.2	1.35	4.7	1.75	4.6	2.99	4.8	WNW	290
	20	1.11	4.7	1.73	5.4	2.12	5.5	2.61	5.3	NE	36
	22	* 1.32	5.1	* 2.02	6.0	* 2.58	5.9	* 3.48	5.8	NNW	331
	最大	1.32	5.1	2.02	6.0	2.58	5.9	3.48	5.8		
	平均	0.60	4.4	0.96	5.5	1.20	5.5	1.65	5.5		
31	00	1.09	4.8	1.74	5.7	2.16	5.6	2.63	6.0	NNW	348
	02	1.56	5.4	* 2.50	6.4	3.09	6.6	4.41	6.6	NW	323
	04	* 1.60	5.7	2.44	6.7	3.03	6.7	4.58	6.2	NW	323
	06	1.48	5.7	2.36	7.2	* 3.14	7.5	* 4.94	7.4	NW	319
	08	1.41	5.9	2.24	7.4	2.72	7.4	3.23	7.5	NW	315
	10	1.17	5.7	1.92	7.4	2.42	7.6	3.47	7.1	NW	323
	12	1.23	6.1	1.97	7.9	2.41	7.9	2.86	7.0	NW	323
	14	1.20	6.0	1.96	7.6	2.48	7.6	3.11	7.8	NW	319
	16	1.06	5.7	1.71	7.5	2.08	7.5	2.50	6.4	NW	319
	18	1.06	6.0	1.70	7.5	2.05	7.9	2.46	8.2	NNW	340
	20	0.95	6.0	1.54	7.6	1.91	7.7	2.53	8.3	NW	323
	22	0.89	5.9	1.49	7.5	1.85	7.4	2.46	7.6	NNW	331
	最大	1.60	5.7	2.50	6.4	3.14	7.5	4.94	7.4		
	平均	1.23	5.7	1.96	7.2	2.45	7.3	3.27	7.2		
月最大	2.92	8.0	4.66	9.2	5.84	9.4	7.77	8.7			
	起時	1206		0308		0308		0308			
	平均	1.07	5.4	1.71	6.8	2.14	6.9	2.80	6.8		