

波浪整理表（1）

2021年 1月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	1.64	6.3	2.68	8.2	3.27	8.2	4.32	8.3	NNW	335
	02	1.99	6.6	3.12	8.4	3.84	8.2	4.75	8.5	NNW	335
	04	1.90	6.5	3.06	8.4	3.83	8.7	4.58	8.2	W	266
	06	1.82	6.4	2.93	8.3	3.54	8.0	4.54	8.6	NNW	335
	08	2.09	6.7	3.25	8.1	4.01	8.0	5.61	7.4	NW	311
	10	* 2.11	6.7	* 3.36	8.3	* 4.15	8.4	4.97	8.5	WNW	286
	12	2.07	6.9	3.23	8.4	4.04	8.7	* 5.79	8.5	W	274
	14	2.10	6.8	3.23	8.1	4.03	8.7	5.25	8.7	NW	319
	16	2.00	6.9	3.19	8.6	3.78	8.6	5.00	8.2	NW	323
	18	1.81	6.6	2.85	8.2	3.50	8.2	4.25	9.1	WNW	290
	20	1.83	6.9	2.95	8.6	3.77	8.6	5.28	7.9	NNW	327
	22	1.98	7.4	3.04	8.8	3.68	9.0	4.41	9.7	NW	315
最大		2.11	6.7	3.36	8.3	4.15	8.4	5.79	8.5		
平均		1.95	6.7	3.07	8.4	3.79	8.4	4.90	8.5		
02	00	1.67	6.8	2.72	8.8	3.52	9.0	5.40	8.2	NNW	331
	02	1.72	7.1	2.78	8.9	3.60	9.1	* 5.46	9.6	NNW	331
	04	1.72	7.0	2.87	9.2	3.59	8.9	4.17	9.0	WNW	286
	06	1.73	7.6	2.57	8.6	3.12	8.3	4.14	8.2	NNW	335
	08	1.33	6.6	2.20	8.2	2.90	8.3	4.19	8.4	WNW	303
	10	1.39	6.1	2.22	8.0	2.77	8.0	3.43	7.1	NNW	335
	12	1.52	6.1	2.43	7.5	3.13	7.5	3.85	7.5	NNW	327
	14	1.56	6.1	2.47	7.5	2.94	7.5	4.16	7.4	NNW	331
	16	1.51	5.7	2.34	7.1	3.01	7.5	4.08	6.5	NNW	327
	18	1.82	6.3	2.91	7.5	3.51	7.5	4.59	6.8	NNW	331
	20	1.88	6.7	2.95	8.2	3.56	8.3	4.36	9.3	NNW	331
	22	* 2.00	6.8	* 3.24	8.2	* 4.04	8.1	5.31	8.1	NNW	340
最大		2.00	6.8	3.24	8.2	4.04	8.1	5.46	9.6		
平均		1.65	6.6	2.64	8.1	3.31	8.2	4.43	8.0		
03	00	* 1.97	6.8	* 3.06	8.1	* 3.69	8.1	* 4.42	7.9	NNW	335
	02	1.74	6.5	2.68	7.8	3.19	8.0	3.90	8.3	NW	319
	04	1.55	6.3	2.49	7.7	3.12	7.4	3.70	7.4	WNW	290
	06	1.26	5.9	2.04	7.4	2.53	7.5	3.20	8.4	NNW	331
	08	1.34	6.0	2.06	7.3	2.55	7.1	3.04	5.8	NNW	340
	10	1.34	6.0	2.10	7.2	2.66	7.2	3.67	7.7	NNW	331
	12	1.22	5.6	2.01	7.2	2.57	6.8	3.29	6.9	NW	323
	14	0.99	5.5	1.67	7.0	2.09	7.3	2.62	7.9	NNW	327
	16	0.96	6.0	1.50	7.4	1.82	7.5	2.17	7.6	NW	307
	18	1.07	6.5	1.68	7.7	2.08	7.6	2.70	7.7	NNW	335
	20	1.09	5.6	1.68	6.9	1.94	6.7	2.16	5.0	NNW	348
	22	1.22	5.5	1.77	6.1	2.14	5.8	2.52	6.1	NNW	335
最大		1.97	6.8	3.06	8.1	3.69	8.1	4.42	7.9		
平均		1.31	6.0	2.06	7.3	2.53	7.3	3.12	7.2		
04	00	1.36	5.3	2.12	6.1	2.70	6.0	3.76	5.8	W	278
	02	* 1.55	5.8	* 2.45	6.9	* 2.96	6.9	3.64	6.9	W	274
	04	1.37	5.6	2.17	6.7	2.77	6.8	* 4.66	6.6	W	270
	06	1.26	5.5	2.09	6.8	2.65	7.3	3.59	6.6	NNW	344
	08	1.26	5.7	1.99	7.1	2.63	7.1	3.61	6.1	W	274
	10	1.38	6.3	2.25	7.7	2.73	7.5	3.07	6.5	WNW	286
	12	1.25	5.9	2.06	7.3	2.51	7.3	3.31	7.2	W	278
	14	1.35	6.1	2.08	7.3	2.51	7.5	3.51	6.8	WNW	282
	16	1.25	5.9	1.97	7.2	2.42	6.9	3.13	5.9	WNW	282
	18	1.08	5.5	1.78	6.8	2.27	6.9	2.95	7.3	NNW	327
	20	0.97	5.3	1.54	6.5	1.99	6.5	2.61	6.5	NW	315
	22	0.96	5.1	1.53	6.4	1.87	6.3	2.31	6.4	NW	315
最大		1.55	5.8	2.45	6.9	2.96	6.9	4.66	6.6		
平均		1.25	5.7	2.00	6.9	2.50	6.9	3.35	6.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	1.00	5.0	1.58	6.1	1.96	6.2	2.50	5.5	W	270
	02	1.17	5.8	1.78	6.7	2.17	6.7	3.29	6.8	NNW	335
	04	1.05	5.6	1.70	6.8	2.15	6.8	2.85	7.2	NNW	331
	06	0.94	4.9	1.57	6.1	2.04	6.4	3.12	7.7	NNW	335
	08	0.95	5.5	1.53	6.6	1.96	6.8	2.68	7.2	NW	311
	10	0.76	5.4	1.21	6.6	1.60	6.7	2.43	6.4	WNW	303
	12	0.75	5.7	1.23	6.8	1.59	6.9	2.10	7.0	W	278
	14	1.32	5.2	2.03	5.8	2.59	5.7	3.73	6.2	WNW	295
	16	1.74	5.9	2.78	6.6	3.50	6.6	* 4.99	6.2	W	274
	18	1.80	5.9	* 2.94	7.0	* 3.68	7.1	4.52	7.2	WNW	286
	20	* 1.86	6.0	2.91	7.3	3.65	7.1	4.23	5.9	NW	311
	22	1.76	6.1	2.83	7.1	3.51	7.0	4.94	6.5	NNW	327
最大		1.86	6.0	2.94	7.0	3.68	7.1	4.99	6.2		
平均		1.26	5.6	2.01	6.6	2.53	6.7	3.45	6.7		
06	00	1.66	5.8	2.56	7.0	3.06	7.1	3.83	7.0	NNE	16
	02	1.67	6.0	2.66	7.4	3.34	7.2	4.67	7.3	NNE	25
	04	1.71	6.1	2.70	7.2	3.45	7.5	4.42	7.7	NNE	29
	06	* 1.78	6.3	* 2.86	7.5	* 3.71	7.3	* 5.66	6.4	NNE	29
	08	1.53	5.9	2.35	6.9	3.01	7.0	3.95	7.3	NNE	33
	10	1.31	5.4	2.12	6.7	2.76	6.6	3.95	7.0	NNW	340
	12	1.18	5.4	1.91	6.6	2.31	6.7	2.71	7.0	NNW	331
	14	1.12	5.4	1.79	6.4	2.25	7.1	2.82	6.9	NW	315
	16	0.99	5.4	1.58	6.5	1.93	6.6	2.58	6.6	WNW	295
	18	0.93	5.9	1.37	6.5	1.67	6.4	2.09	6.4	NW	315
	20	0.76	5.3	1.22	6.6	1.52	6.3	2.11	6.9	NNW	327
	22	1.07	4.6	1.66	5.4	2.04	5.2	2.60	5.8	欠測	欠測
最大		1.78	6.3	2.86	7.5	3.71	7.3	5.66	6.4		
平均		1.31	5.6	2.06	6.7	2.59	6.8	3.45	6.9		
07	00	1.63	5.4	2.56	6.3	3.17	6.0	4.05	6.7	W	274
	02	2.00	6.2	3.11	7.3	4.01	7.2	5.80	7.4	NW	311
	04	2.01	6.4	3.29	7.7	4.24	7.8	5.75	7.5	WNW	290
	06	1.73	6.1	2.76	7.7	3.46	7.5	4.15	8.2	WNW	290
	08	1.50	5.9	2.51	7.4	3.17	7.5	4.48	7.3	WNW	282
	10	1.71	6.2	2.80	7.4	3.53	7.6	4.63	7.3	W	278
	12	2.69	6.8	4.13	8.2	5.20	8.3	7.38	8.5	欠測	欠測
	14	欠測	欠測	5.92	10.3	欠測	欠測	欠測	欠測	欠測	欠測
	16	3.19	8.1	5.29	10.0	6.77	10.3	9.47	11.6	WNW	295
	18	3.34	8.5	5.46	10.6	6.71	10.9	7.81	10.3	WNW	295
	20	* 4.29	9.4	* 6.73	11.7	* 8.28	11.6	9.63	11.7	WNW	290
	22	3.73	9.2	5.72	11.4	7.19	11.4	* 9.82	11.2	NW	323
最大		4.29	9.4	6.73	11.7	8.28	11.6	9.82	11.2		
平均		2.53	7.1	4.19	8.8	5.07	8.7	6.63	8.9		
08	00	* 3.10	7.8	4.78	10.1	* 6.00	10.4	* 8.89	10.3	WNW	295
	02	3.08	8.3	* 4.79	10.8	5.72	11.4	6.81	9.3	NW	319
	04	2.83	8.0	4.45	10.0	5.41	10.2	6.41	10.2	NNW	340
	06	2.39	7.4	3.91	9.7	4.99	10.0	7.25	10.3	NNW	327
	08	2.29	7.3	3.62	9.5	4.45	9.5	5.28	8.3	NNW	340
	10	2.33	7.5	3.87	9.6	4.81	9.6	5.43	9.2	NW	323
	12	2.07	7.1	3.36	8.7	4.22	9.1	5.06	9.2	NNW	327
	14	1.98	6.9	3.14	8.6	4.06	9.4	6.08	9.8	NW	323
	16	2.01	7.0	3.22	8.8	4.05	8.9	5.11	7.6	NW	319
	18	1.62	6.4	2.66	8.3	3.38	8.7	4.34	8.7	NNW	331
	20	1.67	6.8	2.73	9.0	3.48	8.8	4.90	8.4	NNW	340
	22	1.82	7.0	2.81	8.6	3.37	8.8	4.01	8.8	NNW	335
最大		3.10	7.8	4.79	10.8	6.00	10.4	8.89	10.3		
平均		2.27	7.3	3.61	9.3	4.49	9.6	5.80	9.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	354 回
											欠測回数	0 回	欠測回数	18 回
											欠 測 率	0.0 %	欠 測 率	4.8 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″						
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
										16方位	角度			
09	00	1.64	6.9	2.58	8.5	3.25	8.6	4.10	9.0	NNE	12			
	02	1.50	6.2	2.52	8.2	3.21	8.5	4.04	7.5	NW	323			
	04	1.70	6.7	2.71	8.2	3.28	7.9	4.33	8.2	W	278			
	06	1.82	7.1	2.84	8.6	3.57	8.8	4.69	8.3	WNW	286			
	08	* 1.93	6.5	* 3.09	8.0	* 3.84	8.4	* 4.99	11.1	NNW	335			
	10	1.82	6.9	2.84	8.5	3.46	8.3	4.03	7.5	NNE	16			
	12	1.77	7.1	2.75	9.0	3.37	8.9	4.66	7.1	NNW	348			
	14	1.71	6.8	2.71	8.7	3.49	8.6	4.16	7.4	NNE	20			
	16	1.71	6.8	2.74	8.6	3.38	8.4	3.95	8.8	欠測	欠測			
	18	1.68	6.2	2.68	7.9	3.28	7.9	3.72	7.5	NNE	12			
	20	1.61	6.3	2.55	7.8	3.28	8.5	4.12	8.1	NNW	348			
	22	1.75	6.3	2.77	8.0	3.45	8.0	4.61	8.1	NW	319			
	最大	1.93	6.5	3.09	8.0	3.84	8.4	4.99	11.1					
	平均	1.72	6.6	2.73	8.3	3.40	8.4	4.28	8.2					
10	00	1.69	6.4	2.65	7.7	3.44	7.4	4.90	7.2	NNW	327			
	02	1.57	6.1	2.58	7.7	3.39	7.7	4.56	9.2	NNW	327			
	04	1.47	5.7	2.39	7.7	3.18	8.0	3.95	8.5	NNW	335			
	06	1.75	6.4	2.70	7.9	3.26	7.6	4.08	7.0	NNW	331			
	08	* 1.85	6.4	* 3.03	8.0	* 3.88	8.3	* 4.97	7.5	N	4			
	10	1.77	6.7	2.75	8.0	3.29	7.8	4.00	8.2	NNW	331			
	12	1.57	6.5	2.53	7.8	3.15	8.0	4.01	8.3	NNW	331			
	14	1.52	6.3	2.45	8.1	3.08	8.1	3.82	9.7	NNW	340			
	16	1.47	6.6	2.43	8.1	3.04	8.3	3.86	8.9	NNW	331			
	18	1.32	6.5	2.07	7.8	2.54	7.4	2.88	8.3	N	8			
	20	1.38	6.8	2.14	7.8	2.66	8.1	3.63	7.5	N	4			
	22	1.22	6.4	1.95	7.6	2.50	7.6	3.26	8.0	NNW	348			
	最大	1.85	6.4	3.03	8.0	3.88	8.3	4.97	7.5					
	平均	1.55	6.4	2.47	7.8	3.12	7.9	3.99	8.2					
11	00	1.18	6.2	1.90	7.4	2.51	7.3	3.94	7.3	NW	323			
	02	1.23	5.7	1.93	7.1	2.55	7.5	3.49	6.9	NNW	340			
	04	1.44	5.9	2.17	6.8	2.63	6.7	3.48	6.2	NNW	327			
	06	* 1.55	5.6	* 2.48	7.1	3.02	7.3	* 4.36	7.6	NNW	331			
	08	1.32	5.5	2.06	6.6	2.48	6.6	2.77	6.0	NW	323			
	10	1.42	5.7	2.33	7.2	* 3.03	7.4	4.13	8.0	N	4			
	12	1.24	5.9	1.92	7.1	2.32	7.2	2.74	7.6	NW	323			
	14	1.24	6.0	1.97	7.2	2.47	7.2	3.49	8.1	NNW	335			
	16	1.03	5.9	1.62	7.1	2.00	7.3	2.39	7.4	NW	319			
	18	0.95	6.1	1.50	7.3	1.84	7.2	2.53	7.4	N	8			
	20	0.83	5.9	1.32	7.0	1.71	7.4	2.26	7.0	NNW	335			
	22	0.79	5.9	1.25	7.1	1.59	7.2	1.96	7.0	NNW	327			
	最大	1.55	5.6	2.48	7.1	3.03	7.4	4.36	7.6					
	平均	1.18	5.9	1.87	7.1	2.35	7.2	3.13	7.2					
12	00	0.79	5.9	1.23	7.1	1.57	7.1	2.17	6.5	NNE	20			
	02	0.58	5.3	0.91	6.3	1.17	6.6	1.60	6.0	N	8			
	04	0.46	5.3	0.76	6.6	0.95	6.7	1.23	6.2	NNW	348			
	06	0.74	5.3	1.17	6.3	1.47	6.2	1.86	6.1	W	270			
	08	0.78	5.4	1.22	6.1	1.51	6.0	1.90	6.0	WSW	254			
	10	0.62	4.8	0.95	5.9	1.18	6.1	1.38	6.0	W	266			
	12	0.76	5.3	1.18	5.9	1.48	5.9	1.71	5.9	W	266			
	14	0.88	4.4	1.39	5.2	1.72	5.1	2.29	5.1	NNW	348			
	16	1.03	5.0	1.61	5.6	2.01	5.6	3.37	5.3	欠測	欠測			
	18	* 1.60	6.2	* 2.40	6.9	2.85	7.0	3.36	7.1	W	278			
	20	1.47	6.0	2.28	7.0	* 2.85	7.3	* 3.73	6.9	W	274			
	22	1.25	5.3	1.92	6.3	2.35	6.3	3.24	5.2	W	274			
	最大	1.60	6.2	2.40	6.9	2.85	7.3	3.73	6.9					
	平均	0.91	5.4	1.42	6.3	1.76	6.3	2.32	6.0					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	354 回
											欠測回数	0 回	欠測回数	18 回
											欠 測 率	0.0 %	欠 測 率	4.8 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
13	00	1.36	5.9	2.10	6.7	2.62	6.5	3.25	5.4	W	278			
	02	1.32	5.5	2.01	6.5	2.52	6.4	3.21	6.6	NW	319			
	04	1.34	5.4	2.05	6.6	2.55	6.9	3.60	6.9	NW	315			
	06	* 1.60	6.0	* 2.49	7.1	* 3.08	6.8	3.62	6.5	W	274			
	08	1.45	5.6	2.15	6.5	2.65	6.6	3.24	7.0	W	270			
	10	1.55	6.0	2.34	7.1	2.78	7.2	3.23	7.1	WNW	282			
	12	1.27	5.7	1.98	7.0	2.46	7.1	3.13	7.8	WNW	282			
	14	1.28	6.1	2.02	7.3	2.53	7.0	3.37	6.6	NW	315			
	16	1.26	6.0	2.02	7.4	2.47	7.5	2.80	7.7	W	278			
	18	1.34	6.6	2.17	8.2	2.71	8.2	3.24	8.1	NW	319			
	20	1.32	6.1	2.20	7.7	2.86	7.8	* 4.40	7.9	NW	315			
	22	1.38	6.5	2.15	7.8	2.70	7.8	3.63	9.0	NNW	331			
最大		1.60	6.0	2.49	7.1	3.08	6.8	4.40	7.9					
平均		1.37	6.0	2.14	7.2	2.66	7.1	3.39	7.2					
14	00	1.41	6.5	2.20	7.7	2.69	7.5	3.14	7.6	NNW	327			
	02	1.44	6.8	2.26	7.7	2.84	7.7	3.65	7.9	W	278			
	04	1.45	6.4	2.30	7.7	2.83	7.8	3.83	8.4	WNW	290			
	06	* 1.97	6.5	* 3.22	8.4	* 4.13	8.3	* 5.26	7.6	WNW	303			
	08	1.57	6.3	2.56	7.9	3.33	7.8	4.01	9.7	WNW	295			
	10	1.48	6.3	2.37	8.4	3.04	8.6	3.57	9.2	WNW	290			
	12	1.53	6.6	2.46	8.4	3.06	8.6	4.00	7.8	W	278			
	14	1.23	6.0	1.95	7.7	2.52	7.5	3.21	6.3	WNW	290			
	16	1.10	5.6	1.75	7.2	2.18	7.7	2.64	7.0	WNW	286			
	18	1.19	6.0	1.84	7.3	2.20	7.0	2.88	7.5	WNW	286			
	20	0.97	5.6	1.53	6.9	1.86	6.9	2.20	6.5	W	278			
	22	0.96	5.5	1.56	7.0	1.93	6.8	2.35	6.9	W	278			
最大		1.97	6.5	3.22	8.4	4.13	8.3	5.26	7.6					
平均		1.36	6.2	2.17	7.7	2.72	7.7	3.40	7.7					
15	00	* 1.28	6.7	* 1.92	7.6	* 2.34	7.6	2.68	7.6	WNW	282			
	02	1.04	6.2	1.66	7.8	2.00	7.8	2.73	7.7	NNW	335			
	04	1.09	6.6	1.74	7.9	2.17	8.0	* 3.12	8.2	NNW	331			
	06	1.02	6.5	1.62	7.8	1.99	7.7	2.66	8.1	NW	323			
	08	0.88	6.1	1.42	7.9	1.80	8.1	2.13	9.0	NNW	327			
	10	0.88	6.4	1.36	7.9	1.74	8.3	2.26	9.3	NW	311			
	12	0.65	5.6	1.03	7.4	1.27	7.3	1.85	7.4	NNW	335			
	14	0.64	5.9	0.99	7.3	1.21	7.7	1.50	8.3	NNW	335			
	16	0.55	5.8	0.86	6.8	1.06	6.9	1.57	7.8	WNW	303			
	18	0.52	5.7	0.85	7.3	1.11	7.8	1.39	6.4	NNW	331			
	20	0.45	5.5	0.74	7.3	0.93	7.2	1.20	6.9	NNW	340			
	22	0.72	4.9	1.08	5.5	1.28	5.5	1.70	5.8	W	275			
最大		1.28	6.7	1.92	7.6	2.34	7.6	3.12	8.2					
平均		0.81	6.0	1.27	7.4	1.58	7.5	2.07	7.7					
16	00	0.82	4.9	1.28	6.0	1.64	6.2	2.23	6.1	W	266			
	02	0.81	4.9	1.26	6.3	1.59	6.2	1.92	7.0	W	270			
	04	0.88	5.4	1.37	6.6	1.72	6.9	2.19	7.2	WSW	258			
	06	0.90	5.1	1.45	6.3	1.82	6.3	2.27	7.6	W	262			
	08	0.92	5.0	1.43	6.2	1.81	6.6	2.33	6.6	WNW	282			
	10	1.22	5.4	1.89	6.2	2.34	6.3	2.99	7.0	W	270			
	12	1.28	5.4	2.09	6.7	2.74	6.7	3.93	7.0	WNW	282			
	14	1.60	6.2	2.45	7.4	3.04	7.5	4.32	8.5	NW	307			
	16	1.49	6.1	2.41	7.6	3.12	7.7	4.72	8.5	NNW	327			
	18	1.83	6.7	2.93	8.2	3.67	8.5	5.34	8.1	WNW	286			
	20	1.88	6.8	2.97	8.6	3.79	9.0	4.50	8.9	NNW	327			
	22	* 2.17	7.7	* 3.44	9.2	* 4.33	9.3	* 5.99	9.6	NNW	327			
最大		2.17	7.7	3.44	9.2	4.33	9.3	5.99	9.6					
平均		1.32	5.8	2.08	7.1	2.63	7.3	3.56	7.7					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	354 回
											欠測回数	0 回	欠測回数	18 回
											欠 測 率	0.0 %	欠 測 率	4.8 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
17	00	* 1.89	7.1	* 2.98	8.7	3.67	9.2	* 4.62	9.7	NNW	327			
	02	1.86	7.0	2.93	8.5	* 3.76	8.8	4.54	8.1	NNW	327			
	04	1.63	6.8	2.50	8.5	3.09	8.6	3.86	7.3	NNW	331			
	06	1.53	6.6	2.54	8.7	3.17	9.2	4.16	9.9	NNE	25			
	08	1.29	6.3	2.03	7.9	2.45	7.9	2.84	8.1	NW	323			
	10	1.39	6.5	2.21	8.2	2.78	8.4	3.48	8.7	NNE	12			
	12	1.35	6.2	2.14	8.0	2.62	8.2	3.41	6.3	WNW	299			
	14	1.27	6.0	2.01	7.5	2.46	7.6	3.18	9.0	NW	323			
	16	1.30	6.0	2.08	7.6	2.54	7.9	3.38	7.1	NW	323			
	18	1.13	5.7	1.86	7.6	2.47	7.7	3.17	6.3	NNW	340			
	20	1.11	5.6	1.77	7.1	2.28	7.8	3.01	6.9	NW	319			
	22	1.19	5.8	1.90	7.6	2.34	7.5	3.02	7.6	NNW	335			
最大 平均	1.89 1.41	7.1 6.3	2.98 2.25	8.7 8.0	3.76 2.80	8.8 8.2	4.62 3.56	9.7 7.9						
18	00	1.10	6.0	1.74	7.2	2.14	7.2	2.81	7.2	NNW	331			
	02	0.99	6.3	1.57	7.6	1.96	7.8	2.89	7.5	NNW	327			
	04	1.10	6.0	1.75	7.4	2.16	7.8	2.66	7.0	NNE	12			
	06	1.42	5.5	2.24	6.5	2.85	6.4	3.38	5.8	NW	323			
	08	1.40	5.9	2.21	7.1	2.76	7.3	3.64	7.5	W	278			
	10	1.17	5.7	1.90	7.2	2.42	7.6	2.87	7.4	WNW	286			
	12	1.09	5.0	1.75	6.2	2.23	6.7	3.20	6.2	NW	323			
	14	1.43	5.4	2.33	6.7	2.92	6.7	4.00	6.4	W	274			
	16	1.36	5.5	2.15	6.7	2.77	7.2	* 5.14	6.6	W	266			
	18	1.83	6.2	2.93	7.6	3.73	7.7	4.69	6.5	W	278			
	20	2.00	6.3	3.08	7.8	3.76	7.8	4.39	8.4	W	278			
	22	* 2.10	6.3	* 3.32	7.7	* 4.15	7.7	5.03	7.5	WNW	303			
最大 平均	2.10 1.42	6.3 5.8	3.32 2.25	7.7 7.1	4.15 2.82	7.7 7.3	5.14 3.73	6.6 7.0						
19	00	2.50	6.5	3.99	8.1	4.99	7.9	6.68	8.7	NW	319			
	02	2.59	7.2	4.06	8.4	4.95	8.4	6.69	9.8	NW	311			
	04	2.66	7.0	4.39	8.6	5.78	8.3	* 9.36	8.3	WNW	286			
	06	2.51	7.2	3.77	8.6	4.77	8.7	6.84	7.9	WNW	286			
	08	2.68	7.2	4.54	9.4	* 5.96	9.3	8.09	7.9	NW	307			
	10	* 3.03	8.0	* 4.59	9.9	5.67	10.1	7.78	10.6	NW	323			
	12	2.57	7.6	4.09	9.5	5.02	9.9	6.13	10.7	NNW	327			
	14	2.59	7.7	4.09	9.5	5.33	9.7	7.11	8.5	NNW	331			
	16	2.36	7.3	3.66	9.1	4.47	9.3	5.61	7.1	NNW	335			
	18	2.35	7.3	3.74	9.1	4.45	9.4	5.49	9.9	NNW	335			
	20	1.91	6.9	3.04	8.9	3.78	9.2	4.58	8.4	NNW	327			
	22	1.71	7.1	2.74	9.1	3.39	9.4	4.52	7.6	N	0			
最大 平均	3.03 2.46	8.0 7.3	4.59 3.89	9.9 9.0	5.96 4.88	9.3 9.1	9.36 6.57	8.3 8.8						
20	00	1.52	6.4	2.44	8.4	2.99	8.6	3.84	8.6	WNW	303			
	02	* 1.66	6.7	* 2.63	8.6	* 3.13	8.6	3.54	9.1	NW	323			
	04	1.41	6.6	2.28	8.6	2.81	8.8	3.69	9.0	NNE	12			
	06	1.32	6.6	2.15	8.4	2.63	8.2	3.41	9.1	NNE	16			
	08	1.24	6.5	2.01	8.1	2.46	8.0	2.77	7.9	NNW	335			
	10	1.20	6.8	1.92	8.2	2.53	8.1	* 3.97	7.6	N	8			
	12	1.07	6.4	1.65	7.6	1.99	7.5	2.41	8.2	N	8			
	14	1.14	6.7	1.82	8.4	2.28	8.2	3.30	7.9	NNE	16			
	16	1.01	6.6	1.63	8.0	2.15	8.5	2.72	9.5	N	356			
	18	0.94	6.6	1.44	7.7	1.76	7.9	2.38	7.5	NNE	20			
	20	0.82	6.5	1.28	7.8	1.59	7.6	2.33	7.1	NNE	25			
	22	0.74	6.5	1.16	7.6	1.45	7.6	2.12	7.9	NNE	29			
最大 平均	1.66 1.17	6.7 6.6	2.63 1.87	8.6 8.1	3.13 2.31	8.6 8.1	3.97 3.04	7.6 8.3						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月		波 高							波 向		
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		354 回			
		欠測回数		0 回		欠測回数		18 回			
		欠 測 率		0.0 %		欠 測 率		4.8 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
21	00	* 0.73	6.4	* 1.17	7.8	* 1.46	8.3	* 1.99	8.3	NNE	16
	02	0.60	6.0	0.97	7.3	1.22	7.9	1.82	7.3	NNE	16
	04	0.60	6.5	0.93	7.7	1.17	7.7	1.54	7.0	NNE	33
	06	0.50	6.0	0.80	7.2	0.98	7.3	1.38	7.8	NNE	25
	08	0.42	6.0	0.68	7.5	0.86	7.3	1.07	6.6	NNE	20
	10	0.34	5.5	0.55	7.3	0.68	7.3	0.86	7.5	NNE	29
	12	0.31	5.1	0.48	6.5	0.60	6.6	0.89	6.0	NNE	20
	14	0.33	5.4	0.51	6.4	0.62	6.5	0.75	5.6	NNE	25
	16	0.30	5.0	0.49	6.4	0.59	7.0	0.84	7.1	NE	37
	18	0.36	5.1	0.57	6.3	0.70	6.4	0.87	8.1	NW	319
	20	0.38	4.8	0.60	6.0	0.74	6.0	0.93	5.0	NNW	331
	22	0.35	4.5	0.56	5.4	0.71	5.3	1.05	5.8	WNW	292
最大	0.73	6.4	1.17	7.8	1.46	8.3	1.99	8.3			
平均	0.44	5.5	0.69	6.8	0.86	7.0	1.17	6.8			
22	00	0.42	4.3	0.69	5.4	0.89	5.6	1.41	5.8	NW	305
	02	0.55	4.1	0.90	5.1	1.14	5.1	1.39	4.7	NE	42
	04	* 0.75	4.3	* 1.17	4.9	* 1.48	5.3	* 1.87	4.5	NNE	18
	06	0.56	4.4	0.89	5.2	1.11	5.4	1.51	5.1	NNE	24
	08	0.62	4.3	0.95	5.1	1.16	5.1	1.37	5.1	NW	305
	10	0.58	4.6	0.92	5.5	1.12	5.2	1.42	5.1	N	352
	12	0.47	4.5	0.75	5.4	0.97	5.5	1.44	6.1	欠測	欠測
	14	0.51	4.5	0.82	5.4	1.01	5.6	1.39	5.0	NE	49
	16	0.55	3.9	0.86	4.8	1.09	4.8	1.53	4.4	欠測	欠測
	18	0.55	4.1	0.86	5.0	1.07	4.8	1.38	5.0	NE	56
	20	0.57	4.3	0.87	4.9	1.08	5.0	1.50	5.2	欠測	欠測
	22	0.55	4.0	0.89	4.8	1.12	4.7	1.60	3.9	W	274
最大	0.75	4.3	1.17	4.9	1.48	5.3	1.87	4.5			
平均	0.56	4.3	0.88	5.1	1.10	5.2	1.48	5.0			
23	00	0.61	3.8	0.96	4.4	1.20	4.5	1.56	5.1	NE	34
	02	0.62	4.0	0.94	4.5	1.15	4.5	1.70	3.6	NE	47
	04	0.60	4.2	0.94	4.7	1.19	4.7	1.38	4.4	N	8
	06	0.71	4.2	1.14	4.8	1.45	4.7	1.97	5.4	欠測	欠測
	08	0.79	4.4	1.22	4.9	1.49	4.9	1.98	4.7	NNE	32
	10	0.81	4.3	1.24	4.8	1.53	4.8	2.04	5.0	NW	305
	12	0.96	4.7	1.48	5.1	1.84	4.9	2.75	4.9	W	272
	14	1.04	4.8	1.66	5.3	2.08	5.2	* 2.93	5.3	NNE	33
	16	0.94	4.6	1.50	5.3	1.86	5.2	2.59	5.9	欠測	欠測
	18	1.08	4.9	1.72	5.9	2.14	6.0	2.71	5.5	NNE	29
	20	* 1.11	5.1	* 1.73	6.0	* 2.15	5.9	2.89	5.8	NNW	348
	22	0.98	4.9	1.54	5.9	1.88	5.7	2.55	4.8	NNE	33
最大	1.11	5.1	1.73	6.0	2.15	5.9	2.93	5.3			
平均	0.85	4.5	1.34	5.1	1.66	5.1	2.25	5.0			
24	00	0.99	4.7	1.56	5.7	1.91	5.9	2.54	6.2	NE	45
	02	1.01	4.8	1.60	5.6	1.99	5.6	2.67	6.0	N	11
	04	* 1.08	4.9	* 1.71	5.9	* 2.19	6.0	* 2.98	6.0	NNE	33
	06	1.05	4.9	1.63	5.9	1.96	5.9	2.41	6.0	NNE	20
	08	1.03	5.1	1.60	5.9	2.04	6.1	2.76	5.9	N	4
	10	1.00	4.9	1.61	5.9	2.08	6.1	2.77	5.6	NNE	20
	12	0.92	5.0	1.46	6.2	1.82	6.1	2.79	6.2	NNE	16
	14	0.75	4.8	1.19	6.0	1.48	5.9	1.78	4.9	NNE	20
	16	0.85	4.7	1.33	5.5	1.68	5.6	2.35	5.1	NE	45
	18	0.75	4.5	1.21	5.6	1.51	5.6	1.88	5.5	欠測	欠測
	20	0.70	4.7	1.08	5.5	1.28	5.6	1.58	5.0	NNE	17
	22	0.76	5.0	1.21	5.8	1.56	5.9	2.18	6.2	NNE	20
最大	1.08	4.9	1.71	5.9	2.19	6.0	2.98	6.0			
平均	0.91	4.8	1.43	5.8	1.79	5.9	2.39	5.7			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	354 回
											欠測回数	0 回	欠測回数	18 回
											欠 測 率	0.0 %	欠 測 率	4.8 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向					
									16方位	角度				
25	00	0.60	4.6	0.95	5.4	1.20	5.5	1.61	5.3	欠測	欠測			
	02	* 0.70	4.5	* 1.09	5.5	* 1.32	5.4	1.69	5.2	NNE	28			
	04	0.68	4.4	1.05	5.1	1.31	5.2	* 1.87	4.8	欠測	欠測			
	06	0.59	4.5	0.93	5.1	1.19	4.8	1.46	4.1	NNE	22			
	08	0.47	4.3	0.74	5.2	0.93	5.1	1.22	4.7	欠測	欠測			
	10	0.41	4.2	0.63	5.0	0.79	4.9	1.08	4.7	NW	313			
	12	0.34	3.9	0.54	5.1	0.67	5.1	0.92	5.8	NW	304			
	14	0.37	3.9	0.57	4.9	0.68	5.2	0.90	5.0	欠測	欠測			
	16	0.34	3.9	0.52	4.8	0.65	4.7	0.98	4.9	NE	49			
	18	0.29	3.6	0.48	4.8	0.60	4.8	0.77	4.8	N	359			
	20	0.28	3.8	0.43	4.9	0.53	4.9	0.68	3.4	WNW	286			
	22	0.25	3.9	0.40	4.6	0.49	4.6	0.67	4.9	WNW	284			
最大	0.70	4.5	1.09	5.5	1.32	5.4	1.87	4.8						
平均	0.44	4.1	0.69	5.0	0.86	5.0	1.15	4.8						
26	00	0.23	3.7	0.37	4.9	0.45	5.2	0.61	5.1	NW	312			
	02	0.21	3.6	0.32	4.6	0.41	4.6	0.57	3.1	W	276			
	04	0.22	3.8	0.36	4.8	0.45	5.0	0.69	4.4	WNW	288			
	06	0.24	4.0	0.38	5.1	0.47	5.0	0.65	4.6	N	353			
	08	0.26	3.9	0.40	4.8	0.51	4.7	* 0.83	4.7	WNW	286			
	10	0.26	3.7	0.41	4.6	0.52	4.6	0.78	4.4	WNW	290			
	12	0.24	3.7	0.39	4.5	0.48	4.5	0.63	4.4	欠測	欠測			
	14	0.21	3.4	0.35	4.4	0.45	4.4	0.63	4.0	NW	323			
	16	0.23	3.9	0.36	4.6	0.44	4.5	0.55	4.1	N	355			
	18	0.23	3.7	0.37	4.5	0.47	4.4	0.65	4.8	W	279			
	20	0.24	4.4	0.37	5.2	0.45	5.1	0.61	5.0	NNW	328			
	22	* 0.29	4.2	* 0.46	5.3	* 0.57	5.3	0.69	6.5	NW	319			
最大	0.29	4.2	0.46	5.3	0.57	5.3	0.83	4.7						
平均	0.24	3.8	0.38	4.8	0.47	4.8	0.66	4.6						
27	00	0.26	4.2	0.41	5.0	0.50	5.0	0.68	4.7	N	356			
	02	0.38	3.9	0.60	4.8	0.78	4.5	1.05	4.7	NW	310			
	04	0.54	3.8	0.82	4.2	1.00	4.1	1.28	3.5	WNW	303			
	06	0.54	3.6	0.86	4.3	1.11	4.1	1.50	4.3	欠測	欠測			
	08	0.81	4.2	1.29	4.8	1.59	4.6	2.27	4.4	NW	310			
	10	0.81	4.4	1.27	5.0	1.58	5.0	2.17	4.6	NNE	19			
	12	1.18	5.2	1.82	5.8	2.30	5.7	3.59	5.7	WNW	282			
	14	1.20	5.1	1.97	6.5	2.55	6.7	3.24	6.8	NNW	335			
	16	1.43	5.9	2.14	6.8	2.61	6.4	3.49	6.1	NNW	335			
	18	1.14	5.3	1.83	6.6	2.29	6.6	2.80	6.4	NW	311			
	20	* 1.46	6.4	2.31	7.9	2.88	7.8	3.75	7.9	NNW	327			
	22	1.44	6.6	* 2.37	8.2	* 2.98	8.4	* 3.99	8.4	NNW	327			
最大	1.46	6.4	2.37	8.2	2.98	8.4	3.99	8.4						
平均	0.93	4.9	1.47	5.8	1.85	5.7	2.48	5.6						
28	00	1.45	6.6	2.36	8.7	3.09	8.9	4.02	9.3	NNW	331			
	02	* 1.84	7.2	* 2.93	8.8	* 3.72	8.8	* 4.96	8.7	NNW	327			
	04	1.38	6.0	2.25	8.0	2.85	8.1	3.49	7.7	NNW	335			
	06	1.35	6.1	2.16	8.1	2.69	8.2	3.32	7.0	NW	315			
	08	1.43	6.2	2.32	8.0	2.92	8.5	3.58	7.3	NNW	331			
	10	1.09	5.3	1.73	7.0	2.20	6.6	2.87	7.3	NNW	327			
	12	0.99	5.3	1.60	6.9	2.06	6.9	2.54	5.4	NW	319			
	14	0.87	5.5	1.35	7.0	1.63	6.9	2.05	7.4	NW	315			
	16	0.77	5.8	1.19	7.0	1.45	7.1	1.86	5.1	N	352			
	18	0.65	5.7	1.05	6.8	1.30	7.0	1.72	6.0	NNW	335			
	20	0.64	5.0	1.03	6.5	1.27	6.7	1.59	6.5	NNW	331			
	22	0.68	4.5	1.05	5.5	1.28	5.7	1.66	5.5	NNW	328			
最大	1.84	7.2	2.93	8.8	3.72	8.8	4.96	8.7						
平均	1.10	5.8	1.75	7.4	2.20	7.5	2.80	6.9						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 1月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	354 回
										欠測回数	0 回	欠測回数	18 回
										欠 測 率	0.0 %	欠 測 率	4.8 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m		緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″	
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
29	00	1.23	4.6	1.93	5.7	2.44	5.4	3.17	4.8	欠測	欠測		
	02	2.37	6.6	3.78	7.9	4.69	8.0	5.58	9.0	WNW	282		
	04	2.94	7.6	4.81	9.4	6.15	10.6	7.53	11.1	WNW	286		
	06	3.04	7.9	4.67	9.9	5.66	10.5	6.79	9.4	WNW	295		
	08	3.28	8.4	5.27	10.9	6.77	10.7	9.86	9.7	NW	307		
	10	2.83	7.8	4.68	10.3	6.07	10.8	7.89	11.0	WNW	299		
	12	* 4.85	10.4	* 7.51	13.5	* 9.56	14.2	*12.51	12.7	NW	319		
	14	4.07	9.4	6.60	12.3	8.19	12.3	9.86	12.0	NNW	327		
	16	4.15	9.8	6.42	12.2	7.86	12.4	9.69	9.6	NW	323		
	18	3.54	8.8	5.56	10.9	6.77	10.9	7.82	10.6	NW	315		
	20	3.77	8.9	6.19	11.5	7.68	11.1	9.74	11.0	NNW	327		
	22	3.61	8.8	5.64	10.9	6.94	10.9	9.68	10.4	NW	323		
	最大	4.85	10.4	7.51	13.5	9.56	14.2	12.51	12.7				
	平均	3.31	8.2	5.25	10.5	6.57	10.7	8.34	10.1				
30	00	* 3.74	8.9	* 6.08	11.1	* 7.86	11.5	*11.38	11.7	NW	323		
	02	3.44	8.4	5.60	10.9	7.04	11.2	9.08	8.7	NW	319		
	04	2.98	7.8	4.73	10.1	5.80	10.2	6.73	9.8	NNW	340		
	06	3.04	8.2	4.80	10.7	5.91	11.0	8.55	12.0	NW	315		
	08	3.12	8.5	4.93	10.3	6.00	10.0	6.95	10.9	NW	323		
	10	2.62	8.0	4.11	10.3	5.15	9.5	7.27	9.6	NW	319		
	12	2.27	7.9	3.51	10.1	4.30	10.1	5.76	9.9	NNW	331		
	14	2.13	7.7	3.40	9.6	4.42	10.5	5.39	7.7	NNE	20		
	16	2.04	7.7	3.40	10.7	4.18	10.6	5.53	10.1	N	4		
	18	1.83	7.3	3.01	9.6	3.81	9.6	4.69	9.7	N	0		
	20	1.89	7.0	2.99	9.2	3.65	10.0	5.82	11.5	N	4		
	22	1.77	6.9	2.78	9.0	3.44	9.7	4.31	9.5	N	8		
	最大	3.74	8.9	6.08	11.1	7.86	11.5	11.38	11.7				
	平均	2.57	7.9	4.11	10.1	5.13	10.3	6.79	10.1				
31	00	* 1.80	6.9	* 2.88	8.9	* 3.60	9.3	4.29	10.3	NNE	12		
	02	1.77	6.5	2.73	8.1	3.50	8.7	* 4.58	8.1	NNE	16		
	04	1.58	6.3	2.44	8.0	3.02	7.9	4.26	6.2	NNE	20		
	06	1.53	6.0	2.47	7.6	3.03	7.7	4.09	7.8	WNW	290		
	08	1.76	6.5	2.70	7.7	3.32	7.9	4.00	7.8	NNE	20		
	10	1.48	6.2	2.33	7.5	2.87	7.9	3.85	6.8	N	8		
	12	1.34	6.3	2.10	7.9	2.58	7.4	3.21	7.2	W	274		
	14	1.41	6.6	2.24	8.0	2.71	8.5	3.54	8.6	NNE	16		
	16	1.47	6.9	2.36	8.4	2.91	8.5	3.23	8.0	NNE	16		
	18	1.31	6.8	2.09	8.1	2.61	8.3	3.70	8.8	NNW	327		
	20	1.26	6.6	2.04	7.8	2.54	7.9	3.26	8.8	NNE	16		
	22	1.11	6.6	1.82	8.0	2.27	7.9	2.67	8.2	NNE	16		
	最大	1.80	6.9	2.88	8.9	3.60	9.3	4.58	8.1				
	平均	1.49	6.5	2.35	8.0	2.91	8.2	3.72	8.0				
月最大		4.85	10.4	7.51	13.5	9.56	14.2	12.51	12.7				
起時		2912		2912		2912		2912					
平均		1.39	6.0	2.21	7.3	2.74	7.4	3.59	7.3				

波浪整理表（1）

2021年 2月										波 高		波 向					
										規定回数	336 回	規定回数	336 回				
機種：波向 海象計 - 52.0 m										測得回数	336 回	測得回数	321 回				
										欠測回数	0 回	欠測回数	15 回				
										欠 測 率	0.0 %	欠 測 率	4.5 %				
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向							
										16方位	角度						
01	00	0.93	6.5	1.50	7.8	1.87	8.0	2.22	7.9	NW	323						
	02	* 0.94	6.5	* 1.53	7.9	* 1.92	8.4	2.48	7.8	NNW	327						
	04	0.81	6.5	1.31	8.0	1.73	7.8	* 2.88	7.5	N	4						
	06	0.73	6.2	1.23	7.7	1.60	8.0	2.08	8.0	NNE	16						
	08	0.61	6.1	1.00	7.8	1.29	7.8	1.72	8.1	NNE	12						
	10	0.53	6.0	0.86	7.9	1.05	8.1	1.49	7.3	N	4						
	12	0.59	6.5	0.87	8.1	1.06	8.2	1.37	6.7	NNE	12						
	14	0.60	5.5	0.95	7.1	1.20	7.8	1.53	6.6	NNE	29						
	16	0.82	5.4	1.27	6.4	1.60	6.4	2.13	7.1	WSW	258						
	18	0.68	5.0	1.08	6.3	1.33	6.0	1.84	8.7	WSW	258						
	20	0.77	4.6	1.22	5.8	1.47	5.8	1.92	6.2	W	266						
	22	0.71	4.5	1.11	5.5	1.32	5.8	1.64	7.9	欠測	欠測						
	最大	0.94	6.5	1.53	7.9	1.92	8.4	2.88	7.5								
	平均	0.73	5.8	1.16	7.2	1.45	7.3	1.94	7.5								
02	00	0.78	4.7	1.22	5.8	1.49	5.3	1.88	5.3	W	274						
	02	0.83	5.0	1.28	6.1	1.58	5.8	2.16	5.8	W	266						
	04	0.99	5.5	1.55	6.8	1.90	7.0	2.60	7.7	WNW	282						
	06	1.36	5.6	2.25	7.3	2.90	7.7	5.03	8.0	W	274						
	08	1.46	5.8	2.29	7.0	2.73	7.2	3.86	6.6	W	270						
	10	1.38	5.6	2.16	6.8	2.65	6.9	3.44	7.1	WNW	290						
	12	1.84	5.7	2.99	6.7	3.86	6.6	4.74	6.2	NNW	327						
	14	1.87	6.1	2.92	7.3	3.61	7.0	4.89	6.7	NNW	335						
	16	2.02	6.6	3.15	8.1	3.70	8.5	4.82	8.5	NW	323						
	18	2.00	7.2	3.15	9.0	3.86	8.9	5.03	9.2	NNW	327						
	20	* 2.12	7.5	* 3.25	9.2	* 4.18	9.0	5.03	9.0	NNW	327						
	22	1.95	7.9	2.98	9.2	3.66	9.3	* 5.21	9.1	NW	323						
	最大	2.12	7.5	3.25	9.2	4.18	9.0	5.21	9.1								
	平均	1.55	6.1	2.43	7.4	3.01	7.4	4.06	7.4								
03	00	1.94	6.5	3.22	8.3	4.33	8.7	5.65	8.7	NW	319						
	02	2.30	6.7	3.74	8.5	4.72	8.4	5.56	9.6	NW	323						
	04	* 2.71	7.6	* 4.31	9.2	* 5.41	9.2	6.41	9.1	NW	323						
	06	2.68	7.4	4.22	8.9	5.22	8.8	* 8.01	8.5	WNW	303						
	08	2.24	7.2	3.37	8.2	4.22	8.2	4.98	7.4	W	278						
	10	1.73	6.4	2.71	8.2	3.44	8.1	4.31	8.2	WNW	295						
	12	1.69	6.6	2.70	8.3	3.47	8.1	5.08	8.0	WNW	286						
	14	1.81	6.9	2.93	8.6	3.88	9.3	5.13	9.2	WNW	295						
	16	1.92	6.8	3.01	8.8	3.64	8.4	4.40	9.1	NW	323						
	18	1.92	6.9	3.08	8.7	4.02	9.0	5.14	9.1	NW	323						
	20	2.12	6.9	3.26	8.0	3.97	8.2	5.55	8.0	NNW	327						
	22	1.92	6.1	3.18	8.0	4.01	7.9	5.03	8.4	NW	323						
	最大	2.71	7.6	4.31	9.2	5.41	9.2	8.01	8.5								
	平均	2.08	6.8	3.31	8.5	4.19	8.5	5.44	8.6								
04	00	1.93	6.4	3.08	7.8	3.85	8.1	4.57	7.7	NW	319						
	02	2.08	6.6	3.35	8.0	4.05	8.0	5.66	7.3	NW	315						
	04	1.88	6.3	2.97	7.8	3.53	7.4	4.26	6.6	WNW	290						
	06	1.72	6.5	2.71	7.7	3.38	7.6	4.49	8.3	WNW	299						
	08	1.53	5.9	2.50	7.3	3.25	7.8	4.72	7.7	NW	315						
	10	2.73	7.1	4.13	7.9	4.95	7.4	6.26	8.4	W	278						
	12	* 2.78	7.7	* 4.23	9.3	* 5.03	9.2	6.23	7.9	WNW	286						
	14	2.42	7.3	3.95	8.9	5.03	8.7	* 7.61	8.6	NW	311						
	16	2.34	7.3	3.77	8.4	4.79	8.5	6.82	9.0	WNW	290						
	18	2.17	7.3	3.44	8.6	4.34	8.6	5.88	9.0	NW	311						
	20	1.73	6.2	2.81	8.2	3.49	8.0	4.84	8.4	WNW	286						
	22	2.06	6.3	3.24	7.7	4.07	7.9	6.92	8.1	NNW	331						
	最大	2.78	7.7	4.23	9.3	5.03	9.2	7.61	8.6								
	平均	2.11	6.7	3.35	8.1	4.15	8.1	5.69	8.1								

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 2月		波 高							波 向		
		規定回数		336 回		規定回数		336 回			
		測得回数		336 回		測得回数		321 回			
		欠測回数		0 回		欠測回数		15 回			
		欠 測 率		0.0 %		欠 測 率		4.5 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
05	00	* 2.19	6.7	* 3.49	8.1	* 4.54	8.2	* 5.66	9.3	WNW	286
	02	1.77	6.3	2.86	8.0	3.65	8.1	5.58	7.0	NNW	331
	04	1.64	6.5	2.54	8.0	3.18	7.8	4.09	7.6	NNW	340
	06	1.50	6.6	2.46	8.3	3.09	8.2	3.55	8.2	NNW	344
	08	1.63	7.4	2.52	8.5	3.29	8.7	4.73	8.6	NNW	340
	10	1.22	6.6	2.06	8.2	2.64	8.5	3.68	9.0	N	4
	12	1.15	6.7	1.93	8.3	2.52	8.2	3.08	8.4	N	8
	14	1.12	6.9	1.71	8.1	2.11	8.1	2.53	8.0	NNE	12
	16	1.04	6.4	1.55	7.4	1.87	7.0	2.28	6.9	WNW	290
	18	0.83	5.4	1.36	6.8	1.73	6.9	2.47	6.6	WNW	286
	20	1.11	6.0	1.73	6.9	2.26	7.0	2.91	6.3	NNW	327
	22	1.12	5.6	1.73	6.7	2.14	6.7	2.42	7.8	NW	323
	最大 平均	2.19 1.36	6.7 6.4	3.49 2.16	8.1 7.8	4.54 2.75	8.2 7.8	5.66 3.58	9.3 7.8		
	06	00	1.09	5.6	1.77	6.6	2.23	6.4	3.02	5.5	W
02		1.15	5.8	1.83	6.6	2.35	6.8	2.87	7.0	W	278
04		1.12	6.0	1.80	7.1	2.31	7.2	3.24	6.9	WNW	290
06		1.11	5.8	1.90	7.2	2.43	7.2	3.19	7.6	WNW	282
08		1.31	6.1	2.10	7.5	2.61	7.4	3.19	7.1	NW	315
10		* 1.37	5.9	* 2.15	7.2	* 2.68	7.4	* 3.58	6.7	NW	315
12		1.15	5.6	1.79	7.1	2.28	7.3	3.12	7.7	NW	315
14		1.12	6.0	1.77	7.6	2.19	7.7	2.99	7.0	NW	311
16		1.03	6.1	1.64	7.5	2.01	7.6	2.89	7.9	NW	311
18		1.04	6.4	1.65	7.9	2.05	7.9	2.95	8.0	W	274
20		0.96	6.4	1.64	8.0	2.11	8.4	3.10	8.6	NNW	327
22		0.90	6.0	1.42	7.7	1.75	7.6	2.34	6.3	NW	307
最大 平均		1.37 1.11	5.9 6.0	2.15 1.79	7.2 7.3	2.68 2.25	7.4 7.4	3.58 3.04	6.7 7.2		
07		00	0.90	5.7	1.40	7.1	1.68	7.3	2.13	7.1	WNW
	02	0.90	5.3	1.48	7.1	1.90	7.5	2.69	7.0	WNW	286
	04	0.77	5.2	1.24	6.8	1.53	7.0	2.40	6.0	WNW	290
	06	0.83	5.4	1.32	6.5	1.62	6.4	1.88	6.0	WNW	282
	08	0.78	5.2	1.20	6.3	1.55	6.4	1.90	6.4	WNW	290
	10	0.84	4.7	1.36	5.8	1.67	5.6	2.14	5.0	W	274
	12	1.04	5.2	1.57	5.6	1.97	5.7	2.45	5.1	NE	54
	14	1.08	5.1	1.70	5.7	2.10	5.7	2.43	6.5	WNW	299
	16	1.07	5.2	1.68	6.2	2.08	6.2	2.33	6.4	NW	319
	18	* 1.14	5.4	* 1.82	6.2	2.20	6.4	2.73	6.6	W	274
	20	1.09	5.1	1.79	6.5	* 2.26	6.7	2.76	6.3	WNW	290
	22	1.11	5.4	1.81	6.2	2.22	6.7	* 2.80	6.9	NNW	327
	最大 平均	1.14 0.96	5.4 5.2	1.82 1.53	6.2 6.3	2.26 1.90	6.7 6.5	2.80 2.39	6.9 6.3		
	08	00	1.18	5.6	1.83	6.6	2.21	6.4	2.70	7.3	NW
02		1.11	5.3	1.80	6.5	2.33	6.4	3.06	6.2	NNW	331
04		1.22	5.5	1.92	6.8	2.35	6.8	3.83	5.7	NNW	335
06		1.29	5.5	2.02	6.6	2.49	6.7	3.28	7.5	NNW	327
08		1.33	6.0	2.11	7.3	2.76	7.3	3.34	6.8	NW	307
10		1.33	6.4	2.09	7.6	2.60	7.4	3.17	7.6	NNW	335
12		1.28	6.5	1.99	8.0	2.49	7.8	3.54	7.8	NNW	348
14		1.22	5.6	1.94	6.8	2.48	6.9	3.37	7.8	NNW	331
16		1.32	5.3	2.09	6.7	2.49	6.6	3.18	5.4	NNW	331
18		1.75	5.8	2.73	6.7	3.56	6.7	5.02	6.1	NW	323
20		* 2.28	6.7	* 3.63	8.0	* 4.49	8.0	* 6.80	8.1	NW	323
22		2.05	6.3	3.25	8.0	4.15	8.1	5.55	7.2	NNW	327
最大 平均		2.28 1.45	6.7 5.9	3.63 2.28	8.0 7.1	4.49 2.87	8.0 7.1	6.80 3.90	8.1 7.0		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 2月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
09	00	2.17	6.5	* 3.53	8.1	4.30	8.4	5.19	8.8	NW	323
	02	2.00	6.4	3.16	7.7	4.05	8.1	5.91	7.6	NNW	331
	04	* 2.19	6.9	3.42	8.3	* 4.35	8.3	5.90	7.7	NW	323
	06	1.92	6.6	3.03	8.3	3.96	8.5	5.40	7.4	NNW	331
	08	1.82	6.4	2.96	8.6	3.75	9.0	4.63	7.7	NW	307
	10	1.97	6.6	3.22	8.8	4.16	8.7	5.50	9.1	NNW	327
	12	1.95	6.7	3.14	8.7	4.02	8.6	* 5.98	7.2	NNW	335
	14	1.88	7.1	2.91	8.7	3.47	8.7	4.73	9.3	NW	307
	16	1.80	7.1	2.88	8.8	3.56	9.1	4.27	9.9	NW	323
	18	1.71	6.5	2.75	8.3	3.54	8.9	4.55	8.8	NW	323
	20	1.59	6.4	2.59	8.5	3.14	8.6	4.00	9.5	NNW	331
	22	1.44	6.2	2.30	8.1	2.80	7.9	3.50	6.8	NNW	335
	最大	2.19	6.9	3.53	8.1	4.35	8.3	5.98	7.2		
	平均	1.87	6.6	2.99	8.4	3.76	8.6	4.96	8.3		
10	00	* 1.37	6.5	2.13	8.0	* 2.78	8.2	* 3.80	8.0	NW	323
	02	1.25	6.5	1.92	7.8	2.33	8.0	2.98	8.3	NW	323
	04	1.21	6.4	2.03	7.9	2.66	8.0	3.23	7.8	NW	315
	06	1.25	6.2	1.95	7.7	2.43	7.7	3.39	7.6	NNW	348
	08	1.01	5.9	1.62	7.4	2.13	8.1	3.00	9.0	NW	323
	10	0.99	5.7	1.56	7.1	2.00	7.5	2.86	5.8	NNW	344
	12	1.09	5.2	1.72	6.5	2.16	6.3	2.92	6.5	NNW	344
	14	0.94	5.3	1.44	6.5	1.79	6.4	2.34	6.3	NW	323
	16	0.91	5.3	1.39	6.5	1.75	6.7	2.20	5.8	NNW	331
	18	1.13	5.4	1.76	6.3	2.22	6.3	3.09	6.0	NW	315
	20	1.09	5.0	1.71	5.9	2.17	6.0	2.89	6.1	W	278
	22	1.36	5.5	* 2.17	6.4	2.70	6.3	3.54	6.4	NW	323
	最大	1.37	6.5	2.17	6.4	2.78	8.2	3.80	8.0		
	平均	1.13	5.7	1.78	7.0	2.26	7.1	3.02	7.0		
11	00	1.56	5.6	* 2.53	6.7	3.12	6.7	3.97	6.6	WNW	290
	02	* 1.56	5.7	2.52	7.0	* 3.26	6.6	* 4.23	7.1	WNW	290
	04	1.49	5.7	2.27	6.9	2.86	6.9	4.18	6.1	WNW	286
	06	1.26	5.6	2.01	6.7	2.53	7.0	3.39	7.6	WNW	282
	08	1.20	5.8	1.90	6.8	2.42	6.7	2.82	7.5	NW	315
	10	1.16	5.7	1.83	6.8	2.35	6.7	3.67	6.8	WNW	286
	12	1.04	5.8	1.65	6.8	2.05	6.6	2.70	6.8	NNW	327
	14	1.00	5.7	1.59	6.8	1.99	7.0	2.42	6.5	NW	323
	16	0.95	5.5	1.52	6.7	1.99	6.8	2.46	7.4	NNE	12
	18	0.78	5.4	1.26	6.3	1.62	6.4	2.28	6.1	WNW	282
	20	0.72	5.2	1.16	6.3	1.53	6.3	2.04	6.4	NNE	16
	22	0.67	5.2	1.13	6.3	1.54	6.4	2.41	6.5	NNW	340
	最大	1.56	5.7	2.53	6.7	3.26	6.6	4.23	7.1		
	平均	1.12	5.6	1.78	6.7	2.27	6.7	3.05	6.8		
12	00	0.63	5.2	1.03	6.4	1.32	6.2	1.72	7.1	WNW	299
	02	0.63	5.5	1.00	6.5	1.29	6.7	* 1.82	6.7	N	4
	04	0.67	5.9	1.01	6.8	1.25	6.8	1.78	6.2	NNE	16
	06	* 0.71	6.0	* 1.14	6.9	* 1.43	6.9	1.69	7.0	WNW	290
	08	0.51	5.4	0.89	7.1	1.20	6.9	1.71	6.9	NNW	348
	10	0.61	5.8	0.98	7.0	1.26	6.9	1.80	6.6	NNE	20
	12	0.53	5.5	0.86	6.7	1.08	6.8	1.53	6.4	NNE	29
	14	0.45	5.2	0.74	6.8	0.92	6.7	1.15	6.4	NE	53
	16	0.43	4.9	0.67	6.4	0.80	6.4	0.99	6.3	NNE	33
	18	0.40	4.9	0.64	6.5	0.82	6.5	1.15	6.2	N	8
	20	0.37	4.8	0.59	6.0	0.75	6.3	0.98	6.0	NNE	33
	22	0.31	4.8	0.52	6.1	0.66	6.1	0.88	6.4	NE	45
	最大	0.71	6.0	1.14	6.9	1.43	6.9	1.82	6.7		
	平均	0.52	5.3	0.84	6.6	1.07	6.6	1.43	6.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

										波 高		波 向	
2021年 2月										規定回数	336 回	規定回数	336 回
										測得回数	336 回	測得回数	321 回
										欠測回数	0 回	欠測回数	15 回
										欠 測 率	0.0 %	欠 測 率	4.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m			
										緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
13	00	* 0.31	4.8	* 0.49	6.1	* 0.62	6.2	0.76	5.9	NNE	25		
	02	0.26	4.6	0.42	5.9	0.52	6.0	0.70	5.5	NNE	25		
	04	0.27	4.5	0.42	5.8	0.52	5.5	0.80	4.9	NNE	16		
	06	0.24	4.3	0.40	5.5	0.50	5.4	0.61	5.5	WNW	297		
	08	0.21	4.0	0.33	5.3	0.43	5.4	0.58	5.8	欠測	欠測		
	10	0.18	4.0	0.29	5.4	0.37	5.7	0.49	5.0	WNW	296		
	12	0.21	3.4	0.33	4.7	0.43	5.1	0.58	5.0	欠測	欠測		
	14	0.24	3.2	0.37	3.8	0.47	3.8	* 0.89	2.5	W	276		
	16	0.21	3.3	0.34	4.3	0.43	4.6	0.65	6.5	欠測	欠測		
	18	0.24	3.7	0.36	4.4	0.45	4.3	0.58	3.8	NW	316		
	20	0.23	3.8	0.36	4.4	0.45	4.3	0.61	3.9	欠測	欠測		
	22	0.22	3.5	0.34	4.5	0.44	4.4	0.76	3.9	欠測	欠測		
最大		0.31	4.8	0.49	6.1	0.62	6.2	0.89	2.5				
平均		0.24	3.9	0.37	5.0	0.47	5.1	0.67	4.8				
14	00	0.19	3.6	0.29	4.9	0.36	4.9	0.50	4.4	NNW	332		
	02	0.15	3.5	0.24	4.7	0.30	4.9	0.38	5.1	NNE	29		
	04	0.16	3.6	0.25	4.8	0.31	5.0	0.44	4.5	WNW	299		
	06	0.15	3.2	0.24	4.3	0.30	4.2	0.42	3.0	NNW	347		
	08	0.17	3.1	0.27	4.0	0.34	4.0	0.50	3.2	N	1		
	10	0.18	3.2	0.29	4.0	0.36	4.1	0.48	3.0	NNE	25		
	12	* 0.21	3.0	0.32	3.5	0.40	3.4	0.55	2.5	NE	42		
	14	0.21	3.0	* 0.33	3.5	* 0.43	3.6	* 0.60	3.0	欠測	欠測		
	16	0.19	3.4	0.29	4.2	0.35	4.1	0.48	4.4	NW	311		
	18	0.19	3.4	0.29	4.2	0.36	4.0	0.50	4.3	W	279		
	20	0.13	3.1	0.20	4.2	0.26	4.4	0.32	4.2	NE	50		
	22	0.13	3.2	0.20	4.2	0.25	4.6	0.31	4.1	欠測	欠測		
最大		0.21	3.0	0.33	3.5	0.43	3.6	0.60	3.0				
平均		0.17	3.3	0.27	4.2	0.34	4.3	0.46	3.8				
15	00	0.12	3.1	0.19	4.3	0.24	4.7	0.31	4.3	欠測	欠測		
	02	0.10	2.9	0.16	4.0	0.20	4.4	0.28	6.9	欠測	欠測		
	04	0.11	3.0	0.17	4.3	0.21	4.7	0.29	4.1	NE	39		
	06	0.11	2.9	0.18	4.0	0.22	4.2	0.32	3.9	NNW	343		
	08	0.13	3.4	0.21	4.7	0.28	4.9	0.44	4.6	NNW	341		
	10	0.17	3.5	0.28	4.4	0.36	4.4	0.48	4.5	N	351		
	12	0.14	3.2	0.22	4.3	0.27	4.3	0.38	3.4	NE	55		
	14	0.15	3.4	0.23	4.4	0.28	4.2	0.32	3.7	NNE	25		
	16	0.14	3.3	0.21	4.5	0.26	4.6	0.36	4.0	欠測	欠測		
	18	0.33	3.1	0.54	3.3	0.69	3.2	0.95	2.6	W	274		
	20	1.11	4.7	1.76	5.2	2.25	5.1	3.17	4.5	NE	43		
	22	* 1.57	5.2	* 2.55	6.2	* 3.24	6.1	* 4.60	5.4	WNW	282		
最大		1.57	5.2	2.55	6.2	3.24	6.1	4.60	5.4				
平均		0.35	3.5	0.56	4.5	0.71	4.6	0.99	4.3				
16	00	2.13	6.0	3.52	7.5	4.43	7.8	5.59	6.9	欠測	欠測		
	02	2.77	7.1	4.28	8.6	5.44	8.8	7.50	9.6	WNW	286		
	04	3.31	7.8	5.18	9.3	6.49	9.6	* 8.80	9.7	WNW	282		
	06	2.90	7.6	4.76	9.5	5.86	9.5	8.41	8.6	NW	315		
	08	2.61	7.2	4.36	9.4	5.59	9.5	7.10	11.2	NW	315		
	10	3.32	8.2	5.26	10.7	6.48	11.4	8.40	10.4	NW	323		
	12	2.86	7.8	4.65	10.1	6.12	10.4	7.93	8.9	NNW	340		
	14	3.03	7.6	4.88	9.8	6.17	10.1	8.00	10.3	NNW	331		
	16	3.08	8.2	5.01	10.8	6.12	11.2	6.89	11.7	NW	311		
	18	3.22	8.2	5.32	10.2	6.74	10.1	7.88	11.0	WNW	290		
	20	* 3.42	8.2	* 5.46	10.1	* 6.94	10.3	8.56	9.7	NNW	327		
	22	2.98	8.0	4.75	10.3	5.87	10.3	6.87	8.1	WNW	295		
最大		3.42	8.2	5.46	10.1	6.94	10.3	8.80	9.7				
平均		2.97	7.7	4.79	9.7	6.02	9.9	7.66	9.7				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

										波 高		波 向	
2021年 2月										規定回数	336 回	規定回数	336 回
										測得回数	336 回	測得回数	321 回
										欠測回数	0 回	欠測回数	15 回
										欠 測 率	0.0 %	欠 測 率	4.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m			
										緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
17	00	* 3.20	8.3	* 5.06	10.6	5.96	10.3	7.12	11.9	WNW	303		
	02	2.67	7.4	4.41	10.3	5.97	10.2	* 9.03	10.0	WNW	290		
	04	2.69	7.5	4.52	9.8	6.04	10.6	7.45	10.7	N	0		
	06	3.12	8.2	5.00	10.2	* 6.36	11.1	8.32	11.3	N	8		
	08	2.99	8.0	4.76	9.8	5.86	10.5	7.07	10.0	NW	319		
	10	2.73	7.7	4.25	9.4	5.11	9.3	6.75	10.4	WNW	286		
	12	2.37	7.3	3.84	9.0	4.75	8.8	5.40	8.1	NW	323		
	14	2.46	7.5	4.08	10.6	4.98	11.0	7.22	9.4	NNE	16		
	16	2.30	7.5	3.59	9.6	4.62	9.9	6.11	8.3	N	4		
	18	2.48	7.4	3.94	9.7	5.08	9.8	6.68	9.0	NNW	340		
	20	2.56	7.0	4.14	9.0	5.19	9.2	6.88	8.5	NW	307		
	22	2.38	7.1	3.77	8.8	4.84	9.3	5.77	9.9	NW	323		
最大		3.20	8.3	5.06	10.6	6.36	11.1	9.03	10.0				
平均		2.66	7.6	4.28	9.7	5.40	10.0	6.98	9.8				
18	00	2.52	7.1	4.09	8.9	5.08	9.5	5.89	8.6	WNW	286		
	02	2.40	6.7	3.87	8.9	5.01	9.6	6.56	8.7	WNW	282		
	04	2.43	7.1	3.81	9.3	4.63	8.9	5.64	11.3	WNW	290		
	06	2.28	6.7	3.70	9.1	4.44	9.0	5.81	7.8	NW	307		
	08	2.60	7.5	4.19	9.1	* 5.50	9.2	* 6.62	10.3	NNW	340		
	10	* 2.86	7.6	* 4.34	9.6	5.24	10.2	6.25	9.7	NW	311		
	12	2.29	6.9	3.60	8.9	4.56	9.0	6.61	8.7	NW	307		
	14	2.15	6.8	3.46	9.0	4.27	9.1	5.94	8.6	NW	323		
	16	2.39	7.7	3.73	9.5	4.57	9.7	5.09	12.4	N	4		
	18	2.38	7.5	3.82	10.1	5.00	10.2	6.48	10.5	NW	319		
	20	2.15	7.3	3.51	10.2	4.55	11.0	5.65	10.9	WNW	290		
	22	2.08	7.4	3.36	10.5	4.19	10.7	5.72	12.4	N	356		
最大		2.86	7.6	4.34	9.6	5.50	9.2	6.62	10.3				
平均		2.38	7.2	3.79	9.4	4.75	9.7	6.02	10.0				
19	00	* 1.94	7.1	* 3.19	9.6	3.96	9.5	5.60	9.4	WNW	290		
	02	1.92	6.9	3.18	9.3	* 4.02	9.1	* 5.78	8.2	NW	315		
	04	1.67	7.0	2.69	8.9	3.29	9.5	4.76	9.4	NW	315		
	06	1.56	7.0	2.46	9.1	2.92	8.6	3.83	9.7	NW	311		
	08	1.49	6.8	2.35	8.9	3.01	9.4	3.85	8.5	NNE	20		
	10	1.50	6.8	2.42	9.0	2.94	9.7	3.72	10.1	NNW	331		
	12	1.38	6.5	2.27	8.5	2.87	9.2	3.50	9.7	WNW	290		
	14	1.40	7.0	2.20	8.3	2.75	8.9	3.74	8.8	WNW	303		
	16	1.14	6.2	1.81	8.1	2.21	8.4	2.94	9.7	NW	311		
	18	1.18	6.4	1.88	7.6	2.33	8.2	3.18	8.0	NW	311		
	20	1.08	6.0	1.71	7.3	2.12	7.4	2.64	7.1	W	278		
	22	1.08	5.9	1.69	7.1	2.09	7.3	2.49	5.6	W	274		
最大		1.94	7.1	3.19	9.6	4.02	9.1	5.78	8.2				
平均		1.45	6.6	2.32	8.5	2.88	8.8	3.84	8.7				
20	00	1.12	5.9	1.77	7.2	2.18	7.3	3.01	7.8	W	278		
	02	1.54	6.5	2.49	8.1	3.13	7.8	4.07	7.4	WNW	286		
	04	1.48	6.8	2.41	8.0	3.04	7.8	4.12	8.3	WSW	237		
	06	1.27	5.8	2.08	7.8	2.63	8.1	3.46	9.2	W	270		
	08	1.20	5.9	1.93	7.9	2.44	7.9	3.24	7.5	W	278		
	10	1.47	6.5	2.32	8.7	2.74	9.2	3.15	9.5	WNW	303		
	12	1.57	6.7	2.50	8.6	3.09	9.1	3.76	9.4	WNW	299		
	14	1.74	6.9	2.76	8.9	3.45	9.2	4.89	10.6	WNW	303		
	16	1.78	7.1	2.84	8.9	3.58	9.4	4.32	7.8	WNW	303		
	18	1.89	6.9	* 3.11	9.5	* 4.14	9.5	* 5.08	8.8	欠測	欠測		
	20	* 1.92	7.2	3.10	9.1	3.95	9.4	4.88	9.1	WNW	299		
	22	1.64	7.0	2.56	9.1	3.15	9.6	3.71	10.2	WNW	286		
最大		1.92	7.2	3.11	9.5	4.14	9.5	5.08	8.8				
平均		1.55	6.6	2.49	8.5	3.13	8.7	3.97	8.8				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

										波 高		波 向	
										規定回数	336 回	規定回数	336 回
2021年 2月										測得回数	336 回	測得回数	321 回
										欠測回数	0 回	欠測回数	15 回
										欠 測 率	0.0 %	欠 測 率	4.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m		緯度：N 37° -25' -51" 経度：E 136° -54' -08"	
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
21	00	* 1.54	7.5	* 2.43	9.3	* 3.04	9.3	* 4.07	8.7	W	278		
	02	1.42	7.5	2.22	9.3	2.82	9.5	3.93	9.8	WNW	282		
	04	1.25	6.5	2.07	8.7	2.59	9.5	3.34	9.3	W	274		
	06	1.20	6.6	1.91	8.6	2.46	8.4	3.06	8.6	WNW	290		
	08	1.09	5.7	1.77	7.8	2.19	7.9	2.71	8.5	WNW	286		
	10	1.08	5.7	1.64	6.9	1.94	7.0	2.54	8.2	WNW	282		
	12	0.95	5.4	1.51	6.7	1.81	6.8	2.28	7.5	WNW	282		
	14	0.97	5.5	1.47	6.8	1.81	6.9	2.36	6.5	WNW	282		
	16	0.81	4.9	1.32	6.6	1.69	7.0	2.50	6.8	NNW	331		
	18	0.70	5.3	1.17	7.0	1.52	7.3	2.01	7.0	WNW	282		
	20	0.69	5.8	1.15	7.3	1.45	7.6	2.06	7.0	WNW	282		
	22	0.68	5.6	1.07	6.9	1.34	7.1	1.78	7.6	W	278		
最大		1.54	7.5	2.43	9.3	3.04	9.3	4.07	8.7				
平均		1.03	6.0	1.64	7.7	2.05	7.9	2.72	8.0				
22	00	0.76	5.0	1.20	6.3	1.51	6.5	1.97	6.1	W	270		
	02	0.69	4.8	1.11	6.5	1.45	7.1	1.94	8.6	欠測	欠測		
	04	0.76	4.4	1.19	5.6	1.46	5.8	1.89	6.1	欠測	欠測		
	06	0.84	4.7	1.36	6.0	1.70	6.2	2.12	5.6	W	274		
	08	0.80	4.7	1.29	6.3	1.60	6.6	2.25	6.5	W	266		
	10	0.92	5.2	1.42	6.5	1.75	6.6	2.01	7.3	W	274		
	12	* 1.02	5.8	* 1.60	7.2	* 2.00	7.6	* 2.77	7.5	W	278		
	14	0.94	5.5	1.47	6.9	1.83	7.2	2.56	6.8	W	270		
	16	0.89	5.0	1.40	6.5	1.74	6.7	2.26	6.9	W	274		
	18	0.87	5.3	1.32	6.6	1.62	7.0	2.13	4.5	W	270		
	20	0.78	4.9	1.17	6.1	1.44	6.5	2.13	6.8	W	274		
	22	0.79	4.6	1.24	5.9	1.52	6.0	2.21	4.8	W	278		
最大		1.02	5.8	1.60	7.2	2.00	7.6	2.77	7.5				
平均		0.84	5.0	1.31	6.4	1.64	6.7	2.19	6.5				
23	00	0.72	4.8	1.15	6.1	1.44	6.3	1.73	6.7	WNW	282		
	02	0.94	4.6	1.49	5.5	1.81	5.5	2.17	5.4	NE	49		
	04	1.34	5.1	2.16	5.9	2.74	5.8	3.90	6.1	NNW	331		
	06	1.19	5.1	1.88	6.1	2.38	6.5	4.02	6.1	NNW	340		
	08	1.46	5.5	2.32	6.7	2.83	6.4	3.51	6.5	NW	323		
	10	1.61	6.2	2.54	7.3	3.16	7.2	3.93	6.0	NNW	335		
	12	1.44	5.7	2.28	7.5	2.77	7.9	3.56	7.8	NNW	327		
	14	1.78	6.7	2.80	7.8	3.63	7.7	4.58	8.0	NNW	335		
	16	* 2.02	7.0	* 3.20	8.7	* 4.05	8.7	* 5.05	10.5	NNW	327		
	18	1.98	6.9	3.18	8.8	4.01	8.6	4.88	10.0	NNW	327		
	20	1.69	6.5	2.79	8.5	3.65	8.6	4.70	8.7	NW	315		
	22	1.94	7.2	3.10	9.0	3.97	9.3	4.57	10.4	NNW	335		
最大		2.02	7.0	3.20	8.7	4.05	8.7	5.05	10.5				
平均		1.51	5.9	2.41	7.3	3.04	7.4	3.88	7.7				
24	00	* 1.82	6.5	* 3.04	8.7	* 3.87	9.0	* 5.46	7.9	NNW	331		
	02	1.73	6.6	2.69	8.2	3.32	8.4	3.65	6.9	NNW	335		
	04	1.66	6.8	2.56	8.5	3.14	8.7	3.71	8.1	NNW	327		
	06	1.57	6.7	2.43	8.4	2.97	8.0	3.69	7.7	NW	323		
	08	1.38	6.2	2.31	8.2	2.91	8.3	4.16	6.8	NNW	331		
	10	1.37	6.5	2.21	8.3	2.76	8.8	3.67	9.1	NW	319		
	12	1.46	6.7	2.24	8.6	2.63	8.5	3.10	5.9	NNW	344		
	14	1.45	6.2	2.34	8.1	2.89	8.3	3.76	7.9	NNW	344		
	16	1.26	5.8	2.07	7.7	2.70	7.8	4.51	8.2	NNE	16		
	18	1.36	6.1	2.20	7.8	2.88	7.9	3.96	7.2	NNW	335		
	20	1.21	6.0	1.95	7.6	2.33	7.4	3.45	7.5	N	0		
	22	1.26	6.2	2.00	8.2	2.54	8.1	3.80	6.8	NNE	16		
最大		1.82	6.5	3.04	8.7	3.87	9.0	5.46	7.9				
平均		1.46	6.4	2.34	8.2	2.91	8.3	3.91	7.5				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

										波 高		波 向	
										規定回数	336 回	規定回数	336 回
2021年 2月										測得回数	336 回	測得回数	321 回
										欠測回数	0 回	欠測回数	15 回
										欠 測 率	0.0 %	欠 測 率	4.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m			
										緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向			
										16方位	角度		
25	00	1.16	6.0	1.94	7.8	* 2.70	8.0	* 3.66	7.6	NNW	340		
	02	1.36	6.8	* 2.12	8.5	2.66	8.3	3.25	8.9	N	352		
	04	* 1.36	6.9	2.11	8.1	2.60	8.1	3.24	9.2	NNW	335		
	06	1.08	6.2	1.76	7.7	2.17	7.9	2.97	7.6	NNW	327		
	08	0.91	6.1	1.49	7.6	1.98	7.8	2.58	7.2	NW	311		
	10	1.01	6.3	1.61	7.5	2.02	7.5	2.48	8.3	N	4		
	12	0.88	6.1	1.42	7.7	1.73	7.6	2.13	7.3	NNE	20		
	14	0.80	5.8	1.28	7.5	1.60	7.3	3.04	7.2	NNE	20		
	16	0.74	5.9	1.20	7.7	1.50	7.7	2.07	8.1	NNE	12		
	18	0.67	6.0	1.10	7.6	1.44	7.7	2.21	7.3	NNE	29		
	20	0.59	5.9	0.94	7.3	1.10	7.1	1.46	6.2	NNW	331		
	22	0.53	6.3	0.88	7.6	1.09	7.2	1.34	7.7	NNE	25		
	最大	1.36	6.9	2.12	8.5	2.70	8.0	3.66	7.6				
	平均	0.92	6.2	1.49	7.7	1.88	7.7	2.54	7.7				
26	00	0.47	4.7	0.75	6.7	0.95	7.1	1.25	6.6	NNE	33		
	02	0.48	4.2	0.76	5.3	0.94	5.9	1.25	3.5	N	9		
	04	0.60	4.1	0.89	5.0	1.08	4.8	1.33	3.9	WNW	286		
	06	0.67	4.4	1.01	5.2	1.26	5.3	1.60	3.1	NNW	333		
	08	0.65	4.2	1.00	5.1	1.23	5.0	1.89	4.8	W	270		
	10	0.73	4.9	1.15	5.8	1.46	5.8	1.99	5.3	NNW	348		
	12	* 0.81	5.1	* 1.28	6.1	* 1.62	6.3	* 2.16	6.3	NNW	340		
	14	0.72	5.2	1.10	6.3	1.37	6.2	1.97	6.0	NNW	344		
	16	0.67	5.3	1.04	6.3	1.27	6.3	1.62	6.4	N	352		
	18	0.54	4.7	0.85	5.9	1.09	5.9	1.69	6.0	NNW	340		
	20	0.67	5.0	1.06	6.0	1.32	6.0	1.62	5.6	NNW	340		
	22	0.76	4.3	1.23	5.2	1.52	5.0	1.89	4.4	NNW	327		
	最大	0.81	5.1	1.28	6.1	1.62	6.3	2.16	6.3				
	平均	0.65	4.7	1.01	5.7	1.26	5.8	1.69	5.2				
27	00	0.86	4.5	1.33	5.0	1.62	5.0	2.26	4.7	W	274		
	02	0.86	4.7	1.34	5.4	1.66	5.3	2.42	5.5	NNW	345		
	04	1.04	4.9	1.63	5.9	1.99	6.0	2.88	5.9	NNW	327		
	06	1.11	5.3	1.71	6.4	2.07	6.2	2.71	6.2	NNW	331		
	08	* 1.22	5.8	* 1.88	7.1	2.32	7.3	2.98	7.3	NNW	344		
	10	1.18	5.7	1.86	7.0	* 2.35	7.0	2.95	7.2	NNW	335		
	12	0.96	5.3	1.58	6.8	1.96	6.9	2.66	6.2	N	8		
	14	0.94	5.6	1.46	7.0	1.79	7.3	2.12	7.3	NNW	331		
	16	0.96	5.5	1.54	7.0	2.05	7.1	* 3.01	7.2	NNE	25		
	18	0.95	5.5	1.48	6.9	1.86	6.9	2.37	6.1	NNE	20		
	20	0.90	5.5	1.42	7.2	1.78	7.4	2.24	7.2	NNE	20		
	22	0.92	6.1	1.41	7.2	1.77	6.9	2.24	7.3	N	352		
	最大	1.22	5.8	1.88	7.1	2.35	7.0	3.01	7.2				
	平均	0.99	5.4	1.55	6.6	1.93	6.6	2.57	6.5				
28	00	* 0.82	5.8	* 1.32	7.3	* 1.64	7.2	1.94	7.0	NNW	344		
	02	0.80	6.3	1.27	7.2	1.60	7.2	* 2.20	7.7	NNW	344		
	04	0.61	5.5	1.00	6.9	1.29	6.8	1.80	6.6	NNE	29		
	06	0.55	5.5	0.88	7.0	1.12	7.3	1.42	8.3	NNE	29		
	08	0.50	5.4	0.81	7.1	1.02	7.2	1.27	8.3	N	352		
	10	0.54	6.1	0.84	7.5	1.04	7.3	1.23	8.2	NNE	20		
	12	0.49	5.7	0.84	7.3	1.09	7.3	1.22	7.7	NNE	33		
	14	0.44	5.2	0.73	7.2	0.93	7.8	1.29	8.3	NNE	25		
	16	0.41	4.7	0.67	6.8	0.84	7.7	1.01	7.5	N	8		
	18	0.35	4.9	0.58	7.0	0.70	7.6	0.89	7.6	N	8		
	20	0.35	5.4	0.54	7.2	0.69	7.2	0.91	7.4	NNE	20		
	22	0.61	5.2	0.93	6.0	1.15	5.8	1.60	5.8	WSW	250		
	最大	0.82	5.8	1.32	7.3	1.64	7.2	2.20	7.7				
	平均	0.54	5.5	0.87	7.0	1.09	7.2	1.40	7.5				
月最大		3.42	8.2	5.46	10.1	6.94	10.3	9.03	10.0				
起時		1620		1620		1620		1702					
平均		1.27	5.8	2.03	7.3	2.55	7.4	3.36	7.3				

波浪整理表（1）

2021年 3月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	339 回
											欠測回数	0 回	欠測回数	33 回
											欠 測 率	0.0 %	欠 測 率	8.9 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区											機種：波高 海象計 - 52.0 m			
											緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
										16方位	角度			
01	00	* 0.41	4.4	* 0.67	5.9	* 0.83	5.8	1.12	5.6	W	270			
	02	0.40	4.5	0.63	5.9	0.80	5.9	* 1.18	5.7	W	270			
	04	0.37	3.9	0.59	4.8	0.75	4.9	0.94	4.2	WNW	292			
	06	0.39	4.5	0.58	5.5	0.72	5.3	0.93	4.7	NW	305			
	08	0.33	4.0	0.52	5.2	0.67	5.0	1.00	5.0	NNW	333			
	10	0.32	4.0	0.52	4.9	0.65	4.9	0.76	4.1	NNE	14			
	12	0.30	3.6	0.48	4.5	0.62	4.8	0.98	4.5	N	353			
	14	0.36	3.8	0.56	4.5	0.71	4.6	0.88	4.8	WNW	283			
	16	0.32	3.9	0.48	4.4	0.59	4.4	0.96	3.5	NE	53			
	18	0.32	3.8	0.51	4.8	0.63	5.1	0.87	4.5	W	274			
	20	0.37	4.3	0.58	4.9	0.74	4.9	0.90	4.9	NE	49			
	22	0.31	3.9	0.49	4.9	0.62	4.8	0.89	4.7	NNE	12			
	最大	0.41	4.4	0.67	5.9	0.83	5.8	1.18	5.7					
	平均	0.35	4.0	0.55	5.0	0.69	5.0	0.95	4.7					
02	00	0.29	3.7	0.47	5.1	0.60	5.6	0.79	5.3	欠測	欠測			
	02	0.25	3.9	0.40	5.1	0.50	5.1	0.67	5.2	NE	48			
	04	0.35	4.5	0.57	5.7	0.72	5.9	1.03	5.6	WSW	258			
	06	0.53	5.6	0.83	7.5	1.00	7.9	1.28	9.0	NNW	331			
	08	0.94	5.1	1.54	6.9	1.97	7.9	2.60	7.1	NNW	340			
	10	1.40	5.8	2.22	7.4	2.68	7.7	3.44	7.1	N	8			
	12	2.22	7.1	3.65	9.1	4.51	9.2	6.41	9.1	NNW	340			
	14	* 2.60	8.0	* 4.06	9.7	* 5.25	9.3	6.08	7.7	NNW	331			
	16	2.39	7.9	3.80	10.1	4.64	10.1	6.00	10.6	NNW	344			
	18	2.42	7.4	3.78	9.5	4.73	9.9	5.97	11.4	NNW	348			
	20	2.34	7.0	3.73	9.1	4.70	8.8	* 6.99	7.5	NNE	16			
	22	2.17	7.2	3.39	9.5	4.22	9.6	5.72	9.9	NNE	20			
	最大	2.60	8.0	4.06	9.7	5.25	9.3	6.99	7.5					
	平均	1.49	6.1	2.37	7.9	2.96	8.1	3.91	8.0					
03	00	2.00	7.1	3.16	9.2	3.73	9.3	4.29	10.4	NNE	29			
	02	* 2.09	7.5	* 3.25	8.9	* 3.87	9.0	* 4.81	8.3	NNE	33			
	04	1.95	7.3	3.05	9.2	3.64	9.6	4.31	9.5	NE	41			
	06	1.69	7.0	2.74	9.0	3.48	9.5	4.34	8.3	NNE	33			
	08	1.75	7.3	2.77	9.0	3.42	9.1	4.00	9.4	NNE	25			
	10	1.61	7.3	2.54	9.1	3.13	8.9	3.69	9.9	NE	41			
	12	1.58	7.3	2.60	9.1	3.49	9.5	4.12	9.9	NNE	25			
	14	1.27	6.9	2.04	8.8	2.51	9.2	3.03	10.4	NNE	25			
	16	1.22	7.1	1.92	8.8	2.35	8.7	3.30	8.1	NNE	33			
	18	1.26	7.4	1.89	8.9	2.31	9.0	3.29	9.7	NNE	29			
	20	1.03	7.1	1.65	8.9	2.10	8.7	3.24	8.3	NNE	33			
	22	1.05	7.3	1.66	8.3	2.05	8.1	2.31	8.3	N	8			
	最大	2.09	7.5	3.25	8.9	3.87	9.0	4.81	8.3					
	平均	1.54	7.2	2.44	8.9	3.01	9.1	3.73	9.2					
04	00	0.90	6.4	* 1.48	8.2	* 1.84	8.4	* 2.33	8.4	NE	37			
	02	* 0.95	6.8	1.48	8.2	1.76	7.9	2.10	7.6	NNE	29			
	04	0.82	6.6	1.28	7.9	1.64	7.5	2.21	7.1	NNE	16			
	06	0.65	6.2	1.06	7.8	1.35	7.7	1.68	6.3	NNE	25			
	08	0.54	5.9	0.89	7.6	1.12	7.6	1.57	7.4	NNE	33			
	10	0.56	5.4	0.96	7.3	1.24	7.7	1.68	7.7	NNE	20			
	12	0.42	5.5	0.67	7.1	0.83	6.9	0.99	7.0	NNE	33			
	14	0.39	4.7	0.64	6.6	0.83	7.0	1.03	7.6	NNE	20			
	16	0.37	4.8	0.58	6.4	0.71	7.1	0.94	6.5	NNE	29			
	18	0.41	5.0	0.66	6.5	0.83	6.7	1.23	6.9	NNE	25			
	20	0.36	4.6	0.57	5.9	0.73	6.0	0.93	6.2	N	8			
	22	0.33	4.6	0.51	6.1	0.64	6.3	0.88	6.1	NE	41			
	最大	0.95	6.8	1.48	8.2	1.84	8.4	2.33	8.4					
	平均	0.56	5.5	0.90	7.1	1.13	7.2	1.46	7.1					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 3月										波 高		波 向					
										規定回数	372 回	規定回数	372 回				
機種：波向 海象計 - 52.0 m										測得回数	372 回	測得回数	339 回				
										欠測回数	0 回	欠測回数	33 回				
										欠 測 率	0.0 %	欠 測 率	8.9 %				
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向							
										16方位	角度						
05	00	0.28	4.5	0.43	6.0	0.53	6.3	0.72	7.9	NNW	335						
	02	0.26	4.8	0.41	6.3	0.51	6.7	0.67	6.2	N	352						
	04	0.24	4.4	0.38	6.0	0.47	6.0	0.58	7.9	欠測	欠測						
	06	0.22	4.2	0.36	5.7	0.45	5.9	0.69	5.1	欠測	欠測						
	08	0.25	4.2	0.39	5.3	0.50	5.5	0.64	5.1	欠測	欠測						
	10	0.27	3.9	0.43	5.0	0.53	5.4	0.67	6.2	NNE	31						
	12	* 0.29	4.1	* 0.47	5.1	* 0.57	5.2	* 0.80	5.0	W	279						
	14	0.26	4.2	0.41	5.3	0.51	5.2	0.65	4.5	NNE	19						
	16	0.25	4.1	0.40	5.4	0.52	5.7	0.72	5.9	NNE	28						
	18	0.27	4.1	0.42	5.2	0.53	5.3	0.77	5.0	W	279						
	20	0.23	3.9	0.38	5.2	0.49	5.4	0.71	5.6	欠測	欠測						
	22	0.25	4.7	0.39	5.8	0.52	5.7	0.73	5.2	W	270						
	最大 平均	0.29 0.26	4.1 4.3	0.47 0.41	5.1 5.5	0.57 0.51	5.2 5.7	0.80 0.70	5.0 5.8								
	06	00	0.22	4.4	0.36	5.6	0.45	5.4	0.64	6.3	WNW	299					
02		0.21	4.2	0.36	5.6	0.46	5.5	0.68	5.2	欠測	欠測						
04		0.20	4.1	0.32	5.6	0.39	5.9	0.53	6.4	NNE	26						
06		0.21	4.3	0.34	5.7	0.42	5.9	0.53	6.0	WNW	290						
08		0.56	3.6	0.88	3.9	1.10	3.7	1.74	3.8	NNE	24						
10		0.97	4.7	1.48	5.2	1.82	5.1	2.37	4.9	NW	320						
12		1.21	5.0	1.95	6.0	2.45	6.0	3.10	5.5	NNW	331						
14		1.36	5.6	2.18	6.9	2.73	7.0	3.50	7.0	NW	319						
16		1.62	6.2	2.51	7.4	3.06	7.4	3.90	7.3	NNE	16						
18		* 1.93	7.3	2.99	8.9	3.65	9.2	* 4.77	8.5	N	4						
20		1.91	7.4	* 3.09	9.4	* 3.77	9.3	4.62	9.1	NNW	331						
22		1.74	6.9	2.81	8.8	3.55	8.4	4.03	8.2	NNW	331						
最大 平均		1.93 1.01	7.3 5.3	3.09 1.61	9.4 6.6	3.77 1.99	9.3 6.6	4.77 2.53	8.5 6.5								
07		00	* 1.56	6.8	* 2.60	8.8	* 3.28	8.6	* 4.41	9.3	NNW	331					
	02	1.44	6.6	2.25	8.6	2.80	8.4	3.52	8.2	NW	323						
	04	1.27	6.2	2.10	8.2	2.78	8.5	4.03	8.8	NNW	344						
	06	1.26	6.1	2.11	8.1	2.64	8.0	2.91	6.9	NNW	344						
	08	1.21	6.6	1.88	8.2	2.30	8.4	2.71	7.8	NNW	340						
	10	1.09	6.6	1.67	8.0	1.97	8.1	2.84	6.9	NNW	344						
	12	0.93	5.9	1.53	8.0	1.95	7.9	2.73	7.5	N	352						
	14	0.86	6.0	1.36	7.8	1.68	8.0	2.08	8.1	NNE	12						
	16	0.81	5.5	1.32	7.6	1.60	8.1	2.00	6.3	NNE	16						
	18	0.89	6.1	1.44	7.7	1.88	7.7	2.20	8.5	NNE	33						
	20	0.75	5.8	1.29	7.5	1.62	7.5	1.91	7.6	NNE	20						
	22	0.69	6.1	1.09	7.5	1.37	7.8	1.85	8.2	N	0						
	最大 平均	1.56 1.06	6.8 6.2	2.60 1.72	8.8 8.0	3.28 2.16	8.6 8.1	4.41 2.77	9.3 7.8								
	08	00	* 0.69	5.8	* 1.10	7.2	* 1.38	7.1	1.91	6.9	N	356					
02		0.64	5.7	1.05	7.0	1.32	7.3	* 1.98	6.3	N	0						
04		0.66	5.7	1.08	7.1	1.29	7.2	1.49	7.3	NNE	20						
06		0.58	5.1	0.94	6.9	1.15	6.9	1.29	7.3	N	356						
08		0.47	4.6	0.76	6.3	0.97	6.4	1.24	6.3	NNW	335						
10		0.48	4.8	0.76	6.3	1.00	6.5	1.46	5.8	NNE	16						
12		0.39	4.5	0.62	6.0	0.77	6.2	0.95	7.6	NNE	16						
14		0.33	4.5	0.51	6.1	0.60	6.5	0.71	6.4	NE	49						
16		0.33	4.2	0.53	5.8	0.67	5.9	0.82	7.0	N	352						
18		0.34	4.1	0.55	5.7	0.68	6.2	0.82	6.5	NE	45						
20		0.34	4.1	0.54	5.3	0.69	5.4	0.99	5.3	NE	52						
22		0.38	4.3	0.60	5.3	0.77	5.1	1.08	4.7	NNE	29						
最大 平均		0.69 0.47	5.8 4.8	1.10 0.75	7.2 6.2	1.38 0.94	7.1 6.4	1.98 1.23	6.3 6.5								

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 3月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.36	4.0	* 0.59	5.2	* 0.74	5.2	0.93	4.8	NW	318
	02	* 0.37	4.4	0.57	5.5	0.69	5.4	0.80	5.9	NW	318
	04	0.36	4.5	0.57	5.7	0.73	5.7	0.91	7.5	NNE	12
	06	0.33	4.5	0.53	5.6	0.64	5.8	0.77	5.7	NE	35
	08	0.32	4.6	0.52	5.8	0.68	6.0	* 1.01	6.0	N	356
	10	0.28	4.2	0.45	5.5	0.56	5.7	0.75	6.3	WNW	296
	12	0.30	4.5	0.49	5.7	0.59	5.7	0.80	5.6	N	356
	14	0.30	3.7	0.47	4.7	0.59	4.8	0.76	3.8	WNW	291
	16	0.27	4.0	0.42	5.1	0.53	5.3	0.70	5.4	W	276
	18	0.25	3.9	0.39	4.7	0.50	4.6	0.65	3.9	WNW	284
	20	0.21	3.9	0.34	5.2	0.43	5.3	0.66	5.0	NW	310
	22	0.22	3.9	0.34	5.0	0.43	5.0	0.64	5.0	欠測	欠測
	最大	0.37	4.4	0.59	5.2	0.74	5.2	1.01	6.0		
	平均	0.30	4.2	0.47	5.3	0.59	5.4	0.78	5.4		
10	00	0.34	3.3	0.53	3.9	0.68	3.8	1.10	3.6	WNW	285
	02	0.42	3.4	0.68	3.8	0.87	3.8	1.22	3.0	N	11
	04	0.53	3.8	0.85	4.2	1.09	4.2	1.50	4.4	欠測	欠測
	06	0.68	4.1	1.04	4.5	1.27	4.3	1.64	4.6	NE	55
	08	0.75	4.2	1.21	4.8	1.54	4.8	1.85	5.1	NNE	31
	10	1.04	5.1	1.62	5.9	2.02	5.7	2.95	4.7	NW	319
	12	1.23	5.6	1.94	6.6	2.33	6.7	2.81	7.3	NW	311
	14	1.16	5.7	1.81	6.8	2.37	6.8	2.75	5.9	NW	323
	16	1.10	5.8	1.79	7.2	2.22	7.2	2.60	6.5	NNW	327
	18	1.20	6.2	1.98	8.1	* 2.59	8.5	* 4.02	8.1	NNW	327
	20	1.12	6.6	1.77	7.9	2.23	7.6	2.85	7.2	NNW	340
	22	* 1.33	7.2	* 2.02	8.3	2.50	8.5	2.98	9.2	NNW	340
	最大	1.33	7.2	2.02	8.3	2.59	8.5	4.02	8.1		
	平均	0.91	5.1	1.44	6.0	1.81	6.0	2.36	5.8		
11	00	1.08	6.5	1.72	7.9	2.13	7.5	2.84	7.3	NNW	331
	02	* 1.13	6.5	* 1.81	7.8	* 2.32	8.1	2.99	8.4	NNW	327
	04	1.06	6.4	1.61	7.5	1.98	7.7	2.89	8.1	NNW	327
	06	1.03	6.6	1.67	8.0	2.20	8.4	* 3.01	8.7	NNE	12
	08	1.03	6.7	1.62	7.8	1.97	8.0	2.40	7.8	NNW	344
	10	0.79	5.9	1.27	7.2	1.64	7.4	2.08	7.8	NNW	340
	12	0.65	5.9	1.03	7.2	1.28	7.2	1.63	6.0	NNW	335
	14	0.70	6.0	1.09	7.2	1.30	7.1	1.66	7.2	NNW	331
	16	0.63	5.8	0.99	6.9	1.25	7.1	1.51	6.9	NW	315
	18	0.50	5.4	0.79	6.7	0.99	6.6	1.26	6.2	NNE	12
	20	0.52	6.1	0.80	6.9	1.01	6.9	1.23	6.7	NNE	20
	22	0.40	5.3	0.65	6.6	0.83	6.7	1.04	6.4	NNW	344
	最大	1.13	6.5	1.81	7.8	2.32	8.1	3.01	8.7		
	平均	0.79	6.1	1.25	7.3	1.58	7.4	2.05	7.3		
12	00	0.36	5.3	0.60	6.8	0.73	6.7	1.10	6.8	欠測	欠測
	02	0.36	5.6	0.59	7.6	0.73	7.5	0.97	6.8	NNE	16
	04	0.30	5.2	0.50	7.1	0.64	7.6	0.74	7.5	NNE	29
	06	0.32	5.5	0.51	7.0	0.62	7.1	0.78	6.7	NNE	16
	08	0.28	5.0	0.46	6.7	0.58	7.2	0.80	5.9	NE	37
	10	0.29	5.1	0.45	6.5	0.56	6.7	0.82	4.6	NNW	344
	12	0.26	4.7	0.43	6.8	0.53	7.0	0.65	7.9	NNE	33
	14	0.25	3.8	0.40	5.4	0.50	5.8	0.68	6.7	NNE	16
	16	0.38	3.5	0.59	4.4	0.76	4.0	1.14	3.3	欠測	欠測
	18	* 0.39	3.4	* 0.64	3.9	* 0.83	3.7	* 1.28	4.1	N	0
	20	0.35	3.5	0.58	4.3	0.74	4.4	1.15	3.6	NW	314
	22	0.38	3.9	0.58	4.4	0.71	4.5	0.91	4.1	欠測	欠測
	最大	0.39	3.4	0.64	3.9	0.83	3.7	1.28	4.1		
	平均	0.33	4.5	0.53	5.9	0.66	6.0	0.92	5.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 3月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	339 回
欠測回数	0 回	欠測回数	33 回
欠 測 率	0.0 %	欠 測 率	8.9 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
									16方位	角度
13 00	0.55	4.1	0.84	4.4	1.06	4.3	1.36	4.0	NE	53
	0.56	4.0	0.89	4.6	1.20	4.8	2.42	4.2	NNW	346
	0.72	4.7	1.08	5.0	1.34	5.0	1.75	4.8	WNW	294
	0.84	4.4	1.36	5.1	1.70	5.0	2.48	4.6	NNE	15
	0.96	4.6	1.50	5.2	1.85	5.3	2.63	6.1	NE	42
	0.94	4.8	1.55	5.6	1.99	5.6	2.64	5.9	NE	55
	0.95	5.3	1.46	6.0	1.81	5.9	2.67	5.7	欠測	欠測
	0.85	5.1	1.35	6.0	1.68	6.1	2.22	5.7	NE	49
	0.83	5.0	1.31	6.0	1.63	6.2	2.22	5.8	NE	49
	1.25	5.0	1.99	5.9	2.40	5.6	3.17	5.9	NE	49
	* 1.49	5.5	2.30	6.3	2.90	6.2	4.29	5.2	NNW	340
	1.49	5.3	* 2.42	6.3	* 3.14	6.3	* 5.44	6.0	NNE	20
最大 平均	1.49	5.5	2.42	6.3	3.14	6.3	5.44	6.0		
	0.95	4.8	1.50	5.5	1.89	5.5	2.77	5.3		
14 00	* 1.51	5.4	* 2.42	6.6	* 3.05	6.7	3.74	6.4	NNW	340
	1.43	5.2	2.23	6.2	2.83	6.4	3.54	5.7	N	352
	1.46	5.3	2.36	6.5	2.95	6.3	4.14	6.1	NNE	20
	1.37	5.4	2.20	6.6	2.85	6.9	3.85	6.9	NNE	20
	1.34	5.5	2.11	6.3	2.67	6.3	3.73	5.9	NNE	16
	1.42	5.8	2.21	6.9	2.74	6.9	* 4.30	7.6	NNE	25
	1.31	5.8	1.99	7.0	2.48	7.0	3.57	7.5	NNE	16
	1.17	5.3	1.85	6.6	2.36	7.0	2.80	7.6	NNE	25
	1.07	5.3	1.67	6.3	2.11	6.9	2.98	6.1	NNE	16
	0.96	5.1	1.54	6.2	2.00	6.2	2.48	6.0	NNE	12
	0.96	5.2	1.46	6.1	1.79	6.3	2.17	6.3	NNE	29
	0.90	5.2	1.39	6.1	1.75	6.2	2.21	5.0	N	8
最大 平均	1.51	5.4	2.42	6.6	3.05	6.7	4.30	7.6		
	1.24	5.4	1.95	6.4	2.46	6.6	3.29	6.4		
15 00	* 0.82	4.9	* 1.37	6.1	* 1.78	6.3	* 2.29	5.8	NNE	20
	0.80	4.8	1.26	5.9	1.57	5.8	2.05	5.9	NNE	25
	0.70	4.9	1.09	5.9	1.36	5.9	2.06	5.8	NNE	25
	0.66	5.0	1.08	6.1	1.38	6.1	1.86	5.7	NNE	33
	0.62	5.1	0.97	6.3	1.18	6.5	1.58	5.8	NNE	20
	0.53	4.9	0.87	6.1	1.08	6.2	1.35	6.7	NNE	16
	0.46	4.4	0.75	5.8	0.95	5.7	1.28	4.8	NE	41
	0.46	4.2	0.74	5.6	0.93	5.6	1.54	5.3	欠測	欠測
	0.53	4.7	0.83	5.7	1.02	5.9	1.30	5.7	NNE	16
	0.50	4.8	0.78	5.8	0.97	5.9	1.44	6.0	NNE	12
	0.44	4.6	0.72	5.9	0.92	5.9	1.26	5.6	NNE	29
	0.41	4.8	0.67	5.6	0.84	5.8	1.15	5.9	NNW	336
最大 平均	0.82	4.9	1.37	6.1	1.78	6.3	2.29	5.8		
	0.58	4.8	0.93	5.9	1.16	6.0	1.60	5.8		
16 00	0.34	4.6	0.54	5.6	0.67	5.9	0.83	6.1	WNW	298
	0.34	4.9	0.57	6.1	0.72	5.8	0.98	6.2	NNE	25
	0.29	4.7	0.48	6.1	0.60	6.1	0.74	6.0	NNE	33
	0.31	3.8	0.48	4.7	0.58	5.1	0.79	5.8	NNE	23
	0.37	3.8	0.58	4.7	0.71	4.9	1.02	5.8	欠測	欠測
	0.44	3.9	0.68	4.6	0.87	4.6	1.20	4.5	欠測	欠測
	0.63	4.4	0.96	5.1	1.18	5.2	1.84	5.3	NW	310
	0.66	4.5	1.02	5.6	1.23	5.7	1.62	5.8	N	5
	0.59	4.6	0.93	5.4	1.13	5.4	1.48	5.2	欠測	欠測
	0.47	3.8	0.74	4.7	0.92	4.2	1.17	4.1	N	4
	0.65	4.1	1.01	4.7	1.22	4.6	1.59	4.6	欠測	欠測
	* 0.69	4.6	* 1.13	5.8	* 1.45	6.1	* 2.15	5.2	W	262
最大 平均	0.69	4.6	1.13	5.8	1.45	6.1	2.15	5.2		
	0.48	4.3	0.76	5.3	0.94	5.3	1.28	5.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 3月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	339 回
										欠測回数	0 回	欠測回数	33 回
										欠 測 率	0.0 %	欠 測 率	8.9 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
17	00	0.84	5.4	1.27	6.5	1.56	6.4	2.03	6.3	W	278		
	02	0.92	5.4	1.55	6.8	2.03	6.9	2.54	5.7	NNW	327		
	04	1.04	5.8	1.64	7.1	2.05	7.3	2.63	7.4	NW	319		
	06	1.09	6.3	1.70	7.4	2.21	7.1	3.63	7.3	W	278		
	08	1.32	6.9	2.14	8.7	2.65	8.5	3.44	9.0	NNW	331		
	10	1.20	6.1	1.95	7.8	2.45	7.9	3.00	8.1	NNW	348		
	12	1.30	6.2	2.04	7.6	2.57	7.7	3.11	8.2	NNW	331		
	14	* 1.37	6.3	* 2.17	7.8	* 2.78	7.8	3.91	6.4	NNW	335		
	16	1.28	6.3	2.08	7.8	2.73	8.0	3.53	7.5	NNW	340		
	18	1.28	6.4	1.96	7.9	2.46	8.3	3.63	7.9	NNW	331		
	20	1.22	6.5	1.98	8.1	2.56	8.0	* 3.96	8.3	NNW	327		
	22	1.22	6.5	1.98	7.9	2.54	8.1	3.88	8.6	N	352		
	最大 平均	1.37 1.17	6.3 6.2	2.17 1.87	7.8 7.6	2.78 2.38	7.8 7.7	3.96 3.27	8.3 7.6				
	18	00	1.13	6.4	1.80	7.8	2.22	8.2	3.00	8.5	NNW	335	
02		* 1.19	6.6	1.82	7.6	2.15	7.5	2.64	8.4	NNW	348		
04		1.15	6.2	* 1.89	7.5	* 2.44	7.4	* 3.26	7.5	NNW	335		
06		1.11	6.0	1.77	7.3	2.27	7.0	3.07	6.7	NW	315		
08		1.02	5.9	1.63	7.2	2.05	7.5	2.58	7.0	NNW	327		
10		0.98	6.1	1.55	7.4	1.89	7.7	2.31	6.8	NNW	327		
12		0.93	6.0	1.42	7.0	1.77	6.6	2.58	7.2	NNW	340		
14		0.93	6.1	1.52	7.4	1.91	7.4	2.55	7.0	NW	307		
16		0.91	6.4	1.49	7.9	1.89	7.9	2.29	8.0	NNW	340		
18		0.96	6.5	1.57	8.5	1.93	8.8	2.56	10.8	NNE	16		
20		0.96	6.4	1.48	8.0	1.76	8.3	2.16	7.3	NNW	331		
22		1.06	7.2	1.67	9.1	2.09	9.7	2.60	8.2	NNE	16		
最大 平均		1.19 1.03	6.6 6.3	1.89 1.63	7.5 7.7	2.44 2.03	7.4 7.8	3.26 2.63	7.5 7.8				
19		00	* 0.98	7.5	* 1.51	9.7	* 1.86	10.5	2.13	10.7	NNE	16	
	02	0.97	7.4	1.50	9.7	1.84	9.7	* 2.65	10.1	NNE	20		
	04	0.85	6.7	1.33	8.7	1.62	8.8	2.00	9.6	NNE	16		
	06	0.83	6.6	1.34	9.1	1.70	9.6	2.37	10.6	NNE	16		
	08	0.81	7.0	1.30	9.4	1.71	9.7	2.28	10.2	NNE	16		
	10	0.74	6.3	1.18	8.8	1.51	9.9	1.82	9.1	NNE	20		
	12	0.69	5.8	1.09	7.8	1.35	8.4	1.81	8.3	NNE	20		
	14	0.66	5.7	1.07	7.8	1.36	8.2	1.76	7.7	NNE	25		
	16	0.61	4.9	0.99	7.0	1.26	7.1	1.69	7.4	NNE	16		
	18	0.62	4.8	1.04	6.9	1.32	8.3	2.20	8.7	N	8		
	20	0.65	5.5	1.05	7.5	1.31	7.8	1.95	7.2	NE	37		
	22	0.57	5.1	0.88	7.0	1.08	7.0	1.29	6.6	NNE	16		
	最大 平均	0.98 0.75	7.5 6.1	1.51 1.19	9.7 8.3	1.86 1.49	10.5 8.7	2.65 2.00	10.1 8.9				
	20	00	* 0.65	5.2	* 0.99	6.7	* 1.23	7.1	1.71	4.3	NNE	12	
02		0.61	4.6	0.98	6.0	1.23	5.8	1.77	7.9	NNE	16		
04		0.58	4.6	0.92	5.4	1.17	5.4	1.58	5.2	W	276		
06		0.57	4.8	0.88	5.6	1.07	5.8	1.32	4.5	欠測	欠測		
08		0.49	4.4	0.77	5.3	0.97	5.4	1.28	4.9	NNE	14		
10		0.50	4.1	0.79	4.8	1.00	4.8	1.55	4.3	N	359		
12		0.54	4.1	0.84	4.7	1.06	4.6	* 1.86	3.5	NNW	348		
14		0.48	4.2	0.76	5.1	0.97	5.0	1.41	4.6	欠測	欠測		
16		0.48	4.7	0.77	5.9	1.05	5.9	1.35	5.9	NE	41		
18		0.50	4.9	0.76	5.5	0.96	5.5	1.22	5.8	欠測	欠測		
20		0.46	4.8	0.72	5.5	0.90	5.6	1.17	6.1	NW	311		
22		0.43	5.0	0.68	5.7	0.87	5.6	1.22	5.2	NE	45		
最大 平均		0.65 0.52	5.2 4.6	0.99 0.82	6.7 5.5	1.23 1.04	7.1 5.5	1.86 1.45	3.5 5.2				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 3月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	0.37	4.8	0.60	5.8	0.78	5.7	1.07	5.4	NNE	25
	02	0.33	4.8	0.53	5.7	0.66	5.7	0.88	6.2	NE	49
	04	0.38	4.7	0.60	5.4	0.76	5.2	1.12	5.1	欠測	欠測
	06	0.34	4.7	0.51	5.5	0.60	5.4	0.75	6.1	NNE	22
	08	0.32	4.3	0.49	5.3	0.61	5.4	0.81	5.3	WNW	303
	10	0.32	4.5	0.50	5.4	0.61	5.3	0.81	5.8	WNW	293
	12	0.33	4.6	0.53	6.0	0.67	5.8	1.02	5.8	NNE	16
	14	0.36	4.1	0.57	5.6	0.69	5.7	0.93	6.4	WNW	284
	16	0.54	3.7	0.86	4.4	1.07	4.2	1.35	4.0	NNE	29
	18	0.60	4.0	0.95	4.6	1.19	4.6	1.89	4.7	N	351
	20	0.62	4.2	0.99	4.9	1.26	4.7	1.51	4.5	N	1
	22	* 0.80	4.4	* 1.24	4.9	* 1.49	4.8	* 2.25	4.4	WNW	294
	最大	0.80	4.4	1.24	4.9	1.49	4.8	2.25	4.4		
	平均	0.44	4.4	0.70	5.3	0.87	5.2	1.20	5.3		
22	00	0.98	4.5	1.58	5.3	1.97	5.3	2.72	5.3	WNW	297
	02	1.43	5.6	2.25	6.6	2.82	6.6	3.38	6.4	NW	315
	04	* 1.56	6.2	* 2.40	7.2	* 3.06	7.5	4.11	8.0	WNW	295
	06	1.50	6.5	2.26	7.5	2.77	7.6	3.36	8.2	NW	311
	08	1.37	6.4	2.12	7.8	2.64	7.7	3.45	7.8	WNW	290
	10	1.42	6.1	2.14	7.1	2.56	7.2	3.15	7.7	WNW	295
	12	1.45	5.9	2.28	7.3	2.83	7.4	3.94	7.0	NW	307
	14	1.42	5.8	2.37	7.4	2.83	7.4	3.43	6.4	WNW	295
	16	1.41	6.1	2.20	7.4	2.66	7.2	3.09	6.9	W	278
	18	1.53	6.7	2.37	7.6	3.02	7.8	* 4.36	7.2	WNW	299
	20	1.31	6.0	2.19	7.7	2.72	7.5	3.66	8.0	NW	315
	22	1.28	6.3	2.10	7.7	2.67	7.9	3.53	7.7	WNW	303
	最大	1.56	6.2	2.40	7.2	3.06	7.5	4.36	7.2		
	平均	1.39	6.0	2.19	7.2	2.71	7.3	3.52	7.2		
23	00	* 1.30	6.3	* 2.13	8.1	* 2.61	7.9	3.03	7.5	NNW	344
	02	1.20	6.4	1.92	7.8	2.41	7.3	* 3.32	7.3	NNW	327
	04	1.18	6.3	1.92	8.1	2.47	8.2	3.19	8.1	NW	323
	06	1.18	6.2	1.84	7.8	2.22	7.6	2.86	6.9	NW	319
	08	1.08	5.7	1.73	7.3	2.17	7.6	2.95	7.3	NW	323
	10	1.02	6.0	1.53	7.2	1.93	6.9	2.45	7.5	NW	323
	12	0.87	5.1	1.40	6.6	1.75	7.0	2.22	7.3	NNW	335
	14	0.75	5.2	1.16	6.4	1.43	6.6	1.99	5.7	NNW	340
	16	0.68	5.2	1.09	6.5	1.34	6.6	1.77	6.3	NW	315
	18	0.64	5.1	0.99	6.2	1.22	6.2	1.47	6.1	WNW	295
	20	0.59	4.9	0.93	5.8	1.17	5.8	1.47	6.0	NW	319
	22	0.63	4.9	1.00	5.7	1.25	5.7	1.53	5.5	WSW	254
	最大	1.30	6.3	2.13	8.1	2.61	7.9	3.32	7.3		
	平均	0.93	5.6	1.47	7.0	1.83	7.0	2.35	6.8		
24	00	0.70	4.9	1.13	5.5	1.41	5.5	1.87	5.4	NW	313
	02	0.61	4.8	0.94	5.5	1.17	5.4	1.40	5.3	N	1
	04	0.62	4.7	0.98	5.6	1.23	5.5	1.74	5.9	欠測	欠測
	06	0.67	5.0	1.10	6.0	1.34	6.0	1.81	5.6	WNW	286
	08	0.70	5.0	1.12	6.1	1.42	5.7	1.69	6.0	WNW	286
	10	0.73	5.2	1.14	6.1	* 1.46	6.2	* 1.93	6.6	W	278
	12	* 0.73	5.3	* 1.15	6.2	1.39	6.4	1.68	6.6	W	274
	14	0.69	5.3	1.10	6.5	1.36	6.8	1.84	6.6	WNW	290
	16	0.67	5.1	1.06	6.4	1.35	6.6	1.75	6.5	W	270
	18	0.64	5.8	1.01	6.8	1.30	6.8	1.91	7.2	W	278
	20	0.61	5.7	1.00	7.2	1.29	7.2	1.63	7.8	W	274
	22	0.57	6.1	0.87	7.1	1.07	7.2	1.42	7.8	WNW	290
	最大	0.73	5.3	1.15	6.2	1.46	6.2	1.93	6.6		
	平均	0.66	5.2	1.05	6.3	1.32	6.3	1.72	6.4		

*は日最大波高、波向欄の空白は欠測を示す

機種：波向 海象計 - 52.0 m

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	339 回
欠測回数	0 回	欠測回数	33 回
欠 測 率	0.0 %	欠 測 率	8.9 %

日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
29	00	0.48	3.9	0.74	4.8	0.93	4.7	1.37	6.2	欠測	欠測
	02	0.38	4.3	0.60	5.5	0.74	5.9	0.96	8.1	WNW	303
	04	0.46	5.3	0.72	7.3	0.88	8.4	1.35	8.3	WNW	290
	06	0.49	5.8	0.78	8.2	0.97	8.8	1.32	9.3	WNW	286
	08	0.51	5.6	0.82	7.4	1.04	7.6	1.29	7.3	WNW	282
	10	0.52	4.5	0.82	5.9	1.05	6.1	1.39	6.5	W	278
	12	0.57	4.4	0.91	5.6	1.18	5.4	1.70	5.2	欠測	欠測
	14	* 0.82	4.4	* 1.25	5.1	* 1.52	4.9	* 2.01	4.5	欠測	欠測
	16	0.57	4.6	0.91	5.7	1.13	5.6	1.38	6.5	W	274
	18	0.62	5.3	0.99	6.2	1.29	6.4	1.68	5.7	W	266
	20	0.62	5.2	1.00	6.5	1.27	6.4	1.55	6.8	W	278
	22	0.57	5.3	0.92	6.5	1.16	6.1	1.50	5.9	W	262
	最大	0.82	4.4	1.25	5.1	1.52	4.9	2.01	4.5		
	平均	0.55	4.9	0.87	6.2	1.10	6.4	1.46	6.7		
	30	00	0.56	5.3	0.86	6.5	1.08	6.5	1.50	6.4	W
02		0.53	5.4	0.83	6.7	1.03	6.6	1.51	6.5	W	270
04		0.58	6.0	0.90	6.7	1.10	7.0	1.32	7.7	WNW	286
06		0.58	6.1	0.90	6.8	1.10	7.0	1.32	6.8	W	278
08		* 0.64	6.1	* 1.05	7.3	* 1.34	7.2	* 1.79	6.8	NW	323
10		0.59	6.1	0.91	7.0	1.12	6.8	1.34	5.7	NW	311
12		0.57	5.8	0.89	7.2	1.08	7.3	1.43	6.8	WNW	299
14		0.60	5.8	0.97	7.1	1.21	7.2	1.44	7.3	WNW	295
16		0.51	5.5	0.84	7.1	1.10	7.0	1.39	6.5	WNW	282
18		0.49	5.1	0.78	6.7	0.98	6.7	1.44	7.0	NW	311
20		0.53	5.3	0.84	6.5	1.10	6.5	1.50	5.9	NW	319
22		0.47	5.2	0.76	6.9	0.94	6.9	1.20	7.5	NW	311
最大		0.64	6.1	1.05	7.3	1.34	7.2	1.79	6.8		
平均		0.55	5.6	0.88	6.9	1.10	6.9	1.43	6.7		
31		00	0.47	5.3	0.74	6.6	0.91	6.7	1.27	7.3	NNW
	02	0.49	5.4	0.82	7.1	1.02	7.0	1.21	7.6	WNW	299
	04	* 0.57	6.0	* 0.90	7.0	1.11	6.9	* 1.53	7.1	WNW	295
	06	0.55	5.8	0.89	7.1	* 1.12	7.0	1.36	6.8	WNW	295
	08	0.49	5.3	0.78	6.7	0.94	7.0	1.23	6.8	WNW	295
	10	0.44	5.6	0.69	6.6	0.87	6.6	1.11	6.5	NW	319
	12	0.37	4.8	0.60	6.4	0.73	6.3	0.95	5.6	WNW	295
	14	0.35	4.5	0.56	5.9	0.71	6.2	1.04	6.0	WNW	295
	16	0.35	4.5	0.55	5.7	0.67	5.8	0.87	5.0	WNW	303
	18	0.36	4.2	0.58	5.3	0.71	5.2	0.96	4.4	N	358
	20	0.32	3.8	0.51	5.0	0.63	5.3	0.93	5.7	WNW	301
	22	0.29	4.0	0.45	5.1	0.56	5.1	0.89	5.4	NNW	327
	最大	0.57	6.0	0.90	7.0	1.12	7.0	1.53	7.1		
	平均	0.42	4.9	0.67	6.2	0.83	6.3	1.11	6.2		
	月最大	2.60	8.0	4.06	9.7	5.25	9.3	6.99	7.5		
起時	0214		0214		0214		0220				
平均	0.72	5.2	1.15	6.5	1.44	6.5	1.90	6.5			

波浪整理表（1）

2021年 4月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
01	00	0.26	3.9	0.41	5.2	0.51	5.5	0.70	6.1	WNW	302
	02	0.24	3.8	0.38	5.0	0.48	5.0	0.65	5.1	NNW	339
	04	0.23	3.8	0.36	4.9	0.44	5.0	0.61	4.7	NE	56
	06	0.21	3.6	0.33	4.6	0.41	4.8	0.53	5.8	NNE	13
	08	0.24	3.2	0.38	3.9	0.49	3.9	0.65	3.8	W	280
	10	0.27	3.4	0.42	4.1	0.52	3.8	0.76	3.3	W	272
	12	0.26	3.3	0.41	4.0	0.50	3.9	0.60	4.6	欠測	欠測
	14	0.25	3.2	0.39	3.8	0.50	3.9	0.66	3.1	NNW	331
	16	0.27	3.2	0.40	3.7	0.49	3.8	0.67	4.2	NE	36
	18	0.34	3.3	0.54	3.6	0.68	3.6	1.33	3.1	W	281
	20	* 0.38	3.5	0.59	3.7	* 0.77	3.5	* 1.43	3.4	WNW	282
	22	0.37	3.6	* 0.60	4.1	0.76	4.0	1.04	3.5	NNW	336
	最大	0.38	3.5	0.60	4.1	0.77	3.5	1.43	3.4		
	平均	0.28	3.5	0.43	4.2	0.55	4.2	0.80	4.2		
02	00	0.45	3.8	0.71	4.2	0.89	4.2	1.08	4.4	欠測	欠測
	02	0.49	3.9	* 0.78	4.4	* 1.00	4.4	1.24	3.9	WNW	302
	04	0.46	3.9	0.74	4.6	0.93	4.5	1.17	4.0	NW	314
	06	* 0.49	4.3	0.77	4.7	0.99	4.7	* 1.45	4.8	NE	49
	08	0.43	4.2	0.68	4.8	0.83	4.8	1.13	4.9	W	275
	10	0.41	4.3	0.67	4.8	0.86	4.9	1.17	4.7	NW	326
	12	0.43	4.1	0.66	4.6	0.81	4.4	1.15	3.8	WNW	282
	14	0.39	4.0	0.61	4.6	0.77	4.4	1.10	4.2	欠測	欠測
	16	0.36	3.8	0.57	4.3	0.71	4.4	0.89	3.7	WNW	291
	18	0.29	3.9	0.46	4.5	0.57	4.7	0.76	4.4	欠測	欠測
	20	0.24	3.6	0.39	4.4	0.51	4.6	0.68	4.9	NE	38
	22	0.21	3.7	0.33	4.5	0.41	4.5	0.58	4.0	欠測	欠測
	最大	0.49	4.3	0.78	4.4	1.00	4.4	1.45	4.8		
	平均	0.39	4.0	0.61	4.5	0.77	4.5	1.03	4.3		
03	00	0.19	3.6	0.30	4.4	0.38	4.4	0.59	4.6	NE	43
	02	0.18	3.5	0.27	4.5	0.34	4.4	0.47	4.7	WNW	289
	04	0.17	3.6	0.27	4.5	0.33	4.6	0.56	4.3	NE	55
	06	0.20	3.7	0.31	4.4	0.38	4.4	0.50	4.3	NNE	22
	08	0.17	3.7	0.26	4.3	0.32	4.3	0.51	4.3	欠測	欠測
	10	0.14	3.4	0.22	4.4	0.27	4.6	0.32	4.4	欠測	欠測
	12	0.18	3.6	0.27	4.2	0.34	4.2	0.47	4.1	NNE	29
	14	0.17	3.6	0.25	4.0	0.30	4.1	0.39	4.6	欠測	欠測
	16	0.17	3.5	0.26	4.1	0.32	4.0	0.42	3.7	NNW	341
	18	0.15	3.5	0.24	4.4	0.30	4.3	0.47	4.8	N	352
	20	0.17	3.5	0.27	4.2	0.33	4.3	0.42	4.2	欠測	欠測
	22	* 0.25	4.0	* 0.40	4.9	* 0.51	4.7	* 0.71	4.5	欠測	欠測
	最大	0.25	4.0	0.40	4.9	0.51	4.7	0.71	4.5		
	平均	0.18	3.6	0.28	4.4	0.34	4.4	0.49	4.4		
04	00	0.24	3.9	0.38	4.7	0.48	4.8	0.64	5.2	欠測	欠測
	02	0.22	3.8	0.34	4.5	0.41	4.4	0.56	3.8	WNW	289
	04	0.20	3.8	0.31	4.6	0.38	4.5	0.54	5.0	欠測	欠測
	06	0.18	3.5	0.29	4.6	0.35	4.6	0.56	4.3	NW	321
	08	0.25	4.2	0.38	5.0	0.48	4.9	0.62	5.2	欠測	欠測
	10	0.23	4.1	0.36	4.8	0.46	4.7	0.62	4.3	NE	38
	12	0.22	3.7	0.34	4.4	0.43	4.4	0.56	3.6	欠測	欠測
	14	0.22	3.5	0.36	4.5	0.44	4.8	0.59	5.5	欠測	欠測
	16	0.25	3.6	0.39	4.4	0.50	4.5	0.66	4.7	欠測	欠測
	18	0.29	3.8	0.48	4.8	0.60	4.8	0.81	6.7	NNE	20
	20	0.61	4.1	1.00	5.3	1.31	5.3	2.00	6.0	NW	324
	22	* 1.24	5.6	* 1.97	7.0	* 2.58	6.8	* 3.41	7.6	N	352
	最大	1.24	5.6	1.97	7.0	2.58	6.8	3.41	7.6		
	平均	0.35	4.0	0.55	4.9	0.70	4.9	0.96	5.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	316 回
											欠測回数	0 回	欠測回数	44 回
											欠 測 率	0.0 %	欠 測 率	12.2 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
05	00	* 1.48	5.9	* 2.27	7.2	* 2.76	7.3	3.64	7.7	NNW	340			
	02	1.38	5.7	2.16	6.9	2.56	7.0	2.78	8.0	NNE	20			
	04	1.27	5.9	1.97	7.1	2.53	7.5	* 3.70	6.6	NNE	12			
	06	1.15	5.6	1.79	6.8	2.23	7.0	3.01	7.3	NNE	20			
	08	1.06	5.6	1.71	7.0	2.17	7.3	3.13	6.8	NNE	29			
	10	1.16	6.1	1.80	6.9	2.35	7.2	3.20	6.9	NNE	29			
	12	1.05	5.6	1.65	6.8	2.08	6.8	2.66	6.3	NNE	29			
	14	0.97	5.7	1.51	6.7	1.86	6.4	2.21	6.1	NNE	29			
	16	0.99	5.5	1.59	6.7	1.98	6.7	2.77	6.5	NNW	331			
	18	0.80	5.0	1.33	6.4	1.72	6.6	2.54	6.6	NNE	29			
	20	0.89	5.4	1.41	6.6	1.74	6.8	2.72	6.4	NNE	25			
	22	0.85	5.4	1.37	6.9	1.72	6.9	2.27	6.8	NNE	25			
最大 平均	1.48 1.09	5.9 5.6	2.27 1.71	7.2 6.8	2.76 2.14	7.3 7.0	3.70 2.89	6.6 6.8						
06	00	* 0.83	5.2	* 1.32	6.6	* 1.61	6.8	2.06	6.9	NNE	25			
	02	0.73	5.2	1.22	6.7	1.56	6.9	1.87	4.9	NNE	29			
	04	0.73	5.3	1.16	6.6	1.47	6.9	* 2.17	7.4	NNE	29			
	06	0.71	5.1	1.13	6.3	1.45	6.9	1.96	6.7	NNE	16			
	08	0.70	5.5	1.08	6.4	1.33	6.5	1.87	5.1	NE	41			
	10	0.72	5.6	1.15	6.9	1.44	7.4	1.79	6.9	NNE	16			
	12	0.72	5.4	1.13	6.8	1.42	6.9	1.87	6.4	NNE	25			
	14	0.57	5.1	0.95	6.6	1.17	6.5	1.38	6.5	NNE	29			
	16	0.56	5.6	0.90	6.7	1.16	6.6	1.47	6.9	NNE	29			
	18	0.46	4.9	0.75	6.4	0.96	6.6	1.54	6.7	NNE	29			
	20	0.43	5.0	0.71	6.3	0.90	6.2	1.14	6.9	欠測	欠測			
	22	0.36	4.6	0.57	5.6	0.70	5.7	0.84	5.7	W	281			
最大 平均	0.83 0.63	5.2 5.2	1.32 1.01	6.6 6.5	1.61 1.26	6.8 6.7	2.17 1.66	7.4 6.4						
07	00	* 0.33	4.6	* 0.52	5.8	* 0.64	5.8	0.74	6.1	N	356			
	02	0.29	4.2	0.48	5.5	0.61	5.6	0.83	5.4	欠測	欠測			
	04	0.28	4.1	0.46	5.5	0.58	5.5	0.75	5.5	WNW	296			
	06	0.25	3.9	0.40	5.1	0.52	5.3	0.68	4.4	欠測	欠測			
	08	0.23	3.7	0.36	5.0	0.45	5.1	0.58	6.8	NE	36			
	10	0.23	3.8	0.37	5.0	0.47	5.1	0.81	3.8	NNW	343			
	12	0.27	3.1	0.43	3.8	0.55	3.8	* 1.10	3.6	WNW	284			
	14	0.29	3.0	0.48	3.5	0.63	3.6	0.97	3.2	WNW	293			
	16	0.25	3.2	0.38	3.7	0.49	3.6	0.74	3.4	NNE	27			
	18	0.22	3.3	0.34	3.8	0.42	3.7	0.55	3.4	NNE	23			
	20	0.18	3.3	0.28	4.3	0.35	4.2	0.44	4.0	NNE	33			
	22	0.15	3.2	0.24	4.3	0.30	4.3	0.41	3.7	欠測	欠測			
最大 平均	0.33 0.25	4.6 3.6	0.52 0.40	5.8 4.6	0.64 0.50	5.8 4.6	1.10 0.72	3.6 4.4						
08	00	0.15	3.3	0.22	4.4	0.29	4.4	0.37	6.2	NNE	12			
	02	0.16	3.5	0.26	4.6	0.33	4.6	0.42	4.7	欠測	欠測			
	04	0.20	3.7	0.31	4.7	0.38	4.9	0.46	4.8	NW	321			
	06	0.22	3.6	0.34	4.7	0.45	4.6	0.65	4.4	NNW	337			
	08	0.28	3.7	0.44	4.4	0.54	4.5	0.72	3.3	NNW	344			
	10	0.32	3.5	0.51	4.1	0.66	4.1	0.90	3.9	NW	318			
	12	0.35	3.6	0.57	4.3	0.73	4.3	0.98	3.8	NNE	22			
	14	0.37	3.6	0.59	4.4	0.74	4.4	1.11	4.0	N	2			
	16	0.46	3.8	0.72	4.4	0.91	4.2	1.45	4.2	欠測	欠測			
	18	* 0.55	3.9	* 0.86	4.4	* 1.07	4.3	* 1.48	4.0	欠測	欠測			
	20	0.53	4.1	0.83	4.6	1.03	4.5	1.39	4.5	WNW	298			
	22	0.43	4.2	0.68	5.0	0.83	4.9	0.99	4.7	NW	305			
最大 平均	0.55 0.34	3.9 3.7	0.86 0.53	4.4 4.5	1.07 0.66	4.3 4.5	1.48 0.91	4.0 4.4						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月

機種：波向 海象計 - 52.0 m	波 高		波 向	
	規定回数	360 回	規定回数	360 回
	測得回数	360 回	測得回数	316 回
	欠測回数	0 回	欠測回数	44 回
	欠 測 率	0.0 %	欠 測 率	12.2 %

観測所：輪島港輪島崎地区 機種：波高 海象計 - 52.0 m 緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.42	4.5	0.67	5.7	0.83	5.5	1.04	5.8	NNE	16
	02	0.46	5.1	0.72	6.2	0.90	6.3	1.40	7.4	N	4
	04	0.42	4.9	0.66	6.2	0.80	6.0	1.03	6.0	NNE	33
	06	0.45	4.1	0.71	5.1	0.89	5.1	1.15	5.7	欠測	欠測
	08	0.59	4.0	0.94	4.7	1.18	4.6	1.61	4.5	WNW	290
	10	0.77	4.4	1.20	5.2	1.48	5.3	1.95	4.4	欠測	欠測
	12	0.75	4.5	1.16	5.4	1.43	5.4	1.81	4.6	NNW	342
	14	* 0.99	5.0	* 1.54	5.8	1.84	5.8	2.20	6.2	NNE	16
	16	0.87	4.8	1.38	5.7	1.78	5.9	2.32	5.3	NNE	12
	18	0.83	4.9	1.35	5.9	1.73	6.2	* 2.50	5.5	NNW	344
	20	0.95	5.2	1.52	6.3	* 1.88	6.2	2.27	6.7	NW	323
	22	0.91	5.4	1.45	6.7	1.78	6.8	2.20	7.6	NNW	327
	最大	0.99	5.0	1.54	5.8	1.88	6.2	2.50	5.5		
	平均	0.70	4.7	1.11	5.7	1.38	5.8	1.79	5.8		
10	00	1.06	5.8	1.67	6.9	2.07	6.7	2.49	7.3	NNW	327
	02	0.91	5.7	1.49	7.0	1.95	7.0	2.50	7.4	NW	323
	04	1.04	6.1	1.61	7.3	2.01	7.6	2.78	7.4	NW	319
	06	* 1.23	6.7	* 1.91	8.3	* 2.41	8.3	* 3.31	8.4	NW	323
	08	1.07	6.3	1.74	7.5	2.18	7.8	3.24	7.4	NNE	20
	10	0.91	6.0	1.50	7.4	1.94	7.7	2.43	8.3	N	4
	12	0.80	5.9	1.29	7.4	1.60	7.5	2.28	6.9	NNE	16
	14	0.79	6.1	1.24	7.3	1.57	7.4	2.01	7.2	N	8
	16	0.76	5.8	1.27	7.5	1.61	7.4	1.84	8.1	NNE	12
	18	0.83	6.1	1.36	8.6	1.72	8.6	2.00	7.0	N	8
	20	0.82	6.5	1.33	8.5	1.68	8.7	2.24	9.3	N	8
	22	0.75	6.6	1.16	8.4	1.42	9.0	1.68	7.7	NE	37
	最大	1.23	6.7	1.91	8.3	2.41	8.3	3.31	8.4		
	平均	0.91	6.1	1.46	7.7	1.85	7.8	2.40	7.7		
11	00	* 0.77	6.6	* 1.25	8.8	* 1.55	9.1	* 2.48	8.7	NNE	16
	02	0.70	6.4	1.13	8.4	1.42	8.8	1.88	8.7	NNE	20
	04	0.66	6.7	1.09	8.8	1.42	9.5	2.24	7.0	NNE	12
	06	0.63	6.5	1.01	8.5	1.24	8.6	1.57	7.4	NNE	20
	08	0.58	6.9	0.92	8.4	1.12	8.5	1.38	9.0	NNE	16
	10	0.52	6.1	0.84	8.0	1.02	8.7	1.28	8.1	NNE	20
	12	0.51	5.0	0.81	7.0	1.00	8.1	1.35	6.0	N	8
	14	0.50	4.2	0.78	5.8	0.98	6.5	1.31	7.6	NNE	16
	16	0.53	4.1	0.82	5.1	1.03	5.4	1.37	4.3	NE	46
	18	0.48	4.3	0.76	6.0	0.92	6.9	1.28	8.4	NNE	20
	20	0.35	5.0	0.57	7.2	0.70	7.2	0.86	9.6	NNE	25
	22	0.26	4.8	0.43	7.1	0.54	7.7	0.92	7.9	NNE	25
	最大	0.77	6.6	1.25	8.8	1.55	9.1	2.48	8.7		
	平均	0.54	5.6	0.87	7.4	1.08	7.9	1.49	7.7		
12	00	* 0.26	4.9	* 0.42	7.0	* 0.52	7.6	* 0.63	7.8	N	4
	02	0.22	4.2	0.35	5.7	0.42	6.2	0.60	4.2	NNE	25
	04	0.21	4.0	0.32	5.4	0.39	5.8	0.57	4.8	NE	54
	06	0.18	3.7	0.28	5.5	0.34	6.2	0.46	4.7	NNW	344
	08	0.17	3.7	0.27	4.9	0.33	5.5	0.43	4.6	N	357
	10	0.16	3.6	0.24	5.1	0.29	4.8	0.39	4.5	WNW	299
	12	0.17	3.5	0.27	4.7	0.35	4.8	0.50	7.4	N	351
	14	0.19	3.5	0.30	4.2	0.37	4.3	0.48	4.2	N	0
	16	0.17	3.5	0.27	4.6	0.34	4.5	0.53	4.0	NW	311
	18	0.17	3.3	0.27	4.1	0.34	4.2	0.48	3.2	W	281
	20	0.13	3.2	0.21	4.3	0.26	4.6	0.41	3.8	NNW	334
	22	0.11	3.2	0.17	4.6	0.21	5.0	0.28	5.3	NW	307
	最大	0.26	4.9	0.42	7.0	0.52	7.6	0.63	7.8		
	平均	0.18	3.7	0.28	5.0	0.35	5.3	0.48	4.9		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月							波 高		波 向		
							規定回数	360 回	規定回数	360 回	
							測得回数	360 回	測得回数	316 回	
							欠測回数	0 回	欠測回数	44 回	
							欠 測 率	0.0 %	欠 測 率	12.2 %	
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
13	00	0.11	3.3	0.16	4.6	0.20	5.3	0.29	3.9	N	359
	02	0.11	3.0	0.16	4.2	0.20	4.9	0.35	4.0	N	356
	04	0.12	3.4	0.18	4.8	0.22	5.4	0.36	4.9	N	357
	06	0.13	3.4	0.19	4.9	0.24	5.4	0.32	5.5	NE	47
	08	0.17	3.8	0.27	5.2	0.33	5.4	0.42	5.1	NE	54
	10	0.22	3.9	0.35	5.2	0.44	5.4	0.57	5.4	N	351
	12	0.31	3.7	0.49	4.8	0.59	5.2	0.69	5.4	N	359
	14	0.43	3.9	0.68	4.8	0.86	4.9	1.17	5.7	NNE	30
	16	0.46	4.3	0.71	5.3	0.89	5.4	1.22	5.0	NNW	346
	18	* 0.66	4.3	* 1.02	5.0	* 1.28	4.8	* 1.73	5.1	NW	307
	20	0.56	4.1	0.86	4.9	1.05	5.0	1.30	4.9	NW	317
	22	0.53	4.4	0.84	5.3	1.04	5.6	1.57	5.1	欠測	欠測
最大 平均	0.66 0.32	4.3 3.8	1.02 0.49	5.0 4.9	1.28 0.61	4.8 5.2	1.73 0.83	5.1 5.0			
14	00	0.46	4.4	0.72	5.8	0.90	5.8	1.13	5.9	W	278
	02	0.53	4.9	0.84	6.6	1.09	7.4	1.29	8.6	WNW	282
	04	0.63	5.2	1.03	7.1	1.32	7.8	1.55	8.4	W	278
	06	0.67	5.0	1.07	6.6	1.36	7.2	1.95	6.5	W	278
	08	0.81	5.4	1.26	6.2	1.60	6.1	2.12	6.8	NNW	340
	10	0.92	5.4	1.51	6.7	1.94	6.2	3.29	6.3	NNW	335
	12	1.14	5.9	1.79	7.6	2.20	7.9	2.76	7.0	NNW	331
	14	* 1.22	6.0	* 1.95	7.5	* 2.51	7.7	* 3.37	8.0	NNW	331
	16	1.22	5.7	1.89	6.9	2.35	7.0	3.22	6.6	NNW	331
	18	1.00	5.3	1.65	6.6	2.13	6.7	3.05	6.7	NNW	331
	20	0.94	5.3	1.46	6.6	1.81	6.6	2.33	5.6	NW	319
	22	0.87	5.6	1.38	7.0	1.70	6.7	2.49	6.6	NW	323
最大 平均	1.22 0.87	6.0 5.3	1.95 1.38	7.5 6.8	2.51 1.74	7.7 6.9	3.37 2.38	8.0 6.9			
15	00	* 0.88	6.0	* 1.42	7.4	* 1.81	7.5	* 2.28	6.9	NNW	335
	02	0.74	5.9	1.18	7.1	1.47	7.3	2.06	7.9	NNW	327
	04	0.63	5.6	1.00	7.0	1.22	6.7	1.60	6.5	NNW	331
	06	0.59	5.5	0.88	6.5	1.08	6.5	1.32	6.6	NNW	327
	08	0.60	5.2	0.96	6.4	1.22	6.3	1.61	7.3	NW	323
	10	0.48	4.8	0.79	6.0	1.01	6.1	1.31	6.3	NNW	327
	12	0.52	5.2	0.79	5.9	0.97	6.1	1.34	6.9	NNE	12
	14	0.46	4.3	0.73	5.5	0.91	5.7	1.22	4.4	NNE	32
	16	0.54	3.8	0.85	4.5	1.04	4.5	1.69	4.7	欠測	欠測
	18	0.45	4.1	0.74	5.4	0.92	5.9	1.47	7.7	欠測	欠測
	20	0.39	4.3	0.62	5.7	0.79	5.9	1.16	5.1	NNE	29
	22	0.33	4.0	0.51	5.2	0.65	5.5	0.83	4.1	W	280
最大 平均	0.88 0.55	6.0 4.9	1.42 0.87	7.4 6.0	1.81 1.09	7.5 6.2	2.28 1.49	6.9 6.2			
16	00	0.31	3.9	0.50	4.9	0.61	5.1	0.80	5.0	NNW	346
	02	* 0.36	4.1	* 0.57	4.9	* 0.72	4.7	* 0.98	5.5	NNE	16
	04	0.30	4.0	0.49	4.9	0.60	4.9	0.89	4.5	N	4
	06	0.26	4.0	0.42	5.0	0.54	5.1	0.77	5.4	NW	306
	08	0.28	4.1	0.44	4.9	0.54	4.8	0.78	4.3	NNW	348
	10	0.20	3.7	0.32	4.9	0.40	4.8	0.49	4.0	N	355
	12	0.20	3.6	0.31	4.6	0.38	4.7	0.46	4.3	NE	49
	14	0.22	3.7	0.33	4.6	0.41	4.6	0.63	4.6	N	2
	16	0.19	3.7	0.30	4.8	0.40	5.0	0.71	5.0	WNW	285
	18	0.22	4.0	0.34	4.8	0.43	4.8	0.59	4.8	NE	43
	20	0.21	3.6	0.33	4.7	0.42	4.8	0.62	4.5	WNW	291
	22	0.20	3.6	0.31	4.9	0.37	5.0	0.47	5.0	欠測	欠測
最大 平均	0.36 0.25	4.1 3.8	0.57 0.39	4.9 4.8	0.72 0.49	4.7 4.9	0.98 0.68	5.5 4.7			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	316 回
										欠測回数	0 回	欠測回数	44 回
										欠 測 率	0.0 %	欠 測 率	12.2 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
17	00	0.19	3.8	0.30	5.1	0.37	5.3	0.50	5.3	NNE	20		
	02	0.19	3.7	0.30	4.7	0.37	5.0	0.45	5.2	NE	42		
	04	0.20	3.7	0.32	4.5	0.40	4.7	0.54	3.8	WNW	287		
	06	0.28	4.3	0.43	5.0	0.52	5.0	0.66	4.3	欠測	欠測		
	08	0.28	3.9	0.44	4.7	0.54	4.6	0.67	4.8	N	357		
	10	0.25	3.6	0.39	4.4	0.50	4.3	0.75	4.7	欠測	欠測		
	12	0.19	3.9	0.29	5.0	0.36	5.2	0.54	5.7	欠測	欠測		
	14	0.22	3.9	0.35	5.1	0.45	5.3	0.63	5.7	NNW	339		
	16	0.24	4.3	0.39	5.7	0.47	5.9	0.59	5.3	W	274		
	18	0.27	4.7	0.43	6.0	0.54	5.9	0.67	5.4	W	278		
	20	0.32	4.5	0.54	5.5	0.69	5.5	0.92	5.1	NNE	13		
	22	* 0.41	4.6	* 0.64	5.2	* 0.81	5.3	* 1.06	5.1	WNW	290		
	最大 平均	0.41 0.25	4.6 4.1	0.64 0.40	5.2 5.1	0.81 0.50	5.3 5.2	1.06 0.66	5.1 5.0				
	18	00	0.46	4.7	0.71	5.3	0.90	5.2	1.21	5.8	欠測	欠測	
		02	0.47	3.8	0.74	4.4	0.92	4.2	1.48	4.4	N	6	
		04	1.16	5.0	1.78	5.7	2.32	5.6	3.73	5.8	W	262	
06		1.59	5.7	2.50	6.8	3.10	6.8	3.80	6.7	WNW	282		
08		2.16	6.8	3.49	8.6	4.48	8.8	7.22	8.2	WNW	303		
10		2.88	7.1	4.75	9.1	5.83	9.1	6.97	9.1	NW	323		
12		2.78	7.2	4.59	9.2	5.86	9.1	8.09	8.6	NW	319		
14		2.96	7.6	4.74	9.3	5.87	9.2	7.40	9.1	NNW	335		
16		3.26	8.0	5.09	9.4	6.46	9.2	8.50	8.7	NW	323		
18		* 3.55	8.5	* 5.54	9.7	* 6.97	10.0	* 9.10	9.5	NNW	335		
20		2.97	7.9	4.67	9.6	5.75	8.7	7.13	8.0	NNW	335		
22		2.59	7.5	4.32	9.5	5.35	9.3	5.93	10.9	N	356		
最大 平均		3.55 2.24	8.5 6.7	5.54 3.58	9.7 8.0	6.97 4.48	10.0 7.9	9.10 5.88	9.5 7.9				
19		00	* 2.37	7.5	* 3.70	9.5	* 4.53	9.1	5.28	7.8	N	4	
		02	2.09	7.1	3.40	8.8	4.33	8.9	* 6.26	8.8	WNW	295	
		04	2.11	7.2	3.33	8.7	4.21	8.5	5.55	8.7	N	4	
	06	1.61	6.5	2.68	8.2	3.31	8.4	4.05	8.1	NW	311		
	08	1.87	6.8	2.92	8.4	3.67	8.6	4.98	8.3	NNW	331		
	10	1.50	6.4	2.46	8.1	3.06	8.2	3.99	8.5	WNW	303		
	12	1.31	5.9	2.15	7.5	2.77	7.8	3.42	9.0	WNW	303		
	14	1.23	6.0	1.93	7.3	2.35	7.6	2.74	7.8	NNW	331		
	16	1.03	5.8	1.69	7.6	2.12	7.7	2.42	6.9	NW	323		
	18	0.91	5.8	1.49	7.3	1.93	7.3	2.67	8.7	N	0		
	20	0.88	6.1	1.42	7.8	1.82	7.9	2.58	7.4	NW	315		
	22	0.85	6.1	1.39	7.8	1.73	7.7	2.26	7.5	NNE	12		
	最大 平均	2.37 1.48	7.5 6.4	3.70 2.38	9.5 8.1	4.53 2.99	9.1 8.1	6.26 3.85	8.8 8.1				
	20	00	0.75	5.6	1.17	7.5	1.49	8.0	2.15	6.5	NNE	25	
		02	0.69	5.1	1.11	7.0	1.38	7.3	1.87	7.1	NE	41	
		04	0.69	5.0	1.05	6.7	1.27	6.8	1.67	7.8	NNE	29	
06		0.69	4.6	1.08	5.8	1.37	6.4	2.04	5.4	NNE	20		
08		0.74	4.7	1.21	6.1	1.50	6.8	2.13	6.1	NNE	16		
10		0.75	4.6	1.18	5.6	1.52	6.2	1.97	3.5	欠測	欠測		
12		0.78	4.8	* 1.26	6.0	* 1.57	6.4	2.08	6.6	W	270		
14		* 0.78	5.0	1.23	6.0	1.57	6.2	* 2.24	6.4	W	270		
16		0.75	5.2	1.16	6.2	1.41	6.2	1.76	6.5	W	270		
18		0.57	5.4	0.89	6.6	1.08	6.5	1.32	6.5	W	266		
20		0.51	5.3	0.80	6.9	1.02	6.4	1.49	6.4	W	262		
22		0.50	5.2	0.83	6.9	1.06	6.9	1.27	7.4	N	8		
最大 平均		0.78 0.68	5.0 5.0	1.26 1.08	6.0 6.4	1.57 1.35	6.4 6.7	2.24 1.83	6.4 6.4				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	316 回
											欠測回数	0 回	欠測回数	44 回
											欠 測 率	0.0 %	欠 測 率	12.2 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
21	00	0.69	6.1	1.14	7.8	1.47	7.7	2.16	7.4	WNW	303			
	02	0.87	6.3	1.41	7.8	1.77	7.7	2.22	7.5	WNW	290			
	04	* 1.11	6.9	* 1.68	7.7	* 2.07	7.7	* 2.70	7.7	NW	315			
	06	0.96	6.4	1.55	7.5	2.01	7.8	2.42	7.9	WNW	290			
	08	0.91	6.1	1.49	7.4	1.84	7.4	2.22	6.8	NW	315			
	10	0.78	5.9	1.24	7.2	1.57	7.1	2.22	6.5	NW	319			
	12	0.66	5.4	1.06	6.6	1.34	6.4	1.73	7.1	NW	315			
	14	0.64	5.8	0.98	6.6	1.21	6.7	1.55	6.9	NW	319			
	16	0.56	5.4	0.87	6.5	1.04	6.7	1.18	6.1	NNW	335			
	18	0.53	5.2	0.83	6.3	1.06	6.5	1.50	6.5	WNW	299			
	20	0.47	5.2	0.74	6.2	0.94	6.2	1.26	6.2	N	352			
	22	0.37	4.6	0.61	5.9	0.78	6.0	1.22	5.1	NW	319			
	最大 平均	1.11 0.71	6.9 5.8	1.68 1.13	7.7 7.0	2.07 1.43	7.7 7.0	2.70 1.87	7.7 6.8					
	22	00	* 0.38	5.0	* 0.58	5.8	* 0.70	5.6	* 0.90	5.2	NW	315		
02		0.31	4.8	0.50	5.7	0.60	5.7	0.84	5.8	WNW	303			
04		0.30	4.5	0.48	5.6	0.60	5.8	0.75	5.5	NW	308			
06		0.30	4.5	0.48	5.5	0.57	5.4	0.82	5.6	NE	55			
08		0.27	4.6	0.43	5.8	0.53	6.0	0.63	5.4	NNE	33			
10		0.31	4.5	0.48	5.6	0.59	5.8	0.76	5.4	NW	318			
12		0.25	4.4	0.39	5.7	0.49	5.9	0.66	5.7	NE	41			
14		0.24	4.7	0.39	6.1	0.50	5.9	0.63	6.4	NE	37			
16		0.25	4.2	0.40	5.7	0.49	6.0	0.62	6.1	NNE	20			
18		0.27	3.9	0.42	5.5	0.51	5.8	0.65	4.2	NNW	327			
20		0.34	3.8	0.53	4.9	0.66	4.7	0.86	5.1	NNE	20			
22		0.32	3.9	0.50	4.9	0.61	4.4	0.87	3.7	NE	35			
最大 平均		0.38 0.29	5.0 4.4	0.58 0.47	5.8 5.6	0.70 0.57	5.6 5.6	0.90 0.75	5.2 5.3					
23		00	0.35	3.8	0.55	4.5	0.68	4.3	0.82	4.2	欠測 W	欠測 278		
	02	0.42	3.8	0.68	4.3	0.87	4.3	1.27	3.4	WNW	297			
	04	0.45	4.1	0.70	4.5	0.83	4.5	1.04	4.8	NNW	345			
	06	0.51	4.2	0.80	4.5	0.99	4.4	1.50	4.7	欠測	欠測			
	08	0.58	4.4	0.91	5.5	1.10	5.7	1.61	5.3	NNE	29			
	10	0.91	5.5	1.46	6.8	1.83	7.2	2.36	6.9					
	12	0.82	4.8	1.34	6.3	1.70	6.7	2.36	6.9	NNE	12			
	14	* 0.95	5.0	* 1.47	6.2	* 1.86	6.6	* 2.83	4.7	NNE	20			
	16	0.88	5.1	1.36	6.3	1.74	6.5	2.32	5.7	NNE	16			
	18	0.80	5.1	1.26	6.4	1.57	6.2	2.22	5.6	NNE	20			
	20	0.78	5.2	1.21	6.5	1.44	6.4	1.76	7.1	NNE	25			
	22	0.76	5.3	1.16	6.2	1.45	6.0	1.97	4.9	NNE	33			
	最大 平均	0.95 0.68	5.0 4.7	1.47 1.08	6.2 5.7	1.86 1.34	6.6 5.7	2.83 1.84	4.7 5.4					
	24	00	* 0.68	5.2	* 1.07	6.3	* 1.32	6.6	1.60	6.8	NNE	12		
02		0.62	4.7	0.98	5.6	1.21	5.4	* 1.70	5.6	NE	44			
04		0.60	4.8	0.94	5.7	1.19	5.9	1.55	5.6	NNE	16			
06		0.51	4.5	0.83	5.6	1.02	5.7	1.30	4.6	NW	314			
08		0.48	4.5	0.78	5.5	0.98	5.5	1.13	5.7	NNE	33			
10		0.41	4.7	0.65	5.5	0.79	5.5	1.05	4.9	NE	47			
12		0.38	4.5	0.61	5.3	0.76	5.2	1.01	4.9	NNW	329			
14		0.29	4.2	0.46	5.2	0.58	5.0	0.75	4.6	NNE	21			
16		0.31	4.4	0.48	5.2	0.58	4.9	0.77	4.7	N	8			
18		0.27	3.9	0.43	4.9	0.56	5.1	0.75	4.7	N	7			
20		0.25	4.0	0.39	5.0	0.48	4.8	0.62	5.4	欠測	欠測			
22		0.22	4.1	0.35	5.1	0.42	5.2	0.54	4.9	N	5			
最大 平均		0.68 0.42	5.2 4.5	1.07 0.66	6.3 5.4	1.32 0.82	6.6 5.4	1.70 1.06	5.6 5.2					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	316 回
欠測回数	0 回	欠測回数	44 回
欠 測 率	0.0 %	欠 測 率	12.2 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	0.22	4.0	0.34	4.9	0.42	4.9	0.52	4.4	NNW	332
	02	0.34	3.1	0.53	3.5	0.68	3.4	1.01	3.0	W	276
	04	0.30	3.3	0.48	3.7	0.62	3.6	0.84	3.5	NW	316
	06	0.25	3.2	0.41	3.8	0.52	3.7	0.85	3.7	NNE	30
	08	0.24	3.2	0.35	3.7	0.45	3.7	0.58	4.1	WNW	288
	10	0.25	3.1	0.39	3.6	0.50	3.6	0.73	2.9	W	276
	12	0.48	3.6	0.77	4.0	1.00	3.9	1.31	3.2	W	279
	14	0.71	4.4	1.10	5.0	1.38	4.9	* 2.15	4.2	欠測	欠測
	16	0.77	4.6	1.22	5.8	1.55	5.9	1.99	5.3	NNW	335
	18	* 0.79	4.7	* 1.26	5.7	* 1.56	5.3	1.97	5.5	NNW	340
	20	0.70	4.5	1.13	5.7	1.44	5.7	1.80	5.9	N	356
	22	0.73	4.8	1.15	6.0	1.41	6.0	2.05	6.0	N	352
	最大	0.79	4.7	1.26	5.7	1.56	5.3	2.15	4.2		
	平均	0.48	3.9	0.76	4.6	0.96	4.5	1.32	4.3		
26	00	0.79	5.3	1.29	6.5	1.59	6.3	2.52	5.5	NW	315
	02	* 1.02	5.7	* 1.59	6.9	* 1.98	6.8	2.39	6.8	WNW	303
	04	0.97	5.2	1.55	6.4	1.97	6.6	* 2.90	6.2	NNW	331
	06	1.00	5.2	1.52	6.1	1.94	6.3	2.67	6.2	NW	323
	08	0.90	4.9	1.42	6.0	1.85	6.1	2.49	6.3	NNE	12
	10	0.79	4.9	1.28	6.0	1.60	5.9	1.88	7.1	NNE	25
	12	0.76	5.0	1.23	6.0	1.57	6.0	2.59	5.7	NNE	25
	14	0.77	5.4	1.20	6.6	1.54	6.3	2.01	5.6	NNE	20
	16	0.76	5.4	1.19	6.8	1.40	6.6	1.78	6.6	NNE	20
	18	0.87	5.7	1.40	6.9	1.75	6.8	2.05	5.8	NNE	12
	20	0.84	6.0	1.34	7.3	1.66	7.2	2.24	6.4	NNE	33
	22	0.89	6.0	1.44	7.2	1.81	7.0	2.48	7.2	NNE	20
	最大	1.02	5.7	1.59	6.9	1.98	6.8	2.90	6.2		
	平均	0.86	5.4	1.37	6.6	1.72	6.5	2.33	6.3		
27	00	* 0.78	5.9	* 1.22	7.1	* 1.55	6.8	* 2.02	6.1	NNE	16
	02	0.70	5.8	1.09	6.9	1.34	7.1	1.58	7.2	NNE	25
	04	0.70	6.1	1.08	7.2	1.30	7.2	1.78	7.5	NNE	12
	06	0.57	5.7	0.93	7.0	1.15	7.3	1.43	7.3	NNE	16
	08	0.59	6.1	0.92	7.2	1.14	7.1	1.45	7.4	NNE	25
	10	0.42	5.4	0.71	6.9	0.88	6.9	1.08	6.9	NNE	25
	12	0.48	5.2	0.76	6.6	0.94	6.9	1.15	5.7	NNE	25
	14	0.43	4.9	0.69	6.5	0.88	6.5	1.16	6.3	NNE	25
	16	0.37	4.8	0.58	6.2	0.69	6.3	0.85	6.2	NNE	33
	18	0.34	4.8	0.54	6.1	0.69	6.4	0.90	5.1	NNE	20
	20	0.25	4.6	0.41	5.8	0.52	5.8	0.75	6.0	NNE	33
	22	0.22	3.8	0.36	5.1	0.46	5.5	0.67	4.5	W	279
	最大	0.78	5.9	1.22	7.1	1.55	6.8	2.02	6.1		
	平均	0.49	5.3	0.77	6.5	0.96	6.6	1.24	6.4		
28	00	0.18	3.8	0.30	5.2	0.38	5.3	0.54	5.6	NNW	336
	02	0.23	3.2	0.35	3.8	0.45	3.8	0.66	3.2	WNW	290
	04	0.25	3.1	0.40	3.5	0.50	3.4	0.73	3.3	WNW	299
	06	0.28	3.5	0.43	4.0	0.53	4.0	0.72	3.6	WNW	300
	08	0.26	3.4	0.42	4.2	0.53	4.1	0.71	4.1	欠測	欠測
	10	0.32	3.3	0.49	3.9	0.61	3.6	0.82	3.4	欠測	欠測
	12	0.32	3.8	0.50	5.1	0.62	5.5	0.83	5.4	NW	314
	14	* 0.37	3.6	* 0.58	4.4	* 0.73	4.8	* 1.04	4.4	欠測	欠測
	16	0.31	3.6	0.48	4.4	0.60	4.4	0.80	6.2	N	1
	18	0.30	3.8	0.45	4.7	0.55	4.7	0.74	4.3	NW	304
	20	0.24	3.8	0.37	5.0	0.48	4.9	0.72	4.9	NW	304
	22	0.33	5.1	0.54	6.6	0.69	6.4	0.95	6.1	W	262
	最大	0.37	3.6	0.58	4.4	0.73	4.8	1.04	4.4		
	平均	0.28	3.7	0.44	4.6	0.56	4.6	0.77	4.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 4月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	316 回
欠測回数	0 回	欠測回数	44 回
欠 測 率	0.0 %	欠 測 率	12.2 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.47	5.6	0.76	6.7	0.95	6.6	1.33	7.4	W	278
	02	* 0.51	5.5	* 0.79	6.4	* 0.99	6.5	1.26	6.5	W	270
	04	0.47	5.8	0.71	6.4	0.90	6.5	* 1.39	7.0	W	266
	06	0.41	5.4	0.61	6.2	0.73	6.2	0.82	5.9	WSW	254
	08	0.34	4.7	0.56	6.0	0.68	5.8	0.82	6.3	W	266
	10	0.33	4.4	0.54	5.6	0.69	5.6	1.00	5.4	欠測	欠測
	12	0.36	3.9	0.55	4.7	0.69	4.7	0.97	4.0	NNE	31
	14	0.40	3.7	0.62	4.4	0.79	4.3	1.12	3.7	欠測	欠測
	16	0.38	3.6	0.60	4.2	0.75	3.9	1.04	3.4	NNE	28
	18	0.33	3.7	0.51	4.3	0.63	4.2	0.90	4.0	NE	47
	20	0.43	4.1	0.67	4.4	0.85	4.3	1.10	3.8	WNW	289
	22	0.36	3.9	0.56	4.5	0.69	4.4	0.85	4.5	NNE	22
	最大	0.51	5.5	0.79	6.4	0.99	6.5	1.39	7.0		
	平均	0.40	4.5	0.62	5.3	0.78	5.3	1.05	5.2		
30	00	0.55	4.2	0.85	4.9	1.06	5.0	1.60	4.4	欠測	欠測
	02	0.62	4.0	0.98	4.5	1.19	4.4	1.70	4.4	NNE	25
	04	0.61	4.2	1.01	4.8	1.30	4.8	1.70	4.9	WNW	301
	06	0.75	5.0	1.19	5.5	1.54	5.5	2.07	5.3	NNW	347
	08	0.63	4.7	1.05	5.6	1.31	5.5	1.52	5.3	NNE	26
	10	0.67	5.3	1.04	5.9	1.28	6.1	1.56	6.1	NNE	29
	12	0.67	5.1	1.06	5.9	1.33	6.0	1.65	5.6	NE	37
	14	0.64	4.8	0.97	5.7	1.19	5.7	1.57	5.9	NE	41
	16	0.79	4.8	1.25	5.7	1.54	5.8	1.88	6.1	NNE	33
	18	* 0.80	5.9	* 1.30	7.0	1.60	7.1	2.06	6.3	NNE	25
	20	0.79	5.1	1.25	6.6	* 1.61	6.9	* 2.15	7.9	NNE	29
	22	0.66	4.7	1.06	6.2	1.33	6.5	1.53	6.2	NE	41
	最大	0.80	5.9	1.30	7.0	1.61	6.9	2.15	7.9		
	平均	0.68	4.8	1.08	5.7	1.36	5.8	1.75	5.7		
月最大	3.55	8.5	5.54	9.7	6.97	10.0	9.10	9.5			
	起時	1818		1818		1818		1818			
	平均	0.59	4.7	0.94	5.8	1.18	5.9	1.57	5.7		

波浪整理表（1）

2021年 5月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.64	4.7	1.02	5.8	1.31	6.0	1.86	7.1	NE	53
	02	* 0.90	6.1	* 1.47	7.6	* 1.84	7.6	* 2.32	7.4	W	262
	04	0.85	6.2	1.33	8.0	1.65	8.3	2.08	7.5	W	262
	06	0.68	5.5	1.14	7.5	1.40	7.7	1.70	6.5	W	278
	08	0.71	5.9	1.14	7.5	1.38	7.2	1.83	7.8	WSW	258
	10	0.61	5.9	0.95	7.3	1.23	7.3	1.65	6.3	WSW	258
	12	0.62	6.1	0.99	7.6	1.29	7.6	1.75	7.6	WSW	258
	14	0.58	5.1	0.92	6.8	1.15	7.1	1.81	7.1	W	262
	16	0.66	4.9	1.01	6.2	1.29	6.2	1.70	6.0	W	262
	18	0.60	5.2	0.92	6.4	1.17	6.7	1.55	6.8	WSW	258
	20	0.59	5.1	0.93	6.6	1.13	6.5	1.57	6.3	NNE	20
	22	0.59	5.3	0.93	6.7	1.18	7.1	1.72	7.8	NNE	16
	最大	0.90	6.1	1.47	7.6	1.84	7.6	2.32	7.4		
	平均	0.67	5.5	1.06	7.0	1.34	7.1	1.79	7.0		
02	00	0.55	4.2	0.89	5.4	1.12	6.1	1.51	7.2	欠測	欠測
	02	0.79	4.4	1.22	4.9	1.49	5.0	2.06	4.8	NE	44
	04	1.20	5.9	1.86	7.1	2.25	6.8	2.63	6.7	W	270
	06	1.09	5.5	1.69	6.6	2.13	6.5	2.55	7.4	W	274
	08	1.34	5.8	2.04	6.7	2.50	6.7	3.10	6.6	W	262
	10	1.08	5.0	1.67	6.2	2.04	6.4	2.45	4.3	W	278
	12	1.29	5.4	2.07	6.7	2.58	6.6	3.80	7.1	NNW	340
	14	* 1.82	6.3	* 2.83	7.4	* 3.44	7.2	4.53	6.6	N	8
	16	1.70	6.2	2.70	8.0	3.36	8.0	4.49	7.6	NNE	20
	18	1.61	6.1	2.57	7.7	3.32	7.8	* 4.71	9.4	NNE	20
	20	1.49	6.2	2.39	7.6	3.10	7.8	3.96	9.4	NNE	25
	22	1.45	6.6	2.34	8.1	2.93	8.4	3.75	8.5	NNE	16
	最大	1.82	6.3	2.83	7.4	3.44	7.2	4.71	9.4		
	平均	1.28	5.6	2.02	6.9	2.52	6.9	3.30	7.1		
03	00	* 1.34	6.5	* 2.06	7.7	* 2.55	7.9	3.12	8.4	NNE	16
	02	1.16	6.3	1.81	7.9	2.15	7.7	2.58	7.0	NNE	16
	04	1.19	5.9	1.92	7.5	2.41	7.3	2.85	7.1	NNE	29
	06	1.09	5.5	1.77	7.1	2.29	7.5	* 3.29	7.5	NNE	25
	08	0.99	5.3	1.57	6.8	2.06	7.7	2.62	6.5	NNE	25
	10	0.99	5.3	1.57	6.8	1.88	6.9	2.10	8.2	NNE	20
	12	0.87	5.3	1.37	6.5	1.70	6.6	2.10	8.0	NNE	29
	14	0.95	5.0	1.51	6.1	1.88	6.0	2.52	7.1	NW	319
	16	0.86	5.0	1.32	6.2	1.69	6.8	2.36	7.5	NNE	29
	18	0.79	5.3	1.26	6.5	1.55	6.7	2.07	7.0	NW	319
	20	0.85	5.5	1.35	6.9	1.68	7.3	2.24	7.4	NNE	16
	22	0.84	5.7	1.37	6.7	1.75	6.6	2.23	6.8	NNW	327
	最大	1.34	6.5	2.06	7.7	2.55	7.9	3.29	7.5		
	平均	0.99	5.5	1.57	6.9	1.97	7.1	2.51	7.4		
04	00	0.81	6.0	1.21	7.0	1.51	7.1	1.74	6.5	W	278
	02	0.75	5.8	1.15	7.3	1.41	7.2	1.69	7.2	NNE	20
	04	0.74	5.9	1.15	7.2	1.41	7.2	1.80	6.8	WNW	282
	06	* 0.82	6.3	* 1.28	7.9	* 1.58	7.4	1.86	9.1	NNE	20
	08	0.71	5.9	1.13	7.6	1.39	8.1	* 1.91	7.7	NNE	20
	10	0.70	5.6	1.08	7.3	1.37	8.1	1.79	9.1	NNE	16
	12	0.60	4.9	0.97	6.3	1.21	6.6	1.49	6.4	NNE	16
	14	0.63	5.1	0.97	6.6	1.24	7.1	1.80	6.9	NNE	29
	16	0.60	5.3	0.93	6.6	1.16	6.6	1.88	5.8	N	8
	18	0.58	5.6	0.90	7.0	1.07	7.2	1.28	6.1	NNE	16
	20	0.61	6.1	0.97	7.6	1.18	8.3	1.72	9.8	NNE	20
	22	0.75	7.1	1.17	8.7	1.45	9.1	1.66	8.9	NNE	16
	最大	0.82	6.3	1.28	7.9	1.58	7.4	1.91	7.7		
	平均	0.69	5.8	1.08	7.3	1.33	7.5	1.72	7.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.73	7.4	1.17	9.6	1.50	10.7	2.08	9.2	NNE	16
	02	0.67	8.1	1.03	10.4	1.21	11.0	1.37	9.9	NNE	16
	04	0.61	7.2	1.04	10.7	1.31	10.8	1.70	11.2	NNE	16
	06	0.55	7.3	0.92	10.2	1.11	10.4	1.25	10.6	NNE	12
	08	0.52	5.9	0.87	9.0	1.13	10.5	1.56	10.0	NNE	16
	10	0.70	5.1	1.13	6.8	1.45	7.0	1.94	5.8	NNE	20
	12	* 0.78	5.6	* 1.23	7.6	* 1.52	8.0	1.97	5.8	NNE	20
	14	0.71	5.6	1.15	8.0	1.47	9.3	1.96	8.0	NNE	25
	16	0.65	4.7	1.04	6.3	1.32	6.6	* 2.14	7.1	NNE	25
	18	0.63	5.1	0.99	6.8	1.21	7.5	1.48	6.8	NNE	25
	20	0.49	5.4	0.80	7.4	1.02	8.3	1.68	8.1	NNE	33
	22	0.43	5.6	0.72	7.8	0.93	8.1	1.30	7.0	NNE	20
	最大	0.78	5.6	1.23	7.6	1.52	8.0	2.14	7.1		
	平均	0.62	6.1	1.01	8.4	1.26	9.0	1.70	8.3		
06	00	0.40	5.5	0.67	7.5	0.83	7.5	0.94	7.0	W	274
	02	0.44	6.0	0.68	7.5	0.84	7.5	1.11	8.7	WNW	299
	04	* 0.49	6.1	0.77	7.6	* 0.95	7.7	1.21	7.7	W	270
	06	0.46	6.2	0.74	7.7	0.88	7.7	1.06	6.8	W	270
	08	0.44	5.8	0.70	7.2	0.89	7.4	* 1.37	6.4	WNW	282
	10	0.46	5.4	0.75	7.1	0.95	7.5	1.31	7.4	WNW	286
	12	0.48	4.9	* 0.79	6.7	0.95	6.7	1.19	7.6	W	278
	14	0.44	4.3	0.68	5.7	0.84	6.3	1.10	5.7	W	274
	16	0.36	4.6	0.59	6.1	0.73	6.5	0.92	6.5	W	270
	18	0.34	4.9	0.51	5.7	0.63	5.9	0.81	5.3	WNW	299
	20	0.32	5.1	0.49	6.1	0.61	6.1	0.80	5.9	WNW	290
	22	0.34	5.3	0.52	6.4	0.62	6.3	0.83	5.3	NW	319
	最大	0.49	6.1	0.79	6.7	0.95	7.7	1.37	6.4		
	平均	0.41	5.3	0.66	6.8	0.81	6.9	1.05	6.7		
07	00	0.36	5.4	0.58	6.5	0.73	6.7	0.95	6.1	WNW	295
	02	0.42	5.7	0.66	6.6	0.82	6.6	1.09	6.5	WNW	290
	04	0.45	5.5	0.72	6.3	0.91	6.2	1.34	5.9	WNW	290
	06	0.42	5.3	0.66	6.0	0.85	6.1	* 1.51	6.3	W	278
	08	0.40	5.4	0.61	6.2	0.76	6.2	0.90	5.9	WNW	295
	10	0.39	5.4	0.62	6.2	0.76	6.2	1.00	6.2	WNW	295
	12	0.35	4.7	0.59	6.2	0.74	6.2	0.96	6.1	WNW	303
	14	0.34	4.3	0.53	5.9	0.68	6.0	0.77	6.3	NW	307
	16	0.31	4.0	0.49	5.2	0.60	5.9	0.86	5.0	欠測	欠測
	18	0.42	4.1	0.65	4.8	0.79	5.0	1.06	3.7	NW	304
	20	* 0.49	4.3	* 0.78	5.0	* 0.99	5.2	1.33	5.1	W	275
	22	0.40	4.2	0.62	4.9	0.76	5.3	1.02	5.8	N	10
	最大	0.49	4.3	0.78	5.0	0.99	5.2	1.51	6.3		
	平均	0.40	4.9	0.63	5.8	0.78	6.0	1.07	5.7		
08	00	0.40	3.7	0.62	4.5	0.78	4.8	1.21	3.9	NW	317
	02	0.39	3.7	0.59	4.4	0.72	4.8	1.02	2.9	NNW	340
	04	0.50	3.9	0.76	4.5	0.92	4.6	1.38	4.4	WNW	296
	06	0.58	4.2	0.91	4.9	1.16	4.9	1.49	4.7	NE	48
	08	0.60	5.0	0.94	6.6	1.24	6.7	1.80	6.6	WNW	282
	10	0.72	5.7	1.22	7.6	1.50	7.5	2.02	6.5	WNW	282
	12	* 0.78	6.3	* 1.25	8.0	1.57	8.2	* 2.24	9.1	WSW	254
	14	0.73	5.5	1.21	7.4	* 1.61	7.5	2.13	7.7	W	278
	16	0.57	6.1	0.86	7.1	1.06	7.3	1.43	7.4	W	274
	18	0.53	5.6	0.86	6.8	1.06	7.2	1.32	7.2	W	270
	20	0.53	5.5	0.84	6.7	1.07	6.6	1.37	7.3	W	270
	22	0.43	5.5	0.69	6.6	0.91	6.7	1.43	6.6	WNW	290
	最大	0.78	6.3	1.25	8.0	1.61	7.5	2.24	9.1		
	平均	0.56	5.1	0.90	6.3	1.13	6.4	1.57	6.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	340 回
										欠測回数	0 回	欠測回数	32 回
										欠 測 率	0.0 %	欠 測 率	8.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
09	00	0.67	6.8	1.07	8.1	1.31	8.1	1.69	7.9	WNW	295		
	02	0.78	6.2	1.27	7.6	1.54	7.6	2.10	7.3	NW	307		
	04	0.80	5.3	1.20	6.4	1.50	6.8	1.92	7.1	WNW	295		
	06	0.82	4.3	1.30	5.4	1.64	5.8	2.13	6.4	NNW	335		
	08	0.65	4.7	1.07	6.2	1.33	6.1	1.55	6.8	WNW	282		
	10	0.62	4.7	0.97	5.8	1.18	5.7	1.48	5.5	WNW	286		
	12	0.75	4.7	1.19	6.0	1.48	6.1	2.23	6.5	WNW	282		
	14	0.77	4.8	1.24	6.3	1.56	6.4	2.20	5.2	W	278		
	16	* 0.87	5.0	* 1.36	6.3	* 1.64	6.4	2.05	6.1	WNW	290		
	18	0.76	4.7	1.19	5.8	1.53	5.8	* 2.24	5.2	W	278		
	20	0.78	5.3	1.20	6.5	1.44	6.6	1.71	4.7	W	270		
	22	0.70	5.4	1.14	7.0	1.44	7.3	1.80	7.1	W	278		
	最大 平均	0.87 0.75	5.0 5.2	1.36 1.18	6.3 6.4	1.64 1.47	6.4 6.6	2.24 1.93	5.2 6.3				
	10	00	0.76	5.7	1.22	7.4	1.58	7.3	1.99	6.3	WNW	282	
		02	0.84	5.6	1.39	7.6	1.71	8.2	2.22	7.6	WNW	290	
		04	* 0.88	5.8	* 1.42	7.6	* 1.75	7.9	2.34	8.7	WNW	295	
06		0.82	6.1	1.28	7.7	1.64	7.6	2.22	6.9	WNW	299		
08		0.75	6.2	1.17	7.5	1.44	7.9	1.83	7.9	WNW	299		
10		0.75	6.4	1.22	8.1	1.51	7.9	1.96	7.0	WNW	295		
12		0.62	5.8	0.99	7.3	1.27	7.1	1.73	7.2	WNW	295		
14		0.58	5.6	0.94	6.9	1.15	7.1	1.43	7.9	WNW	290		
16		0.60	5.9	0.93	6.7	1.15	6.8	1.64	6.5	NW	311		
18		0.59	5.6	0.96	7.1	1.15	7.3	1.46	7.6	WNW	303		
20		0.69	5.6	1.11	7.5	1.41	7.8	1.77	6.8	WNW	286		
22		0.87	6.1	1.37	7.6	1.71	8.1	* 2.54	8.0	N	8		
最大 平均		0.88 0.73	5.8 5.9	1.42 1.17	7.6 7.4	1.75 1.46	7.9 7.6	2.54 1.93	8.0 7.4				
11		00	0.79	5.5	1.28	7.3	* 1.70	7.8	2.35	7.6	NNE	12	
		02	* 0.83	6.1	* 1.33	7.7	1.67	8.0	* 2.37	9.0	N	8	
		04	0.65	5.6	1.03	7.4	1.28	7.4	1.82	6.3	NNE	12	
	06	0.67	6.0	1.10	7.7	1.40	7.8	2.12	7.3	NNE	16		
	08	0.69	6.1	1.12	7.7	1.40	7.7	1.75	7.3	NNE	20		
	10	0.68	6.3	1.03	7.3	1.26	7.2	1.57	7.1	NNE	20		
	12	0.60	5.9	1.00	7.4	1.25	7.3	1.72	6.2	欠測	欠測		
	14	0.71	6.5	1.13	8.2	1.41	8.3	1.97	8.4	NNE	16		
	16	0.69	6.7	1.09	7.9	1.37	8.6	1.89	6.8	NNE	20		
	18	0.62	6.4	0.98	8.1	1.21	8.1	1.63	7.2	NNE	12		
	20	0.58	6.7	0.90	8.5	1.12	8.5	1.57	9.0	NNE	16		
	22	0.65	7.3	1.05	9.6	1.34	10.0	1.72	9.8	NNE	20		
	最大 平均	0.83 0.68	6.1 6.3	1.33 1.09	7.7 7.9	1.70 1.37	7.8 8.1	2.37 1.87	9.0 7.7				
	12	00	0.58	7.0	0.95	9.8	1.16	9.7	1.67	9.3	NNE	20	
		02	* 0.79	8.5	* 1.26	10.3	* 1.58	10.4	1.83	9.9	NNE	20	
		04	0.66	6.3	1.12	8.9	1.42	9.3	1.82	9.4	NNE	20	
06		0.73	6.0	1.18	8.4	1.45	8.8	1.93	9.2	NNE	16		
08		0.73	5.6	1.16	7.6	1.37	8.2	1.75	9.4	NNE	16		
10		0.72	5.0	1.16	6.5	1.46	6.8	* 2.03	9.0	NNE	12		
12		0.74	4.8	1.12	5.7	1.33	5.4	1.55	4.5	NNE	16		
14		0.56	4.5	0.87	5.8	1.09	6.4	1.45	5.8	NNE	25		
16		0.51	4.9	0.79	6.8	0.99	7.4	1.25	7.4	NNE	12		
18		0.40	4.8	0.65	6.8	0.79	7.2	1.09	6.1	N	4		
20		0.36	4.8	0.57	6.5	0.71	7.5	0.95	7.1	NNE	20		
22		0.42	5.2	0.64	6.3	0.78	6.5	1.04	5.9	NNE	16		
最大 平均		0.79 0.60	8.5 5.6	1.26 0.96	10.3 7.4	1.58 1.18	10.4 7.8	2.03 1.53	9.0 7.8				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	340 回
										欠測回数	0 回	欠測回数	32 回
										欠 測 率	0.0 %	欠 測 率	8.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
13	00	* 0.42	5.1	* 0.64	6.2	* 0.78	6.2	* 1.09	6.2	NNE	20		
	02	0.38	5.2	0.58	6.6	0.70	6.8	0.82	7.2	NNE	20		
	04	0.27	4.6	0.45	6.5	0.57	6.6	0.74	7.0	NNE	16		
	06	0.27	4.6	0.43	6.1	0.54	6.7	0.75	6.2	NNE	12		
	08	0.30	4.7	0.47	6.0	0.58	6.1	0.68	5.9	NNE	20		
	10	0.27	4.4	0.43	5.7	0.53	5.9	0.70	5.7	NNE	20		
	12	0.28	4.3	0.43	5.6	0.53	5.6	0.67	4.8	NNE	23		
	14	0.30	3.9	0.46	4.7	0.58	4.8	0.71	4.9	WNW	300		
	16	0.28	3.8	0.44	4.8	0.55	5.0	0.67	4.2	NE	48		
	18	0.27	3.7	0.42	4.5	0.53	4.7	0.76	5.1	NNW	344		
	20	0.26	3.7	0.40	4.7	0.50	4.7	0.66	3.9	NE	45		
	22	0.21	4.0	0.34	5.1	0.42	4.8	0.72	4.1	NW	326		
最大	0.42	5.1	0.64	6.2	0.78	6.2	1.09	6.2					
平均	0.29	4.3	0.46	5.5	0.57	5.7	0.75	5.4					
14	00	0.18	4.0	0.29	5.3	0.35	5.5	0.47	5.6	欠測	欠測		
	02	0.17	4.0	0.27	5.4	0.32	5.6	0.50	6.7	NW	322		
	04	0.18	3.9	0.29	5.4	0.37	5.6	0.50	6.8	欠測	欠測		
	06	0.19	4.2	0.29	5.0	0.36	4.8	0.47	5.0	WNW	299		
	08	* 0.20	4.0	0.30	4.8	0.37	4.9	0.50	4.8	N	6		
	10	0.20	3.9	* 0.31	4.9	* 0.39	4.9	0.51	4.4	欠測	欠測		
	12	0.16	4.1	0.25	5.0	0.30	5.3	0.36	5.7	NNW	345		
	14	0.15	3.6	0.23	5.0	0.30	5.0	0.40	4.6	NW	321		
	16	0.14	3.4	0.22	4.8	0.26	5.0	0.34	4.7	NNE	27		
	18	0.14	3.2	0.21	4.4	0.26	4.8	0.33	4.6	欠測	欠測		
	20	0.16	3.1	0.25	4.1	0.33	4.0	* 0.60	3.1	NNE	23		
	22	0.13	2.9	0.21	3.9	0.26	3.9	0.36	2.5	W	280		
最大	0.20	4.0	0.31	4.9	0.39	4.9	0.60	3.1					
平均	0.17	3.7	0.26	4.8	0.32	4.9	0.45	4.9					
15	00	0.12	3.2	0.19	4.2	0.23	4.6	0.30	6.1	NE	44		
	02	0.13	3.0	0.20	4.1	0.25	4.2	0.44	3.2	WNW	284		
	04	0.17	3.1	0.26	3.9	0.32	3.6	0.40	4.8	N	11		
	06	0.18	3.2	0.28	3.9	0.34	4.0	0.48	3.9	NW	322		
	08	0.22	3.6	0.35	4.1	0.43	4.0	0.65	3.6	NNE	21		
	10	0.22	3.6	0.34	4.2	0.43	3.9	0.53	3.4	NNE	23		
	12	0.23	3.7	0.37	4.3	0.47	4.3	0.71	4.0	NNW	343		
	14	0.20	3.5	0.31	4.0	0.41	4.0	0.54	4.3	N	2		
	16	0.14	3.2	0.21	4.0	0.27	3.7	0.39	4.4	NNE	33		
	18	0.14	3.5	0.22	4.1	0.26	4.1	0.33	3.9	NW	318		
	20	0.16	3.5	0.23	4.1	0.29	4.1	0.36	4.6	N	6		
	22	* 0.29	3.7	* 0.47	4.3	* 0.59	4.2	* 0.71	4.9	NW	310		
最大	0.29	3.7	0.47	4.3	0.59	4.2	0.71	4.9					
平均	0.18	3.4	0.29	4.1	0.36	4.1	0.49	4.3					
16	00	0.29	4.0	0.48	4.8	0.61	4.8	1.00	4.5	NE	54		
	02	0.29	4.1	0.47	5.1	0.59	4.8	0.82	4.8	NE	47		
	04	0.30	4.3	0.46	5.0	0.57	5.2	0.73	4.4	欠測	欠測		
	06	0.29	4.4	0.45	5.2	0.57	5.2	0.88	5.1	NE	56		
	08	0.31	4.3	0.50	5.1	0.62	5.2	0.78	4.9	NW	321		
	10	0.33	4.1	0.51	5.1	0.63	5.3	0.83	5.4	NW	314		
	12	0.31	3.7	0.50	4.6	0.62	4.7	0.80	5.0	NNW	336		
	14	0.35	3.7	0.54	4.4	0.71	4.2	0.97	4.1	N	352		
	16	* 0.42	4.4	* 0.66	5.3	* 0.82	5.2	* 1.13	5.4	WNW	282		
	18	0.36	3.9	0.56	4.8	0.72	4.8	1.05	4.3	NNE	23		
	20	0.31	3.6	0.49	4.7	0.63	4.7	0.95	7.2	N	2		
	22	0.23	3.9	0.37	5.4	0.47	5.7	0.71	5.4	W	278		
最大	0.42	4.4	0.66	5.3	0.82	5.2	1.13	5.4					
平均	0.32	4.0	0.50	5.0	0.63	5.0	0.89	5.0					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	340 回
										欠測回数	0 回	欠測回数	32 回
										欠 測 率	0.0 %	欠 測 率	8.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
17	00	0.25	3.5	0.40	4.6	0.50	4.8	0.59	6.8	欠測	欠測		
	02	0.31	3.9	0.47	4.8	0.58	4.8	0.88	5.8	欠測	欠測		
	04	0.44	3.8	0.66	4.4	0.82	4.6	1.01	5.2	WNW	294		
	06	* 0.70	4.3	* 1.06	4.8	* 1.31	4.8	* 1.75	5.1	欠測	欠測		
	08	0.39	3.9	0.62	5.1	0.78	4.9	1.18	5.7	WNW	282		
	10	0.38	4.2	0.58	5.2	0.71	5.3	1.03	4.9	WNW	283		
	12	0.40	4.5	0.64	5.5	0.80	5.6	1.39	5.3	NNW	338		
	14	0.48	4.9	0.73	5.8	0.89	5.9	1.09	5.8	W	274		
	16	0.41	4.7	0.64	5.7	0.78	5.3	1.02	5.1	W	274		
	18	0.38	4.9	0.59	5.6	0.75	5.5	1.08	5.3	NNE	14		
	20	0.48	5.5	0.78	6.9	0.96	6.8	1.24	6.7	NW	323		
	22	0.59	5.7	0.94	6.3	1.20	6.2	1.62	5.9	NW	323		
最大 平均	0.70 0.43	4.3 4.5	1.06 0.68	4.8 5.4	1.31 0.84	4.8 5.4	1.75 1.16	5.1 5.6					
18	00	* 0.51	5.1	* 0.81	5.9	* 1.00	5.9	* 1.42	5.4	NNW	327		
	02	0.49	4.9	0.75	5.5	0.93	5.6	1.22	5.6	NW	307		
	04	0.46	4.8	0.72	5.3	0.91	5.2	1.17	4.8	W	271		
	06	0.41	4.7	0.64	5.2	0.80	5.1	1.13	5.2	NNW	336		
	08	0.35	4.4	0.56	5.1	0.75	5.0	1.17	4.9	NW	320		
	10	0.34	4.4	0.54	5.2	0.68	5.0	1.02	4.8	NE	53		
	12	0.31	4.3	0.50	4.9	0.62	4.8	0.89	4.2	NE	56		
	14	0.24	4.0	0.38	5.0	0.49	5.2	0.57	4.4	NW	326		
	16	0.24	4.1	0.38	5.1	0.47	5.1	0.64	4.8	欠測	欠測		
	18	0.22	3.5	0.35	4.7	0.43	4.6	0.62	3.4	欠測	欠測		
	20	0.22	4.0	0.34	5.2	0.43	4.9	0.58	4.6	欠測	欠測		
	22	0.21	4.1	0.34	5.5	0.42	5.6	0.53	6.2	欠測	欠測		
最大 平均	0.51 0.33	5.1 4.4	0.81 0.53	5.9 5.2	1.00 0.66	5.9 5.2	1.42 0.91	5.4 4.9					
19	00	0.21	4.5	0.34	5.4	0.43	5.5	0.61	5.7	NNW	341		
	02	0.19	4.1	0.29	5.2	0.36	5.7	0.55	5.4	欠測	欠測		
	04	0.18	3.8	0.30	5.3	0.39	5.3	0.53	4.1	WNW	299		
	06	0.18	3.7	0.30	4.8	0.36	4.8	0.44	5.4	欠測	欠測		
	08	0.21	3.5	0.32	4.2	0.38	4.4	0.47	3.9	欠測	欠測		
	10	0.23	3.6	0.36	4.2	0.44	4.2	0.68	4.1	WNW	301		
	12	* 0.26	3.4	* 0.39	3.9	* 0.50	3.9	* 0.71	4.0	N	4		
	14	0.16	3.3	0.26	4.4	0.34	4.5	0.42	6.1	欠測	欠測		
	16	0.18	3.1	0.28	4.2	0.35	4.3	0.47	4.0	W	274		
	18	0.16	3.3	0.26	4.5	0.32	4.5	0.44	3.1	WNW	286		
	20	0.18	3.0	0.29	3.7	0.37	3.6	0.60	3.0	欠測	欠測		
	22	0.15	2.9	0.23	3.6	0.29	4.0	0.40	3.0	WNW	291		
最大 平均	0.26 0.19	3.4 3.5	0.39 0.30	3.9 4.5	0.50 0.38	3.9 4.6	0.71 0.53	4.0 4.3					
20	00	0.13	3.2	0.19	4.5	0.24	5.0	0.35	4.6	欠測	欠測		
	02	0.12	3.3	0.19	4.6	0.23	5.0	0.31	5.2	NW	306		
	04	0.13	3.6	0.20	4.8	0.25	5.2	0.34	5.6	W	279		
	06	0.13	3.5	0.20	5.0	0.24	5.2	0.36	3.8	W	275		
	08	0.11	3.4	0.17	4.7	0.21	5.0	0.34	4.8	NW	305		
	10	0.12	3.3	0.18	4.5	0.22	5.1	0.37	6.2	欠測	欠測		
	12	0.16	3.0	0.24	3.6	0.31	3.7	0.44	2.7	WNW	282		
	14	* 0.31	3.3	* 0.47	3.6	* 0.59	3.4	* 0.87	2.9	NW	313		
	16	0.18	3.0	0.27	3.5	0.35	3.4	0.48	3.7	WNW	287		
	18	0.17	3.4	0.26	4.0	0.32	3.9	0.45	4.2	N	354		
	20	0.15	2.9	0.23	3.7	0.29	3.7	0.39	3.8	WNW	294		
	22	0.20	2.9	0.31	3.3	0.40	3.2	0.65	5.6	W	279		
最大 平均	0.31 0.16	3.3 3.2	0.47 0.24	3.6 4.1	0.59 0.30	3.4 4.3	0.87 0.45	2.9 4.4					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	0.25	3.6	0.39	4.0	0.51	3.9	0.70	3.6	NE	55
	02	0.26	3.8	0.42	4.5	0.52	4.4	0.71	4.3	N	354
	04	0.30	3.7	0.47	4.5	0.62	4.8	0.85	4.8	N	2
	06	0.28	3.4	0.44	3.8	0.54	3.7	0.70	4.3	N	351
	08	0.32	3.4	0.49	3.7	0.62	3.7	1.01	3.8	NE	42
	10	0.36	3.5	0.58	3.9	0.76	3.7	1.13	3.3	NNE	30
	12	0.31	3.4	0.47	4.1	0.59	4.2	0.82	4.3	欠測	欠測
	14	0.23	3.5	0.36	4.2	0.45	4.1	0.65	4.4	欠測	欠測
	16	0.23	3.1	0.38	3.6	0.49	3.7	0.69	2.8	欠測	欠測
	18	0.23	3.2	0.37	3.7	0.49	3.7	0.75	3.2	W	271
	20	0.67	5.7	1.09	7.3	1.42	7.8	* 2.39	7.6	W	274
	22	* 0.89	5.9	* 1.50	7.5	* 1.91	7.6	2.28	7.7	W	278
	最大	0.89	5.9	1.50	7.5	1.91	7.6	2.39	7.6		
	平均	0.36	3.9	0.58	4.6	0.74	4.6	1.06	4.5		
22	00	0.93	5.8	1.52	7.2	1.87	7.3	2.46	7.5	WNW	286
	02	1.05	6.0	1.64	7.4	1.98	7.3	2.45	7.5	W	270
	04	* 1.26	6.5	1.95	7.9	2.37	7.8	2.73	6.5	WNW	286
	06	1.22	6.3	* 1.99	8.2	* 2.46	8.5	3.11	9.7	WNW	282
	08	1.10	5.7	1.80	7.5	2.29	7.8	* 3.12	8.3	WNW	286
	10	1.00	5.8	1.59	7.4	2.05	7.1	2.48	7.1	WNW	299
	12	1.01	5.6	1.65	7.1	2.17	7.1	2.73	6.8	WNW	290
	14	0.80	5.3	1.26	6.6	1.61	6.8	2.12	6.6	WNW	282
	16	0.65	5.0	1.06	6.5	1.33	6.8	1.67	6.5	W	274
	18	0.65	4.4	1.01	5.6	1.23	5.7	1.55	5.8	W	274
	20	0.64	4.6	1.02	5.8	1.29	6.2	1.64	6.7	NW	307
	22	0.73	4.7	1.20	5.8	1.52	5.9	2.13	6.6	WNW	286
	最大	1.26	6.5	1.99	8.2	2.46	8.5	3.12	8.3		
	平均	0.92	5.5	1.47	6.9	1.85	7.0	2.35	7.1		
23	00	* 0.95	5.4	* 1.45	6.3	1.71	6.4	2.49	5.3	NNW	331
	02	0.87	5.1	1.42	6.4	* 1.86	6.5	* 3.19	6.2	NW	323
	04	0.70	4.8	1.11	5.9	1.39	5.9	1.66	4.8	NW	323
	06	0.61	4.8	0.96	5.9	1.18	5.9	1.47	6.2	NW	319
	08	0.66	4.5	1.05	5.6	1.32	5.8	1.84	6.9	NE	38
	10	0.71	4.4	1.10	5.1	1.36	5.3	2.08	5.3	NE	41
	12	0.73	4.9	1.14	5.8	1.45	6.1	1.85	5.1	NNW	335
	14	0.64	4.6	1.03	5.9	1.32	5.8	1.80	5.5	NNW	344
	16	0.68	5.1	1.06	6.1	1.35	6.3	1.92	5.9	NNW	335
	18	0.61	5.0	0.99	6.1	1.25	6.0	1.64	5.9	NNW	331
	20	0.61	5.1	0.95	6.1	1.20	5.9	1.54	5.8	NNW	340
	22	0.54	4.9	0.84	5.8	1.05	5.8	1.57	5.7	N	356
	最大	0.95	5.4	1.45	6.3	1.86	6.5	3.19	6.2		
	平均	0.69	4.9	1.09	5.9	1.37	6.0	1.92	5.7		
24	00	* 0.50	4.8	* 0.79	5.7	* 0.99	5.6	* 1.35	5.2	NNW	335
	02	0.48	4.9	0.77	5.6	0.94	5.6	1.21	5.6	欠測	欠測
	04	0.41	4.8	0.63	5.3	0.79	5.3	1.03	5.2	NNW	343
	06	0.34	4.6	0.53	5.3	0.65	5.3	0.95	5.4	NNW	342
	08	0.33	4.5	0.52	5.2	0.63	5.0	0.76	5.0	N	5
	10	0.30	4.3	0.47	5.2	0.57	5.3	0.74	4.8	WNW	293
	12	0.25	3.7	0.39	4.8	0.50	4.9	0.70	5.3	WNW	285
	14	0.34	3.3	0.53	3.8	0.69	3.5	1.14	3.1	N	1
	16	0.22	3.5	0.35	4.6	0.44	4.7	0.59	4.3	W	279
	18	0.32	3.9	0.49	4.4	0.60	4.2	0.82	3.9	NE	47
	20	0.23	3.6	0.36	4.3	0.46	4.2	0.67	3.7	NW	304
	22	0.20	3.8	0.32	4.5	0.39	4.6	0.53	3.4	N	11
	最大	0.50	4.8	0.79	5.7	0.99	5.6	1.35	5.2		
	平均	0.33	4.1	0.51	4.9	0.64	4.9	0.87	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月		波 高							波 向		
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		340 回			
		欠測回数		0 回		欠測回数		32 回			
		欠 測 率		0.0 %		欠 測 率		8.6 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m							緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″		
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
25	00	0.23	4.1	0.35	4.5	0.43	4.4	0.63	4.8	W	279
	02	0.21	3.7	0.34	4.4	0.41	4.4	0.53	3.6	NNW	333
	04	0.26	3.4	0.41	4.0	0.53	4.0	0.73	3.3	N	349
	06	0.24	3.4	0.37	3.9	0.47	4.0	0.70	3.5	N	355
	08	0.26	3.5	0.40	4.0	0.49	4.0	0.72	3.5	NNW	335
	10	0.31	3.5	0.48	4.1	0.60	4.1	0.92	4.4	NNW	328
	12	0.38	3.6	0.60	4.2	0.74	4.1	0.96	3.9	N	358
	14	0.36	3.7	0.56	4.3	0.73	4.1	1.26	4.1	NW	307
	16	0.31	3.9	0.48	4.4	0.59	4.3	0.74	3.3	欠測	欠測
	18	0.33	3.8	0.50	4.5	0.62	4.3	0.78	4.0	NNW	342
	20	0.50	3.7	0.78	4.0	1.00	4.0	1.63	4.4	NNE	22
	22	* 1.10	4.7	* 1.67	5.2	* 2.05	5.2	* 2.63	5.2	NNE	26
	最大 平均	1.10 0.37	4.7 3.8	1.67 0.58	5.2 4.3	2.05 0.72	5.2 4.2	2.63 1.02	5.2 4.0		
	26	00	1.44	5.5	* 2.30	6.3	* 2.86	6.4	* 3.93	6.3	W
02		* 1.49	5.9	2.29	7.2	2.67	7.4	3.18	7.2	WNW	286
04		1.39	6.1	2.20	7.2	2.82	7.8	3.40	8.5	WNW	290
06		1.13	6.0	1.83	7.5	2.28	7.6	3.26	7.2	WNW	290
08		0.88	5.9	1.40	7.1	1.74	7.2	2.28	7.7	WNW	282
10		0.83	6.1	1.30	7.2	1.57	7.1	2.21	6.3	W	278
12		0.62	5.0	1.01	6.4	1.26	6.2	1.62	5.9	W	262
14		0.57	4.8	0.93	6.3	1.15	6.3	1.56	4.5	W	270
16		0.54	4.6	0.83	5.6	1.03	5.8	1.39	4.7	N	5
18		0.52	4.5	0.83	5.7	1.01	5.9	1.29	5.9	W	274
20		0.48	4.7	0.74	5.5	0.96	5.4	1.25	5.1	NNE	32
22		0.48	5.0	0.72	5.6	0.89	5.4	1.13	5.5	NW	311
最大 平均		1.49 0.86	5.9 5.3	2.30 1.37	6.3 6.5	2.86 1.69	6.4 6.5	3.93 2.21	6.3 6.2		
27		00	0.38	4.7	0.60	5.4	0.79	5.5	1.20	5.4	WNW
	02	0.30	4.5	0.48	5.4	0.62	5.3	0.85	5.5	WNW	282
	04	0.31	4.9	0.47	5.8	0.56	5.8	0.73	5.2	NW	311
	06	0.26	4.3	0.41	5.6	0.52	5.6	0.64	5.9	NNW	341
	08	0.23	3.9	0.36	5.3	0.45	5.6	0.62	6.2	W	279
	10	0.24	4.3	0.38	5.6	0.47	5.8	0.64	4.6	NE	35
	12	0.21	3.8	0.34	5.0	0.43	5.2	0.61	5.4	N	1
	14	0.23	3.7	0.37	4.6	0.46	4.5	0.58	5.2	NW	308
	16	0.23	3.8	0.37	4.7	0.46	4.8	0.65	4.6	NNW	347
	18	0.23	3.9	0.36	4.8	0.45	5.0	0.60	5.4	NE	50
	20	0.32	3.4	0.50	3.8	0.63	3.7	1.00	3.6	NNE	30
	22	* 0.54	3.6	* 0.84	4.0	* 1.04	4.0	* 1.57	3.7	NE	44
	最大 平均	0.54 0.29	3.6 4.1	0.84 0.46	4.0 5.0	1.04 0.57	4.0 5.1	1.57 0.81	3.7 5.1		
	28	00	0.67	4.4	1.02	4.6	1.27	4.4	1.57	4.6	W
02		0.70	4.0	1.11	4.6	1.41	4.6	* 2.60	4.3	NE	53
04		* 0.76	4.5	* 1.18	5.0	* 1.43	4.9	1.68	4.5	WNW	297
06		0.69	4.5	1.10	5.1	1.34	5.0	1.68	6.2	W	272
08		0.62	4.4	0.93	5.1	1.14	5.3	1.93	4.8	欠測	欠測
10		0.62	4.6	0.98	5.5	1.18	5.5	1.59	6.0	W	280
12		0.54	4.7	0.85	5.6	1.03	5.8	1.41	6.5	欠測	欠測
14		0.49	4.8	0.78	6.0	0.98	6.2	1.14	6.5	W	274
16		0.46	5.4	0.71	6.2	0.88	6.4	1.08	6.4	W	262
18		0.44	5.2	0.68	6.0	0.86	6.1	1.17	6.1	W	266
20		0.43	5.2	0.65	6.1	0.78	5.9	0.96	6.0	W	278
22		0.33	4.7	0.57	6.3	0.72	6.4	1.21	6.0	W	262
最大 平均		0.76 0.56	4.5 4.7	1.18 0.88	5.0 5.5	1.43 1.09	4.9 5.5	2.60 1.50	4.3 5.7		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 5月

機種：波向 海象計 - 52.0 m	波 高		波 向	
	規定回数	372 回	規定回数	372 回
	測得回数	372 回	測得回数	340 回
	欠測回数	0 回	欠測回数	32 回
	欠 測 率	0.0 %	欠 測 率	8.6 %

観測所：輪島港輪島崎地区 機種：波高 海象計 - 52.0 m 緯度：N 37° -25' -51" 経度：E 136° -54' -08"

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.34	5.3	0.54	6.4	0.68	6.4	0.81	5.4	W	274
	02	0.45	4.2	0.71	5.3	0.86	5.4	1.06	5.8	WNW	294
	04	0.52	4.2	0.83	4.9	1.07	4.8	1.48	4.2	N	7
	06	0.57	4.2	0.89	4.9	1.11	5.0	1.39	5.1	NNE	28
	08	0.60	4.2	0.92	4.9	1.17	4.8	1.43	4.8	NNE	27
	10	0.53	4.0	0.85	4.7	1.07	4.6	1.35	5.2	NNW	340
	12	0.53	4.0	0.83	4.8	1.04	5.0	1.34	5.0	NNW	347
	14	0.71	4.4	1.09	5.1	1.40	5.1	1.90	5.1	欠測	欠測
	16	* 0.76	4.4	1.20	5.1	1.48	5.1	* 2.22	5.5	NW	312
	18	0.75	4.6	* 1.21	5.3	* 1.50	5.5	2.07	5.1	欠測	欠測
	20	0.62	4.7	0.96	5.5	1.24	5.4	1.58	4.7	W	280
	22	0.65	4.9	1.00	5.9	1.25	5.9	1.90	5.6	W	270
	最大	0.76	4.4	1.21	5.3	1.50	5.5	2.22	5.5		
	平均	0.59	4.4	0.92	5.2	1.16	5.3	1.54	5.1		
30	00	0.63	4.8	0.97	5.7	1.19	5.8	1.52	6.5	W	270
	02	0.66	5.4	1.02	6.0	1.26	6.0	1.53	5.2	W	266
	04	0.65	5.2	1.03	6.2	1.24	6.1	1.52	5.8	W	270
	06	0.68	5.4	1.05	6.0	1.33	6.0	1.77	5.7	W	274
	08	0.62	5.2	1.00	6.3	1.23	6.5	1.58	5.7	WNW	286
	10	* 0.70	5.6	* 1.09	6.4	* 1.34	6.4	1.78	6.0	NNW	331
	12	0.65	5.1	1.02	6.2	1.22	6.3	1.58	6.0	NW	315
	14	0.54	5.1	0.85	6.1	1.05	6.2	1.37	6.3	W	270
	16	0.51	5.1	0.82	5.9	1.04	5.9	1.42	6.3	WNW	303
	18	0.51	4.8	0.85	6.1	1.14	6.2	* 1.91	6.1	WNW	299
	20	0.54	5.3	0.80	5.9	0.98	5.9	1.33	5.9	N	356
	22	0.38	4.8	0.63	5.8	0.81	6.1	1.24	6.6	NNW	348
	最大	0.70	5.6	1.09	6.4	1.34	6.4	1.91	6.1		
	平均	0.59	5.1	0.93	6.1	1.15	6.1	1.55	6.0		
31	00	0.39	5.1	0.61	6.2	0.77	6.0	0.98	5.8	NNE	16
	02	0.40	5.5	0.64	6.4	0.78	6.4	0.95	6.6	NNE	16
	04	0.38	5.3	0.61	6.2	0.79	6.3	1.02	5.6	NNE	16
	06	0.37	5.4	0.59	6.6	0.74	6.3	1.00	6.3	欠測	欠測
	08	0.38	5.2	0.61	6.8	0.76	6.9	1.01	7.0	NNE	20
	10	0.52	4.7	0.81	6.2	1.01	6.7	1.24	7.4	NNE	29
	12	0.61	4.7	0.95	6.5	1.21	6.7	1.71	8.1	NNE	20
	14	0.48	4.7	0.77	6.3	0.96	6.8	1.26	7.1	NNE	16
	16	0.53	5.0	0.86	7.1	1.14	7.7	* 1.72	7.4	NNE	12
	18	0.59	5.6	0.91	7.3	1.10	7.4	1.45	7.7	NNE	12
	20	* 0.68	5.8	1.07	7.2	1.37	7.8	1.71	8.6	NNE	29
	22	0.66	5.4	* 1.09	7.3	* 1.38	7.2	1.66	8.2	NNE	25
	最大	0.68	5.8	1.09	7.3	1.38	7.2	1.72	7.4		
	平均	0.50	5.2	0.79	6.7	1.00	6.9	1.31	7.1		
月最大	起時	1.82	6.3	2.83	7.4	3.44	7.2	4.71	9.4		
	起時	0214		0214		0214		0218			
	平均	0.53	4.8	0.84	6.0	1.05	6.1	1.41	6.0		

波浪整理表（1）

2021年 6月		波 高							波 向		
		規定回数		360 回		規定回数		360 回			
		測得回数		360 回		測得回数		290 回			
		欠測回数		0 回		欠測回数		70 回			
		欠 測 率		0.0 %		欠 測 率		19.4 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
01	00	* 0.72	5.7	* 1.11	7.4	* 1.38	7.9	* 1.82	7.9	NNE	20
	02	0.64	5.7	0.97	7.2	1.18	7.3	1.39	7.5	NNE	20
	04	0.61	5.6	0.96	7.1	1.19	7.3	1.46	7.0	NNE	16
	06	0.60	5.3	0.96	7.0	1.22	7.2	1.48	6.3	NNE	25
	08	0.55	5.1	0.85	6.6	1.08	7.0	1.52	6.7	NNE	16
	10	0.62	4.8	0.95	6.2	1.17	6.3	1.67	7.1	NNE	16
	12	0.61	4.7	0.96	5.8	1.17	5.8	1.62	4.4	NNE	20
	14	0.68	4.5	1.06	5.9	1.30	5.8	1.59	4.6	NNE	16
	16	0.55	4.3	0.87	5.3	1.09	5.6	1.46	4.7	欠測	欠測
	18	0.49	4.6	0.79	5.9	0.96	5.9	1.30	3.9	N	8
	20	0.42	4.3	0.69	5.5	0.86	5.4	1.25	6.3	WNW	284
	22	0.39	4.6	0.61	5.3	0.77	5.5	1.08	5.1	W	275
最大 平均	0.72 0.57	5.7 4.9	1.11 0.90	7.4 6.3	1.38 1.11	7.9 6.4	1.82 1.47	7.9 6.0			
02	00	* 0.32	4.3	* 0.52	5.2	* 0.65	5.1	* 0.90	5.6	NNW	341
	02	0.29	4.3	0.46	5.0	0.57	4.9	0.71	4.8	NW	308
	04	0.28	4.2	0.43	5.0	0.53	4.8	0.66	4.7	WNW	282
	06	0.27	4.3	0.42	4.9	0.50	4.8	0.64	5.1	NNE	27
	08	0.28	4.0	0.42	4.9	0.52	5.0	0.73	5.2	欠測	欠測
	10	0.21	4.2	0.34	5.1	0.42	4.9	0.57	4.7	NNW	334
	12	0.18	3.7	0.29	4.7	0.36	4.7	0.55	3.6	欠測	欠測
	14	0.19	3.7	0.30	4.6	0.39	4.6	0.65	3.8	NW	311
	16	0.17	3.7	0.27	4.4	0.33	4.4	0.42	5.2	NNE	23
	18	0.17	3.9	0.26	4.7	0.32	4.7	0.41	4.4	NW	309
	20	0.15	3.5	0.24	4.7	0.30	4.9	0.39	5.6	NNE	28
	22	0.15	3.8	0.24	4.9	0.30	4.8	0.46	5.0	WNW	296
最大 平均	0.32 0.22	4.3 4.0	0.52 0.35	5.2 4.8	0.65 0.43	5.1 4.8	0.90 0.59	5.6 4.8			
03	00	0.15	3.7	* 0.25	4.9	0.31	5.0	0.38	4.8	NW	322
	02	0.15	3.7	0.24	4.9	* 0.31	5.1	0.43	4.9	NW	306
	04	0.14	3.6	0.22	4.8	0.27	4.8	0.33	3.9	欠測	欠測
	06	0.14	3.6	0.21	4.6	0.27	4.6	0.40	4.7	NW	313
	08	0.15	3.8	0.24	4.8	0.29	5.0	0.40	4.5	欠測	欠測
	10	* 0.16	3.5	0.24	4.1	0.30	4.2	0.39	4.0	N	8
	12	0.13	3.3	0.20	4.3	0.25	4.2	0.35	3.7	NW	307
	14	0.12	3.2	0.18	4.2	0.23	4.2	0.37	2.9	NNW	348
	16	0.11	3.0	0.16	4.0	0.20	4.4	0.26	5.7	NW	308
	18	0.11	2.9	0.17	4.1	0.22	4.6	0.30	5.0	欠測	欠測
	20	0.16	2.9	0.24	3.6	0.31	3.7	* 0.44	3.4	W	274
	22	0.14	3.4	0.23	4.5	0.29	4.7	0.40	3.3	欠測	欠測
最大 平均	0.16 0.14	3.5 3.4	0.25 0.21	4.9 4.4	0.31 0.27	5.1 4.5	0.44 0.37	3.4 4.2			
04	00	0.17	3.6	0.28	4.8	0.35	5.0	0.44	5.3	WNW	290
	02	0.17	3.8	0.26	5.0	0.33	4.9	0.56	4.9	WNW	291
	04	0.21	3.9	0.33	4.9	0.41	4.9	0.53	5.4	欠測	欠測
	06	0.27	4.2	0.44	5.4	0.55	5.5	0.77	5.9	欠測	欠測
	08	0.38	4.6	0.62	5.6	0.78	5.5	0.95	4.0	NE	44
	10	0.47	3.8	0.74	4.6	0.91	5.1	1.14	4.1	欠測	欠測
	12	* 0.60	4.0	* 0.92	4.5	* 1.17	4.3	* 1.64	4.5	NE	55
	14	0.47	3.8	0.71	4.4	0.88	4.4	1.21	4.2	NW	321
	16	0.37	3.7	0.56	4.4	0.70	4.4	1.00	4.2	N	4
	18	0.33	3.8	0.50	4.4	0.62	4.5	0.91	4.2	欠測	欠測
	20	0.35	4.2	0.53	5.0	0.66	5.0	0.89	4.6	NE	37
	22	0.36	4.2	0.57	4.9	0.75	4.9	1.10	5.1	欠測	欠測
最大 平均	0.60 0.35	4.0 4.0	0.92 0.54	4.5 4.8	1.17 0.68	4.3 4.9	1.64 0.93	4.5 4.7			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月		波 高							波 向		
		規定回数		360 回		規定回数		360 回			
		測得回数		360 回		測得回数		290 回			
		欠測回数		0 回		欠測回数		70 回			
		欠 測 率		0.0 %		欠 測 率		19.4 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
05	00	0.34	4.4	0.54	5.1	0.68	5.0	1.04	5.2	N	7
	02	0.40	4.6	0.62	5.5	0.76	5.4	1.04	4.3	N	356
	04	* 0.65	5.2	* 1.06	6.0	* 1.29	5.9	* 1.62	5.6	NW	319
	06	0.52	4.9	0.83	5.8	1.06	5.8	1.26	6.0	欠測	欠測
	08	0.48	4.6	0.78	5.6	0.96	5.6	1.15	5.3	NE	56
	10	0.45	4.5	0.71	5.5	0.86	5.5	1.15	5.7	NNW	344
	12	0.41	4.3	0.64	5.1	0.79	5.3	1.02	5.5	W	276
	14	0.38	4.3	0.59	5.2	0.73	5.4	0.99	5.5	欠測	欠測
	16	0.38	4.5	0.59	5.3	0.76	5.3	1.05	5.2	欠測	欠測
	18	0.39	4.5	0.60	5.3	0.74	5.4	0.99	5.9	欠測	欠測
	20	0.35	4.6	0.55	5.7	0.67	5.6	0.88	5.2	WNW	290
	22	0.31	4.6	0.51	5.7	0.65	5.7	0.82	5.3	W	278
最大 平均	0.65 0.42	5.2 4.6	1.06 0.67	6.0 5.5	1.29 0.83	5.9 5.5	1.62 1.08	5.6 5.4			
06	00	0.34	5.0	0.53	5.9	0.65	6.0	0.85	6.5	W	262
	02	0.37	5.2	0.58	6.1	0.75	6.0	0.96	6.2	W	270
	04	0.45	4.8	0.74	6.0	0.93	6.1	1.21	6.1	WNW	286
	06	0.48	4.8	0.78	6.2	0.93	6.4	1.16	6.4	W	262
	08	0.41	4.3	0.66	5.7	0.83	6.0	1.10	5.1	W	274
	10	0.44	4.7	0.68	6.0	0.85	6.2	0.98	7.4	W	262
	12	0.43	4.4	0.67	5.8	0.82	6.6	1.05	5.6	W	274
	14	0.52	4.9	0.85	6.9	1.05	7.3	1.25	6.4	W	270
	16	0.55	5.3	0.87	7.0	1.07	7.2	1.35	6.7	W	262
	18	0.59	5.5	* 0.97	7.2	* 1.28	7.4	* 1.75	7.7	W	270
	20	* 0.60	6.4	0.94	7.5	1.16	7.6	1.37	7.2	W	278
	22	0.56	6.0	0.92	7.4	1.11	7.2	1.34	6.9	W	266
最大 平均	0.60 0.48	6.4 5.1	0.97 0.77	7.2 6.5	1.28 0.95	7.4 6.7	1.75 1.20	7.7 6.5			
07	00	* 0.68	6.3	* 1.14	7.8	* 1.50	7.6	* 2.09	7.8	W	278
	02	0.55	5.9	0.89	6.9	1.12	6.9	1.52	7.3	W	274
	04	0.43	5.7	0.66	6.9	0.80	6.7	0.97	7.1	W	266
	06	0.42	5.5	0.66	6.4	0.81	6.9	1.22	7.0	W	270
	08	0.40	5.2	0.64	6.4	0.78	6.6	0.93	6.6	W	266
	10	0.41	5.3	0.64	6.1	0.80	6.1	1.04	6.4	W	278
	12	0.36	4.6	0.56	6.0	0.69	5.9	0.82	7.0	W	274
	14	0.30	4.4	0.47	5.7	0.58	5.7	0.81	5.9	W	274
	16	0.25	4.8	0.39	6.0	0.49	6.4	0.61	6.2	W	270
	18	0.24	4.6	0.39	6.0	0.49	6.0	0.61	6.4	W	278
	20	0.22	4.6	0.35	5.7	0.44	5.6	0.59	5.9	W	270
	22	0.21	4.6	0.33	5.6	0.41	5.7	0.66	5.8	NW	326
最大 平均	0.68 0.37	6.3 5.1	1.14 0.59	7.8 6.3	1.50 0.74	7.6 6.3	2.09 0.99	7.8 6.6			
08	00	0.20	4.6	0.32	5.6	0.38	5.6	0.45	6.2	NNW	348
	02	0.21	4.5	0.34	5.5	0.45	5.6	0.62	6.0	N	4
	04	0.26	4.5	0.41	5.6	0.50	5.9	0.67	5.1	NNW	339
	06	0.24	4.4	0.40	5.6	0.50	5.7	0.66	5.0	欠測	欠測
	08	0.26	4.4	0.42	5.5	0.53	5.5	0.64	5.9	NE	54
	10	* 0.28	4.2	* 0.44	5.5	0.54	5.6	0.76	5.4	NE	54
	12	0.26	4.2	0.42	5.3	0.53	5.3	0.75	5.2	NNE	32
	14	0.28	3.6	0.44	4.5	* 0.56	4.5	* 0.77	3.3	NNE	30
	16	0.27	3.7	0.41	4.8	0.52	4.7	0.62	3.8	NW	322
	18	0.24	4.2	0.37	5.1	0.45	5.1	0.63	5.2	欠測	欠測
	20	0.19	4.1	0.30	5.1	0.36	5.0	0.45	5.2	欠測	欠測
	22	0.20	3.9	0.32	4.8	0.39	4.9	0.49	5.1	欠測	欠測
最大 平均	0.28 0.24	4.2 4.2	0.44 0.38	5.5 5.2	0.56 0.48	4.5 5.3	0.77 0.63	3.3 5.1			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月		波 高						波 向			
		規定回数	360 回		規定回数	360 回					
		測得回数	360 回		測得回数	290 回					
		欠測回数	0 回		欠測回数	70 回					
		欠 測 率	0.0 %		欠 測 率	19.4 %					
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
09	00	0.19	3.9	0.30	4.7	0.39	4.6	0.56	4.7	NNW	344
	02	0.18	3.9	0.29	4.7	0.36	4.7	0.55	4.5	WNW	303
	04	0.17	4.0	0.27	4.8	0.34	4.8	0.44	4.9	NW	307
	06	0.18	3.8	0.28	4.7	0.34	4.6	0.53	4.5	NW	312
	08	* 0.22	3.3	* 0.33	4.2	* 0.41	4.5	* 0.57	3.5	WNW	290
	10	0.16	3.7	0.26	4.7	0.32	4.8	0.44	4.7	N	8
	12	0.14	3.3	0.23	4.5	0.30	4.7	0.39	4.0	NNW	329
	14	0.16	3.0	0.25	4.0	0.32	4.0	0.47	4.4	WNW	293
	16	0.16	3.0	0.25	3.9	0.32	3.9	0.39	4.9	欠測	欠測
	18	0.16	3.3	0.25	4.4	0.30	4.4	0.41	4.1	NW	311
	20	0.14	3.1	0.22	4.0	0.27	4.3	0.37	3.8	NW	307
	22	0.14	2.9	0.21	3.6	0.28	3.6	0.40	3.5	NNW	328
最大	0.22	3.3	0.33	4.2	0.41	4.5	0.57	3.5			
平均	0.17	3.4	0.26	4.3	0.33	4.4	0.46	4.3			
10	00	0.14	2.9	0.21	3.6	0.25	3.4	0.36	3.0	N	353
	02	0.13	2.9	0.20	3.7	0.25	3.5	* 0.45	3.2	W	277
	04	0.15	2.9	0.22	3.5	0.28	3.5	0.40	3.0	WNW	294
	06	* 0.15	3.2	0.22	3.7	0.27	3.8	0.35	3.1	NE	42
	08	0.13	3.1	0.20	3.8	0.25	3.8	0.34	3.3	N	357
	10	0.14	3.0	* 0.23	3.7	* 0.30	3.7	0.37	4.5	NW	312
	12	0.15	3.1	0.23	3.5	0.28	3.6	0.36	3.3	欠測	欠測
	14	0.15	3.1	0.23	3.5	0.30	3.5	0.43	3.2	欠測	欠測
	16	0.15	2.9	0.22	3.3	0.28	3.1	0.44	2.3	NW	313
	18	0.12	3.1	0.19	3.9	0.23	4.0	0.31	3.3	欠測	欠測
	20	0.11	3.1	0.16	4.3	0.20	4.3	0.26	2.9	WNW	298
	22	0.10	3.1	0.16	4.6	0.19	5.0	0.23	4.6	N	1
最大	0.15	3.2	0.23	3.7	0.30	3.7	0.45	3.2			
平均	0.14	3.0	0.21	3.8	0.26	3.8	0.36	3.3			
11	00	0.12	3.2	0.19	4.3	0.25	4.6	0.41	2.8	NW	307
	02	0.09	2.9	0.13	4.1	0.16	4.6	0.22	3.2	WNW	300
	04	0.10	3.0	0.15	4.0	0.18	4.1	0.28	3.6	NE	34
	06	0.11	3.0	0.17	4.0	0.20	4.2	0.27	4.8	欠測	欠測
	08	0.12	2.9	0.18	3.6	0.22	3.9	0.28	3.8	NW	307
	10	0.14	3.1	0.21	3.9	0.27	3.9	0.40	4.3	欠測	欠測
	12	* 0.21	3.0	* 0.33	3.2	* 0.41	3.1	0.53	2.3	NW	319
	14	0.17	2.8	0.27	3.4	0.36	3.5	* 0.55	2.3	NNE	15
	16	0.15	3.2	0.22	4.0	0.28	4.1	0.38	4.7	欠測	欠測
	18	0.13	3.3	0.20	4.5	0.25	4.7	0.40	4.4	欠測	欠測
	20	0.13	3.3	0.21	4.2	0.27	4.2	0.39	4.1	WNW	298
	22	0.13	3.2	0.19	4.0	0.24	4.2	0.32	4.5	欠測	欠測
最大	0.21	3.0	0.33	3.2	0.41	3.1	0.55	2.3			
平均	0.13	3.1	0.20	3.9	0.26	4.1	0.37	3.7			
12	00	0.11	3.3	0.18	4.3	0.24	4.4	0.30	4.1	NW	312
	02	0.14	3.5	0.22	4.5	0.27	4.6	0.38	4.0	NNW	342
	04	0.14	3.5	0.22	4.2	0.27	4.4	0.40	4.4	NW	308
	06	0.18	3.6	0.28	4.3	0.37	4.3	0.65	4.2	N	7
	08	0.23	3.3	0.36	3.8	0.46	3.8	0.65	4.2	NE	51
	10	0.27	3.4	0.42	3.9	* 0.53	3.7	* 0.75	3.4	NNE	26
	12	0.18	3.3	0.28	3.9	0.35	4.0	0.44	4.8	NE	56
	14	0.17	3.2	0.26	4.2	0.33	4.4	0.40	7.2	欠測	欠測
	16	0.16	3.7	0.23	5.1	0.28	5.3	0.36	6.5	NNE	13
	18	0.24	4.6	0.38	5.9	0.47	6.4	0.67	6.9	NW	323
	20	* 0.27	5.3	* 0.42	6.3	0.51	6.2	0.61	5.6	WNW	282
	22	0.26	5.3	0.41	6.2	0.51	6.1	0.67	6.0	W	274
最大	0.27	5.3	0.42	6.3	0.53	3.7	0.75	3.4			
平均	0.20	3.8	0.30	4.7	0.38	4.8	0.52	5.1			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月		波 高						波 向			
		規定回数		360 回		規定回数		360 回			
		測得回数		360 回		測得回数		290 回			
		欠測回数		0 回		欠測回数		70 回			
		欠 測 率		0.0 %		欠 測 率		19.4 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
13	00	* 0.28	5.2	* 0.43	5.8	* 0.54	5.7	* 0.76	6.0	WNW	290
	02	0.25	4.8	0.39	5.7	0.50	5.6	0.71	5.4	WNW	290
	04	0.20	4.1	0.32	5.3	0.40	5.2	0.60	5.4	NE	55
	06	0.21	4.3	0.32	5.2	0.40	5.3	0.48	5.4	W	279
	08	0.17	4.1	0.27	5.4	0.36	5.5	0.50	5.5	NE	52
	10	0.16	4.0	0.25	5.4	0.31	5.2	0.39	4.2	NNE	22
	12	0.15	3.9	0.23	5.5	0.29	5.8	0.39	5.2	欠測	欠測
	14	0.16	3.9	0.24	5.3	0.30	5.4	0.43	5.3	欠測	欠測
	16	0.15	3.9	0.24	5.3	0.30	5.7	0.37	5.1	NNW	340
	18	0.16	4.1	0.25	5.2	0.31	5.4	0.39	5.5	NW	310
20	0.16	4.1	0.25	5.3	0.30	5.4	0.41	5.0	NNW	337	
22	0.14	4.0	0.22	5.3	0.27	5.4	0.37	5.2	NNW	328	
最大	0.28	5.2	0.43	5.8	0.54	5.7	0.76	6.0			
平均	0.18	4.2	0.28	5.4	0.36	5.5	0.48	5.3			
14	00	0.13	3.9	0.20	5.1	0.25	5.6	0.34	4.1	NE	54
	02	0.13	3.5	0.19	5.0	0.24	5.2	0.31	6.9	NW	317
	04	0.12	3.3	0.19	4.7	0.24	5.1	0.30	7.3	W	277
	06	0.13	3.1	0.20	4.0	0.25	4.6	0.32	5.1	WNW	295
	08	0.12	3.1	0.18	4.5	0.22	4.6	0.34	3.4	WNW	301
	10	0.16	3.0	0.25	3.6	0.31	3.5	0.45	3.2	NNW	337
	12	0.21	3.1	0.32	3.6	0.39	3.5	0.51	4.3	NNE	15
	14	0.24	3.1	0.37	3.4	0.46	3.4	0.65	2.8	NNW	331
	16	* 0.28	3.4	* 0.44	3.8	* 0.55	3.6	* 0.76	3.4	NNW	335
	18	0.24	3.2	0.38	3.4	0.50	3.2	0.75	3.0	WNW	290
20	0.21	3.1	0.33	3.5	0.43	3.2	0.56	3.3	NE	36	
22	0.22	3.2	0.36	3.7	0.47	3.4	0.59	2.1	W	272	
最大	0.28	3.4	0.44	3.8	0.55	3.6	0.76	3.4			
平均	0.18	3.3	0.28	4.0	0.36	4.1	0.49	4.1			
15	00	0.23	3.4	0.35	3.7	0.43	3.6	0.52	3.1	WNW	283
	02	0.20	3.3	0.32	3.8	0.40	3.7	0.51	3.3	NW	308
	04	0.19	3.4	0.29	3.9	0.36	3.9	0.55	3.6	N	352
	06	0.20	3.3	0.30	3.7	0.39	3.5	0.49	4.2	NE	52
	08	0.19	3.0	0.30	3.6	0.39	3.5	0.57	3.1	W	276
	10	0.22	3.0	0.34	3.4	0.42	3.5	0.59	3.9	NNE	13
	12	0.24	3.0	0.37	3.4	0.47	3.3	0.61	3.0	WNW	282
	14	0.26	3.2	0.39	3.5	0.49	3.4	0.62	2.7	NNW	334
	16	0.26	3.3	* 0.42	3.8	* 0.53	3.8	* 0.82	4.7	N	354
	18	0.25	3.6	0.40	4.5	0.50	4.1	0.69	4.0	NNE	15
20	0.25	3.6	0.39	4.5	0.49	4.5	0.74	5.0	N	352	
22	* 0.26	3.7	0.39	4.3	0.48	4.1	0.64	3.9	NNW	336	
最大	0.26	3.7	0.42	3.8	0.53	3.8	0.82	4.7			
平均	0.23	3.3	0.35	3.8	0.45	3.7	0.61	3.7			
16	00	0.23	3.7	0.35	4.4	0.44	4.3	0.55	3.5	WNW	301
	02	0.25	3.9	0.38	4.8	0.48	4.9	0.58	4.0	欠測	欠測
	04	0.31	4.0	0.49	4.8	0.62	4.8	0.83	4.8	N	359
	06	0.38	4.5	0.60	6.0	0.77	6.5	1.10	6.4	NNE	25
	08	0.41	4.5	0.65	5.8	0.81	5.8	1.21	5.2	N	8
	10	* 0.45	4.6	* 0.71	5.5	* 0.90	5.5	1.21	5.2	NW	324
	12	0.45	4.4	0.70	5.5	0.89	5.3	1.20	5.6	欠測	欠測
	14	0.45	4.2	0.69	5.1	0.85	5.4	1.17	4.7	W	272
	16	0.42	3.9	0.66	4.6	0.84	4.6	1.20	4.6	NW	307
	18	0.37	3.7	0.60	4.7	0.76	4.9	* 1.34	4.8	NNE	28
20	0.35	3.9	0.55	5.0	0.70	5.0	0.92	4.9	WNW	294	
22	0.33	4.0	0.51	4.8	0.65	5.0	1.03	3.7	W	273	
最大	0.45	4.6	0.71	5.5	0.90	5.5	1.34	4.8			
平均	0.37	4.1	0.57	5.1	0.73	5.2	1.03	4.8			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	360 回	測得回数	290 回
											欠測回数	0 回	欠測回数	70 回
											欠 測 率	0.0 %	欠 測 率	19.4 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
17	00	0.36	4.2	0.57	5.1	0.73	5.3	0.95	4.6	NW	310			
	02	* 0.40	4.3	* 0.63	5.1	* 0.77	5.4	0.98	5.0	W	275			
	04	0.37	4.2	0.59	5.1	0.74	5.0	0.90	4.7	N	356			
	06	0.37	4.1	0.59	4.7	0.73	4.9	* 0.99	5.0	NW	323			
	08	0.32	3.8	0.52	4.6	0.65	4.6	0.87	3.3	NNE	21			
	10	0.29	4.0	0.46	5.1	0.57	4.9	0.69	3.9	NE	38			
	12	0.27	3.7	0.42	4.8	0.52	4.7	0.85	4.4	欠測	欠測			
	14	0.23	3.6	0.35	4.8	0.44	4.7	0.61	4.5	欠測	欠測			
	16	0.24	3.9	0.37	5.1	0.47	5.2	0.62	4.4	NW	304			
	18	0.22	4.0	0.36	5.2	0.45	5.0	0.65	5.5	WNW	283			
	20	0.23	4.1	0.35	5.0	0.45	4.8	0.55	4.0	N	351			
	22	0.28	4.4	0.42	5.5	0.51	5.5	0.67	6.0	WNW	282			
最大 平均	0.40 0.30	4.3 4.0	0.63 0.47	5.1 5.0	0.77 0.59	5.4 5.0	0.99 0.78	5.0 4.6						
18	00	0.24	4.1	0.40	5.3	0.50	5.4	0.69	5.9	WNW	288			
	02	0.22	4.2	0.36	5.4	0.46	5.5	0.62	5.4	欠測	欠測			
	04	0.19	3.8	0.30	4.9	0.38	4.9	0.58	4.6	NNE	28			
	06	0.18	4.0	0.29	5.0	0.36	5.2	0.43	5.8	W	274			
	08	0.20	4.1	0.31	4.8	0.39	5.0	0.51	5.0	N	4			
	10	0.20	3.5	0.31	4.3	0.38	4.2	0.48	4.1	N	7			
	12	0.18	3.7	0.28	4.6	0.34	4.4	0.43	4.7	NNW	343			
	14	0.19	3.5	0.30	4.5	0.39	4.7	0.54	4.5	NNE	28			
	16	0.18	3.2	0.28	4.4	0.36	4.6	0.55	4.7	N	6			
	18	0.17	3.5	0.26	4.8	0.33	5.1	0.45	4.7	NNE	14			
	20	0.22	3.6	0.35	4.5	0.43	4.5	0.56	4.3	NW	304			
	22	* 0.28	3.6	* 0.44	4.1	* 0.55	4.1	* 0.78	3.8	WNW	298			
最大 平均	0.28 0.20	3.6 3.7	0.44 0.32	4.1 4.7	0.55 0.41	4.1 4.8	0.78 0.55	3.8 4.8						
19	00	0.24	3.6	0.37	4.1	0.44	4.2	0.55	3.7	NW	315			
	02	* 0.28	3.5	* 0.45	4.2	* 0.55	4.2	* 0.84	3.8	NW	308			
	04	0.21	3.7	0.32	4.5	0.40	4.6	0.53	4.5	N	9			
	06	0.19	3.9	0.30	5.0	0.38	5.1	0.51	4.5	NE	56			
	08	0.17	3.7	0.27	4.8	0.34	5.2	0.42	5.6	NW	307			
	10	0.17	3.6	0.25	4.7	0.31	4.9	0.39	4.7	欠測	欠測			
	12	0.17	3.6	0.25	4.5	0.31	4.4	0.42	3.7	N	1			
	14	0.16	3.4	0.24	4.1	0.30	4.2	0.48	3.8	NE	44			
	16	0.16	3.1	0.24	3.8	0.31	3.9	0.39	4.6	NNE	19			
	18	0.27	3.3	0.42	3.6	0.54	3.4	0.78	3.4	NW	319			
	20	0.22	3.1	0.35	3.6	0.45	3.5	0.59	2.9	NNE	31			
	22	0.16	3.2	0.25	4.1	0.32	4.1	0.44	3.6	NE	46			
最大 平均	0.28 0.20	3.5 3.5	0.45 0.31	4.2 4.3	0.55 0.39	4.2 4.3	0.84 0.53	3.8 4.1						
20	00	0.15	3.2	0.23	4.3	0.29	4.4	0.37	4.8	WNW	289			
	02	0.15	3.3	0.23	4.2	0.27	4.3	0.39	3.9	WNW	282			
	04	0.15	3.6	0.23	4.5	0.28	4.5	0.39	3.1	NNE	19			
	06	0.19	3.1	0.30	4.1	0.36	4.4	0.49	4.4	欠測	欠測			
	08	0.29	3.3	0.45	3.7	0.56	3.5	0.74	4.4	NE	38			
	10	0.35	3.8	0.53	4.3	0.67	4.4	0.81	4.1	欠測	欠測			
	12	0.41	4.3	0.65	5.0	0.81	4.8	1.15	4.7	N	358			
	14	0.60	5.2	0.93	6.3	1.19	6.2	1.77	5.7	NNW	344			
	16	0.64	5.4	1.00	6.5	1.23	6.7	1.63	6.1	NNW	331			
	18	0.64	5.6	1.03	7.0	1.25	7.1	1.56	8.7	NNE	16			
	20	* 0.76	6.3	* 1.18	7.7	* 1.46	7.9	* 2.14	7.7	NNE	16			
	22	0.64	6.2	1.03	8.3	1.28	8.6	1.56	7.8	N	8			
最大 平均	0.76 0.41	6.3 4.4	1.18 0.65	7.7 5.5	1.46 0.80	7.9 5.6	2.14 1.08	7.7 5.5						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	0.66	6.4	1.07	8.1	1.32	8.1	1.67	9.4	N	4
	02	0.68	6.2	1.09	7.7	1.35	8.0	1.68	6.1	N	8
	04	0.68	6.4	1.05	7.6	1.29	7.6	1.63	7.6	NNE	16
	06	0.64	6.0	1.05	7.7	1.31	7.6	1.67	7.3	NNE	12
	08	* 0.72	6.2	* 1.10	7.5	* 1.38	7.8	1.63	8.1	NNE	12
	10	0.63	6.3	0.99	7.4	1.25	7.1	1.45	7.1	N	4
	12	0.55	5.3	0.91	7.2	1.18	7.1	* 1.74	6.6	N	4
	14	0.55	5.5	0.89	7.3	1.08	7.2	1.44	7.4	N	4
	16	0.54	4.6	0.85	6.2	1.07	6.5	1.39	7.4	N	4
	18	0.58	4.8	0.90	6.5	1.11	7.7	1.55	7.1	N	356
	20	0.51	5.5	0.80	7.6	0.97	7.9	1.21	7.2	NNW	340
	22	0.53	6.0	0.86	7.8	1.08	7.8	1.53	7.0	N	4
最大		0.72	6.2	1.10	7.5	1.38	7.8	1.74	6.6		
平均		0.61	5.8	0.96	7.4	1.20	7.5	1.55	7.4		
22	00	0.53	5.5	0.85	6.9	1.08	6.9	1.29	6.7	N	352
	02	0.51	5.4	0.82	6.8	1.01	6.7	1.33	4.9	NNW	344
	04	0.52	5.4	0.84	6.4	1.05	6.5	1.32	6.2	欠測	欠測
	06	0.47	5.1	0.75	6.3	0.95	6.5	1.60	6.8	NNW	344
	08	0.42	4.5	0.65	5.9	0.79	6.2	1.16	6.0	NNW	344
	10	0.43	4.4	0.67	6.1	0.85	6.0	1.14	6.5	N	356
	12	0.38	4.5	0.60	6.2	0.73	6.5	0.95	5.6	WNW	282
	14	0.63	4.7	0.98	5.7	1.19	5.9	1.39	5.3	W	278
	16	* 0.76	4.8	* 1.20	5.3	* 1.53	5.1	* 1.92	5.4	欠測	欠測
	18	0.67	4.7	1.04	5.1	1.31	5.1	1.61	4.6	N	356
	20	0.48	4.2	0.79	5.1	1.01	4.9	1.30	4.4	NNE	22
	22	0.37	4.4	0.57	5.2	0.72	5.1	0.87	5.1	欠測	欠測
最大		0.76	4.8	1.20	5.3	1.53	5.1	1.92	5.4		
平均		0.51	4.8	0.81	5.9	1.02	6.0	1.32	5.6		
23	00	* 0.46	4.1	* 0.72	4.9	* 0.88	4.9	* 1.44	4.1	N	1
	02	0.41	4.0	0.66	4.4	0.87	4.6	1.31	5.0	NNW	332
	04	0.38	4.0	0.59	4.5	0.72	4.8	0.99	4.5	NW	310
	06	0.33	3.9	0.52	4.5	0.64	4.6	1.12	4.5	N	358
	08	0.30	4.1	0.46	4.8	0.56	4.7	0.86	4.2	NNW	332
	10	0.29	4.1	0.46	5.0	0.56	4.9	0.77	4.2	WNW	289
	12	0.26	4.0	0.43	4.9	0.54	4.7	0.77	3.8	NNW	345
	14	0.25	3.8	0.39	4.7	0.48	4.7	0.59	4.7	WNW	292
	16	0.24	4.0	0.38	5.0	0.49	5.0	0.71	4.7	NE	52
	18	0.25	4.0	0.39	4.9	0.48	4.9	0.73	5.1	WNW	289
	20	0.25	4.2	0.39	5.1	0.50	5.3	0.71	5.6	N	2
	22	0.23	4.1	0.37	5.0	0.47	5.0	0.65	4.3	N	8
最大		0.46	4.1	0.72	4.9	0.88	4.9	1.44	4.1		
平均		0.30	4.0	0.48	4.8	0.60	4.8	0.89	4.6		
24	00	* 0.22	4.2	* 0.34	5.0	* 0.43	4.7	* 0.65	4.6	N	354
	02	0.21	4.1	0.32	5.0	0.41	5.1	0.59	4.5	NE	52
	04	0.18	3.8	0.30	4.8	0.37	4.9	0.47	5.4	NW	309
	06	0.18	4.1	0.28	5.1	0.36	5.0	0.48	4.7	WNW	294
	08	0.20	3.8	0.31	4.3	0.38	4.4	0.56	3.8	NE	50
	10	0.17	4.0	0.27	5.0	0.33	5.0	0.44	3.6	WNW	299
	12	0.19	4.0	0.29	4.6	0.36	4.7	0.46	4.7	WNW	295
	14	0.18	3.8	0.29	4.5	0.35	4.5	0.47	3.7	NE	37
	16	0.18	4.0	0.27	4.9	0.35	4.5	0.49	4.0	W	278
	18	0.17	3.5	0.26	4.4	0.34	4.4	0.50	3.7	欠測	欠測
	20	0.14	3.4	0.22	4.4	0.29	4.7	0.38	4.1	NNE	33
	22	0.12	3.5	0.19	4.7	0.24	4.9	0.35	4.6	N	11
最大		0.22	4.2	0.34	5.0	0.43	4.7	0.65	4.6		
平均		0.18	3.9	0.28	4.7	0.35	4.7	0.49	4.3		

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 6月

機種：波向 海象計 - 52.0 m

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	360 回	測得回数	290 回
欠測回数	0 回	欠測回数	70 回
欠 測 率	0.0 %	欠 測 率	19.4 %

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.33	3.7	0.51	4.2	0.64	4.1	0.82	3.8	欠測	欠測
	02	* 0.35	4.0	0.52	4.3	0.62	4.3	0.78	3.8	欠測	欠測
	04	0.32	3.9	0.50	4.4	0.61	4.4	0.84	4.2	欠測	欠測
	06	0.35	4.0	* 0.54	4.4	* 0.67	4.4	* 0.92	4.1	NW	314
	08	0.31	3.8	0.48	4.4	0.59	4.3	0.78	4.6	欠測	欠測
	10	0.26	3.7	0.40	4.6	0.51	4.6	0.68	5.5	欠測	欠測
	12	0.23	3.5	0.37	4.5	0.48	4.5	0.61	4.2	欠測	欠測
	14	0.23	3.7	0.37	4.6	0.45	4.7	0.60	3.7	NE	41
	16	0.24	3.6	0.38	4.3	0.47	4.4	0.71	5.2	NE	44
	18	0.26	3.8	0.41	4.5	0.52	4.6	0.78	4.7	欠測	欠測
	20	0.23	3.8	0.35	4.6	0.42	4.6	0.57	4.7	NW	313
	22	0.22	3.6	0.35	4.4	0.44	4.4	0.56	4.8	欠測	欠測
	最大	0.35	4.0	0.54	4.4	0.67	4.4	0.92	4.1		
	平均	0.28	3.8	0.43	4.4	0.53	4.4	0.72	4.4		
30	00	0.21	3.7	0.33	4.5	0.41	4.4	0.48	5.0	NE	52
	02	0.21	3.8	0.32	4.5	0.39	4.7	0.51	4.9	NE	42
	04	0.21	3.9	0.32	4.8	0.39	4.9	0.51	4.9	W	270
	06	0.21	4.0	0.33	4.8	0.41	4.7	0.59	5.3	NNW	347
	08	0.24	4.0	0.37	4.8	0.48	4.8	* 0.73	4.5	WNW	302
	10	* 0.28	4.4	* 0.43	5.2	* 0.53	5.2	0.69	4.9	NNE	27
	12	0.27	4.3	0.42	5.0	0.52	4.9	0.72	5.1	N	10
	14	0.25	4.5	0.39	5.3	0.49	5.4	0.61	5.7	N	349
	16	0.21	4.2	0.32	5.1	0.40	5.2	0.46	4.1	NNE	33
	18	0.20	3.6	0.32	4.7	0.39	4.9	0.50	4.6	NNE	32
	20	0.21	3.5	0.33	4.1	0.40	4.3	0.50	3.6	NNE	30
	22	0.19	3.5	0.30	4.2	0.36	4.2	0.47	4.2	WNW	298
	最大	0.28	4.4	0.43	5.2	0.53	5.2	0.73	4.5		
	平均	0.22	3.9	0.35	4.8	0.43	4.8	0.56	4.7		
月最大	0.76	6.3	1.20	5.3	1.53	5.1	2.14	7.7			
	起時	2020	2216		2216		2020				
	平均	0.28	3.9	0.44	4.9	0.54	4.9	0.74	4.7		

波浪整理表（1）

2021年 7月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.15	3.8	0.23	4.9	0.29	4.8	0.39	4.0	欠測	欠測
	02	0.15	3.4	0.24	4.4	0.30	4.6	0.37	3.6	NW	326
	04	0.16	3.6	0.25	4.4	0.31	4.5	0.39	4.1	NW	326
	06	0.16	3.6	0.25	4.3	0.31	4.2	0.43	3.6	欠測	欠測
	08	* 0.21	3.5	* 0.32	3.9	* 0.40	3.6	* 0.49	3.9	NE	50
	10	0.15	3.4	0.23	4.1	0.29	4.2	0.42	4.2	NE	53
	12	0.15	3.4	0.23	4.2	0.28	4.2	0.37	3.8	欠測	欠測
	14	0.14	3.3	0.22	4.4	0.28	4.5	0.42	4.0	欠測	欠測
	16	0.14	3.2	0.21	4.3	0.26	4.5	0.37	5.8	NNW	337
	18	0.12	3.1	0.18	4.2	0.23	4.5	0.32	4.0	W	276
	20	0.16	3.6	0.24	4.2	0.30	4.4	0.40	4.3	N	351
	22	0.16	3.5	0.24	4.2	0.30	4.3	0.40	4.3	NW	324
	最大	0.21	3.5	0.32	3.9	0.40	3.6	0.49	3.9		
	平均	0.15	3.4	0.24	4.3	0.30	4.4	0.40	4.1		
02	00	0.14	3.6	0.21	4.5	0.26	4.5	0.36	4.4	NW	308
	02	0.14	3.6	0.23	4.4	0.28	4.2	0.36	3.9	N	11
	04	0.14	3.6	0.23	4.6	0.28	4.5	0.34	4.6	欠測	欠測
	06	0.15	3.7	0.24	4.9	0.31	4.9	0.42	4.9	NE	41
	08	0.16	3.7	0.26	4.5	0.32	4.6	0.39	4.8	NNE	32
	10	0.16	3.7	0.25	4.9	0.31	5.0	0.47	4.0	欠測	欠測
	12	0.28	3.2	0.42	3.7	0.53	3.6	0.77	3.4	NNE	17
	14	* 0.30	3.2	* 0.47	3.5	* 0.60	3.3	* 0.83	3.4	欠測	欠測
	16	0.25	3.5	0.40	4.3	0.49	4.3	0.59	7.2	欠測	欠測
	18	0.23	3.7	0.36	4.5	0.46	4.5	0.70	4.1	NE	41
	20	0.26	3.9	0.40	4.4	0.50	4.2	0.64	4.4	NNE	18
	22	0.29	3.9	0.44	4.4	0.53	4.3	0.66	4.2	NNW	331
	最大	0.30	3.2	0.47	3.5	0.60	3.3	0.83	3.4		
	平均	0.21	3.6	0.33	4.4	0.41	4.3	0.54	4.4		
03	00	0.29	4.1	0.45	5.0	0.55	5.2	0.82	4.4	N	354
	02	0.32	4.2	0.50	4.9	0.62	4.7	0.84	3.9	W	281
	04	0.35	4.2	0.53	5.0	* 0.67	4.9	* 1.01	4.6	欠測	欠測
	06	* 0.35	4.5	* 0.53	5.2	0.65	5.2	0.84	5.7	WNW	303
	08	0.32	4.2	0.51	5.2	0.65	5.0	0.94	4.7	NE	35
	10	0.34	4.4	0.52	5.2	0.62	5.6	0.78	5.1	欠測	欠測
	12	0.34	4.2	0.52	5.1	0.64	5.0	0.77	6.4	NNE	14
	14	0.30	4.4	0.47	5.3	0.59	5.2	0.79	4.9	N	351
	16	0.30	4.3	0.48	5.1	0.61	5.2	0.91	5.4	欠測	欠測
	18	0.34	4.4	0.52	5.5	0.62	5.5	0.87	4.4	NNE	19
	20	0.32	4.5	0.51	5.4	0.65	5.8	0.88	5.1	N	351
	22	0.32	4.3	0.51	5.3	0.63	5.7	0.97	4.9	欠測	欠測
	最大	0.35	4.5	0.53	5.2	0.67	4.9	1.01	4.6		
	平均	0.32	4.3	0.50	5.2	0.63	5.3	0.87	5.0		
04	00	* 0.33	4.6	* 0.52	5.4	* 0.65	5.3	* 0.90	5.2	欠測	欠測
	02	0.31	4.6	0.50	5.6	0.62	5.5	0.79	4.6	WNW	289
	04	0.28	4.5	0.43	5.5	0.53	5.5	0.76	5.6	W	274
	06	0.26	4.5	0.41	5.6	0.51	5.5	0.71	5.8	N	1
	08	0.23	4.4	0.37	5.6	0.46	5.6	0.56	5.5	欠測	欠測
	10	0.21	4.3	0.33	5.6	0.41	5.4	0.55	5.6	NW	314
	12	0.17	3.8	0.28	5.4	0.35	5.5	0.49	5.1	NW	318
	14	0.18	4.0	0.29	5.3	0.36	5.6	0.44	6.3	NE	38
	16	0.18	4.0	0.30	5.5	0.36	5.6	0.49	5.4	欠測	欠測
	18	0.18	4.1	0.28	5.3	0.35	5.5	0.45	5.6	N	358
	20	0.18	3.8	0.29	5.1	0.36	5.1	0.50	5.6	N	0
	22	0.24	3.4	0.39	4.1	0.51	4.0	0.66	3.8	NNE	25
	最大	0.33	4.6	0.52	5.4	0.65	5.3	0.90	5.2		
	平均	0.23	4.2	0.37	5.3	0.46	5.3	0.61	5.3		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	263 回
欠測回数	0 回	欠測回数	109 回
欠 測 率	0.0 %	欠 測 率	29.3 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
05	00	0.31	3.7	0.50	4.6	0.63	4.8	0.79	4.8	NW	316
	02	0.50	3.8	0.75	4.2	0.92	4.0	1.28	4.0	W	276
	04	0.75	5.6	1.20	7.8	1.51	8.2	2.07	9.6	W	278
	06	0.92	5.9	1.47	7.5	1.81	7.7	2.13	7.8	WNW	282
	08	* 1.00	5.8	* 1.61	7.3	* 2.01	7.3	* 2.69	6.9	WNW	286
	10	0.81	5.4	1.26	6.6	1.60	6.9	2.16	6.0	W	274
	12	0.71	5.3	1.09	6.2	1.33	6.3	1.62	6.5	W	274
	14	0.60	5.1	0.96	6.3	1.21	6.4	1.51	7.7	W	278
	16	0.59	5.0	0.92	6.3	1.14	6.8	1.47	5.7	W	278
	18	0.69	5.4	1.11	6.6	1.40	6.9	1.82	6.8	W	274
	20	0.63	5.4	0.96	6.5	1.17	6.5	1.41	6.8	W	270
	22	0.60	5.4	0.95	6.4	1.19	6.2	1.47	6.4	W	274
	最大	1.00	5.8	1.61	7.3	2.01	7.3	2.69	6.9		
	平均	0.68	5.1	1.06	6.4	1.33	6.5	1.70	6.6		
06	00	0.58	5.3	0.92	6.4	1.16	6.5	* 1.88	5.9	NW	319
	02	* 0.69	5.7	* 1.06	6.7	* 1.33	6.7	1.71	6.7	NW	311
	04	0.65	5.3	1.02	6.3	1.29	6.2	1.76	6.3	NW	319
	06	0.57	5.3	0.92	6.2	1.14	6.3	1.79	5.8	NW	319
	08	0.56	4.9	0.90	6.1	1.16	6.2	1.45	6.1	NNW	331
	10	0.59	4.7	0.94	6.1	1.17	6.2	1.45	5.7	NW	319
	12	0.57	5.3	0.90	6.3	1.10	6.2	1.32	6.6	NNW	335
	14	0.54	5.7	0.84	6.6	1.02	6.6	1.24	6.8	NNW	344
	16	0.49	5.6	0.80	6.9	1.02	6.8	1.63	6.5	NNW	348
	18	0.50	6.0	0.77	6.7	0.99	6.6	1.32	7.2	N	352
	20	0.42	5.0	0.66	6.5	0.77	6.4	0.91	6.2	NNE	20
	22	0.61	4.0	0.94	4.9	1.19	5.1	1.58	3.1	NNE	14
	最大	0.69	5.7	1.06	6.7	1.33	6.7	1.88	5.9		
	平均	0.56	5.2	0.89	6.3	1.11	6.3	1.50	6.1		
07	00	0.84	4.5	1.34	5.3	1.63	5.2	2.37	5.3	欠測	欠測
	02	0.94	5.1	1.48	6.3	1.83	6.2	2.25	6.1	W	266
	04	* 0.96	5.2	* 1.54	6.4	* 1.96	6.7	* 3.03	7.7	W	274
	06	0.71	5.3	1.09	6.5	1.34	6.6	1.63	7.2	W	266
	08	0.61	5.3	0.98	6.8	1.23	7.1	1.53	7.5	W	266
	10	0.51	5.4	0.82	6.7	1.06	6.9	2.03	6.8	NNE	16
	12	0.50	5.5	0.81	6.9	1.04	6.8	1.28	5.8	WSW	258
	14	0.51	5.8	0.81	7.1	1.01	6.6	1.66	7.2	W	266
	16	0.53	5.3	0.85	6.4	1.08	6.8	1.63	6.5	W	270
	18	0.54	5.0	0.87	6.0	1.12	6.0	1.80	5.7	W	274
	20	0.58	4.7	0.91	5.5	1.16	5.4	1.74	4.6	W	281
	22	0.53	4.7	0.84	5.5	1.06	5.5	1.48	5.5	NE	44
	最大	0.96	5.2	1.54	6.4	1.96	6.7	3.03	7.7		
	平均	0.65	5.2	1.03	6.3	1.29	6.3	1.87	6.3		
08	00	* 0.48	4.6	* 0.76	5.4	* 0.96	5.4	* 1.34	4.5	WNW	293
	02	0.47	4.7	0.72	5.3	0.88	5.1	1.21	4.7	欠測	欠測
	04	0.43	4.5	0.67	5.2	0.82	5.3	0.97	5.2	欠測	欠測
	06	0.43	4.4	0.66	5.0	0.82	4.8	1.14	5.0	NNE	29
	08	0.41	3.9	0.65	4.6	0.81	4.5	1.17	4.2	N	6
	10	0.35	4.2	0.55	4.7	0.73	4.7	1.00	4.8	欠測	欠測
	12	0.31	4.1	0.48	4.7	0.60	4.7	0.86	4.2	NNW	330
	14	0.31	3.8	0.49	4.6	0.63	4.6	0.79	4.2	NW	315
	16	0.33	3.9	0.51	4.5	0.63	4.6	0.88	2.7	N	352
	18	0.33	3.8	0.51	4.5	0.62	4.7	0.81	5.2	NW	309
	20	0.31	4.0	0.50	5.1	0.61	5.1	0.77	5.5	欠測	欠測
	22	0.38	4.4	0.61	5.1	0.74	5.0	0.95	4.9	N	1
	最大	0.48	4.6	0.76	5.4	0.96	5.4	1.34	4.5		
	平均	0.38	4.2	0.59	4.9	0.74	4.9	0.99	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	263 回
欠測回数	0 回	欠測回数	109 回
欠 測 率	0.0 %	欠 測 率	29.3 %

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 7月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	263 回
欠測回数	0 回	欠測回数	109 回
欠 測 率	0.0 %	欠 測 率	29.3 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 経度：E 136° -54' -08"

日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
									16方位	角度
13 00	0.18	4.0	0.29	4.8	0.36	4.8	0.48	5.3	欠測	欠測
	0.14	3.9	0.23	5.1	0.29	5.2	0.40	6.0	NNW	331
	0.16	3.8	0.26	4.9	0.34	4.8	0.46	5.1	NNE	13
	0.19	4.0	0.30	4.9	0.38	4.8	0.56	4.8	NNE	19
	0.20	4.3	0.32	5.1	0.39	5.1	0.51	5.2	欠測	欠測
	* 0.22	4.2	* 0.35	5.2	* 0.44	5.0	* 0.69	5.0	欠測	欠測
	0.20	4.1	0.32	4.9	0.38	4.9	0.45	4.9	NW	324
	0.19	4.1	0.30	5.0	0.36	4.9	0.55	5.0	N	353
	0.16	4.1	0.26	5.0	0.32	4.9	0.48	4.9	NNE	12
13 08	0.18	4.2	0.29	5.2	0.37	5.0	0.54	5.6	NNE	20
	0.15	4.0	0.24	5.1	0.30	5.0	0.39	5.8	NNW	333
	0.15	3.8	0.23	4.9	0.29	5.0	0.40	5.4	NNW	340
	最大	0.22	0.35	5.2	0.44	5.0	0.69	5.0		
	平均	0.18	0.28	5.0	0.35	5.0	0.49	5.2		
	14 00	0.14	0.22	5.0	0.27	5.3	* 0.44	4.1	NW	322
	02	0.12	0.18	4.7	0.23	4.9	0.31	6.1	W	279
	04	0.11	0.17	4.7	0.21	4.8	0.29	4.9	N	358
13 06	0.10	3.2	0.15	4.5	0.19	4.5	0.26	5.7	NE	47
	0.11	3.4	0.18	4.3	0.23	4.4	0.29	4.0	NNE	19
	0.12	3.2	0.19	4.3	0.24	4.3	0.33	4.8	欠測	欠測
	12	0.11	0.17	4.1	0.20	4.3	0.27	4.8	NW	324
	14	0.10	0.16	4.3	0.20	5.0	0.27	5.4	NNE	16
	16	0.12	0.19	4.2	0.24	4.5	0.31	5.1	NNW	344
	18	* 0.15	* 0.23	4.1	0.27	4.1	0.40	2.2	W	277
	20	0.14	0.22	4.6	* 0.28	5.0	0.37	5.7	欠測	欠測
	22	0.14	0.21	5.2	0.27	5.2	0.40	5.0	NNE	17
13 20	最大	0.15	0.23	4.1	0.28	5.0	0.44	4.1		
	平均	0.12	0.19	4.5	0.24	4.7	0.33	4.8		
	15 00	* 0.14	0.23	5.3	0.29	5.4	0.39	5.4	NNW	337
	02	0.13	0.20	5.1	0.25	5.3	0.31	5.9	W	279
	04	0.12	0.19	4.7	0.24	4.9	0.29	5.4	W	274
	06	0.12	0.19	4.4	0.23	4.8	0.38	4.4	W	271
	08	0.12	0.18	4.6	0.21	4.7	0.34	3.5	NW	316
	10	0.11	0.17	4.5	0.21	4.6	0.33	4.8	NE	37
13 18	0.12	3.4	0.19	4.6	0.24	4.9	0.33	3.5	NE	51
	0.11	3.5	0.18	4.8	0.22	5.3	0.31	5.0	WNW	285
	0.12	3.5	0.18	4.9	0.23	5.3	0.31	4.8	NW	306
	0.12	3.7	0.19	5.1	0.24	5.8	0.30	6.1	NNE	31
	0.14	3.9	* 0.23	5.5	* 0.29	5.6	* 0.43	5.0	NNW	340
	0.14	4.0	0.22	5.6	0.28	5.6	0.33	5.6	NNE	17
	最大	0.14	0.23	5.5	0.29	5.6	0.43	5.0		
	平均	0.12	0.20	4.9	0.24	5.2	0.34	5.0		
16 00	0.14	3.9	0.22	5.5	0.29	5.4	0.40	5.2	NNW	337
	0.15	4.1	0.24	5.0	0.28	5.2	0.35	4.6	NW	304
	0.14	3.6	0.22	4.8	0.28	5.1	0.39	5.2	WNW	286
	0.12	3.6	0.20	4.9	0.26	5.1	0.37	5.6	NE	45
	0.14	3.7	0.23	4.7	0.28	5.0	0.35	5.2	NW	309
	0.14	3.7	0.22	4.7	0.27	4.6	0.38	4.1	NE	36
	12	0.12	0.18	4.7	0.22	5.3	0.30	5.6	欠測	欠測
	14	0.19	0.31	3.0	0.41	3.0	0.58	3.2	欠測	欠測
	* 0.23	3.0	* 0.35	3.4	* 0.45	3.2	* 0.67	2.6	N	3
16 08	0.16	2.9	0.25	3.6	0.33	3.3	0.45	3.0	WNW	282
	0.14	3.0	0.22	3.9	0.27	4.1	0.35	6.1	WNW	291
	0.14	3.0	0.22	3.6	0.29	3.7	0.42	5.1	NNW	347
	最大	0.23	0.35	3.4	0.45	3.2	0.67	2.6		
	平均	0.15	0.24	4.3	0.30	4.4	0.42	4.6		
	16 22	0.14	0.22	3.6	0.29	3.7	0.42	5.1	NNW	347
	最大	0.23	0.35	3.4	0.45	3.2	0.67	2.6		
	平均	0.15	0.24	4.3	0.30	4.4	0.42	4.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 7月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
17	00	0.13	3.2	0.20	4.1	0.26	4.0	0.42	3.6	NE	48
	02	0.13	3.1	0.20	3.7	0.26	3.8	0.38	4.3	NW	325
	04	0.12	3.0	0.18	3.9	0.22	3.9	0.36	3.7	NE	34
	06	0.13	3.3	0.20	4.3	0.25	4.4	0.36	4.1	NW	311
	08	0.13	3.3	0.20	4.1	0.25	4.2	0.32	4.5	NNE	30
	10	0.12	3.1	0.19	4.0	0.24	4.1	0.31	5.7	NE	47
	12	0.15	2.9	0.24	3.5	0.30	3.2	0.48	3.1	欠測	欠測
	14	* 0.26	3.0	* 0.42	3.2	* 0.56	3.1	* 0.91	3.0	NNW	344
	16	0.18	2.9	0.28	3.1	0.37	3.0	0.50	3.3	欠測	欠測
	18	0.13	2.9	0.20	3.7	0.24	3.9	0.30	3.3	NW	326
	20	0.11	2.9	0.17	3.6	0.21	3.6	0.29	3.0	NNE	27
	22	0.14	3.0	0.22	3.3	0.28	3.2	0.42	3.1	NNW	328
	最大	0.26	3.0	0.42	3.2	0.56	3.1	0.91	3.0		
	平均	0.14	3.1	0.23	3.7	0.29	3.7	0.42	3.7		
18	00	0.15	3.1	0.24	3.6	0.31	3.5	0.54	2.9	WNW	301
	02	* 0.20	3.6	* 0.31	3.8	* 0.40	3.8	* 0.55	4.0	欠測	欠測
	04	0.17	3.5	0.25	4.0	0.30	3.9	0.39	3.8	NNW	348
	06	0.14	3.4	0.21	3.9	0.26	3.8	0.32	4.1	N	349
	08	0.15	3.1	0.23	3.6	0.29	3.5	0.45	3.0	NE	48
	10	0.11	2.9	0.16	3.6	0.20	3.8	0.31	4.2	W	270
	12	0.10	3.1	0.16	4.0	0.20	4.0	0.29	3.7	NNW	341
	14	0.11	2.9	0.17	3.9	0.21	3.8	0.31	3.8	NW	325
	16	0.12	3.2	0.18	4.0	0.23	3.9	0.39	3.5	WNW	302
	18	0.14	3.1	0.21	3.9	0.27	4.2	0.39	2.6	欠測	欠測
	20	0.14	3.2	0.23	3.8	0.29	3.9	0.47	3.2	NW	316
	22	0.12	3.0	0.20	3.7	0.26	3.9	0.36	3.3	欠測	欠測
	最大	0.20	3.6	0.31	3.8	0.40	3.8	0.55	4.0		
	平均	0.14	3.2	0.21	3.8	0.27	3.8	0.40	3.5		
19	00	0.13	3.2	* 0.21	4.0	0.25	3.8	0.33	3.7	N	7
	02	0.11	3.0	0.17	3.7	0.21	3.7	0.32	4.0	W	271
	04	0.10	3.0	0.16	3.9	0.21	3.8	0.29	3.4	WNW	290
	06	0.10	3.1	0.15	3.8	0.19	4.0	0.25	3.2	欠測	欠測
	08	* 0.14	3.0	0.21	3.2	* 0.27	3.2	0.36	2.7	W	279
	10	0.10	2.8	0.15	3.6	0.19	3.6	0.26	3.4	欠測	欠測
	12	0.10	3.0	0.15	3.7	0.19	3.7	0.27	4.0	NE	53
	14	0.11	3.0	0.17	3.6	0.22	3.7	0.32	3.3	NNE	13
	16	0.13	3.3	0.20	4.0	0.25	4.0	0.36	3.8	N	358
	18	0.12	3.3	0.19	4.1	0.24	4.2	* 0.36	4.0	欠測	欠測
	20	0.10	3.1	0.16	4.0	0.19	4.3	0.27	3.9	WNW	298
	22	0.10	3.3	0.15	4.2	0.19	4.3	0.25	4.1	N	5
	最大	0.14	3.0	0.21	4.0	0.27	3.2	0.36	4.0		
	平均	0.11	3.1	0.17	3.8	0.22	3.9	0.30	3.6		
20	00	0.08	2.9	0.13	3.9	0.17	4.2	0.24	4.7	NW	304
	02	0.10	3.4	0.16	4.6	0.20	4.8	0.25	3.8	NE	49
	04	0.09	2.8	0.14	3.7	0.18	3.9	0.24	2.8	WNW	283
	06	0.12	3.4	0.19	4.0	0.23	3.9	0.30	4.2	WNW	282
	08	0.13	3.0	0.21	3.8	0.27	3.5	0.40	3.7	欠測	欠測
	10	0.11	2.8	0.17	3.7	0.21	3.7	0.32	3.6	NW	307
	12	0.26	3.0	0.40	3.2	0.50	3.2	0.63	3.5	NNW	341
	14	0.26	3.0	0.41	3.2	0.53	3.1	* 0.78	3.3	欠測	欠測
	16	0.15	2.7	0.24	3.1	0.31	3.0	0.47	3.1	欠測	欠測
	18	0.17	3.0	0.25	3.3	0.31	3.2	0.53	3.0	NE	52
	20	0.21	3.2	0.33	3.5	0.42	3.5	0.64	3.5	欠測	欠測
	22	* 0.27	3.5	* 0.43	3.8	* 0.53	3.7	0.67	3.5	欠測	欠測
	最大	0.27	3.5	0.43	3.8	0.53	3.7	0.78	3.3		
	平均	0.16	3.1	0.26	3.6	0.32	3.6	0.46	3.6		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 7月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
21	00	* 0.29	4.0	* 0.45	4.3	* 0.56	4.2	* 0.84	4.0	欠測	欠測
	02	0.28	4.0	0.43	4.4	0.54	4.3	0.73	4.5	欠測	欠測
	04	0.20	3.6	0.31	4.2	0.40	4.2	0.54	4.0	NNE	14
	06	0.18	3.4	0.27	3.9	0.34	3.9	0.48	3.6	WNW	288
	08	0.13	3.1	0.19	3.8	0.24	3.7	0.36	2.9	N	350
	10	0.14	3.1	0.21	3.7	0.26	3.6	0.34	3.3	欠測	欠測
	12	0.16	2.8	0.24	3.2	0.31	3.0	0.40	2.9	NNE	32
	14	0.16	2.8	0.25	3.3	0.33	3.3	0.48	3.0	欠測	欠測
	16	0.14	3.0	0.21	3.6	0.26	3.9	0.41	2.8	欠測	欠測
	18	0.14	3.0	0.22	3.8	0.27	4.0	0.42	3.1	欠測	欠測
	20	0.12	2.9	0.18	3.7	0.23	3.5	0.30	3.6	欠測	欠測
	22	0.11	2.9	0.17	3.7	0.21	3.8	0.30	3.3	欠測	欠測
	最大	0.29	4.0	0.45	4.3	0.56	4.2	0.84	4.0		
	平均	0.17	3.2	0.26	3.8	0.33	3.8	0.47	3.4		
22	00	0.15	3.1	0.24	3.6	0.31	3.7	0.48	3.8	欠測	欠測
	02	0.15	3.0	0.24	3.5	0.31	3.6	0.45	3.4	欠測	欠測
	04	0.13	2.9	0.19	3.6	0.24	3.6	0.32	3.8	欠測	欠測
	06	0.12	3.0	0.19	3.7	0.24	3.6	0.37	3.0	欠測	欠測
	08	0.17	3.1	0.27	3.7	0.34	3.5	0.47	4.2	N	0
	10	0.13	3.1	0.20	3.6	0.25	3.7	0.31	3.8	NE	53
	12	0.15	3.0	0.23	3.6	0.29	3.4	0.49	3.0	WNW	299
	14	0.17	2.7	0.26	3.1	0.35	3.0	0.55	2.5	N	6
	16	* 0.18	2.9	* 0.28	3.3	* 0.37	3.2	* 0.70	2.5	NNW	332
	18	0.17	3.1	0.26	3.9	0.32	4.1	0.40	4.5	NE	34
	20	0.16	3.3	0.25	4.1	0.32	4.2	0.52	3.7	NE	51
	22	0.16	3.2	0.25	3.8	0.32	3.7	0.45	4.0	欠測	欠測
	最大	0.18	2.9	0.28	3.3	0.37	3.2	0.70	2.5		
	平均	0.15	3.0	0.24	3.6	0.30	3.6	0.46	3.5		
23	00	* 0.15	3.1	* 0.24	3.8	* 0.31	3.7	0.42	3.3	欠測	欠測
	02	0.13	3.1	0.20	3.8	0.25	3.7	0.34	3.8	欠測	欠測
	04	0.12	3.0	0.18	3.8	0.23	3.8	0.36	4.0	欠測	欠測
	06	0.12	3.1	0.19	4.0	0.24	4.2	* 0.53	4.1	NNE	18
	08	0.13	3.3	0.19	4.0	0.24	4.1	0.34	3.8	欠測	欠測
	10	0.10	2.9	0.16	3.9	0.20	3.9	0.31	5.1	N	4
	12	0.10	2.7	0.15	3.4	0.18	3.7	0.25	3.8	NNE	19
	14	0.08	2.9	0.12	3.5	0.15	3.8	0.22	4.0	欠測	欠測
	16	0.09	2.6	0.13	3.6	0.16	4.2	0.27	5.2	WNW	285
	18	0.10	2.8	0.14	4.1	0.18	4.5	0.25	5.8	NW	306
	20	0.10	3.0	0.16	3.9	0.20	3.9	0.29	3.0	欠測	欠測
	22	0.10	2.8	0.15	3.5	0.19	3.5	0.34	3.5	欠測	欠測
	最大	0.15	3.1	0.24	3.8	0.31	3.7	0.53	4.1		
	平均	0.11	2.9	0.17	3.8	0.21	3.9	0.33	4.1		
24	00	0.12	2.9	0.19	3.5	0.24	3.2	0.38	3.0	欠測	欠測
	02	0.10	2.7	0.15	3.6	0.19	3.6	0.26	3.7	欠測	欠測
	04	0.11	2.9	0.17	3.7	0.21	3.7	0.29	3.1	欠測	欠測
	06	0.12	3.2	0.18	3.7	0.22	3.7	0.27	3.6	N	5
	08	* 0.15	3.0	* 0.23	3.3	* 0.29	3.4	0.37	3.8	欠測	欠測
	10	0.11	2.8	0.17	3.5	0.22	3.5	0.34	2.9	NE	50
	12	0.12	2.7	0.19	3.4	0.24	3.5	0.30	5.2	NE	43
	14	0.11	2.9	0.16	3.7	0.21	3.7	0.39	2.3	NW	309
	16	0.10	3.0	0.16	3.9	0.20	4.2	0.28	3.5	NE	41
	18	0.09	2.9	0.14	3.9	0.18	4.3	0.24	4.2	N	1
	20	0.12	2.8	0.18	3.7	0.23	4.0	* 0.41	3.2	NW	324
	22	0.11	3.1	0.17	4.0	0.21	3.9	0.30	4.0	欠測	欠測
	最大	0.15	3.0	0.23	3.3	0.29	3.4	0.41	3.2		
	平均	0.11	2.9	0.17	3.7	0.22	3.7	0.32	3.5		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 7月						波 高		波 向			
						規定回数	372 回	規定回数	372 回		
						測得回数	372 回	測得回数	263 回		
						欠測回数	0 回	欠測回数	109 回		
機種：波向 海象計 - 52.0 m						欠 測 率	0.0 %	欠 測 率	29.3 %		
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
25	00	0.14	3.2	0.21	3.9	0.27	3.9	0.39	3.8	欠測	欠測
	02	0.12	2.9	0.19	3.8	0.24	4.3	0.35	3.1	欠測	欠測
	04	0.12	3.2	0.19	4.0	0.24	4.0	0.31	3.1	欠測	欠測
	06	0.12	3.4	0.18	4.0	0.22	3.9	0.32	3.2	欠測	欠測
	08	* 0.19	2.9	* 0.30	3.3	* 0.37	3.2	* 0.50	3.3	欠測	欠測
	10	0.16	3.0	0.24	3.5	0.30	3.4	0.41	2.6	欠測	欠測
	12	0.11	3.0	0.17	3.6	0.21	3.6	0.28	3.1	NNW	337
	14	0.10	3.0	0.15	3.9	0.18	4.0	0.26	3.4	NW	311
	16	0.09	2.9	0.14	4.1	0.17	4.4	0.22	4.0	N	358
	18	0.10	3.0	0.15	4.2	0.18	4.5	0.26	7.1	欠測	欠測
	20	0.10	3.4	0.15	4.7	0.17	4.6	0.23	4.7	W	274
	22	0.09	3.1	0.14	4.5	0.17	5.1	0.25	4.8	NE	48
最大	0.19	2.9	0.30	3.3	0.37	3.2	0.50	3.3			
平均	0.12	3.1	0.18	4.0	0.23	4.1	0.32	3.9			
26	00	0.10	3.2	0.14	4.5	0.17	4.8	0.22	6.6	N	355
	02	0.09	3.1	0.14	4.5	0.17	5.2	0.22	4.7	N	352
	04	0.10	3.2	0.15	4.4	0.20	4.4	0.30	4.0	欠測	欠測
	06	0.09	3.1	0.14	4.6	0.18	4.9	0.23	5.0	欠測	欠測
	08	0.14	3.2	0.21	3.8	0.26	3.7	0.44	2.6	NNW	337
	10	0.11	3.2	0.17	4.2	0.21	4.2	0.27	4.0	NW	309
	12	0.11	3.4	0.17	4.7	0.22	5.0	0.31	4.6	欠測	欠測
	14	0.11	3.3	0.16	4.7	0.20	5.3	0.25	4.9	NW	317
	16	0.11	3.4	0.17	4.7	0.22	5.2	0.29	5.9	W	278
	18	0.11	3.3	0.17	4.6	0.22	4.6	0.31	3.9	欠測	欠測
	20	0.12	3.1	0.18	4.4	0.22	4.4	0.28	5.5	NE	35
	22	* 0.20	3.5	* 0.31	4.6	* 0.39	4.8	* 0.50	2.8	欠測	欠測
最大	0.20	3.5	0.31	4.6	0.39	4.8	0.50	2.8			
平均	0.12	3.3	0.18	4.5	0.22	4.7	0.30	4.5			
27	00	0.26	3.7	0.40	4.3	0.50	4.3	0.71	3.9	欠測	欠測
	02	0.26	3.8	0.42	4.5	0.51	4.3	0.63	5.5	N	5
	04	0.25	4.0	0.38	4.5	0.48	4.4	0.64	4.7	NE	53
	06	0.23	4.0	0.36	4.6	0.45	4.7	0.63	5.2	NNW	346
	08	0.21	3.7	0.32	4.3	0.40	4.4	0.65	4.6	NNE	21
	10	0.24	3.6	0.37	4.3	0.47	4.0	0.67	4.5	NW	305
	12	0.29	3.8	0.46	4.5	0.58	4.4	0.86	3.9	NE	51
	14	0.36	4.1	0.57	4.6	0.74	4.6	1.13	4.6	欠測	欠測
	16	0.43	4.4	0.66	5.0	0.82	5.2	1.04	6.0	WNW	283
	18	0.48	4.8	0.76	5.7	0.96	5.7	1.18	6.2	NNE	29
	20	* 0.50	4.8	* 0.80	5.8	* 0.99	5.6	* 1.38	5.6	欠測	欠測
	22	0.48	5.0	0.74	5.9	0.92	5.9	1.28	5.0	欠測	欠測
最大	0.50	4.8	0.80	5.8	0.99	5.6	1.38	5.6			
平均	0.33	4.1	0.52	4.8	0.65	4.8	0.90	5.0			
28	00	0.43	4.7	0.67	5.5	0.83	5.4	1.13	5.2	N	358
	02	0.43	4.9	0.68	5.7	0.83	5.6	1.06	5.9	NNE	20
	04	0.51	4.8	0.83	5.8	1.07	5.8	1.49	5.4	NE	41
	06	0.51	4.8	0.83	5.8	1.01	5.8	1.36	5.1	NNE	33
	08	* 0.55	5.3	* 0.89	6.3	* 1.13	6.4	* 1.71	6.0	NNE	29
	10	0.53	5.4	0.80	6.0	1.01	6.0	1.26	5.3	NE	41
	12	0.47	5.0	0.72	5.7	0.88	5.6	1.22	5.4	NE	37
	14	0.34	4.4	0.53	5.1	0.64	5.1	0.94	5.0	WNW	285
	16	0.29	4.2	0.45	5.2	0.58	5.2	0.72	5.0	NE	44
	18	0.29	4.5	0.46	5.4	0.56	5.6	0.72	4.5	欠測	欠測
	20	0.27	4.2	0.44	5.3	0.55	5.3	0.79	5.2	NNE	23
	22	0.31	4.6	0.48	5.6	0.59	5.6	0.79	5.6	欠測	欠測
最大	0.55	5.3	0.89	6.3	1.13	6.4	1.71	6.0			
平均	0.41	4.7	0.65	5.6	0.81	5.6	1.10	5.3			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

							波 高		波 向		
2021年 7月							規定回数	372 回	規定回数	372 回	
							測得回数	372 回	測得回数	263 回	
							欠測回数	0 回	欠測回数	109 回	
							欠 測 率	0.0 %	欠 測 率	29.3 %	
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区							機種：波高 海象計 - 52.0 m				
							緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
29	00	0.35	4.9	0.56	5.7	0.70	5.6	0.90	6.0	欠測	欠測
	02	0.50	5.8	0.78	6.8	0.94	7.0	1.07	6.2	欠測	欠測
	04	* 0.55	6.0	* 0.87	6.8	* 1.08	6.7	* 1.42	6.9	NNE	33
	06	0.37	4.9	0.58	6.1	0.72	5.9	0.85	5.7	NNE	25
	08	0.38	5.3	0.61	6.6	0.74	6.7	1.06	6.2	NE	37
	10	0.38	5.4	0.61	6.9	0.77	6.6	1.05	6.8	NE	37
	12	0.34	4.1	0.54	5.3	0.66	5.2	0.85	5.9	欠測	欠測
	14	0.36	3.5	0.55	3.9	0.69	3.9	0.89	3.2	NNE	26
	16	0.29	3.6	0.44	4.7	0.54	4.9	0.68	5.1	欠測	欠測
	18	0.22	3.5	0.34	4.5	0.43	4.5	0.54	2.7	欠測	欠測
	20	0.22	4.1	0.34	5.3	0.43	5.6	0.57	5.3	N	11
	22	0.23	4.3	0.36	5.5	0.44	5.7	0.61	5.7	NNE	18
最大 平均	0.55	6.0	0.87	6.8	1.08	6.7	1.42	6.9			
	0.35	4.6	0.55	5.7	0.68	5.7	0.87	5.5			
30	00	0.23	4.2	0.36	5.3	0.45	5.4	0.67	5.2	NNW	346
	02	0.24	4.1	0.39	5.1	0.49	5.0	0.59	5.6	欠測	欠測
	04	0.26	4.4	0.41	5.6	0.49	5.4	0.65	5.5	欠測	欠測
	06	0.26	4.4	0.40	5.4	0.49	5.4	0.74	5.4	NNW	328
	08	0.31	4.3	0.48	5.2	0.58	5.0	0.71	5.2	欠測	欠測
	10	0.29	4.1	0.46	5.2	0.58	5.3	0.77	4.9	NW	309
	12	* 0.35	4.2	* 0.55	5.1	* 0.70	5.1	* 0.98	5.1	WNW	302
	14	0.31	4.0	0.49	4.8	0.60	4.7	0.81	4.7	NW	326
	16	0.27	4.0	0.40	4.6	0.53	4.7	0.80	4.2	欠測	欠測
	18	0.28	4.1	0.43	4.7	0.55	4.7	0.73	4.2	欠測	欠測
	20	0.33	4.1	0.50	4.6	0.61	4.6	0.75	5.0	欠測	欠測
	22	0.23	3.9	0.35	4.7	0.45	4.6	0.58	4.5	WNW	295
最大 平均	0.35	4.2	0.55	5.1	0.70	5.1	0.98	5.1			
	0.28	4.2	0.44	5.0	0.54	5.0	0.73	5.0			
31	00	0.21	3.9	0.33	4.6	0.41	4.8	0.56	4.9	NW	309
	02	0.20	3.7	0.30	4.3	0.37	4.2	0.47	4.9	欠測	欠測
	04	0.24	3.7	0.38	4.3	0.48	4.3	0.76	3.9	欠測	欠測
	06	0.25	3.9	0.39	4.3	0.49	4.4	0.76	4.3	欠測	欠測
	08	* 0.31	4.0	* 0.47	4.4	* 0.59	4.3	* 0.87	4.1	欠測	欠測
	10	0.28	3.9	0.43	4.4	0.53	4.3	0.69	3.9	NNW	329
	12	0.23	3.8	0.37	4.4	0.45	4.4	0.60	4.0	欠測	欠測
	14	0.17	3.6	0.27	4.3	0.34	4.3	0.58	4.1	W	273
	16	0.17	3.6	0.27	4.4	0.33	4.4	0.46	4.3	欠測	欠測
	18	0.15	3.5	0.25	4.6	0.30	4.7	0.38	5.5	N	354
	20	0.15	3.7	0.23	4.7	0.28	4.8	0.39	5.4	WNW	300
	22	0.14	3.6	0.22	4.5	0.28	4.4	0.40	4.1	NNE	23
最大 平均	0.31	4.0	0.47	4.4	0.59	4.3	0.87	4.1			
	0.21	3.7	0.33	4.4	0.40	4.4	0.58	4.5			
月最大 起時	1.00	5.8	1.61	7.3	2.01	7.3	3.03	7.7			
	0508		0508		0508		0704				
平均	0.25	3.8	0.39	4.6	0.48	4.7	0.67	4.6			

波浪整理表（1）

2021年 8月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
01	00	0.14	3.4	0.22	4.3	0.27	4.4	0.41	4.1	欠測	欠測
	02	0.13	3.4	0.21	4.5	0.25	4.5	0.31	4.9	欠測	欠測
	04	0.12	3.4	0.19	4.8	0.24	4.8	0.33	5.0	欠測	欠測
	06	0.14	3.5	0.22	4.7	0.27	4.9	0.38	5.2	NW	326
	08	* 0.21	3.4	* 0.31	4.1	* 0.38	4.5	0.48	3.3	NNE	22
	10	0.16	3.6	0.25	4.7	0.31	4.7	0.44	4.5	欠測	欠測
	12	0.16	3.7	0.25	4.8	0.31	5.1	0.45	5.0	欠測	欠測
	14	0.15	3.7	0.24	4.7	0.30	4.5	0.38	5.7	W	280
	16	0.16	3.8	0.26	4.9	0.33	5.3	0.43	6.6	NW	320
	18	0.16	3.7	0.26	5.1	0.31	5.2	0.37	5.1	NNE	23
	20	0.17	3.8	0.28	5.3	0.35	5.5	* 0.51	6.5	NE	50
	22	0.17	4.2	0.28	5.6	0.33	5.8	0.44	5.8	欠測	欠測
最大		0.21	3.4	0.31	4.1	0.38	4.5	0.51	6.5		
平均		0.16	3.6	0.25	4.8	0.30	4.9	0.41	5.1		
02	00	0.17	4.1	0.28	5.4	0.33	5.5	0.40	6.4	欠測	欠測
	02	0.19	4.0	0.30	5.3	0.36	5.2	0.56	4.1	欠測	欠測
	04	0.19	4.4	0.31	5.5	0.39	5.4	0.54	5.3	欠測	欠測
	06	0.19	4.3	0.30	5.5	0.37	5.8	0.45	5.3	N	7
	08	0.24	4.4	0.38	5.6	0.48	5.8	0.65	5.8	NNW	348
	10	0.26	4.3	0.40	5.4	0.52	5.7	0.77	3.8	欠測	欠測
	12	0.27	5.1	0.43	6.6	0.53	6.6	0.68	6.1	NE	41
	14	0.33	5.2	0.54	7.1	0.72	7.0	1.04	7.0	NNE	20
	16	0.48	6.4	0.72	7.2	0.87	7.2	1.21	7.2	NNE	16
	18	0.49	6.5	0.78	7.4	0.95	7.5	1.15	7.4	NNE	12
	20	0.48	6.3	0.79	7.6	0.99	7.3	1.22	7.5	欠測	欠測
	22	* 0.53	6.4	* 0.82	7.7	* 1.00	7.5	* 1.24	7.7	欠測	欠測
最大		0.53	6.4	0.82	7.7	1.00	7.5	1.24	7.7		
平均		0.32	5.1	0.50	6.4	0.63	6.4	0.83	6.1		
03	00	0.50	6.3	0.82	7.3	1.00	7.3	1.30	7.9	欠測	欠測
	02	0.58	6.5	0.96	7.7	* 1.29	7.7	* 1.78	7.4	欠測	欠測
	04	* 0.61	6.6	* 0.97	7.6	1.21	7.6	1.50	8.3	欠測	欠測
	06	0.60	6.6	0.97	7.6	1.19	7.3	1.44	7.1	NNE	29
	08	0.52	6.3	0.82	7.1	1.01	7.1	1.34	6.7	NNE	29
	10	0.42	5.9	0.68	7.2	0.87	7.2	1.18	6.3	NNE	29
	12	0.43	5.7	0.68	6.6	0.86	6.5	1.17	7.7	NNE	25
	14	0.37	6.1	0.59	7.2	0.74	7.3	0.93	6.7	NNE	20
	16	0.36	5.6	0.57	7.0	0.72	7.3	0.87	7.3	欠測	欠測
	18	0.33	5.5	0.54	7.3	0.68	7.3	0.94	6.7	NNE	25
	20	0.39	6.5	0.60	7.4	0.74	7.2	0.91	7.6	欠測	欠測
	22	0.35	5.6	0.57	6.9	0.71	7.1	0.93	7.0	欠測	欠測
最大		0.61	6.6	0.97	7.6	1.29	7.7	1.78	7.4		
平均		0.46	6.1	0.73	7.2	0.92	7.2	1.19	7.2		
04	00	0.30	5.6	0.48	6.7	0.59	7.1	0.71	7.4	欠測	欠測
	02	0.29	5.3	0.47	6.9	0.60	6.9	0.91	7.1	欠測	欠測
	04	0.29	5.5	0.45	6.6	0.54	6.6	0.68	7.0	欠測	欠測
	06	0.24	4.9	0.39	6.2	0.50	6.6	0.71	6.4	N	0
	08	0.27	4.8	0.43	6.1	0.51	6.0	0.75	6.8	NNE	12
	10	0.29	4.4	0.45	5.4	0.54	5.4	0.66	5.2	N	350
	12	* 0.32	3.8	* 0.53	4.7	* 0.70	4.5	* 1.13	4.3	欠測	欠測
	14	0.30	3.7	0.46	4.7	0.57	4.8	0.81	2.6	WNW	285
	16	0.25	3.7	0.39	4.7	0.48	4.9	0.62	6.2	NNE	19
	18	0.23	4.1	0.37	5.6	0.47	5.7	0.73	5.7	欠測	欠測
	20	0.22	4.2	0.35	5.4	0.43	5.7	0.52	6.0	NNW	347
	22	0.18	4.1	0.29	5.8	0.36	5.7	0.54	6.0	NNE	20
最大		0.32	3.8	0.53	4.7	0.70	4.5	1.13	4.3		
平均		0.27	4.5	0.42	5.7	0.52	5.8	0.73	5.9		

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 8月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	300 回
										欠測回数	0 回	欠測回数	72 回
										欠 測 率	0.0 %	欠 測 率	19.4 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
09	00	0.45	4.2	0.71	4.9	0.89	4.9	1.17	5.3	NE	49		
	02	0.45	4.2	0.72	4.9	0.87	4.7	1.18	5.2	WNW	293		
	04	0.47	4.5	0.74	5.2	0.96	5.1	1.31	4.0	NE	37		
	06	0.48	4.9	0.76	6.4	0.96	6.3	1.35	5.6	N	8		
	08	0.61	5.1	0.95	7.1	1.12	7.3	1.27	7.0	NNE	12		
	10	0.82	5.2	1.27	6.9	1.56	7.5	2.05	5.2	NNE	16		
	12	1.07	6.0	1.64	8.0	2.04	8.2	2.84	8.4	NNE	12		
	14	1.08	5.8	1.72	7.6	2.17	7.5	2.52	9.3	N	8		
	16	1.18	6.8	1.88	8.5	2.33	8.5	2.82	7.8	NNE	12		
	18	1.13	7.5	1.74	8.9	2.16	8.9	2.91	7.4	N	8		
	20	1.12	6.8	1.83	8.8	2.36	9.0	2.96	8.3	NNE	16		
	22	* 1.24	6.9	* 2.15	9.4	* 2.66	9.4	* 3.41	9.4	NNW	348		
	最大 平均	1.24 0.84	6.9 5.7	2.15 1.34	9.4 7.2	2.66 1.67	9.4 7.3	3.41 2.15	9.4 6.9				
	10	00	1.62	5.8	2.48	7.5	3.00	8.1	3.85	10.9	NNW	335	
02		2.01	6.5	3.28	8.7	4.12	8.7	5.54	9.7	NNW	335		
04		* 2.31	7.6	* 3.65	9.2	* 4.48	9.2	6.06	9.8	NNW	344		
06		2.21	7.2	3.38	8.8	4.03	9.1	5.42	8.3	NNW	348		
08		1.88	6.8	3.05	8.6	3.93	8.8	5.38	8.7	NNE	20		
10		1.60	6.3	2.54	8.1	3.22	7.9	3.77	9.4	NNE	25		
12		1.79	6.8	2.90	8.4	3.53	8.3	3.88	8.0	NNE	25		
14		1.74	7.1	2.78	8.7	3.64	9.2	5.30	8.7	NNE	33		
16		1.77	7.5	2.79	9.6	3.56	9.3	4.31	9.5	NNW	335		
18		1.92	7.9	3.02	9.7	3.84	9.6	* 6.44	9.0	NNW	331		
20		1.99	8.2	3.32	10.4	4.15	10.8	4.97	10.6	NNW	344		
22		1.56	7.3	2.59	9.1	3.38	9.3	4.52	9.0	NNW	348		
最大 平均		2.31 1.87	7.6 7.1	3.65 2.98	9.2 8.9	4.48 3.74	9.2 9.0	6.44 4.95	9.0 9.3				
11		00	1.44	7.1	2.28	9.0	2.82	9.0	3.14	9.5	N	4	
	02	* 1.70	7.8	* 2.56	9.1	* 3.26	9.8	* 4.41	8.5	NNE	12		
	04	1.40	7.0	2.13	8.6	2.57	8.6	3.14	9.0	NNE	25		
	06	1.35	6.6	2.17	8.4	2.75	8.6	3.44	8.5	NNE	25		
	08	1.36	7.1	2.22	9.1	2.86	9.5	3.91	8.7	NNE	25		
	10	1.33	7.0	2.14	9.1	2.76	9.4	4.16	9.4	NNE	16		
	12	1.33	7.2	2.14	9.5	2.68	10.0	3.18	9.1	N	8		
	14	1.20	6.9	1.96	9.3	2.46	9.4	3.38	8.2	NNE	20		
	16	1.21	6.9	1.95	9.4	2.44	10.1	3.01	8.6	N	0		
	18	1.39	7.5	2.24	9.3	2.74	9.3	3.44	7.0	NNE	20		
	20	1.50	8.4	2.39	10.1	2.90	10.2	3.43	10.2	NNE	16		
	22	1.33	7.8	2.08	8.9	2.67	9.6	3.64	10.6	NNE	25		
	最大 平均	1.70 1.38	7.8 7.3	2.56 2.19	9.1 9.2	3.26 2.74	9.8 9.5	4.41 3.52	8.5 8.9				
	12	00	* 1.26	7.7	* 2.01	9.0	* 2.46	8.5	* 3.17	9.2	NNE	25	
02		1.05	7.2	1.62	8.2	2.01	8.3	2.66	8.4	NNE	29		
04		1.07	7.1	1.67	8.4	2.16	8.0	2.79	8.3	NNE	20		
06		1.01	7.0	1.67	8.6	2.11	8.7	2.65	9.2	NNE	16		
08		0.77	6.3	1.19	7.7	1.43	7.9	1.95	6.9	N	8		
10		0.68	6.2	1.09	8.2	1.37	8.4	1.65	8.0	N	8		
12		0.71	6.7	1.11	8.4	1.33	7.9	1.57	8.5	NNE	16		
14		0.69	6.5	1.15	8.1	1.46	8.2	1.76	8.5	NNE	20		
16		0.71	6.4	1.14	8.0	1.42	7.8	1.67	8.2	NNE	12		
18		0.84	6.5	1.33	7.9	1.61	7.8	1.90	7.7	NNE	29		
20		0.77	5.9	1.22	7.3	1.53	7.3	2.08	7.0	NE	41		
22		0.78	5.9	1.22	7.0	1.52	6.9	1.87	7.0	NNE	29		
最大 平均		1.26 0.86	7.7 6.6	2.01 1.37	9.0 8.1	2.46 1.70	8.5 8.0	3.17 2.14	9.2 8.1				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 8月										波 高		波 向					
										規定回数	372 回	規定回数	372 回				
										測得回数	372 回	測得回数	300 回				
										欠測回数	0 回	欠測回数	72 回				
										欠 測 率	0.0 %	欠 測 率	19.4 %				
機種：波向 海象計 - 52.0 m																	
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向							
										16方位	角度						
13	00	* 0.65	5.5	* 1.08	6.7	* 1.35	6.5	* 1.78	6.8	NNE	33						
	02	0.60	5.5	0.93	6.3	1.11	6.4	1.27	6.8	NNE	25						
	04	0.46	5.2	0.72	6.4	0.87	6.4	1.25	6.7	NNE	12						
	06	0.39	5.1	0.63	6.5	0.79	6.6	1.29	6.1	N	352						
	08	0.35	5.3	0.57	6.8	0.71	6.5	0.98	6.9	N	356						
	10	0.34	5.7	0.54	6.7	0.69	6.9	1.08	6.4	N	8						
	12	0.38	4.0	0.60	5.0	0.75	5.1	1.01	5.4	NNE	15						
	14	0.26	4.8	0.44	6.3	0.56	6.4	0.81	6.4	N	4						
	16	0.29	5.3	0.45	6.2	0.55	6.3	0.71	6.6	NNE	33						
	18	0.41	5.5	0.66	6.1	0.82	6.2	1.08	6.5	NNE	33						
	20	0.36	5.2	0.59	5.9	0.74	5.7	0.92	6.0	NNE	25						
	22	0.34	4.9	0.56	5.9	0.71	5.9	0.88	5.8	NNE	29						
最大 平均		0.65 0.40	5.5 5.2	1.08 0.65	6.7 6.2	1.35 0.80	6.5 6.2	1.78 1.09	6.8 6.4								
14	00	0.30	5.0	0.47	5.9	0.57	6.0	0.72	6.5	NNE	12						
	02	0.29	4.7	0.47	5.8	0.59	5.7	0.79	4.9	NNE	20						
	04	0.28	4.8	0.44	5.9	0.57	6.0	0.78	6.2	NNE	29						
	06	0.29	4.9	0.46	6.1	0.57	5.8	0.75	5.4	NE	45						
	08	0.27	4.6	0.45	6.0	0.57	5.9	0.80	6.5	NNE	33						
	10	* 0.35	4.2	* 0.56	5.2	* 0.70	5.4	* 1.06	5.3	NE	35						
	12	0.34	4.4	0.53	5.4	0.63	5.4	0.79	5.5	NNW	342						
	14	0.33	4.2	0.52	5.1	0.66	5.1	0.83	5.5	WNW	282						
	16	0.31	4.1	0.49	5.0	0.60	5.2	0.91	5.6	WNW	303						
	18	0.32	4.1	0.50	5.0	0.64	5.3	0.82	5.5	NNE	18						
	20	0.31	4.5	0.47	5.5	0.57	5.6	0.75	5.4	N	357						
	22	0.32	4.7	0.52	6.2	0.64	6.3	0.84	5.4	NE	49						
最大 平均		0.35 0.31	4.2 4.5	0.56 0.49	5.2 5.6	0.70 0.61	5.4 5.6	1.06 0.82	5.3 5.6								
15	00	0.34	5.0	0.53	6.2	0.68	6.4	0.87	7.4	N	352						
	02	0.31	4.9	0.48	6.2	0.57	6.1	0.69	5.2	NE	37						
	04	0.35	5.0	0.57	6.1	0.72	5.9	1.02	5.7	NNW	327						
	06	0.33	4.7	0.55	5.8	0.72	5.8	1.09	6.4	NE	45						
	08	0.36	4.6	0.59	5.6	0.74	5.5	* 1.14	5.1	NW	305						
	10	0.37	4.6	0.58	5.6	0.71	5.7	0.94	5.6	WNW	298						
	12	* 0.38	4.9	0.58	5.8	0.75	5.7	0.96	5.2	NNE	25						
	14	0.38	4.8	* 0.61	6.1	* 0.77	6.2	0.98	6.7	NNE	25						
	16	0.35	4.8	0.57	5.9	0.72	5.9	1.08	5.9	N	8						
	18	0.33	4.7	0.52	5.7	0.67	5.5	1.03	4.6	N	356						
	20	0.32	4.3	0.52	5.6	0.66	5.8	0.84	6.2	NW	320						
	22	0.37	4.5	0.59	5.4	0.75	5.3	0.91	4.0	NE	47						
最大 平均		0.38 0.35	4.9 4.7	0.61 0.56	6.1 5.8	0.77 0.71	6.2 5.8	1.14 0.96	5.1 5.7								
16	00	0.39	4.3	0.61	4.9	0.75	5.0	1.00	4.6	欠測	欠測						
	02	0.40	4.4	0.61	5.2	0.74	5.2	0.97	5.7	欠測	欠測						
	04	0.42	4.3	0.64	4.8	0.78	4.8	1.00	5.0	欠測	欠測						
	06	0.41	4.5	0.61	5.1	0.74	4.9	0.89	5.3	NNE	21						
	08	0.39	4.4	0.59	5.0	0.74	4.8	1.01	3.7	NW	318						
	10	0.42	3.8	* 0.67	4.5	* 0.86	4.5	* 1.36	4.4	欠測	欠測						
	12	* 0.43	4.1	0.65	4.8	0.81	5.0	1.04	4.3	NNE	21						
	14	0.39	4.1	0.62	5.1	0.80	5.0	1.16	6.6	N	11						
	16	0.35	4.2	0.55	5.0	0.69	4.9	0.92	4.8	NW	318						
	18	0.33	4.4	0.50	5.0	0.63	5.2	0.87	4.4	N	0						
	20	0.30	4.3	0.47	5.1	0.59	4.9	0.81	4.9	WNW	289						
	22	0.28	4.1	0.44	5.0	0.54	5.1	0.65	4.8	NNE	14						
最大 平均		0.43 0.38	4.1 4.2	0.67 0.58	4.5 5.0	0.86 0.72	4.5 4.9	1.36 0.97	4.4 4.9								

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 8月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	300 回
										欠測回数	0 回	欠測回数	72 回
										欠 測 率	0.0 %	欠 測 率	19.4 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
17	00	0.28	4.5	0.45	5.2	0.57	5.2	* 0.93	4.5	NE	46		
	02	* 0.30	4.5	* 0.47	5.2	* 0.60	5.0	0.75	3.9	WNW	297		
	04	0.28	4.4	0.42	5.1	0.52	5.2	0.66	5.1	欠測	欠測		
	06	0.23	3.9	0.37	5.0	0.46	4.9	0.71	5.5	欠測	欠測		
	08	0.25	4.0	0.40	4.9	0.50	4.9	0.74	4.1	NNE	23		
	10	0.26	3.8	0.41	4.6	0.51	4.6	0.70	5.2	NW	319		
	12	0.21	3.8	0.33	4.8	0.40	5.0	0.52	4.4	N	350		
	14	0.19	4.0	0.30	5.2	0.40	5.2	0.54	4.9	N	351		
	16	0.20	3.8	0.31	4.8	0.39	4.8	0.53	4.7	NE	39		
	18	0.22	3.8	0.34	4.7	0.41	4.6	0.50	4.5	NE	50		
	20	0.26	4.0	0.41	4.7	0.52	4.5	0.70	4.2	欠測	欠測		
	22	0.27	4.2	0.44	5.0	0.56	5.1	0.79	4.7	N	6		
最大 平均	0.30 0.25	4.5 4.1	0.47 0.39	5.2 4.9	0.60 0.49	5.0 4.9	0.93 0.67	4.5 4.6					
18	00	0.28	4.0	0.46	4.9	0.57	5.0	0.77	5.0	NW	312		
	02	0.50	3.8	0.79	4.2	1.01	4.1	1.46	4.7	NW	317		
	04	0.63	4.0	0.95	4.4	1.19	4.3	1.65	4.2	NNW	343		
	06	0.49	3.9	0.76	4.5	0.95	4.6	1.28	3.8	W	279		
	08	0.41	4.1	0.60	4.8	0.73	4.7	0.87	4.7	欠測	欠測		
	10	0.71	5.0	1.12	5.9	1.40	5.8	1.79	5.6	NNW	327		
	12	0.80	5.7	1.24	6.8	1.56	6.7	1.90	6.2	NNW	344		
	14	0.78	5.5	1.28	7.2	1.65	7.1	2.10	7.5	N	8		
	16	* 0.99	6.1	* 1.59	7.4	* 1.98	7.5	* 2.80	7.8	NNE	20		
	18	0.82	5.8	1.32	6.9	1.66	6.9	2.16	6.6	NNE	25		
	20	0.68	5.6	1.08	6.7	1.37	7.2	1.91	6.4	NNE	29		
	22	0.54	5.3	0.84	6.4	1.06	6.5	1.41	6.6	NNE	25		
最大 平均	0.99 0.64	6.1 4.9	1.59 1.00	7.4 5.8	1.98 1.26	7.5 5.9	2.80 1.68	7.8 5.8					
19	00	0.57	5.7	0.87	6.7	1.09	6.8	1.44	7.3	NNE	29		
	02	0.54	5.2	0.86	6.5	1.14	6.4	1.59	6.1	NNE	20		
	04	0.71	5.7	1.14	7.0	1.47	7.1	2.02	6.4	NNE	20		
	06	0.89	6.3	* 1.43	7.5	* 1.76	7.5	* 2.22	7.5	NNE	29		
	08	* 0.91	6.1	1.38	7.1	1.65	7.1	2.00	6.8	NNE	33		
	10	0.80	6.0	1.27	7.1	1.57	6.8	1.87	6.2	NNE	33		
	12	0.79	6.0	1.25	7.0	1.54	7.2	1.85	7.2	NE	37		
	14	0.58	5.5	0.93	7.1	1.15	6.9	1.41	7.9	NNE	33		
	16	0.48	5.3	0.78	6.8	1.01	6.6	1.26	6.0	NNE	33		
	18	0.45	5.4	0.72	6.8	0.90	7.0	1.19	7.0	NNE	20		
	20	0.43	5.1	0.67	6.0	0.84	6.5	1.15	6.4	NNE	29		
	22	0.49	5.5	0.75	6.5	0.90	6.6	1.09	6.8	NNE	20		
最大 平均	0.91 0.64	6.1 5.6	1.43 1.00	7.5 6.8	1.76 1.25	7.5 6.9	2.22 1.59	7.5 6.8					
20	00	* 0.42	4.8	* 0.67	6.0	* 0.86	5.9	1.07	6.1	NNE	12		
	02	0.37	4.9	0.61	5.9	0.78	5.9	* 1.61	5.7	NNE	12		
	04	0.36	4.8	0.55	5.6	0.70	5.6	1.01	5.7	N	11		
	06	0.34	4.4	0.54	5.3	0.68	5.1	0.88	4.9	WNW	294		
	08	0.32	4.3	0.50	4.9	0.63	4.9	0.84	4.7	NNE	15		
	10	0.29	4.2	0.46	4.8	0.59	4.9	0.85	4.5	NE	35		
	12	0.32	4.3	0.48	5.1	0.57	5.2	0.67	4.7	NW	311		
	14	0.29	4.1	0.47	5.0	0.60	4.8	0.94	5.2	NNE	22		
	16	0.28	4.0	0.44	4.9	0.54	4.9	0.73	4.6	NE	42		
	18	0.26	3.7	0.40	4.8	0.50	4.9	0.72	4.8	NE	50		
	20	0.19	4.0	0.31	5.0	0.38	5.1	0.48	4.9	NW	324		
	22	0.17	4.0	0.28	5.2	0.36	5.3	0.46	5.6	NNW	348		
最大 平均	0.42 0.30	4.8 4.3	0.67 0.48	6.0 5.2	0.86 0.60	5.9 5.2	1.61 0.86	5.7 5.1					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 8月

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	300 回
欠測回数	0 回	欠測回数	72 回
欠 測 率	0.0 %	欠 測 率	19.4 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	0.17	4.0	0.27	5.2	0.34	5.1	0.44	4.3	NNW	342
	02	0.17	3.9	0.27	4.9	0.33	4.8	0.46	4.8	N	10
	04	0.17	3.7	0.27	4.7	0.33	4.6	0.52	5.0	NW	304
	06	0.18	3.8	0.28	4.8	0.35	4.8	0.52	4.4	NNE	28
	08	0.20	3.8	0.31	4.5	0.39	4.5	0.47	5.5	欠測	欠測
	10	0.19	3.6	0.31	4.5	0.39	4.5	0.48	4.2	NW	320
	12	0.16	3.5	0.25	4.7	0.31	4.6	0.42	3.1	WNW	303
	14	0.21	4.0	0.34	4.8	0.43	4.7	0.61	4.6	NW	309
	16	* 0.22	3.9	0.34	4.8	0.42	4.8	0.59	5.1	N	1
	18	0.22	3.6	* 0.35	4.5	* 0.46	4.5	* 0.67	4.5	N	5
	20	0.17	3.9	0.28	4.9	0.35	5.1	0.48	4.8	NNW	327
	22	0.18	3.8	0.28	4.6	0.33	4.8	0.55	4.3	NW	319
	最大	0.22	3.9	0.35	4.5	0.46	4.5	0.67	4.5		
	平均	0.19	3.8	0.30	4.7	0.37	4.7	0.52	4.5		
22	00	0.16	3.5	0.25	4.6	0.31	4.6	0.39	5.1	N	7
	02	0.15	3.5	0.23	4.5	0.29	4.4	0.42	4.4	欠測	欠測
	04	0.18	3.5	0.29	4.3	0.37	4.2	0.49	4.0	NNE	13
	06	0.28	3.8	0.45	4.6	0.57	4.5	0.78	2.8	N	2
	08	0.34	3.9	0.53	4.5	0.68	4.6	0.90	4.4	NNW	339
	10	0.29	3.7	0.44	4.0	0.53	3.9	0.67	4.3	N	4
	12	0.32	3.6	0.49	4.1	0.62	4.1	0.79	4.1	NW	324
	14	0.32	4.0	0.49	5.1	0.60	5.3	0.76	4.4	NNW	334
	16	0.48	5.5	0.77	7.3	0.97	7.2	1.30	6.8	WNW	282
	18	0.63	5.1	1.02	6.8	* 1.28	7.4	* 1.74	8.2	W	278
	20	* 0.68	5.7	* 1.07	7.5	1.25	7.3	1.54	8.2	WSW	241
	22	0.56	4.9	0.91	5.9	1.12	5.5	1.45	6.2	W	266
	最大	0.68	5.7	1.07	7.5	1.28	7.4	1.74	8.2		
	平均	0.37	4.2	0.58	5.3	0.72	5.2	0.94	5.2		
23	00	0.66	5.1	1.03	6.3	1.28	6.4	1.73	6.6	W	270
	02	* 0.67	5.2	* 1.07	6.6	* 1.35	6.6	* 1.89	6.4	W	274
	04	0.62	4.9	0.98	6.1	1.21	6.3	1.58	6.7	W	278
	06	0.51	4.6	0.82	5.6	1.04	5.8	1.67	6.5	NW	309
	08	0.48	4.7	0.76	5.7	0.92	5.7	1.19	6.2	W	278
	10	0.46	4.8	0.72	6.1	0.88	6.3	1.29	6.4	W	274
	12	0.41	4.6	0.63	5.5	0.78	6.0	1.02	6.1	NNW	338
	14	0.43	4.4	0.69	6.0	0.86	6.2	1.09	5.9	WNW	282
	16	0.47	4.5	0.74	5.6	0.91	6.1	1.20	4.8	NNW	345
	18	0.48	4.8	0.76	5.8	0.94	6.1	1.27	5.5	W	274
	20	0.40	4.7	0.62	5.8	0.78	5.8	1.10	5.2	W	278
	22	0.36	4.5	0.59	5.6	0.74	5.8	1.01	5.9	欠測	欠測
	最大	0.67	5.2	1.07	6.6	1.35	6.6	1.89	6.4		
	平均	0.50	4.7	0.78	5.9	0.97	6.1	1.34	6.0		
24	00	0.34	4.7	0.52	5.4	0.64	5.5	0.91	5.4	NNE	29
	02	0.34	4.5	0.53	5.5	0.66	5.7	0.77	5.7	W	276
	04	0.30	4.4	0.49	5.7	0.61	5.6	0.88	4.6	W	270
	06	0.29	4.5	0.47	5.7	0.59	5.7	0.83	5.7	W	262
	08	0.26	4.6	0.42	5.7	0.51	5.4	0.69	4.7	WSW	258
	10	0.22	4.6	0.35	6.0	0.44	6.1	0.59	5.9	WNW	286
	12	0.21	4.8	0.33	6.1	0.42	6.4	0.55	6.5	欠測	欠測
	14	0.22	4.8	0.34	5.8	0.42	5.9	0.54	5.6	WNW	282
	16	0.18	4.0	0.29	5.6	0.36	5.6	0.47	6.5	NNW	337
	18	0.19	3.5	0.29	4.7	0.36	5.1	0.51	6.9	N	8
	20	0.32	3.7	0.49	4.3	0.63	4.2	0.82	4.5	欠測	欠測
	22	* 0.39	4.1	* 0.59	4.8	* 0.73	4.8	* 0.93	3.7	NNE	26
	最大	0.39	4.1	0.59	4.8	0.73	4.8	0.93	3.7		
	平均	0.27	4.4	0.43	5.4	0.53	5.5	0.71	5.5		

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 8月

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″

日 時		波 高						波 向			
		規定回数		372 回		規定回数		372 回		規定回数	
		測得回数		372 回		測得回数		300 回		測得回数	
		欠測回数		0 回		欠測回数		72 回		欠測回数	
		欠 測 率		0.0 %		欠 測 率		19.4 %		欠 測 率	
		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.44	4.8	0.70	5.9	0.88	6.0	1.19	6.3	W	274
	02	0.55	5.2	0.85	6.5	1.04	6.7	1.55	6.6	NW	311
	04	* 0.65	5.3	* 1.02	6.2	* 1.31	6.4	* 1.67	6.1	WNW	295
	06	0.57	5.2	0.93	6.3	1.20	6.4	1.49	6.3	NW	307
	08	0.53	5.3	0.82	6.2	1.03	6.3	1.49	5.3	WNW	286
	10	0.58	5.2	0.92	5.9	1.15	6.0	1.55	6.2	W	278
	12	0.49	5.1	0.78	5.8	0.96	5.8	1.25	4.7	WNW	290
	14	0.40	4.7	0.62	5.7	0.75	5.8	0.96	6.3	W	266
	16	0.36	4.2	0.58	5.3	0.72	5.4	0.98	4.6	NNW	342
	18	0.33	4.4	0.52	5.6	0.65	5.9	0.91	5.7	WNW	303
	20	0.30	4.3	0.46	5.4	0.57	5.7	0.74	5.3	NW	309
	22	0.31	4.4	0.48	5.5	0.59	5.3	0.84	5.1	N	6
	最大	0.65	5.3	1.02	6.2	1.31	6.4	1.67	6.1		
	平均	0.46	4.8	0.72	5.9	0.90	6.0	1.22	5.7		
30	00	0.28	4.3	0.44	5.2	0.55	5.2	0.73	5.7	NNE	16
	02	0.34	3.8	0.52	4.5	0.64	4.3	0.97	4.2	WNW	292
	04	0.37	3.9	0.56	4.7	0.68	4.7	* 1.02	4.1	欠測	欠測
	06	0.30	4.0	0.48	4.6	0.59	4.8	0.72	4.1	欠測	欠測
	08	0.26	3.8	0.42	4.7	0.54	4.8	0.75	3.9	NNW	329
	10	0.23	3.8	0.36	4.6	0.47	4.5	0.65	6.0	NW	324
	12	0.26	4.1	0.42	5.4	0.52	5.5	0.72	4.2	NW	322
	14	0.36	4.4	0.56	5.5	0.67	5.5	0.93	4.5	WNW	301
	16	* 0.37	4.4	* 0.60	5.3	* 0.74	5.5	0.94	5.2	WNW	299
	18	0.34	4.3	0.53	5.2	0.67	5.1	0.83	4.5	NNE	23
	20	0.32	4.2	0.52	5.2	0.63	5.1	0.78	4.5	欠測	欠測
	22	0.33	4.2	0.51	5.0	0.62	4.9	0.78	5.4	欠測	欠測
	最大	0.37	4.4	0.60	5.3	0.74	5.5	1.02	4.1		
	平均	0.31	4.1	0.49	5.0	0.61	5.0	0.82	4.7		
31	00	0.30	4.0	0.46	4.7	0.57	4.6	0.75	4.7	欠測	欠測
	02	* 0.35	3.9	0.55	4.5	0.66	4.3	0.88	4.5	N	7
	04	0.35	3.9	0.53	4.6	0.66	4.4	0.77	4.5	欠測	欠測
	06	0.34	3.9	* 0.55	4.7	* 0.70	4.6	* 1.17	4.5	NE	35
	08	0.30	3.8	0.47	4.6	0.60	4.5	0.85	4.0	WNW	293
	10	0.27	3.8	0.43	4.7	0.54	4.7	0.75	4.8	N	11
	12	0.24	3.9	0.38	4.7	0.48	4.6	0.88	4.4	欠測	欠測
	14	0.24	3.8	0.38	4.8	0.48	4.9	0.61	3.7	NW	305
	16	0.23	3.9	0.37	5.0	0.48	5.0	0.70	5.1	NW	308
	18	0.27	4.3	0.42	5.4	0.53	5.2	0.65	5.3	W	278
	20	0.27	4.4	0.44	5.3	0.54	5.2	0.76	4.5	W	279
	22	0.32	4.5	0.52	5.2	0.69	5.1	0.87	4.8	欠測	欠測
	最大	0.35	3.9	0.55	4.7	0.70	4.6	1.17	4.5		
	平均	0.29	4.0	0.46	4.8	0.58	4.8	0.80	4.6		
月最大		2.31	7.6	3.65	9.2	4.48	9.2	6.44	9.0		
起時		1004		1004		1004		1018			
平均		0.48	4.7	0.76	5.8	0.95	5.9	1.26	5.7		

2021年 9月		機種：波向 海象計 - 52.0 m						波 高		波 向	
								規定回数	360 回	規定回数	360 回
								測得回数	360 回	測得回数	304 回
								欠測回数	0 回	欠測回数	56 回
								欠 測 率	0.0 %	欠 測 率	15.6 %
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25' -51" 経度：E 136° -54' -08"			
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度	
01	00	0.34	4.5	0.55	5.2	0.68	5.1	0.96	5.4	WNW	294
	02	0.35	4.5	0.55	5.2	0.65	5.1	0.76	4.7	WNW	297
	04	* 0.42	4.8	* 0.66	5.4	* 0.82	5.4	* 1.13	5.2	N	352
	06	0.39	4.9	0.60	5.3	0.72	5.3	0.83	5.7	WNW	298
	08	0.33	4.8	0.51	5.3	0.63	5.3	0.77	4.8	N	9
	10	0.29	4.8	0.46	5.8	0.60	6.0	0.81	6.2	NNE	33
	12	0.34	5.3	0.51	6.3	0.63	6.2	0.75	6.2	N	4
	14	0.31	5.3	0.51	6.5	0.68	6.5	0.98	6.4	NNE	33
	16	0.37	5.3	0.61	6.2	0.75	6.4	0.89	5.9	NNE	12
	18	0.33	4.8	0.54	6.0	0.67	5.9	0.90	6.2	WNW	303
	20	0.37	4.5	0.60	5.7	0.74	5.8	0.99	5.6	NNE	16
	22	0.33	4.5	0.53	5.6	0.67	5.6	0.87	5.5	欠測	欠測
	最大	0.42	4.8	0.66	5.4	0.82	5.4	1.13	5.2		
	平均	0.35	4.8	0.55	5.7	0.69	5.7	0.89	5.7		
02	00	0.39	4.1	0.61	4.9	0.77	5.5	1.02	4.9	NNE	12
	02	0.37	3.9	0.61	5.0	0.78	5.3	1.04	4.6	W	281
	04	0.35	4.3	0.55	5.3	0.67	5.2	0.79	5.7	NNE	24
	06	0.41	4.1	0.64	5.0	0.79	5.0	0.96	5.8	NNE	26
	08	0.48	4.2	0.76	4.8	0.93	4.8	1.17	4.1	WNW	299
	10	0.52	4.3	0.80	5.1	0.97	5.2	1.25	4.6	欠測	欠測
	12	0.49	4.2	0.76	5.0	0.93	4.9	1.10	5.5	欠測	欠測
	14	0.50	4.1	0.78	5.0	0.96	4.9	1.22	5.3	NW	315
	16	0.60	4.3	0.94	4.9	1.19	5.2	1.55	4.6	NNE	33
	18	* 0.65	4.5	* 1.02	5.3	1.27	5.1	1.67	4.8	欠測	欠測
	20	0.64	4.6	1.01	5.3	* 1.28	5.5	* 1.81	5.0	欠測	欠測
	22	0.60	4.4	0.94	5.2	1.16	5.1	1.38	5.6	W	281
	最大	0.65	4.5	1.02	5.3	1.28	5.5	1.81	5.0		
	平均	0.50	4.2	0.78	5.1	0.97	5.1	1.25	5.0		
03	00	* 0.52	4.4	* 0.80	5.2	* 0.98	5.2	* 1.35	5.3	NE	35
	02	0.47	4.0	0.74	5.0	0.93	4.6	1.34	4.9	NNE	20
	04	0.46	4.0	0.73	4.8	0.90	4.9	1.16	4.3	NW	308
	06	0.46	3.9	0.69	4.6	0.87	4.5	1.32	3.8	欠測	欠測
	08	0.43	3.9	0.68	4.7	0.85	4.7	1.20	4.5	NE	46
	10	0.43	3.9	0.69	4.6	0.87	4.7	1.30	3.8	N	6
	12	0.39	4.0	0.59	4.6	0.74	4.8	1.04	3.8	N	358
	14	0.36	4.0	0.58	4.7	0.73	4.5	1.00	4.2	NE	47
	16	0.32	4.0	0.50	4.9	0.61	4.8	0.80	4.5	NE	49
	18	0.30	3.8	0.48	4.6	0.60	4.7	0.79	4.0	W	273
	20	0.29	4.2	0.45	4.8	0.58	4.6	0.81	4.5	NE	43
	22	0.2									

波浪整理表（1）

2021年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	304 回
										欠測回数	0 回	欠測回数	56 回
										欠 測 率	0.0 %	欠 測 率	15.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区				機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
05	00	0.33	5.0	* 0.52	5.7	* 0.65	5.7	0.86	5.5	NNE	29		
	02	0.33	4.8	0.52	5.6	0.65	5.5	* 0.97	5.3	欠測	欠測		
	04	0.29	4.4	0.47	5.5	0.59	5.7	0.76	6.7	欠測	欠測		
	06	0.29	4.6	0.45	5.5	0.54	5.6	0.69	5.2	欠測	欠測		
	08	0.27	4.2	0.43	5.2	0.52	5.4	0.76	5.4	N	356		
	10	0.28	4.3	0.45	5.3	0.57	5.1	0.74	5.3	W	275		
	12	0.32	4.1	0.50	5.2	0.63	5.3	0.83	5.9	NW	309		
	14	* 0.34	4.6	0.51	5.5	0.61	5.7	0.76	5.5	NE	41		
	16	0.30	4.3	0.46	5.2	0.56	5.2	0.77	5.4	NE	54		
	18	0.30	4.0	0.49	5.1	0.63	5.1	0.90	4.9	NW	326		
	20	0.27	4.1	0.43	5.2	0.56	5.2	0.77	4.4	NNE	23		
	22	0.27	4.6	0.43	5.6	0.54	5.6	0.67	5.3	N	350		
	最大 平均	0.34 0.30	4.6 4.4	0.52 0.47	5.7 5.4	0.65 0.59	5.7 5.4	0.97 0.79	5.3 5.4				
	06	00	0.27	4.3	0.43	5.6	0.55	5.9	0.74	5.8	WNW	291	
02		0.32	4.6	0.50	5.7	0.63	5.6	0.81	5.0	NNE	25		
04		0.34	4.5	0.54	5.4	0.68	5.7	0.97	4.7	欠測	欠測		
06		0.39	4.5	0.60	5.3	0.73	5.3	1.03	4.7	WNW	289		
08		0.42	4.2	0.66	5.1	0.79	4.9	0.95	4.7	N	2		
10		0.70	4.2	1.15	4.8	1.48	4.8	2.22	4.5	欠測	欠測		
12		0.80	4.7	1.26	5.5	1.56	5.6	1.97	5.6	NNE	32		
14		0.85	4.9	1.28	5.7	1.60	5.5	* 2.26	4.5	NNE	20		
16		0.81	4.8	1.27	5.8	1.57	5.7	2.10	4.5	N	8		
18		0.76	4.6	1.18	5.5	1.44	5.7	1.69	6.3	W	271		
20		0.83	4.9	1.26	5.6	1.52	5.5	1.86	5.8	欠測	欠測		
22		* 0.86	5.0	* 1.38	5.8	* 1.78	5.9	2.12	6.8	NNE	12		
最大 平均		0.86 0.61	5.0 4.6	1.38 0.96	5.8 5.5	1.78 1.19	5.9 5.5	2.26 1.56	4.5 5.2				
07		00	0.70	4.7	* 1.13	5.7	1.39	5.7	* 2.20	5.2	NNE	25	
	02	* 0.71	5.0	1.09	5.6	* 1.43	5.4	1.97	5.7	NE	48		
	04	0.62	4.8	1.00	5.6	1.29	5.5	1.68	6.0	NE	35		
	06	0.57	5.0	0.86	5.4	1.07	5.4	1.30	5.3	N	358		
	08	0.47	4.6	0.75	5.5	0.92	5.4	1.23	5.9	NNE	31		
	10	0.47	4.6	0.72	5.2	0.89	5.3	1.17	6.0	N	11		
	12	0.43	4.3	0.68	5.1	0.87	5.3	1.26	4.5	NNE	20		
	14	0.45	4.0	0.71	4.8	0.89	4.6	1.25	4.1	N	353		
	16	0.34	4.2	0.55	5.1	0.68	5.1	0.87	5.6	WNW	298		
	18	0.39	4.7	0.62	5.4	0.74	5.5	1.06	4.9	NW	313		
	20	0.28	4.4	0.44	5.3	0.54	5.3	0.67	5.6	NNW	333		
	22	0.24	4.2	0.39	5.0	0.49	5.1	0.65	4.5	NE	34		
	最大 平均	0.71 0.47	5.0 4.5	1.13 0.75	5.7 5.3	1.43 0.93	5.4 5.3	2.20 1.28	5.2 5.3				
	08	00	0.23	4.1	0.36	4.7	0.44	4.6	0.64	4.4	NE	52	
02		0.20	3.7	0.32	4.5	0.40	4.7	0.61	4.0	NE	52		
04		0.21	4.0	0.33	4.9	0.41	4.7	0.57	5.3	NNW	330		
06		0.22	4.0	0.36	5.0	0.45	4.9	0.60	4.6	欠測	欠測		
08		0.26	4.0	0.40	5.0	0.48	5.3	0.63	5.2	WNW	298		
10		0.43	4.4	0.65	5.3	0.80	5.5	1.07	5.8	欠測	欠測		
12		* 0.56	4.4	* 0.89	5.3	* 1.09	5.2	1.44	5.1	欠測	欠測		
14		0.54	4.0	0.85	5.0	1.03	5.2	1.36	5.2	NE	45		
16		0.53	4.3	0.85	5.3	1.07	5.6	* 1.44	5.4	W	270		
18		0.46	4.3	0.71	5.3	0.89	5.1	1.09	5.1	W	272		
20		0.53	4.5	0.79	5.3	0.97	5.5	1.13	6.6	WNW	289		
22		0.42	4.6	0.68	6.1	0.87	6.2	1.25	6.5	W	270		
最大 平均		0.56 0.38	4.4 4.2	0.89 0.60	5.3 5.1	1.09 0.74	5.2 5.2	1.44 0.99	5.4 5.3				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
09	00	0.41	5.0	0.63	6.1	0.76	5.9	0.95	6.8	WSW	254
	02	0.43	4.7	0.67	5.8	0.87	5.8	1.21	5.9	W	262
	04	0.45	4.3	0.72	5.3	0.95	5.5	* 1.52	5.3	NW	320
	06	* 0.47	4.4	* 0.75	5.3	* 0.97	5.3	1.29	4.9	N	358
	08	0.45	4.5	0.71	5.3	0.87	5.2	1.14	5.0	NNW	329
	10	0.43	4.2	0.68	4.9	0.86	4.5	1.19	3.7	欠測	欠測
	12	0.42	4.5	0.66	5.5	0.83	5.4	1.07	5.6	欠測	欠測
	14	0.35	3.8	0.55	4.7	0.69	4.5	0.95	4.5	欠測	欠測
	16	0.31	4.0	0.49	4.8	0.61	5.0	1.00	4.3	NNW	344
	18	0.36	3.9	0.57	4.6	0.71	4.6	1.00	3.8	NW	315
	20	0.34	4.3	0.52	4.9	0.65	4.6	0.82	4.8	WNW	298
	22	0.35	4.0	0.57	4.8	0.73	4.6	1.07	4.6	WNW	282
	最大	0.47	4.4	0.75	5.3	0.97	5.3	1.52	5.3		
	平均	0.40	4.3	0.63	5.2	0.79	5.1	1.10	4.9		
10	00	0.35	4.2	0.54	4.9	0.68	4.9	0.88	5.1	WNW	288
	02	0.35	4.2	0.53	4.7	0.66	4.8	1.00	4.4	WNW	294
	04	0.36	4.3	0.54	4.8	0.69	4.7	0.91	4.5	欠測	欠測
	06	* 0.40	4.3	* 0.61	4.7	* 0.78	4.5	* 1.15	4.4	WNW	287
	08	0.38	4.3	0.59	4.7	0.75	4.7	1.00	4.5	NW	316
	10	0.30	4.1	0.48	4.8	0.62	4.8	0.87	5.1	欠測	欠測
	12	0.30	4.2	0.48	4.8	0.58	4.6	0.72	4.4	欠測	欠測
	14	0.31	4.3	0.48	4.8	0.61	4.8	0.81	4.3	WNW	300
	16	0.27	4.1	0.43	5.1	0.52	5.1	0.70	4.9	WNW	292
	18	0.25	4.3	0.40	5.1	0.48	4.9	0.62	4.3	N	357
	20	0.26	4.0	0.41	4.7	0.51	4.7	0.63	4.8	NNE	21
	22	0.21	4.0	0.33	4.9	0.43	4.8	0.58	5.0	N	10
	最大	0.40	4.3	0.61	4.7	0.78	4.5	1.15	4.4		
	平均	0.31	4.2	0.49	4.8	0.61	4.8	0.82	4.6		
11	00	0.19	3.9	0.30	4.8	0.36	4.9	0.48	4.4	WNW	286
	02	0.16	3.7	0.26	4.6	0.33	4.7	0.48	4.6	NNW	346
	04	0.14	3.5	0.22	4.7	0.28	4.9	0.38	4.8	NW	317
	06	0.13	3.4	0.20	4.7	0.25	4.8	0.33	4.2	欠測	欠測
	08	0.16	3.1	0.24	3.9	0.30	3.9	0.44	5.4	欠測	欠測
	10	0.22	3.1	0.35	3.8	0.45	3.4	0.70	3.4	NE	37
	12	0.25	3.1	0.39	3.2	0.49	3.2	0.72	2.9	WNW	292
	14	* 0.31	3.1	* 0.49	3.3	* 0.63	3.1	* 0.83	2.7	欠測	欠測
	16	0.25	3.1	0.39	3.3	0.50	3.0	0.68	2.6	NW	308
	18	0.28	3.2	0.42	3.5	0.53	3.4	0.68	3.2	NNE	13
	20	0.21	3.2	0.34	3.8	0.44	3.6	0.63	3.5	欠測	欠測
	22	0.18	3.1	0.28	3.8	0.35	4.0	0.48	3.8	欠測	欠測
	最大	0.31	3.1	0.49	3.3	0.63	3.1	0.83	2.7		
	平均	0.21	3.3	0.32	3.9	0.41	3.9	0.57	3.8		
12	00	0.13	3.0	0.20	3.8	0.24	3.8	0.35	3.6	欠測	欠測
	02	0.11	2.9	0.17	4.1	0.21	4.4	0.34	4.0	欠測	欠測
	04	0.11	2.9	0.17	4.0	0.21	4.3	0.27	5.1	欠測	欠測
	06	0.14	3.2	0.22	4.2	0.28	4.2	0.46	2.8	N	2
	08	0.17	3.3	0.26	3.9	0.34	3.9	0.45	3.6	欠測	欠測
	10	0.31	3.5	0.50	3.8	0.65	3.7	0.88	3.4	NE	39
	12	0.37	3.6	0.58	3.9	0.73	3.8	* 1.14	3.4	欠測	欠測
	14	0.30	3.3	0.49	3.8	0.64	3.7	0.82	4.1	WNW	286
	16	0.31	3.3	0.49	3.5	0.61	3.4	0.91	3.4	W	271
	18	0.32	3.4	0.50	3.8	0.63	3.7	0.82	3.5	W	270
	20	0.33	3.9	0.50	4.4	0.64	4.3	0.86	4.3	NNE	26
	22	* 0.39	3.8	* 0.62	4.7	* 0.76	4.7	0.91	4.6	欠測	欠測
	最大	0.39	3.8	0.62	4.7	0.76	4.7	1.14	3.4		
	平均	0.25	3.3	0.39	4.0	0.49	4.0	0.68	3.8		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	304 回
										欠測回数	0 回	欠測回数	56 回
										欠 測 率	0.0 %	欠 測 率	15.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
13	00	0.43	4.2	0.68	4.8	0.87	4.9	1.31	4.2	欠測	欠測		
	02	0.56	4.6	0.83	4.9	1.01	5.2	1.46	5.6	NE	56		
	04	0.58	4.6	0.90	5.4	1.12	5.2	1.45	5.8	WNW	289		
	06	0.85	5.8	1.32	7.3	1.64	7.3	2.56	6.1	NNW	327		
	08	1.01	6.4	1.57	7.7	1.92	7.9	2.51	7.5	NNW	331		
	10	0.93	6.3	1.46	7.5	1.85	7.6	2.35	7.9	NW	311		
	12	0.97	6.6	1.54	8.0	1.89	7.6	2.31	7.5	NW	323		
	14	1.00	6.8	1.52	7.6	1.97	7.7	* 2.85	7.0	NW	323		
	16	0.90	6.3	1.40	7.3	1.79	7.5	2.23	7.3	NNW	327		
	18	0.96	6.2	1.51	7.4	1.79	7.1	2.34	7.3	NNW	335		
	20	0.83	6.2	1.27	7.4	1.60	7.2	2.41	7.3	NW	323		
	22	* 1.07	7.4	* 1.67	9.5	* 2.05	10.2	2.75	10.3	NNE	12		
最大	1.07	7.4	1.67	9.5	2.05	10.2	2.85	7.0					
平均	0.84	6.0	1.31	7.1	1.63	7.1	2.21	7.0					
14	00	* 1.24	8.2	* 2.01	10.8	* 2.60	11.3	* 3.31	11.2	NNE	12		
	02	1.09	7.7	1.67	9.4	2.09	8.9	3.09	8.3	NNE	20		
	04	1.20	7.9	1.99	10.0	2.38	10.2	2.97	11.0	NNE	20		
	06	1.18	8.3	1.87	9.8	2.36	9.8	2.99	9.4	NNE	16		
	08	1.00	8.0	1.48	9.5	1.83	9.3	2.10	9.6	NNE	20		
	10	1.03	8.1	1.56	9.5	1.82	9.5	2.25	9.5	NNE	29		
	12	0.97	7.3	1.52	9.4	1.93	9.3	2.30	11.1	NNE	33		
	14	0.93	6.6	1.48	9.1	1.80	9.2	2.30	9.1	NNE	33		
	16	1.10	7.1	1.83	9.2	2.43	9.2	3.30	8.1	NNE	25		
	18	1.07	7.4	1.60	8.7	1.93	8.5	2.32	9.2	NNE	16		
	20	0.89	7.1	1.34	8.5	1.61	8.8	1.95	7.6	NE	37		
	22	0.70	6.4	1.12	8.3	1.41	8.4	2.15	7.8	NNE	25		
最大	1.24	8.2	2.01	10.8	2.60	11.3	3.31	11.2					
平均	1.03	7.5	1.62	9.3	2.02	9.4	2.59	9.3					
15	00	0.65	6.3	1.00	7.9	1.23	7.8	1.48	8.3	NNE	29		
	02	0.60	5.7	0.94	7.7	1.16	8.0	1.42	6.9	NNE	25		
	04	0.47	5.4	0.76	7.5	0.97	7.9	1.40	7.1	NNE	29		
	06	0.49	6.2	0.75	7.7	0.88	8.0	1.12	9.8	NNE	20		
	08	0.47	5.7	0.78	7.4	0.96	7.7	1.21	7.0	NNE	33		
	10	0.63	5.1	0.95	6.8	1.18	6.9	1.49	7.5	NNE	25		
	12	0.60	4.8	0.95	6.7	1.16	6.7	1.65	8.0	NNE	16		
	14	0.66	4.9	1.00	6.3	1.22	6.0	1.63	8.1	NNE	25		
	16	0.67	4.8	1.03	5.9	1.27	6.2	1.66	8.5	NNE	20		
	18	0.68	4.6	1.06	5.5	1.31	5.6	1.75	5.8	NNW	341		
	20	0.72	4.6	1.09	5.4	1.36	5.1	1.76	5.1	N	354		
	22	* 0.75	4.6	* 1.17	5.5	* 1.48	5.4	* 2.22	5.6	W	275		
最大	0.75	4.6	1.17	5.5	1.48	5.4	2.22	5.6					
平均	0.62	5.2	0.96	6.7	1.18	6.8	1.57	7.3					
16	00	* 0.67	4.5	* 1.09	5.6	* 1.41	5.7	* 1.98	5.5	NNW	337		
	02	0.64	5.0	0.99	6.0	1.22	5.9	1.56	5.7	NNE	29		
	04	0.61	5.2	0.97	6.2	1.17	6.3	1.65	6.3	NNE	29		
	06	0.56	5.2	0.91	6.4	1.13	6.3	1.35	6.2	NNE	33		
	08	0.63	5.6	0.96	6.2	1.19	6.3	1.82	6.3	NNE	29		
	10	0.61	5.3	0.98	6.4	1.27	6.3	1.68	6.4	NNE	33		
	12	0.56	4.8	0.91	6.3	1.12	6.0	1.44	7.0	NNE	25		
	14	0.50	4.7	0.81	6.2	1.03	6.0	1.53	5.5	NNE	20		
	16	0.46	4.7	0.74	5.9	0.92	5.7	1.09	5.9	NNE	16		
	18	0.42	4.8	0.66	6.1	0.83	6.0	1.08	6.0	NNE	12		
	20	0.38	5.1	0.59	6.3	0.73	6.3	0.91	5.9	NNE	20		
	22	0.33	4.8	0.53	5.9	0.67	5.8	0.89	5.8	NNE	20		
最大	0.67	4.5	1.09	5.6	1.41	5.7	1.98	5.5					
平均	0.53	5.0	0.85	6.1	1.06	6.1	1.41	6.0					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	304 回
										欠測回数	0 回	欠測回数	56 回
										欠 測 率	0.0 %	欠 測 率	15.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
17	00	0.29	4.5	0.46	5.7	0.58	5.8	0.74	5.7	NNE	12		
	02	0.30	4.7	0.47	5.6	0.60	5.5	0.80	5.4	欠測	欠測		
	04	0.30	4.5	0.48	5.5	* 0.64	5.6	* 1.11	5.0	NW	317		
	06	* 0.31	4.3	* 0.49	5.1	0.59	5.0	0.70	5.0	NW	322		
	08	0.30	4.5	0.46	5.1	0.58	5.2	0.73	4.9	欠測	欠測		
	10	0.26	4.1	0.43	5.0	0.54	5.0	0.68	5.5	欠測	欠測		
	12	0.21	4.3	0.34	5.2	0.43	5.3	0.58	5.1	NNW	346		
	14	0.18	4.1	0.28	5.1	0.36	5.1	0.54	4.7	欠測	欠測		
	16	0.17	3.8	0.28	5.1	0.35	5.2	0.42	5.9	欠測	欠測		
	18	0.19	3.2	0.30	4.1	0.38	4.3	0.54	4.5	欠測	欠測		
	20	0.23	3.3	0.35	4.0	0.45	3.8	0.62	3.4	NNE	16		
	22	0.29	3.4	0.46	3.7	0.60	3.5	0.94	4.2	WNW	301		
最大	0.31	4.3	0.49	5.1	0.64	5.6	1.11	5.0					
平均	0.25	4.1	0.40	4.9	0.51	4.9	0.70	4.9					
18	00	0.27	3.6	0.43	4.1	0.56	3.9	1.00	3.6	NNE	17		
	02	0.35	3.8	0.55	4.2	0.69	4.2	0.99	3.6	NE	53		
	04	0.40	4.3	0.63	4.7	0.84	4.6	1.30	4.6	NNW	338		
	06	0.35	4.1	0.52	4.4	0.64	4.6	0.90	4.6	NE	37		
	08	0.27	4.0	0.42	4.6	0.51	4.5	0.81	4.5	NE	42		
	10	0.26	4.0	0.40	4.4	0.49	4.4	0.66	4.0	N	9		
	12	0.31	3.7	0.47	4.1	0.58	3.9	0.69	3.4	N	9		
	14	0.43	3.7	0.68	4.5	0.83	4.5	1.09	4.0	NNE	21		
	16	0.70	4.1	1.09	4.3	1.36	4.2	1.95	4.0	欠測	欠測		
	18	0.77	4.2	1.22	4.7	1.56	4.7	* 2.48	4.8	WNW	297		
	20	0.82	4.6	1.28	5.2	1.67	5.3	2.42	4.7	N	354		
	22	* 0.85	4.7	* 1.33	5.4	* 1.70	5.5	2.16	5.7	NNE	22		
最大	0.85	4.7	1.33	5.4	1.70	5.5	2.48	4.8					
平均	0.48	4.1	0.75	4.5	0.95	4.5	1.37	4.3					
19	00	0.83	4.8	1.28	5.4	1.62	5.1	2.23	5.1	WNW	298		
	02	0.76	4.6	1.19	5.2	1.49	5.3	2.34	5.4	NNE	12		
	04	0.78	4.5	1.24	5.4	1.57	5.2	2.39	4.7	WNW	290		
	06	0.75	4.4	1.18	5.3	1.49	5.2	1.94	5.6	NE	54		
	08	0.76	4.5	1.19	5.2	1.49	5.2	1.79	5.0	N	9		
	10	0.73	4.3	1.18	5.0	1.49	5.0	1.83	5.0	NE	46		
	12	0.70	4.3	1.07	4.9	1.33	4.9	1.77	5.8	WNW	296		
	14	0.69	4.3	1.07	5.2	1.34	5.1	1.73	5.1	NW	306		
	16	0.77	4.6	1.19	5.1	1.48	5.0	1.98	5.2	NE	48		
	18	* 0.90	4.6	* 1.38	5.2	* 1.74	5.1	* 2.79	4.5	NE	36		
	20	0.89	4.8	1.36	5.4	1.69	5.3	2.04	5.3	NE	45		
	22	0.70	4.7	1.07	5.2	1.35	5.3	1.75	4.9	WNW	301		
最大	0.90	4.6	1.38	5.2	1.74	5.1	2.79	4.5					
平均	0.77	4.5	1.20	5.2	1.51	5.1	2.05	5.1					
20	00	* 0.65	4.8	* 1.02	5.5	* 1.32	5.4	* 1.69	5.5	NW	317		
	02	0.48	4.3	0.78	5.2	0.98	5.1	1.31	4.5	WNW	296		
	04	0.48	4.4	0.74	5.0	0.92	4.7	1.25	5.1	WNW	290		
	06	0.51	4.5	0.81	5.0	1.01	4.8	1.43	5.0	NNE	16		
	08	0.54	4.4	0.83	4.9	1.03	4.8	1.44	4.5	WNW	282		
	10	0.51	4.0	0.81	4.6	0.98	4.7	1.15	3.6	NNE	13		
	12	0.56	4.1	0.86	4.5	1.10	4.4	1.59	4.0	NNE	23		
	14	0.48	4.0	0.77	4.6	0.97	4.7	1.35	3.3	N	6		
	16	0.50	4.1	0.80	4.9	1.01	4.8	1.57	4.1	NE	55		
	18	0.58	4.5	0.91	5.1	1.11	5.0	1.33	6.2	NNW	334		
	20	0.62	4.7	0.97	5.6	1.17	5.3	1.48	5.2	欠測	欠測		
	22	0.54	4.7	0.85	5.4	1.05	5.6	1.34	4.8	欠測	欠測		
最大	0.65	4.8	1.02	5.5	1.32	5.4	1.69	5.5					
平均	0.54	4.4	0.85	5.0	1.05	4.9	1.41	4.7					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月		波 高						波 向			
		規定回数	360 回		規定回数	360 回					
		測得回数	360 回		測得回数	304 回					
		欠測回数	0 回		欠測回数	56 回					
		欠 測 率	0.0 %		欠 測 率	15.6 %					
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25′-51″ 経度：E 136° -54′-08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
21	00	* 0.52	4.6	* 0.82	5.3	* 1.02	5.2	* 1.50	5.6	NE	37
	02	0.46	5.0	0.70	5.6	0.86	5.6	1.14	6.1	NW	318
	04	0.40	4.7	0.67	5.6	0.87	5.6	1.35	5.2	欠測	欠測
	06	0.38	4.9	0.62	5.7	0.79	5.7	1.01	5.7	NNE	33
	08	0.34	4.6	0.54	5.6	0.67	5.6	0.92	6.1	NW	319
	10	0.37	4.4	0.58	5.4	0.73	5.3	0.91	5.8	NE	50
	12	0.36	4.1	0.57	5.0	0.70	4.9	0.88	5.2	WNW	287
	14	0.34	4.0	0.54	4.9	0.67	4.7	0.87	5.6	NNE	23
	16	0.32	4.2	0.50	5.0	0.63	5.2	0.93	4.5	欠測	欠測
	18	0.34	4.3	0.52	5.2	0.64	5.2	0.83	6.0	W	274
	20	0.27	4.4	0.43	5.5	0.57	5.7	0.88	5.5	N	3
	22	0.21	4.2	0.34	5.5	0.43	5.8	0.53	6.1	NW	315
最大 平均	0.52 0.36	4.6 4.5	0.82 0.57	5.3 5.4	1.02 0.71	5.2 5.4	1.50 0.98	5.6 5.6			
22	00	0.23	4.7	0.38	5.7	0.49	5.7	0.71	5.4	N	4
	02	0.22	4.5	0.35	5.7	0.41	5.5	0.61	5.5	NNE	16
	04	0.23	4.3	0.37	5.3	0.48	5.5	0.58	4.9	NW	308
	06	0.23	4.0	0.37	5.2	0.47	5.3	0.75	4.9	欠測	欠測
	08	0.37	4.0	0.58	4.5	0.77	4.7	1.04	4.9	N	358
	10	0.32	3.8	0.49	4.6	0.61	4.6	0.76	4.4	欠測	欠測
	12	0.44	3.8	0.66	4.3	0.80	4.4	1.10	3.6	欠測	欠測
	14	0.43	4.0	0.68	4.7	0.83	4.8	1.12	4.8	NE	42
	16	0.32	3.9	0.50	4.8	0.63	4.7	0.81	4.8	N	358
	18	0.39	4.6	0.62	5.6	0.77	5.8	1.10	5.5	NNW	343
	20	0.52	4.9	0.83	5.7	1.03	5.4	1.28	4.9	WNW	282
	22	* 0.58	5.3	* 0.90	5.8	* 1.11	5.7	* 1.45	6.2	W	270
最大 平均	0.58 0.36	5.3 4.3	0.90 0.56	5.8 5.2	1.11 0.70	5.7 5.2	1.45 0.94	6.2 5.0			
23	00	0.59	5.3	0.92	6.2	1.17	5.9	1.49	6.3	WNW	282
	02	0.64	5.2	0.97	6.2	1.22	5.8	1.47	6.1	W	266
	04	0.62	4.9	0.98	5.9	1.21	6.1	1.59	5.1	W	274
	06	0.60	4.7	0.95	5.5	1.17	5.3	1.83	4.5	W	276
	08	0.66	4.7	1.04	5.5	1.29	5.6	1.59	5.7	WNW	286
	10	0.58	4.7	0.91	5.7	1.16	5.6	1.59	4.9	W	270
	12	0.77	4.8	1.20	5.9	1.50	6.2	1.88	7.2	W	278
	14	1.02	5.0	* 1.64	6.0	* 2.10	5.9	3.14	6.4	WNW	299
	16	* 1.04	5.0	1.61	5.8	2.06	5.8	* 3.22	5.6	W	266
	18	0.94	5.0	1.47	6.0	1.86	5.8	3.00	5.2	W	278
	20	0.88	4.7	1.43	5.8	1.79	6.1	2.42	6.4	W	262
	22	0.83	4.8	1.33	5.9	1.76	6.3	2.42	5.7	WNW	299
最大 平均	1.04 0.76	5.0 4.9	1.64 1.20	6.0 5.9	2.10 1.52	5.9 5.9	3.22 2.14	5.6 5.8			
24	00	0.80	5.0	1.24	6.2	1.54	6.5	2.10	8.0	WNW	299
	02	1.06	5.7	1.79	7.2	2.30	7.2	3.29	6.4	WNW	286
	04	0.91	5.7	1.44	7.0	1.89	6.9	2.40	5.3	WNW	290
	06	0.76	5.4	1.27	7.1	1.64	7.5	1.96	5.9	WNW	282
	08	1.06	6.9	1.60	7.8	1.98	7.9	2.75	8.3	WNW	295
	10	1.16	6.7	1.91	8.6	2.46	8.5	3.06	9.2	WNW	282
	12	1.23	7.5	1.94	9.0	2.42	9.1	3.31	8.7	N	0
	14	1.32	6.4	2.17	9.2	2.78	9.7	3.82	10.2	N	4
	16	* 1.46	7.0	* 2.34	9.5	* 3.00	9.8	* 3.98	10.4	NNE	12
	18	1.32	6.3	2.10	7.7	2.56	8.4	3.12	7.6	NNE	20
	20	1.42	6.8	2.19	8.5	2.84	8.8	3.61	9.0	NNE	16
	22	1.37	6.6	2.20	8.8	2.75	9.2	3.26	8.0	NNE	25
最大 平均	1.46 1.16	7.0 6.3	2.34 1.85	9.5 8.0	3.00 2.35	9.8 8.3	3.98 3.06	10.4 8.1			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	360 回	測得回数	304 回
										欠測回数	0 回	欠測回数	56 回
										欠 測 率	0.0 %	欠 測 率	15.6 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
25	00	1.14	6.1	* 1.88	8.0	* 2.40	9.0	* 3.47	8.4	NNE	20		
	02	* 1.16	6.2	1.86	8.0	2.32	8.0	2.82	9.0	NNE	33		
	04	1.05	6.0	1.67	8.0	2.03	8.4	2.76	8.8	NNE	20		
	06	0.97	5.9	1.52	7.6	1.92	7.9	2.37	9.2	NNE	33		
	08	0.90	6.1	1.37	7.9	1.63	8.3	1.95	9.3	NNE	29		
	10	0.82	5.8	1.29	7.4	1.61	7.5	2.09	5.6	NE	41		
	12	0.75	5.4	1.21	7.2	1.50	7.2	1.86	7.5	NNE	33		
	14	0.80	6.2	1.20	7.3	1.42	7.2	1.71	8.1	NE	37		
	16	0.59	5.2	0.91	6.4	1.14	6.6	1.54	5.3	NNE	29		
	18	0.55	4.8	0.91	6.8	1.16	7.2	1.53	6.7	NE	37		
	20	0.55	5.4	0.85	6.5	1.04	6.9	1.24	6.4	NE	37		
	22	0.57	5.1	0.91	6.3	1.11	6.5	1.52	6.8	NE	37		
	最大 平均	1.16 0.82	6.2 5.7	1.88 1.30	8.0 7.3	2.40 1.61	9.0 7.6	3.47 2.07	8.4 7.6				
	26	00	* 0.63	5.4	* 0.98	6.5	* 1.20	6.5	1.57	5.4	NNE	29	
02		0.54	5.1	0.87	6.2	1.08	6.4	1.43	5.7	N	0		
04		0.51	5.1	0.79	5.9	0.95	6.1	1.18	6.6	NNE	25		
06		0.50	4.9	0.80	5.9	1.02	6.2	1.35	5.2	NNE	20		
08		0.49	5.0	0.75	5.7	0.91	6.0	1.46	6.0	NNE	16		
10		0.48	5.1	0.76	5.9	0.95	5.9	* 1.60	5.4	NNE	33		
12		0.40	5.0	0.62	5.6	0.82	6.0	1.10	5.4	N	4		
14		0.32	4.5	0.54	5.7	0.70	5.6	0.97	6.0	NNE	25		
16		0.32	4.6	0.55	5.8	0.71	5.9	1.14	6.5	NNE	20		
18		0.39	4.5	0.61	5.4	0.78	5.3	1.21	5.4	W	276		
20		0.31	4.4	0.48	5.4	0.59	5.5	0.73	4.8	NW	311		
22		0.28	4.3	0.45	5.4	0.56	5.5	0.69	4.9	N	5		
最大 平均		0.63 0.43	5.4 4.8	0.98 0.68	6.5 5.8	1.20 0.86	6.5 5.9	1.60 1.20	5.4 5.6				
27		00	0.31	4.7	0.49	5.7	0.61	5.6	0.78	5.2	NNW	340	
	02	0.32	4.7	0.51	5.9	0.63	5.9	0.77	5.7	N	8		
	04	0.31	4.5	0.49	5.5	0.60	5.6	0.80	5.3	NNE	16		
	06	* 0.34	4.6	* 0.53	5.3	* 0.67	5.2	* 0.93	5.8	WNW	299		
	08	0.26	4.5	0.42	5.3	0.54	5.3	0.65	4.6	欠測	欠測		
	10	0.26	4.4	0.41	5.3	0.51	5.1	0.67	4.8	NW	320		
	12	0.25	4.3	0.39	5.3	0.48	5.3	0.64	4.9	NNW	333		
	14	0.29	4.4	0.46	5.5	0.58	5.4	0.78	5.1	N	10		
	16	0.30	4.4	0.47	5.5	0.57	5.4	0.80	5.3	欠測	欠測		
	18	0.34	3.8	0.53	4.8	0.67	4.8	0.87	4.9	N	356		
	20	0.32	4.2	0.50	5.1	0.62	5.0	0.80	4.8	N	5		
	22	0.28	4.2	0.44	5.0	0.54	4.8	0.76	4.6	NE	38		
	最大 平均	0.34 0.30	4.6 4.4	0.53 0.47	5.3 5.3	0.67 0.58	5.2 5.3	0.93 0.77	5.8 5.1				
	28	00	0.23	3.9	0.37	4.8	0.46	4.7	0.60	4.8	NNW	347	
02		* 0.24	4.1	* 0.37	5.0	* 0.46	5.0	0.66	5.2	NNW	344		
04		0.22	4.1	0.34	4.7	0.43	4.7	* 0.70	4.6	W	272		
06		0.19	3.9	0.29	4.6	0.36	4.6	0.51	4.9	NNW	330		
08		0.19	4.1	0.29	4.8	0.37	4.7	0.48	4.0	NE	41		
10		0.21	4.1	0.33	4.6	0.41	4.6	0.60	4.8	NNE	17		
12		0.19	3.8	0.31	4.7	0.38	4.6	0.48	4.5	NNW	338		
14		0.19	3.8	0.30	4.7	0.38	4.6	0.59	4.3	NNW	331		
16		0.17	3.9	0.26	4.6	0.32	4.7	0.45	4.1	NW	319		
18		0.17	3.7	0.27	4.4	0.35	4.4	0.70	3.1	NNE	33		
20		0.11	3.2	0.18	4.4	0.22	4.6	0.29	4.7	NW	322		
22		0.12	3.6	0.19	4.7	0.23	4.7	0.29	4.9	NE	36		
最大 平均		0.24 0.19	4.1 3.9	0.37 0.29	5.0 4.7	0.46 0.36	5.0 4.7	0.70 0.53	4.6 4.5				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年 9月

機種：波向 海象計 - 52.0 m	波 高		波 向	
	規定回数	360 回	規定回数	360 回
	測得回数	360 回	測得回数	304 回
	欠測回数	0 回	欠測回数	56 回
	欠 測 率	0.0 %	欠 測 率	15.6 %

観測所：輪島港輪島崎地区 機種：波高 海象計 - 52.0 m 緯度：N 37° -25' -51" 経度：E 136° -54' -08"

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	0.11	3.4	0.17	4.6	0.21	4.8	0.28	4.6	NW	316
	02	0.11	3.3	0.16	4.6	0.20	4.9	0.27	5.3	NNE	28
	04	0.11	3.2	0.17	4.6	0.21	4.8	0.33	4.7	NW	321
	06	0.10	3.1	0.15	4.5	0.19	4.8	0.25	5.0	NE	41
	08	0.12	3.3	0.18	4.6	0.22	5.0	0.33	5.8	NNE	20
	10	0.12	3.5	0.19	4.3	0.24	4.1	0.36	3.3	欠測	欠測
	12	0.12	3.4	0.19	4.2	0.23	4.2	0.32	4.2	NW	318
	14	0.10	3.1	0.15	4.2	0.19	4.4	0.29	4.2	N	354
	16	* 0.16	3.2	* 0.26	4.0	* 0.32	4.1	* 0.45	5.1	NE	39
	18	0.15	3.4	0.23	4.4	0.29	4.8	0.43	3.6	NNW	348
	20	0.15	3.3	0.23	4.2	0.29	4.2	0.42	4.1	WNW	299
	22	0.14	3.3	0.22	4.2	0.28	4.2	0.36	4.1	W	272
	最大	0.16	3.2	0.26	4.0	0.32	4.1	0.45	5.1		
	平均	0.12	3.3	0.19	4.4	0.24	4.5	0.34	4.5		
30	00	0.15	3.2	0.24	4.2	0.31	4.2	0.44	4.5	W	276
	02	0.18	3.4	0.28	4.2	0.34	4.3	0.40	4.9	欠測	欠測
	04	0.19	3.7	0.29	4.5	0.35	4.6	0.50	4.8	NW	320
	06	0.32	3.8	0.52	4.4	0.65	4.4	* 1.22	4.7	NNE	16
	08	0.37	3.8	0.57	4.4	0.72	4.1	0.92	4.2	NE	42
	10	* 0.43	3.9	* 0.66	4.4	* 0.84	4.4	1.10	4.0	W	277
	12	0.37	3.6	0.56	4.1	0.71	4.2	0.99	3.6	NNE	14
	14	0.32	3.7	0.50	4.5	0.64	4.5	0.85	3.7	欠測	欠測
	16	0.28	4.0	0.44	4.9	0.55	4.9	0.69	4.1	NNW	345
	18	0.27	4.0	0.43	5.1	0.54	5.5	0.70	5.1	欠測	欠測
	20	0.32	3.8	0.50	4.5	0.62	4.6	1.01	3.1	WNW	287
	22	0.30	3.5	0.46	4.1	0.56	3.8	0.75	3.6	NW	319
	最大	0.43	3.9	0.66	4.4	0.84	4.4	1.22	4.7		
	平均	0.29	3.7	0.45	4.4	0.57	4.5	0.80	4.2		
月最大	1.46	7.0	2.34	9.5	3.00	9.8	3.98	10.4			
	起時										
	平均	0.48	4.6	0.75	5.5	0.94	5.5	1.26	5.4		

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	318 回
欠測回数	0 回	欠測回数	54 回
欠 測 率	0.0 %	欠 測 率	14.5 %

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	318 回
											欠測回数	0 回	欠測回数	54 回
											欠 測 率	0.0 %	欠 測 率	14.5 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向					
									16方位	角度				
05	00	0.27	4.3	0.41	4.9	0.51	4.7	0.76	5.3	W	273			
	02	0.28	4.3	0.43	5.1	0.54	5.0	0.78	5.7	NW	304			
	04	0.27	4.1	0.42	5.1	0.50	5.0	0.70	4.6	欠測	欠測			
	06	0.35	4.4	0.56	5.7	0.69	5.6	0.90	5.2	WNW	295			
	08	0.50	4.7	0.82	5.7	1.01	6.1	1.24	5.8	WNW	290			
	10	0.52	4.7	0.83	5.8	1.02	5.8	1.30	5.5	W	274			
	12	0.59	4.6	0.93	5.0	1.18	5.0	1.56	6.2	NE	36			
	14	0.68	4.3	1.08	4.9	1.36	4.9	1.78	5.4	N	1			
	16	0.68	4.3	1.06	5.0	1.33	4.9	1.92	4.4	欠測	欠測			
	18	0.67	4.4	1.04	4.8	1.32	5.0	1.72	4.7	欠測	欠測			
	20	0.62	4.5	1.03	5.5	1.37	5.6	1.82	5.5	NNE	24			
	22	* 0.74	4.7	* 1.14	5.4	* 1.43	5.4	* 2.19	5.4	NNE	20			
	最大 平均	0.74 0.51	4.7 4.4	1.14 0.81	5.4 5.2	1.43 1.02	5.4 5.2	2.19 1.39	5.4 5.3					
	06	00	* 1.30	6.2	* 2.05	7.5	* 2.52	7.6	3.12	7.5	N	352		
02		1.08	5.9	1.78	7.3	2.29	7.5	* 3.30	7.7	NNW	344			
04		1.18	5.4	1.91	6.6	2.38	6.8	3.11	6.6	NNE	16			
06		1.15	5.3	1.82	6.7	2.29	6.7	3.04	6.4	NNE	20			
08		1.08	5.4	1.68	6.5	2.01	6.6	2.24	6.3	NNE	20			
10		1.11	5.3	1.76	6.6	2.18	6.8	3.25	6.3	NNW	340			
12		1.05	5.6	1.61	6.7	1.93	6.4	2.28	7.2	NNE	16			
14		1.01	5.7	1.55	7.0	1.93	6.9	2.68	5.9	NNE	16			
16		0.99	5.7	1.56	6.9	2.00	6.9	3.13	6.8	NNW	344			
18		0.92	5.5	1.43	6.7	1.75	6.4	2.17	6.3	NNW	348			
20		0.87	5.3	1.38	6.3	1.74	6.3	2.32	6.2	NNE	33			
22		0.87	5.4	1.38	6.4	1.72	6.3	2.09	6.9	NNE	33			
最大 平均		1.30 1.05	6.2 5.6	2.05 1.66	7.5 6.8	2.52 2.06	7.6 6.8	3.30 2.73	7.7 6.7					
07		00	* 0.66	5.1	* 1.09	6.2	* 1.37	6.3	1.75	5.5	NNE	25		
	02	0.61	5.2	0.97	6.2	1.23	6.0	1.75	5.6	NNE	20			
	04	0.61	5.3	0.98	6.4	1.20	6.4	1.45	7.0	NNE	25			
	06	0.51	5.4	0.80	6.6	1.01	6.4	1.30	5.2	NNE	12			
	08	0.49	5.3	0.78	6.6	0.99	6.4	1.28	6.6	NNW	348			
	10	0.62	5.4	0.98	6.5	1.23	6.3	* 1.77	6.4	N	352			
	12	0.56	5.3	0.92	6.4	1.18	6.5	1.59	6.2	NNW	348			
	14	0.50	5.6	0.79	6.4	1.04	6.4	1.52	5.9	N	352			
	16	0.44	4.5	0.69	5.8	0.86	5.9	1.23	6.2	N	8			
	18	0.37	4.1	0.59	5.3	0.75	5.9	0.94	6.1	欠測	欠測			
	20	0.50	4.0	0.76	4.4	0.95	4.5	1.36	3.8	欠測	欠測			
	22	0.45	4.1	0.68	4.6	0.85	4.7	1.26	4.7	欠測	欠測			
	最大 平均	0.66 0.53	5.1 4.9	1.09 0.84	6.2 5.9	1.37 1.05	6.3 6.0	1.77 1.43	6.4 5.8					
	08	00	0.36	3.7	0.55	4.5	0.70	4.5	0.92	4.1	WNW	298		
02		0.35	3.9	0.53	4.5	0.68	4.2	0.85	4.7	欠測	欠測			
04		0.36	4.0	0.56	4.6	0.70	4.6	0.92	4.2	NNW	342			
06		0.41	4.0	0.65	4.6	0.80	4.6	1.05	3.9	NNE	27			
08		0.43	4.2	0.67	4.9	0.84	5.1	1.14	4.4	NNW	342			
10		0.37	4.3	0.58	5.0	0.75	5.2	1.05	7.3	NNE	12			
12		0.45	5.0	0.69	5.8	0.83	6.0	1.06	6.6	N	352			
14		0.49	5.2	0.76	6.2	0.92	6.3	1.20	6.0	NNW	335			
16		0.57	5.2	0.90	6.1	1.13	6.0	1.52	6.0	WNW	295			
18		* 0.61	4.8	* 0.97	5.9	* 1.22	5.7	1.60	6.2	NNE	20			
20		0.55	4.3	0.86	5.0	1.07	5.2	1.36	4.8	NE	42			
22		0.53	4.6	0.81	5.4	1.02	5.4	* 1.61	5.5	欠測	欠測			
最大 平均		0.61 0.46	4.8 4.4	0.97 0.71	5.9 5.2	1.22 0.89	5.7 5.2	1.61 1.19	5.5 5.3					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
											測得回数	372 回	測得回数	318 回
											欠測回数	0 回	欠測回数	54 回
											欠 測 率	0.0 %	欠 測 率	14.5 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
09	00	0.52	4.3	0.79	5.0	0.99	4.6	1.27	3.9	N	10			
	02	0.53	4.2	0.84	4.9	1.03	5.0	1.39	5.7	NW	314			
	04	0.50	4.0	0.78	4.5	0.99	4.3	1.31	3.4	NNE	29			
	06	0.58	3.8	0.89	4.3	1.13	4.1	1.57	4.3	欠測	欠測			
	08	* 0.66	4.2	* 1.06	4.6	* 1.31	4.5	1.63	4.6	WNW	285			
	10	0.57	4.0	0.89	4.6	1.15	4.5	1.55	3.3	欠測	欠測			
	12	0.57	4.0	0.88	4.6	1.09	4.5	* 1.78	4.3	NNW	334			
	14	0.46	3.9	0.73	4.5	0.93	4.5	1.23	3.8	欠測	欠測			
	16	0.38	3.5	0.59	4.3	0.73	4.3	0.96	3.7	W	278			
	18	0.46	4.1	0.71	4.4	0.88	4.4	1.15	4.9	WNW	302			
	20	0.48	4.4	0.76	4.9	0.98	5.0	1.20	5.3	欠測	欠測			
	22	0.46	4.5	0.72	4.9	0.88	5.0	1.08	4.6	欠測	欠測			
最大 平均	0.66 0.51	4.2 4.1	1.06 0.80	4.6 4.6	1.31 1.01	4.5 4.6	1.78 1.34	4.3 4.3						
10	00	* 0.46	4.6	* 0.74	5.1	* 0.91	5.0	* 1.20	5.3	欠測	欠測			
	02	0.42	4.6	0.66	5.1	0.79	5.1	1.01	5.1	NNW	332			
	04	0.33	4.4	0.53	5.1	0.66	5.1	0.89	4.8	NNE	21			
	06	0.36	4.9	0.55	5.3	0.69	5.1	1.01	5.0	欠測	欠測			
	08	0.32	4.4	0.51	5.2	0.64	5.2	0.92	5.2	NE	53			
	10	0.23	4.0	0.37	5.1	0.46	5.2	0.63	4.4	欠測	欠測			
	12	0.23	3.4	0.37	4.3	0.47	4.3	0.73	2.8	NNE	31			
	14	0.26	3.5	0.41	4.3	0.52	4.3	0.67	4.1	NW	308			
	16	0.23	3.4	0.36	4.1	0.45	4.3	0.62	4.4	WNW	285			
	18	0.23	3.5	0.35	4.2	0.44	4.2	0.64	4.4	N	359			
	20	0.30	3.8	0.47	4.3	0.60	4.2	0.86	4.4	WNW	289			
	22	0.32	4.0	0.48	4.5	0.60	4.3	0.81	3.8	NE	43			
最大 平均	0.46 0.31	4.6 4.0	0.74 0.48	5.1 4.7	0.91 0.60	5.0 4.7	1.20 0.83	5.3 4.5						
11	00	0.32	3.8	0.49	4.6	0.65	4.4	0.91	5.6	W	279			
	02	0.47	4.2	0.73	4.7	0.91	4.7	1.29	4.6	NW	313			
	04	0.47	4.1	0.73	4.7	0.90	4.7	1.13	5.7	NE	46			
	06	0.46	4.0	0.74	4.7	0.98	4.4	1.25	4.8	WNW	285			
	08	0.47	4.0	0.73	4.6	0.94	4.4	1.30	4.4	N	359			
	10	0.43	3.5	0.67	4.1	0.86	4.3	1.12	3.0	欠測	欠測			
	12	0.84	4.2	1.30	4.7	1.60	4.6	2.10	4.6	NW	318			
	14	0.96	4.7	1.55	5.5	2.05	5.5	* 3.03	5.3	欠測	欠測			
	16	1.00	5.1	1.59	6.0	2.06	5.8	2.98	6.1	NW	307			
	18	0.89	4.9	1.41	6.1	1.72	6.3	2.38	5.7	NW	319			
	20	0.92	5.1	1.46	6.2	1.91	6.4	2.56	5.5	NW	315			
	22	* 1.19	6.8	* 1.85	8.4	* 2.32	8.2	2.75	6.8	NW	323			
最大 平均	1.19 0.70	6.8 4.5	1.85 1.10	8.4 5.4	2.32 1.41	8.2 5.3	3.03 1.90	5.3 5.2						
12	00	1.01	6.3	1.65	7.8	2.10	8.0	3.09	8.5	NW	323			
	02	* 1.22	6.6	* 2.11	8.4	* 2.82	8.4	* 3.51	8.6	NNW	331			
	04	1.15	6.1	1.75	7.6	2.22	7.7	2.67	8.2	NW	323			
	06	1.12	5.8	1.81	7.3	2.29	7.5	3.13	7.6	NW	323			
	08	0.97	5.4	1.54	6.9	1.89	7.0	2.56	6.5	NW	323			
	10	0.86	5.0	1.37	6.5	1.75	6.8	2.76	5.6	NW	323			
	12	0.71	4.9	1.11	6.4	1.39	6.6	2.02	6.4	NW	319			
	14	0.60	5.0	0.95	6.4	1.20	6.6	1.62	7.3	NW	319			
	16	0.55	5.2	0.90	7.0	1.13	7.1	1.55	6.5	NNW	327			
	18	0.56	5.0	0.88	5.8	1.10	5.8	1.39	4.5	NW	319			
	20	0.71	4.4	1.13	5.3	1.42	5.3	1.83	5.6	欠測	欠測			
	22	0.76	4.6	1.19	5.3	1.51	5.2	2.24	5.6	WNW	294			
最大 平均	1.22 0.85	6.6 5.4	2.11 1.37	8.4 6.7	2.82 1.74	8.4 6.8	3.51 2.36	8.6 6.7						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月		波 高						波 向			
		規定回数		372 回		規定回数		372 回			
		測得回数		372 回		測得回数		318 回			
		欠測回数		0 回		欠測回数		54 回			
		欠 測 率		0.0 %		欠 測 率		14.5 %			
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区		機種：波高 海象計 - 52.0 m						緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″			
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
13	00	* 0.71	4.8	* 1.12	5.3	* 1.41	5.4	* 2.02	5.7	N	10
	02	0.60	4.7	0.93	5.3	1.16	5.5	1.51	5.7	NE	44
	04	0.67	4.3	1.07	4.9	1.33	5.1	1.70	5.9	欠測	欠測
	06	0.57	4.4	0.94	5.2	1.22	5.2	1.70	5.5	WNW	301
	08	0.53	4.7	0.87	5.8	1.11	5.7	1.67	5.6	NNE	12
	10	0.54	5.0	0.85	5.7	1.05	5.7	1.36	5.3	NNW	348
	12	0.46	4.7	0.71	5.4	0.89	5.5	1.00	5.2	欠測	欠測
	14	0.43	4.5	0.68	5.3	0.84	5.1	1.13	4.7	NW	322
	16	0.45	4.6	0.70	5.4	0.88	5.2	1.11	5.5	欠測	欠測
	18	0.46	4.7	0.71	5.4	0.87	5.6	1.20	4.9	NE	41
20	0.45	4.5	0.74	5.3	1.00	5.6	1.30	5.7	WNW	284	
22	0.43	4.4	0.69	5.3	0.87	5.5	1.03	5.5	NE	37	
最大 平均	0.71 0.53	4.8 4.6	1.12 0.83	5.3 5.4	1.41 1.05	5.4 5.4	2.02 1.39	5.7 5.4			
14	00	* 0.45	4.7	* 0.68	5.3	* 0.85	5.3	1.21	5.1	NNW	330
	02	0.41	4.3	0.66	5.3	0.83	5.2	* 1.28	5.0	WNW	298
	04	0.43	4.6	0.66	5.4	0.84	5.3	1.14	5.7	WNW	300
	06	0.38	4.6	0.61	5.5	0.76	5.6	1.04	5.1	WNW	292
	08	0.38	4.6	0.60	5.5	0.76	5.5	0.95	4.7	WNW	299
	10	0.35	4.7	0.54	5.5	0.66	5.5	0.85	5.6	NNE	27
	12	0.31	4.3	0.47	5.3	0.60	5.3	0.94	5.2	NW	307
	14	0.29	4.1	0.48	5.3	0.62	5.5	0.87	5.8	WNW	295
	16	0.34	4.5	0.53	5.2	0.64	5.5	0.92	4.8	WNW	301
	18	0.30	4.1	0.48	5.1	0.61	4.9	0.83	4.2	NNW	337
20	0.27	4.1	0.41	5.0	0.50	4.9	0.71	4.8	欠測	欠測	
22	0.26	4.2	0.40	5.0	0.49	4.8	0.62	5.1	W	277	
最大 平均	0.45 0.35	4.7 4.4	0.68 0.54	5.3 5.3	0.85 0.68	5.3 5.3	1.28 0.95	5.0 5.1			
15	00	0.21	3.8	0.34	4.9	0.42	5.0	0.53	5.0	N	5
	02	0.21	3.9	0.34	5.2	0.43	5.3	0.55	5.3	欠測	欠測
	04	0.21	3.8	0.33	4.9	0.41	5.1	0.55	5.7	N	352
	06	0.21	3.4	0.33	4.3	0.40	4.0	0.50	3.8	欠測	欠測
	08	0.19	3.4	0.30	4.2	0.37	4.4	0.50	4.0	NNW	347
	10	0.20	3.3	0.31	4.0	0.39	4.1	0.56	3.5	NNW	342
	12	0.19	3.1	0.30	3.7	0.38	3.8	0.50	4.1	NE	47
	14	0.20	3.2	0.31	3.9	0.38	3.9	0.56	3.9	欠測	欠測
	16	0.20	3.2	0.32	3.7	0.39	3.6	0.54	4.1	NE	49
	18	0.45	3.5	0.70	3.7	0.87	3.5	1.28	3.2	欠測	欠測
20	* 0.51	4.0	* 0.78	4.3	* 0.97	4.4	* 1.49	4.4	欠測	欠測	
22	0.36	3.7	0.56	4.2	0.71	4.2	1.02	4.4	N	349	
最大 平均	0.51 0.26	4.0 3.5	0.78 0.41	4.3 4.3	0.97 0.51	4.4 4.3	1.49 0.71	4.4 4.3			
16	00	0.28	3.6	0.44	4.2	0.58	4.2	0.78	4.2	WNW	299
	02	0.32	3.9	0.49	4.4	0.61	4.1	0.76	3.6	NNW	343
	04	0.34	4.4	0.53	5.2	0.66	5.2	0.84	5.0	NNE	23
	06	0.58	5.4	0.91	6.4	1.18	6.4	1.65	5.2	NW	323
	08	0.64	5.4	1.04	6.7	1.32	6.8	1.69	6.8	NW	323
	10	0.65	5.5	1.07	6.7	1.35	6.6	2.03	6.9	NW	319
	12	0.69	5.8	1.12	6.8	1.42	6.9	2.00	6.3	NNE	20
	14	0.78	5.7	1.20	6.6	1.49	6.3	2.06	6.2	NNE	12
	16	* 0.88	5.2	* 1.35	5.8	* 1.71	5.8	* 2.19	6.7	WNW	295
	18	0.78	4.6	1.18	5.5	1.43	5.7	1.92	5.9	WNW	282
20	0.56	4.8	0.88	5.7	1.11	5.8	1.64	5.0	N	4	
22	0.56	4.1	0.88	4.9	1.15	5.4	1.61	5.3	欠測	欠測	
最大 平均	0.88 0.59	5.2 4.9	1.35 0.92	5.8 5.7	1.71 1.17	5.8 5.8	2.19 1.60	6.7 5.6			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
機種：波向 海象計 - 52.0 m										測得回数	372 回	測得回数	318 回
										欠測回数	0 回	欠測回数	54 回
										欠 測 率	0.0 %	欠 測 率	14.5 %
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向				
									16方位	角度			
17	00	1.10	4.9	1.73	5.5	2.24	5.5	3.19	5.9	欠測	欠測		
	02	1.58	5.5	2.41	6.3	2.92	6.3	4.10	6.0	NNW	327		
	04	* 2.22	6.8	3.28	7.4	4.11	7.3	4.93	7.7	NNW	327		
	06	2.02	6.8	3.19	8.5	* 4.14	8.9	5.47	8.5	WNW	295		
	08	1.84	6.9	2.96	8.6	3.90	8.7	4.95	9.1	WNW	303		
	10	1.87	6.7	3.07	8.8	3.92	8.3	5.57	8.9	NW	323		
	12	1.75	6.8	2.83	8.6	3.66	8.5	4.95	9.9	NW	311		
	14	2.15	7.4	* 3.33	8.9	3.93	9.1	4.81	8.0	NW	323		
	16	1.97	7.3	3.15	9.2	3.97	9.0	4.64	10.3	NW	323		
	18	1.84	7.3	2.97	9.1	3.84	9.3	* 5.78	8.9	NNW	331		
	20	1.93	7.5	3.02	8.8	3.73	8.5	4.75	8.2	NNW	340		
	22	1.65	6.7	2.59	8.5	3.20	8.6	3.84	9.5	NW	315		
最大 平均	2.22	6.8	3.33	8.9	4.14	8.9	5.78	8.9					
	1.83	6.7	2.88	8.2	3.63	8.2	4.75	8.4					
18	00	* 1.48	6.7	2.33	8.4	2.93	8.8	3.49	9.5	NW	319		
	02	1.34	6.6	2.10	8.5	2.64	8.1	* 3.99	7.7	NNW	327		
	04	1.41	6.6	* 2.38	8.4	* 2.98	8.9	3.83	8.2	NW	319		
	06	1.27	6.3	2.10	7.7	2.73	8.0	3.50	8.3	NW	323		
	08	1.11	6.5	1.70	7.7	2.08	7.7	2.54	7.1	NW	323		
	10	1.08	6.4	1.71	7.7	2.13	7.8	2.86	7.4	NW	323		
	12	1.16	6.5	1.85	7.5	2.32	7.6	3.74	7.4	NW	323		
	14	0.96	6.1	1.55	7.2	2.05	7.0	2.64	7.0	NW	319		
	16	0.90	5.9	1.44	7.1	1.84	7.0	2.31	6.1	N	352		
	18	0.75	5.4	1.22	6.8	1.54	6.6	1.99	6.3	NW	323		
	20	0.78	5.8	1.22	6.7	1.51	6.7	1.90	7.3	NW	319		
	22	0.60	5.6	0.90	6.5	1.10	6.6	1.30	6.8	NW	323		
最大 平均	1.48	6.7	2.38	8.4	2.98	8.9	3.99	7.7					
	1.07	6.2	1.71	7.5	2.15	7.6	2.84	7.4					
19	00	0.50	5.2	0.83	6.5	* 1.11	6.4	* 1.86	6.5	NNW	335		
	02	0.48	5.4	0.78	6.2	0.96	5.9	1.15	6.6	NNW	335		
	04	0.44	5.1	0.70	6.1	0.88	6.1	1.08	6.6	NNW	335		
	06	0.39	5.0	0.60	5.9	0.73	6.1	0.86	5.9	NW	319		
	08	0.34	4.8	0.56	6.2	0.72	6.0	0.91	6.9	NNW	331		
	10	0.34	5.1	0.53	6.5	0.64	6.7	0.84	5.8	NNE	25		
	12	0.33	5.4	0.51	7.3	0.64	6.9	0.78	9.9	NE	37		
	14	0.31	4.1	0.50	6.0	0.64	7.2	0.97	6.6	NNE	25		
	16	0.34	4.2	0.52	5.7	0.66	6.6	0.83	9.1	NNE	33		
	18	0.31	4.1	0.50	5.7	0.64	6.4	0.81	7.5	NNE	29		
	20	0.45	4.2	0.68	4.6	0.86	4.4	1.14	4.1	N	355		
	22	* 0.56	4.5	* 0.85	5.0	1.07	5.0	1.33	4.9	N	4		
最大 平均	0.56	4.5	0.85	5.0	1.11	6.4	1.86	6.5					
	0.40	4.8	0.63	6.0	0.80	6.1	1.05	6.7					
20	00	0.67	4.8	1.07	5.2	1.38	5.2	1.86	5.7	欠測	欠測		
	02	1.12	4.8	1.70	5.4	2.02	5.4	2.28	5.6	WNW	282		
	04	2.14	6.6	3.43	7.9	4.36	8.4	5.35	9.2	NW	311		
	06	2.79	7.3	4.50	8.9	5.74	8.8	7.46	7.8	NW	315		
	08	2.62	7.6	4.12	9.7	5.07	9.6	6.92	8.4	NW	323		
	10	* 3.16	8.1	* 4.86	10.1	* 6.24	9.8	* 7.93	8.3	NW	319		
	12	2.76	7.7	4.60	10.0	5.73	10.1	7.26	10.4	NW	319		
	14	2.90	8.1	4.43	10.5	5.40	10.8	6.20	12.4	NNE	25		
	16	2.45	7.4	4.04	9.7	5.13	9.7	6.14	9.0	NNE	16		
	18	2.37	7.4	3.80	9.6	4.83	9.9	5.85	10.5	NNE	25		
	20	2.11	7.2	3.45	9.1	4.34	9.4	5.31	9.2	NNE	12		
	22	2.03	6.8	3.31	8.8	4.09	9.2	5.49	8.2	NNE	29		
最大 平均	3.16	8.1	4.86	10.1	6.24	9.8	7.93	8.3					
	2.26	7.0	3.61	8.7	4.53	8.9	5.67	8.7					

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日	時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向	
										16方位	角度
21	00	2.00	6.9	* 3.23	9.0	4.01	9.5	4.99	8.2	NNE	20
	02	2.00	6.8	3.21	8.9	* 4.12	9.2	* 5.56	8.5	N	8
	04	* 2.05	7.0	3.12	8.8	3.82	9.0	5.05	7.7	NNE	33
	06	1.92	7.4	3.00	9.1	3.70	9.3	5.03	9.8	NNE	25
	08	1.77	6.8	2.94	8.8	3.51	8.7	4.12	9.2	NE	37
	10	1.61	6.7	2.59	8.6	3.35	8.5	4.77	9.6	NNE	29
	12	1.47	6.6	2.34	8.3	3.03	8.3	3.52	9.4	NNE	29
	14	1.28	6.3	2.13	8.2	2.69	8.1	3.37	8.2	NNE	29
	16	1.24	6.4	2.08	8.6	2.58	8.6	3.72	8.7	NNE	29
	18	1.15	6.3	1.88	8.0	2.35	7.8	3.18	7.4	NNW	327
	20	1.09	6.4	1.71	7.6	2.16	7.9	2.98	6.7	NE	37
	22	1.05	6.4	1.63	8.0	1.95	7.9	2.76	7.3	NNE	20
最大 平均		2.05	7.0	3.23	9.0	4.12	9.2	5.56	8.5		
		1.55	6.7	2.49	8.5	3.11	8.6	4.09	8.4		
22	00	1.06	6.3	1.65	7.6	1.95	7.9	2.56	7.3	NNE	20
	02	* 1.09	6.0	* 1.75	7.6	* 2.22	7.8	2.82	7.6	NNE	20
	04	1.01	5.9	1.72	7.5	2.17	7.7	2.67	6.7	NNE	20
	06	0.90	5.5	1.41	6.9	1.80	6.9	2.35	7.5	NNE	20
	08	0.80	5.2	1.28	6.6	1.61	7.2	1.96	6.4	NNE	25
	10	0.74	5.2	1.18	6.6	1.49	7.0	2.01	7.1	NNE	20
	12	0.65	4.8	1.02	6.3	1.23	6.6	1.53	7.8	NNE	20
	14	0.66	4.9	1.04	6.4	1.29	6.8	1.91	7.4	NNE	29
	16	0.61	4.5	0.95	5.7	1.13	5.9	1.59	4.8	NNE	25
	18	0.68	4.5	1.08	5.3	1.37	5.4	1.64	5.3	NNE	31
	20	0.88	4.6	1.35	5.5	1.69	5.6	2.21	4.6	N	3
	22	1.02	4.9	1.61	5.7	2.04	5.5	* 2.93	5.4	NNE	25
最大 平均		1.09	6.0	1.75	7.6	2.22	7.8	2.93	5.4		
		0.84	5.2	1.34	6.5	1.67	6.7	2.18	6.5		
23	00	1.06	4.7	1.68	5.4	2.14	5.7	3.51	5.8	NNE	18
	02	1.05	4.9	1.71	5.7	2.07	5.5	2.80	5.5	N	4
	04	1.04	5.1	1.57	5.8	1.91	5.5	2.40	5.2	NNW	340
	06	1.12	5.1	1.70	5.7	2.12	5.8	2.95	5.5	NNW	340
	08	1.19	5.1	1.86	6.0	2.42	6.3	* 4.27	5.8	NNE	12
	10	1.19	5.4	1.92	6.5	2.39	6.4	3.01	6.8	NNW	340
	12	1.19	5.4	1.84	6.3	2.32	6.4	3.11	5.4	NNW	331
	14	1.27	5.5	* 2.09	7.1	* 2.62	7.0	3.84	7.0	NNE	25
	16	1.22	5.9	1.91	7.1	2.36	7.0	2.99	7.1	NNE	16
	18	* 1.31	6.3	2.03	7.5	2.54	7.3	2.99	7.0	NNE	29
	20	1.19	6.3	1.89	7.3	2.50	7.3	3.65	7.1	NNE	20
	22	1.11	5.9	1.75	7.1	2.22	7.0	3.06	7.7	NW	323
最大 平均		1.31	6.3	2.09	7.1	2.62	7.0	4.27	5.8		
		1.16	5.5	1.83	6.5	2.30	6.4	3.21	6.3		
24	00	* 1.00	5.5	* 1.61	7.0	* 2.00	6.8	2.52	7.5	NNW	335
	02	0.91	5.6	1.46	7.0	1.82	6.6	2.22	6.3	NNE	12
	04	0.87	5.6	1.40	6.7	1.80	6.7	2.39	6.8	NW	323
	06	0.90	5.6	1.44	6.8	1.80	6.8	2.23	6.8	NNW	331
	08	0.89	5.7	1.39	6.7	1.80	6.4	* 2.61	6.7	NW	319
	10	0.80	5.3	1.31	6.5	1.66	6.3	2.34	6.0	NNE	16
	12	0.70	5.5	1.09	6.4	1.35	6.3	1.93	6.4	NNE	20
	14	0.62	5.4	0.97	6.3	1.20	6.4	1.71	6.0	NNE	29
	16	0.63	5.2	0.99	6.2	1.24	6.3	1.49	5.8	NNE	20
	18	0.63	5.5	0.97	6.3	1.19	6.3	1.75	5.9	NW	319
	20	0.57	5.6	0.87	6.1	1.08	6.1	1.57	6.0	NW	323
	22	0.48	5.2	0.76	6.0	0.95	5.8	1.15	6.0	NNW	327
最大 平均		1.00	5.5	1.61	7.0	2.00	6.8	2.61	6.7		
		0.75	5.5	1.19	6.5	1.49	6.4	1.99	6.4		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	318 回
										欠測回数	0 回	欠測回数	54 回
										欠 測 率	0.0 %	欠 測 率	14.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
25	00	* 0.49	5.3	* 0.78	6.0	* 0.98	5.9	* 1.28	6.2	NNW	331		
	02	0.44	5.2	0.71	5.9	0.92	6.0	1.28	5.8	NW	311		
	04	0.41	5.1	0.67	6.2	0.84	6.1	1.07	6.0	N	352		
	06	0.34	4.8	0.57	5.9	0.72	5.7	0.88	5.6	NNW	331		
	08	0.39	5.2	0.60	5.8	0.71	5.7	0.84	6.4	NNW	331		
	10	0.32	4.7	0.52	5.6	0.67	5.7	0.89	5.7	WNW	297		
	12	0.30	4.6	0.49	5.5	0.62	5.7	0.83	6.1	欠測	欠測		
	14	0.28	4.5	0.43	5.2	0.52	5.2	0.67	5.0	NNW	341		
	16	0.24	4.2	0.39	5.1	0.48	5.1	0.67	5.0	欠測	欠測		
	18	0.23	4.2	0.38	5.1	0.47	5.2	0.55	4.5	欠測	欠測		
	20	0.21	4.0	0.33	4.7	0.40	4.9	0.51	4.6	NNW	348		
	22	0.20	3.8	0.32	4.6	0.38	4.3	0.49	3.8	欠測	欠測		
	最大 平均	0.49 0.32	5.3 4.6	0.78 0.52	6.0 5.5	0.98 0.64	5.9 5.5	1.28 0.83	6.2 5.4				
	26	00	* 0.36	3.7	* 0.56	4.2	* 0.72	4.1	* 0.99	4.3	欠測	欠測	
02		0.28	3.5	0.44	4.0	0.55	4.1	0.79	3.8	NW	307		
04		0.20	3.2	0.31	4.1	0.38	4.3	0.54	4.1	WNW	291		
06		0.26	3.2	0.40	3.9	0.51	3.8	0.63	3.8	NNE	20		
08		0.27	3.6	0.41	4.2	0.52	4.1	0.76	3.6	NE	47		
10		0.24	3.7	0.37	4.3	0.47	4.4	0.73	4.1	NNW	327		
12		0.24	4.0	0.38	4.6	0.47	4.5	0.62	4.5	NNW	335		
14		0.20	3.7	0.32	4.5	0.40	4.5	0.51	4.7	N	2		
16		0.16	3.5	0.26	4.4	0.33	4.3	0.43	4.2	欠測	欠測		
18		0.14	3.5	0.22	4.4	0.27	4.1	0.31	4.4	WNW	297		
20		0.15	3.4	0.23	4.2	0.30	4.2	0.40	3.9	NE	40		
22		0.13	3.2	0.21	4.0	0.26	4.1	0.33	4.5	NE	34		
最大 平均		0.36 0.22	3.7 3.5	0.56 0.34	4.2 4.2	0.72 0.43	4.1 4.2	0.99 0.59	4.3 4.2				
27		00	0.13	3.2	0.20	4.2	0.25	4.3	0.35	4.0	NW	306	
	02	0.13	3.2	0.19	4.2	0.23	4.2	0.36	3.7	NNE	15		
	04	0.13	3.2	0.19	4.3	0.23	4.5	0.29	3.5	NNW	346		
	06	0.12	3.4	0.19	4.5	0.24	4.7	0.29	4.2	W	273		
	08	0.14	3.3	0.21	4.3	0.26	4.6	0.39	4.0	WNW	302		
	10	0.14	3.3	0.22	4.3	0.27	4.4	0.39	6.2	NNW	332		
	12	0.23	3.3	0.36	3.7	0.45	3.5	0.68	3.7	N	357		
	14	0.34	3.5	0.53	3.8	0.68	3.7	0.94	4.3	NNW	347		
	16	0.56	3.9	0.85	4.1	1.09	4.0	1.59	3.7	WNW	293		
	18	* 0.61	4.0	* 0.96	4.4	* 1.18	4.4	* 1.61	4.4	NE	37		
	20	0.41	3.9	0.66	4.5	0.83	4.4	1.07	4.1	欠測	欠測		
	22	0.44	3.7	0.72	4.3	0.92	4.1	1.13	3.6	N	9		
	最大 平均	0.61 0.28	4.0 3.5	0.96 0.44	4.4 4.2	1.18 0.55	4.4 4.2	1.61 0.76	4.4 4.1				
	28	00	0.50	3.8	0.80	4.4	1.02	4.2	1.30	4.8	欠測	欠測	
02		0.54	4.1	0.86	4.8	1.08	4.8	1.39	4.6	欠測	欠測		
04		0.53	4.6	0.82	5.6	1.05	5.5	1.39	4.7	NNE	22		
06		0.67	5.0	1.04	6.0	1.31	6.3	1.64	6.4	WNW	299		
08		0.63	4.9	1.02	6.0	1.33	6.0	1.80	5.8	WNW	290		
10		0.66	5.0	1.02	5.9	1.22	6.0	1.65	4.6	WNW	290		
12		0.66	5.1	1.06	6.2	1.35	6.3	1.93	6.6	WNW	295		
14		0.77	5.5	1.23	6.9	1.55	6.7	2.24	6.1	WNW	303		
16		0.98	6.0	1.52	7.1	1.93	6.9	2.48	6.2	NNW	348		
18		1.00	5.4	1.62	6.8	2.07	6.9	2.50	6.7	NNW	335		
20		1.02	5.4	1.57	6.4	1.95	6.8	2.65	6.7	NNW	340		
22		* 1.05	5.5	* 1.67	6.7	* 2.12	6.8	* 2.71	6.9	NNW	335		
最大 平均		1.05 0.75	5.5 5.0	1.67 1.19	6.7 6.1	2.12 1.50	6.8 6.1	2.71 1.97	6.9 5.8				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年10月										波 高		波 向																	
										規定回数	372 回	規定回数	372 回																
										測得回数	372 回	測得回数	318 回																
										欠測回数	0 回	欠測回数	54 回																
										欠 測 率	0.0 %	欠 測 率	14.5 %																
機種：波向 海象計 - 52.0 m																													
観測所：輪島港輪島崎地区										機種：波高 海象計 - 52.0 m										緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″									
日 時		Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向																			
										16方位	角度																		
29	00	0.98	5.3	1.60	6.4	1.99	6.6	2.62	6.8	NNW	327																		
	02	1.05	5.6	1.73	6.9	* 2.32	6.9	* 3.20	6.8	NNW	327																		
	04	1.09	6.1	1.68	7.2	2.10	7.2	2.72	7.9	NNW	327																		
	06	* 1.15	5.9	* 1.78	7.3	2.15	7.4	2.74	7.3	NW	311																		
	08	0.95	5.3	1.63	7.1	2.09	7.4	2.82	7.4	NW	315																		
	10	0.93	5.7	1.48	7.1	1.85	6.8	2.30	7.5	NW	311																		
	12	0.95	5.7	1.53	7.0	1.88	7.0	2.73	6.6	NW	311																		
	14	0.98	5.6	1.60	7.0	1.94	7.2	2.41	7.3	NNW	335																		
	16	1.00	5.7	1.62	6.8	2.08	6.7	2.82	6.5	NW	311																		
	18	0.88	5.1	1.41	6.4	1.77	6.6	2.23	6.9	WNW	303																		
	20	0.82	5.7	1.27	6.7	1.61	6.7	1.94	6.1	欠測	欠測																		
	22	0.85	6.1	1.36	7.8	1.71	7.9	2.29	7.9	NNE	29																		
最大		1.15	5.9	1.78	7.3	2.32	6.9	3.20	6.8																				
平均		0.97	5.7	1.56	7.0	1.96	7.0	2.57	7.1																				
30	00	0.95	6.6	1.51	8.1	1.83	8.4	2.39	9.8	NNE	25																		
	02	* 1.05	7.3	* 1.62	9.0	* 1.94	9.1	* 2.85	9.9	NNE	16																		
	04	0.82	6.5	1.34	8.4	1.79	8.9	2.44	8.2	NNE	29																		
	06	0.81	6.8	1.26	8.6	1.57	9.0	2.07	7.7	NNE	20																		
	08	0.82	7.1	1.28	8.8	1.60	8.5	1.91	10.3	NNE	16																		
	10	0.79	6.6	1.28	8.4	1.59	8.8	2.30	7.9	NNE	20																		
	12	0.72	6.6	1.16	8.0	1.47	7.8	2.18	7.2	NNE	20																		
	14	0.72	6.6	1.13	8.1	1.36	8.6	2.00	8.1	NNE	20																		
	16	0.72	6.3	1.13	7.7	1.39	7.7	1.80	6.1	N	8																		
	18	0.60	6.3	0.96	7.9	1.18	8.5	1.44	8.6	NNE	25																		
	20	0.57	6.2	0.95	7.8	1.22	8.1	1.63	8.9	NNE	16																		
	22	0.52	6.2	0.82	7.5	0.99	7.4	1.15	8.1	NNE	25																		
最大		1.05	7.3	1.62	9.0	1.94	9.1	2.85	9.9																				
平均		0.76	6.6	1.20	8.2	1.49	8.4	2.01	8.4																				
31	00	* 0.48	5.9	* 0.75	7.1	* 0.94	7.3	* 1.14	7.6	NNE	29																		
	02	0.40	5.7	0.65	7.4	0.80	7.5	1.13	6.2	NNE	20																		
	04	0.35	5.6	0.57	7.0	0.70	7.0	0.96	7.5	NNE	25																		
	06	0.36	5.8	0.57	7.2	0.70	7.1	0.85	7.3	N	0																		
	08	0.32	5.4	0.53	6.9	0.68	6.8	0.90	7.0	NE	45																		
	10	0.29	5.5	0.46	7.0	0.57	6.9	0.70	7.7	N	0																		
	12	0.26	5.0	0.43	6.5	0.55	6.4	0.69	5.7	N	0																		
	14	0.28	5.1	0.45	6.2	0.56	6.1	0.70	6.2	NNE	16																		
	16	0.24	4.7	0.38	6.0	0.46	5.9	0.54	5.2	NNE	29																		
	18	0.19	4.3	0.32	6.0	0.41	6.3	0.50	5.6	NNE	16																		
	20	0.21	4.3	0.33	5.8	0.41	5.8	0.64	6.2	N	8																		
	22	0.19	4.0	0.30	5.6	0.36	5.9	0.46	5.1	N	359																		
最大		0.48	5.9	0.75	7.1	0.94	7.3	1.14	7.6																				
平均		0.30	5.1	0.48	6.6	0.60	6.6	0.77	6.4																				
月最大		3.16	8.1	4.86	10.1	6.24	9.8	7.93	8.3																				
起時		2010		2010		2010		2010																					
平均		0.72	5.0	1.14	6.0	1.43	6.0	1.91	6.0																				

波浪整理表（1）

2021年11月											波 高		波 向	
											規定回数	360 回	規定回数	360 回
											測得回数	358 回	測得回数	337 回
											欠測回数	2 回	欠測回数	23 回
											欠 測 率	0.6 %	欠 測 率	6.4 %
機種：波向 海象計 - 52.0 m														
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
01	00	0.16	3.6	0.26	4.9	0.32	5.0	0.40	3.6	欠測	欠測			
	02	* 0.27	3.3	* 0.43	3.8	0.54	3.7	0.69	3.2	WNW	299			
	04	0.19	3.2	0.30	4.0	0.38	4.1	0.54	3.7	NW	325			
	06	0.21	3.4	0.32	4.1	0.40	3.9	0.63	3.6	NW	323			
	08	0.19	3.3	0.30	4.1	0.37	4.2	0.48	3.4	NE	47			
	10	0.20	3.5	0.31	4.0	0.38	4.0	0.57	3.7	NNW	337			
	12	0.26	3.5	0.42	4.0	* 0.54	4.1	* 0.70	4.5	N	6			
	14	0.24	3.8	0.38	4.6	0.47	4.6	0.59	5.3	NNE	24			
	16	0.19	3.3	0.31	4.1	0.39	4.2	0.50	4.3	WNW	298			
	18	0.19	3.5	0.30	4.2	0.37	4.2	0.52	4.0	欠測	欠測			
20	0.17	3.3	0.27	4.1	0.35	4.1	0.54	4.3	N	4				
22	0.19	3.3	0.30	4.5	0.37	4.2	0.54	3.1	WNW	284				
最大 平均	0.27 0.20	3.3 3.4	0.43 0.33	3.8 4.2	0.54 0.41	4.1 4.2	0.70 0.56	4.5 3.9						
02	00	0.31	4.5	0.50	6.3	0.64	7.8	0.90	8.2	NNE	16			
	02	0.32	5.2	0.55	8.6	0.74	9.5	0.94	10.1	NNE	16			
	04	0.48	6.0	0.81	9.1	1.04	9.3	1.38	8.6	NNE	20			
	06	0.48	5.9	0.77	8.5	1.00	8.9	1.24	8.4	N	4			
	08	0.48	5.5	0.78	8.0	1.05	8.7	1.29	8.0	NNE	16			
	10	0.60	6.1	0.96	8.0	1.19	8.3	1.79	8.3	NNE	20			
	12	0.55	5.2	0.90	7.3	1.11	7.3	1.43	8.4	NNE	25			
	14	0.59	5.3	0.91	6.9	1.12	6.7	1.49	7.2	NNE	16			
	16	0.70	5.6	1.11	7.1	1.37	7.1	1.61	6.5	NNE	12			
	18	* 0.80	6.7	* 1.25	7.7	* 1.55	8.0	* 2.28	7.7	NNE	16			
20	0.74	6.0	1.17	7.5	1.41	7.4	1.80	7.0	NNE	20				
22	0.76	6.0	1.23	7.5	1.53	7.4	1.96	6.4	NNE	16				
最大 平均	0.80 0.57	6.7 5.7	1.25 0.91	7.7 7.7	1.55 1.15	8.0 8.0	2.28 1.51	7.7 7.9						
03	00	0.69	5.7	1.08	7.1	1.32	6.9	1.55	6.4	NNE	12			
	02	0.69	5.6	1.10	7.0	1.37	7.1	1.93	7.5	NNE	16			
	04	0.69	5.2	1.09	6.7	1.36	7.1	1.68	8.0	NNE	16			
	06	0.79	5.0	1.19	6.0	1.47	6.1	1.79	5.8	NNE	20			
	08	0.79	4.9	1.24	6.1	1.57	6.0	* 2.34	5.2	N	8			
	10	* 0.88	5.4	* 1.39	6.7	* 1.70	6.8	2.06	7.1	NNE	12			
	12	0.83	5.2	1.29	6.4	1.63	6.4	2.02	6.9	N	8			
	14	0.80	5.4	1.22	6.7	1.55	6.3	2.06	6.0	N	4			
	16	0.75	5.2	1.15	6.4	1.44	6.0	2.11	6.1	NNE	12			
	18	0.70	5.0	1.12	6.0	1.48	6.1	1.87	6.6	NNE	25			
20	0.68	5.3	1.05	6.7	1.25	6.6	1.52	6.9	NNE	16				
22	0.66	5.4	1.02	6.7	1.25	6.8	1.99	6.2	N	356				
最大 平均	0.88 0.75	5.4 5.3	1.39 1.16	6.7 6.5	1.70 1.45	6.8 6.5	2.34 1.91	5.2 6.6						
04	00	0.70	5.6	1.12	6.8	1.34	6.7	1.69	7.7	NNE	16			
	02	* 0.81	6.1	* 1.34	7.0	* 1.75	7.1	* 2.13	6.4	NNE	20			
	04	0.67	5.8	1.04	6.9	1.30	6.7	1.62	7.0	NNE	29			
	06	0.68	5.6	1.10	6.9	1.39	7.1	1.83	7.2	NNE	29			
	08	0.66	5.8	1.00	7.1	1.22	6.9	1.72	6.9	NNE	25			
	10	0.58	5.4	0.89	6.6	1.09	6.9	1.48	7.2	NNW	348			
	12	0.53	5.0	0.86	6.4	1.07	6.4	1.36	6.2	NNE	16			
	14	0.50	5.1	0.80	6.1	1.02	5.9	1.35	6.3	NNE	16			
	16	0.42	4.6	0.68	5.9	0.84	6.0	1.02	6.7	NNE	12			
	18	0.44	5.1	0.67	6.2	0.83	6.0	1.12	5.4	NNE	25			
20	0.41	5.1	0.65	6.2	0.82	6.1	1.21	5.6	NNE	29				
22	0.37	4.6	0.59	5.9	0.74	6.0	1.04	6.0	NNE	20				
最大 平均	0.81 0.56	6.1 5.3	1.34 0.90	7.0 6.5	1.75 1.12	7.1 6.5	2.13 1.46	6.4 6.6						

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年11月										波 高		波 向	
										規定回数	360 回	規定回数	360 回
										測得回数	358 回	測得回数	337 回
										欠測回数	2 回	欠測回数	23 回
										欠 測 率	0.6 %	欠 測 率	6.4 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″					
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
05	00	0.37	4.7	0.59	5.9	0.78	5.9	1.21	6.5	N	8		
	02	0.43	4.0	0.66	5.0	0.80	5.1	1.07	6.1	NE	43		
	04	0.45	4.1	0.71	4.9	0.91	5.0	1.31	4.0	欠測	欠測		
	06	* 0.55	4.2	* 0.85	4.8	* 1.07	4.5	1.39	5.0	W	276		
	08	0.48	3.9	0.77	4.6	0.97	4.6	1.31	3.9	NE	39		
	10	0.47	4.2	0.73	4.9	0.91	5.0	1.16	5.3	欠測	欠測		
	12	0.49	4.5	0.77	5.3	0.95	5.5	1.35	4.6	NNW	336		
	14	0.48	4.3	0.78	5.6	0.99	5.6	* 1.44	6.0	NW	313		
	16	0.52	4.6	0.80	5.8	0.96	5.8	1.38	4.3	NW	319		
	18	0.49	4.8	0.76	5.8	0.96	5.8	1.16	5.8	WNW	286		
	20	0.49	4.8	0.75	5.8	0.95	5.7	1.43	5.8	WNW	299		
	22	0.49	4.8	0.78	5.5	1.00	5.5	1.21	5.9	W	276		
最大 平均	0.55 0.48	4.2 4.4	0.85 0.75	4.8 5.3	1.07 0.94	4.5 5.3	1.44 1.29	6.0 5.3					
06	00	* 0.58	4.4	* 0.89	5.2	1.11	5.0	1.65	3.9	WNW	294		
	02	0.57	4.6	0.88	5.3	* 1.15	5.4	* 1.72	5.1	欠測	欠測		
	04	0.46	4.6	0.74	5.4	0.91	5.6	1.21	5.8	NNE	27		
	06	0.47	4.8	0.72	5.9	0.90	5.5	1.33	5.0	NNW	348		
	08	0.50	4.8	0.81	5.7	1.01	5.9	1.31	5.7	N	356		
	10	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測		
	12	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測	欠測		
	14	0.47	4.1	0.76	5.0	0.95	5.1	1.53	5.3	欠測	欠測		
	16	0.48	4.0	0.75	4.9	0.94	5.0	1.21	5.7	WNW	287		
	18	0.40	3.8	0.62	4.7	0.80	4.9	1.12	4.3	NNW	348		
	20	0.43	4.2	0.70	5.0	0.90	5.2	1.13	4.4	NNW	339		
	22	0.48	4.3	0.76	4.8	0.96	4.9	1.43	5.1	NE	44		
最大 平均	0.58 0.48	4.4 4.4	0.89 0.76	5.2 5.2	1.15 0.96	5.4 5.3	1.72 1.36	5.1 5.0					
07	00	0.49	3.9	0.77	4.4	0.99	4.5	1.64	4.4	NW	326		
	02	0.52	4.0	0.81	4.4	1.00	4.3	1.43	4.1	欠測	欠測		
	04	0.47	3.8	0.75	4.4	0.95	4.4	1.42	3.6	NE	42		
	06	0.46	4.1	0.72	4.5	0.88	4.4	1.19	4.2	欠測	欠測		
	08	0.49	3.8	0.78	4.3	1.02	4.2	1.38	3.8	WNW	288		
	10	0.54	3.8	0.85	4.3	1.10	4.3	1.44	3.9	欠測	欠測		
	12	* 0.69	4.2	* 1.09	4.5	* 1.38	4.5	* 1.89	3.6	欠測	欠測		
	14	0.57	3.9	0.89	4.4	1.13	4.4	1.41	4.5	WNW	293		
	16	0.50	3.8	0.80	4.4	1.02	4.1	1.22	4.1	W	276		
	18	0.47	3.9	0.73	4.4	0.92	4.5	1.20	4.0	欠測	欠測		
	20	0.48	4.2	0.75	4.7	0.92	4.7	1.48	4.5	NE	52		
	22	0.46	4.4	0.72	4.8	0.90	5.0	1.15	4.7	NNW	346		
最大 平均	0.69 0.51	4.2 4.0	1.09 0.81	4.5 4.5	1.38 1.02	4.5 4.4	1.89 1.40	3.6 4.1					
08	00	0.36	4.1	0.58	4.8	0.72	4.7	1.04	4.5	NW	306		
	02	0.32	4.2	0.52	4.8	0.69	4.9	1.01	4.4	NW	314		
	04	0.35	4.5	0.57	5.3	0.73	5.3	1.00	4.7	NNW	330		
	06	0.40	5.0	0.61	6.2	0.72	6.3	0.96	6.3	NW	311		
	08	* 0.49	5.5	* 0.77	6.5	* 0.93	6.7	* 1.14	5.2	NW	307		
	10	0.39	5.1	0.59	6.1	0.72	5.8	0.86	5.6	WNW	303		
	12	0.42	4.6	0.67	6.0	0.86	6.2	1.09	5.8	NE	49		
	14	0.38	4.6	0.60	6.1	0.77	6.3	1.01	6.9	NNW	331		
	16	0.36	5.2	0.57	6.5	0.69	6.3	0.83	7.2	NNW	331		
	18	0.34	4.9	0.55	6.1	0.70	6.2	1.11	6.0	NNE	12		
	20	0.28	4.6	0.44	6.0	0.53	6.1	0.70	6.8	N	356		
	22	0.24	4.5	0.40	5.9	0.50	6.0	0.67	6.1	N	8		
最大 平均	0.49 0.36	5.5 4.7	0.77 0.57	6.5 5.9	0.93 0.71	6.7 5.9	1.14 0.95	5.2 5.8					

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年11月						波 高		波 向			
						規定回数	360 回	規定回数	360 回		
						測得回数	358 回	測得回数	337 回		
						欠測回数	2 回	欠測回数	23 回		
						欠 測 率	0.6 %	欠 測 率	6.4 %		
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
13	00	1.24	6.1	1.97	7.7	* 2.56	8.1	* 3.41	8.2	W	278
	02	1.17	5.2	1.90	6.4	2.46	6.8	3.38	6.2	NW	315
	04	1.13	5.7	1.80	7.1	2.32	7.2	2.92	5.1	WNW	282
	06	* 1.31	5.9	* 2.01	7.1	2.53	7.4	2.97	7.2	NW	311
	08	1.10	6.0	1.67	7.1	2.05	7.0	2.88	7.0	NW	315
	10	1.05	5.4	1.69	6.7	2.11	6.8	2.64	6.2	NNW	327
	12	1.10	5.7	1.68	6.6	2.06	6.9	2.59	8.0	NW	319
	14	1.06	5.8	1.60	6.6	1.99	6.7	2.95	5.9	NW	319
	16	0.85	5.4	1.35	6.6	1.67	6.5	2.14	7.0	NW	315
	18	0.74	5.5	1.12	6.4	1.38	6.3	1.92	6.8	NW	323
	20	0.75	5.4	1.18	6.4	1.49	6.4	1.84	6.7	WNW	295
	22	0.64	5.0	1.03	6.3	1.26	6.0	1.85	5.6	NW	323
最大 平均	1.31 1.01	5.9 5.6	2.01 1.58	7.1 6.8	2.56 1.99	8.1 6.8	3.41 2.62	8.2 6.7			
14	00	0.64	5.3	1.01	6.4	1.28	6.1	1.69	6.1	W	278
	02	* 0.75	5.3	1.17	6.2	1.45	5.9	1.81	5.9	NW	319
	04	0.74	5.3	* 1.21	6.2	* 1.57	6.4	* 2.08	6.0	W	270
	06	0.64	4.9	1.04	5.8	1.34	5.9	1.79	5.6	W	278
	08	0.68	5.4	1.09	6.2	1.44	6.2	1.99	5.6	W	274
	10	0.62	5.3	0.98	6.2	1.25	6.2	1.67	6.4	NW	323
	12	0.69	5.0	1.11	5.9	1.37	5.7	1.71	4.9	WSW	258
	14	0.69	4.8	1.09	5.8	1.38	5.9	1.90	6.0	WNW	282
	16	0.57	4.8	0.93	6.0	1.20	5.9	1.81	6.2	W	266
	18	0.63	4.4	1.03	5.4	1.24	5.4	1.62	6.1	W	277
	20	0.65	4.6	0.99	5.5	1.25	5.4	1.64	5.5	WNW	302
	22	0.68	4.7	1.06	5.4	1.30	5.5	1.95	5.0	NNE	28
最大 平均	0.75 0.66	5.3 5.0	1.21 1.06	6.2 5.9	1.57 1.34	6.4 5.9	2.08 1.80	6.0 5.8			
15	00	0.74	5.5	1.19	6.9	1.50	7.2	2.01	7.0	NW	307
	02	* 0.81	5.3	* 1.29	6.6	* 1.63	6.8	2.03	6.9	NW	307
	04	0.80	5.0	1.27	5.9	1.60	6.1	* 2.18	6.1	NW	311
	06	0.76	4.7	1.23	5.4	1.60	5.6	2.08	5.6	NNW	336
	08	0.70	4.5	1.09	5.4	1.28	5.6	1.54	5.9	N	7
	10	0.80	5.0	1.25	5.8	1.54	5.6	1.89	5.7	WNW	299
	12	0.68	4.6	1.07	5.7	1.35	5.5	1.99	6.2	WNW	290
	14	0.70	4.7	1.10	5.8	1.30	5.9	1.82	5.2	WNW	303
	16	0.68	4.9	1.07	5.7	1.32	5.4	1.64	5.2	NW	311
	18	0.57	4.9	0.90	5.8	1.14	5.7	1.41	6.1	WNW	290
	20	0.54	4.7	0.85	5.5	1.06	5.7	1.30	5.2	WNW	282
	22	0.58	4.7	0.89	5.6	1.09	5.6	1.50	6.0	WNW	291
最大 平均	0.81 0.70	5.3 4.9	1.29 1.10	6.6 5.8	1.63 1.37	6.8 5.9	2.18 1.78	6.1 5.9			
16	00	0.55	4.4	0.86	5.4	1.07	5.4	1.47	5.2	NE	52
	02	0.63	4.1	1.03	5.2	1.29	5.2	1.96	4.7	NE	47
	04	0.71	4.8	1.12	5.8	1.38	5.8	1.86	6.0	NW	319
	06	* 0.85	5.6	* 1.31	6.3	* 1.64	6.3	* 2.54	5.7	NW	319
	08	0.65	5.2	1.02	6.2	1.28	6.2	1.64	6.0	NW	323
	10	0.62	5.0	1.01	6.0	1.24	6.0	1.52	6.0	N	4
	12	0.60	5.1	0.95	6.0	1.22	6.0	1.65	4.8	NW	319
	14	0.61	5.1	0.97	6.3	1.23	6.3	1.51	6.7	NNW	335
	16	0.67	5.0	1.06	6.3	1.31	6.5	1.94	7.1	NW	323
	18	0.76	4.9	1.19	6.3	1.49	6.4	2.01	7.3	N	0
	20	0.60	4.7	0.93	5.9	1.19	6.2	1.58	5.5	NNE	20
	22	0.55	4.9	0.88	6.1	1.08	5.9	1.69	5.7	NNE	12
最大 平均	0.85 0.65	5.6 4.9	1.31 1.03	6.3 6.0	1.64 1.29	6.3 6.0	2.54 1.78	5.7 5.9			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年11月							波 高		波 向		
							規定回数	360 回	規定回数	360 回	
							測得回数	358 回	測得回数	337 回	
							欠測回数	2 回	欠測回数	23 回	
							欠 測 率	0.6 %	欠 測 率	6.4 %	
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
17	00	0.52	5.0	* 0.84	6.3	* 1.04	6.0	1.27	6.1	NNE	12
	02	* 0.52	5.3	0.81	6.1	1.00	6.1	* 1.32	6.3	NNE	16
	04	0.46	5.2	0.73	6.2	0.91	6.1	1.10	6.4	NNE	20
	06	0.45	5.2	0.74	6.2	0.92	6.2	1.11	6.3	NNE	12
	08	0.41	5.0	0.65	6.2	0.81	6.1	1.00	6.0	NNW	331
	10	0.39	4.8	0.64	5.9	0.82	6.2	1.15	5.7	NNE	20
	12	0.37	4.5	0.61	5.8	0.80	5.8	1.02	4.7	NNE	25
	14	0.36	4.2	0.58	5.5	0.72	5.7	1.08	5.8	NE	43
	16	0.32	4.4	0.50	5.4	0.61	5.5	0.89	5.7	WNW	296
	18	0.41	5.3	0.66	6.4	0.85	6.5	1.28	6.7	NNE	25
	20	0.41	5.3	0.65	6.4	0.84	6.3	1.09	5.8	NNE	33
	22	0.39	5.3	0.63	6.4	0.82	6.5	1.18	5.9	NNW	348
	最大	0.52	5.3	0.84	6.3	1.04	6.0	1.32	6.3		
	平均	0.42	5.0	0.67	6.1	0.85	6.1	1.12	6.0		
18	00	0.39	5.2	0.64	6.2	0.82	6.3	1.15	6.5	NNW	348
	02	0.35	5.1	0.55	6.1	0.69	6.0	0.89	5.8	N	356
	04	0.34	4.5	0.53	5.7	0.66	5.4	0.83	5.0	NNW	331
	06	0.39	4.2	0.61	4.9	0.77	4.9	1.09	4.3	W	273
	08	0.45	4.4	0.74	5.0	0.95	4.9	1.18	4.5	NW	309
	10	0.51	4.6	0.80	5.2	0.99	5.1	1.49	5.4	欠測	欠測
	12	0.62	4.5	0.98	5.1	1.17	5.0	1.60	4.8	NW	326
	14	0.68	4.4	1.10	5.1	1.35	5.1	1.76	5.0	欠測	欠測
	16	0.71	4.7	1.17	5.4	1.51	5.7	* 2.27	5.2	欠測	欠測
	18	0.71	4.8	1.14	5.5	1.45	5.6	1.96	5.5	N	6
	20	* 0.86	4.9	* 1.30	5.2	* 1.57	5.2	1.99	4.9	NNW	330
	22	0.79	4.8	1.20	5.3	1.49	5.3	1.87	5.4	NE	40
	最大	0.86	4.9	1.30	5.2	1.57	5.2	2.27	5.2		
	平均	0.57	4.7	0.90	5.4	1.12	5.4	1.51	5.2		
19	00	0.71	4.8	1.10	5.4	1.33	5.2	1.71	5.0	NNW	335
	02	0.56	4.3	0.90	5.1	1.16	4.9	1.98	5.3	NW	304
	04	0.57	4.5	0.90	5.4	1.13	5.4	1.90	5.8	NW	310
	06	0.91	5.9	1.38	6.6	1.68	6.5	2.02	7.3	NW	319
	08	0.91	5.6	1.46	7.1	1.80	7.1	2.49	6.2	NW	307
	10	0.98	6.1	1.53	7.5	1.85	7.3	2.57	6.5	NW	311
	12	* 0.99	5.9	* 1.59	7.1	* 2.07	7.1	* 2.65	6.9	NW	311
	14	0.89	5.7	1.40	6.9	1.74	6.6	2.53	6.1	WNW	303
	16	0.82	5.4	1.31	6.5	1.66	6.3	2.10	6.0	WNW	299
	18	0.82	5.1	1.25	6.1	1.53	6.2	2.57	6.1	NW	307
	20	0.81	5.0	1.29	6.3	1.58	6.1	2.48	6.2	WNW	295
	22	0.75	5.1	1.15	6.5	1.41	6.7	1.80	6.8	WNW	286
	最大	0.99	5.9	1.59	7.1	2.07	7.1	2.65	6.9		
	平均	0.81	5.3	1.27	6.4	1.58	6.3	2.23	6.2		
20	00	0.92	5.2	1.43	6.6	1.81	6.6	2.91	5.9	WNW	303
	02	1.04	5.2	1.64	6.5	1.97	6.3	2.58	6.6	WNW	299
	04	0.94	5.2	1.49	6.6	1.82	6.4	2.22	6.1	NW	307
	06	0.94	5.3	1.51	6.6	1.91	7.0	2.59	6.7	WNW	303
	08	* 1.23	6.5	* 1.99	8.2	* 2.51	8.6	* 3.30	9.0	NW	319
	10	1.02	6.1	1.62	7.8	2.01	7.9	2.62	7.7	NW	323
	12	1.12	6.5	1.78	7.7	2.18	7.4	2.67	7.6	NW	319
	14	1.09	6.4	1.69	7.5	2.04	7.3	2.47	7.5	NW	319
	16	0.82	5.7	1.34	6.9	1.73	6.9	2.45	6.4	NNW	335
	18	0.77	5.9	1.23	7.2	1.59	6.9	2.20	7.0	NW	319
	20	0.73	5.8	1.19	7.0	1.51	6.7	2.12	6.4	NW	311
	22	0.63	5.7	1.05	7.1	1.29	6.9	1.53	7.7	NW	323
	最大	1.23	6.5	1.99	8.2	2.51	8.6	3.30	9.0		
	平均	0.94	5.8	1.50	7.1	1.86	7.1	2.47	7.1		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年11月							波 高		波 向		
							規定回数	360 回	規定回数	360 回	
機種：波向 海象計 - 52.0 m							測得回数	358 回	測得回数	337 回	
							欠測回数	2 回	欠測回数	23 回	
							欠 測 率	0.6 %	欠 測 率	6.4 %	
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度		
21	00	0.66	6.2	1.04	7.4	1.28	7.3	* 2.08	6.6	N	8
	02	0.59	6.1	0.95	7.4	1.24	7.3	1.76	8.0	NW	319
	04	* 0.67	6.4	* 1.05	7.3	1.29	7.4	1.59	7.0	NNW	331
	06	0.63	6.6	0.98	7.5	1.18	7.8	1.45	6.6	NNE	16
	08	0.66	6.5	1.04	7.7	* 1.31	7.8	1.78	7.8	N	352
	10	0.63	6.4	1.01	7.8	1.31	7.8	1.68	7.2	N	0
	12	0.65	6.6	1.00	8.1	1.21	7.9	1.33	7.9	欠測	欠測
	14	0.45	4.9	0.73	6.8	0.93	7.2	1.17	7.6	欠測	欠測
	16	0.39	5.5	0.63	7.4	0.80	7.7	1.10	9.0	N	4
	18	0.38	5.7	0.59	7.3	0.73	7.3	0.97	7.3	NNE	16
	20	0.34	5.1	0.52	6.8	0.66	6.8	0.90	7.9	NNE	12
	22	0.37	6.1	0.58	7.6	0.71	8.8	0.82	7.5	NNE	12
最大 平均	0.67 0.54	6.4 6.0	1.05 0.84	7.3 7.4	1.31 1.05	7.8 7.6	2.08 1.39	6.6 7.5			
22	00	0.36	5.6	0.59	7.5	0.73	8.6	0.84	8.8	N	4
	02	0.35	5.6	0.56	7.9	0.70	8.6	0.89	7.4	N	4
	04	0.32	5.3	0.51	6.9	0.65	6.9	1.01	7.4	N	4
	06	0.31	4.4	0.49	5.7	0.61	6.1	0.76	5.5	N	8
	08	0.31	4.7	0.48	6.3	0.60	6.6	0.81	6.1	NNE	12
	10	0.31	4.5	0.50	5.7	0.61	5.9	0.71	5.4	N	8
	12	0.37	4.3	0.61	5.4	0.78	5.2	1.21	5.8	欠測	欠測
	14	0.39	4.2	0.60	5.1	0.73	4.9	0.94	4.6	WNW	293
	16	0.79	4.2	1.19	4.7	1.47	4.7	1.80	3.9	NNE	14
	18	1.59	5.6	2.53	6.0	3.33	6.1	4.25	6.4	NW	319
	20	1.87	6.0	2.98	7.3	3.88	7.1	4.64	7.1	NW	319
	22	* 2.20	6.8	* 3.54	7.7	* 4.29	7.8	* 5.50	8.3	W	270
最大 平均	2.20 0.76	6.8 5.1	3.54 1.21	7.7 6.4	4.29 1.53	7.8 6.5	5.50 1.95	8.3 6.4			
23	00	* 3.25	8.1	* 5.19	10.2	* 6.44	10.6	8.31	7.9	NW	311
	02	2.74	7.6	4.57	9.9	5.94	10.4	8.55	10.1	NW	323
	04	2.97	8.0	4.74	10.0	5.65	9.8	7.43	8.2	WNW	303
	06	2.18	7.1	3.51	8.9	4.39	9.0	5.63	8.1	NW	307
	08	2.05	7.1	3.29	8.7	4.33	8.8	6.10	8.9	WNW	303
	10	2.43	7.3	3.98	9.4	5.05	9.7	6.09	9.7	NW	307
	12	2.49	6.9	4.12	8.8	5.28	8.9	* 8.57	9.7	WNW	282
	14	2.88	7.8	4.45	9.3	5.44	9.2	7.37	10.1	NNW	331
	16	3.00	7.7	4.64	9.8	5.67	9.7	6.93	9.8	NW	323
	18	2.89	7.9	4.51	9.6	5.65	9.7	6.82	8.8	NW	311
	20	2.96	7.9	4.60	9.6	5.43	9.7	6.75	9.8	NW	311
	22	2.85	8.0	4.30	9.4	5.21	9.5	6.58	9.9	NW	311
最大 平均	3.25 2.72	8.1 7.6	5.19 4.33	10.2 9.5	6.44 5.37	10.6 9.6	8.57 7.09	9.7 9.2			
24	00	2.74	8.2	4.25	10.0	5.22	10.6	6.79	11.5	NW	315
	02	2.39	7.1	3.92	9.1	5.05	9.2	6.00	10.0	WNW	295
	04	2.62	7.5	3.96	9.0	5.00	9.2	6.68	9.5	NW	315
	06	2.86	7.7	4.29	9.2	5.18	8.5	6.10	9.5	WNW	286
	08	2.73	7.2	4.32	9.2	5.42	10.0	8.05	9.5	WNW	303
	10	3.02	7.6	4.91	9.7	5.91	9.9	6.74	9.0	WNW	290
	12	* 3.37	8.0	* 5.24	9.9	* 6.52	9.3	* 8.50	9.8	WNW	295
	14	3.03	7.3	4.85	9.5	6.25	9.7	7.55	9.4	NW	319
	16	2.72	7.2	4.34	9.1	5.59	10.2	6.58	10.1	WNW	290
	18	2.45	7.3	3.99	9.5	5.20	9.9	7.15	10.5	WNW	299
	20	2.90	8.2	4.61	10.2	5.73	9.7	6.81	9.1	NW	323
	22	2.42	7.5	3.68	9.5	4.64	9.3	5.78	9.4	NW	307
最大 平均	3.37 2.77	8.0 7.6	5.24 4.36	9.9 9.5	6.52 5.48	9.3 9.6	8.50 6.89	9.8 9.8			

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年11月

波 高		波 向	
規定回数	360 回	規定回数	360 回
測得回数	358 回	測得回数	337 回
欠測回数	2 回	欠測回数	23 回
欠 測 率	0.6 %	欠 測 率	6.4 %

機種：波向 海象計 - 52.0 m

観測所：輪島港輪島崎地区

機種：波高 海象計 - 52.0 m

緯度：N 37° -25' -51" 経度：E 136° -54' -08"

日	時	Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
29	00	* 0.71	6.0	* 1.14	7.5	* 1.41	7.5	1.86	7.9	NNW	340
	02	0.66	6.1	1.07	7.1	1.39	7.4	* 2.18	7.0	NNW	331
	04	0.64	6.0	1.02	7.2	1.30	7.1	1.79	5.6	N	8
	06	0.53	5.8	0.84	7.3	1.07	7.4	1.47	6.3	NNE	16
	08	0.56	6.3	0.86	7.3	1.05	7.9	1.50	7.7	N	4
	10	0.42	5.6	0.69	7.3	0.87	7.2	1.06	7.7	NNE	16
	12	0.42	5.2	0.68	6.9	0.87	6.8	1.24	6.0	NNE	20
	14	0.37	4.2	0.58	5.5	0.76	5.7	1.13	6.2	WNW	282
	16	0.40	4.1	0.63	5.2	0.79	5.5	1.01	4.8	欠測	欠測
	18	0.41	4.3	0.65	5.1	0.81	5.2	1.06	4.2	NW	306
	20	0.43	4.6	0.66	5.3	0.81	5.5	0.98	5.4	欠測	欠測
	22	0.41	4.6	0.65	5.7	0.82	5.9	1.20	6.8	NW	311
	最大	0.71	6.0	1.14	7.5	1.41	7.5	2.18	7.0		
	平均	0.50	5.2	0.79	6.4	1.00	6.6	1.37	6.3		
30	00	0.38	4.6	0.63	5.6	0.82	5.6	1.10	5.6	NW	316
	02	0.40	4.8	0.63	5.9	0.79	6.0	0.96	5.8	WNW	303
	04	0.39	4.6	0.62	5.6	0.77	5.5	1.07	5.2	WNW	292
	06	0.45	4.9	0.71	5.8	0.90	5.7	1.18	5.6	W	278
	08	0.55	5.7	0.82	6.7	1.05	6.7	1.39	6.5	WNW	303
	10	* 0.60	5.5	* 0.97	6.4	* 1.22	6.3	* 1.44	5.2	WNW	290
	12	0.60	5.4	0.92	6.1	1.14	6.1	1.38	6.2	W	278
	14	0.52	5.3	0.83	6.3	1.05	6.3	1.43	5.9	W	270
	16	0.47	5.4	0.72	6.2	0.92	6.1	1.38	5.7	WSW	258
	18	0.47	5.2	0.75	6.0	0.94	6.1	1.26	6.3	WNW	282
	20	0.37	4.4	0.62	5.8	0.78	6.0	1.04	7.0	W	270
	22	0.39	4.8	0.60	5.9	0.76	6.2	0.96	5.2	W	266
	最大	0.60	5.5	0.97	6.4	1.22	6.3	1.44	5.2		
	平均	0.47	5.0	0.73	6.0	0.93	6.1	1.22	5.9		
月最大	3.37	8.0	5.24	9.9	6.52	9.3	8.57	9.7			
	起時										
	平均	1.00	5.5	1.58	6.8	1.98	6.8	2.59	6.7		

波 高		波 向	
規定回数	372 回	規定回数	372 回
測得回数	372 回	測得回数	359 回
欠測回数	0 回	欠測回数	13 回
欠 測 率	0.0 %	欠 測 率	3.5 %

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月											波 高		波 向	
											規定回数	372 回	規定回数	372 回
機種：波向 海象計 - 52.0 m											測得回数	372 回	測得回数	359 回
											欠測回数	0 回	欠測回数	13 回
											欠 測 率	0.0 %	欠 測 率	3.5 %
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m					緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度					
05	00	* 1.98	6.6	* 3.16	8.1	3.82	8.0	5.00	7.6	NW	315			
	02	1.89	6.7	3.09	8.2	* 4.04	8.6	* 5.12	8.6	NW	311			
	04	1.75	6.7	2.79	8.8	3.53	8.7	4.44	9.1	NW	323			
	06	1.68	7.0	2.63	8.2	3.20	8.3	3.87	8.5	WNW	290			
	08	1.40	6.6	2.24	8.0	2.66	7.8	2.94	6.3	WNW	303			
	10	1.29	6.7	1.98	8.0	2.49	7.9	2.93	8.1	NW	315			
	12	1.16	6.5	1.88	7.9	2.46	8.0	4.17	7.8	NW	323			
	14	1.00	6.0	1.62	7.3	2.08	7.1	2.71	7.2	NW	311			
	16	1.14	6.6	1.76	7.9	2.08	7.8	2.39	7.5	NW	319			
	18	0.96	6.4	1.50	7.5	1.88	7.3	2.35	8.0	NNE	29			
	20	1.02	6.9	1.60	7.7	2.03	7.4	2.41	8.0	NNE	12			
	22	0.87	6.4	1.35	7.4	1.68	7.5	2.19	7.4	NW	315			
最大 平均	1.98 1.35	6.6 6.6	3.16 2.13	8.1 7.9	4.04 2.66	8.6 7.9	5.12 3.38	8.6 7.8						
06	00	* 0.79	6.3	* 1.25	7.6	* 1.58	7.5	1.79	7.0	NNW	335			
	02	0.70	6.4	1.11	7.3	1.43	7.3	* 1.97	7.8	NW	323			
	04	0.71	6.4	1.11	7.0	1.40	7.0	1.90	7.1	N	8			
	06	0.54	5.9	0.83	6.9	1.00	7.0	1.38	6.8	NNE	16			
	08	0.49	5.7	0.80	6.9	1.00	6.9	1.18	6.1	NNE	25			
	10	0.47	6.0	0.76	6.9	0.97	6.7	1.33	6.9	NNE	12			
	12	0.43	5.4	0.69	6.6	0.88	6.7	1.04	6.7	NNW	344			
	14	0.37	5.2	0.59	6.3	0.75	7.0	1.01	7.4	N	356			
	16	0.33	4.8	0.54	6.2	0.68	6.4	0.85	6.1	NNE	12			
	18	0.30	5.1	0.48	6.4	0.60	6.3	0.79	6.9	N	352			
	20	0.26	4.8	0.42	6.0	0.51	6.1	0.64	5.6	NNE	16			
	22	0.24	4.9	0.38	6.4	0.48	6.6	0.64	7.0	N	4			
最大 平均	0.79 0.47	6.3 5.6	1.25 0.75	7.6 6.7	1.58 0.94	7.5 6.8	1.97 1.21	7.8 6.8						
07	00	0.19	4.5	0.32	6.1	0.42	6.4	0.56	6.2	NE	49			
	02	0.18	4.3	0.29	6.0	0.37	6.2	0.49	6.0	NNW	344			
	04	0.19	4.5	0.31	6.0	0.38	6.1	0.53	6.1	WNW	282			
	06	0.26	3.3	0.41	4.3	0.51	4.3	0.60	6.8	NNE	32			
	08	0.46	3.6	0.70	3.8	0.86	3.8	1.24	4.3	N	350			
	10	0.52	3.7	0.78	4.2	0.98	4.0	1.28	4.4	欠測	欠測			
	12	0.69	4.2	1.07	4.6	1.39	4.4	2.36	4.1	NNW	335			
	14	0.75	4.3	1.19	4.9	1.52	4.8	2.27	4.6	W	275			
	16	0.81	4.4	1.34	5.0	1.73	4.8	2.38	5.0	NE	34			
	18	0.89	4.5	1.42	5.1	1.85	5.1	2.71	5.0	NNE	15			
	20	1.06	4.7	1.72	5.5	2.24	5.5	3.06	5.7	欠測	欠測			
	22	* 1.30	5.1	* 2.11	6.2	* 2.79	6.3	* 3.53	6.3	NNE	16			
最大 平均	1.30 0.61	5.1 4.3	2.11 0.97	6.2 5.1	2.79 1.25	6.3 5.1	3.53 1.75	6.3 5.4						
08	00	1.42	5.3	2.21	6.4	2.71	6.5	3.73	6.1	NNE	20			
	02	1.62	5.5	2.54	6.4	3.11	6.5	4.51	6.1	NNE	16			
	04	* 1.71	5.7	* 2.70	6.7	* 3.46	6.5	* 4.79	7.0	NNE	16			
	06	1.55	5.6	2.43	6.7	3.01	6.7	3.49	6.6	NNE	16			
	08	1.51	5.5	2.49	6.7	3.21	6.6	4.19	7.6	NNE	25			
	10	1.64	6.1	2.53	7.2	3.04	7.4	3.94	6.5	NNE	25			
	12	1.62	5.9	2.54	7.2	3.22	7.1	4.28	6.2	NNE	29			
	14	1.58	5.9	2.44	7.1	2.91	7.1	4.14	6.9	NNE	25			
	16	1.46	5.7	2.33	7.1	2.87	7.5	3.72	7.3	NNE	25			
	18	1.32	5.7	1.96	6.6	2.44	6.4	3.07	6.9	NNE	25			
	20	1.41	5.7	2.22	7.1	2.86	6.8	3.51	7.2	NNE	16			
	22	1.23	5.5	1.95	6.9	2.39	7.1	3.12	7.9	NNE	20			
最大 平均	1.71 1.51	5.7 5.7	2.70 2.36	6.7 6.8	3.46 2.94	6.5 6.8	4.79 3.87	7.0 6.9						

*は日最大波高、波向欄の空白は欠測を示す

緯度：N 37° -25' -51" 經度：E 136° -54' -08"

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月							波 高		波 向		
							規定回数	372 回	規定回数	372 回	
機種：波向 海象計 - 52.0 m							測得回数	372 回	測得回数	359 回	
							欠測回数	0 回	欠測回数	13 回	
							欠 測 率	0.0 %	欠 測 率	3.5 %	
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
							16方位	角度			
13	00	1.89	6.1	3.00	7.3	3.71	7.5	4.95	8.3	WNW	282
	02	2.17	6.6	3.45	7.9	4.36	7.8	5.53	7.8	WNW	282
	04	2.35	6.9	3.74	8.7	4.63	8.5	5.72	8.3	NNW	340
	06	2.69	7.7	4.08	9.5	5.03	8.9	7.14	7.9	NNW	335
	08	3.17	8.4	4.92	10.4	5.76	10.1	* 8.80	9.7	NNW	327
	10	* 3.22	8.3	* 5.12	9.8	* 6.50	9.7	8.15	11.2	NNW	327
	12	2.74	7.8	4.57	10.4	5.47	10.6	8.03	9.7	NW	319
	14	2.81	8.4	4.39	10.4	5.36	10.6	6.64	10.4	NW	319
	16	2.29	7.7	3.76	9.6	4.68	9.3	6.28	11.2	NW	323
	18	2.00	7.1	3.34	9.7	4.09	10.0	4.88	11.5	NW	323
	20	2.04	7.4	3.42	9.3	4.19	10.0	4.99	10.7	WNW	303
	22	1.81	7.4	2.91	9.0	3.99	9.6	5.70	9.7	NW	319
最大 平均	3.22 2.43	8.3 7.5	5.12 3.89	9.8 9.3	6.50 4.81	9.7 9.4	8.80 6.40	9.7 9.7			
14	00	* 1.69	7.2	* 2.70	8.8	* 3.31	9.2	3.74	8.9	NNW	331
	02	1.49	7.0	2.33	8.9	2.87	9.0	3.67	9.1	NNW	335
	04	1.45	7.4	2.24	8.8	2.73	8.3	* 3.84	8.0	NNW	335
	06	1.28	6.6	2.04	8.2	2.62	8.6	3.50	8.4	NNW	344
	08	1.24	6.9	1.97	8.6	2.47	8.5	3.07	8.8	NNW	344
	10	1.08	7.3	1.71	8.5	2.15	8.4	3.11	7.5	NNW	344
	12	0.96	7.0	1.52	8.0	1.92	8.1	3.22	7.6	NNW	331
	14	0.80	6.7	1.25	8.1	1.57	7.4	1.84	7.0	NNE	20
	16	0.87	7.3	1.30	9.1	1.55	9.1	1.83	7.8	NNE	25
	18	0.72	6.5	1.16	8.7	1.43	9.1	1.83	8.2	N	8
	20	0.86	6.0	1.30	7.4	1.58	7.8	1.78	11.3	NNE	16
	22	0.72	5.3	1.13	6.6	1.38	7.3	1.85	5.8	NNE	16
最大 平均	1.69 1.10	7.2 6.8	2.70 1.72	8.8 8.3	3.31 2.13	9.2 8.4	3.84 2.77	8.0 8.2			
15	00	0.98	5.6	1.53	6.5	1.88	6.3	2.35	6.6	WNW	282
	02	1.24	5.5	2.00	6.8	2.53	7.1	3.37	6.7	W	274
	04	* 1.54	5.7	* 2.43	6.8	* 2.91	6.5	4.06	6.0	W	270
	06	1.48	6.0	2.33	7.1	2.89	6.9	* 4.12	7.5	W	266
	08	1.35	5.5	2.18	6.9	2.61	7.0	3.32	7.7	W	262
	10	1.08	5.5	1.68	6.7	2.13	6.9	2.56	6.2	W	266
	12	1.14	5.4	1.81	6.5	2.25	6.5	2.73	6.1	NW	307
	14	0.89	5.1	1.44	6.6	1.83	6.7	2.32	6.9	NW	319
	16	1.13	6.2	1.80	7.5	2.27	7.8	3.07	8.0	欠測	欠測
	18	1.16	6.5	1.91	7.7	2.48	7.6	3.07	9.0	WNW	295
	20	1.02	6.2	1.60	7.8	1.99	7.9	2.58	8.1	WNW	295
	22	0.92	6.0	1.40	7.4	1.73	7.0	2.01	6.3	WNW	295
最大 平均	1.54 1.16	5.7 5.8	2.43 1.84	6.8 7.0	2.91 2.29	6.5 7.0	4.12 2.96	7.5 7.1			
16	00	* 0.85	6.0	* 1.35	7.3	* 1.70	7.8	2.02	7.5	W	278
	02	0.78	6.3	1.19	7.2	1.42	7.3	1.71	7.5	WNW	295
	04	0.66	5.9	1.04	7.0	1.29	7.2	1.69	6.3	WNW	290
	06	0.65	5.6	1.07	7.0	1.27	6.9	1.62	6.4	W	278
	08	0.66	5.3	1.06	6.5	1.32	6.6	1.72	6.7	WNW	286
	10	0.79	5.4	1.20	6.2	1.50	6.2	1.96	5.6	W	278
	12	0.74	5.0	1.16	6.0	1.44	6.0	* 2.24	5.5	W	270
	14	0.72	5.0	1.13	6.1	1.45	5.9	1.97	6.7	WNW	290
	16	0.84	5.1	1.30	5.9	1.57	5.8	1.92	5.7	WNW	295
	18	0.78	4.9	1.21	5.8	1.46	5.6	1.90	5.9	W	266
	20	0.61	4.9	0.95	5.6	1.19	5.7	1.72	5.3	欠測	欠測
	22	0.64	4.8	1.01	5.6	1.20	5.8	1.55	5.6	NW	311
最大 平均	0.85 0.73	6.0 5.4	1.35 1.14	7.3 6.3	1.70 1.40	7.8 6.4	2.24 1.84	5.5 6.2			

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25' -51" 経度：E 136° -54' -08"											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
17	00	0.64	4.7	1.00	5.4	1.22	5.1	1.56	5.7	W	278
	02	0.62	4.6	0.94	5.3	1.17	5.5	1.48	5.2	N	7
	04	0.58	4.7	0.92	5.4	1.15	5.6	1.47	5.7	W	281
	06	0.61	4.6	0.93	5.5	1.17	5.7	1.68	5.6	W	277
	08	0.69	4.1	1.07	4.8	1.34	4.7	1.55	5.2	欠測	欠測
	10	0.77	4.4	1.21	5.0	1.50	4.9	2.23	4.9	欠測	欠測
	12	0.91	4.7	1.41	5.3	1.75	5.2	2.50	4.9	NW	305
	14	1.01	5.0	1.62	5.8	2.06	5.9	2.74	5.8	NW	315
	16	1.35	5.4	2.23	7.1	2.87	6.8	3.72	7.7	NW	311
	18	2.60	7.0	3.90	8.3	4.75	8.2	5.70	8.4	NW	319
	20	3.77	7.9	5.74	9.2	7.01	9.1	9.55	9.4	NW	319
	22	* 4.14	8.4	* 6.90	10.2	* 8.77	10.8	*11.71	11.6	NNW	327
	最大	4.14	8.4	6.90	10.2	8.77	10.8	11.71	11.6		
	平均	1.47	5.5	2.32	6.4	2.90	6.5	3.82	6.7		
18	00	* 3.44	8.2	* 5.45	9.7	* 6.97	10.0	8.13	10.2	NW	315
	02	3.22	7.7	5.08	9.3	6.34	9.1	* 9.31	9.2	NW	315
	04	2.72	7.2	4.54	9.5	5.88	9.4	7.72	10.3	NW	315
	06	2.79	7.4	4.39	9.0	5.38	9.3	6.97	9.6	NNW	340
	08	2.82	7.3	4.66	8.9	6.04	8.7	8.42	8.5	NNW	327
	10	2.78	7.5	4.37	8.9	5.32	9.5	7.14	9.4	NW	307
	12	2.63	7.3	4.22	9.3	5.22	9.4	7.17	10.8	NW	323
	14	2.90	7.8	4.71	9.7	6.06	10.0	7.36	10.4	NNW	344
	16	2.10	7.1	3.36	8.9	4.05	8.9	5.33	8.6	NNW	335
	18	2.41	7.5	3.75	9.5	4.79	9.0	6.42	9.3	NNW	335
	20	2.09	7.1	3.34	8.9	4.12	9.3	4.67	8.7	NW	315
	22	1.97	7.6	3.17	9.3	3.98	9.5	4.84	10.6	WNW	299
	最大	3.44	8.2	5.45	9.7	6.97	10.0	9.31	9.2		
	平均	2.66	7.5	4.25	9.2	5.35	9.3	6.96	9.6		
19	00	* 2.11	8.3	* 3.17	9.6	* 3.85	9.4	* 5.18	9.2	NNW	327
	02	1.59	7.3	2.74	8.9	3.46	8.9	3.90	9.1	NW	323
	04	1.44	7.5	2.24	8.6	2.79	8.8	3.16	9.7	NNW	331
	06	1.24	7.2	1.89	8.5	2.41	8.4	2.92	8.5	N	4
	08	1.46	5.5	2.30	6.7	2.97	7.0	3.85	7.7	NW	315
	10	1.50	6.0	2.41	7.3	2.96	7.5	3.74	6.7	WNW	286
	12	1.41	6.3	2.31	7.7	2.98	7.7	4.32	7.2	WNW	282
	14	1.63	6.4	2.67	8.2	3.42	8.1	4.16	7.4	W	278
	16	1.65	6.9	2.63	8.4	3.35	8.5	4.87	9.1	WNW	282
	18	1.28	6.3	2.04	8.1	2.61	8.0	3.46	7.4	WNW	282
	20	1.21	6.4	1.91	8.0	2.43	8.1	3.12	8.0	W	278
	22	1.39	6.9	2.13	8.4	2.58	8.5	3.26	8.0	WNW	282
	最大	2.11	8.3	3.17	9.6	3.85	9.4	5.18	9.2		
	平均	1.49	6.8	2.37	8.2	2.98	8.2	3.83	8.2		
20	00	1.22	6.2	1.96	8.0	2.59	8.2	3.44	8.6	W	278
	02	1.36	6.7	2.13	8.1	2.61	7.9	3.18	7.7	WNW	282
	04	1.23	5.7	2.10	7.7	2.64	8.0	3.76	7.1	W	274
	06	1.28	6.2	2.00	7.5	2.48	7.7	3.34	7.5	WNW	290
	08	1.20	6.4	1.91	7.8	2.37	7.8	2.94	7.6	W	278
	10	1.15	6.5	1.90	7.6	2.44	8.0	3.20	8.2	W	274
	12	1.11	6.5	1.76	8.0	2.13	7.6	2.61	7.3	WNW	282
	14	1.11	6.4	1.70	7.9	2.10	7.6	2.85	7.5	WNW	295
	16	1.27	5.8	1.99	7.2	2.50	7.7	3.22	5.3	WNW	299
	18	* 1.56	5.8	* 2.48	6.9	* 3.15	7.2	* 4.53	6.5	WNW	290
	20	1.32	6.1	2.11	7.1	2.75	7.3	3.77	6.7	WNW	282
	22	1.24	5.5	2.08	6.7	2.72	6.7	3.45	6.8	WNW	282
	最大	1.56	5.8	2.48	6.9	3.15	7.2	4.53	6.5		
	平均	1.25	6.1	2.01	7.5	2.54	7.6	3.36	7.2		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月										波 高		波 向	
										規定回数	372 回	規定回数	372 回
										測得回数	372 回	測得回数	359 回
										欠測回数	0 回	欠測回数	13 回
										欠 測 率	0.0 %	欠 測 率	3.5 %
機種：波向 海象計 - 52.0 m													
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′-51″ 経度：E 136° -54′-08″						
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向 16方位 角度				
21	00	1.58	6.6	2.37	7.4	2.83	7.3	3.54	7.9	NW	311		
	02	1.54	6.2	2.49	7.4	3.13	7.3	4.32	7.1	WNW	295		
	04	* 1.74	6.9	* 2.71	7.9	* 3.44	7.8	* 4.82	7.8	NW	315		
	06	1.67	6.7	2.64	7.8	3.24	7.8	4.35	7.4	WNW	286		
	08	1.49	6.2	2.37	7.8	2.95	7.6	4.00	7.6	NW	323		
	10	1.64	6.7	2.58	8.2	3.07	8.0	4.55	8.8	NW	319		
	12	1.42	6.7	2.20	8.5	2.62	8.3	3.19	7.7	NW	315		
	14	1.42	6.8	2.14	8.1	2.60	8.0	3.35	8.2	NW	323		
	16	1.33	6.1	2.18	8.0	2.77	8.1	3.97	8.2	WNW	282		
	18	1.53	6.8	2.47	8.3	3.14	8.2	4.30	8.5	NW	315		
	20	1.36	6.0	2.21	7.7	2.71	7.6	3.01	7.3	NW	319		
	22	1.44	6.2	2.26	7.7	2.79	7.1	3.88	7.8	WNW	299		
	最大 平均	1.74 1.51	6.9 6.5	2.71 2.39	7.9 7.9	3.44 2.94	7.8 7.8	4.82 3.94	7.8 7.9				
	22	00	1.38	5.7	2.18	7.1	2.71	7.1	3.35	7.2	WNW	299	
02		1.33	5.4	2.06	6.5	2.49	6.7	3.17	6.1	WNW	303		
04		1.33	5.5	2.10	6.7	2.68	6.6	3.43	7.1	WNW	290		
06		1.32	5.6	2.10	6.8	2.56	6.6	3.15	6.0	NW	315		
08		1.42	6.0	2.27	7.6	2.76	7.5	3.42	7.2	NW	307		
10		1.51	6.5	2.46	8.5	3.14	8.6	4.02	8.6	NW	319		
12		1.44	6.3	2.51	8.3	3.23	8.2	* 4.57	8.1	NNW	327		
14		* 1.72	7.1	* 2.63	8.2	* 3.24	8.2	3.93	8.5	NNW	327		
16		1.42	6.3	2.31	7.7	2.76	8.0	3.31	7.9	NW	319		
18		1.38	6.7	2.23	8.8	2.76	8.3	3.34	8.9	NNW	335		
20		1.25	6.3	2.04	8.3	2.47	8.3	3.09	7.9	NNE	16		
22		1.33	6.8	1.96	8.2	2.38	8.8	3.44	7.6	NW	315		
最大 平均		1.72 1.40	7.1 6.2	2.63 2.24	8.2 7.7	3.24 2.77	8.2 7.7	4.57 3.52	8.1 7.6				
23		00	1.33	6.8	2.10	8.5	2.45	8.5	3.19	7.9	NW	319	
	02	1.26	6.6	1.99	8.3	2.56	8.2	4.13	8.0	NNE	20		
	04	1.24	6.7	1.99	8.3	2.51	8.4	3.05	7.9	N	4		
	06	1.19	6.8	1.90	8.6	2.34	8.4	3.52	9.0	NW	315		
	08	* 1.54	7.8	* 2.44	9.6	* 2.99	9.0	3.61	8.6	NNE	12		
	10	1.40	7.8	2.20	9.4	2.94	9.9	* 4.15	10.0	NW	323		
	12	1.36	7.5	2.09	9.1	2.64	8.9	3.46	10.6	N	4		
	14	1.29	7.1	2.04	9.1	2.68	9.8	3.76	9.4	N	8		
	16	1.13	7.1	1.77	8.6	2.21	8.3	3.09	7.4	NW	319		
	18	1.11	7.2	1.78	8.7	2.18	9.5	2.50	8.6	NNE	20		
	20	0.94	6.7	1.51	8.8	1.88	8.7	2.48	7.8	NNE	12		
	22	0.81	6.4	1.33	8.3	1.73	9.2	2.31	9.2	NNE	16		
	最大 平均	1.54 1.22	7.8 7.0	2.44 1.93	9.6 8.8	2.99 2.43	9.0 8.9	4.15 3.27	10.0 8.7				
	24	00	0.73	5.9	1.22	8.3	1.57	8.6	1.91	7.8	NNE	20	
02		0.89	6.5	1.40	8.1	1.74	8.6	2.30	8.9	NNE	16		
04		0.95	6.0	1.50	7.5	1.88	7.6	2.75	7.8	NNW	340		
06		1.02	5.9	1.60	7.1	1.95	7.3	2.64	8.0	NNE	25		
08		0.93	5.6	1.49	7.0	1.85	6.6	2.54	6.7	NNE	16		
10		0.88	5.9	1.39	7.1	1.66	7.2	2.27	6.6	NNW	331		
12		0.77	5.8	1.20	6.9	1.52	7.3	1.95	7.7	NW	323		
14		0.97	4.9	1.50	5.8	1.87	5.8	2.46	5.4	NNE	12		
16		0.89	4.9	1.43	6.0	1.84	5.9	2.47	6.6	W	262		
18		* 1.04	5.1	* 1.63	5.7	* 2.04	5.9	2.66	5.0	W	270		
20		0.83	4.8	1.34	6.1	1.76	6.3	* 2.97	5.3	W	274		
22		0.92	5.5	1.43	6.5	1.76	6.4	2.68	6.4	NNW	344		
最大 平均		1.04 0.90	5.1 5.6	1.63 1.43	5.7 6.8	2.04 1.79	5.9 7.0	2.97 2.47	5.3 6.9				

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月											
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区											
機種：波高 海象計 - 52.0 m											
緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″											
日 時		Hmean	Tmean	H1/3	T1/3	H1/10	T1/10	Hmax	Tmax	波 向	
		(m)	(s)	(m)	(s)	(m)	(s)	(m)	(s)	16方位	角度
25	00	1.36	5.8	2.20	6.9	2.78	7.1	3.85	7.4	NNE	12
	02	1.43	6.0	2.27	7.4	2.70	7.5	3.48	7.2	NNE	16
	04	1.49	5.8	2.25	7.0	2.75	7.2	3.53	7.9	NNW	335
	06	1.77	6.1	2.75	7.4	3.38	7.3	4.15	7.4	NNE	20
	08	2.20	6.7	3.38	7.7	4.06	7.6	5.13	6.2	N	356
	10	2.19	6.8	3.51	8.6	4.45	8.3	5.21	8.6	NW	311
	12	2.39	6.8	3.88	8.3	4.98	8.8	6.33	8.2	WNW	299
	14	2.60	6.9	4.13	8.8	5.10	8.8	6.25	8.7	NW	311
	16	2.59	7.2	4.09	8.7	5.15	8.6	* 7.24	9.0	NW	307
	18	2.35	6.7	3.96	8.7	5.06	8.7	6.26	9.9	NW	323
	20	2.73	7.0	* 4.51	8.6	* 5.65	8.6	7.10	8.2	NW	311
	22	* 2.80	7.3	4.30	8.8	5.33	9.0	6.86	8.7	NW	319
	最大	2.80	7.3	4.51	8.6	5.65	8.6	7.24	9.0		
	平均	2.16	6.6	3.44	8.1	4.28	8.1	5.45	8.1		
26	00	2.80	7.3	4.46	8.7	5.51	8.9	7.44	9.5	NW	315
	02	2.64	7.0	4.20	9.2	5.01	8.5	5.89	7.3	NW	319
	04	2.91	7.6	4.79	9.4	* 6.13	9.3	7.66	8.5	NW	323
	06	2.77	7.6	4.61	9.7	5.87	9.7	7.35	9.1	NNW	331
	08	3.04	7.8	4.84	9.6	5.95	9.7	* 8.02	11.3	NNW	335
	10	* 3.16	7.6	* 4.92	9.7	5.98	9.6	7.53	9.2	NW	323
	12	2.80	8.0	4.42	10.2	5.53	11.0	7.09	10.6	NNW	340
	14	2.61	7.4	4.16	9.6	5.19	9.5	7.21	8.5	NW	323
	16	2.49	7.6	3.78	9.3	5.02	9.5	6.53	9.1	NW	315
	18	1.96	7.4	3.14	9.2	4.02	9.7	4.86	9.0	NW	315
	20	2.05	7.5	3.21	9.6	3.91	10.0	5.14	11.1	NNW	331
	22	2.31	7.7	3.97	10.8	5.17	10.8	5.65	11.6	NNE	20
	最大	3.16	7.6	4.92	9.7	6.13	9.3	8.02	11.3		
	平均	2.63	7.5	4.21	9.6	5.27	9.7	6.70	9.6		
27	00	* 2.96	8.5	* 4.63	10.8	* 5.89	11.1	* 8.11	10.9	NNE	20
	02	2.60	7.6	4.05	9.9	4.88	10.2	5.66	11.3	NNE	25
	04	2.47	7.6	4.01	9.9	5.08	9.4	6.84	9.3	NNE	20
	06	2.43	7.2	3.82	9.3	4.69	9.1	5.71	10.5	NW	319
	08	2.39	7.4	3.81	8.7	5.10	9.1	6.78	10.5	NW	323
	10	2.19	6.7	3.43	8.1	4.18	7.8	5.36	7.5	NNW	340
	12	2.02	6.8	3.21	8.4	3.98	9.1	4.76	9.9	N	352
	14	2.18	7.3	3.50	8.8	4.29	8.8	5.77	8.3	NNW	335
	16	2.19	7.6	3.42	9.3	4.10	9.3	5.19	9.7	NW	323
	18	1.94	7.2	3.06	8.6	3.80	8.6	5.03	9.2	NNW	327
	20	1.95	7.0	3.12	8.9	3.87	8.9	4.96	9.0	NNW	331
	22	2.20	6.6	3.55	8.4	4.33	8.0	5.55	7.6	NNW	331
	最大	2.96	8.5	4.63	10.8	5.89	11.1	8.11	10.9		
	平均	2.29	7.3	3.63	9.1	4.52	9.1	5.81	9.5		
28	00	* 2.52	6.9	* 4.08	8.6	* 5.16	8.8	6.72	7.7	NNW	327
	02	2.21	6.8	3.64	8.4	4.81	8.3	* 6.75	7.1	NNW	331
	04	2.29	7.0	3.52	8.5	4.22	8.5	5.29	10.3	N	352
	06	2.17	6.7	3.50	8.7	4.40	8.2	5.57	8.8	NNW	344
	08	2.20	6.7	3.64	8.6	4.62	9.2	6.19	9.2	NNW	340
	10	2.00	7.1	3.25	9.2	4.06	8.9	4.69	9.8	NNW	344
	12	1.86	6.7	3.00	8.7	4.03	9.6	5.22	9.9	N	8
	14	1.79	6.7	2.93	8.7	3.64	9.2	4.78	9.3	NNW	335
	16	1.58	6.7	2.56	8.6	3.22	8.6	4.17	9.7	NNW	344
	18	1.53	6.5	2.57	8.1	3.32	8.7	4.23	9.3	NNW	340
	20	1.52	7.2	2.44	8.4	3.07	8.4	3.64	8.1	NNW	344
	22	1.31	6.7	2.03	7.9	2.40	7.8	2.92	8.0	N	352
	最大	2.52	6.9	4.08	8.6	5.16	8.8	6.75	7.1		
	平均	1.91	6.8	3.10	8.5	3.91	8.7	5.01	8.9		

*は日最大波高、波向欄の空白は欠測を示す

波浪整理表（1）

2021年12月							波 高		波 向		
							規定回数	372 回	規定回数	372 回	
							測得回数	372 回	測得回数	359 回	
							欠測回数	0 回	欠測回数	13 回	
							欠 測 率	0.0 %	欠 測 率	3.5 %	
機種：波向 海象計 - 52.0 m											
観測所：輪島港輪島崎地区			機種：波高 海象計 - 52.0 m				緯度：N 37° -25′ -51″ 経度：E 136° -54′ -08″				
日 時	Hmean (m)	Tmean (s)	H1/3 (m)	T1/3 (s)	H1/10 (m)	T1/10 (s)	Hmax (m)	Tmax (s)	波 向		
									16方位	角度	
29	00	1.23	6.9	1.91	8.1	2.33	8.0	2.82	7.8	N	356
	02	1.06	6.7	1.71	8.0	2.17	7.8	3.33	7.0	NNW	331
	04	0.89	6.5	1.44	8.0	1.81	8.0	2.36	8.7	N	4
	06	0.79	5.8	1.28	7.3	1.61	7.2	2.08	8.2	NNE	12
	08	0.66	5.5	1.10	7.5	1.36	7.4	2.19	7.9	NW	315
	10	0.68	5.5	1.10	6.7	1.39	7.3	2.05	7.4	NNW	327
	12	0.91	5.2	1.42	6.6	1.74	6.5	2.88	6.2	W	266
	14	1.33	5.3	* 2.13	6.2	* 2.66	6.6	* 3.81	5.9	W	278
	16	* 1.33	5.8	2.06	7.0	2.59	6.8	3.41	6.5	W	270
	18	1.13	5.3	1.81	6.6	2.33	6.8	3.28	5.5	W	266
	20	1.09	5.5	1.78	7.1	2.22	7.0	2.79	6.8	W	278
	22	0.93	5.4	1.50	6.9	1.91	7.1	2.79	5.7	W	266
	最大 平均	1.33 1.00	5.8 5.8	2.13 1.60	6.2 7.2	2.66 2.01	6.6 7.2	3.81 2.82	5.9 7.0		
	30	00	0.98	5.9	1.56	7.1	1.95	7.0	2.63	6.3	W
02		1.43	6.2	2.23	7.4	2.77	7.4	3.45	7.7	NW	315
04		1.29	5.9	2.04	7.2	2.53	7.5	3.16	6.9	NW	315
06		1.34	5.6	2.08	6.6	2.58	6.8	3.97	6.9	NW	323
08		1.45	5.5	2.32	6.7	3.07	6.7	4.28	6.7	WNW	286
10		1.53	5.8	2.37	7.2	2.88	7.3	3.46	7.3	W	278
12		1.47	5.4	2.42	6.9	3.06	7.1	3.79	7.7	WNW	295
14		1.65	6.0	2.67	7.2	3.31	7.5	4.50	7.8	WNW	282
16		1.68	6.3	2.67	7.8	3.38	8.3	5.50	9.2	NW	307
18		1.71	6.4	2.66	7.9	3.38	7.6	4.58	7.1	NNW	327
20		1.68	6.5	2.66	8.0	3.23	7.7	3.66	8.5	WNW	282
22		* 1.85	6.5	* 3.03	8.6	* 3.91	8.4	* 6.59	8.2	NW	323
最大 平均		1.85 1.51	6.5 6.0	3.03 2.39	8.6 7.4	3.91 3.00	8.4 7.4	6.59 4.13	8.2 7.5		
31		00	1.99	6.5	3.20	8.0	4.08	8.1	5.28	8.6	WNW
	02	2.07	6.6	3.28	8.0	4.05	8.4	5.35	7.6	NNW	327
	04	2.13	7.1	3.36	8.2	4.08	8.1	4.81	8.2	WNW	282
	06	2.00	6.9	3.05	8.0	3.76	7.9	4.55	7.5	NNW	327
	08	2.20	6.5	3.40	7.9	4.15	8.0	4.98	7.4	NNW	335
	10	2.36	6.8	3.81	8.3	5.16	8.0	* 8.27	8.7	NW	315
	12	2.50	6.8	3.99	8.2	4.94	8.2	5.72	7.7	NW	315
	14	* 2.83	7.5	4.32	9.0	5.21	8.9	6.57	9.5	NNW	331
	16	2.54	7.2	3.90	8.9	4.82	9.1	7.15	9.0	NW	323
	18	2.57	7.2	4.06	8.9	5.07	9.5	6.83	9.2	NNW	335
	20	2.66	7.1	4.47	9.2	* 6.01	9.8	7.20	9.3	NNW	327
	22	2.80	7.3	* 4.50	9.3	5.67	9.0	6.69	9.8	NW	311
	最大 平均	2.83 2.39	7.5 7.0	4.50 3.78	9.3 8.5	6.01 4.75	9.8 8.6	8.27 6.12	8.7 8.5		
	月最大	起時	4.14	8.4	6.90	10.2	8.77	10.8	11.71	11.6	
		1722		1722		1722		1722			
平均		1.43	6.1	2.28	7.5	2.86	7.6	3.74	7.5		